



Digitized by the Internet Archive
in 2025

INTERNATIONAL
MYCOLOGICAL INSTITUTE
LIBRARY

-7 NOV 1995

REFERENCE
ONLY

INDEX OF FUNGI

VOLUME 5 (1981–1990)
CUMULATIVE INDEX



INTERNATIONAL MYCOLOGICAL INSTITUTE

AN INSTITUTE OF *CAB International*

- [*Acarospora smaragdula*]
 — — forma impressa, 188
 — — forma subdiscreta, 188
 — tongleti var. paupera, 188
 — — forma rehmi, 188
 — — forma variegata, 188
 — undata, 151
Acarosporina hyalina, 465
Acarosporium quisquiliaris, 2
Acaulopage tigrina, 941
Acaulospora appendicula, 377
 — delicata, 517
 — denticulata, 737
 — dilatata, 517
 — foveata, 188
 — gedanensis, 825
 — lacunosa, 517
 — longula, 377
 — mellea, 377
 — morrowiae, 377 ('morrowae')
 — myriocarpa, 465
 — nicolsonii, 377
 — polonica, 825
 — rehmi, 737
 — rugosa, 517
 — spinosa, 73
 — splendida, 867
 — sporocarpia, 417
 — taiwania, 825
 — thomii, 825
 — tuberculata, 188
 — undulata, 867
Acervus epispertius forma albus, 1041
 — lusakianus, 329
Acetabula purpurea, 2
Achaetomium brevissimum, 2, 377
 ('brevisemum')
 — cristalliferum, 41
 — hamadae, 225
 — marinum, 2
 — nepalense, 151
 — purpurascens, 151
 — raii, 41
 — thermophilum, 188
Achlya bisexualis var. *ambisexualis*, 277
 — bisporea, 517
Achroomyces australis, 225
 — blastomyces, 225
 — brunneus, 225
 — carneus, 225
 — carolinianus, 225
 — cissi, 225
 — decipiens, 225
 — fibrosus, 225
 — lagerstroemiae, 225
 — longibasidium, 225
 — mycophilus, 225
 — opalinus, 225
 — pustulatus, 225
 — sphaerosporus, 225
 — subvestitus, 225
 — succineus, 225
 — unisporus, 225
ACITHECA, 465
 — purpurea, 465
Acladium fimbriatum, 465
Acompsomyces lasiochili, 417
 — parvus, 941
 — stenichni, 417
ACREMONITES, 377
 — succineus, 377
Acromonium berkeleyanum, 151
 — cajani, 571
 — chisosum, 571
 — coenophialum, 188
 — huerfanum, 653
 — lolii, 329 ('loliae')
 — miyakoense, 417
 — obclavatum, 277
 — pedatum, 941
 — starrii, 737
 — succineum, 377
 — tectonae, 653 ('Acromonium')
 — tenuicristatum, 225
 — typhinum, 188
 — ugandense, 417
ACROCALYMMA, 571
 — medicaginis, 571
Acroconidiella gracilis, 867 ('gracile')
 — trisepta, 41
Acrocordia megalospora, 737
ACROCORDIELLA, 188
 — occulta, 188
ACROCORDIOPSIS, 941
 — patilii, 941
ACRODICTYOPSIS, 277
 — lauri, 277
Acrodictys atroapicula, 151
 — corniculata, 417
 — eickeri, 188 ('eickerii')
 — elaeidis var. *cubensis*, 225
 — malabarica, 941
 — septosporioides, 277
 — similis, 329
 — stilboidea, 653
 — viridescens, 417
Acrodontium antarcticum, 1041
 — echinulatum, 277
 — myxomyceticola, 188
Acrophragmis laevispora, 2
 — reisingeri, 73 ('reisingeris')
Acrospermum erikssonii, 1041
Acrosporium dendrophthoe, 225
 ('dendrophthoe')
ACROSTROMA, 737
 — annellosynnema, 737
Actidium mirabile, 571 ('mirabilis')
Actinocymbe indica, 825
Actinomucor taiwanensis, 417
Actinopeltis peltigericola, 225
 — sordidula, 1041
Actinoplaca vulgaris, 653
ACUMISPORE, 2
 — biseptata, 2
 — phragmospora, 2
 — uniseptata, 2
ADELOLECIA, 377
 — pilati, 377, 737
ADOMIA, 417
 — avicenniae, 417
Aecidium achyrophori, 226
 — aconiti-phragmitincola, 41
 — alchorneae-rugosae, 277
 — anemarrhenae, 151

- aspiliae, 571
- cacciniae, 737
- capparidis, 737
- clerodendri-serrati, 571
- colchici-autumnalis, 151
- echuyaense, 571 ('echuyaense')
- elaeocarp-tuberculati, 329 ('elaecarpituberculatae')
- haplocarphae, 571
- holboelliae, 277
- isolonae, 825
- lychnidis, 41
- metaplexis, 277
- neolitseae, 277
- painavuense, 653 ('painavuensis')
- pectinis-veneris, 737
- primulinum, 41
- rhynchosiae, 737
- schisandrae, 571
- schizophragmatis, 571
- senecionis, 737
- ussuriense, 41
- veratri, 41
- Aegerita tortuosa, 417
- Aegeritella maroccana, 1041
- roussillonensis, 517
- tuberculata, 417
- AEGERITINA, 329
- tortuosa, 329
- AFROBOLETUS, 73
- luteolus, 73
- pterosporus, 73
- Agaricochaete indica, 2
- AGARICODOCHIUM, 73
- camelliae, 73
- Agaricostilbum hyphaenes, 188
- pulcherrimum, 377
- Agaricus aestivalis var. veneris, 466
- albertii, 867
- albidoperonatus, 2
- alboargillascens, 466
- alligatoris, 737 ('aligatoris')
- amanitae, 571
- amicosus, 867
- arcticus, 867
- arorae, 417
- arvensis var. exquisitus, 941 ('exquisita')
- augustus var. albus, 377
- var. perrarus, 329
- balchaschensis, 1041
- biberi, 377
- bisporus var. perrubescens, 41
- forma microspora, 188
- bitorquis var. validus, 329
- bohussii, 151, 226
- boisseletii, 737
- caespitipes, 151
- campestris forma ferruginascens, 41
- var. xanthodermatoides, 277
- cappelli, 417
- cappellianus, 737
- caribaeus, 226
- cellaris, 941
- chilensis, 867
- cookeianus, 517
- cuniculicola, 867
- cupressicola, 571
- curanilahuensis, 867
- delastrii, 867
- diamantanus, 226
- ducheminii, 466, 737, 941
- duplocingulatus, 2
- edulis, 737
- electicus, 737
- essettei, 151, 226
- eugrammus, 867
- fiardii, 226
- var. exalbidus, 226
- flavescens, 466
- floccipes, 466
- fuscovelatus, 417
- geesterani, 517
- gennadii var. microsporus, 466
- gnapholopus, 517
- griseorimosus, 226
- haematocephalus, 867
- heimii, 517
- hilarianus, 867
- horakii, 377
- hortensis, 738
- hymenopileus, 2
- hypophaeus, 2
- inedulis, 2
- infidus, 151
- inoxydabilis, 2
- koelerionensis, 2
- langei var. sylvaticoides, 151
- lanipes, 226
- leptomeleagris, 226
- lignatilis, 653
- litoralis, 151, 466 ('littoralis')
- longicaudus, 466
- ludovicii subsp. littoralis, 377
- luteoflocculosus, 466
- macrosporus, 867
- var. kuhnerianus, 151
- var. stramineus, 466
- magnivelaris, 226
- marasmioides, 571
- martinicensis, 226
- menieri, 151, 226
- moellerianus, 466
- nivescens var. squarrosipes, 571
- nothofagorum, 653
- novoguineensis, 226
- oenotrichus, 2
- omphalomorphus, 867
- perobscurus, 417
- petchii, 517
- phaeocyclus var. pucatrihuensis, 653
- placomyces var. meleagris, 466, 867
- pleurocystidiatus, 2
- porphyrizon var. cookei, 571
- praeclaresquamosus var. terricolor, 329
- pratulorum, 517
- var. subsquamosus, 517
- pseudocretaceus, 466
- pseudopratisensis, 41, 466
- var. niveus, 41, 466
- putidus, 466
- reae, 151 ('reai')
- romagnesii var. infidus, 329
- rosalamellatus, 466, 517 ('rosamellata')
- rubelloides, 466

[Agaricus]

- rubronanus, 417
- ruderum, 868
- rusiophyllus var. comtulus, 466
- schaefferianus, 653, 738
- sequoiae, 417
- silvipluvialis, 226
- smithii, 417
- stadii, 517
- stramineus, 517
- striaepes, 941
- subfloccosus, 738 ('subflocosus')
- — var. bisporus, 738
- substramineus, 517
- summensis, 417
- termiticola, 2
- ustulatus, 226
- valdiviae var. saturatus, 653
- vaporarius, 329, 738
- veneris, 466, 517
- vernalis, 571
- versatilis, 868
- villaticus, 738
- vinaceovirens, 417
- wasserii, 466
- xanthodermus var. griseus, 329
- — var. meleagrioides, 329 ('meleagrioides')
- zeylanicus, 517

AGARWALOMYCES, 738

- indicus, 738

Agrocybe sect. Vervactigenae, 1041

- aegerita, 466
- angusticeps, 109
- aporata, 517
- autumnalis, 466
- badia, 518
- broadwayi var. indica, 277
- brunneola, 2, 109
- chrysocystidiata, 377
- coniferarum, 653
- elatella, 1041
- holophlebia, 41
- indica, 518
- irritans, 377
- karnatakensis, 226
- manihotis var. microspora, 277
- molesta var. xanthophylla, 738
- musae, 738
- musicola, 868
- occidentalis, 226
- olivacea, 738
- paludosa, 738
- parasitica, 277
- pascuensis, 109
- pediades forma bispora, 226
- — forma cinctula, 1041
- peradenica, 518
- procera var. andinopatagonica, 377
- pusilla, 109
- recalva, 653
- setulosa, 377
- smithii, 226
- stepposa, 329
- tucumana, 109

AGROGASTER, 518

- coneae, 518

AHTIA, 109, 941

- wallichiana, 109

AHTIANA, 518

- sphaerosporella, 518

AIGIALUS, 466

- grandis, 466
- mangrovis, 653
- parvus, 466
- rhizophorae, 653

Aithaloderma himalayanum, 825 ('himalayana')

Aivenia aconiti, 1041

- calthae, 1041
- foliicola, 1041
- Akanthomyces johnsonii, 868
- novoguineensis, 188

AKENOMYCES, 329

- costatus, 329
- — var. enigmaticus, 329

Alacrinella sanjuanensis, 417

ALATOESESSILISPORA, 377

- bibrachiata, 377
- Alatospora flagellata, 41

Albatrellus borneensis, 941

- cochleariformis, 738
- pilosus, 41

Alboleptonia aripoana, 226

- aurantia, 868
- cyathiformis, 226
- graveolens, 868
- hyalodepas, 226
- rubellotincta, 518

Albotricha sect. Luteotricha, 738

- alpina, 653
- caduca, 653
- fuegiana, 653
- kamschatica, 466
- lupini, 571, 738
- miniata, 825
- — subsp. schoenoplecti, 825, 1041
- vantschensis, 188

Albugo aechmantherae, 377

- eomeconis, 73
- hyoscyami, 571
- lepidii, 41
- pileae, 277

ALDONATA, 868

- pterocarpi, 868

Alectoria bicolor var. subbicolor, 188

- cervinula, 188
- delicata, 188
- nana, 188
- norstictica, 188
- subtilis, 188

ALECTORIOPSIS, 572

Aleuria buxea, 1041

- congrex, 73
- palustris, 518
- phlyctispora, 868
- splendens, 738
- tectipus, 518

Aleurina americana, 518

- argentina, 518
- asperula, 518
- calospora, 518
- echinata, 518
- ferruginea, 518

- imaii, 518
- kaushalii, 653
- magnicellula, 518
- olivaceofusca, 518
- subvirescens, 518
- ALEUROBOTRYS**, 466
 - botryosus, 466
- Aleurodiscus cremicolor**, 151
 - dendroideus, 277
 - gabonicus, 466
 - ilexicola, 825
 - mesaverdensis, 738
 - utahensis, 277
- Allantonectria miltina**, 1041
- ALLEPPEYSPORONITES**, 377
 - scabratus, 377
- Allescheriella cynaea**, 941
- Allochytridium luteum**, 653
- Allophylaria campanuliformis**, 1041
 - crystallifera, 2
 - filicum, 1041
 - montana, 226
 - paludosa, 466
 - soederholmii, 653
 - subhyalina, 466
- ALMBORNIA**, 109
 - cafferensis, 109
- Alnicola albotomentosa**, 518
 - badiolateritia, 518
 - clavuligeroides, 518
 - fellea, 518
 - fusispora, 941
 - geraniolens, 277
 - leucocnemis, 572
 - melinoides, 73
 - pseudoscolecina, 518
 - rubriceps, 518
 - saliceti, 518
 - salicetorum, 518
 - silvaenovae, 518
 - tantilla, 868
- Alpakesa taiwanensis**, 654
- Alpova clelandii**, 417
 - grandisporus, 417
 - lignicolor, 417
 - shanxiensis, 1041
 - yangchengensis, 1041
- Alternaria albisiae**, 41 ('albizziae')
 - angustiovoidea, 467
 - brevisseptata, 467
 - conjuncta, 467
 - crotonis, 2
 - ethzedia, 467
 - euphorbiae, 467, 518
 - euphorbiicola, 467
 - eureka, 467
 - granulosa, 329
 - helianthinificiens, 467
 - infectoria, 467
 - limaciformis, 73
 - macrospora var. *sterculiae*, 654
 - molesta, 73
 - mouchaccae, 73
 - peponicola, 151
 - photistica, 467
 - protenta, 467
 - scirpicola, 329
 - scorzonerae, 329
 - steviae, 151
- Alysidiopsis foliicola**, 518
- Alysidium guttulatatum**, 572
- Amanita subsect. Inauratae**, 1042
 - subsect. *Vaginatinae*, 1042
 - albofloccosa, 226
 - albopulverulenta, 41
 - alnicola, 654
 - amici forma *bispora*, 572
 - aminoaliphatica, 467
 - arctica, 825
 - argentea var. *supravolvata*, 417
 - aspera var. *fusca*, 825
 - — var. *olivacea*, 825
 - — forma *lactella*, 41
 - asteropus, 329
 - aurantiovelata, 151
 - austropulchella forma *macalpineiana*, 2 ('*mcalspiniana*')
 - badia, 417
 - battarae, 518
 - beillei, 418, 572
 - bertaultii, 418
 - bharatensis, 226
 - breckonii, 188
 - brunneoconulus, 151
 - bulbosa var. *alba*, 825
 - — var. *citrina*, 825
 - — var. *olivacea*, 825
 - — var. *virescens*, 825
 - caesarea var. *alba*, 825
 - — var. *aurantia*, 825
 - — var. *caesareoides*, 868 ('*caesaroides*')
 - — var. *lutea*, 825
 - — var. *rubra*, 825
 - canescens, 151
 - ceciliae, 277
 - chrysouleuca, 226
 - citrina var. *gracilis*, 868
 - cokeri forma *roseotincta*, 418
 - constricta, 188
 - contui, 1042
 - crocea, 329
 - — var. *subnudipes*, 329
 - dunensis, 277
 - dunicola, 188
 - eburnea, 1042
 - effusa, 2
 - excelsa forma *maxima*, 226
 - farinosa var. *mexicana*, 418
 - flammeola, 41
 - flavofloccosa, 418
 - flavorubens var. *gracilis*, 109
 - foetens var. *grassii*, 518
 - franchetii var. *lactella*, 572
 - fulva, 572, 868
 - — forma *alba*, 572
 - fuscoolivacea, 1042
 - fuscostriata, 226
 - gemmata, 825
 - — var. *junquillea*, 572, 654
 - — var. *pallida*, 825
 - — var. *toxica*, 277
 - gracilior, 151
 - grauiana, 868
 - grisella var. *luteolovelata*, 2

[Amanita]

- groenlandica, 825
- guzmanii, 418 ('guzmanni')
- hamadae, 418
- herrerae, 654
- hunanensis, 109
- inaurata, 825
- — forma argentina, 825
- ingrata, 226
- inopinata, 738
- jacksonii, 377
- junquillea var. exannulata, 226
- levisiata, 826
- lividopallescens, 572, 941
- — var. malleata, 329
- — var. tigrina, 572, 942
- longipes, 418
- magniverrucata, 188
- mairei var. argentea, 418
- malleata, 226
- manicata, 518
- marginata, 73
- media, 226
- merxmulleri, 467
- miculifera, 378
- morenoi, 518
- mortenii, 826
- muscaria var. formosa, 826
- — var. puella, 826
- — var. sanguinea, 826
- — var. tomentosa, 826
- oblongospora, 738 ('oblogospora')
- — var. tigrina, 942
- olivaceogrisea, 645
- oreina, 654
- ovoidea var. proxima, 738
- pachycolea, 188
- pachyvolvata, 378, 654, 738, 942
- pallidoflavescens, 2
- pantherina forma albida, 572
- — forma mediterranea, 868
- planei, 738
- porphyria var. asteropus, 572, 654, 868
- — var. fusca, 826
- — var. purpurascens, 826
- protecta, 942
- pseudovaginata, 942
- pulverotecta, 151
- punctata, 2
- queletii, 418
- — var. franchetii, 418
- radiata, 329
- ristichii, 1042
- roseophylla, 467
- rubescens var. alutacea, 826
- — var. annulosulfurea, 826
- — var. genuina, 826
- — var. incarnata, 826
- — var. radicata, 418
- — var. verrucosa, 826
- — var. virescens, 572
- — forma virescens, 654, 868
- sampajensis, 226
- silvatica, 188
- sinicoflava, 826
- solitaria forma strobiliformis, 572
- spissa var. alba, 1042

- — var. ampla, 1042
- — var. cariosa, 738, 1042
- — var. cinerea, 826
- — var. excelsa, 277
- — var. valida, 277, 1042
- — forma alba, 1042
- — forma exannulata, 1042
- — forma minor, 1042
- — forma raphaniadora, 1042
- squarrosa, 418
- subalpina, 378, 572, 868
- submembranacea var. bispora, 738
- — var. griseoargentea, 572
- toxica, 467
- umbonata, 329, 330
- umbrinolutea var. flaccida, 738
- — var. fusco-olivacea, 942
- ushuaiensis, 41
- vaginata, 572
- — subsp. lutescens, 573
- — subsp. urceolata, 573
- — var. alba, 572, 826
- — var. alutaceovergens, 572
- — var. argentata, 572
- — var. badia, 572, 1042
- — var. battarrae, 572 ('battarae')
- — var. cinerea, 826
- — var. cygnea, 572
- — var. elongata, 868
- — var. fulva, 826
- — var. fuscescens, 826
- — var. livida, 826
- — var. major, 826
- — var. malleata, 573
- — var. nivalis, 573
- — var. pallescens, 826
- — var. roseilamellata, 826
- — var. spadicea, 573
- — var. umbrinolutea, 573
- — forma aurantiofulva, 572
- — forma battarrae, 572, 1042 ('battarae')
- — forma cinerea, 572
- — forma fuscescens, 572
- — forma grisea, 572
- — forma hyalina, 572
- — forma livida, 572
- — forma lividopallescens, 572
- — forma pallescens, 572
- — forma plumbea, 572, 1042
- valens, 41
- venenosa var. alba, 826
- — var. fulva, 826
- — var. straminea, 826
- — var. virescens, 826
- verna forma ellipticospora, 573
- virosa forma alba, 573
- xanthocephala, 2
- — forma macalpineiana, 2 ('mcalpiniana')
- yucatanensis, 188
- zambiana, 41
- Amanitaria eliae forma exannulata, 573
- pantherina forma exannulata, 573
- Amanitina citrina var. gracilis, 573
- — forma glabra, 573
- Amanitopsis argentea, 868
- beckeri, 868, 1042
- fulva forma alba, 942

- lividopallescens, 573
- — forma tigrina, 573
- malleata, 226
- pseudovaginata, 868
- subalpina, 573
- umbrinolutea, 573
- vaginata var. punctata, 868
- — var. sternbergii, 573
- — var. umbrinolutea, 868
- — forma alba, 573
- AMARENOGRAPHIUM**, 188
- metableticum, 189
- AMARENOMYCES**, 151
- ammophilae, 151
- Amauroascus mutatus**, 189
- oblatum, 942
- pseudoreticulatum, 467
- volatilis-patellis, 467
- Amauroderma amoiense**, 277 ('amoiensis')
- atrum, 227
- austrosinense, 330
- congregatum, 227
- dayaoshanense, 574
- guangxiense, 574
- jiangxiense, 739
- leucosporum, 227
- longgangense, 574
- malesianum, 227
- — var. borneense, 227
- — var. parvisporum, 227
- parasiticum, 227
- perplexum, 227
- — var. brunnescens, 227
- — var. gracile, 227
- rugosum, 277
- — var. latiporum, 227
- secedens, 227
- solomonense, 227
- subresinosum, 227
- wuzhishanense, 739
- Amazonia acronychiae**, 1042
- actinodaphnis, 1042
- cinnamomi, 868
- gomphandrae, 868
- gouaniae, 1042
- henryi, 1042
- syzygii, 1042
- AMBRODISCUS**, 826
- pseudotsugae, 826
- Ameghiniella plicata**, 826
- AMEPIOSPORA**, 277
- ellipsoidea, 278
- fusoides, 278 ('fusoidis')
- globosa, 278
- macrospora, 278
- triangularis, 278
- Amerosporium circinatum**, 189 ('circinata')
- AMETHICIUM**, 227
- luteo-incrustatum, 518
- rimosum, 227
- AMICODISCA**, 574
- brdensis, 574
- viridicoma, 1042
- Amoebophilus simplex**, 330
- Amphicytostroma quercinum**, 73
- Amphinema arachispora**, 73
- diadema, 518
- Amphiporthe leiphaemia**, 73
- Amphisphaerella xylostei**, 278, 574
- Amphisphaeria lepidolophae**, 109
- palmarum, 418
- pardalina, 942
- serrulata, 942
- striatispora, 574
- Amplariella rubescens forma annulorosea**, 574
- — forma exannulata, 574
- — valida forma lactea, 574
- Ampulliferina lauri**, 151
- Amygdalaria aeolotera**, 739
- athroocarpa, 518
- consentiens, 109, 519
- — var. japonica, 519
- continua, 739
- elegantior, 739
- haidensis, 739
- panaeola, 739
- subdissentiens, 519
- tellensis, 739
- AMYLOBASIDIUM**, 739
- tsugae, 739
- Amylocorticium africanum**, 227
- cumminsii, 942
- pedunculatum, 330
- Amyloflagellula inflata**, 151
- verrucosa, 151
- Amylonotus flavus**, 41
- ochrocroceus, 41 ('ochrocrocea')
- tenuis, 739
- AMYLOPORIELLA**, 378
- alpina, 378
- crassa, 378
- flava, 378
- oleracea, 378
- sordida, 378
- Amylosporomyces subasperisporus**, 826
- Amylosporus bracei**, 418
- daedaliformis, 739
- iobaphus, 418
- wrightii, 227
- Amylostereum ferreum**, 330
- Amylostereum sacratum**, 519
- Anaptychia boryi var. squarrosa**, 109
- ciliaris subsp. mamillata, 28
- runcinata, 378
- szechuanensis, 278 ('szechuensis')
- — forma albomarginata, 278
- undulata, 278
- yunnanensis, 278
- ANARHYMA**, 574
- rhododendri, 574
- ANCORASPORA**, 189, 330
- cubensis, 188, 330
- Ancylistes netrii**, 109
- Anema cernohorskyi**, 1042
- prodigulum, 519, 1042 ('prodigula')
- Anguillospora angulata**, 418
- coryli, 418
- marina, 227
- vermiformis, 418
- Aniptodera fusiformis**, 942
- limnetica, 942
- mangrovei, 574 ('mangrovii')
- margarition, 942

- Anisogramma apiospora, 574
 — vepris, 574
 Anisomeridium albisedum, 739
 — ambiguum, 739
 — carinthiacum, 739
 — distans, 739
 — feeaanum, 63
 — foliicola, 868
 — juistense, 28
 — leucochlorum, 739
 — macrocarpum, 63
 — magnosporum, 278
 — nyssaegenum, 467
 — sanfordense, 739
 — subprostans, 63
 — tamarindi, 63
 — tuckeri, 63
 — willeyanum, 418 ('willeyana')
 Anxiopsis biplanata, 574
 ANNELLA, 109
 — capitata, 109
 — pulchra, 109
 ANELLODENTIMYCES, 418
 — antennatuloideus, 418 ('antennatuloideus')
 Anellophora arundinariae, 278
 ('arundinaria')
 — phoenicis var. cubensis, 739
 ANOMALEMMA, 278
 — epochnii, 278
 Anomoporia ambigua, 654
 — dumontii, 654
 — irpicoides, 654
 Antennatula cubensis, 942
 — tropicicola, 942
 Antennularia major, 2
 Antennulariella alpina, 654
 Anthasthoopa aceris, 278
 Anthopsis catenata, 151
 — microspora, 467
 Anthostoma coffeae, 73
 — euphorbiae, 519
 Anthostomella adusta, 574
 — alchemillae, 41
 — aracearum, 151
 — baileyi, 41
 — bispapillata, 942
 — callicarpae, 378
 — coffeicida, 73 ('coffeicida')
 — coffeicola, 73
 — eucalypti, 942
 — hemibrunnea, 942
 — hinoana, 378
 — lophirae, 574 ('Antostoma')
 — neolitseae, 378
 — pseudoclypeata, 942
 — sasae, 739 ('Anthostomella')
 — trachycarpi, 42
 — triangularis, 42
 Anthracobia melaloma, 1042
 — rehmi, 378
 — uncinata, 73
 Anthracoidea curvulae, 278
 — foetidae, 227
 — fuirenae, 868
 — humilis, 278
 — kukkonenii, 826
 — nepalensis, 942
 — obovoidea, 418
 — pannucea, 418
 — pseudirregularis, 189
 — variabilis, 418
 Anthracophyllum melanophyllum, 942
 Anthracothecium angolense, 868
 — asahinae, 109
 — assamiense, 151
 — bengalense, 330
 — cristatellum, 109
 — globiferum var. microsporum, 418
 — immersum, 151
 — japonicum, 110
 — keralense, 151
 — leightonii, 151
 — maculatum, 110
 — majus, 110, 151
 — megaspermum, 151
 — mulleri, 151
 — nanum, 868
 — novemseptatum, 868
 — prasinum, 739
 — pseudocypheallatum, 189
 — pseudohimalayense, 189
 — pustuliferum, 189
 — sublaevigatum, 151
 — varians, 868
 — vermiculare, 151 ('vermicularis')
 — welwitschii, 869
 Antipodium arecae, 2 ('arechae')
 Antrodia alboides, 467
 — alpina, 418
 — carbonaria, 278
 — carbonica, 330
 — cervina, 227
 — daedaliformis, 42
 — eutelea, 330
 — farinacea, 418
 — ferox, 418
 — hippophaes, 869
 — macra, 467
 — minutispora, 110
 — odora, 418
 — oleracea, 42, 378
 — parvula, 869
 — pavonia, 418
 — pictilis, 418
 — porothelioides, 739
 — pulvinascens, 467
 — radiculosa, 418
 — sitchensis, 419
 — sordida, 330
 — stratos, 378
 — subalbidoides, 467
 — submalicola, 419
 — subramentacea, 419
 ANTRODIELLA, 42
 — americana, 330
 — angulatopora, 654
 — citrea, 330
 — citrinella, 278
 — fissiliformis, 739
 — fragrans, 519
 — hoehnelii, 189
 — hunua, 42
 — hydrophila, 330 ('Androdiella')
 — incrustans, 330

- induratus, 330
- liebmännii, 42
- minutispora, 42
- oleaginea, 42 ('oleaginea')
- onychoides, 189
- overholtsii, 330
- rata, 739
- romellii, 189
- semisupina, 42
- straminea, 42
- subundata, 419
- versiculis, 519
- Antromyopsis* sajor-caju, 73
- smithii, 73
- Anungitea* antillana, 574
- heterospora, 227
- rhabdospora, 227
- Anzia* afromontana, 574
- dictyorrhiza, 654
- ANZINA**, 278
- carneonivea, 278
- — var. tetraspora, 467
- APATOPLACA**, 98
- oblongula, 98
- APHANANDROMYCES**, 152
- audisioi, 151
- Aphanoascus* canadensis, 467
- Aphanobasidium* subgen. *Amyloxenasma*, 942, 1042
- albidum, 1043
- aurobisporum, 942 ('*Aphanobasidium*')
- bourdotii, 1043
- pruina, 1043
- pseudotsugae, 1043
- sphaerosporum, 1043
- Aphanocladium* aranearum var. sinense, 378
- dimorphum, 519
- tomentosum, 378
- APHANOFALX**, 467
- irregularis, 574
- mali, 467
- Aphanomyces* euteiches forma specialis phaseoli, 151
- — forma specialis pisi, 151
- iridis, 574
- Aphanomyopsis* cryptica, 419
- peridiniella, 519
- Aphanopsis* coenosa, 378
- Aphanostigma* hoehneltii, 227
- scutiae, 42
- Aphelaria* lacerata, 519
- APHELARIOPSIS**, 152
- borneensis, 151
- colombiana, 151
- APHYSIOSTROMA**, 467
- stercorarium, 467
- APIOCAMAROPS**, 574
- alba, 574
- cryptocellula, 869
- Apiognomonina* acerina, 278
- borealis, 278
- catappa, 278
- manihotis, 278
- ostryae, 278
- petiolicola, 278
- rhododendri, 3
- ribis, 278
- righettii, 419
- rigniacensis, 278
- sanwalii, 278
- suprasedata, 378
- terminaliae, 3
- Apioplagiostoma* hilberovae, 942
- Apiosordaria* angulisporea, 869
- backusii, 869
- effusa, 227
- jamaicensis, 227
- longicaudata, 227
- microcarpa, 110
- obliqua, 869
- rotula, 73
- rugosa, 3
- sacchari, 227
- spinosa, 227
- stercoraria, 73
- striatisporea, 869
- tenuilacunata, 278
- terrestris, 227
- tetraspora, 227
- tuberculata, 227
- vermicularis, 227
- vestita, 151
- yaeyamensis, 3
- Apiospora* bambusae, 278
- setosa, 110
- tintinnabula, 110
- APIOTHECIUM**, 739
- vepris, 739
- Apiothyrium* tasmanicum, 739
- Apiotrichum* curvatum, 110
- eucryphiae, 378
- futronense, 378 ('*futroneis*')
- humicola, 110
- nothofagi, 378 ('*Apiotricum*')
- osvaldii, 378
- Aplosporella* aristolochiae, 42 ('*Haplosporella* aristolochae')
- coffeicola, 73 ('*Haplosporella*')
- embeliae, 189 ('*Haplosporella*')
- memecyli, 42 ('*Haplosporella* memecylone')
- oleae-dioicae, 42 ('*Haplosporella*')
- passiflorae, 73 ('*Haplosporella* passifloridis')
- Apodospora* peruviana, 739
- APORELLULA**, 574
- erigerontis, 574
- Aporomyces* byrrhini, 942
- lutrochi, 942
- perpusillus, 74
- physemi, 942
- Aporium* borneense, 42
- substuppeum, 826 ('*substuppeus*')
- Aposphaeria* zae, 74
- APOSTRASSERIA**, 227
- ambigua, 227
- balsamicola, 378
- fusiformis, 227
- lunata, 227
- robusta, 227
- APPENDICHORDELLA**, 654
- amicta, 654
- Appendiculella* micheliicola, 942 ('*michelicola*')

- AQUADISCUA, 419
 — appendiculata, 419
 Arachnomycetes minutus, 110
 — validus, 110
 Arachnopeziza aranea forma monilipila, 74
 — depauperata, 826
 — floriphila, 942
 — monoseptata, 739
 — ochracea, 739
 — subnuda, 419
 — variepilosa, 739
 Arachnoscypha boudieri, 42 ('boudierii')
 Arachnotheca vriesii, 74
 ARBORISPORA, 654
 — dolichovirga, 654
 — multisurcularis, 654
 — palma, 654
 — paupera, 942
 Arbuscula see Arbusculidium
 — see Neoarbuscula
 ARBUSCULIDIUM, 189
 — eugeniae, 189
 ARBUSCULINA, 739
 — fragmentans, 826
 — irregularis, 739
 — moniliformis, 740
 Arcangeliella desjardinii, 419
 — dolichocaulis, 151
 — parva, 419
 — saylorii, 419
 ARCHECRIBRARIA, 278, 654
 — eisenackii, 278, 654
 — retiolites, 278, 654
 ARCHEPLAX, 574
 — dispar, 574
 ARCHETEROBASIDIUM, 278
 — syrtae, 278
 ARCTOPARMELIA, 467
 — aleuritica, 467
 — centrifuga, 467
 — incurva, 467
 — separata, 467
 — subcentrifuga, 467
 ARCTOPELTIS, 278
 — thuleana, 278
 ARCTOSPORIDIUM, 3
 — lucidum, 3
 Arcyodes luteola, 227, 419
 Arcyria abietina, 419
 — afroalpina, 110
 — brooksii, 42 ('brooksea')
 — brunnea, 519
 — margino-undulata, 278
 — oerstedtioides, 278
 — pausiaca, 574
 — rubrobrunnea, 574
 — verrucosituba, 574 ('Acyria')
 ARCYRIATELLA, 943
 — congregata, 943
 Ardachandra aequilatera, 654
 ARENARIOMYCES, 279
 — majusculus, 943
 — parvulus, 519
 — trifurcatus, 279
 — triseptatus, 467
 Areolospira bosensis, 3
 ARGOPERICONIA, 574
 — elegans, 574
 Aristastoma indicum, 189
 ARKOOLA, 519
 — nigra, 519
 Armatella katumotoi, 869
 — litseae var. boninensis, 3
 Armillaria subgen. Desarmillaria, 869
 — apalosclera, 189, 330 ('apalosclerus')
 — borealis, 151
 — bulbosa, 227, 378
 — calvescens, 943
 — cepestipes forma pseudobulbosa, 279
 — ectypa, 869, 1043
 — fellea, 227
 — fumosa, 227
 — gallica, 654
 — gemina, 943
 — glioderma, 227
 — griseofusca, 869, 1043
 — griseomellea, 228
 — hinnulea, 228
 — irrorata, 228
 — montagnei, 228, 869
 — nigritula, 110
 — nigropunctata, 869
 — novae-zelandiae, 869
 — obscura, 467, 869
 — odorata, 3
 — olivacea, 869
 — ostoyae, 869
 — pallidula, 826
 — saviczii, 869
 — schreieri, 3
 — sinapina, 869
 — socialis, 869
 — sparrei, 228, 869
 — yungensis, 869
 Armillariella affinis, 943
 — armeniaca, 1043
 — camerunensis, 654
 — darjeelingensis, 655
 — macrospora, 74
 — solidipes, 74
 — tigrensensis, 330
 — viridiflava, 943
 Arnaudiella alstoniae, 42
 — andina, 575
 — cytili, 42
 — petrocallidis, 1043
 Arnium sulphureum, 740
 ARNOLDIA, 3
 — clavispora, 3
 ARNOLDIELLA, 330
 — robusta, 330
 ARNOLDIOMYCES, 82
 — clavisporeus, 42
 — macrosporus, 519
 Arpinia fusispora, 869
 — luteola, 151
 — — var. pallidorozea, 869
 — microspora, 869
 Arrhenia subgen. Leptoglossum, 943
 — subgen. Phaeotellus, 943
 — sect. Omphalariae, 943
 — acerosa, 330 ('acerosus')
 — alnetora, 330
 — fissa, 330

— *glauca*, 740
 — *griseopallida*, 943
 — *latispora*, 740
 — *lobata*, 330
 — *muscigena*, 330 ('*muscigenum*')
 — *retiruga*, 330
 — *rickenii*, 943
 — *salina*, 740, 869, 1043
 — *spatulata*, 330
Arthonia *anglica*, 943
 — *anombrophila*, 943
 — *apteropteridis*, 869
 — *bacidiospora*, 943
 — *cohabitans*, 943
 — *cryptotheciae*, 943
 — *curreyi*, 943
 — *endlichieri* forma *decussata*, 279
 — *ericetorum*, 943
 — *exilis* var. *apatetica*, 279
 — *gelidae*, 575
 — *graphidicola*, 943
 — *insidiens*, 943
 — *insitiva*, 943
 — *invadens*, 943
 — *lapidicola* var. *fusca*, 279
 — — var. *macrocarpa*, 279
 — *lepidophila*, 943
 — *leucodontis*, 943
 — *lignariella*, 943
 — *linitae*, 869
 — *macounii*, 98
 — *mazosiae*, 943
 — *molendoi*, 575
 — *nideri*, 943
 — *obscurior*, 1043
 — *phlyctidicola*, 943
 — *rubescens*, 943
 — *sphyridii*, 943
 — *subantarctica*, 575
 — *subvelutina*, 943 ('*subvelutinae*')
 — *thelotrematis*, 943
 — *tumidula* var. *coccinea*, 279
 — — var. *rubra*, 279
 — — forma *astroidea*, 279
 — — forma *concolor*, 279
 — — forma *cuspidans*, 279
 — — forma *glabra*, 279
 — — forma *kermesina*, 279
 — — forma *opegraphoides*, 279
 ('*opegraphoies*')
 — *urceolata*, 944
Arthopyrenia *carneobrunneola*, 869
 — *cembrina*, 28
 — *claviformis*, 467 ('*clavaeformis*')
 — *endobrya*, 151
 — *maritima*, 575
 — *pelvetiae*, 28
 — *plumbaria*, 740
 — *ranunculospora*, 869
 — *subgregans*, 467
 — *texensis*, 468
 — *viridescens*, 869
Arthothelium *albescens*, 110
 — *awasthii*, 110
 — *confertum*, 519
 — *dictyosporum*, 944
 — *lichenale*, 575 ('*lichenalis*')

— *macounii*, 575
 — *nigrodiscum*, 110
 — *norvegicum*, 330
 — *reagens*, 110
 — *verruculosum*, 110
Arthrinium *aureum*, 3
 — *globosum*, 279
 — *hysterium*, 519
 — *phaeospermum* var. *indicum*, 42
 — *pterospermum*, 74
Arthroascus *schoenii*, 419, 519
Arthrobotrys *alaskana*, 468
 — *azerbaidzhanica*, 468
 — *constringens*, 330
 — *dendroides*, 419
 — *elegans*, 468
 — *ellipsospora*, 419
 — *megaspora*, 468
 — *oligospora* var. *microspora*, 468
 — — var. *sarmatica*, 468
Arthrobotryum *cymbopogonis*, 74
 — *hyalospora*, 378
Arthrocladiella *mougeotii* var. *polysporae*, 110
ARTHROCRISTULA, 189
 — *hyphenata*, 189
Arthroderma *borellii*, 519
 — *cajetani*, 519
 — *cookiellum*, 519
 — *corniculatum*, 519
 — *crocatum*, 870
 — *fulvum*, 519
 — *grubyi*, 519
 — *gypseum*, 519
 — *incurvatum*, 519
 — *obtusum*, 519
 — *otae*, 519
 — *persicolor*, 519
 — *racemosum*, 519
Arthrographis *lignicola*, 279
 — *sulphurea*, 330
ARTHROPSIS, 189
 — *cirrhatta*, 330
 — *microsperma*, 279
 — *truncata*, 189
Arthropyrenia *lyrata*, 63
 — *minor*, 63
Arthrorhaphis *alpina*, 28
ARTHURIOMYCES, 330
 — *peckianus*, 331
ARTICULOPHORA, 152
 — *varispora*, 151
Articulospora *atra*, 151
Artolenzites *elegans*, 655, 740
ARTOMYCES, 152
 — *candelabrus*, 151
 — *colensoi*, 151
 — *cristatus*, 151
 — *dichotomus*, 151
 — *divaricatus*, 151
 — *piperatus*, 151
 — *pyxidatus*, 151
 — *turgidus*, 151
ARUALIS, 3
 — *carolinensis*, 3
Arundinula *abyssicola*, 740
 — *hapalogaster*, 419

[*Arundinula*]— *washingtoniensis*, 419

ARXIOMYCES, 279

— *campanulatus*, 467, 468— *vitis*, 279

ARXIOZYMA, 378

— *tellustris*, 378 ('*telluris*')*Asahinea chrysantha* forma *sorediifera*, 153

ASCLUELLA, 228

— *symplocina*, 228*Ascobolus brantophilus*, 1043— *ferrugineus*, 153— *groenlandicus*, 1043— *perforatus*, 110— *rhytidosporus*, 42, 153— *subalpinus*, 378— *terrestris*, 279*Ascocalvatia dura*, 575*Ascocalyx juniperinus*, 331*Ascochyta aerospora*, 110— *aëridis*, 42 ('*aeridesae*')— *allii-cepae*, 468— *amorphophallicola*, 740— *asparagina*, 655— *bignoniae*, 3— *calami*, 740— *cannae*, 42— *caricis-hebridensis*, 740— *caricis-ripariae*, 740— *carvi*, 228— *caryotica*, 740— *cassiae*, 3— *cocoes-australis*, 740— *colocasiae-esculentae*, 740— *corchori*, 228— *cycadicola*, 740— *cyperi-ochracei*, 740— *deformis*, 655— *digitalina*, 1043— *dipsaci* forma *diplodina*, 944— *dorycnii*, 655— *fabae* forma *specialis fabae*, 575— — forma *specialis lentis*, 575— *funkiae-sieboldianae*, 740— *gorakhpurensis*, 3— *helianthi*, 468— *iridis-pseudacori*, 740— *lagerstroemiae*, 468— *ludwigiana*, 655— *lupini*, 378— *luzulae-divaricatae*, 740— *miniquadriguttulata*, 740— *moravica*, 655— *nagrajii*, 189— *obiones*, 655— *osmundicola*, 740— *palmicola*, 740— *perillae*, 468— *petrakii*, 42— *phlomidicola*, 655— *poonensis*, 740— *pseudacori*, 740— *roystoneae*, 189— *roystoneicola*, 740— *rudbeckiae*, 944— — forma *diplodina*, 944— *santessonii*, 1043— *senensis*, 740— *smilacis-canadensis*, 740— *sparganii-ramosi*, 740— *teretiuscula* var. *caricicola*, 740— *tokyoensis*, 740— *typhae-angustatae*, 740— *ulicis*, 655— *urticicola*, 1043— *zingibericola*, 740*Ascochyta allii*, 740

ASCOCHYTITES, 228

— *intertrappeus*, 228 ('*intertrappea*')*Ascochytopsis leguminosarum*, 3— *parodiellae*, 3— *sydowii*, 3*Ascochyta phlomidis*, 655*Ascochytulina pini-acicola*, 419— *smilacina*, 740

ASCOCOMA, 575

— *eucalypti*, 575— — var. *didymospora*, 575

ASCOCORTICIUM, 153

— *vermisporum*, 153*Ascocorticium anomalum* var. *juniperi*, 153

ASOCRATERA, 575

— *manglicola*, 575*Ascodesmis nana*, 110— *obristii*, 519 ('*obristi*')*Ascophanus hepaticus*, 1043— *lepidus*, 74— *subcylindrosporus*, 74*Ascorhiza leguminosarum*, 520

ASCORHIZOCTONIA, 419

— *ascophanoides*, 1043— *cretea*, 419— *gilva*, 419— *groenlandica*, 419— *hiemalis*, 419— *intermedia*, 419— *ochroleuca*, 419— *praecox*, 419*Ascosphaera asterophora*, 153— *celerrima*, 740— *cinnamomea*, 740— *fusiformis*, 740— *larvis*, 870— *naganensis*, 740— *osmophila*, 331— *parasitica*, 740— *pollenica*, 870— *scaccaria*, 944— *tenax*, 1043— *variegata*, 870— *verrucosa*, 740— *xerophila*, 741*Ascospora lepidii*, 655— *viticola*, 655— *zygophylli*, 655

ASCOTRICHELLA, 826

— *hawksworthii*, 826*Asellaria aselli*, 331— *unguiformis*, 331

ASORDARIA, 741

— *arctica*, 741— *conoidea*, 741— *goundaensis*, 741— *humana*, 741

- islandica, 741
- maboakeensis, 741
- prolifica, 741
- sicuti, 741
- tenerifae, 741
- Aspergillus acolumnaris*, 74
- albertensis, 419
- amazonensis, 520
- argenteus, 42 ('argentum')
- atheciellus, 520
- aureoluteus, 520
- bridgeri, 153
- brunneo-uniseriatus var. nanus, 3
- campestris, 153
- chryseides, 520
- compatibilis, 520
- crassihyphae, 419 ('crassihyphis')
- cremeoflavus, 520
- curviformis, 3
- dybowskii, 520
- ellipsoideus, 42
- equitis, 520
- fischerianus, 520
- flavus subsp. parasiticus, 575
- — var. columnaris, 870
- — var. oryzae, 575
- — var. sojae, 575
- fruticans, 520
- fumigatus var. coerules, 419
- — mutant puniceus, 3 ('punicea')
- glaucoaffinis, 520
- glaucovirens, 520
- globosus, 3
- helicothrix, 42
- hollandicus, 520
- japonicus var. aculeatus, 3
- maritimus, 520
- mellinus, 279
- microthecius, 520
- navahoensis, 153
- nidulellus, 520
- niger var. awamori, 3
- — var. intermedius, 3
- — var. nanus, 3
- — var. phoenicis, 3
- — var. usarii, 3
- — forma hennebergii, 3
- — forma pulverulentus, 3
- nomius, 741
- ornatulus, 520
- paleaceus, 520
- parasiticus var. sojae, 279
- reptans, 520
- rubrobrunneus, 520
- rugulovalvus, 520
- sepultus, 575
- sojae, 575
- spathulatus, 468
- stellifer, 520
- striatulus, 520
- subulatus, 3
- subunguis, 378
- tardus, 419
- tetrazonus, 520
- togoensis, 520
- undulatus, 575
- violaceobrunneus, 521
- vitellinus, 521
- warcupii, 521
- ASPEROPILUM**, 655
- juncicola, 655 ('juncicolum')
- Aspicilia alexandri*, 331
- aliena, 110
- annulata, 741
- anseris, 110
- arctica, 228
- aspicilioidea, 331
- bennettii, 228
- caesiocinerea var. subdepressa, 378
- caesiopruinosa, 741
- calcarea var. dobrogensis, 29
- cernohorskyana, 29
- changaica, 153
- composita, 379
- contigua, 468
- contorta subsp. hoffmanniana, 944
- elevata, 110
- excavata, 521
- excipularis, 110
- farinosa var. reagens, 379
- haeyrenii, 110
- humboldtii, 468
- hydrocharis, 655
- laxula, 575
- limitata, 741
- mastoidea, 110, 741
- mazarina, 331
- montana, 110
- narssaquensis, 741
- nathorstii, 468
- nordlandica, 189
- perradiata, 110
- pertusa, 741
- polychroma var. perradiata, 379
- — forma verruculosa, 419
- popovae, 420
- praeuptorum, 331
- radiosa var. myrrhina, 944
- — forma crenulata, 944
- — forma nigromarginata, 944
- reptans, 420
- ryrkaipiae, 110
- sanguinolenta, 110
- scabrida, 331
- silicea, 944
- — var. tofinea, 944
- solediza, 110
- subarctica, 110
- subcircinata, 29
- subplicigera, 110
- subradiascens, 111
- tuberculosa, 521
- uplandica, 111
- verruculifera, 153
- zahlbruckneri, 111
- zonata, 331
- Aspidella lilloi*, 331
- solitaria forma gracilis, 575
- ASTERELLA**, 870
- quscutae, 870
- trochus, 870
- Asteridiella chardoniana* var. magnispora, 655
- clerodendricola, 1043

[Asteridiella]

- cratoxylicola, 944 ('cratoxylicola')
- crotonis, 1043
- euphorbiacearum, 655
- kadsuricola, 944
- lyoniae, 944
- macarangicola, 1043
- riethii, 944
- tapurae, 741
- turpiniicola, 1043
- vivekananthanii, 870
- Asterina adenostemmatidis, 741
- ('adenostemma')
- anogeissi, 521 ('anogeissusii')
- anomala, 379
- aporusae var. cylindrica, 741
- blumeae, 741
- combreti var. cylindrica, 741
- cryptocaryae, 944
- elaeocarpi var. ovalis, 741
- eupatorii, 741
- gopalkrishnanii, 741
- laevipodia, 655
- ligustrinae, 741
- machili, 3
- pellioniae, 521
- phlogacanthi, 741 ('phloganthae')
- phyllanthicola, 3
- rhamni, 741 ('rhamni')
- sabiana, 741
- stipitipodia, 655
- toddaiae, 741 ('toddalae')
- viticola, 741
- Asterinema caseariae var. amazonense, 279
- Asteroma alneum, 4
- carpini, 4
- caryae, 4
- coryli, 4
- inconspicuum, 4
- leptothyrioides, 4
- microspermum, 4
- oharanum, 741
- ostryae, 4
- pseudoplatani, 870
- smilacinum, 4
- trillii, 575
- ulmeum, 4
- vleugelianum, 4
- Asteromassaria berberidicola, 420
- daphnes, 420
- distincta, 189
- minor, 189
- olivaceohirta, 189
- tetraspora, 1043
- verruculosa, 827
- Asteromella fici, 827
- Asteromidium tabebuiae, 742
- ASTEROPHOMA, 74
- mazaediicola, 74
- Asterothecium orientale, 944
- Asterostomella dilleniicola, 521
- miliusae, 189
- stipitipodia, 655
- Asterothyrium rotuliforme, 742
- Astreptonema pacificum, 420
- Astrosphaeriella africana, 575
- exorrhiza, 575

- lageniformis, 575
- minoensis, 575
- striaspora, 575
- tornata, 575
- trochus, 111
- venezuelensis, 111
- vesuvius, 575
- Astrosporina alpigenes, 655
- aurea, 655
- calospora, 111
- capucina, 4
- casimiri, 4, 655
- cerasphora, 576
- concinnula, 655
- decipiens, 4
- egenula, 655
- fumosifolia, 420
- fuscata, 576
- giacomii, 655
- gibbosula, 576
- horakii, 331
- — var. terrestris, 331
- humilis, 655
- mundula, 655
- oblectabilis, 4
- oreina, 655
- paucigibba, 420
- pseudohiulca, 655
- shoreae, 111
- staurospora, 576
- subfibrosoides, 576
- taxocystis, 655
- umbrina, 42, 153
- Astrothelium gigasporum, 521
- interjectum, 521
- pseudocyphellatum, 521
- ASYREGRAAMSPORA, 279
- reticulata, 279 ('Asyreampa')
- Atelocauda bicincta, 331
- digitata, 331
- hyalospora, 379
- koae, 331
- ATHELICIUM, 468
- stridii, 468
- — forma efibulatum, 468
- Athelopsis crystallifera, 189, 742
- Atkinsiella hamanaensis, 279
- Atkinsonella texensis, 1043
- Atractiella delectans, 189
- macrospora, 742
- solani, 189
- Atractilina biseptata, 576
- ATRACTOGLOEA, 153
- stillata, 153
- ATRICORDYCEPS, 279
- harposporifera, 279
- Auerswaldiella lithocarpicola, 944
- parvispora, 944
- Aulaxina corticola, 827
- submuralis, 827
- Aulographum emilii, 1043
- Aureobasidium indicum, 521
- ('Auriobasidium')
- vaccinii, 1043
- Aureoboletus thibetanus, 42
- Auricularia americana, 655
- auricula forma albicans, 74

— forma mollissima, 74
 — eximia, 74
 — hainanensis, 576
 — minor, 74
 — polytricha forma leucochroma, 74
 — reticulata, 468
 — xishaensis, 468
Auriculariopsis albomellea, 870
 — melzeri, 827
AURICULORA, 870
 — byssomorpha, 870
AURICULOSCPHA, 468
 — anacardiicola, 468
Aurificaria euphoriae, 331
Auriporia pileata, 4
AUSTRALOPORUS, 742
 — tasmanicus, 742
AUSTROBLASTENIA, 228
 — pauciseptata, 228
 — pupa, 228
AUSTROBOLETUS, 4
 — alveolatus, 74
 — betula, 74
 — cookei, 4
 — cornalinus, 74
 — dictyotus, 4
 — — var. kinabaluensis, 4
 — eburneus, 576
 — festivus, 4
 — fruticicola, 74
 — fusisporus, 4
 — graciliaffinis, 742, 944
 — gracilis, 4
 — — var. laevipes, 4
 — heterospermus, 279
 — latitubulosus, 74
 — longipes, 4
 — malaccensis, 4
 — mucosus, 4
 — niveus, 4
 — novaezelandiae, 4
 — occidentalis, 576
 — olivaceus, 279
 — purpurascens, 74
 — rarus, 74
 — rionegrensis, 279
 — rostrupii, 74
 — rubiicolor, 74
 — schichianus, 74
 — subflavidus, 4
 — subvirens, 4
 — trinitatensis, 742
 — tristis, 4
Austroclitocybe asterospora, 331
 — luscina, 1043
 — orbiformis, 1043
Austrogaster novae-zelandiae, 521
AUSTROGAUTIERIA, 468
 — chlorospora, 468
 — clelandii, 468
 — costata, 468
 — macrospora, 468
 — manjimupana, 468
 — rodwayi, 468
AUSTROLECIA, 379
 — antarctica, 379
AUSTROOMPHALIASTER, 870

— nahuelbutensis, 870
AUSTROPEZIA, 655
 — samuelsii, 655
Autoicomycetes aquatilis, 420
 — contortus, 420
 — costaricensis, 420
 — falcatus, 420
 — marginalis, 420
 — occidentalis, 420
 — semiopacus, 420
Avetiaea alcornii, 468
 — salvadorae, 742
AWASTHIELLA, 63
 — indica, 63
AZBUKINIA, 1043
 — ferruginea, 1043
BACHMANNIOMYCES, 74
 — unclicicola, 74
Bacidia carneopallida, 827
 — carneo-albida, 870
 — circumspecta, 280
 — cyanea, 379
 — delicata, 29
 — ekmanii, 331
 — fusconigrescens var. oleosa, 742
 — globulosa, 742
 — hakkodensis, 742
 — hemipolia, 280
 — igniarii, 521
 — ituriensis, 29
 — killiasii, 228
 — laciniosa, 111
 — lisowskii, 29
 — microbola, 29
 — prasinata, 280
 — sabuletorum var. dolosa, 63
 — sorediantha, 29
 — spruceana, 111
 — subfuscae, 521
 — tetramera, 827
 — vasakii, 228
 — violascens, 63
 — wellingtonii, 280
 — wirthii, 29
BACIDIOPSORA, 870
 — squamulosula, 870
Bacillispora inflata, 4
Bactridium australe, 1044
 — subglanidis, 111
 — xathertum, 153
BACTRODESMIASTRUM, 331
 — obscurum, 331
Bactrodesmiella novae-zelandiae, 1044
Bactrodesmium biformatum, 280
 — curvatum, 420
 — ellipsoideum, 468
 — esheri, 228
 — guamense, 111
 — hebridense, 521
 — indicum, 468
 — linderi, 189
 — moenitum, 189
 — novageronense, 420 ('novageronensis')
 — obliquum var. suttonii, 280
 — stilboideum, 576
Bactrospora homalotropa, 1044
BADARISAMA, 576

[BADARISAMA]

- soiae, 576
- Badhamia** affinis var. *microspora*, 521
- *crassipella*, 153
- *rhytidosperra*, 1044
- *spinispora*, 944
- Badhamiopsis** *cavifera*, 827
- BADIMIA**, 521
- *corticola*, 655
- *dimidiata*, 521
- *elegans*, 521
- *galbinea*, 521
- *pallidula*, 521
- *polillensis*, 521
- *stanhopiae*, 944 ('*stanhopeae*')
- *vieillardii*, 521
- Baeospora** *lacerata*, 4
- *mundula*, 944
- Bagliettoa** *baldensis*, 111
- *cazzae*, 111
- *parmigera*, 111
- *parmigerella*, 111
- *quarnerica*, 111
- *steineri*, 111
- Bagnisiella** *apiculospora*, 469
- *cissampeli*, 4 ('*cissampelae*')
- *colebrookiae*, 153
- *desmodii*, 469
- *glycosmidis*, 4 ('*glycosmidiae*')
- *gossypii*, 4
- *indica*, 379, 742
- *jasmini*, 4 ('*jasminii*')
- *jawaharensis*, 655
- *lasiosiphonis*, 469
- *leucadis*, 469
- *memecyli*, 469
- *pavettae*, 469
- *strobilanthidis*, 469
- *viticis*, 4 ('*vitatis*')
- BAHIANORA**, 379
- *poeltii*, 379
- BAHUGADA**, 379
- *sundara*, 379
- Bahusakala** *longispora*, 331
- *ramosa*, 576
- Bahusutrabejia** *angularis*, 521
- BALANIOPSIS**, 420
- *africana*, 420
- Balansia** *sclerotica*, 656
- Balazucia** *japonica*, 42
- Balladyna** *negrii*, 420
- *psilostomatis*, 379
- *subpilosa*, 379
- Balladynocallia** *magna*, 74
- Balladynopsis** *ebbelsii*, 74
- *johnstonii*, 74
- *macrocarpa*, 74
- *urtiagae*, 74
- Bankera** *cinerea*, 870
- BANKSIAMYCES**, 189
- *katerinae*, 189
- *maccannii*, 379 ('*Banksia*')
- *macrocarpus*, 189
- *toomansii*, 190
- BARBAROSPORINA**, 1044
- *rhytismatis*, 1044
- Bartalinia** *cunninghamiicola*, 827

- *triseptata*, 656
- BARUBRIA**, 521
- *fuscocrabra*, 521
- Barya** *agaricicola*, 1044
- BARYELLA**, 870
- *aurantiaca*, 870
- Basiodendron** *asperum*, 228
- *burtii*, 228
- *fulvum*, 153
- *minutisporum*, 228
- *nikau*, 228
- *spinosum*, 228
- Basidiosporites** *sadasivanii*, 331
- Basidopus** *cianocephalus*, 576
- *novissimus*, 576
- Basifimbria** *spinosa*, 420
- *subalutacea*, 153
- *succinea*, 469 ('*succineum*')
- Basipetospora** *halophila*, 420
- *vesicarium*, 331
- BASRAMYCES**, 945
- *marinus*, 945
- Batcheloromyces** *leucadendri*, 469
- Bathyascus** *avicenniae*, 74
- *grandisporus*, 656
- *tropicalis*, 74
- BATKOA**, 945
- *apiculata*, 945
- *dysderci*, 945
- *gigantea*, 945
- *major*, 945
- *papillata*, 945
- Beauveria** *amorpha*, 190
- *aranearum*, 827
- *arenaria*, 469
- *caledonica*, 742
- *cylindrospora*, 469
- *felina*, 42
- *geodes*, 469
- *nivea*, 469
- *nubicola*, 469
- *parasitica*, 469
- *tundrensis*, 469 ('*tundrense*')
- *velata*, 190
- BELEMNOSPORA**, 111
- *epiphylla*, 111
- *fuliginea*, 945
- *phragmospora*, 280
- *pinicola*, 111
- *verruculosa*, 331
- BELIZEANA**, 656
- *tuberculata*, 656
- BELLEMERE**, 379
- *alpina*, 379
- *cinereorufescens*, 379
- *cupreo-atra*, 379
- *diamarta*, 379
- *sanguinea*, 379
- *subcandida*, 379
- *subsoediza*, 742
- Belonia** *caudata*, 228
- *nidarosiensis*, 228
- Belonidium** *badium*, 945
- *litorale*, 190
- *lizonii*, 827
- *luteogranulatum*, 469
- *procopii*, 742

— subsulphureum, 742 ('subsulphurem')
 — tianschanicum, 190
Belonium graddonii, 4
 — incurvatum, 4
Belonopsis hydrophila, 576
 — juncicola, 1044
 — myrtillina, 4
 — vaginalis, 228
Beltrania onirica, 74
Beltraniella aethiopica, 420
 — clara, 228
 — havanensis, 656
 — lyrata, 576
 — pirozynskii, 111
Beltraniopsis fabularis, 576
 — ramosa, 576
BENJAMINELLA, 74
 — melanophthalmae, 74
 — perpusilla, 74
 — platensis, 74
 — pumila, 74
BENJAMINIELLA, 74
 — multispora, 379
 — poitrasii, 75
 — youngii, 945
BENJPALIA, 945
 — sundara, 945
BENSINGTONIA, 521
 — ciliata, 521
 — phylladus, 1044
Berkleasium abuense, 111
 — caribense, 331
 — correae, 870
 — inflatum, 576
 — micronesicum, 111
 — phyllostachydis, 280
 — pulchrum, 331
Berlesiella episphaeria, 656
Bertia macrospora var. *tetraspora*, 420
 — moriformis var. *latispora*, 420
 — sinensis, 827
Bertiella rhodospila, 576
Beverwykella cerebriiformis, 742
BHARGAVAELLA, 42
 — indica, 42
BIANNULARIA, 469
 — imperialis, 469
 — ventricosa, 331
Biatora epixanthoides, 1044
 — lenticularis forma *nigricans*, 98
 — scorigena, 1044
 — soresdiosa, 1044
Biatorella heterospora, 228
BIATRIOSPORA, 521
 — marina, 521
BIFLUA, 945
 — physasca, 945
Bifusella superba, 521
 — wallichii, 870 ('wallichi')
Bioconiosporium berberidis, 521
Biostictis tjibodensis, 4
Bipolaris australiensis, 75
 — australis, 190
 — cactivora, 228
 — californica, 4 ('californicum')
 — chloridis, 228
 — clavata, 190

— coffeana, 420
 — colocasiae, 228
 — costina, 420
 — crotonis, 420
 — crustacea, 190
 — curvispora, 742
 — cylindrica, 190
 — cynodontis, 4
 — dactyloctenii, 190
 — ellisii, 228
 — eragrostiellae, 742
 — euphorbiae, 945
 — gossypina, 420
 — halepensis, 945 ('halepense')
 — halodes, 5
 — hawaiiensis, 75, 742
 — heveae, 576
 — homomorpha, 5, 228 ('homomorphus')
 — incurvata, 229, 576
 — leersiae, 5
 — melindia, 190
 — multififormis, 229
 — neergaardii, 229
 — nicotiae, 229
 — novae-zelandiae, 420
 — ovariicola, 190
 — papendorffii, 229
 — peregianensis, 190
 — perotidis, 190
 — ravenelii, 5
 — secalis, 870
 — sorghicola, 229
 — stipae, 5
 — subpapendorffii, 229
 — tripogonis, 75
 — tritcalis, 870
 — trititicola, 420
 — tritigrani, 742
 — tropicalis, 420
 — vassilevae, 5
 — zeae, 420
BIPORISPORITES, 190
 — rotundus, 190
BIRSOMYCES, 229
 — pterophylli, 229
Biscogniauxia sect. *Appendiculata*, 1044
 — bartholomaei, 870
 — divergens, 1044
 — — var. *macrospora*, 1044
 — doidgei, 1044
 — grenadensis, 1044
 — — var. *macrospora*, 1044
 — maritima, 870
 — nothofagi, 1044
 — philippinensis, 1044
 — pithodes, 1044
 — polysperma, 870
 — querna, 469
 — uniapiculata, 1044
 — — var. *macrospora*, 1044
 — weldenii, 1044
 — — var. *microspora*, 1044
Bispora lichenum, 1044
 — novae-zelandiae, 420
Bisporella aesculi, 229 ('aescula')
 — callorioides, 153
 — calycellinoides, 190

[Bisporella]

- confluens, 469
- drosodes, 111
- hypostroma, 229
- iodocyanescens, 469
- nannfeldtii, 1044
- ochracea, 153
- polygoni, 111
- resinicola, 742
- rubescens, 111
- scolochloae, 331
- tetraspora, 111

BISSEOMYCES, 420

- havanensis, 420

Bitrimonospora adenantherae, 827**BLASTACERVULUS, 742**

- eucalypti, 742

BLASTICOMYCES, 420

- denigratus, 656
- fastigiatus, 420
- lispini, 420

Blastobotrys arbuscula, 420

- capitulata, 420
- elegans, 420
- gigas, 420

BLASTOCATENA, 945

- pulneyensis, 945

Blastocladia arborata, 945

- caduca, 945
- coronata, 945
- didyma, 945
- elegans, 945
- excelsa, 945
- filamentosa, 945
- fruticosa, 945
- fusiformis, 945
- globosa var. minutissima, 331
- heterosporangia, 945
- mammillata, 945
- pileota, 945
- pusilla, 945
- sessilis, 946
- spiciformis, 946 ('spicaformis')

Blastocladiella colombiensis, 521**Blastodendron flareri, 576****Blastophorum pini, 111****BLASTOSCHIZOMYCES, 153**

- capitatus, 420
- pseudotrichosporon, 153

Blastospora betulae, 75**Bloxamia bohémica, 111**

- sanctae-insulae, 111

Blumenavia angolensis, 42**Blumeriella haddenii, 870**

- prunophorae, 576
- — forma specialis cerasiferae, 576

Blyttomyces verrucosus, 43**BOERLAGELLOPSIS, 827**

- indica, 827

Boerlagiomyces macrosporus, 5
(*'Boerlagomyces'*)**BOIDINIA, 153**

- furfuracea, 153
- lacticolor, 576
- peroxydata, 827
- propingua, 827
- subasperispora, 190

BOJAMYCES, 946

- repens, 946

Bolbitius brunneus, 111

- citrinus, 111
- compactus, 870
- cremeus, 111
- floridanus, 111
- intermedius, 111
- luteus, 111
- muscicola, 111
- reticulatus var. australis, 421
- stramineus, 111
- versicolor, 112
- vitellinus var. fragilis, 742
- — var. titubans, 742

BOLETELLITES, 280, 656**— oculisporus, 280, 656****Boletellus ananus var. crassotunicatus, 280**

- — var. minor, 280
- dissiliens, 75
- elatus, 421
- fallax, 280, 1044
- fanjingensis, 521
- fibuliger, 280
- fujianensis, 521
- ivoryi, 280
- lignicola, 827 ('lignicolus')
- longicollis, 75
- radiatus, 421
- shichianus, 421
- squamosus, 469, 521
- umbrinellus, 280
- violaceus, 469, 521
- viscosus, 153
- vulgaris, 153
- xerampelinus, 469, 522
- yunnanensis, 469, 522

Boletinus cavioides, 153

- grevillei, 331
- landkammeri, 576
- lignicola, 5 ('lignicolus')
- pinetorum, 421

Boletochaete bicolor, 656

- setulosa, 522

Boletopsis atrata, 153

- fulvescens, 946
- subcitrina, 946

Boletus sect. Ornatipedes, 656

- amylosporus, 576
- aokii, 379
- araucarianus, 870
- atrostipitatus, 871
- aurantiacus var. albus, 190 ('alba')
- badius var. glutinosus, 946
- bresinskyanus, 871
- caucasicus, 576
- cavipes, 946
- chrysenteron var. chrysenteron-roseus, 946
- — var. graveolens, 577
- cicognanii, 469
- citrifragrans, 280
- crataegi, 946
- depilatus, 469
- duriusculus var. niveus, 946
- — var. populinus, 946
- edulis var. arenarius, 379
- erythropus var. junquilleus, 469

— var. *rubropileus*, 332
 — *eupurpureus*, 656
 — *felleus* forma *albiceps*, 522
 — forma *plumbeoviolaceus*, 522
 — forma *rubrobrunneus*, 522
 — *fuscroseus*, 946
 — *generosus*, 871
 — *heterodermus*, 946
 — *hortensis*, 946
 — forma *citrinus*, 946
 — forma *euhortensis*, 946
 — forma *lilacinus*, 946
 — *luridiformis* subsp. *discolor*, 743
 — *luridus* var. *avelanus*, 946
 — var. *erythropus*, 577
 — var. *obscurus*, 577
 — var. *rubriceps*, 743
 — var. *rubromaculatus*, 577
 — var. *tiliaceus*, 946
 — *megasporus*, 5
 — *melaneus*, 946
 — *miniato-aurantiacus*, 153
 — *orquidianus*, 871
 — *permagnificus*, 153
 — *perroseus*, 75
 — *persoonii*, 871
 — *phytolaccae*, 75
 — *piceinus*, 871
 — *pinophilus* var. *fuscrober*, 743, 946
 — *poikilochromus*, 656
 — *praestigiator*, 577
 — *pseudofechtneri*, 577, 743
 — *pseudoluridus*, 469
 — *pseudoparvulus*, 153
 — *pseudoregius*, 743
 — *puellaris*, 153
 — *pulchrotinctus*, 577
 — *pulverulentus* forma *reticulatipes*, 577, 743
 — *purpureus*, 656
 — subsp. *xanthocyaneus*, 656
 — *queletii* var. *discolor*, 577
 — *radicans* var. *pachypus*, 469
 — *rhodopurpureus*, 656
 — var. *rhodoxanthus*, 469
 — forma *polypurpureus*, 656
 — forma *xanthopurpureus*, 656
 — *roseofractus*, 871, 946
 — *roseotinctus*, 871, 946
 — *rubrosanguineus*, 332
 — *rufobrunnescens*, 421
 — *rugoso-vinosus*, 871
 — *salicola*, 871
 — *scaber* var. *aerugineus*, 946
 — var. *albus*, 946
 — var. *aurantiacus*, 946
 — var. *brunneus*, 946
 — var. *carpini*, 421
 — var. *cinnamomeus*, 946
 — var. *fuliginus*, 947
 — var. *melaneus*, 947
 — var. *niveus*, 947
 — var. *rufus*, 947
 — var. *testaceus*, 947
 — *sinapicolor* forma *japonicus*, 43
 — *smotlachianus*, 229
 — *spretus*, 871

— *squamulistipes*, 280
 — *subfulvus*, 421
 — *subfuscus*, 43
 — *subgriseus*, 421
 — *subtomentosus* var. *crassipes*, 947
 — var. *lanatus*, 947
 — var. *lepidopodes*, 947
 — var. *pannosus*, 947
 — var. *sanguineus*, 947
 — var. *subbadius*, 577
 — var. *tesselatus*, 947
 — var. *tomentosus*, 947
 — *tasmanicus*, 947
 — *thalassinus*, 871, 947
 — var. *aerugineus*, 947
 — var. *argenteus*, 947
 — *torosus* var. *xanthus*, 577, 743
 — *variicolor*, 871, 947
 — *velenovskiyi*, 947
 — *venturii*, 577
 — *xanthopurpureus*, 656
Bombardia coffeae, 75
 — *coffeicola*, 75
 — *lobayensis*, 75
Bondarzewia berkeleyi var. *dimidiata*, 379
 — var. *skeletigera*, 379
 — var. *villosior*, 379
 — *mesenterica*, 421
BOTANAMPHORA, 1044
 — *pachycarpa*, 1044
Botryandromyces ornatus, 421
Botrydina aurantiaca, 827
 — *botryoides*, 827
 — *chromacea*, 827
 — *lobata*, 827
 — *luteovitellina*, 827
 — *velutina*, 827
 — *viridis*, 827
Botryobasidium subgen. *Phylctidosporum*, 827
 — *chilense*, 43
 — *intertextum*, 112
 — *olivaceum*, 153
 — *pandani*, 153
 — *parvisetosum*, 827
 — *piliferum*, 153
 — *sordidulum*, 153
 — *sphaericosporum*, 871
 — *stigmatismum*, 827
 — *subalbidum*, 743
Botryoderma gigaspora, 280
Botryodiplodia mohgaoensis, 229
 — *populea*, 743 ('*Betryodiplodia*')
BOTRYODONTIA, 577
 — *cirrata*, 577
 — *denticulata*, 577
Botryohypochnus anomalus, 229
 — *bisporus*, 577
 — *chordulatus*, 75
 — *hebelomatisporus*, 155
 ('*hebelomatosporus*')
 — *verrucisporus*, 190
BOTRYOHYPXYLON, 522
 — *amazonense*, 522
BOTRYOMYCES, 154, 190
 — *caespitosus*, 155

Botryosphaeria berengeriana forma *specialis persicae*, 421
 — — forma *specialis piricola*, 421
 — *cassicola*, 5 ('*cassiaeicola*')
 — *coffae*, 75
 — *corynocarpi*, 947
 — *foliicola*, 827
 — *laricina*, 743
 — *parva*, 469
 — *pedrosensis*, 577
 — *pipturi*, 871
 — *xanthorrhoeae*, 469
Botryosporium hughesii, 827
 — *magnum*, 871
 — *peristrophes*, 5 ('*peristrophe*')
 — *sholayarense*, 947 ('*sholayarensis*')
Botryotinia fritillarii-pallidiflori, 577
Botrytis convallariae, 871
Bottaria awasthii, 871
Boudiera acanthospora forma *albida*, 469
 — *caucasica*, 112
 — *macrospora*, 332
Bourdotia radians, 155
BOUVETIELLA, 577
 — *pallida*, 577
BOVETIA, 190
 — *diospyri*, 190
Bovista acocksii, 947
 — *aestivalis* var. *perverrucispora*, 947
 — *oblongispora* var. *longispora*, 469
Brachydesmiella biseptata var. *orientalis*, 522
 — *caudata*, 522
BRACHYMYCES, 43
 — *megasporus*, 43
Brachysporiella arengae, 229
 — *carbonis*, 947 ('*carbonii*')
 — *gayana* var. *microspora*, 656
BRACHYSPORIELLINA, 947
 — *pulneyensis*, 947
Brachysporisporites thraceus, 280
Brachysporium yamadani, 155
 ('*Yamadaneum*')
Brasiliomyces malachrae, 112
 — *setosus*, 470
 — *trina*, 332
Bremia betae, 470
 — *lactucae* forma *specialis centaureae*, 470
 — — forma *specialis cirsii*, 470
 — — forma *specialis crepidis*, 470
 — — forma *specialis hieracii*, 470
 — — forma *specialis lapsanae*, 470
 — — forma *specialis leontodi*, 470
 — — forma *specialis picridis*, 470
 — — forma *specialis senecionis*, 470
 — — forma *specialis sonchi*, 470
 — — forma *specialis taraxaci*, 470
 — *leibnitziae*, 280
 — *moehringiae*, 421
Bremiella artemisiae-annuae, 190
 — *chrysanthemi-coronarii*, 190
 — *multiformis*, 190
 — *oenanthes*, 421 ('*oenantheae*')
Bresadolia squamosa, 656
Brevicellicium allantoporum, 43
 — *mellinum*, 5
 — *molle*, 43
 — *uncinatum*, 43

BRIANIA, 947
 — *fruticetum*, 947
BRICOOKEA, 190
 — *barriae*, 948 ('*barrae*')
 — *sepalorum*, 190
Brigantiaea austroamericana, 280
 — *chrysosticta*, 155
 — *ferruginea*, 470 ('*ferrugineum*')
 — *fuscolutea*, 112 ('*fusculutea*')
 — *ionoexcipula*, 948
 — *leucoxantha*, 155
 — *lobulata*, 280
 — *microcarpa*, 470
 — *nigra*, 948
 — *nipponica*, 280
 — *pulchra*, 229
 — *purpurata*, 155
 — *tabacodes*, 280
BRODOA, 656
 — *atrofusca*, 656
 — *intestiniiformis*, 656
 — *oroarctica*, 656
Broomella verrucosa, 1044
Brunchorstia pinea var. *cembrae*, 75
BRUNNEOSPORA, 743
 — *reticulata*, 743
BRUNNIPILA, 470
 — *calycioides*, 470
 — *calyculiformis*, 470
 — *clandestina*, 470
 — *fagicola*, 470
 — *fuscescens*, 470
 — *palearum*, 470
BRYOCAULON, 522
 — *divergens*, 522
 — *pseudosatoanum*, 522
 — *satoanum*, 522
BRYONORA, 280
 — *castanea*, 280
 — *corallina*, 280
 — *curvescens*, 280
 — — forma *specialis andreaeae*, 280
 — — forma *specialis grimmiae*, 280
 — *reducta*, 743
 — *rhypariza*, 280
 — — var. *cyanotropha*, 743
 — — var. *lamaina*, 280
 — *selenospora*, 743
 — *stipitata*, 280
 — *yeti*, 280
Bryophagus minutissimus, 379
 ('*minutissima*')
 — *similis*, 379
Bryorella complanata, 112
 — *conspecta*, 112
 — *marginis*, 190
Bryoria abietina, 743
 — *acanthodes*, 743
 — *austromontana*, 280
 — *carpatica*, 155, 743
 — *catharinae*, 743
 — *crispa*, 743 ('*crispa*')
 — — var. *grisea*, 743
 — *fennica*, 743
 — *flexuosa*, 743
 — *fuscidula*, 743
 — *haynaldii*, 743

— *implexa*, 743
 — *jubata*, 743
 — *levis*, 470
 — *mirabilis*, 522, 743
 — *motykana*, 743 ('*motylana*')
 — *nepalensis*, 470
 — *pellucida*, 743
 — *positiva*, 743
 — *sophiae*, 743
 — *subcana*, 743
 — *tatarkiewiczii*, 743
 — *tatrica*, 744
BRYOSCYPHUS, 332
 — *aestivalis*, 871
 — *conocephali*, 332
 — *dicrani*, 332
 — *marchantiae*, 332
 — *turbinatus*, 332
Bryosphaeria megaspora, 43
Bryostroma bryi, 190
Buchwaldoboletus spectabilis, 871
 — *sulphureus*, 871
Buellia afghanica, 744
 — *almorensis*, 190
 — *bouvetii*, 577
 — *chermesina*, 744
 — *coccinea*, 827
 — *epichlorina*, 744
 — *flavelloides*, 190
 — *hemispherica*, 190
 — *indica*, 190
 — *isidiophora*, 112
 — *isidiosulo-soresdiosa*, 656
 — *mamillana*, 577
 — *manipurensis*, 280
 — *meghalayensis*, 190
 — *metaleptodes*, 1044
 — *miriquidica*, 656
 — *morehensis*, 280
 — *nilgiriensis*, 190
 — *palniensis*, 190
 — *pinicola*, 190
 — *populorum*, 522
 — *postglacialis*, 190
 — *quartziana*, 190
 — *saprophila*, 656
 — *saxatilis*, 421
 — *subduplicata*, 379
 — *subglaziouana*, 191
 — *subsororioides*, 191
 — *substigma*, 191
 — *teloschistis*, 827
 — *velloziae*, 744
Buelliella eximia, 1044
 — *pusilla*, 470
Buglossoporus brunneiflavus, 379
 — *flavus*, 379
 — *heritierae*, 379
 — *magnus*, 379
 — *malesianus*, 379
 — *marmoratus*, 379
 — — *var. pallidus*, 380
 — — *var. parvisporus*, 380
 — — *var. solomonensis*, 380
 — *matangensis*, 380
 — *persicinus*, 380
 — *rufescens*, 380

BULBOMICROSPHAERA, 744
 — *magnoliae*, 744
BULBOMOLLISIA, 380
 — *radiata*, 380
 — *striata*, 1045
 — *stromatica*, 380
Bulbothrix australiensis, 470
 — *haleana*, 332
 — *lopezii*, 470
 — *oliveirae*, 470 ('*oliveirai*')
BULBOUNCINULA, 5
 — *bulbosa*, 5
Bulgariella sphaerospora, 155
BULLATINA, 657
 — *aspidota*, 657
Bullera alba var. *lactis*, 155
 — *armeniaca*, 280
 — *aurantiaca*, 380
 — *crocea*, 280
 — *derxii*, 744
 — *globospora*, 380
 — *intermedia*, 744
 — *megalospora*, 577
 — *pseudoalba*, 744
 — *punicea*, 577
 — *salicina*, 380
 — *sinensis*, 155
 — *singularis*, 380
 — *variabilis*, 827
BUTLERELFIA, 5
 — *eustacei*, 5
Byssochlamys striata, 522
Byssocorticium naviculare, 155
Byssoloma murinum, 657
 — *subundulatum*, 522
 — *usambarense*, 657
Byssolophis ampla, 577
Byssomerulius albostramineus, 744
 — *miniatus*, 744
 — *pirottiae*, 744
Byssonectria semiimmersa, 744
BYSSOONYGENA, 744
 — *ceratinophila*, 744 ('*ceratinophia*')
Byssosphaeria alnea, 332
 — *jamaicana*, 332
 — *oviformis*, 332
 — *salebrosa*, 332
 — *schiedermayeriana*, 332
 — *semen*, 332
 — *villosa*, 522
 — *xestothele*, 332
Byssothecium alpestre, 948 ('*alpestris*')
CACAHUALIA, 380
 — *polyradiata*, 380
Cacumisporium sigmoideum, 657
CADYEXINIS, 154
 — *taiwanensis*, 155
 — *tenuis*, 155 ('*tenius*')
 — *vulgaris*, 155
CAECOMYCES, 948
 — *communis*, 948
 — *equi*, 948
Caeoma himalayense, 744 ('*himalayensis*')
 — *keralense*, 380 ('*keralensis*')
 — *salicis-miyabeanae*, 229 ('*salicis-miyabeana*')
 — *scopariae*, 657

CAERULICIUM, 154

- *naviculare*, 744
- *neomexicanum*, 155
- Cainia boninensis*, 5
- Calathella albolivida*, 281
- *columbiana*, 281
- *dichroa*, 281
- *ellisii*, 281
- *gayana*, 281

CALCEOMYCES, 828

- *lacunosus*, 828

Calenia aspidota, 332**CALENIOPSIS**, 657

- *laevigata*, 657

Caliciopsis arceuthobii, 577

- *ventricosa*, 744

Calicum adpersum subsp. *australe*, 332

- subsp. *himalayense*, 1045

(‘*himalayensis*’)

- *constrictum*, 191

- *cryptocroceum*, 191

- *subquercinum* subsp. *nanum*, 1045

- *victorianum*, 657

- subsp. *desidiosum*, 657

CALIFORNIOMYCES, 112

- *trina*, 112

CALLIMASTIX, 657

- *cyclopis*, 657

CALLISTODERMATUM, 75

- *violascens*, 75

Callistosporium sect. *Olivascentia*, 948

- *xanthophyllum*, 577

Callorina arctica, 191*Calloriopsis herpotricha*, 155**CALLORITES**, 380

- *delorenzoi*, 380

Calocera hunanensis, 744

- *mangshanensis*, 948

- *morchelloides*, 1045

Calocybe sect. *Onychinae*, 577

- *alpestris*, 577

- *borealis*, 657, 744

- *carnea*, 578

- *carneola*, 578

- *cerina*, 578

- *charistera*, 522

- *chrysentera*, 578

- *constricta*, 578

- *cyclocephala*, 229

- *eborina*, 229

- *fibrillosa*, 578

- *gambosa*, 578

- *georgii*, 578

- *hypoxantha*, 871

- var. *occidentalis*, 871

- *ionides*, 578

- *juncicola*, 578

- *leucocephala*, 744

- var. *latispora*, 744

- *naucoria*, 578

- *olivascens*, 578

- *onychina*, 578

- *persicolor*, 578, 744

- *phragmitidis*, 657

- *pseudoflammula*, 578

- *pseudolilacea*, 578

- *rubrocyanea*, 522

- *theiochroa*, 522

- *vasilievae*, 657

Calonectria aviculata, 948

- *macrospora*, 1045

- *ophiospora*, 229

- *parasitica*, 75

- *pini-caribaeae*, 744

- *sasae*, 744 (‘*Calonectoria*’)

- *spatulata*, 522

Calonectriella mellina, 1045*Calonema cornuvioides*, 380

- *geesinkii*, 380, 421

CALOPADIA, 522

- *chacoensis*, 657

- *follicola*, 522

- *fusca*, 522

- *isidiosa*, 657

- *lecanorella*, 657

- *nymanii*, 522

- *perpallida*, 522

- *phylogena*, 522

- *psoromoides*, 657

- *puiggarii*, 522

- *subcoerulescens*, 828

- *subfusca*, 657

Calopeltis lunariae, 43*Caloplaca agardhiana*, 522

- *almbornii*, 657

- *aquensis*, 380

- *atra*, 470

- *bellemerei*, 229

- *biatorina* subsp. *gyalolechioides*, 522

- *bonae-spei*, 380

- *boulyi*, 191

- *brattiae*, 1045

- *calicioides*, 578

- *cerinelloides*, 657

- *cirrochroa* subsp. *fulva*, 522

- *citrina* var. *soropelta*, 744

- *concinerascens* subsp. *cravensis*, 522

- *conglomerata* var. *nigrescens*, 229

- *crenularia*, 380

- *elegans* forma *subvitellina*, 281

- *ferruginea* var. *hungarica*, 523

- *flavescens*, 332

- *flavorubescens* subsp. *flavovirescens*, 523

- var. *suberythrella*, 523

- forma *microthelia*, 948

- *fragillima*, 380

- *furax*, 281

- *hensseniana*, 1045

- *holocarpa* var. *vitellinaria*, 523

- *inconnexa* var. *nesodes*, 657

- *interna*, 657

- *isidiosella*, 744

- *jemtlandica* var. *cerinosora*, 744

- *latzelii*, 523

- *lithophila* var. *elaephora*, 744

- *litoricola*, 332

- *lucifuga*, 744

- *lucy-beatrice-mooreae*, 281 (‘*L.B. Moorii*’)

- *mooreae*, 281

- *namibensis*, 828

- *noeisiai*, 1045

- *ora*, 657

- *persica*, 191

- *polycarpoides*, 191

— psoricida, 744
 — pyrithromoides, 380
 — raesaenienii, 657
 — rinodinae-albae, 657
 — sarda, 657
 — saxicola subsp. arnoldii, 523
 — — subsp. biatorinoides, 523
 — — subsp. laceratula, 523
 — — subsp. miniata, 523
 — — subsp. oblitterata, 523
 — — subsp. pulvinata, 523
 — tenuatula subsp. inconnexa, 523
 — — subsp. verrucarium, 523
 — — var. athallina, 523
 — — var. lithophila, 523
 — — var. pertenuis, 523
 — — forma pertenuis, 523
 — — forma pervulgata, 523
 — tenuis, 578
 — thamnodes, 380
 — variabilis subsp. diphyodes, 523
 — — forma chalybaea, 523
 — — forma fulva, 523
 — — forma paepalostoma, 523
 — velana var. dalmatica, 523
 — — var. dolomiticola, 523
 — — var. placida, 523
 — — var. schaereri, 523
 — virescens, 29
Caloplaconmyces vitellinulae, 98
Calosphaeria connaricarpa, 948
 — *fraxinopennsylvanica*, 75
Calospora jatrophae, 5 ('jatropae')
Calostoma fuhreri, 523
 — *guizhouense*, 421
 — *hunanense*, 948
 — *jiangii*, 421
 — *miniata*, 578
 — *pengii*, 380
 — *ravenelii* var. *microsporum*, 229
 — *yunnanense*, 380 ('yunnanensis')
Calothyriopsis mali, 5
Calvatia bellii, 1045
 — *connivens*, 1045
 — *horrida*, 1045
 — *rosacea*, 948
 — *septentrionalis*, 1045
Calvatiella indica, 332 ('indicum')
Calycellina albida, 421
 — *ericae*, 5
 — *fagina*, 470
 — *guttulifera*, 1045
 — *hygrophila*, 744
 — *juniperina*, 332
 — *lachnobrachya*, 470
 — *lunispora*, 1045
 — *luzulae*, 470
 — *lycopodii*, 470
 — *microspis*, 948
 — *minuta*, 112
 — *montana*, 332
 — *myrtillinoides*, 5
 — *punctata*, 380
 — *rhododendricola*, 5
 — *sorido-pulvinata*, 1045
 — *tetraspora*, 112
 — *thindii*, 332

— *ulmariae*, 155
Calycina alniella, 470
 — *conorum*, 470
 — *gemmarum*, 470
 — *phyllophila*, 471
 — *subtilis*, 471
Calyptrella griseopallida, 523
 CALYPTELLOPSIS, 657
 — *reticulata*, 657
Calyptronectria indica, 112
 — *ohiensis*, 229
 CAMAROGLOBULUS, 523
 — *resinae*, 523
Camarographium indicum, 578
 CAMAROPHYLLOPSIS, 523
 — *atropuncta*, 523
 — *dennisiana*, 523
 — *foetens*, 523
 — *hiemalis*, 523
 — *hymenoccephala*, 524
 — *micacea*, 745
 — *phaeophylla*, 524
 — *phaeoxantha*, 524
 — *rugulosa*, 524
 — *schulzeri*, 524
 — *subfuscescens*, 524
Camarophyllus sect. *Camarophylli*, 657
 ('Camarofilli')
 — sect. *Colemanniani*, 657
 — sect. *Nivei*, 657
 — *alpinus*, 380, 871
 — *antillanus*, 229
 — *berkeleyanus*, 380, 421
 — *buccinulus*, 229
 — *caesius*, 524
 — *carneogriseus*, 75
 — *citrinovirens*, 281
 — *flavipes*, 380
 — *grossulus*, 380
 — *lactarioides*, 75
 — *lilacinogriseus*, 229
 — *nebularis*, 380
 — *nivosus*, 524
 — *pratensis* var. *pallidus*, 281
 — *rigelliae*, 524
 — *umbrinus*, 229
 — *virgineus* var. *curtipes*, 657
Camarops biporosa, 657
 — *flava*, 578
 — *plana*, 657
 — *rickii*, 112, 154
Camarosporellum heterospermum, 75
Camarosporium acanthophylli, 658
 — *ammodendri*, 658
 — *brasilianum*, 75
 — *caesalpiniae*, 658
 — *dalmaticum*, 5 ('dalmatica')
 — *desertorum*, 871
 — *ericrocryptum*, 745
 — *eurotiae*, 658
 — *flaccidum*, 155
 — *guyonianum*, 75
 — *hymenocrateris*, 658 ('hymenocrateri')
 — *macluricola*, 658
 — *noaeae*, 658
 — *palezkii*, 745
 — *palliatum*, 5

[Camarosporium]

- pygmaeum, 75
- reaumuriae, 658

Camillea subgen. Jongiella, 948

- amazonica, 948
- broomeiana, 948
- cyclisca, 948
- deceptiva, 948
- flosculosa, 948
- fossulata, 948
- gigaspora, 948
- hainesii, 948
- heterostoma, 948
- — var. macrospora, 948
- oligoporus, 948
- patouillardii, 948
- punctidisca, 948
- punctulata, 948
- scriblita, 948
- signata, 949
- stellata, 949
- tinctor, 949

Campanella boninensis, 112

- caesia, 75
- conchata, 75
- europaea, 332
- heterobasidiata, 155
- inquilina, 332
- mexicana, 658
- pustulata, 524
- simulans var. bispore, 871

CAMPOSPORIDIUM, 828

- cristatum, 828

Camposporium antillanum, 471

- hyalinum, 43
- ontariense, 281

Camptomyces europaeus, 75

Campylothecium amylosporum, 64

Campylothelium anostum, 112

- lugescens, 745

CANALISPORIUM, 949

- caribense, 949
- elegans, 949
- pulchrum, 949

CANARIOMYCES, 281

- notabilis, 281
- thermophilus, 828 ('thermophila')

Candelabrochaete cirrata, 524

- dispar, 524
- magnahypha, 332
- septocystidia, 332, 524
- verruculosa, 229

Candelariella aurella var. heidelbergensis, 64

- — forma heidelbergensis, 112
- efflorescens, 421
- faginea, 1045
- hallettensis, 281
- medians forma steepholmensis, 112
- vitellina forma flavovirella, 112
- xanthostigmoides, 229

Candida acapsuligena, 112, 871

- agrestis, 281
- amidevorans, 658
- ancudensis, 380
- antarctica, 281
- antillanae, 380
- apis var. galacta, 381

- atlantica, 381
- beijingensis, 381
- bertae, 381
- — var. chiloensis, 381
- bimundalis var. chlamydospora, 421
- bondarzewiae, 381
- buffonii, 229
- cariosilignicola, 5
- castrensis, 381
- citrica, 332
- coipomensis, 381
- conglobata, 229
- deformans, 421
- delhiana, 332 ('dehliana')
- deserticola, 421
- diddensiae, 229
- drimydis, 381 ('drymisii')
- dulciaminis, 745
- eremophila, 745
- ethanolica, 112
- euphorbiae, 229
- euphorbiophila, 191 ('euphorbiaphila')
- famata var. flareri, 471
- fennica, 230
- flareri, 421, 578
- floricola, 745
- fragariae, 281
- glucosophila, 745
- hinoensis, 745
- huempii, 381
- kefyr, 230
- lambica, 230
- laureliae, 381
- lignophila, 332
- llanquihuensis, 381
- lodderae, 112, 230, 421 ('lodderi')
- lyxosophila, 658
- mamillae, 75
- maritima, 230
- melibiosophila, 75, 112, 230
- melinii var. melibiosica, 421
- methanolphaga, 658
- methanophila, 5 ('methanophilum')
- methanosorbosa, 281
- meyeriae, 191
- montana, 281
- mucilagina, 5
- mycotoruloidea, 578
- naganishi, 471
- nanaspora, 871
- odintsovii, 949
- onishii, 112
- ooitensis, 658
- osornensis, 381
- ovalis, 658
- paludigena, 112
- parakrusei, 421
- paratropicalis, 75
- peltata, 230, 381
- petrohuensis, 381
- pilmaiquenensis, 381
- pintolopesii var. slooffiae, 230, 381
- placentae, 75
- polymorpha, 658
- populi, 949
- pseudolambica, 949
- quercitrusa, 281

- *quercus*, 422 ('querci')
- *railensis*, 381
- *ralunensis*, 381
- *rancensis*, 381
- *rhagii*, 281
- *rignihensis*, 381
- *saitoana*, 471
- *sake*, 230
- *salmanticensis*, 230
- *santjacobensis*, 381
- *sequanensis*, 381
- *silvicola* var. *melibiosica*, 422
- *solii*, 745 ('Cadida')
- *solicola*, 745
- *sophiae-reginae*, 381
- *succiphila*, 5
- *taiwanensis*, 949
- *tanzawaensis*, 949
- *tsuchiya*, 524
- *vaccinii*, 745
- *valida*, 230
- *vartiovaarae*, 230 ('vartiovaara')
- *vini*, 230
- CANNANOROSPORONITES**, 381
- *raoi*, 381
- CANOMACULINA**, 658
- *consors*, 658
- *muelleri*, 658
- *pilosa*, 658
- *tandilensis*, 745
- *ventanica*, 745
- CANOPARMELIA**, 578
- *adpersa*, 578
- *amazonica*, 578
- *aptata*, 578
- *austroamericana*, 578
- *caribaea*, 578
- *carneopruinata*, 578
- *caroliniana*, 578
- *cinerascens*, 578
- *concrescens*, 578
- *corrugativa*, 578
- *crozalsiana*, 579
- *cryptochlorophaea*, 579
- *ecaperata*, 579
- *epileuca*, 579
- *eruptens*, 579
- *inhaminensis*, 579
- *inornata*, 579
- *macrospora*, 828
- *martiniana*, 579
- *nairobiensis*, 579
- *norpruinata*, 828
- *norsticticata*, 579
- *pruinata*, 579
- *raunkiaeri*, 579
- *salacinifera*, 579
- *schelpei*, 579
- *scrobicularis*, 579
- *somaliensis*, 579
- *subtiliacea*, 579
- *texana*, 579
- *zambiensis*, 579
- *zimbabwensis*, 579
- Cantharellus cibarius** var. *amethysteus*, 745, 949
- var. *pallidus*, 579

- *confluens*, 5
- *lutescens* forma *schizocroica*, 579, 745 ('schizocroica')
- *persicinus*, 471
- *tuberculosporus*, 5
- *tubiformis* var. *subramosus*, 745
- Cantharomyces aploderi**, 281
- CAPILLATASPORA**, 949
- *corticola*, 949
- CAPITOTRICA**, 471
- *bicolor*, 471
- *fagiseda*, 471
- *rubi*, 471
- CAPNIOMYCES**, 230
- *stellatus*, 230
- CAPNOBOTRYELLA**, 745
- *renispora*, 745
- *sessilispora*, 745
- Capnobotrys atro-olivacea**, 112
- *australis*, 112
- *hibisci*, 422
- *laterivecta*, 112
- *pacifica*, 112
- *paucispora*, 112
- *sessilispora*, 112
- CAPNOCHEIRIDES**, 191
- *rhododendri*, 191
- Capnodium cryptolepidis**, 43 ('Caphodium cryptolepiae')
- *dematum*, 871
- *elongatum* forma *phyllostachydis*, 745
- *nudicum*, 112
- *phyllanthii*, 112 ('Copnodium phyllanthae')
- *uniseptatum*, 155
- Capnophialophora hughesii**, 579
- Capronia acutisetata**, 579
- *albimontana*, 579
- *ciliomaris*, 579
- *coronata*, 579
- *fusispora*, 579
- *hafellneri*, 1045
- *inconspicua*, 579
- *longispora*, 579
- *mansonii*, 579
- *moravica*, 580
- *mycophila*, 949
- *normandinae*, 1045
- *parasitica*, 580
- *peltigerae*, 745
- *pilosella*, 580
- var. *longiseta*, 1045
- *pinicola*, 580
- *polyspora*, 580
- *potentillae*, 580
- *pulcherrima*, 580
- *setosa*, 580
- *spinifera*, 580
- *villosa*, 580
- CAPSICUMYCES**, 5
- *delicatus*, 5
- CARBONEA**, 281
- *assentiens*, 524
- *assimilis*, 745
- *atronivea*, 281
- *capsulata*, 658
- *inactiva*, 381

[CARBONEA]

- montevidensis, 1045
- phaeostoma, 524
- superjecta, 381
- supersparsa, 281
- vitellinaria, 281
- vorticiosa, 281

CARCINOMYCES, 191

- effibulatus, 191
- mycetophilus, 191

CARMICHAELIA, 112

- lignicola, 112

CARNEOPEZIZELLA, 658

- salicicola, 658

Cartilosoma ramentaceum, 658
(‘ramentacea’)

Caryospora masonii, 154

CARYOSPORELLA, 422

- rhizophorae, 422

Catacauma dalbergiicola forma conidiifera, 872

Catapyrenium acarosporoides, 658

- adami-borosi, 658
- boccanum, 1045
- caeruleopulvinum, 658
- compactum, 332
- contumescens, 1045
- crustosum, 828
- daedaleum, 524
- divisum, 1045
- elisavetae, 828
- ferganense, 828
- fingens, 1045
- granulosum, 658
- heppioides, 658
- imbecillum, 1045
- imbricatum, 524
- lachneum, 29
- — subsp. rufescens, 524
- — var. globiferum, 1045
- — var. oleosum, 1045
- lacinulatum, 1045
- — var. latisporum, 1045
- latzelii, 1045
- michelii, 29
- norvegicum, 745
- pilosellum, 1045
- plumbeum, 658
- psoromoides, 29
- radicescens, 1045
- rhizinosum, 1045
- rufescens, 471
- sbarbaronis, 1045
- schaereri, 332
- semaforonense, 1045
- squamellum, 658
- squamulosum, 471
- subrufescens, 872
- tenellum, 1045
- trachyticum, 332
- tuckermanii, 659
- virescens, 1045
- zahlbruckneri, 659

Catenochytridium hemicysti, 659

Catenophora garyae, 828

CATENOPHOROPSIS, 828

- eucalypticola, 828

Catenularia cubensis, 191

- cuneiformis var. minor, 230

- hughesii, 75

- kalakadensis, 949

- malabarica, 949

Catillaria aphana, 949

- atomarioides, 112

- chalybeia var. chloropoliza, 112

- columbiana, 64

- crystallifera, 422

- encephalarti, 29

- manipurensis, 230

- mediterranea, 230

- mirabilis, 29

- modesta, 949

- nilgiriensis, 1045

- obscura, 1045

- picila, 949

- scotina, 112

- scotinodes, 949

- vandenberghenii, 281

- versicolor, 1046

Catinaria atropurpurea, 113 (‘atropurpurea’)

- isidiza, 230

- microcarpa, 230

- pulvereae, 113

- subcorallina, 745

- versicolor, 230

Catinella melanochlora, 155

- — olivacea forma carbonicola, 155

- — forma pilosa, 155

Catinula japonica, 5

CAUDOMYCES, 745

- japonicus, 745

Caulochytrium protostelioides, 5

- — var. vulgare, 281 (‘vulgaris’)

Caulorhiza hygrophoroides, 333

- trullisatipes, 333

CAZIA, 949

- flexiascus, 949

CECIDONIA, 872

- umbonella, 872

- xenophana, 872

Cejpomyces globosiporus, 155

- (‘globosiporus’)

Celidiopsis sphyrinii, 1046

Celidium farinaceum, 949

CELLULASCLEROTES, 281

- abnormis, 281

- cubicularius, 281

- giganteus, 281

Cenangiopsis atrofusca, 281 (‘atro-fuscus’)

Cephalophora navicularis, 230

CEPHALOPHYSIS, 471

- leucospila, 471

- — var. caelivicina, 471

Cephaloscypha mairei, 281

Cephalosporiopsis simplex, 949

Cephalotrichum microsporum, 333

Ceraceomyces corymbatus, 471

- cremeo-ochraceus, 230

- crispatus, 872

- simulans, 949

- varicolor, 471

CERACEOPSORA, 381

- elaeagni, 381, 422

Ceramothyrium lycopodii, 949

- Ceratiomyxa fruticulosa* var. *flexuosa*, 580
 — var. *porioides*, 580
Ceratobasidium angustisporum, 43
 — *cereale*, 281
 — *fibulatum*, 282
 — *fragariae*, 746
 — *globisporum*, 43
 — *gramineum*, 659
 — *oryzae-sativae*, 746
 — *papillatum*, 43
 — *setariae*, 659, 746
Ceratocystiopsis alba, 75
 — *concentrica*, 76
 — *conicicollis*, 76
 — *crassivaginata*, 76
 — *crenulata*, 76
 — *falcata*, 76
 — *fasciata*, 76
 — *longispora*, 76
 — *minima*, 76
 — *ochracea*, 76
 — *pallidobrunnea*, 76
 — *proteae*, 746
 — *ranaculosa*, 659 ('*ranaculosus*')
 — *retusi*, 76
 — *spinulosa*, 76
Ceratocystis aurea, 76
 — *clavigera*, 76
 — *fimicola*, 76
 — *grandicarpa*, 872
 — *helvellae*, 76
 — *kubanica*, 471, 580, 872 ('*kubanicus*')
 — *laricicola*, 746
 — *nothofagi*, 333
 — *novae-zelandiae*, 872
 — *prolifera*, 872
 — *roboris*, 471
 — *robusta*, 76
 — *triangulospora*, 76
 — *trinacriformis*, 76 ('*trinacriforme*')
 — *valachica*, 471, 872 ('*valachicum*')
 — *valdiviana*, 333
Ceratophorum mauiense, 230
Ceratopodium elegans, 422
CERATORHIZA, 659
 — *cerealis*, 659
 — *fragariae*, 659
 — *goodyerae-repentis*, 659
 — *ramicola*, 659
Ceratosphaeria fragilis, 580
 — *phyllostachydis*, 155, 471
 — *subferruginea*, 282
Ceratosporella caliculata, 113
 — *cheiroidea*, 746
 — *fertilis*, 422
 — *longiramosa*, 949
 — *ponapensis*, 113
 — *pulneyensis*, 949
Ceratosporium caribense, 746
 — *gracile*, 113
Cerastoma vitis, 746
Cerastomella subnuda, 580
Cercidospora cephalodiorum, 1046
 — *lichenicola*, 746
 — *stereocaulorum*, 746
Cercophora ambigua, 43
 — *appalachianensis*, 746
 — *arenicola*, 43
 — *coronata*, 5
 — *costaricensis*, 43
 — *himalayensis*, 155
 — *macrocarpa*, 43
 — *newfieldiana*, 43
 — *palmicola*, 746
 — *samala*, 6
 — *solaris*, 43
 — *sparsa*, 43
 — *subambigua*, 746
 — *sulphurella*, 43
Cercoseptoria albiziae, 43 ('*albizziae*')
 — *amaranthicola*, 76
 — *annonacea*, 746 ('*anonacea*')
 — *balsaminicola*, 43
 — *bauhiniicola*, 76
 — *caesalpiniae*, 191
 — *capsellae*, 230
 — *caseariae*, 746
 — *cedrelae*, 191
 — *cissi-japonicae*, 230
 — *cordicola*, 191
 — *dalbergiae*, 76
 — *eriobotryicola*, 76
 — *erythrinigena*, 76 ('*erytrinigena*')
 — *fici*, 746 ('*Cercoseptora*')
 — *glycosmidis*, 746
 — *hedyotidis*, 6
 — *heteromalla*, 746
 — *ipomoeae*, 230
 — *ixoriana*, 43
 — *ligustrina*, 76
 — *liquidambaricola*, 76
 — *magnusiana*, 230
 — *ocellata*, 282
 — *platani*, 76
 — *plumeriicola*, 43
 — *polygonigena*, 43
 — *prunicola*, 76
 — *pruni-persicae*, 76 ('*pruni-perciae*')
 — *septoriopsisidis*, 381
 — *sterculiae*, 659
 — *symplocicola*, 76
 — *tabebuicola*, 746
 — *tecomae-heterophyllae*, 43
 — *tecomicola*, 43
 — *vignicola*, 191
 — *whalianensis*, 76
 — *wisteriicola*, 76
 — *zingiberis*, 113
CERCOSPERMA, 230
 — *arnaudii*, 230
 — *longispora*, 872
Cercospora acanthacearum var. *macrospora*, 113
 — *alangii*, 113
 — *alocasiae*, 1046
 — *alstoniae*, 746
 — *althaeicola*, 282
 — *althaeigena*, 282
 — *amaryllidicola*, 6 ('*amaryllicola*')
 — *apios*, 949
 — *bauhiniae-variegatae*, 191
 — *bombacis*, 1046
 — *campanulae*, 191

[Cercospora]

- canavaliae-gladiatae, 333 ('canavali-gladiatae')
- cannae, 381, 471
- cassiatae, 524
- castillae, 1046 ('castillosae')
- catharanthi, 113
- cheilanthi, 333 ('Cerospora cheilanthi')
- crassa forma sonchi, 422
- daphniphylli, 191
- eragrostidis, 382 ('eragrostis')
- fagopyri, 471
- glycosmidis, 113
- golaghatii, 43
- gorakhanathii, 659
- guzmanii, 6
- hedyotidis, 76 ('hedyotis')
- heliconiae, 333
- houttuyniicola, 949
- insulana, 872
- janseana, 155
- labiatacearum, 76
- lantanae-camarae, 113 ('lantanae-camarae')
- leae-aecidiicola, 113 ('leae aecidicola')
- leucaenae, 471, 524
- madhaviensis, 746
- meliococi, 382 ('meliococae')
- microlaenae, 382
- microsorii, 76
- miscanthi, 1046
- moracearum, 659
- mori, 746
- nigri var. microspora, 746
- ogawae, 191
- paraguayensis, 382
- patriniae, 382
- pegani, 382
- pentatis, 6 ('pentasii')
- philippinensis, 746
- poranae, 113
- premnicola, 191 ('premiicola')
- pseudachyranthi, 1046
- putranjivae, 950
- raphiae, 471 ('Cercospore')
- rhoina, 333
- saudii, 872 ('saudiaii')
- saximontanensis, 282
- stachyuricola, 382
- stephanandrae, 6
- stephaniae, 76
- strebli, 113
- styracicola, 382
- subsessilis var. azadirachtae, 76 ('azadirachti')
- symploci, 872
- syzygii, 113 ('syzygiae')
- taihokuensis, 1046
- tamarindi, 950
- thespesiae, 76
- viburni-cylindrici, 43
- wendlandiae, 113
- Cercosporella crambes, 76
- Cercosporidium barringtoniae-acutangulae, 746
- bellynckii, 191
- bolleanum, 191

- campi-silii, 191
- dubium, 191
- flemingiae, 191
- gotoanum, 191
- helicteretis, 382 ('helicteri')
- litseae, 950
- magnoliae, 333
- miurae, 191
- paridis, 191
- simulans, 191
- sojinum, 191
- terrestre, 333
- tinosporae, 471
- Cercosporula corticola, 524
- uncinata, 580
- Cerinomyces aculeatus, 659
- albosporus, 580
- ceraceus, 155
- crustulinus var. latisporus, 580
- CERINOSTERUS, 746
- cyanescens, 746
- luteoalbus, 746 ('luteoalba')
- Ceriporus lucienqueletii, 747
- Ceriosporopsis caduca, 828
- capillacea, 113
- sundica, 524
- Ceriporia alachuana, 113
- ferruginicincta, 43
- leptoderma, 43
- otakou, 747
- spissa, 230, 422
- subreticulata, 155
- tarda, 382
- totara, 747
- xylostromatoides, 43
- Ceriporiopsis balaenae, 524
- carnegiea, 422
- cerrusata, 872
- consobrina, 872
- coprosmae, 747
- cremea, 580
- flavilutea, 422
- latemarginata, 828
- mucida, 422
- pannocincta, 422
- rivulosa, 524
- subrufa, 382
- subvermispora, 422
- umbrinescens, 422
- Cerocorticium calongei, 471
- canariense, 333 ('canariensis')
- confluens, 113
- cremoricolor, 382
- fuscum, 113
- hiemale, 113
- lusitanicum, 113
- luteolum, 471
- molare, 113
- notabile, 113
- pseudomucidum, 155
- rickii, 747
- roseolum, 113
- submolare, 113
- sulfureo-isabellinum, 113
- Cerotelium asari, 333
- Cerrena leonina, 580
- Cetraria ciliaris var. halei, 333

- endoxantha, 382
- endoxanthoides, 382
- iberica, 64
- isidioidea, 382
- kurokawae, 192
- nephromoides, 382
- rassadinae, 382
- — forma gracilis, 382
- — forma terrestris, 382
- tilesii var. alvarensis, 113
- xizangensis, 64
- CETRARIASTRUM**, 98
 - africanum, 113
 - alectorialicum, 113
 - americanum, 113
 - andense, 98, 113, 155
 - angolense, 113
 - arsenei, 113
 - billingsii, 113
 - catawbiense, 113
 - cirrhatum, 114
 - columbiense, 114
 - dubitans, 98
 - equadoriensis, 98
 - halei, 114
 - limaeforme, 114
 - lipidiferum, 114
 - mexicanum, 114
 - neocirrhatum, 114
 - nepalense, 114
 - nigrociliatum, 114
 - peruvianum, 114
 - pseudonepalense, 114
 - rhizodendroideum, 282
 - sorocheilum, 114
 - subnepalense, 114
 - vexans, 114
- CETRARIOPSIS**, 114
 - wallichiana, 114
- Cetrelia* subgen. *Cetreliaopsis*, 950
 - monochorum, 155
 - rhytidocarpa, 950
- CETRELIOPSIS**, 114
 - rhytidocarpa, 114
- Ceuthospora fusarioides*, 333
- Chaconia africana*, 422
 - braziliensis, 333
 - maprouneae, 77 ('maprouniare')
 - thailandica, 828
- Chadefaudia schizymeniae*, 422
- Chaenotheca brachypoda*, 659
 - cinerea, 64
 - citriocephala, 382
 - coniotheca, 382
 - degelii, 230
 - deludens, 659
 - furfuracea, 382
 - gracilentia, 659
 - gracillima, 382
 - hygrophila, 64
- Chaenothecopsis brevipes*, 659
 - caespitosa, 6
 - culmigena, 950
 - exserta, 382 ('exsertum')
 - haematopus, 659
 - koerberi, 382
 - nigra, 659
 - nigropedata, 659
 - nivea, 659
 - rubina, 192
 - sagenidii, 659
 - sanguinea, 659
 - savonica, 382
 - schefflerae, 659
 - tasmanica, 382
 - treicheliana, 230
- CHAETANTROMYCOPSIS**, 580
 - bambusae, 580
- Chaetarthromyces coelostomalis*, 422
- Chaetendophragma britannica*, 77
 - fasciata, 471
 - protuberata, 471
- Chaetocalathus cheelii*, 950
 - euryspor, 950
 - semisupinus, 524, 580
- CHAETODERMA**, 872
 - incrassatum, 333
- CHAETODERMELLA**, 872
 - luna, 872
- Chaetomastia clavispora*, 950
 - equiseti, 950
 - phaeospora, 950
 - sambuci, 950
 - typhicola, 950
- Chaetomella cinnamomea*, 382
 - hypogaea, 382
- Chaetomidium arxii*, 43
 - heterotrichum, 282
- Chaetomium* sect. *Arcuata*, 950
 - sect. *Dichotoma*, 950
 - sect. *Laqueata*, 950
 - sect. *Recta*, 950
 - amygdalisporum, 114
 - bangkokanum, 230
 - biporatum, 659
 - chiversii, 524
 - cinnamomeum, 43
 - citrinum, 114
 - dreyfussii, 524
 - ellipsoideum, 231
 - hamadae, 422
 - helicoideum, 6
 - heteropilum, 77
 - hexagonosporum, 192
 - hispanicum, 524
 - histoplasmoides, 659
 - hyaloperidium, 333
 - lawransamesii, 77
 - longipilum, 6
 - luteum, 524
 - malaysiense, 282, 524 ('malaysensis')
 - microascoides, 472
 - minutispora, 44
 - montblancense, 6 ('montblanchensis')
 - muelleri, 524
 - multispirale, 192
 - nepalense, 422
 - oblatum, 524
 - pimprinum, 44
 - purpurascens, 422
 - putrefactum, 382 ('putrefactus')
 - repens, 525
 - retardatum, 192
 - serpentinum, 333

[Chaetomium]

- sinaense, 1046
- sphaerocarpum, 828
- strumarium, 525
- subapiculatum, 231
- subcircinatum, 192
- subcurvisporum, 950
- teratoideum var. minor, 6
- trilaterale var. pseudocupreum, 472
- udagawae, 6
- uniapiculatum, 422
- variostiolatum, 333
- virescens var. thielavioideum, 525
- vitellinum, 231
- Chaetonaevia ulmicola, 155
- CHAETOPELTIOPSIS, 747
 - sasae, 747
- Chaetophoma dermo-unguis, 525
- Chaetoplea oblongispora, 659
 - pusilla, 114
- Chaetopsina catenulata, 422
 - illini, 747
 - keniensis, 422
 - ludoviciana, 155
 - penicillata, 422
 - pinarensis, 580
 - polyblastia, 422
 - unilateralis, 422
- Chaetopsis cubensis, 272
 - cylindrospora, 282
 - hennebertii, 282
 - oligosperma, 282
 - probosciophora, 282
 - romantica, 282
- CHAETOSPERMOPSIS, 6
 - boninensis, 6
- Chaetospermum indicum, 192
- Chaetosphaeria africana, 77
 - anglica, 282
 - chalaroides, 382
 - coffeae, 77
 - cubensis, 192
 - endophytica, 155
 - fusiformis, 77
 - peziziformis, 747 ('pezizaeformis')
- Chaetosphaerites camerounensis, 282
- Chaetosphaeropsis truncata var. indica, 422
- Chaetosticta leersiae, 333
 - miconiae, 828
- Chaetothyria asterinoides, 659
- Chaetothyriopsis adianti, 1046
- Chaetothyrium diversum, 580
 - indistinctum, 44
 - spinigerum, 44
- CHAILLETIA, 1046
 - ferruginea, 1046
 - mali, 77 ('malus')
- Chalara africana, 333
 - antarctica, 1046
 - aspera, 333
 - australis, 659
 - brevicaulis, 192 ('brevicaule')
 - bulbosa, 333
 - caribensis, 192
 - dennisii, 525
 - dualis, 192
 - graminicola, 192

- heteroderae, 382
- hyalina, 333
- laevis, 333
- neglecta, 382
- neocaledoniae, 231
- phaeospora, 422
- piceae-abietis, 382
- populi, 231
 - ramosa, 333
- sibika, 872, 950
- vaccinii, 872
- CHALARODENDRON, 333
 - fuscum, 333
- Chalaropsis populi, 231
- Chalazion helveticum, 77
- Chalciporus aurantiacus, 77
 - caribaeus, 231
 - corallinus, 231
 - persicinus, 231
 - pierrhuguesii, 422
 - rubrituber, 659
 - trinitensis, 660
 - xanthocystis, 6
- Chamaemyces medullaris, 872
 - paraensis, 950
- Chamaeota dextrinoidespora, 747
 - tropica, 231
- Chamonixia bispora, 1046
 - pachydermis, 422
 - vittatispora, 422
- Chardonella acuta, 114
 - andina, 114
 - capitata, 114
- CHAROMYCES, 580
 - amphimelas, 580
 - ramosus, 950 ('ramosa')
- CHAUNOPYCNIS, 44, 155
 - alba, 44, 155
- Cheilaria vitis, 747
- Cheilymenia aurantiacorubra, 114
 - ('Cheilimenia')
 - bisetosa, 472
 - liskae, 1046
 - megaspora, 950
 - pallida, 231
 - pseudohumarioides, 1046
 - radhanagarensis, 422 ('Cheilymehia')
 - tandonii, 114 ('Cheilimenia tandonia')
- CHEIROMYCEOPSIS, 872
 - echinulata, 872
- Cheiromyces bulbophorus, 282
 - cubensis, 660
 - inflatus, 282
 - recurvus, 525
 - wrightii, 747
- CHEIROMYCINA, 580
 - flabelliformis, 580
- CHEIROPOLYSHEMA, 6
 - formosana, 6
- Chionomyces ontariensis, 282 ('Chinomyces')
 - ponapensis, 282 ('Chinomyces')
- CHITHRAMIA, 828
 - elegantissima, 828
- Chitonomyces iriomotensis, 950
- Chlamydomyces sympodialis, 580
- CHLAMYDOPSIS, 525
 - proliferans, 525

- Chlorenchocelia indica*, 828
Chloridium atanagildae, 333
 — *carpaticum*, 747
 — *cubense*, 192
 — *obclaviforme*, 747
 — *paucisporum*, 472
 — *phaeosporum* var. *cubense*, 660
 — *reniforme* var. *minor*, 231
 — *smithiae*, 423
 — *transvaalense*, 231
Chlorociboria salviicolor, 382
Chlorophyllum bharatense, 231
 — *shimogaense*, 231
Chloroscypha enterochroma, 231
 — *fitzroyae*, 423
 — *pilgerodendri*, 423
 — *seaveri* forma *lawsoniana*, 231
CHLOROVIBRISSEA, 950
 — *bicolor*, 950
 — *melanochlora*, 950
 — *phialophora*, 950
 — *tasmanica*, 950
CHOANATIARA, 333
 — *gracilis*, 333
 — *lunata*, 333
Chondropsis soledata, 580
Chondrostereum coprosmae, 472
CHOREOSPORA, 581
 — *tibellii*, 581
Christiansenia mycetophila var. *bispora*, 660
Chromatochlamys larbalestieri, 472
 — *muscorum*, 472
 — — var. *octospora*, 472
 — *vezdae*, 472
Chromocrea leucostroma, 77
Chromocyphella pinsapinea, 472
Chroogomphus fulmineus, 872
 — *ochraceus* subsp. *fulmineus*, 660
 — *papillatus*, 333
 — *rutilus* var. *fulmineus*, 581
 — — var. *tatrensis*, 747
CHRYSEIDEA, 77
 — *africana*, 77
CHRYSOBOSTRYCHODES, 472
 — *chrysophyllus*, 472
Chrysocelis geophilicola, 333
 — *gymnostemmatidis*, 44
CHRYSOMPHALINA, 192
 — *chrysophylla*, 192
 — *strombodes*, 192
Chrysomyxa keteleeriae, 192
 — *qilianensis*, 747
 — *stilbae*, 6
CHRYSONILIA, 155
 — *crassa*, 155
 — *sitophila*, 155
 — *tetrasperma*, 155
Chrysosporium carmichaelii, 6
 — *europae*, 525
 — *filiforme*, 155
 — *geophilum*, 1046
 — *georgiae*, 6 ('*georgii*')
 — *lignorum*, 525
 — *mephiticum*, 525
 — *merdarium* var. *sulfureum*, 44
 — *pannicola*, 6
 — *pseudomerdarium*, 6
 — *sulfureum*, 6
 — *synchronum*, 6
 — *vallenarense*, 472
 — *zonatum*, 950
Chrysotrix candelaris, 98
 — *chlorina*, 98
 — *chrysophthalma*, 98
 — *granulosa*, 872
 — *pavonii*, 98
 — *placodioides*, 872
Chytriomyces laevis, 581
 — *macro-operculatus*, 114
 — — var. *hirsutus*, 114
 — *reticulosporus*, 282
 — *rhizidiomycetis*, 282 ('*rhizidiomycis*')
Ciboria sect. *Lignicola*, 660
 — *bulgarioides*, 472
 — *calyculus*, 114
 — *conformata*, 155
 — *dumbirensis*, 872
 — *fusispora*, 660
 — *gordonii*, 472
 — *lignicola*, 382
 — *peckiana* forma *novoguineense*, 660
 — *ranikhetensis*, 382
 — *rava*, 1046
Ciborina megaspora, 581
Ciborinia ciborium, 472
 — *hirsuta*, 192
Ciliaria asperior var. *macracantha*, 231
 — *hirta*, 1046
 — *livida*, 1046
Ciliolarina corcontica, 581
 — *ligniseda*, 155
CILIOMYCES, 581
 — *spectabilis*, 581
Ciliophorella qualeae, 828
Cilioplea coronata, 282
 — *genisticola*, 231
 — *kansensis*, 231
 — *nivalis*, 231
CINEREOMYCES, 155
 — *lindbladii*, 155
Cintractia axicola forma *peribebuyensis*, 6
 — *disciformis*, 472
 — *glareosa*, 472
 — *jardineae*, 6
 — *lidii*, 472
 — *limitata* var. *congoensis*, 6
 — *occulta*, 44
 — *pannucea*, 472
 — *spadicea*, 423, 472
 — *vesiculata*, 44
Cionothrix basicrassa, 114
Circinella indica, 114
 — *minor* var. *asperior*, 382
CIRCINOMUCOR, 231
 — *bainieri*, 231
 — *circinelloides*, 231
 — *fuscus*, 231
 — *griseocyanus*, 231
 — *janssenii*, 231
 — *plumbeus*, 231
 — *racemosus*, 231
 — *sphaerosporus*, 231
 — *zonatus*, 231
Circinotrichum britannicum, 114

[Circinotrichum]

- cochinese, 950 ('cochinensis')
- flagelliforme, 581
- rigidum, 77

Cirrenalia acericola, 950

- basiminuta, 747
- fusca, 472
- indica, 77
- japonica, 114
- lignicola, 114
- palmicola, 6

CIRROSPORIUM, 77

- novae-zelandiae, 77

Cistella sect. Flavocistella, 747

- acuum, 6
 - albidolutea, 472
 - arctica, 6
 - atenuipilus, 581
 - atra, 192
 - caricis, 6
 - conorum, 6
 - crassipila, 6
 - deflexa, 6
 - flavorubens, 192 ('Citella')
 - fugiens, 6
 - graminicola, 6
 - grevillei, 6
 - helvetica, 950
 - hoehneltii, 872
 - hungarica, 6
 - hymeniophila, 155
 - hymenophylli, 581
 - incrustata, 6
 - lagenipilus, 334
 - larinica, 7
 - lupuli, 472
 - microspora, 282
 - orientalis, 7
 - pediformis, 192
 - phytolaccae, 7
 - polytrichi, 872
 - — var. antarctica, 872
 - sasae, 472
 - tenuicula, 7
 - tianschanica, 7
 - turcomanica, 7
 - tuvensis, 7
 - xanthorrhoeae, 660
- CISTELLINA, 7
- auricolor, 7
 - chamaeleontina, 1046
 - hymeniophylla, 747
 - stereicola, 7
- Citromyces cellulosaedestruens, 423
- sphagnicola, 423
- CIVISUBRAMANIANIA, 581
- eucalypti, 581
- Cladia moniliformis, 660
- CLADIDIUM, 383
- bolanderi, 950
 - thamnitis, 383
- Cladina arbuscula subsp. beringiana, 155
- arcuata, 114
 - argentea, 581
 - azorica, 383
 - boliviana, 383
 - ciliata forma tenuis, 383

- confusa, 114
 - — forma bicolor, 383
 - conspicua, 581
 - dendroides, 383
 - densissima, 383
 - — forma decolorans, 383
 - evansii forma icterica, 383
 - galapagosensis, 98
 - halei, 581
 - imshaugii, 383
 - leiodea, 383
 - leptoclada, 282
 - magnussonii, 383
 - pacifica, 423
 - polia, 98
 - portentosa subsp. pacifica, 383
 - — forma decolorans, 383
 - — forma subimpexa, 383
 - pycnoclada forma fuscescens, 383
 - rangifera forma umbellata, 660
 - rangiferina subsp. abbayesii, 282
 - — forma crispata, 660
 - — forma humilis, 660
 - — forma patula, 660
 - — forma prolifera, 660
 - rotundata, 383
 - sandstedei, 383
 - skottsbergii forma fuscescens, 383
 - sprucei, 383
 - stellaris var. aberrans, 581
 - stygia, 383
 - subtenuis forma cinerea, 383
 - tasmanica, 383
 - transindica, 383
- Cladobotryum amazonense, 114
- campanisporum, 747 ('Gladobotryum')
 - caribense, 581
 - cubitense, 747
 - longiramosum, 581
 - odorum, 747
 - penicillatum, 44, 155
 - pinarense, 581
 - soroaense, 581
 - virescens, 747 ('Gladobotryum')
- Cladochytrium salsuginosum, 873
- CLADOCONIDIUM, 581
- articulatum, 581
- Cladonia sect. Helopodium, 873
- sect. Unciales, 581
 - ahtii, 950
 - anitae, 155
 - anomaea, 29
 - — var. cladomorpha, 525
 - — var. gracilior, 525
 - — var. hololepis, 525
 - — var. phyllophora, 525
 - — var. scyphifera, 525
 - — var. squamulifera, 525
 - — var. subacuta, 525
 - — var. subuliformis, 525
 - arbuscula subsp. mitis, 747
 - — subsp. squarrosa, 747
 - — subsp. stictica, 873
 - aspera, 383
 - bangii, 581
 - berghsonii, 114
 - bimeriensis, 472

— borealis, 950
 capitellata var. squamatica, 581
 caribaea, 951
 celata, 334
 cervicornis subsp. pulvinata, 231
 — subsp. verticillata, 29 ('verticilata')
 — forma epiphylla, 525
 congesta, 581
 conoidea, 29
 corniculata, 383
 cornuta subsp. groenlandica, 64
 crassiuscula, 581
 diversa, 660
 ecmocyna subsp. intermedia, 64
 foliacea subsp. convoluta, 525
 furcata forma pustarum, 951
 galindezii, 747
 glauca forma fruticulosa, 525
 glaucolivida, 231
 gracilis subsp. nigripes, 64
 — subsp. tenerrima, 64
 — subsp. turbinata, 64
 — subsp. vulnerata, 64
 granulosa, 581
 guianensis, 951
 humilis, 383
 — var. bougeanica, 951
 insolita, 660
 kuringaiensis, 29
 labradorica, 114
 lepidophora, 383
 leprocephala, 581
 leucophylla, 660
 lopezii, 951
 melanocaulis, 873
 meridensis, 581
 microscypa, 581
 minarum, 581
 modesta, 660
 mongolica, 581
 norvegica, 334
 pachyclados, 581
 paeminosa, 951
 pallens, 660
 papuana, 525
 parva, 660
 peziziformis, 383
 phyllopoda, 873
 praetermissa, 334
 ramulosa, 383
 rappii var. exilior, 231
 rugulosa, 581
 salmonea, 951
 spiculata, 231, 581
 spinea, 581
 squamosissima, 64
 squamosula var. subsquamosula, 660
 steyermarkii, 581
 stygia, 472
 subantarctica, 525
 subminiata, 951
 sulcata, 231
 — var. striata, 660
 — var. wilsonii, 660
 tapperi, 660
 tessellata, 383
 thiersii, 873

— umbellata, 660
 umbricola, 64
 usambarensis, 660
 vareschii, 581
 varians, 660
 — var. erythrospermoides, 660
 — var. glauciflava, 660
 weymouthii, 472
 wilsonii, 334
CLADOPHIALOPHORA, 77
 — ajelloi, 77
 Cladoporus sulphureus, 660
 Cladosporiella deightonii, 1046
 — foliicola, 951
 Cladosporium adianticola, 661
 ('adianticolum')
 — allii, 334
 — antillanum, 661
 — breviramsum, 828
 — caryigenum, 155
 — var. carpinum, 155
 — cassiae-surathensis, 114
 — colocasiae, 873
 — confusum, 282
 — coralloides, 661
 — cubense, 661
 — devriesii, 383
 — ferrugineum, 661
 — funiculosum, 661
 — geniculatum, 828
 — minor, 951 ('minus')
 — minourae, 334
 — multigeniculatum, 661
 — psidiicola, 7 ('psidiicolum')
 — strumelloideum, 661
 — trichoides var. chlamydosporum, 231, 747
 — zeae, 77
CLADOSPOROTHYRIUM, 383
 ('Cladosporothrium')
 — nepalense, 383
 Clarkeinda gennadii, 7
CLASTEROSPHAERIA, 383
 — cyperi, 383
CLASTEROSPORITES, 383
 — eocaenicus, 383
 Clasterosporium bambusae, 7
 — coccolobae, 423
CLATHROCONIUM, 192
 — arachnicola, 192
 — caguanese, 873
CLATHROSPORIUM, 747
 — intricatum, 747
 Clathrus archeri, 44
 — argentinus, 472
 — kusanoi, 44
 — mauritianus, 44
 Claudopus arachnoideus, 661
 — miraculosus, 44
 — pandanicola, 44
 — tympanifer, 231
CLAUROUXIA, 828
 — chalybeoides, 828
 Claussenomyces hydnicola, 661
 — olivaceus, 77
 — pini, 582
CLAUZADEA, 383
 — chondrodes, 525

[CLAUZADEA]

- immersa, 383
- metzleri, 525
- monticola, 383

CLAUZADEANA, 423

- instratula, 423
- macula, 1046

Clavaria albo-globospora, 828

- ardosiacae, 828
- aurantia var. macrospora, 7
- borealis, 472
- cettoi, 582
- cupreicolor, 828
- echinonivosa, 828
- echino-brevispora, 828
- echino-olivacea, 828
- flavoides, 582
- flavopurpurea, 828
- fusispora, 7
- krieglsteineri, 873
- megaspinosa, 828
- mima, 829
- musculo-spinosa, 829
- novo-zealandica, 829
- oronoensis, 951
- phoenicea var. persicina, 829
- plumbeo-argillacea, 829
- raveneliana, 231, 334
- redoleo-alii, 829
- roseoviolacea, 829
- subsordida, 829
- subviolacea, 829
- tridentina, 582
- tuberculospora, 829
- ypsiloidia, 829

Clavariadelphus americanus, 873

- caespitosus, 873
- fasciculatus, 873
- flavidus, 873
- himalayensis, 951
- occidentalis, 873
- pallido-incarnatus, 873
- pseudocontortus, 661
- yunnanensis, 951

Clavariopsis azlanii, 661**Clavatospora bulbosa, 525****Claviceps microspora, 582**

- panicoidearum, 951
- purpurea var. agropyri, 282

CLAVISPORA, 115

- lusitaniae, 115
- opuntiae, 582

CLAVOMPHALIA, 747

- yunnanensis, 747

Clavulicium spurinum, 77

- vinososcabens, 155

CLAVULINA, 747

- alutaceo-siccescens, 829
- brunneocinerea, 829
- cinerea, 747
- — forma subcristata, 748
- — forma sublilascens, 748
- copiosa-cystidiata, 829
- coralloides, 748
- cristata, 748
- — var. bicolor, 748 ('bicolor')
- — var. zealandica, 829

- — forma bicolor, 748

- — forma subcinerea, 748

- kunzei, 748

- limosa, 423

- purpurea, 829

- ramarioides, 472

- samuelsii, 829

- septo-cystidiata, 829

- subrugosa var. tenuis, 829

- urnigerobasidiata, 829

- vinaceocervina var. avellanea, 829

Clavulinopsis aurantiobrunnea, 423

- bizzozzeriana, 472

- californica, 473

- cinnamomipes, 473

- citrina, 473

- clavuligera, 473

- costaricensis, 473

- crocea, 473

- flavescens, 473

- fusiformis var. bispora, 282

- hibernica, 473

- kunzei, 473

- laeticolor forma bispora, 873, 951

- pseudosubtilis, 473

- pulchella, 473

- subarctica, 473

- tenuiramosa, 473

CLEISTONIUM, 525

- parasiticum, 525

CLELANDIA, 383

- bulundari, 192

Clematomyces astenalis, 423

- calcaratus, 423

- trochoideanus, 423

Climacodon roseomaculatum, 155**Cliostomum graniforme, 29**

- griffithii, 29

Clitocybe sect. Fragens, 661

- acerba, 155

- adustiterricola, 232

- aggregata var. ovispora, 232

- — var. sphaerospora, 232

- albofragrans, 115, 282

- alnicola, 473

- alutaceotincta, 473

- angustifolia, 155

- antipoda, 115

- applanata, 748

- argillacea, 473

- aromatica var. olivascens, 155

- arvalis, 473

- atrobrunnea, 473

- atrofulva, 155

- atroviridis, 155

- avellanea, 473

- avellaneifolia, 473

- badioferruginea, 473

- borealis, 232, 473

- bresadoliana, 582

- — var. dryadum, 582

- brunneocephala, 155

- bubalina, 155

- cabreræ, 1046

- californiensis, 473

- caperata, 155

- celata, 77

COCCIDIODICTYON, 1046

- inconspicuum, 1046
- Coccocarpia adnata, 232
- endoferruginea, 232
- erythrocardia, 232
- filiformis, 232
- flavicans, 232
- fulva, 334
- myriocarpa, 232
- pruinosa, 232
- rottleri, 232
- xanthorioides, 232
- Coccodiella banksiae, 873
- Coccodinium corticola, 661
- Coccoidella perseae, 661
- Coccomyces annulatus, 7
- antillarum, 7
- arbutifolius, 7
- bipartitus, 7
- castanopsis, 7 ('castanopsidis')
- clavatus, 525
- concolor, 7
- crystalligerus, 7
- cupressini, 525 ('cupressinum')
- duplicarioides, 7
- farlowii, 7
- foliicola, 7
- gaultheriae, 232
- globosus, 525
- irretitus, 7
- lauraceus, 526
- libocedri, 526
- longwoodicus, 526
- mertensianae, 582
- monticola, 7
- mucronatus, 423
- palmicola, 7
- parvulus, 7
- petersii, 7
- philippinus, 7
- phyllocladi, 526
- radiatus, 7
- sichuanensis, 423
- strobilicola, 661
- tessellatus, 7
- tympanidiosporus, 7
- urceolus, 7
- venezuelae, 7
- Coccomycetella richardsonii, 582
- Coccostroma arundinariae, 423
- Cochliobolus akaii, 748
- akaiensis, 748
- australiensis, 232
- buteae, 582
- dactyloctenii, 192
- ellisii, 232
- eragrostidis, 748
- melinidis, 192
- nisikadoi, 232
- oryzae-sativae, 748
- pallescens, 748
- peregrinensis, 192
- perotidis, 192
- ravenelii, 77
- tripogonis, 77
- tuberculatus, 423
- verruculosus, 334

— zaeae, 829, 873

Codinaea australiensis, 77

— coffeae, 334

— dimorpha, 115

— elegantissima, 156

— filamentosa, 156

— heteroderae, 156

— illinoensis, 77

— intermedia, 156

— lunulospora, 77

— matsushimae, 77

— tortuosa, 77

— triseptata, 115

Coelocaulon aculeatum subsp. hispidum, 29

— — forma solediatum, 29

— bohemicum, 526

— crespoeae, 156

— epiphorellum, 526

— muricatum, 334

— steppae, 156, 526

Coelomomyces africanus, 526

— arcellaneus, 526

— arsenjevii, 115

— azerbaijanicus, 526

— borealis, 526

— — var. giganteus, 526

— carolinianus, 526

— celatus, 526

— couchii, 7

— dentalatus, 526

— dubitskii, 526

— elegans, 526

— fasciatus, 526

— iliensis var. australis, 526

— — var. culicis, 384

— — var. indus, 526

— — var. irregularis, 526

— — var. omorii, 334

— — var. orientalis, 334

— — var. striatus, 526

— iyengarii, 526

— lacunosus, 526

— — var. madagascariensis, 526

— madagascariensis, 526

— musprattii, 526

— notonectae, 873

— orbicularis, 526

— orbiculostriatus, 526

— ponticulus, 526

— psorophorae var. halophilus, 526

— — var. tasmaniensis, 526

— reticulatus, 527

— — var. parvus, 527

— rugosus, 527

— seriosstriatus, 527

— stegomyiae var. chapmanii, 527 ('chapmani')

— sulcatus, 527

— thailandensis, 527

— triangulatus, 527

— tuberculatus, 527

— utahensis, 527

COLEOCARPON, 334

— globosum, 334

Coleodictyospora micronesica, 661

Coleopuccinia ideii, 283

Coleosporium anemones, 951

- aristolochiae, 44
- choerospondiadis, 283 ('choerospondiatis')
- lonicerae, 7
- myripnoidis, 283
- parvisporum, 115
- serratulae, 283
- zangmui, 7
- Coleroa coffeae*, 77
- *concinna*, 1047
- *hageniae*, 661
- COLISPORA, 829
- *curvata*, 951
- *elongata*, 829
- Collaria biasperospora*, 156
- *elegans*, 156
- — *var. pallens*, 384
- Collema auriforme*, 384
- *dichotomum*, 384
- *flagellatum*, 527
- *fuscovirens*, 384
- *laevisporum*, 474
- *subundulatum*, 951
- Colletogloeum acaciae*, 527
- *acaciicola*, 527
- *feroniae*, 7
- *obtusum*, 7
- *olacis*, 7
- *perseae*, 661
- *protii*, 115
- *simmondsii*, 527
- Colletotrichum acutatum forma specialis chromogenum*, 334
- *araliae*, 115
- *dematium forma specialis truncatum*, 474
- *gloeosporioides var. cephalosporioides*, 334
- — *forma specialis clidemiae*, 582
- — *forma specialis cucurbitae*, 7
- — *forma specialis cuscutae*, 527
- *graminicola var. zonatum*, 77
- — *forma specialis sacchari*, 334
- — *forma specialis secalis*, 334
- — *forma specialis sorghi*, 334
- — *forma specialis zeae*, 334
- *latium*, 748
- *lilii*, 873
- *perillae*, 474
- *zeae*, 77
- COLLIGERITES, 78
- *chowdhryi*, 78
- *kutchensis*, 78
- Colloderma crassipes*, 283
- *macrotubulatum*, 423
- Collonema sorghi*, 474
- Collybia alpina*, 661
- *amanitae*, 582, 873
- *amazonensis*, 951
- *atroviridis*, 661
- *badia*, 232
- *baeosperma*, 661
- *boudieri*, 661
- *broomeiana*, 283
- *brunneola*, 283
- *butyracea var. asema*, 78, 748, 951
- — *var. ushuaensis*, 334
- — *forma asema*, 748
- *cervinicolor*, 232
- *contraria*, 334
- *cryptocaricola*, 873
- *distorta var. amara*, 283
- — *forma acutoumbonata*, 951
- *dryophila*, 873
- — *var. aquosa*, 748
- — *var. funicularis*, 334
- — *var. xanthochroa*, 582
- *dysodes*, 334
- *egregis*, 334 ('egregia')
- *elaeodes*, 661
- *embrapaensis*, 951
- *fagi*, 748
- *fasciata*, 334
- *fusipes var. rugosa*, 748
- *hebelomoides*, 192
- *himalaica*, 283
- *horakii*, 334
- *inconspicua*, 951
- *incrustedata*, 232
- *iridescens*, 283
- *kauffmanii*, 335
- *kirchneri*, 952
- *kuehneriana*, 582, 873
- *lodgeae*, 952
- *marasmioides*, 582
- *maulensis*, 873
- *nahuelbutensis*, 873
- *nitellina forma minor*, 232
- *nivalis*, 384
- *nobilior*, 952
- *ocior*, 661
- *parvispora*, 335, 829
- *peronata var. tomentella*, 748
- *phylladophiloides*, 952
- *platypus*, 662
- *polyphylla*, 335
- *popayanica*, 1047
- *purpureogrisea*, 527
- *putidella*, 474
- *rionegrensis*, 952
- *rufata*, 283
- *semitriptis*, 115
- *solitaria*, 952
- *steinmannii*, 335
- *stenosperma*, 748
- *sublaccata*, 527
- *subterginum*, 335 ('subtergina')
- *sulcatipes*, 748
- *tenacella forma minor*, 232
- *tuberosa var. cookei*, 748
- *turpis*, 1047
- *underwoodii*, 749
- *velutipes forma microspora*, 232
- Colpoma camelliae, 423
- *rosae*, 423
- *styriacum*, 7
- Coltricia cumingii, 423
- *duportii*, 335 ('duporti')
- *fragillissima*, 156
- *luteo-umbrina*, 423
- *opisthopus*, 423
- *sideroides*, 423
- *vallata*, 423
- Coltriciella oblectabilis, 335
- Columnocystis africana, 283
- Colus giganteus, 527
- *subpusillus*, 44

- Comatricha afroalpina*, 283
 — *martinii*, 283
 — *penicillata*, 283
 — *pulchelloides*, 384, 423
 — *robusta*, 283
 — *subalpina*, 749
 — *tenerrima* var. *macrospora*, 283
 — *vineatilis*, 1047
Combea californica, 749
Comoclathris bougainvilleae, 829
 — *cichoriacearum*, 1047
 — *deflectens*, 1047
 — *indica*, 874
 — *pseudoverruculosa*, 1047
 — *subdeflectens*, 1047
 — *verruculosa*, 1047
 — *wehmeyeri*, 78
Comoclathrix indica, 749
Compsomyces insignis, 423
CONCAMERELLA, 115
 — *fistulata*, 115
 — *pachyderma*, 115
Conchatium durum, 1047
 — *fraxinophilum*, 474, 662
 — *megalosporum*, 474
 — *muricatum*, 474
 — *neptuni*, 474
 — *nervicola*, 474 ('*nervicolum*')
 — *zenobiae*, 474
Conchomyces bursiformis, 156
 ('*bursaeformis*')
Condyllospora flexuosa, 874
 — *gigantea*, 874
CONFERTICIUM, 44
 — *insidiosum*, 44
 — *karstenii*, 44
 — *ochraceum*, 44
Confertobasidium montanum, 115
CONFISTULINA, 335
 — *hepatica*, 335
CONICOMYCES, 283
 — *contortus*, 423
 — *transvaalensis*, 283
Conidiobolus apiculatus, 8
 — *batkoi*, 8
 — *carpentieri*, 8
 — *chlapowskii*, 874
 — *conglomeratus*, 8
 — *destruens*, 192
 — *giganteus*, 8
 — *grylli*, 8
 — *iuxtagenitus*, 952
 — *major*, 8
 — *obscurus*, 8
 — *papillatus*, 8
 — *tenthredinis*, 8
 — *tipulae*, 8
Coniella castaneicola, 8
 — *delicata*, 8
 — *duckerae*, 749
 — *macrospora*, 283
 — *musaiensis* var. *hibisci*, 8
 — *petrakii*, 8
Coniochaeta alkalivirens, 749
 — *angustispora*, 115
 — *areolatrubra*, 749
 — *arxii*, 952
 — *calligoni*, 115
 — *cruciata*, 749
 — *cymbiformispora*, 952
 — *emodensis*, 156
 — *extramundana*, 115
 — *perangusta*, 156
 — *sanguinolenta*, 749
 — *trivialis*, 115
 — *vagans*, 115
Coniochaetidium mirabile, 582
Coniocybe amabilis, 192
 — *sanguinea*, 192
Coniophora arida var. *suffocata*, 156
 — *mollis*, 156
 — *opuntiae*, 384
 — *puteana* var. *incrustedata*, 156
CONIOPHOROPSIS, 527
 — *obscura*, 527
Conioscypha hoehnelii, 283
 — *japonica*, 232
Coniosporium ilicinum, 232
 — *lagerstroemiae*, 78
 — *sahnii*, 78
Coniothyrium aeluropodis, 662
 — *aristidae*, 662
 — *artemisiae*, 662
 — *cacti*, 8 ('*cactii*')
 — *canephorae*, 78
 — *chochrjakovii*, 952
 — *coffeanum*, 78
 — *eurotiae*, 662
 — *haloxyli*, 662
 — *hyperparasiticum*, 44
 — *kalidii*, 662
 — *lactucae*, 662
 — *leprosum*, 749
 — *marrubii*, 749
 — *medicaginis*, 662
 — *ovatum*, 527
 — *parvum*, 527
 — *philadelphia*, 662
 — *saccharicola*, 192
 — *salsolae*, 662
 — *smirnowiae*, 662
 — *zozimiae*, 662
Conocybe abjecta, 527
 — *abruptibulbosa*, 115
 — *africana*, 115
 — *alachuana*, 115
 — *alboradicans*, 232
 — *altaica*, 115
 — *amazonica*, 952
 — *ambigua*, 115
 — *anthracophila*, 233
 — *atkinsonii*, 115
 — *australis*, 115
 — *austrofilaris*, 115
 — *brunneola*, 115
 — *curta*, 116
 — *cylindracea*, 233
 — *dentatomarginata*, 116
 — *digitalina*, 952
 — *echinata*, 952
 — *elegans*, 283
 — *exannulata*, 116
 — *excedens*, 233
 — *fimetaria*, 527

— gracilentia, 749
 — hadrocystis, 116
 — horakii, 749
 — huijsmanii, 283
 — inocybeoides, 116
 — izonetae, 952
 — javanica, 952
 — khasiensis, 116
 — lenticulospora, 116
 — leporina, 749, 952
 — — var. tetraspora, 749
 — leptospora, 874
 — leucopus, 233
 — lobauensis, 749
 — macrocephala, 116
 — marginata, 233
 — mesospora, 116
 — — var. subalpina, 952
 — mexicana, 116
 — microgranulosa, 423
 — microspora, 335
 — moseri, 116
 — murinacea, 116
 — mutabilis, 233
 — myosura, 952
 — neoantipus var. carinthiaca, 749
 — — var. tucumana, 749
 — nivea, 116
 — novaezelandiae, 749
 — olivacea, 384, 874
 — pallidospora, 233
 — parvula, 283
 — peronata, 233
 — phaedropis, 527
 — piloselloides, 233
 — pinetorum, 527
 — procera, 116
 — pseudopilosella, 116
 — rubiginosa, 116
 — rugosa, 116
 — ruizlealii, 116
 — semiglobata, 116
 — septentrionalis, 749
 — sordescens, 874
 — sordida, 116
 — spiculoides, 116
 — stictospora, 952
 — striatipes var. leucopus, 749
 — — var. sejuncta, 749
 — subnuda, 233
 — subovalis, 116
 — tenera var. tenella, 233
 — tortipes, 116
 — tucumana, 116
 — tuxtlaensis, 952
 — urticae, 662
 — verrucispora, 116
 Conoplea catenata, 582
 Conostroma quercicola, 662
 Conotrema indicum, 874
 CONSETIELLA, 156
 — solida, 156
 Cookeina indica, 335
 — mundkurii, 749 ('Cookenia')
 Copelandia affinis, 78
 — bispora, 44
 — cambodginiensis, 44

— chlorocystis, 44
 — tirunelveliensis, 283
 — tropica, 283
 — tropicalis, 44
 Coprinellus disseminatus, 283 ('disseminata')
 — impatiens, 283
 Coprinus americanus, 527
 — ammophilae, 874
 — austrofriesii, 78
 — bellulus, 829
 — brevisetulosus, 233
 — calvescens, 283
 — candidatus, 829
 — cardiasporus, 527
 — caribaeus, 233
 — cinnamomeotinctus, 874
 — comatus forma sphaerocephalus, 233
 ('sphaerocephala')
 — disseminatoides, 829
 — echinosporus var. graminis, 233
 — ephemerus forma saturatus, 233
 — flavogriseus, 283
 — furfurellus, 527
 — griseofoetidus, 874
 — hercules, 474, 874
 — hiaseus, 233
 — iocularis, 829
 — kriegsteineri, 874
 — kuehneri, 829
 — marculentus var. homosetulosus, 527
 — — forma stephanosporus, 527
 — maysoidisporus, 78
 — neotropicus, 78
 — paleotropicus, 78
 — psychromorbidus, 78
 — pusillulus, 335
 — rufolanatus, 335
 — rugosobisporus, 335
 — singularis, 829
 — stanglianus, 829
 — tigrinus, 233
 — verrucispermus, 829
 — verticillatus, 384, 423 ('verticillatus')
 — vosoustii var. steppicola, 192
 COPRINUSELLA, 8
 — echinospora, 8
 — phlyctidospora, 8
 — silvatica, 8
 Coprobria crassistriata, 662
 — hyphopila, 335
 — magnifica, 1047
 — sordida, 335
 — theleboloides, 662
 Coprotus sphaerosporus, 8
 CORALLOCYTOSTROMA, 44
 — oryzae, 44
 Corallodendron hakkodasanense, 233
 CORALLOFUNGUS, 283
 — hatakeyamanus, 284
 Corallomyces aurantiicola, 1047
 — laeticolor, 1047
 Cordana abramovii, 233
 — andinopatagonica, 8
 — inaequalis, 233
 — indica, 284
 — martini, 193
 — semaniae, 952

[Cordana]

- solitaria, 527
- Cordierites acanthophora, 662
- boedijnii, 829
- indicus, 335
- Corditubera aculeatispora, 233
- gallica, 233
- levispora, 233
- magnata, 233
- romagnesii, 233
- spinispora, 234
- Cordycepioideus octosporus, 78
- Cordyceps alba, 234
- alboperitheciata, 193
- amazonica var. neamazonica, 156
- ampullacea, 234
- annulata, 193
- appendiculata, 234
- asyuensis, 78
- atewensis, 234
- aurantia, 78
- bifusispora, 193
- bokyoensis, 284
- brongniartii, 952
- cantharelloides, 423
- carabidicola, 44 ('carabidiicola')
- changpaishanensis, 78
- chichibuensis, 44, 234
- clavata, 78
- coccidiocapitata, 193
- coccidioperitheciata, 193
- cochliidiicola, 78
- cotopaxiana, 156
- cuboidea, 78
- cucumispora, 193
- — var. dolichoderi, 193
- discoideocapitata, 193
- doiana, 156
- elateridicola, 234
- elongatoperitheciata, 78
- elongatostromata, 234
- facis, 234 ('Codyceps')
- falcatoides, 44
- fasciculatostromata, 193
- ferruginosa, 78
- formosana, 156
- geniculata, 44
- gracillima, 157
- hepialidicola, 234
- hirotaniana, 284
- hiugensis, 234
- imagamiana, 234
- intermedia forma michinokuensis, 234
- iriomoteana, 193
- ithacensis, 474
- kanzashiana, 193
- kniphofioides, 193
- — var. dolichoderi, 193
- — var. monacidis, 193
- — var. ponerinarum, 193
- kobayasii, 749
- konnoana, 44
- koreana, 78
- kusanagiensis, 234
- liangshanensis, 157
- lloydii var. binata, 284
- longisegmentis, 829
- mantidicola, 234 ('mantidaecola')
- minazukiensis, 234
- minutissima, 44
- miomoteana, 234
- nanatakiensis, 234
- nigra, 234
- nigrella, 582
- nigripoda, 234
- obliquiordinata, 234
- ochraceostromata, 78
- odonatae, 78
- ogurasanensis, 193
- ootakiensis, 234
- osuzumontana, 44
- ovoideoperitheciata, 193
- pallidiolivacea, 234
- pilfera, 157
- pleuricapitata, 193
- polycephala, 234
- pseudoatrovirens, 234
- pseudolloydii, 284
- pseudolongissima, 234
- pseudonelumoides, 193
- purpureostromata, 78
- — forma recurvata, 78
- ramosopulvinata, 234
- ramosostipitata, 234
- rosea, 234
- roseostromata, 234
- rubiginosoperitheciata, 234
- rubiginosostipitata, 234
- rubricapitata, 234
- rubrostromata, 284
- ryogamiensis, 235
- sakishimensis, 235
- sclerotium, 235
- shanxiensis, 423
- shimaensis, 78
- sinclairii, 749
- sphecocephala forma oxycephala, 235
- staphylinidicola, 193 ('staphylinidaecola')
- sulfurea, 235
- superficialis forma crustacea, 44
- taishanensis, 423
- uchiyamae, 78
- virens, 284
- yahagiana, 45
- Corethromyces catalinae, 424
- fuscipes, 424
- lepidus, 424
- sardous, 78
- shazawae, 474
- vesiculifer, 424
- Corioloopsis aspera, 424
- bicolor, 424
- biogilva, 424
- burchellii, 749 ('burchelli')
- cognatus, 335
- discipes, 424
- luteo-olivacea, 424
- phaea, 424
- proteus, 952
- pruinata, 424
- retropicta, 424
- sanguinaria, 424
- serpens, 424
- sprucei, 527

- strigata, 424
- strumosa var. latipora, 952
- substuppeus, 335
- turgida, 424
- vibecina, 424
- Coriolus cingulatus*, 116
- fibula var. pores-adustus, 45
- muelleri, 116
- pictilis, 384
- versicolor forma antarcticus, 384
- — forma azureus, 384
- — forma tucumanensis, 384
- villosus, 8
- Cornucopiella fusispora*, 424
- Corollospora angusta*, 749
- armoricana, 952
- cinnamomea, 527
- colossa, 749
- filiformis, 749
- fusca, 749
- gracilis, 749
- luteola, 193
- pseudopulchella, 749
- quinqueseptata, 750
- CORONASCLEROTES**, 284
- australis, 284
- clavus, 284
- incertus, 284
- ingens, 284
- polygonalis, 284
- Coronellaria aberrans*, 952
- Coronophora sapindi-emarginati*, 235
- CORONOPLECTRUM**, 582
- namibicum, 582
- Coronospora novae-zelandiae*, 424
- Corticirama berchtesgadensis*, 952
- Corticium aurantioroseum*, 527
- boreoroseum, 284
- canfieldii, 284
- durangense, 284
- erikssonii, 193 ('eriksonii')
- lilacinoroseum, 284
- lombardiae, 284
- lundellii, 193, 284
- macrosporopsis, 193
- meridioroseum, 284
- minnsiae, 284
- mutabile, 527
- odoratum, 750
- — var. alni, 750
- pini, 284
- quercicola, 193
- theae, 384
- CORTICOMYCES**, 952
- xenasmatoides, 952
- Cortinarium* sect. *Anthracini*, 1047
- sect. *Armeniaci*, 1047
- sect. *Azurei*, 1047
- sect. *Bicolores*, 1047
- sect. *Brunnei*, 1047
- sect. *Cinnabarini*, 1047
- sect. *Colymbadini*, 1047
- sect. *Decipientoides*, 1047
- sect. *Delibuti*, 1047
- sect. *Dermocybe*, 1047
- sect. *Duracini*, 1047
- sect. *Erythrini*, 1047
- sect. *Fulvescentes*, 1047
- sect. *Hinnulei*, 1047
- sect. *Iliopodii*, 1047 ('Ileopodii')
- sect. *Laeti*, 1047
- sect. *Lanigeri*, 1047
- sect. *Leproclybe*, 1047
- sect. *Malachii*, 1047
- sect. *Muricini*, 1047
- sect. *Obtusi*, 1047
- sect. *Parvuli*, 1047
- sect. *Pholidei*, 1047
- sect. *Pulchelli*, 1047
- sect. *Raphanoides*, 1048
- sect. *Rigentes*, 1048
- sect. *Sordescentes*, 1048
- sect. *Telamonia*, 1048
- sect. *Uracei*, 1048
- sect. *Vibratiles*, 1048
- subsect. *Defibulati*, 1048
- subsect. *Hinnuloidei*, 662
- abietinus, 582
- absarokensis, 829
- acetosus, 750
- achyrocephalus, 1048
- aciserratus, 874
- acutibulbus, 193
- acutispissipes, 116
- acutoaltus, 193
- acutomammosus, 874
- acutorum, 874
- acutovelatus, 874
- adalberti, 8
- — var. *turritus*, 8
- addamascenus, 235
- adfocalis, 952
- admotus, 116
- adustorimosus, 874
- aequalipes, 874
- aequatus, 527
- agathosmus, 1048
- agnetis, 1048
- albidus subsp. *europaeus*, 424
- albocyaneus forma *incurvus*, 528
- — forma *umbonatopileus*, 874
- albobimbriatus, 874
- albolilascens, 874
- albomaculatus, 474, 874
- albovariegatus, 8
- aleuriodor, 116
- aleuriolens, 193
- allutoides, 528
- allutus var. *luteus*, 874
- — var. *xanthus*, 424
- alnobetulae, 1048
- alnophilus, 193, 474
- altomellitus, 424
- amarescens subsp. *exhalans*, 528
- amazonicus, 284
- amigochrous, 1048
- amphibalaustius, 235
- anfractoides, 528, 750, 874
- annulatus, 874
- anomalochrascens, 582
- anomalus var. *cervisipes*, 750
- anthracinus forma *mutans*, 384
- apomorphus, 952 ('amorphus')
- — var. *lintrisporus*, 952

- *aprinus*, 1048
- *aptecohaerens*, 235
- *araneosovolatus*, 1048
- *aremorius*, 874, 1048
- *argenteocrinitus*, 335
- *argenteopileatus*, 474
- *argentostriaepes*, 193
- *argentum-silvae*, 1048
- *argutus* subsp. *fraudulosus*, 1048
- — *var. fraudulosus*, 582
- *armeniaceus*, 875
- *armillatus* forma *luteo-ornatus*, 193
- *aspenensis*, 284, 528
- *atrofuscus*, 335
- *atrolazulinus*, 662
- *atroviolaceus*, 662
- *aurantiacoides*, 335
- *aurantiacus*, 45, 335
- *auratior*, 952
- *aureifer*, 952
- *aureomarginatus*, 335
- *auricilis*, 474
- *aurilicis*, 582
- *australiensis*, 157
- *austroclavicolor* subsp. *macrosporus*, 875
- *azureocaninus*, 875
- *badioflammescens*, 235
- *balteatoalbus*, 528, 662
- *balteatocumatilis* var. *laetus*, 424
- *balteatoscauroides*, 875
- *barbatus*, 1048
- *basililaceus*, 335
- *basiroseus*, 335
- *bataillei*, 284
- *bavaricus*, 284
- *bayeri*, 1048
- *belleri*, 284, 582
- *betuletorum*, 528
- *bicolor* forma *pumilus*, 194
- *bidiscendus*, 424
- *biveloides* var. *caesioviolascens*, 116
- — *var. micronotus*, 116
- — *var. microsporus*, 116
- — *var. oblongisporus*, 116
- — *var. ovatisporus*, 116
- — *var. uncinatus*, 116
- — *var. valdemammosus*, 116
- — forma *castaneorum*, 116
- — forma *uncifolius*, 116 ('*uncifolia*')
- *blandulus* var. *cohaerens*, 194
- *bolbitioides*, 335
- *bongardiodor*, 528
- *boudieri* var. *pseudoarcuatus*, 875
- *boulderensis* forma *pallidulus*, 194
- *brassicolens*, 78
- *brunneovelatus*, 335
- *brunneovulvus* forma *everniiformis*, 875
- *bulbiger*, 284
- *bulbolatens*, 583
- *bulbosovolatus*, 528
- *bulbulipes*, 952
- *bulliardii* forma *decoratus*, 875
- — ('*decorata*')
- *bundarus*, 1048
- *caerulescens* var. *depallens*, 424
- — forma *decipiens*, 875, 1048
- *caesiocinctus*, 1048
- *caesiocortinatus* subsp. *bulbolatens*, 1048
- *caesiocyaneus* var. *juranus*, 528
- *caesionigrellus*, 117
- *calochrous* var. *beneolens*, 194
- — *var. caroli*, 474
- — *var. coniferarum*, 424, 474
- — ('*coniferarus*')
- — forma *caroli*, 424
- *calyptophaeus*, 384
- *camphoratus* subsp. *lutescens*, 117
- *campinaranae*, 284
- *camptoros*, 235
- *camurus* forma *iliceti*, 875
- *caninoides*, 194, 528
- — *var. confertifolius*, 117, 528, 875
- — *var. umbonatotrigriseascens*, 528, 875
- — ('*umbrinogriseascens*')
- *caninus* var. *inflatus*, 875
- — forma *sauguetii*, 875
- *caperatus*, 953
- *capillosus*, 117
- *carminipes*, 750
- *carpinamicus*, 953
- *castaneoduracinus*, 194
- *castaneolens*, 194
- *castaneopallens*, 117
- *castaneus* var. *nigrescens*, 953
- *catalaunicus*, 1048
- *cauquenensis*, 875
- *cedretorum* subsp. *elegantissimus*, 1048
- — *var. bergeronii*, 1048
- — forma *xanthus*, 1048
- *cervinicolor*, 117
- *cervinoporphyreus*, 194
- *chamaeleon*, 1048
- *chamaesalicis*, 583
- *chevassutii*, 194 ('*chevassuti*')
- *chromataphilus*, 953
- *cineraceus*, 335, 528
- *cinereobrunneolus*, 194
- *cinereoviolascens*, 750
- *cinnamomeobadius* var. *meridionalis*, 750
- *cinnamomeofulvus*, 875
- *cinnamomeo-lutescens*, 875
- *circinans*, 117, 528
- *circumvelatus*, 45
- *cistophilus*, 1048
- *citocyaneus*, 235
- *citrinofulvescens*, 384, 875
- *citrinovirens*, 750
- *claricolor* var. *foeticolor*, 1048
- — *var. immissus*, 424, 474 ('*immissus*')
- — *var. larouei*, 953
- — *var. pertinens*, 1048
- — *var. siparius*, 1048
- — *var. turmalis*, 424, 474
- *clarobaltoides*, 953
- *claroplaniusculus*, 235
- *claroturmalis*, 750
- — *var. caperatus*, 953, 1048
- — *var. velutisectus*, 953
- *codonius*, 875
- *codonoides*, 235
- *coeruleolutescens*, 335
- *coeruleo-ochrascens*, 953
- *coigue*, 875
- *collangustus*, 117

- confirmatus, 235
- conicocampanulatus, 875
- contractus, 528
- contui, 750
- contulmensis, 875
- conveniens, 1049
- cookeianus, 875
- — forma albescens, 875
- cordipes, 528
- cotoneipes, 875
- crassifolius, 583
- crassorum, 876, 953
- crassus var. balteatoalbus, 1049
- — forma agathosmus, 876
- — forma balteatoalbus, 335, 876
- — forma subcrassus, 335, 528
- cremeoglobosus, 876
- cremeolaniger, 335
- cretaceus, 583
- cristallinus forma cortinatus, 876
- croceocristallinus, 876
- croceofurfuraceus, 876
- croceus, 284, 489, 583
- — var. iodolens, 750
- cucullifer, 45
- cumatilis var. haasii, 424
- — var. robustum, 424
- — forma caesio-albidus, 876
- curanilahuensis, 876
- cuteruptus, 117
- cyanites var. brevisporus, 424
- — forma brevisporus, 194
- — forma pseudocyanites, 194
- cyanobasalis, 528, 876
- cylindratus, 235
- cystidifer, 474
- damascenus, 235
- danicus, 284
- deceptivissimus, 335
- — forma duracinoides, 335
- — forma pseudoprivignoides, 336
- decipiens subsp. rickenianus, 1049
- — var. hoffmannii, 876
- decipientoides, 876
- decurtatus, 953
- delaporteii, 876
- delibutus var. albescens, 1049
- — forma decurrentifolius, 1049
- — forma megalosporus, 1049
- — forma ochroleucus, 1049
- — forma suratus, 1049
- denseconnatus, 235
- dermagnitus, 117
- deroleptus, 235
- diabolicus var. inflatobulbus, 235
- — var. memoriae, 235
- — var. peraltus, 235
- — forma subiners, 235
- diasemospermus, 117
- dibaphus var. bresadolae, 424
- — var. nemorosus, 528
- dichrous, 336
- dilutus subsp. asperimus, 194
- dionysae, 1049
- diosmoides, 953
- dischroipes, 1049
- dissensio, 424
- dissidens, 45
- duracinus var. subvelatus, 1049
- eburneus, 475
- — elatior forma mucifluoides, 528
- — forma trivialis, 528
- — elegans, 953
- — elegantior subsp. volvatus, 424
- — var. eduliformis, 424
- — forma volvatus, 424
- — elegantissimus, 1049
- — forma volvaceus, 425 ('volvacea')
- erythrinnellus, 876
- eucaculescens, 1049
- eucaceruleus, 1049
- euprasinus, 1049
- euprivignus, 1049
- — forma holophaea, 1049
- eustriatulus, 528
- everniiformis, 1049
- evernius var. fragrans, 384, 876
- evosmus, 1049
- fallaceicolor, 117 ('fallacecolor')
- fallax, 117, 583
- falsarius, 583
- favrei forma pallidus, 829
- felleicolor, 953 ('felleaecolor')
- ferinsolitus, 953
- ferrugineipes, 876
- flavescentium, 528
- flavovirens var. callopetalus, 528, 1049
- flexibilis, 235
- flos-paludis, 8
- fluryi forma ochraceobrunneus, 953
- ('ochraceobrunnea')
- foetenticolor, 953, 1049
- foligemmatum, 194
- fraudulosoconnatus, 1049
- fraudulosus var. felleicolor, 1049
- — var. radicosus, 45
- — var. tenuifolius, 425
- fulgens subsp. candidecarnosus, 583
- fulminoides, 528
- fulvaurantius, 1049
- fulvoisabellinus subsp. oreinus, 117, 1050
- ('oreina')
- fulvoleoninus, 1050
- fulvo-ochrascens var. cyanophyllus, 876
- — var. macrosporus, 953
- — var. marginato-ochrascens, 953, 1050
- — var. ochrocinerascens, 953
- — var. smolandicus, 1050
- — var. umbrinus, 425
- fulvo-ochrascens var. subcaninicolor, 953
- fusciculopallens, 117
- fuscoflexipes, 829
- fuscopallens forma subexpansus, 117
- galeacampanulatus, 1050
- galeriniformis, 284
- gallairei, 194
- gaudiosus, 583
- gayi, 583
- georgiolens, 528
- — forma caesiipes, 528
- gillettii, 117 ('Gilletii')
- glandicolor forma curtus, 194
- glaphurus, 194, 235
- glaucopus var. acyaneus, 425, 475

- var. *olivaceus*, 425
- *globisporus*, 583
- *globuliformis*, 528
- *gnirre*, 876
- *gracilior*, 876
- var. *meridionalis*, 876
- *gramineus*, 235
- *graminicola*, 235 ('*graminicolus*')
- *griseolavandulus*, 45
- *guttatus* var. *ilicinus*, 528 ('*ilicina*')
- *gymnopus*, 235
- *haematocheloides*, 194
- *hastatus*, 583
- *hebes*, 8
- *helviodor*, 425
- *helvolus* var. *bresadolae*, 1050
- var. *maximus*, 1050
- var. *medius*, 1050
- *henrici*, 45
- *henryanus*, 583
- *herculeus* forma *violascens*, 953, 1050
- *herculoides*, 235
- *herpeticus* var. *fageticola*, 425, 475
- forma *cyanochlorus*, 475
- *hesleri*, 284, 528
- *hinnuleo-armillatus*, 953
- *hinnuleus* forma *gracilis*, 194
- forma *minutalis*, 194
- forma *radicatus*, 194
- forma *subtypicus*, 194
- *holovioleipes*, 953
- *holoxanthus*, 8
- *homomorphus*, 1050
- *hualo*, 876
- *hujusmodi*, 235
- *hydrozonatus*, 117
- *hygrophoraccedens*, 384
- *hygrophoroides*, 384
- *ilexarbutus*, 528
- *imbricatoides*, 157, 953
- *impennis* subsp. *adustorimosus*, 117
- var. *typicus*, 117 ('*typica*')
- *inamoenus*, 425
- *incarnatofocalis*, 953, 1050
- *incarnatolilascens*, 117
- *inexpectatus*, 1050
- *infractus* var. *obscurocyaneus*, 425
- forma *aeruginosus*, 528
- *infrastemmatum*, 876
- *insignolens*, 876
- *insolitus*, 117
- *integerrimus*, 1050
- *intentus*, 529
- *interlectus*, 583
- *inurbanus*, 876
- *isabellae*, 117
- *joguettii*, 1050
- *jubarinoides*, 384, 876
- *jucundus*, 1050
- *juxtadibaphus*, 235
- *kashmiriensis*, 117
- *kerrii*, 284
- *kivaczensis*, 157 ('*Cortinatus*')
- *laccatus*, 336
- *lacus*, 117
- *lajeannei*, 529
- *lamoureae*, 583
- *lamprocreas*, 194
- *langei*, 529
- *laniatus*, 235
- *lanigeroides*, 336
- *lateritiofocalis*, 953, 1050
- *latoclaricolor*, 953, 1050
- *latomellitus*, 528
- *latus* var. *brevisporus*, 425
- *lebre*, 876
- *leiopus*, 117
- *leproleptopus*, 876
- *leptosporus*, 475
- *leucoluteolus*, 235
- *leucophaeatus*, 425
- *lilacinopusillus*, 117
- *lividochraceus* subsp. *elator*, 1050
- *lividoviolaceus*, 750
- *livor* var. *bresadolae*, 384, 877
- *longisporus*, 194
- *luxuriatus* forma *subluxuriatus*, 194
- *lux-nymphae*, 1050
- *macropodius* var. *praevalens*, 117
- *mairei* var. *juranus*, 529
- *manifestus*, 117
- *marcellae*, 235
- *marginatosplendens*, 45
- *marginato-ochrascens*, 877
- *marylandensis*, 284, 529
- *megalochondrus*, 953, 1050
- *megasporus*, 157
- *meinhardii*, 583
- *melleopallentium*, 117
- *methecticus*, 235
- *metrodii*, 529
- *miniatopus* forma *konradii*, 194 ('*konradi*')
 - forma *subalpinus*, 194 ('*subalpina*')
 - *minicolor*, 877, 953
- *minor*, 157
- *miraculosus*, 8
- *misermontii*, 583
- *monticola*, 1050 ('*monticolus*')
 - *montis-dei*, 45
- *mucifuoides*, 529
 - forma *brunnea*, 529
 - forma *lividoviolascens*, 529
 - forma *ochraceo-olivascens*, 529
 - forma *ochroflava*, 529
 - forma *olivacea*, 529
 - forma *viridiattenuata*, 529
- *mucifluus* subsp. *pinicola*, 1050
- *mucronatus*, 529, 830
- *multiformis* var. *coniferarum*, 425, 475 ('*coniferarus*')
 - *muricinoides*, 954
- *mussivus*, 750
 - subsp. *aurilicis*, 1050
 - var. *sulphureus*, 750
 - forma *bulbopodius*, 750
- *myxoanomalus*, 1050
- *nanus*, 1050
- *napivolvata*, 583
- *nemosus*, 1050
- *nigro-olidus*, 194 ('*nigrolidus*')
 - *norrlandicus*, 1050
- *norvegicus*, 285
- *nothofagi*, 583

- nothoraphanoides, 384, 877
- nummoides, 877
- obscurefoliatus, 425
- obtusus forma striatulus, 194
- — forma uliginobtusus, 194
- — forma velenovskyi, 194
- obvius, 583
- occentus, 583
- occidentalis var. obscurus, 425, 583
- ochreata var. sporabiens, 194
- odhinnii, 1050
- odoratus var. suavissimus, 750
- odorifer var. immarginato-coloratus, 954, 1050 ('immarginato-colarata')
- — var. luteolus, 195
- — var. lutescens, 954, 1051
- — var. suborichalcea, 529
- — var. suborichalceus, 954 ('suborichalcea')
- olearioides, 750
- olidoamarus, 475
- olidoamethysteus, 1051
- olidolens, 529
- olidovolatus, 877
- olidus var. camptophyllus, 1051
- omphalosmus, 117
- orasericeus, 235
- orastratus, 117
- orbiculozonarius, 235
- orichalceolens, 425, 529
- ostruophilus, 877
- oxytoneus, 117
- pagentus, 877
- paleiferus var. brachyspermus, 830
- pallidipes, 475
- palmicola, 236 ('palmicolus')
- palustris, 8
- — var. huronensis, 285
- — var. sphagneti, 8
- — forma sphagneti, 529
- parafraudulosus, 954
- — var. tenuifolius, 1051
- parasebaceus, 954
- paraviolaceus, 662
- paruraceus, 8
- parvepilus, 425
- parvostratus, 529
- patibilis, 236
- pedemirus, 195, 529
- pelargoniobtusus, 425, 877
- pellin, 877
- percomatus, 336
- percomium, 529
- perornatus, 236
- perrinii, 1051
- perrugatus, 236
- perscitus, 236
- petroselineus, 195
- — var. cedriphilus, 195 ('cedriphila')
- — var. conicopurpuratus, 195 ('conicopurpurata')
- — var. minor, 195
- — var. radicipes, 195
- — var. subcrinitus, 195 ('subcrinita')
- — var. typicus, 195 ('typica')
- peumo, 877
- phaeoleucoides, 195
- — phaeomaculatus, 954
- — phaeoruber, 195
- — phaeosmus, 117
- — phalarus, 1051
- — phylladus, 236
- — pikrus, 877
- — planodepressus, 236
- — pluvialis, 1051
- — pocillodiscus, 195
- — poirieri, 750
- — polaris, 285
- — polycrossus, 954
- — polymorphus, 529
- — poppyzon, 1051
- — praetervisus, 1051
- — prasinus var. odoratus, 529
- — pratensis, 285
- — preslianus, 336, 384 ('prestlianus')
- — primotectus, 117
- — privignoides, 529
- — privignorum, 529
- — procax, 8
- — productus, 877
- — pseudarcuatorum, 583
- — pseudocaninus, 117, 236
- — pseudocollinitus, 336
- — pseudocompar, 384, 877
- — pseudofirmus, 336
- — pseudoglaucopus, 425
- — pseudolargus, 750
- — pseudomalachius, 336
- — pseudonapus, 877
- — pseudophlegma, 117
- — pseudoprivignus, 236, 529
- — pseudorugulosus, 750
- — — var. secretanii, 750
- — pseudotubarius, 117
- — pseudovulpinus, 954, 1051
- — pulchellus, 236
- — pulcherrimus, 529
- — puramolens, 117
- — purpurascens forma cedretorum, 583, 877
- — purpuratus, 425
- — pyrinophyllus, 954
- — pyrrophaeus, 236
- — quaerendus, 954
- — quercilicis, 877 ('quercilieis')
- — quercus-ilicis, 1051
- — quidemolens, 529
- — radicans, 1051
- — radicatoviolaceus, 117
- — rammii, 954, 1051
- — rapaceus var. caesiovergens, 195
- — — forma major, 285
- — raphanodiabolicus, 236
- — rastetteri, 117
- — redactus forma fusipedoides, 425 ('fusepedoides')
- — renidentoides, 117
- — reumauxii, 117 ('Reumauxii')
- — riederi forma major, 954
- — rigentoides, 285
- — rigidiusculus, 475
- — rigidus forma albolens, 117
- — rimosofissus, 236
- — riousetiae, 583
- — robertii, 877

[Cortinarius]

- roberti-henrici, 830
- roblemaulicola, 877
- roblicola, 877
- roseolens, 425
- roseovariatus, 954, 1051
- rubeus, 117
- rubricosissimus, 195
- rufoanuliferus, 830
- rufoconnatus, 236
- rufoolivaceus var. pallidus, 425
- rufoviolaceus, 195
- rugosus, 425
- russeus, 530
- sabulicola, 750
- saginus subsp. grandisporus, 195
- salor subsp. transiens, 1051
- — var. coniferarum, 475
- sanguineus var. sierraensis, 285, 530
- — var. subcinnabarinus, 530
- saniosus var. moliniet, 236
- saturatus forma pallescens, 195
- saugeti var. caninorugosus, 877
- scaurocaninus, 195
- scaurotraganoides, 530
- schaefferi, 117, 425
- schedisus, 236
- scriptor, 1051
- scutulatus forma minimus, 195 ('minima')
- sebaceus var. brittanus, 954, 1051
- — var. luteopulveratus, 1051
- — var. validosqualens, 954
- sefendens, 236
- seponendus, 954
- sericatus, 1051
- sericeus, 1051
- — var. globovosporus [sic], 195
- siccolens, 877
- silvae-monachi, 1051
- sociatus, 236
- sodagnitus var. parasuaveolens, 877
- sodaureipes, 336
- solis-occasus, 583
- solitarius, 751
- sommerfeltii, 285
- sordidemaculatus, 117
- soricinegriseus, 425
- sphagneti, 157
- sphagnogenus, 195
- spheroidogranatus, 954
- splendens subsp. meinhardii, 1051
- — var. meinhardii, 751
- splendentium, 195
- spontescissus, 195 ('spontecissus')
- stellorugosus, 425
- stenospermus, 830
- stilazureus, 954
- stipite-violascens, 877
- streptosmus, 530
- stuntzii, 877
- subaccedens, 954
- subadelphus, 118
- subaffinis, 954, 1051
- subamethystinus, 877, 1051
- subbalaustinus, 530
- subcaespitosus, 45
- subcalyptrosporus, 662
- subcaninicolor, 1051
- subclaricolor, 954
- subcotoneipes, 877
- subcrassus, 236
- subcroceophyllus, 336
- subcyanopus, 425
- subdelibutus, 336
- subduracinus subsp. basicyaneus, 530
- subelegantior, 751
- suberythrinus, 877
- — var. geraniolens, 878
- subferrugineoides, 45
- subfusisporus, 1052
- subinsignis, 751
- sublargus, 425
- submelleopallens, 118
- subpurpurascens var. alluticolor, 584
- — var. subsordida, 584
- subrepandus, 1052
- subrhacodes, 954, 1052
- subsolitarius, 751
- subsordescens, 425
- subtigrinus, 336
- subtomentosus, 751
- subumbrinus, 195
- suburaceus, 878
- subviolaceo-albus, 878
- subviolascens, 475
- sulcatipes, 236
- sulphureus var. splendens, 584
- surreptus, 584
- tabacinus, 336
- tabularis forma caesius, 878 ('caesia')
- teras, 45
- terebripes, 584
- terpsichores, 1052
- tessellatovariatus, 954
- tessellatus, 118
- thallioruber, 195
- thyonius, 584
- tomentosus, 530
- tophaceoides, 384, 878
- torquatorum, 954
- traganulus, 336
- trescolii, 118 ('Trescoli')
- triangulus, 236
- tricolor, 336
- triformis forma melleopallens, 195
- — forma strenuus, 118 ('strenua')
- trimetallicus, 425
- trongolensis, 878
- trossingenensis, 78
- tumidipes, 878
- turgidoides, 118
- uliginobadius, 118
- uliginobtus var. accedens, 118
- — var. asphagnis, 118
- — var. lutescens, 118
- — forma campanulato-striatus, 118 ('campanulato-striata')
- uliginosus forma luteus, 285
- umbilicatus, 285
- umbrinoclarus, 336
- umbrinolens, 118
- umidicola, 954
- uraceovernus, 118
- uraceus var. crassifolius, 584

- — forma albofimbriatus, 195
- — forma suburaceus, 195
- vagnetoï, 530 ('Vagneti')
- variebulbus, 195
- varicolor var. largiusculus, 425
- — var. marginatus, 425
- variegatus subsp. misermontii, 1052
- velatocaulis, 530
- velutinellus, 157
- veraprilis, 584
- vibratilis var. bresadolae, 1052
- — var. langei, 1052
- viola, 285
- violaceovalens, 195
- violaceus var. hercynicus, 285
- violaeodor, 530
- violilamellatus, 336
- viscidulus, 384
- vitellinus, 584
- vulpicolor, 830
- xanthocephaloides, 954
- xanthophyllus subsp. corsico-amethystinus, 878
- — forma insignolens, 425, 751
- xanthosuavis, 878
- xerophilus, 584
- zosteroides, 336
- Cortinellus imbricatus*, 45
- Corynascus heterothallicus*, 285
- Coryne trichophora*, 954
- CORYNECYSTIS**, 475
- carpensis, 475
- Corynespora acaciae*, 384
- alternarioides, 878
- arctespora, 751
- calophylli, 530
- camagueyensis, 475
- cubensis, 336
- eranthemi, 8
- hemigraphidis, 8
- heterospora, 45
- ligustri, 384
- litchii, 530
- longispora, 118
- matuszakii, 878
- merremiae, 384
- millettiae, 384
- occidentalis, 954
- pseudolmediae, 530
- queenslandica, 878
- ruelliae, 8
- tsurudai, 751 ('Corynespora')
- viticus, 384
- Corynesporella helminthosporioides*, 662
- pinarensis, 475
- CORYNESPOROPSIS**, 118
- biseptata, 830
- cylindrica, 1052
- indica, 236
- isabelicae, 662
- quercicola, 118
- rionensis, 530
- uniseptata, 118
- Coryneum gregoryi*, 475
- indicum, 45
- lycii, 662
- quercinum, 530
- terrophilum, 475
- Costantinella clavata*, 78
- COUCHIA**, 157
- circumplexa, 157
- CRANEOMYCES**, 751
- verrucosus, 751
- Craspedodidymum abigianense*, 8
- proliferans, 530
- pulneyense, 954 ('pulneyensis')
- Craterellus multiplex*, 336
- Craterium leucocephalum* var. *longipes*, 955
- muscorum, 157
- reticulatum, 663
- CRENASCLEROTES**, 285
- durus, 285
- magnus, 285
- stachii, 285
- Crepidotus albescens*, 425
- amygdalosporus, 663
- bickhamensis, 336
- cesatii var. *sphaerosporus*, 955
- ehrendorferi, 955
- geophilus, 425
- haloxyl, 157 ('haloxyloni')
- krieglsteineri, 830
- pilosiceps, 955
- reniformis, 530
- roseo-ornatus, 426, 955
- roseus var. *boninensis*, 236
- schusteri, 1052
- sikkimensis, 663
- singerianus, 530
- sphaerosporus, 236
- subelatinus, 751
- subsphaerosporus, 751
- uber var. *phragmocystidiosus*, 118
- Cribraria confusa*, 285
- enodis, 285
- vulgaris var. *oregana*, 426
- CRINIGERA**, 475
- maritima, 475
- Crinipellis* sect. *Metuloidophorae*, 663
- galeropsidoides, 955
- hygrocyboides, 955
- metuloidophora, 663
- multicolor, 530
- peckii, 663
- sardoa, 530
- scabellus, 751
- schevczenkoi, 236 ('schevczenkovi')
- sinensis, 955
- zonata var. *cremoricolor*, 955
- CRINITOSPORA**, 426
- pulchra, 426
- Crinula byssogena*, 475
- CRISTASPORA**, 384
- arxii, 384
- Cristelloporia asperispora*, 45
- brasiliensis, 955
- Cristinia artheniensis*, 426
- Cristulariella moricola*, 8
- pruni, 878
- Crocicreas alpinum*, 78
- amenti, 78
- bactrosporum, 118
- bambusae, 663
- bambusicola, 118

[Crocicreas]

- basiacuminatum, 118
 - bicolor, 78
 - bisetosum, 118
 - calathicola, 79
 - carpenteri, 195
 - complicatum, 79
 - coronatum, 79
 - cremeum, 236 ('cremea')
 - culmicola, 79
 - cyathoideum, 79
 - var. cacaliae, 79
 - var. olympianum, 79
 - var. pteridicola, 79
 - dispersellum, 79
 - dolosellum, 79
 - var. tropicum, 118
 - dryadis, 79
 - epitephrum, 79
 - eschscholtziae, 79
 - espeletiarum, 118 ('espeletarum')
 - furvum, 79
 - fuscum, 79
 - gemmisporum, 118
 - gigantosporum, 118
 - gramineum var. incertellum, 79
 - helios, 79
 - var. parahelios, 118
 - hierachifolium, 955
 - hysterioides, 79
 - ilicifolium, 955
 - labradoricum, 530
 - macrostipitatum, 955
 - megalosporum, 79
 - var. gramineum, 79
 - melanosporum, 79
 - multicuspidatum, 79
 - nematosporum, 118
 - nigrescens, 79
 - nigrofuscum, 79
 - var. allantosporum, 118
 - nivale, 79
 - nivellum, 79
 - pallidum, 79
 - panici, 79
 - phaeoconium, 79
 - quinqueseptatum, 118
 - rufescens, 118
 - sellingensis, 1052
 - septemseptatum, 118
 - solare, 118
 - spicarum, 79
 - starbaeckii, 79
 - stramineum, 79
 - strobilinum, 475
 - subhyalinum, 79
 - tomentosum, 79
 - triseptatum, 118
- Cronartium arizonicum, 336
- flaccidum forma specialis siphonostegium, 830
- Crossopora gilgiana, 118
- CROTALIA, 475
- cintractiae-fischeri, 475
- CRUCCELLISPORIOPSIS, 236
- cymbionoides, 236
 - gelatinosa, 236 ('gelatinosus')

- prolongata, 385 ('prolongatus')
- Crucibulum laeve forma gallicum, 584
- Crucispora rhombisperma, 79
- Crumenulopsis lacrimiformis, 584 ('lacrimiformia')
- Crustoderma carolinense, 336
- corneum, 336
 - flavesceus, 157
 - longicystidia, 336 ('longicystidium')
 - marianum, 336
 - nakasoneae, 878
 - opuntiae, 157
 - patricium, 336
 - resinosum, 79
 - sabinicum, 426
 - var. disporum, 830
 - tastatum, 426
- CRUSTODIPLODINA, 751
- lichenoides, 751
- CRUSTOMOLLISIA, 663
- roburnea, 663
- Crustomyces expallens, 751
- heteromorphus, 584
 - indecorus, 584
- CRYOCALIGULA, 751
- hedgcockii, 751
- Cryphonectria coccolobii, 663
- cubensis, 8
 - longirostris, 663
 - maackiae, 955
- Cryptandromyces batrisi, 426
- batrisoceni, 426
 - cauliculatus, 426
 - incurvatus, 426
 - laboulbenioides, 426
 - nigromarginatus, 426
 - sarawakensis, 426
 - scydmaenarius, 426
 - scydmaenicola, 426
 - zethopsi, 426
- CRYPTASCOMA, 751
- bisetula, 751
- Cryptocline arctostaphylii, 426
- cypripedii, 878
- Cryptococcus amylolentus, 79, 118
- aquaticus, 878
 - asgardensis, 195
 - ater, 385
 - baldrensis, 195
 - consortionis, 385
 - curiosus, 878
 - curvatus, 79, 118
 - feraegula, 878
 - friedmannii, 426
 - fuscescens, 426
 - gilvescens, 955
 - hempflingii, 195
 - hinnuleus, 236
 - huempii, 955, 1052
 - humicola, 79, 118 ('humicolus')
 - lupi, 157
 - magnus var. heveanensis, 79, 118
 - marinus, 79, 118
 - neoformans var. shanghaiensis, 385
 - phylloplanus, 236
 - podzolicus, 79, 118
 - socialis, 385

- *tsukubaensis*, 878
- *tyrolensis*, 196
- *uniguttulatus*, 385
- *vishniacii* var. *asocialis*, 196
- — var. *vladimirii*, 196 ('vladimirii')
- — var. *wolfii*, 196
- *wrightensis*, 196
- CRYPTOCORYNEOPSIS**, 9
- *umbraculiformis*, 9
- Cryptodiaporthe japonica**, 9
- *lirella*, 285
- *racemula*, 285
- *tiliacea*, 955
- Cryptodiscus anguillosporus**, 119
- CRYPTOHYMENIUM**, 663
- *pycnidiophorum*, 663
- Cryptolechia myriadelia**, 157
- *nana*, 157
- *plurilocularis*, 157
- *saxatilis*, 157
- *stellaris*, 157
- *subincolorella*, 157
- *versicolor*, 157
- Cryptophiale aristata**, 426
- *cucullata*, 663 ('Cryptophiale')
- *enormis*, 955
- *minor*, 9
- *secunda*, 426
- CRYPTOPHIALOIDEA**, 751
- *secunda*, 751
- *uncispora*, 751
- Cryptosphaeria eunomia** var. *fraxini*, 751
- *pullmanensis*, 336
- *subcutanea*, 336
- *venusta*, 584
- Cryptosporella fusca**, 119
- *karwarrae*, 955
- *thujina*, 119
- Cryptosporiopsis citri**, 1052
- *coryli*, 9
- *fici*, 426
- Cryptosporium aucupariae forma microspora**, 385
- Cryptothecia albata**, 530
- *aleurella*, 530
- *aleurina*, 530
- *aleurocarpa*, 530
- *aleuroides*, 530
- *anamalaiensis*, 119
- *awasthii*, 530 ('awasthi')
- *culbersoniae*, 119 ('culbersonae')
- *dispersa*, 878
- *dissimilis*, 878
- *emergens*, 530
- *lunulata*, 530
- *macrospora*, 530
- *monospora*, 530
- *nilghiriensis*, 119
- *obtecta*, 878
- *polymorpha*, 878
- *punctulata*, 878
- *scriblitella*, 530
- *virginea*, 530
- Cryptothele cylindrophora**, 64
- *laatokkaensis*, 1052
- *neglecta*, 64
- *rhodosticta*, 1052
- Cryptothelium amazonum**, 530
- *andamanicum*, 878
- *rhodotitthon*, 531
- Cryptovalsa coffeicola**, 79
- *laricina*, 751
- *suaedicola*, 80
- CUBASINA**, 584
- *albo-fusca*, 584
- CUCULLOSPORA**, 584
- *mangrovei*, 584
- Cucurbitaria atraphaxidis**, 663
- *interstitialis*, 584
- *moriformis*, 663
- *transcaspica*, 751
- — var. *atraphaxidis*, 751
- Cucurbitariaceites keralaensis**, 751
- Culcinomyces bisporalis**, 663
- *parasiticus*, 663
- Cumminsia santa**, 236
- CUMULOSPORA**, 475
- *marina*, 475
- Cunninghamella blakesleeana** var. *verticillata*, 80
- *echinulata* var. *elegans*, 285
- — var. *indica*, 80
- *indica*, 79
- CUNNINGHAMMYCES**, 475
- *umbonatus*, 475
- Cuphocybe calospora**, 584
- *ferruginea*, 80
- CUPHOPHYLLUS**, 426, 663
- *sect. Afibulati*, 955
- *sect. Cinerei*, 955
- *subsect. Cinerei*, 1052
- *subsect. Hygrocyboidei*, 1052
- *subsect. Viscidi*, 1052
- *angustifolius*, 426, 663
- *berkeleyi*, 426, 663
- — *forma bispora*, 426, 663
- *borealis*, 426, 663
- — *forma salmoneus*, 426, 663
- *cereopallidus*, 426, 663
- — *forma bisporiger*, 955
- *cinerellus*, 426, 663
- *cinereus*, 426, 475, 476, 663
- *colemaniannus*, 426, 663
- *flavipes*, 426, 663
- *fuscescens*, 426, 663
- *grossulus*, 426, 663
- — var. *belleri*, 1052
- *hygrocyboides*, 426, 663
- *lacmus*, 426, 476, 663
- *lilacinus*, 427, 663
- *nebularis*, 427, 531, 664
- *niveus*, 427, 664
- — *forma roseipes*, 1052
- *ochraceopallidus*, 427, 664
- *pratensis*, 427, 1052
- — var. *donadinii*, 1052
- — var. *pallidus*, 1052
- — var. *robustus*, 1052
- — var. *vitulinus*, 427, 1052
- *rigelliae*, 1052
- *russocoriaceus*, 427, 584, 1053
- *subradiatus*, 427, 1053
- *subviolaceus*, 427, 1053
- *viola*, 1053

[CUPHOPHYLLUS]

- xanthochrous, 427, 1053
- Curreya pithyophila var. cembrae, 336
- CURUCISPORA, 119
- ombrogena, 385
- ponapensis, 119
- Curvularia akaii, 476
- akaiiensis, 751
- bannonii, 878
- caryopsidum, 427
- gladioli, 1053
- ischaemi, 119
- oryzae-sativae, 955
- sorghina, 584
- unicolorospora, 45
- Custingophora suidafricana, 45
- Cyanoderma see Cyanodermella
- CYANODERMELLA, 157
- candida, 157
- viridula, 157
- CYANODONTIA, 584
- spathulata, 584
- CYANOHYPHA, 157
- asperula, 157
- Cyathicula alpina, 236
- campanuliformis, 285
- filicum, 751
- fraxinicola, 476
- incertella subsp. fuegiana, 9
- rubescens, 119
- stipae var. ammophilae, 285
- Cyathipodia cupuliformis, 157, 752
- Cyathus annulatus var. wuyishanensis, 955
- costatus, 476
- discoideus, 9
- discostipitatus, 955
- gallicus, 531
- griseocarpus, 80
- guandishanensis, 1053
- hirtulus, 955
- morelensis, 878
- neimonggolensis, 955
- sichuanensis, 1053
- taiyuanensis, 955
- tianshanensis var. tomentosus, 955
- wutaishanensis, 427
- var. yuanquensis, 1053
- yunnanensis, 1053
- CYBEBE, 385
- gracilentia, 385
- CYCLANEUSMA, 285
- minus, 285
- niveum, 285
- Cyclographina hologlauca, 385
- Cylindrobasidium corrugum, 157
- evolvens var. cucullatum, 336
- laeve, 336
- parasiticum, 830
- torrendii, 236
- Cylindrocarpon abuense, 80
- aquaticum, 752
- bambusicola, 664
- bonaerense, 830
- carneum, 336
- chiayiense, 427
- chichiense, 427
- chlamydosporium, 476

- colchicum, 476
- destructans forma specialis panacis, 427
- formicarium, 664
- gymnosporangii, 236
- hydrophilum, 337
- indicum, 337
- kaspense, 476
- kolesnikowii, 476
- liriodendri, 80
- mangiferarum, 664 ('mangiferum')
- peronosporae, 476
- pini, 476
- pithyusae, 476
- rhodospermum, 476
- stilbophilum, 476
- uniseptatum, 337
- vaginae, 427
- CYLINDROCLADIELLA, 196
- camelliae, 196
- infestans, 196
- novae-zelandiae, 196
- parva, 196
- peruviana, 196
- Cylindrocladium avesticulatum var. microspora, 337
- gracile, 157
- leucothoes, 955 ('leucothoeae')
- musae, 752
- novae-zelandiae, 80
- reteaudii, 157
- spathiphylli, 196
- — forma specialis heliconiae, 955
- spathulatum, 531
- Cylindrocolla macrospora, 196
- Cylindrodendrum album var. paralion, 955
- Cylindrosporella coryli, 80
- Cylindrosporium arcticum, 80
- astrantiae, 285
- cannabinum, 285
- changbai-pini, 285
- coryli, 285
- cynanchi, 285
- muscaris, 80
- pentagynae, 285
- polygoni, 285
- potentillae, 285
- rubianum, 286
- spiraeae-thunbergii, 9
- swidae, 286 ('svidae')
- transcaucasicum, 286
- trillii, 80
- uljanishchevii, 286
- verbenae, 286
- veronicae, 80 ('Cylindrosporium')
- Cylindrotrichum curvatum, 45
- excentricum, 830
- fasciculatum, 385
- probosciophorum, 664, 830
- CYMATELLOPSIS, 531
- ilmiana, 531
- Cymatoderma hainanense, 584
- CYPHELLOCALATHUS, 80
- cecropiae, 80
- Cyphellophora pluriseptata, 531
- taiwanensis, 664
- vermisporea, 752
- Cyptotrama asprata, 9

- *deseynesiana*, 9
- *granulosa*, 9
- *niveum*, 955
- *pauperum*, 955
- CYRENELLA**, 80
 - *elegans*, 80
- Cystangium crichtonii**, 476
 - *phymatodisporum*, 385
 - *pineti*, 476
- CYSTIDIODONTIA**, 236
 - *artocreas*, 236
 - *isabellina*, 531
- Cystoagaricus** sect. *Jujuyenses*, 664
- Cystoderma amianthinum** var. *longisporum*, 237
 - *arcticum*, 385
 - *aureolum*, 830 ('aureola')
 - *cinnabarinum* var. *claricolor*, 337
 - *contusifolium*, 237
 - *fulvolateritium*, 337 ('fulvo-lateritia')
 - *granuloso-cinnabarinum*, 878
 - *japonicum*, 427
 - *longisporum*, 237
 - var. *purpurascens*, 237
 - *niveum*, 531
 - *saarenoksae*, 531
 - *simulatum* var. *bispورا*, 157
 - *subornatum*, 830 ('subornata')
 - *terrei* var. *claricolor*, 337
 - var. *nogalesii*, 476
- CYSTOFILOBASIDIUM**, 385
 - *bisporidii*, 385 ('bisporidiis')
 - *capitatum*, 385
- Cystolepiota adulterina** forma *reidii*, 119
 - *albogilva*, 955
 - *amazonica*, 955
 - *aspera*, 584
 - *aureola*, 427
 - *calicola*, 752
 - *cinereofusca*, 286
 - *cystidiosa*, 119
 - *hemisclera*, 237
 - *hetieriana*, 476
 - *hispida*, 119, 752
 - *lignicola*, 45
 - *luteicystidiata* var. *lycoperdoides*, 119
 - *omphrea*, 531
 - *perplexa*, 476
 - *potassiovirens*, 955
 - *pseudogranulosa*, 531
 - *pusilla*, 80
 - *pusillomyces*, 664, 878
 - *sacchariolens*, 237
 - *seminuda*, 664
 - *sinopica*, 119
 - *sistrata*, 427
- CYSTOPEZIZELLA**, 237
 - *conorum*, 237
 - *cupulicola*, 584
 - *knautiae*, 476
 - *sanguinea*, 476
 - *venceslai*, 237
- Cystostereum australe**, 237
 - *heteromorphum*, 45
 - *kenyense*, 584
 - *pini-canadense* subsp. *subabruptum*, 584
- Cystostiptoporus violaceocinereascens**, 45

- Cytophoma kuduerensis**, 956
- Cytoplea orientalis**, 9
 - *phyllostachydis*, 9
- Cytosphaera eucalypti**, 196
- Cytospora abutilonis**, 956 ('abutili')
 - *agarwalii*, 286
 - *bougainvilleae*, 956 ('bougainvilleae')
 - *ceratophora* forma *minor*, 385
 - *cincta* var. *flavocirrus*, 286 ('flavocirris')
 - *coffeeae*, 80
 - *daturae*, 9
 - *eucalypti*, 752
 - *leucosperma* forma *carphosperma*, 157
 - forma *oxyacanthae*, 157
 - forma *ferruginea*, 157
 - *litchi*, 196
 - *muehlenbeckiae*, 196
 - *rubescens* forma *salicina*, 158
 - *tritici*, 45
 - *vitis*, 752 ('Cytispora')
- Cytosporella bambusae**, 752 ('Cystosporella')
- Cytostagonospora martiniana**, 531
- Cyttarophyllum madagascariense**, 119
 - ('madagascariensis')
- Dacampia rufescentis**, 85
- DACAMPIOSPHAERIA**, 9
 - *rivana*, 9
- Dacrymyces aquaticus**, 337
 - *kohyasanus*, 385
 - *palmarum* var. *minor*, 1053
 - *sichuanensis*, 1053
 - *yunnanensis*, 956
- DACRYOBASIDIUM**, 158
 - *coprophilum*, 158
 - *lutescens*, 158
- Dacryobolus phalloides**, 337
- DACRYOMA**, 879
 - *alba*, 879
- Dacryopinax crenata**, 664
 - *foliacea*, 752
 - *macrospora*, 752
 - *maxidorii*, 80
 - *taibaishanensis*, 1053
 - *xizangensis*, 427
- DACTULIOCHAETA**, 879
 - *glycines*, 879
- Dactylaria acerina**, 286
 - *arundica*, 237
 - *attenuata*, 664
 - *congregata*, 476
 - *constricta*, 585
 - var. *gallopava*, 664
 - *cubensis*, 956
 - *curvicalvata*, 286
 - *cymbiformis*, 9 ('cymbiformia')
 - *fragilis*, 476
 - *fusifera*, 476
 - *havanensis*, 956
 - *higginsii* var. *cyperi*, 385
 - *inaequilatera*, 286
 - *intermedia*, 9
 - *iriomoteana*, 664
 - *irregularis*, 476
 - *isthmospora*, 752
 - *kumamotoensis*, 119
 - *laxa*, 956
 - *lepida*, 9

[Dactylaria]

- longispora, 664
- madrasensis, 286
- mitrata, 286
- ponapensis, 427
- pyricularioides, 9
- scolecospora, 286
- zapatensis, 956

Dactylella candida, 476

- dasguptae, 476 ('dasguptaii')

— *eudermata*, 476— *gampsospora*, 476— *haptotyta*, 476— *multiformis*, 337— *pulchra*, 476

DACTYLIFERA, 585

— *australiensis*, 585*Dactylospora allantoidea*, 1053— *amygdalariae*, 1053— *aspiciliicola*, 1053— *australis*, 1053— *deminuta*, 1053— *frigida*, 476— *hafellneriana*, 337— *heimerlii*, 476— *parasemoides*, 9— *pertusariicola*, 45 ('pertusaricola')— *polyspora*, 1053— *porphyrea*, 476— *protothallina*, 45— *purpurascens*, 1053— *rhododendri*, 9— *rimulicola*, 45— *rinodinicola*, 1053

DACTYLOSPORINA, 427, 476

— *macracantha*, 427— *steffenii*, 427*Daedalea aethalodes*, 585— *africana*, 45— *cubensis*, 158— *incana*, 337— *langkawiensis*, 664— *moesta*, 585— *ostreiformis*, 119*Daedaleopsis confragosa* var. *bulliardii*, 119— var. *rubescens*, 119— *flavida*, 337— *pergamenea*, 337— *septentrionalis*, 196— *tricolor*, 119*Daldinia graminis*, 585— *sacchari*, 585*Daleomyces campbellii*, 196

DANAËA, 80

— *ubiensis*, 80*Dasyobolus stictoides*, 80*Dasyscyphella calongei*, 337— *claviculata*, 477— *conicola*, 830— *immutabilis*, 337 ('immutabilis')— *mughonicola*, 830— *sulphuricolor*, 1053*Dasyscyphus aureus*, 585— *brevisporus*, 9— *erythrincicola*, 45— *fimbriifer* var. *singerianus*, 9— *foliicola*, 45— *hissaricus*, 237— *imbecillis* var. *cladii*, 45— *inopinatus*, 119— *kumaonicus*, 80— *luteogranulatus*, 45— *macrolanceolatus*, 237— *nilgherrensis*, 286— *oncospermatis* var. *macrosporus*, 9— *palearum* var. *niger*, 45— *thindii*, 337— *vantschensis*, 196— *varians* var. *pteridophyllus*, 9

('pteridopyllus')

Datronia brunneoleuca, 752— *caperata*, 427— *decipiens*, 879— *glabra*, 664— *nigrocinerea*, 427— *scutellata*, 427*Davisomycella asiatica*, 830

DAVISONIELLA, 752

— *eucalypti*, 752

DAWSICOLA, 119

— *neglecta*, 119

DAWSOMYCES, 119

— *mirabilis*, 119— *subinvisibilis*, 119

DAWSOPHILA, 119

— *callichroma*, 119— *pygmaea*, 119*Debaryomyces hansenii* var. *fabryi*, 477— *japonicus*, 585— *orientalis*, 585— *sake*, 531— *vanriji* var. *yarrowii*, 385

DEBARYOSCYPHUS, 477

— *melanobasis*, 477*Debaryozyma melissophila*, 80— *yamadae*, 80*Decaisnella confluens*, 585— *macrospora*, 585— *peniophora*, 585

DEGELIA, 98

— *duplomainata*, 98— *durietzii*, 98— *gayana*, 98

DEICHMANNIA, 1053

— *verrucispora*, 1053*Deightonellaalni*, 337— *caricina*, 337— *rosariensis*, 427— *roumegueri*, 286

DEIGLORIA, 45

— *amoena*, 45— *modesta*, 45— *paraguayensis*, 196— *pulchella*, 45— *pulcherrima*, 45*Dekkera abstinentis*, 531— *anomala*, 337— *claussenii*, 427— *custersiana*, 531— *lambica*, 531— *naardenensis*, 477

DEKKEROMYCES, 1053

— *dobzhanskii*, 1053— *drosophilorum*, 1053

- fragilis, 1053
- phaseolosporus, 1053
- wickerhamii, 1054
- Delicatula hyalina*, 531
- invisibilis, 237
- quisquiliaris, 237
- Delphinella peckii*, 585
- DELTOSPERMA**, 830
 - caespitosum, 830
 - dimorphum, 830
 - infundibuliforme, 830 ('infundibuliformis')
- Dematioscypha richonis*, 752
 - — var. *olivacea*, 752
- Dencoeliopsis betulicola*, 830
- Dendriscoaulon dendriothamnoides*, 286
- DENDRODONTIA**, 9
 - bicolor, 9
- DENDROMYCELIATES**, 80
 - splendus, 80
- Dendrophoma coffeae*, 80
- DENDROPHORA**, 664
 - albobadia, 664
 - erumpens, 664
 - versiformis, 664
- Dendropleella hirta*, 286
- DENDROPOLYPORUS**, 158
 - umbellatus, 158
- Dendroseptoria oryzopsidis*, 119
- Dendrospora fastuosa*, 9
 - fusca, 9
 - moniliformis, 196
 - nana, 9
 - polymorpha, 664
 - tenella, 9
 - torulosa, 9
- Dendrosporium candelabroides*, 585
 - ('candelabroide')
- Dendrostilbella aurifolia*, 237
 - hanlinii, 196
 - indica, 531
 - mycophila, 477
 - rubrostipitata, 477
- Dendrothele amygdalispora*, 752
 - bisporea, 237
 - corniculata, 477
 - itihummensis, 477
 - malenconii, 286
 - sasae, 664
 - subfusispora, 237
- Dendrotrichoscypha cretacea*, 477
 - epilobii, 477
 - tetraspora, 477
- Dendryphiella dregeae*, 879, 956
 - eucalypti, 286
- Dendryphion cubense*, 664
- Dendryphiopsis biseptata*, 237
- Dendryphiosphaera minuta*, 531
 - parvula, 830
- Dennisiella longispora*, 585
- Dennisioidiscus insularis*, 664
- Dennisiomyces fuscoalbus*, 956
 - lanzonii, 956
 - rionegrensis, 956
- Dennisographium ustulinae*, 477
- Denticularia hachijoensis*, 286
- Dentocorticium expallens*, 879
- Dermateopsis ionomidotica*, 752
- Dermaticum fallax*, 477
- Dermatocarpon elisavetae*, 664
 - krylovianum, 664
 - luridum, 385
 - miniatum var. *meuselianum*, 531
 - terrigenum, 664
- Dermatodothis japonica*, 337
 - quercicola, 337
- Dermatosorus bulbostylidis*, 664
 - thirumalacharii, 664
- Dermocybe alienata*, 879
 - aurantiella, 879
 - aurantiobasis, 879
 - aureifolia var. *hesperia*, 879
 - californica, 879
 - canaria, 879
 - cardinalis, 879
 - carpineti, 385, 879
 - cascadenis, 879
 - castaneodisca, 879
 - chrysolita, 879
 - cinnamomeofulva, 956
 - cramesina, 879
 - croceocona, 385
 - croceolimbata, 477
 - danica, 879
 - egmontiana, 879
 - humboldtensis, 879
 - huronensis, 879
 - — var. *olivacea*, 879
 - icterinoides, 879
 - idahoensis, 879
 - indotata, 879
 - largofulgens, 879
 - leptospermarum, 879
 - luteomarginata, 385
 - nahuelbutensis, 879
 - olivaceofusca, 427
 - olivaceonigra, 879
 - olivaceopicta, 879
 - paludosa, 45
 - palustris, 531
 - pellstoniana, 879
 - phoenicea var. *occidentalis*, 880
 - purpurata, 880
 - schaefferi, 531
 - sierraensis, 880
 - sphagneti, 385, 880
 - splendida, 286
 - subcroceofolia, 880
 - — var. *sordidipes*, 880
 - teresae, 880
 - thiersii, 880
 - tubaria, 880
 - — var. *luteofolia*, 880
 - uliginosa var. *lutea*, 427
 - vinicolor, 880
 - zakii, 880
- Dermoloma aposcenum*, 956
 - atrobrunneum, 585
 - cuneifolium, 585
 - fuscobrunneum, 119
 - glauconitens, 585
 - hybridum, 337
 - intermedium var. *coniferarum*, 585
 - murinellum, 665
 - nitens, 585

- [*Dermoloma*]
 — pataguae, 956
 — phaeopodium, 119
 — pragensis, 585, 830 ('pragensis')
 — pseudocuneifolium, 585
 — — var. pragensis, 585 ('pragensis')
 — scotodes, 531
DESCALSIA, 956
 — cruciata, 956
Descolea maculata, 531
Desmazierella piceicola, 337
DESTUNTZIA, 477
 — fusca, 477
 — rubra, 477
 — saylorii, 477
 — solstitialis, 477
 — subborealis, 477
DEXTRINOCYSTIS, 880
 — capitata, 880
DEXTRINODONTIA, 45
 — molliuscula, 45
Dextrinosporium desertorum, 286
Diacanthodes fluminensis, 956
 — griseus, 956
 — — var. subglaber, 956
Diachea aurantipes, 286
 — deviata, 531
 — koazei, 752
 — synspora, 830
 — verrucospora, 665
Diacheopsis mitchellii, 286
 — nannengae, 956
 — spinosifila, 956
 — synspora, 531
 — vermicularis, 665
Diachora fennica, 585
 — lathyri, 585
 — lespedezae, 585
Diachorella caraganae, 9
 — lathyri, 9
DIADEMA, 956
 — acutum, 956 ('acuta')
 — cinctum, 956 ('cincta')
 — curtum, 956 ('curta')
 — hexamerum, 956 ('hexamera')
 — obtusum, 956 ('obtusa')
 — tetramerum, 956 ('tetramera')
Dianema mongolicum, 586
Diapleella clivensis, 286
 — coniothyrium, 586
Diaporthe capsici, 119
 — coffeae, 80
 — fleischhakii, 286
 — helianthi, 119
 — lentaginis, 956
 — magnifica, 752
 — melonis var. brevistylospora, 1054
 — phaseolorum forma specialis caulivora, 337
 — spectabilis, 477 ('spectabilae')
 — take, 752
 — tanakae, 196
Diaporthopsis metrosideri, 237
DIARIMELLA, 9
 — setulosa, 9
Diatrype aemula, 752
 — albocarnis, 956
 — arundinariae, 752
 — bermudensis, 752
 — buteae, 477
 — decorticata, 752
 — disciformis var. major, 9
 — euterpes, 752
 — himalayensis, 956
 — implicata, 752
 — indica, 956
 — leucostroma, 752
 — nainitalensis, 956
 — olivacea, 956 ('oliveus')
 — oregonensis, 752
 — panacis, 477
 — patagonica, 752
 — pavetae, 477
 — petrakii, 752
 — phaselina, 752
 — phaselinoides, 752
 — philippinensis, 752
 — praeandina, 752
 — similensis, 956
 — tectonae, 477
 — urticaria, 753
 — whitmanensis, 237
Diatrypella favacea subsp. *nespiakii*, 531
 — inopinata, 586
 — leguminacearum, 531
 — paontensis, 586
Dicaeoma nemoseridis, 753
 — populinum, 427
Dicarpella liquidambaris-styracifluae, 286
 — orientalis, 286
 — rubicola, 119
Dicellaesporites aculeolatus, 119
 — africanus, 286
 — akoyolii, 957
 — appendiculatus, 120, 158
 — asymmetricus, 286 ('asymmetricus')
 — camerounensis, 286
 — campanulatus, 337
 — cartos, 196
 — crassiseptum, 237
 — disphaericus, 120
 — ellipticus, 80
 — elongatus, 385
 — fragilis, 120
 — fusiformis, 120
 — granuliformis, 120
 — guineensis, 287
 — levis, 120
 — littoralis, 287
 — major, 196
 — minutus, 80
 — mollis, 196
 — nakomanii, 957
 — nodusus, 287
 — paradoxus, 196
 — striatus, 196
 — volubis, 196
DICEPHALOSPORA, 665
 — calochroa, 665
 — rufocornea, 665
Dicheirinia maderensis, 287
DICHOLOBODIGITUS, 880
 — niger, 880
Dichomera conglobata, 1054

- macrospora, 80
- neorhamni, 1054
- rhamnicola, 1054
- tragacanthae, 9 ('tragacanthi')
- trichurensis, 9

Dichomitus anoetoporus, 337

- epitephrus, 337
- eucalypti, 477

Dichomyces furcifer subsp. subarcticus, 287

- japonicus, 45

Dichostereum kenyense, 80

- orientale, 80
- sordulentum, 80

Dichotomophthora lutea, 287

- portulacae var. longispora, 957

Dicranidion amazonense, 120

- fissile, 385
- ontariense, 665
- palmicola, 120 ('palmicolum')

Dictyochaeta abnormis, 385

- antillana, 957
- apiculata, 957
- aristata, 957
- assamica, 880
- botulispora, 957
- brevisetula, 957
- clavulata, 385
- coffeae, 957
- cylindrospora, 957
- dendroidea, 753
- dimorpha, 957
- eucalypti, 957
- fertilis, 385
- gamundiae, 665 ('gamundii')
- heteroderae, 880, 957
- hughesii, 957
- illinoensis, 957
- lilliputiana, 586
- longispora, 957
- lunata, 957
- lunulospora, 531, 957
- malaysiana, 753
- matsushimae, 957
- menisporoides, 386
- novae-guineensis, 386
- obesispora, 957
- parva, 880, 957
- querna, 120
- ramulosestula, 753
- septata, 957
- setosa, 957
- simplex, 386
- taiwanensis, 665
- tilikfrei, 427
- triseptata, 586
- unisetula, 957
- vulgaris, 957

DICTYODOCHIUM, 337

- prinsepiae, 337

Dictyodothis jasmini, 237 ('jasminae')

- jawharensis, 830
- macrocarpa, 337

Dictyonema glabratum, 753

Dictyopanus pendulus, 427

Dictyophora echinovolva, 830, 880

Dictyoportha canadensis, 237

Dictyosporites heterospora, 287

- ovoideus, 287

- pachycellularis, 287

Dictyosporium australiense, 427

- bulbosum, 957
- foliicola, 337
- gauntii, 427
- micronesicum, 120
- solanii, 665 ('solani')
- subramanianii, 428
- triseriale, 10
- verrucosum, 957

Dictyostelium aureum var. *luteolum*, 120

- brefeldianum, 287, 338
- brunneum, 196 ('Dictyostelium')
- capitatum, 287
- caveatum, 237, 665
- crassicaule, 428
- exiguum, 287, 338
- fasciculatum, 120
- gracile, 287, 338
- implicatum, 428
- longisporum, 287
- longosporum, 338
- macrocephalum, 477
- magnum, 287, 338
- mexicanum, 120
- parvisporum, 665
- polycarpum, 120

Dictyothyrium acoricola, 10

Dictyotrichiella delicatula, 158

- vaga, 10

Dictyuchus pisci, 338

Dicyma aurea, 81

- biophila, 81
- funiculosa, 338
- nebularis, 81
- olivacea, 81
- ovalispora, 81
- parasitica, 158
- peruviana, 158
- pulvinata, 81
- togoensis, 158
- torvi, 158

Diderma antarctica, 1054

- botryosum, 531
 - carneum, 120
 - — var. album, 120
 - cingulatum, 120
 - cribrosum, 531
 - donkii var. echinosporum, 196
 - effusum var. microsporum, 665
 - globosum var. europaeum, 830
 - — var. roseum, 665
 - maculatum, 338
 - miniatum, 1054
 - petaloides, 287
 - reticulosporum, 428
 - rimosum, 287 ('rimosa')
 - rufostriatum, 428
 - rufum, 120
 - scabrum, 287 ('scabra')
 - stellula, 957
 - subdviridifuscum, 830
 - subfloriforme, 45 ('subfloriformis')
- Didymaria cambari*, 158
- palinuri, 158
- Didymella aerospora*, 120

[*Didymella*]

- *anomala*, 586
- *antarctica*, 45
- *arachidicola*, 531
- *avicenniae*, 477
- *capparidis*, 957
- *coffeicola*, 81
- *convallariae*, 586
- *epimelanostola*, 586
- *foliicola*, 81
- *gloiopeltidis*, 10
- *holci*, 586
- *lethalis*, 338
- *megalospora*, 81
- *oxyspora*, 957
- *ramonae*, 753
- *sehimatis*, 46 ('*sehimae*')
- *stromatica*, 237
- *taiwanensis*, 957
- *andonii*, 880
- *zeae-maydis*, 586

Didymium annulisporum, 957

- *atrichum*, 10
- *circumscissile*, 287 ('*circumscissile*')
- *clavodecus*, 10
- *crassicolle*, 158
- *dictyopodium*, 532
- *eremophilum*, 46
- *floccoides*, 665
- *inconspicuum*, 1054
- *marineri*, 957
- *nigrisporum*, 428
- *nullifilum*, 158
- *tubi-crystallinum*, 880

Didymolepta mimuli, 665

- *winteriana*, 287

Didymoplella cladii, 287, 586*DIDYMOPORISPORONITES*, 120

- *crassiseptum*, 287 ('*crassisepta*')
- *didymus*, 287 ('*didyma*')
- *elegans*, 196
- *inaequalis*, 120
- *indicus*, 338
- *lacrymosus*, 287
- *mucronatus*, 287
- *normalis*, 120
- *oblongatus*, 197
- *obtectus*, 120
- *ovatus*, 197
- *panshanensis*, 197
- *psilatus*, 120
- *siddiquiei*, 338
- *strangulatus*, 287
- *teleutosporoides*, 287
- *triangulus*, 197
- *varius*, 197

Didymosphaeria arxii, 958

- *aurantifolii*, 46
- *bethelii*, 386 ('*betheli*')
- *calyciospora*, 477
- *canephorae*, 81
- *coffeae*, 81
- *coryneliae*, 477
- *geminella*, 958
- *lignomaris*, 586
- *macrospora*, 10, 428
- *pterocarpi*, 46

- *striatispora*, 1054

DIDYMOSPHAERITES, 386

- *bethelii*, 386
- *pierantonii*, 386

Didymosporium radiculicola, 10*Didymosporonites saccatus*, 287*Didymostilbe aurantiospora*, 477

- *capsici*, 477
- *cubensis*, 532
- *macrospora*, 478
- *matsushimae*, 478
- *sundara*, 478

Dietelia aequatoriensis, 120

- *duguetiae*, 120
- *emasculata*, 120
- *holwayi*, 120
- *impatiens*, 478
- *portoricensis*, 120

Digitatispora lignicola, 586*DIGITODESMIUM*, 120

- *elegans*, 120

DIGITODOCHIUM, 1054

- *rhodoleucum*, 1054

DIGITOSARCINELLA, 386

- *caseariae*, 386

Diheterospora angustispora, 428

- *asymmetrica*, 428
- *cylindrospora*, 428
- *guttulaspora*, 428
- *humicola*, 958
- *intermedia*, 428
- *microspora*, 428
- *ovispora*, 10

- *reniformis*, 10

- *rotiferorum*, 10

- *tragenophora*, 10

- *turbinaspora*, 428

- *zeaspora*, 428

DIHYPHIS, 586

- *parallelis*, 586

Dimelaena australiensis, 386

- *weberi*, 386

Dimerella chiodectonoides, 880

- *degeneri*, 64
- *fallaciosa*, 120
- *flavicans*, 830
- *frederici*, 64
- *isidiata*, 338
- *isidiigera*, 958
- *nepalensis*, 338
- *pocsii*, 831
- *subdentata*, 958
- *subdilucida*, 831
- *tanzanica*, 831
- *usambarensis*, 831

Dimerium asterinacearum, 586

- *inermis*, 386 ('*inermis*')
- *sasae*, 753

Dimeromyces andicola, 428

- *chiliotidis*, 428
- *eparchi*, 586, 753
- *isopterus*, 478
- *kusamae*, 478
- *platydematis*, 10 ('*platydemus*')
- *versicolor*, 478

Dimerosporium moricola, 753*Dimorphomyces acutus*, 478

- *baliensis*, 478
- *dhanyae*, 428
- *flabellatus*, 586, 753
- *formicicola*, 428
- *rotundatus*, 478
- *tuzsonii*, 428
- DIMORPHOTRICHA**, 665
- *australis*, 665
- Dinemasporium caespitosum**, 10
- ('caespitosa')
- *lanatum*, 958
- *pleurospora*, 10 ('pleuropsora')
- *pulvis-pyrius*, 10
- Dioicomycetes borneensis**, 665
- *verruculosus*, 880
- *yongboi*, 880
- DIOMEDELLA**, 386
- *demersa*, 386
- *disjuncta*, 386
- Diorchidium copaifera**, 338
- DIPHMYCES**, 428
- *appendiculatus*, 428
- *bidentatus*, 428
- *curvatus*, 428
- *niger*, 428
- *silphidarum*, 428
- Diplocarpon mespili**, 10
- DIPLOCLADIELLA**, 81
- *appendiculata*, 665
- *heterospora*, 958
- *scalaroides*, 81
- *tricladioides*, 478
- Diplococcium bicolor**, 237
- *catenulatum*, 478 ('Diplococcium')
- *clavariarum*, 237
- *constrictum*, 478
- *grovei*, 478
- *insolitum*, 237
- *parcum*, 238
- *pulneyense*, 958
- *stoveri*, 478
- Diplodia ficophila**, 753
- — *var. sublibera*, 753
- *heteromelina*, 753
- *heufferi*, 753
- *intertrappea*, 158
- *lappulae*, 665 ('lappullae')
- *mori*, 753
- *noaeae*, 665
- *pinex forma specialis cupressi*, 753
- *thalassia*, 81
- *theae-sinensis*, 831
- *zygophylli*, 665
- Diplodina acerina**, 10
- *aesculi*, 10
- Diploicia canescens subsp. australasica**, 880
- Diplomitoporus lenis**, 428
- *lindbladii*, 428
- *overholtsii*, 428
- *rimosus*, 428
- Diplonaevia antarctica**, 428
- *bresadolae*, 338, 386
- *caricis*, 338
- *caulophylli*, 338
- *circinata*, 338
- *davalliana*, 586
- *elynae*, 338
- *emergens*, 338
- *exigua*, 338
- *heliospora*, 428 ('helioscopora')
- *hyperborea*, 428
- *immersa*, 586
- *junciseda*, 428
- *luzulina*, 338
- *microsticta*, 428
- *mollisioides*, 338
- *muellerii*, 586
- *perpusilla*, 338
- *salassorum*, 338
- *savilei*, 428
- *septospora*, 586
- *seriata*, 338
- *stenospora*, 338
- *trichophori*, 338
- Diploospora fungicola**, 665
- *longispora var. cubensis*, 665
- *zinniae*, 120
- Diplophrys marina**, 386
- Diploschistes aeneus**, 958
- *arabiensis*, 532
- *badius*, 1054
- *diacapsis*, 753
- — *subsp. interpediens*, 958
- — *subsp. neutrophilus*, 958 ('neutrophila')
- — *subsp. sculus*, 958
- *gypsaceus subsp. interpediens*, 532
- — *subsp. neutrophilus*, 532 ('neutrophila')
- — *subsp. sculus*, 532
- *gyrophoricus*, 1054
- *hensseniae*, 478
- *muscorum*, 29
- — *subsp. bartlettii*, 753
- *ocellatus var. fallax*, 665
- *praematrix var. plana*, 958
- *prominens*, 958
- *scruposus subsp. albescens*, 532
- — *subsp. cretaceus*, 532
- — *subsp. gypsaceus*, 958
- — *subsp. iridatus*, 532
- — *subsp. muscorum*, 532
- — *subsp. ochrophanes*, 532
- — *subsp. ptychochrous*, 532
- — *subsp. violarius*, 532
- Diploschistomyces bryophili**, 98
- Diplotomma chlorophaeum**, 586
- *manipurensis*, 586 ('manipurensis')
- *murorum*, 29
- Dipodascus aggregatus var. spitsbergensis**, 238
- *ambrosiae*, 586
- *armillariae*, 338
- *capitatus*, 586
- *geniculatus*, 586
- *macrosporus*, 197
- *polyporicola*, 81
- *spicifer*, 586
- Dipodomycetes phloeoharidis**, 158
- Diporicellaesporites acuminatus**, 120
- *anisospora*, 287
- *attenuatus*, 238
- *bellulus*, 197
- *dolium*, 197
- *endogranulosus*, 120
- *fusiformis*, 238

- [*Diporicellaesporites*]
 — fusoides, 287
 — giganteus, 197
 — laevigatiformis, 197 ('laevigataeformis')
 — liaoningensis, 197
 — oblongatus, 197
 — pluricellus, 81
 — prakashii, 338
 — puryearensis, 120
 — taiwanensis, 158
 — tetralocularis, 121
 — verrucatus, 665
Diporites bimucronatus, 287
Dirina approximata subsp. *africana*, 287
 — — subsp. *hioramii*, 287
 — — forma *sorediata*, 287
 — *catalinariae* forma *sorediata*, 287
 — *cretacea*, 287
 — *insulana*, 287
 — — forma *sorediata*, 287
 — *massiliensis* forma *aponina*, 880
 — — forma *sorediata*, 288
 — *paradoxa*, 532
 — — subsp. *africana*, 532
 — — subsp. *approximata*, 532
 — — forma *sorediata*, 532
 — *repanda* forma *sorediata*, 665
Discella cassiicola, 46
 — *ficophila*, 753
Dischloridium cylindrospERMUM, 665
 — *inaequiseptatum*, 665
 — *keniense*, 428
 — *roseum*, 478
 — *tenuisporum*, 586
 — *triseptatum*, 665
 — *venezuelense*, 428
 — *ychaffrei*, 880
Discina accumbens, 586
 — *geogenius*, 386 ('*geogenia*')
 — *martinii*, 386
 — *megalospora*, 386
 — *microspora*, 386, 586
 — *parvispora*, 532
 — *spinospora*, 958
Discinella schimperi, 121
Disciotis venosa, 1054
 — — var. *reticulata*, 1054
Discochora aphyllanthis, 586
 — *asparagi*, 586
 — *dracaenae*, 586
 — *istriaca*, 586
 — *philoprina*, 532
 — *reticulata*, 587
 — *sansevieriae*, 587
 — *smilacinina*, 587
 — *smilacis*, 587
 — *tofieldiae*, 587
 — *yuccae*, 587
Discocistella calyptrata, 753
 — *carnosula*, 478
 — *glyceriae*, 478
 — *microscopica*, 478
 — *rudolphi*, 958
 — *typhae*, 753
DISCOCURTISIA, 238
 — *arundinariae*, 238
Discosia baarnensis, 197
 — *poikilomera*, 753
 — *vitis*, 753
Discosiella diospyri, 121, 158, 197
 — *indica*, 121, 158, 197
 — *novae-zelandiae*, 121, 158, 197
DISCOSIOSPORA, 958
 — *ceanothi*, 958
Discosphaerina cytisi, 338
 — *fulvida*, 338
 — *himalayensis*, 338
 — *mirabilis*, 338
 — *miribelii*, 338
 — *nothofaginea*, 386
 — *xylostei*, 338
Discosporium acaciae, 288
 — *eucalypti*, 288 ('*eucalpyti*')
 — *eugeniae*, 10
 — *tremuloides*, 10
Discostroma muricatum, 238 ('*muricata*')
 — *osyridis*, 288
Discothecium interlatens, 428
 — *montenegrinum*, 428
Discula fraxinea, 831
 — *terminaliae*, 10
 — *umbrinella*, 10
DISPOROTRICHUM, 338
 — *dimorphosporum*, 338
DISSITIMURUS, 753
 — *exedrus*, 753
DISSOCONIUM, 288
 — *aciculare*, 288
 — *subuliphorum*, 666
Dissophora ornata, 958
DISTOCERCOSPORA, 880
 — *pachyderma*, 880
Distolomyces euborelliae, 478
 — *forficulae*, 428
Ditiola abieticola, 238
 — *haasii*, 1054
Ditopellopsis lirella, 753
Ditremis corticata, 831
 — *limitans*, 753
 — *terminata*, 753
 — *verrucosa*, 831
DIXOMYCES, 429
 — *clivinae*, 429
 — *compactus*, 288, 429
 — *flectatus*, 288, 429
 — *morionis*, 429
 — *nigromarginatus*, 429
 — *obliquatus*, 429
 — *ornatus*, 429
 — *pallescens*, 429
 — *perigonae*, 429
 — *perpendicularis*, 288, 429
 — *porrectus*, 429
 — *spiralis*, 429
 — *stomonaxi*, 288, 429

- Doassansia downingiae*, 478
 — *kamatii*, 158
 — *putkonenii*, 478
 — *sparganii*, 831
Doassansiopsis furva, 158
 — *intermedia*, 158
Dochmiopus amygdalosporus, 666
Domingoella arctostaphyli, 532
 — *caesalpiniae*, 10
Doratomyces medius, 10
Dothichiza mori, 753
Dothidasteroma casuarinae, 881
Dothidasteromella magnoliae, 587
 — *systema-solare*, 881
Dothidea membranacea, 587
Dothidella castanopsidis, 831 ('*castanopsii*')
Dothidotthia andersonii, 666
 — *aspera*, 958
 — *celtidis*, 958
 — *diapensiae*, 958
 — *fruticola*, 958
 — *lasioderma*, 958
 — *quercicola*, 958
 — *ramulicola*, 666
Dothiora ellisii, 587
 — *harknessii*, 121
 — *saepincola*, 754 ('*sepincola*')
Dothiorella codiacicola, 121
 — *dauci*, 429
 — *dracaenae*, 121
 — *gaurensis*, 288
 — *indica*, 288
 — *kanoorii*, 46
 — *spathoglottidicola*, 121 ('*spathoglottiicola*')
Dothistroma flichianum, 121 ('*flichiana*')
 — *septospora* var. *keniense*, 10
 — — var. *linearis*, 10
DRECHMERIA, 429
 — *coniospora*, 429
 — *harposporioides*, 429
Drechslera andersenii, 478
 — *bhawani*, 81 ('*bhawani*')
 — *carbonum*, 339
 — *chattopadhyayi*, 429
 — *colocasiae*, 10 ('*colocaseae*')
 — *curvispora*, 158
 — *cymmartinii*, 10
 — *dictyoides*, 10
 — *eragrostiellae*, 10
 — *flavispora*, 754
 — *frauensteinii*, 1054
 — *gedarefensis*, 10
 — *holci*, 754
 — *homomorpha*, 339
 — *hongkongensis*, 238
 — *lini*, 238
 — *patereae*, 478
 — *pluriseptata*, 429
 — *portulacae*, 288
 — *prolata*, 339
 — *sivanesanii*, 339
 — *triseti*, 754
 — *tritidicola*, 881
 — *tritigrani*, 10
DREMUSPORA, 288
 — *cucurbitaria*, 288
Drepanispora viridis, 958 ('*viride*')
Drepanoconis divertigastra, 958
 — *nesodaphnes*, 288
Drosella irrorata, 478
Drosophila stercoraria, 532, 666
Dryophila oedipus, 666
DRYOSPHERA, 958
 — *navigans*, 958
DUALOMYCES, 666
 — *bambusicola*, 666 ('*bambucicola*')
 — *taiwanensis*, 666
Dubiocarpon ductilum, 339
Ductifera elastica, 197
 — *nigro-brunnea*, 958
Duosporium yamadanum, 158
Duportella halimi, 754
 — *kuehneri*, 754
 — *malenconii*, 754
 — *trigonosperma*, 754
Durella hedychii, 288
Dwayaangam cornuta, 158
 — *dichotoma*, 478
 — *yakuensis*, 121
Dwayabeeja aethiopica, 429
 — *cubensis*, 81
Dwayalomella setulosa, 958
DWIROOPA, 587
 — *ramya*, 587
DWIROPELLA, 587
 — *sundara*, 587
Dyadosporites minor, 288
 — *taiwanensis*, 158
Dyadosporonites cannanorensis, 386
 — *constrictus*, 81
 — *denticulatus*, 386
 — *didymus*, 121
 — *grandiporus*, 666
 — *inaequalis*, 754
 — *oblongatus*, 197
 — *okayi*, 958
 — *reticulatus*, 386
 — *solidus*, 197
 — *subovalis*, 121
 — *verrucatus*, 238 ('*Dyodosporonites*')
Earliella scabrosa, 429
EBOLLIA, 10
 — *valdiviensis*, 10
Eccilia excentrica, 881
 — *martinica*, 238
 — *odorata*, 238
 — *perundata*, 478
 — *vespertilio*, 881
 — *virgalis*, 238
Eccrinoides helleriae, 339
ECHIDNOCYMBIUM, 666
 — *speciosum*, 666
Echinobotryum rubrum, 429
Echinochaete brachypora, 386
 — — var. *acystidiata*, 386
 — — var. *laticystidiata*, 386
 — — var. *submegalopora*, 386
 — *russiceps* var. *micropora*, 387
 — — var. *pyriodora*, 387
 — — var. *squarrosa*, 387
 — — var. *villosior*, 387
ECHINOMYCES, 754
 — *echidna*, 754
 — *obesa*, 754

- Echinoplaca affinis*, 831
 — *bispora*, 831
 — *campanulata*, 831
 — *furcata*, 1054
 — *lucernifera*, 831
 — *similis*, 831
 — *subsimilis*, 831
 — *tricharioides*, 831
ECHINOPORIA, 46
 — *aculeifera*, 754
 — *hydnochora*, 46 ('*hydnochorus*')
Echinospira aculeifera, 339
Echinostelium apitectum, 46
 — *bisporum*, 158
 — *brooksii*, 46
 — *colliculosum*, 10
 — *corynophorum*, 46
 — *paucifilum*, 46
Echinothecium glabrum, 1054
Ectostroma maydis, 81
Edmundsonia biseptata, 754
 — *villosa*, 238
EDRUDIA, 64
 — *constipans*, 64
EDWARDIELLA, 478
 — *mirabilis*, 478
Edythea palmaria, 339
EENIELLA, 81
 — *nana*, 81
EFFETIA, 339
 — *craspedoconidica*, 339
EIGLERA, 387
 — *flavida*, 387
 — *homalomorpha*, 532
Elachopeltella rubescens, 532
Elachopeltis intermedia, 532
 — *miconiae*, 532
ELAPHOCEPHALA, 339
 — *iocularis*, 339
Elaphomyces darjeelingensis, 197
 — *muricatus* forma *fagicola*, 881
 — — forma *quercicola*, 881
 — — forma *reticulatus*, 881
 — *spinoreticulatus*, 959
 — *striatosporus*, 10
Elasmomyces hepaticus, 387
Elateraecium callianthum, 288
 — *natalense*, 288
Elletevera ochracea, 754
Ellisiodothis cocoicola, 959
Ellisiopsis occulta, 81
ELLOBIOPSIS, 1054
 — *chattonii*, 1054 ('*chattoni*')
ELLULA, 46
 — *guaduae*, 46
ELLUREMA, 587
 — *indica*, 587
Elmerina holophaea, 339
 — *unguliformis*, 959
Elsinoë erythrinae, 478
 — *malloti*, 339
 — *opunticola*, 81
 — *vaccinii*, 587
Embellisia abundans, 238
 — *annulata*, 532
 — *conoidea*, 238
 — *indefessa*, 238
 — *oxalidicola*, 238
 — *phragmospora*, 238
 — *planifunda*, 238
 — *telluster*, 238
 — *tumida*, 238
 — *verruculosa*, 238
Emericella acristata, 158
 — *astellata*, 158
 — *dentata*, 159
 — *echinulata*, 159
 — *navahoensis*, 159
 — *subulata*, 10
 — *undulata*, 587
Emericellopsis sphaerospora, 881
EMILMUELLERIA, 587
 — *spirotricha*, 587
Emmonsia parva var. *crescens*, 10
ENANTIOPTERA, 197
 — *tetra-alata*, 197
Encoelia fimbriata, 478
 — *fuscobrunnea*, 831
 — *himalayensis*, 339
 — *indica*, 387
 — *mollisioides*, 959
 — *montana*, 339
 — *nicaraguensis*, 831
 — *urceolata*, 831
Encoeliopsis rhododendri var. *harrimanellae*, 46
Endocalyx collantes, 532
 — *indumentum*, 339
 — *melanoxanthus* var. *grossus*, 339
Endocarpus nanum, 387
 — *nigrozonatum*, 387
 — *rosettum*, 387
 — *subrosettum*, 387
ENDOCHAETOPHORA, 881
 — *antarctica*, 881
Endococcus alpestris, 238
 — *gyrophorum*, 754
ENDOCREAS, 959
 — *lasiacidis*, 959
ENDODERMOPHYTON, 831
 — *castellani*, 831
 — *indicum*, 831
Endodothella vismiae, 429
Endomelanconium nanum, 479
Endomyces ascosporus, 587
 — *blanchardii*, 831 ('*blanchardi*')
 — *bronchialis*, 831
 — *burgessii*, 831 ('*burgessi*')
 — *candidus*, 831
 — *chalmersii*, 831 ('*chalmersii*')
 — *communis*, 831
 — *entericus*, 831
 — *faecalis*, 831
 — *guilliermondii*, 831 ('*guilliermondi*')
 — *insolitus*, 831
 — *intestinalis*, 831
 — *krusei*, 831
 — *lacteus*, 831
 — *lacticolor*, 831
 — *negrii*, 831
 — *nitidus*, 831
 — *niveus*, 831
 — *paratropicalis*, 831
 — *perryi*, 831

- pinoyi, 831
- polyporicola, 587
- pseudotropicalis, 832
- pulmonalis, 832
- rhoi, 832
- rotundus, 832
- rugosus, 832
- schoenii, 532 ('schoeni')
- tropicalis, 832
- zelanicus, 832
- Endomycopsella crataegensis*, 288
- vini, 288
- ENDOPHALLUS**, 959
- yunnanensis, 959
- Endophragmiella achromatica*, 1054
- africana, 197
- arranensis, 339
- aseptata, 532
- bohaniensis, 881
- bukkensis, 754
- constricta, 197
- corticola, 121
- fagicola, 81
- fallacia, 121
- fasciata, 959
- fatrensis, 532
- lauri, 159
- naromoruensis, 429
- ovoidea, 81
- pulchra, 159
- ramificata, 532
- resinae, 81
- rigidiuscula, 959
- rostrata, 429
- similis, 532
- suttonii, 121
- tenuis, 666
- uniseptata var. pusilla, 532
- variabilis, 959
- Endophylloides lysimachiae*, 46
- Endophyllum formosanum*, 46
- Endopyrenium cinereofuscens*, 159
- crustosum, 159
- inaequale, 159
- kansuense, 159
- krylovianum, 666
- minutum, 159
- mongolicum, 159
- perminutum, 159
- ENDORAECIUM**, 339
- acaciae, 339
- hawaiiense, 339
- ENDOSTELIUM**, 387
- amerosporum, 387
- — var. medium, 387
- — var. minus, 387
- zonatum, 387
- Endothia caraganae*, 587
- hypocreoides, 1054
- metrosideri, 288
- paraguayensis, 1054
- passeriniana, 1054
- tephrothele, 1054
- Endothiella aggregata*, 339
- caraganae, 81
- coccolobii, 754
- havanensis, 754
- japonica, 754
- longirostris, 754
- parasitica, 754
- singularis, 754
- tropicalis, 754
- viridistroma, 754
- Endoxylina allantospora*, 197
- Enerthenema intermedium*, 881
- Engyodontium arachnophilum*, 288
- araneorum, 288
- geniculatum, 288
- rectidentatum, 288
- Enterographa bartlettii*, 339
- carnea, 754
- zaborskiana, 1054
- zonata, 1054
- ENTEROPOGON**, 429
- sexuale, 429
- Entoloma* subgen. *Fibropilus*, 959
- sect. Acurtis, 666
- sect. Canosericeae, 754
- sect. Inocephali, 754
- sect. Psittacina, 666
- sect. Rhamphocystotae, 959
- subsect. Griseorubidum, 754
- subsect. Juncinum, 754
- subsect. Laeta, 959
- subsect. Parvisporae, 754
- acuminatum, 46
- adalbertii, 666 ('Adalberti')
- albellum, 666
- albocrenulatum, 46
- albosulcatum, 46
- albotomentosum, 959
- aliquantulum, 46
- alium, 46
- allochroum, 159
- allosericellum, 959
- allospermum, 479
- alnetorum, 832
- alnobetulae, 81
- alpicola, 81
- — forma minor, 959
- alutae, 46
- ambrosium, 11
- amicorum, 755
- amplisporum, 46
- amygdalinum, 755
- anatinum, 666, 881, 1054
- andrianae, 339, 479
- anthracinellum, 387
- anthracinum, 81
- apiculatum, 81
- appendiculatum, 46
- arachnoides, 666
- araneosum, 11, 479
- arvigenum, 46
- asprellum, 11
- assimilatum, 46
- atrides, 532
- atrocoeruleum, 755
- atromarginatum, 11, 532
- ('atromarinatum')
- atropellitum, 755
- atrosericum, 81
- aurantiacum, 587
- aurantipes, 46

[Entoloma]

- austroanatium var. defibulatum, 429 ('defibulatus')
- azureostipes, 46
- azureoviride, 238
- baeosporum, 755
- bicolor, 46
- bicornis, 387
- bipellis, 387 ('bipelle')
- bisporigerum, 46, 159 ('bisporiger')
- blandfordii, 666
- blandum, 46
- bombycinum, 46
- borgenii, 387
- brassicolens, 81
- bryorum, 881
- caccabus, 46, 159
- caeruleoflocculosum, 479
- caeruleopolitum, 387
- caeruleum, 159
- caesiocinctum, 159
- caesiocoeruleum, 46
- calaminare, 387
- caliginosum, 755
- callichroum, 238
- cancrinellum, 387
- cancrinum, 81
- canobrunnescens, 46
- canosericeum, 159
- canum, 587
- carbonicola, 159
- carneogriseum, 755
- carneum, 587
- catalaunicum, 159
- cedretorum, 159
- ceratopus, 46
- cerussatum, 238
- cetratum var. testaceum, 238
- chalybaeum, 11, 159
- — var. lazulinum, 387
- — forma bisporigerum, 387
- chalybs, 46
- chelone, 755
- chionoderma, 81
- chlorophyllum, 11
- chloropolium, 755, 832, 881 ('chloropolius')
- cinereofolium, 587
- cistophilum, 159
- clandestinum, 11
- clavistipes, 46
- clitocyboides, 238
- clypeatum var. defibulatum, 81
- — forma hybridum, 81
- — forma pallidogriseum, 81
- — forma xanthophyllum, 81
- cocles, 82
- coelestinum, 11
- coeruleoviride, 46
- cogitatum, 46
- columbinum, 46
- concavosericeum, 46
- conferendum, 11
- — var. obscurior, 755
- — var. pusillum, 11
- — var. rickenii, 755
- — forma subrugosum, 755
- conspicuocystidiosum, 238
- corneri, 46
- corrugens, 46
- corvinum, 159
- cremeopallens, 46
- crinipeloides, 666
- cristobalense, 46
- croceum, 46
- cruentatum, 387
- cucullatum, 755, 881
- curtipes, 46
- cuspidiferum, 11, 479 ('cuspidifer')
- cutifractum, 238
- cyaneoviridescens, 159
- cyanulum, 387, 755
- densisquamosum, 46
- discolor, 47
- discophorum, 47
- discordiabile, 47 ('discordiabilis')
- disparile, 47
- dispernum, 755
- dissimile var. aporpum, 429 ('aporpus')
- distinguens, 47
- divum, 47
- dolosum, 47
- ducale, 47
- dulce, 47
- dunense, 47
- egonii, 587
- egregium, 47
- elevatum, 47 ('elavatum')
- engadinum, 197
- erubescens, 47
- eulividum, 479
- excentricum var. porphyrocephalum, 197
- exile var. pyrospilum, 479
- eximium, 82
- extraordinarium, 47
- farinasprellum, 238
- favrei, 197
- fernandaeae forma eccilioides, 11
- fidele, 47
- flavidum, 47
- flavocerinum, 47
- flavogibbum, 47
- flavoides, 587
- flavotinctum, 238
- floccosodontatum, 47
- flocculosum, 832
- foetulentum, 11
- formosoides, 47
- formosum, 479
- fracturans, 47
- fragilipes, 47
- fritilliforme, 666
- fulvum, 238
- fumatopunctum, 47
- fuscomarginatum, 47
- fuscum, 47
- gabonense, 387 ('gabonensis')
- generosum, 47
- gentile, 47
- gerriacae, 82
- gerronematoides, 339
- giganteum, 666, 881
- gillesianum, 387
- gillesii, 387

- glaucobasis, 479
- glaucopus, 47
- globuliferum, 11 ('globulifer')
- gnaphalodes, 47
- gnophodes, 47
- granuliferum, 47 ('granulifer')
- granulosiceps, 47
- gratissimum, 47
- griseocyaneum var. nudipes, 666
- griseorubellum, 11, 666
- griseorubidum, 387
- guzmanii, 587
- hallstromii, 47
- hebes, 159, 239
- henrici, 239
- heterocutis, 47
- hiemale, 479
- hilare, 47
- hilarulum, 47
- hircosum, 47
- hirtipes, 11
- — var. obsoletum, 239
- — var. sericoides, 11
- hispidulum, 159
- homomorphum, 667
- horakii, 387
- horticola, 47
- huijsmanii, 387
- ianthinum, 11, 159
- icterinum, 11, 479
- illotum, 47
- incanum var. citrinobrunneum, 239
- incarnatofuscescens, 479
- incongruum, 47
- indutoides, 387
- inficetum, 47
- infula, 11
- infundibuliforme, 533
- inocybiforme, 11 ('inocybiformis')
- inopiliforme, 197
- insecureum, 47
- insidiosum, 755
- insolitum, 755
- intutum, 47
- inutile, 11
- jansenii, 755
- juniperinum, 533
- kallioi, 239
- kitsii, 288
- kobayasianum, 533
- kristiansenii, 755
- kuehnerianum, 479
- langei, 387
- lanicum, 82
- largentii, 587
- — var. alnicola, 587
- — var. badiodorsum, 587
- — var. farinaceum, 587
- lazulinum, 159, 832, 959 ('lazulina')
- lepidissimum, 159, 387
- lepiotosmus, 159
- leptopus, 11
- leucaspis, 47
- leucocarpum, 82
- leviculum, 47
- liberale, 47
- lignicola, 881
- lignoputridum, 47
- lilacinogriseum, 832
- lilacinoroseum, 339
- limatum, 47
- lineum, 47
- linkii, 159
- lividocyanulum, 387, 881, 1054
- longistriatum, 959
- — var. microsporum, 959
- — var. sarcitulum, 959
- lucidum, 388
- lycopersicum, 239
- macnabbianum, 47 ('mcnabbianum')
- maderaspatanum, 47
- magnaltitudinis, 755
- maleolens, 47
- mammaesimile, 47
- marinum, 47
- masseei, 388
- mazzeri, 388 ('mazzerii')
- megacystis, 47
- melanochroum, 755
- melanoxanthum, 533
- melenosmum, 388
- minusculum, 47
- moserianum, 339
- mougeotii var. fuscomarginatum, 755
- — var. incarnatum, 388, 881
- ('incarnatus')
- murinoalbum, 239
- murinum, 388
- muscorum, 667, 881
- myrmecophilum var. atrogaleatum, 82
- — forma atrogaleatum, 479
- nanum, 47
- nausiosme, 755
- nefrens, 11
- neglectum, 239, 881, 1055
- — var. tetrasporum, 239, 288
- neocaledonicum, 47
- neoturbidum, 239
- nigrellum, 82
- nigrovillosum, 47
- nigroviolaceum, 159
- niphoides, 479
- nitens var. defibulatum, 429 ('defibulatus')
- nitriolens, 159
- nubigenum, 429 ('nubigenus')
- obrusseum, 47
- obtusisporum, 239
- odoriferum forma obscurum, 198
- olidum, 388
- olivaceotinctum, 479
- olivaeimile, 239
- olorinatum, 47
- omiense, 533
- opacum, 755
- pallens, 239
- paludicola, 667
- parasericellum, 47
- parasiticum, 429
- peculiare, 239
- pegleri, 388 ('peglerii')
- percandidum, 160
- percognatum, 47
- perfidum, 47
- pernitrosus, 160

[Entoloma]

- pervelutinum, 47
- petchii, 47
- phaeocyathus, 479
- phaeoleucum, 48
- piceicola, 755
- pingue, 48
- pistorium, 48
- placidum, 11, 82
- plebeioides, 479
- plebejum, 479
- pleopodium, 479, 667, 881
- pluteicutis, 288
- pluteimorphum, 48
- poliopus var. alpigenum, 1055
- — var. discolor, 479
- — var. parvisporigenum, 479
- politum, 11, 160
- — forma pernitosum, 82
- porengii, 48 ('porengi')
- porphyrofibrilloseum, 388
- ('porphyrofibrillum')
- porphyrogriseum, 755
- porpoarachnoides, 667
- porrectum, 533
- praeluteum, 48
- pratulense, 755
- probum, 48
- proprium, 48
- prostratum, 48
- proterum, 755
- pruinatocutis, 239
- pruinatum, 239
- pseudocoelestinum, 239
- pseudoexcentricum, 533
- pseudogriseoalbum, 587
- pseudomolliusculum, 755
- pseudonothofagi, 881
- pseudoparasiticum, 755
- pseudoturci, 388
- pulverulentum, 48
- pungens, 388
- puroides, 48
- purpureomarginatum, 239
- pusilliforme, 667
- pusillum, 388 ('pusillum')
- pygmaeopapillatum, 239, 588
- queletii, 239, 881
- querquedula, 160
- rancidissimum, 48
- rhombisporum var. floccipes, 755
- rickenii, 588
- rimosiceps, 48
- rimulosum, 388 ('Entoloma')
- rodwayi, 48
- romagnesianum, 388
- roseum, 339
- — forma pearsonii, 339
- rotundisporum, 48
- rubromaculatum, 48
- rufocarneum, 479
- rugosissimum, 48
- rugosopruinatum, 48
- rugosum, 239
- rusticoides, 82
- saccharioides, 11
- sarcitulum, 239
- — var. majusculum, 479
- — var. microsporum, 479
- — var. spurcifolium, 239
- — forma spurcifolium, 959
- sarcitum, 82
- — var. spurcifolium, 429
- saundersii var. hiemale, 479
- scabropellis, 388 ('scabropelle')
- scabrosum, 479
- sericatum forma saliciphilum, 82
- sericeoides, 11
- sericeonitens, 11
- sericeonitidum, 239
- sericeum var. cinereo-opacum, 11
- — forma nolaniforme, 11
- serratomarginatum, 48
- simillimum, 48
- singulare, 755
- singularisporum, 48
- smaragdinum, 48
- sodale, 160, 198
- solstitiale, 11
- spadiceum, 239
- sparsicystis, 239
- spermatiolens, 48
- sphaerocystis, 11
- sphagnorum, 881
- spiculosum, 48
- spineum, 239
- squamifolium, 667
- staurosporum, 11
- stevensoniae, 48 ('stevensonii')
- strictius, 339
- subaeruginosum, 588
- subarcticum, 388
- — var. obscurum, 388
- subcaelestinum, 667
- subdeceptivum, 388
- subflexipes, 82
- subhexagonosporum, 48
- submurinum, 48
- subsepiaceum, 388
- subtile, 48
- tabacinum, 48
- tembelingii, 48 ('tembelingi')
- tenacipes, 48
- tenuiculum, 48
- termitophilum, 48
- testaceum, 755
- — var. bavaricum, 756
- tjallingiorum, 160
- tomentosum, 588
- totivillosum, 48
- transvenosum, 160
- tricolor, 48
- turbidum var. pachylamellatum, 82
- turci var. marginatum, 198
- uliginicola, 48
- undatoides, 239
- undatum var. viarum, 288, 588
- — forma longipes, 239
- vallicutis, 388
- veluticeps, 48
- verecundum, 11
- vesiculosocystidium, 479
- viaregale, 339, 388
- villosulum, 48

- vinaceum, 11
- vinosopunctum, 48
- violaceovernum, 756
- virescens, 588
- viridomarginatum, 48
- viscaurantium, 239
- weholtii, 756
- xanthochroum, 479
- xanthomyces, 48
- ENTOMOCORTICIUM**, 588
- dendroctoni, 588
- Entomophaga aulicae**, 388
- batkoi, 882
- calopteni, 959
- caroliniana, 882
- conglomerata, 882
- domestica, 882
- gigantea, 882
- limoniae, 882
- maimaiga, 882
- papillata, 882
- tabanivora, 388
- tenthredinis, 882
- tipulae, 959
- Entomophthora aquatica**, 11
- blunckii, 46
- brevinucleata, 388, 429
- crustosa, 12
- egressa, 160
- elateridiphaga, 12
- helvetica, 388, 429
- israelensis, 388
- longispora, 289
- schizophorae, 882
- tabanivora, 12
- terrestris, 160
- trinucleata, 882
- Entonaema dengii**, 82
- moluccanum, 82 ('moluccana')
- Entosordaria phoenicis**, 239
- Entrophospora colombiana**, 388
- schenckii, 588
- Entyloma ageratinae**, 832
- amaranthi, 48
- antennariae, 479
- arctothecae, 289 ('arctotheca')
- asterisci-maritimi, 882
- callitriches, 479 ('callitrichis')
- catananchis, 882
- deschampsiae, 479
- gaillardianum, 198
- holci, 479
- lagerheimianum, 479
- lapponicum, 479, 480
- nubilum, 480
- pachydermum, 480
- poae, 480
- ranunculorum, 480
- sonchi, 289
- taraxaci, 289
- tichomirovii, 82
- tomlinii, 82
- EOALEURINA**, 533
- foliicola, 533
- EOMYCETOPSIS**, 239
- filiformis, 239
- robusta, 239
- EPHEDRACETES**, 160
- taiwanensis, 160
- Ephemerocybe poonensis**, 240
- Epibryon chorisodontii**, 48 ('chorisodontiae')
- craspedum, 198
- endocarpum, 48
- maculosum, 339
- odontophilum, 121
- perrumpens, 198
- tripartitum, 198
- EPICLADONIA**, 82
- sandstedei, 82
- simplex, 82
- stenospora, 82
- EPIDERMOMYCES**, 289
- floccosus, 289
- stockdaleae, 289
- Epidermophyton** see **Epidermomyces**
- rubrum, 667
- Epigloea biciliata**, 388
- filifera, 388
- grummanii, 388
- intermedia, 388
- medioincrassata, 388
- pleiospora, 388
- renitens, 388
- soleiformis, 388
- tortuosa, 388
- Epilichen stellatus**, 1055
- Epipolaeum hippophaes**, 289
- EPISCLEROTIUM**, 388
- sclerotiorum, 388
- sclerotipus, 389
- Episphaerella banksiae**, 882
- dodonaeae, 480
- Epithele canariensis**, 882
- citrispora, 240
- efibulata, 240
- guadelupensis, 240
- macarangae, 240
- malaiensis, 240
- ovalispora, 240
- Epitheleopsis bosei**, 959
- EPULORHIZA**, 667
- repens, 667
- Eremastrella crystallifera**, 29
- montana, 667
- Eremomyces langeronii**, 882
- Erinellina corticola**, 430
- javanica, 430
- neilliae, 48
- sinensis, 430
- tomentella, 48
- Eriocercospora moghaniae**, 121
- websteri, 240
- Eriosphaeria anisospora**, 82
- Eriothyrium miconiae**, 289
- Erynia americana**, 12
- anglica, 480
- anhuiensis, 533
- aphidis, 121
- aquatica, 12, 82
- blunckii, 12
- brahminae, 12
- bullata, 12, 121
- calliphorae, 12
- canadensis, 121

[Erynia]

- caroliniana, 12
 - castrans, 12
 - coleopterorum, 121
 - conica, 12
 - crassitunicata, 121
 - creatonoti, 12, 121
 - crustosa, 121
 - dacnusaе, 289
 - delphacis, 82
 - delpiniana, 82
 - dipterigena, 12
 - echinospora, 12
 - elateridiphaga, 121
 - ellisiana, 588
 - erinacea, 12
 - forficulae, 588, 959
 - formicae, 121
 - gammae, 667, 882
 - geometralis, 121
 - gloeospora, 12
 - gracilis, 12
 - henrici, 121
 - humberi, 1055 ('humbersi')
 - ithacensis, 121
 - jaczewskii, 121
 - kondoiensis, 289
 - lanceolata, 121
 - magna, 12
 - montana, 12
 - myrmecophaga, 12, 121
 - nebriae, 121
 - neoaphidis, 12
 - neopyralidarum, 198
 - nouryi, 12
 - occidentalis, 122
 - orientalis, 122
 - petchii, 160
 - phalangicida, 12
 - phalloides, 122
 - phytonomi, 122
 - pieris, 340
 - plecopteri, 389
 - radicans, 122
 - rhizospora, 12
 - sciarae, 160
 - sepulchralis, 12
 - suturalis, 588, 667
 - variabilis, 12
 - virescens, 12
 - vomitoriae, 12
 - zabri, 160 ('zabrii')
- ERYNIOPSIS, 389
- caroliniana, 389
 - lampyridarum, 389
 - longispora, 389
- Erysibe phosphorea, 430
- Erysiphe abeliae, 12
- acaciae, 756
 - acalypae, 160
 - actinostemmatidis, 240 ('actinostemmae')
 - adenophorae, 160
 - americana, 240
 - amphicarphae, 160
 - andina, 198
 - aquilegiae var. ranunculi, 160
 - arabidis, 160
 - asperifoliorum var. anchusae, 122
 - aurea, 82
 - begoniae, 82
 - berberidis, 289
 - biocellata var. salviae, 588
 - bremeri, 198
 - brunneopunctata, 340
 - bunkiniana, 82
 - californica, 340
 - catalpae, 389
 - caucasica, 480
 - caulicola, 198
 - cercidis, 289
 - chloranthi, 240
 - cichoracearum var. fischeri, 122
 - — var. latispora, 240
 - — var. magnicellulata, 122
 - — var. plantaginis, 122
 - — var. poonaensis, 240
 - — var. transvaalensis, 240
 - — forma cnici, 389 ('cnicii')
 - — forma xeranthemi, 389
 - cinnamomi, 882
 - communis forma gueldenstaedtiaе, 160
 - convolvuli var. calystegiae, 122
 - — var. dichotoma, 82
 - coriariicola, 82
 - cruchetiana var. hyalina, 160
 - cucurbitacearum, 160
 - cumminsiana, 240
 - cynoglossi, 198
 - — var. anchusae, 198
 - desmodii, 430
 - diervillae, 240
 - doidgei, 667
 - echinopis, 160
 - elsholtziaе, 160
 - epimedii, 82
 - — var. brunnea, 82
 - euphorbiae, 289
 - fagacearum, 82 ('fagacarum')
 - firmianae, 160
 - galii var. riedliana, 240
 - garhwalensis, 667
 - geraniacearum, 340
 - glycines var. lespedezae, 430
 - gracilis, 82
 - graminis forma cleistogenis, 160
 - greeneana, 340
 - helichrysi, 667
 - hiratae, 160
 - hommae, 160
 - howeana, 160
 - huayinensis, 160
 - hydrophyllacearum, 240
 - hylomeci, 882
 - hyoscyami, 160
 - immersa, 340
 - krumholzii, 82
 - labiatarum forma menthae, 667
 - laportae, 240
 - lespedezae, 240
 - lycopsidis, 160
 - macleayae, 160
 - macrocarpa, 240
 - magnicellulata var. robusta, 430
 - malloti, 389, 480

- martii forma acaciae, 756
- mayorii var. cicerbitae, 340
- — var. japonica, 340
- morozkovskii, 12
- — forma galatellae, 12
- paeoniae, 160
- pileae, 161
- pisi var. cruchetiana, 122
- plectranthii, 882
- poeltii, 340
- pseudosepulta, 340
- puerariae, 161
- punicae, 667
- rabdosiae, 161
- reddyana, 161
- riedliana, 240
- robusta, 161
- rorippae, 340
- rubiae, 882
- sambuci var. crassitunicata, 12
- santalacearum, 882
- sedi, 161
- simplex, 588
- sparsa, 340
- statices, 882
- symplocicola, 161
- thermopsidis, 161
- thuemenii, 240
- viciae-unijugae, 161
- weigelaee, 389
- wernerii, 240
- Erythricium chaparralum*, 198
- salmonicolor, 533
- Erythrogloeum pini-acicola*, 340
- ERYTHROSPHAERA**, 430
- reinhardii, 430
- ESDIPATILIA**, 122
- indica, 122
- ESFANDIARIA**, 667
- ESFANDIARIOMYCES**, 667
- insignis, 667
- ESSLINGERIANA**, 122
- idahoensis, 122
- ETHEIROPHORA**, 959
- bijubata, 959
- blepharospora, 959
- unijubata, 960
- Euantennaria abietina*, 161
- Eucantharomyces asiaticus*, 198
- fennoscandicus, 289
- koreanus, 756
- ohbae, 198
- taridii, 480
- variabilis, 480
- Eudarlucua biconica*, 533
- quinqueseptata, 533
- Eudimeriolium plantaginis*, 667
- septentrionale, 12
- tsugae, 389
- Eumela pannosa*, 389
- EUODIUM**, 588
- abelmoschi, 960 ('abelmosci')
- azadirachtae, 960
- balsaminae, 960
- erysiphoides, 588, 960 ('Euodium')
- euphorbiicola, 960 ('euphorbicola')
- labiatarum, 960
- leguminosarum, 960
- lini, 960 ('erysiphoides')
- sesami, 960
- solanacearum, 960
- strobilanthis, 882 ('strobilanthii')
- urticae, 960
- woodfordiae, 960 ('woodfordii')
- Eupenicillium angustiporcatum*, 289
- cryptum, 533
- euglaucum, 240
- javanicum var. levitum, 240
- — var. lineolatum, 240
- — var. meloforme, 240
- limoneum, 240
- nepalense, 289
- sinaicum, 161
- Euphoriomyces agathidii*, 430
- gillerforsii, 430
- huggertii, 533
- liodivorus, 430
- pterogenii, 430
- rossii, 82
- sugiyamae, 882
- Eurotium repens* var. *columnare*, 340
- ('columnaris')
- Euryachora indica*, 667 ('Eryachora')
- Eustilbum aureum*, 756
- Eusynaptomyces hydrobii*, 430
- Eutypa abscondita*, 756
- astroidea, 756
- coffeae, 82
- coffeicola, 82
- consobrina, 756
- lantanae, 340
- lata var. *aceri*, 756
- leptoplaca, 756
- murrayae, 12
- orthosticha, 756
- petrakii, 756
- — var. *hederae*, 756
- quercicola, 756
- Eutypella ambiens*, 756
- arecae, 756
- aspera, 756
- capensis, 756
- ceranata, 756
- coffeae, 83
- combreti, 756
- comosa, 756
- corynostomoides, 756
- curvispora, 756
- dissepta, 756
- domicalis, 756
- doryalidis, 756
- elaeagni, 122
- erythrinicola, 756
- gymnosporiae, 756
- halimodendri, 122
- hunanensis, 756
- indica, 1055
- ludens, 756
- lycii, 756
- nabagramensis, 12
- nainitalensis, 588
- paraphysata, 756
- pongamiae, 1055
- portoricensis, 756 ('portoriciensis')

[Eutypella]

- pseudostromatica, 960
- quaternata, 756
- rimulosa, 756
- riograndensis, 756
- ruficarnis, 757
- sivanesii, 83
- stellulata var. microspora, 832
- velata, 757

Evernia sect. Esorediosae, 667

- subsect. Divaricatae, 667
- prunastri forma herinii, 29
- terrestres, 161

EVERNIASTRUM, 533

- africanum, 533
- alectorialicum, 533
- americanum, 533
- andense, 98, 533
- angolense, 533
- arsenei, 533
- arvidssonii, 533
- billingsii, 533
- catawbiense, 533
- cirrhatum, 533
- columbiense, 533
- fragile, 98, 533
- halei, 533
- imitatum, 533
- latilobum, 533
- limiforme, 533 ('limaeforme')
- lipidiferum, 534
- mexicanum, 534
- moreliense, 534
- neocirrhatum, 534
- nepalense, 534
- nigrociliatum, 534
- pachydermum, 534
- paramense, 534
- peruvianum, 534
- planum, 98, 534
- pseudonepalense, 534
- rhizodendroideum, 534
- sorocheilum, 534
- subnepalense, 534
- subplanum, 534
- subvexans, 534
- vexans, 534

EVERNIICOLA, 240

- flexispora, 240

Eversia parvula, 588

- Exarmidium diaphanum, 430
- morthieri, 430

Excipularia magnifusispora, 960

EXCIPULARIOPSIS, 161

- narsapurensis, 161

EXESISPORITES, 289

- neogenicus, 289

Exidia livescens, 240

- maracensis, 667

Exidiopsis banlaensis, 389

- diversa, 667
- evanescens, 240
- fungicola, 240
- jianfengensis, 667
- longispora, 240
- novae-zelandiae, 241
- paniculata, 667

- punicea, 667

- subfarinacea, 241

- succinea, 757

- tawa, 241

- umbrina, 241

EXILISEPTUM, 534

- ocellatum, 534

Exobasidium arescens, 122

- asebiae, 12

- expansum, 122

- giganteum, 198

- hachijoense, 480

- horvathianum, 122

- hypogenum, 122

- juelianum, 122

- pachysporum, 122

- perenne, 389

- rostrupii, 122

- sakataniense, 122

- sasanquae, 12

- savilei, 122

- splendidum, 122

- sundstroemii, 122

- sydowianum, 122

- vaccinii forma andromedae, 832

- — forma rhododendri, 832

Exochalara imbricata, 389

Exophiala alcalophila, 198

- castellanii, 340

- dopicola, 12

- psychrophila, 882

Exosporium lycopersici, 161

Exserohilum curvatum, 389

- echinochloae, 389

- gedarefense, 241 ('gedarefensis')

- heteropogonicola, 389

- inaequale, 389

- longirostratum, 389

- macginnisii, 534 ('mcginnisii')

- minor, 534

- oryzae, 757

- oryzicola, 389

- oryzinum, 389

- paspali, 668

- protrudens, 757

- sorghicola, 757

Exserticlava globosa, 534

- uniseptata, 430

Extrawettsteinina andromedae, 668

Fabraea astrantiae, 668

- cerastiorum, 668

- ranunculi, 668

- saniculae, 668

FAERBERIA, 122

- carbonaria, 122

Fanniomyces copromyzae, 289

FARINODISCUS, 757

- pulveraceus, 757

FARNOLDIA, 289

- dissipabilis, 289

- hypocrita, 960

- jurana, 289

- — subsp. bicincta, 534

- micropsis, 289

- muscigena, 534

- similigena, 289

Farysia cariciphila, 960

- zeylanica, 480
- Faurelina**: *hispanica*, 757
- *indica*, 161
- Favolaschia**: *aulaxina*, 430
- *citrina*, 198
- *manipularis*, 430
- *papua*, 198
- FAVOSTROMA**, 289
- *crypticum*, 289
- Fayodia**: *agloea*, 13
- *albidula*, 241
- *arctica*, 882, 883
- *fallax*, 340
- *metuloidigera*, 960
- FELLHANERA**, 534
- *aurantiaca*, 534
- *bouteillei*, 534
- *buxi*, 534
- *carnea*, 534
- *congesta*, 534
- *cryptocarpa*, 960
- *dominicana*, 534
- *elliottii*, 534
- *encephalartii*, 534
- *fuscatula*, 534
- *lisowskii*, 534
- *microdiscus*, 534
- *paradoxa*, 535
- *parvula*, 535
- *rhapidophylli*, 535
- *semecarpi*, 535
- *sorediantha*, 534
- *sublecanorina*, 757
- *subternella*, 535
- *vandenberghenii*, 535
- *vezdae*, 757
- *wirthii*, 535
- FELLOMYCES**, 430
- *nectairei*, 430 ('nectarii')
- *penicillatus*, 430
- *polyborus*, 430
- FELTGENIOMYCES**, 1055
- *luxemburgensis*, 1055
- Femsonia**: *minor*, 757
- *rubra*, 241
- *sinensis*, 757
- Fenestella**: *erratica*, 588
- Fennellomyces**: *gigacellularis*, 430
- ('gigacellylaris')
- *verticillatus*, 430
- Fibricium**: *coriaceum*, 48
- *multicystidium*, 48
- *subceraceum*, 535
- Fibroporia**: *angulopora*, 289
- *mappa*, 535
- *subrufa*, 389
- *wynnei*, 289
- FIBULOCHLAMYS**, 960
- *ferruginea*, 960
- Fibulomyces**: *crucelliger*, 757
- Fibuloporia**: *mucida*, 198
- FIBULOSEBACEA**, 757
- *strigosa*, 757
- FIBULOTAENIELLA**, 832
- *canadensis*, 832
- Filobasidiella**: *depauperata*, 289
- Filoboletus**: *clypeatus*, 289
- Fimaria**: *canina*, 340
- *dentata*, 389
- *equina*, 13
- Fistulariella**: *confertula*, 668
- *deminuta*, 668
- *parva*, 668
- Fistulina**: *comica*, 289
- Fistulinella**: *sect. Scrobiculati*, 668
- *campinaranae* var. *scrobiculata*, 289
- *comica*, 83
- — var. *belizensis*, 289
- — var. *reticulata*, 289 ('reticulatus')
- *globoearpa*, 241
- *jamaicensis*, 289
- *nivea*, 290
- *nothofagi*, 290
- *violaceipora*, 83, 290 ('violaceospora')
- FITZPATRICKELLA**, 668
- *operculata*, 668
- FLABELLIMYCENA**, 340
- *flava*, 340
- FLABELLOCLADIA**, 430
- *gigantea*, 430
- *tetracladia*, 430
- FLABELLOMYCES**, 198
- *amazonicus*, 198
- Flabellophora**: *aurantiaca*, 668
- *brevipes*, 668
- *deceptiva*, 668
- *flaviporus*, 668
- *inconspicua*, 668
- *intertexta*, 668
- *kinabaluensis*, 668
- *latiporus*, 668
- *licmophora*, 668
- — var. *subsessilis*, 668
- *nana*, 668
- *obovata*, 668
- — var. *aurantiporus*, 668
- *obtorta*, 668
- *ochracea*, 668
- *parva*, 668
- *squamosa*, 668
- *subsimplex*, 668
- *variabilis*, 668
- *velutinos*, 668
- Flabellospora**: *acuminata*, 161
- *amphibia*, 161
- *irregularis*, 122
- *octacladia*, 122
- Flagelloscypha**: *aotearoa*, 290
- *australis*, 290
- *fusispora*, 48
- *lachneoides*, 290
- *merxmülleri*, 588
- *oblongispora*, 48
- *pseudopanicis*, 12 ('pseudopanax')
- *subnuda*, 290
- *tetraedrispora*, 48
- *tongariro*, 12
- Flagellospora**: *leucorhynchus*, 588
- *minuta*, 13
- *saccata*, 960
- Flammula**: *alnicola* var. *piceae*, 430
- *piceina*, 430
- Flammulaster** *sect. Granulosi*, 588
- *albopunctata*, 340

[Flammulaster]

- *carpophilus* var. *autochtonoides*, 588
- — var. *rhombosporus*, 535
- — var. *subincarnatus*, 535
- *denticulata*, 340
- *disseminatus*, 48
- *follicola*, 48
- *limulatoides*, 340
- *limulatus* var. *litus*, 535
- — var. *novasilvensis*, 535
- *novasilvensis*, 340
- *pulveraceus*, 48
- *scobifer*, 668
- *speireoides* var. *chilensis*, 430
- *tigrensis*, 340
- Flammulina** *fennae*, 290 ('*Flammulinae*')
 - *mediterranea*, 832
 - *similis*, 588
 - *velutipes* var. *lactea*, 290
 - — *forma longispora*, 290
- Flaviporus** *americanus*, 389
 - *citrinellus*, 389
 - *hoehnelii*, 389
 - *hunuus*, 389
 - *hydrophilus*, 13
 - *liebmanni*, 13
 - — var. *subglobisporus*, 13
 - *minutisporus*, 13
 - *onychoides*, 389
 - *overholtsii*, 389
 - *romellii*, 389
 - *semisupiniformis*, 13
 - *semisupinus*, 389
 - *stramineus*, 389
 - *subhydrophilus*, 668
 - *subundatus*, 13
 - *venustus*, 430
 - *vernicifluus*, 13
- Flavodon** *cervinogilvum*, 668 ('*cervinogilvus*')
 - *glomeratus*, 668
- FLAVOPARMELIA**, 535
 - *amplexa*, 535
 - *baltimorensis*, 535
 - *callichroa*, 535
 - *caperata*, 535
 - *diffractaica*, 883
 - *ecuadoriensis*, 668
 - *exornata*, 535
 - *ferax*, 535
 - *gerlachei*, 535
 - *glomelliferica*, 757
 - *haysomii*, 535
 - *haywardiana*, 883
 - *helmsii*, 535
 - *jelineckii*, 535
 - *neuquenensis*, 883
 - *pachydactyla*, 535
 - *papillosa*, 535
 - *proeuplecta*, 883
 - *rutidota*, 535
 - *scabrosina*, 883
 - *secalonica*, 883
 - *soredians*, 535
 - *springtonensis*, 535
 - *subamplexa*, 535
 - *succinprotocetrarica*, 883
- FLAVOPUNCTELIA**, 340
 - *darrowii*, 340 ('*darrowi*')
 - *flaventior*, 340
 - *lobulata*, 757
 - *praesignis*, 340
 - *soredica*, 340

- *flaventior*, 340
- *lobulata*, 757
- *praesignis*, 340
- *soredica*, 340
- Floccularia** *albolaripes*, 668
 - *decorosa*, 757
 - *rickenii*, 83
- Flosculomyces** *trilobatus*, 340
- FLUVIOSTROMA**, 83
 - *wrightii*, 83
- FOLIOPOLLENITES**, 535
 - *spinosus*, 535
 - *taiwanensis*, 161
- Fomes** *igniarius* var. *trivialis*, 535
 - *truncatospora*, 430
 - *zonalis*, 430
- FOMESPORITES**, 161
 - *taiwanensis*, 161
- FOMITES**, 290
 - *libyae*, 290
- Fomitiporia** *erecta*, 389
 - *hartigii*, 389
 - *hippophaeicola*, 389
 - *pseudopunctata*, 389
 - *robusta*, 389
 - *texana*, 589
- Fomitopsis** *albomarginata* var. *pallida*, 960
 - — var. *polita*, 960
 - — var. *subvillosa*, 960
 - *arbitraria*, 960
 - *avellanea*, 883
 - *cupreoresea*, 535
 - *durescens*, 535
 - *euosma*, 960
 - *maire*, 757
 - *meliae*, 83, 535
 - *nivosa*, 535
 - *palustris*, 430
 - *rufoleccatus*, 122
 - *scalaris*, 340
 - *spraguei*, 430
 - *sulcata*, 960
- FORAMINELLA**, 161
 - *ambigua*, 161
 - *esorediata*, 431
 - *hyperopta*, 161
 - *subambigua*, 161
- FOVEODIPORITES**, 390
 - *anklesvarensis*, 390
- FOVEOLETISPORONITES**, 390
 - *indicus*, 241
 - *miocenicus*, 390
- Foveostroma** *pithyophilum*, 83 ('*pithyophila*')
 - *fracchiata*, 83
 - *intermedia*, 241
- Fracchiata** *coffeicola*, 83
 - *intermedia*, 241
- Fractisporonites** *ordinatus*, 122
- FROMMEËLLA**, 340
 - *duchesneae*, 431
 - *tormentillae*, 340
- FUJIMYCES**, 13
 - *oödes*, 13
- Fulgensia** *canariensis*, 161
- Fuligo** *septica* var. *flava*, 883
- FULIGOMYCES**, 340
 - *macrosporus*, 340
- Fulvifomes** *rimosus*, 390
- Fumago** *hebbalensis*, 48

- Funalia fulvocinerea*, 431
 — *protea* var. *imbricata*, 122
FUNGITES, 390
 — *capillaris*, 390
 — *hirtus*, 390
 — *macrochaetus*, 390
 — *pullus*, 390
FURCOUNCINULA, 198
 — *wuyiensis*, 198
FURIA, 960
 — *americana*, 960
 — *creatonoti*, 960
 — *crustosa*, 961
 — *ellisiana*, 961
 — *ithacensis*, 961
 — *montana*, 961
 — *neopyralidarum*, 961
 — *peris*, 961
 — *sciarae*, 961
 — *virescens*, 961
 — *vomitariae*, 961
 — *zabri*, 961
Fusariella formosana, 431
Fusarium sect. *Setofusarium*, 1055
 — *avenaceum* var. *anguioides*, 832
 — — *forma fabalis*, 241
 — — *forma fabarum*, 241
 — *bambusicola*, 757
 — *bugnicourtii*, 757
 — *crookwellense*, 198
 — *dlaminii*, 480 ('*dlamini*')
 — *gibbosum* var. *acuminatum*, 832
 — — *var. bullatum*, 832
 — *laceratum*, 290 ('*laceratum*')
 — *lateritium* var. *stilboides*, 832
 — *merismoides* var. *artocarpi*, 961
 — — *var. persicicola*, 961
 — *microcera* var. *cerasi*, 832
 — — *var. orthoconium*, 832
 — *moniliforme* var. *intermedium*, 83
 — — *var. lactis*, 833
 — — *forma specialis oryzae-gigantis*, 161
 — *napiforme*, 883
 — *nygamai*, 535
 — *oxysporum* var. *orthoceras*, 833
 — — *forma hebes*, 431 ('*hebae*')
 — — *forma specialis adzukicola*, 961
 — — *forma specialis aleuritidis*, 161
 ('*aleuritidis*')
 — — *forma specialis benincasae*, 535
 — — *forma specialis bouvardiae*, 883
 — — *forma specialis croci*, 1055
 — — *forma specialis cucurbitacearum*, 757
 — — *forma specialis fatshederae*, 241
 — — *forma specialis garlic*, 589
 — — *forma specialis hebes*, 431
 — — *forma specialis heliotropii*, 668
 ('*heliotropae*')
 — — *forma specialis koae*, 48
 — — *forma specialis momordicae*, 241
 — — *forma specialis pyracanthae*, 161
 — — *forma specialis ranunculi*, 535
 — — *forma specialis sansevieriae*, 290
 — *phragmitis*, 83
 — *polyphialidicum*, 536
 — *roseum* var. *arthrosporioides*, 162
 — — *var. gibbosum*, 162, 833
 — — *forma compactum*, 833
 — *sambucinum* var. *ossicola*, 833
 ('*ossiculum*')
 — — *var. sublunatum*, 833
 — *setosum*, 1055
 — *solani* var. *argillaceum*, 833
 — — *var. caeruleum*, 833 ('*coeruleum*')
 — *sporotrichiella* var. *anthophilum*, 833
 — — *var. poae*, 833
 — — *var. tricinatum*, 833
 — *staphyleae*, 340
 — *subglutinans*, 290
 — *tasmanicum*, 241 ('*tasmanica*')
Fuscidea asbolodes, 390
 — *atlantica*, 122
 — *atroumbrina*, 123, 290 ('*atriumbrina*')
 — *austera*, 29
 — *cacuminum*, 162
 — *cyathoides* var. *japonica*, 162
 — — *var. orientalis*, 162
 — — *var. suborientalis*, 162
 — *decincta*, 390
 — *fulva*, 757
 — *helsinkiensis*, 123
 — *hottentotta*, 961
 — *impolita*, 390
 — *kochiana* var. *albescens*, 123
 — *lowensis*, 123
 — *maculosa*, 123
 — *mollis* var. *caesiobalbescens*, 123, 536
 ('*caesiialbescens*')
 — *oculata*, 390
 — *placidensis*, 757
 — *subfilamentosa*, 757
 — *submollis*, 162
 — *subreagens*, 390
 — *subrivulosa*, 123, 162
 — *verruciformis*, 162
 — *viridis*, 341
FUSCOCERRENA, 198
 — *portoricensis*, 198
FUSCODERMA, 961
 — *amphibolum*, 961
 — *applanatum*, 961
 — *limbatum*, 961
FUSCOLACHNUM, 961
 — *boreale*, 961 ('*borealis*')
 — *dumorum*, 961
 — *inopinatum*, 961
 — *labradoricum*, 961
 — *misellum*, 961
 — *pteridis*, 961
 — — *var. tumidipila*, 961
Fuscophialis gigas, 668
Fuscoporia quercina, 589
FUSCOSCYPHA, 669
 — *acicularum*, 669
Fusichalara clavatispora, 341
Fusicladium cerasi, 757
 — *fici*, 13
 — *veronicae*, 833
Fusicoccum cajani, 536
 — *luteum*, 480
 — *parvum*, 480
 — *smilacinum*, 757
FUSIFORMISPORITES, 198
 — *crabbii*, 198

[FUSIFORMISPORITES]

- elongatus, 390
- keralensis, 390 ('Fusiformisporitse')
- lineolatus, 123
- rugosus, 123
- taiwanensis, 162
- tonakkalensis, 757 ('tonakkalense')

Fusoma mori, 757

— vitis, 757

FUSTICEPS, 49

- bullatus, 49

Gabarnaudia cucumeris, 589

GAERTNERIOMYCES, 49

- semiglobifera, 49

- tenuis, 390

Gaeumannomyces caricis, 13

- incrustans, 961

Galactinia badia, 1055

- boltonii, 1055

- castanea, 1055

Galactomyces citri-aurantii, 883

GALEOSCPHA, 1055

- pileiformis, 1055

Galera ambigua, 241

- appendiculata, 241

- brunnea, 241

- lactea forma semiglobata, 241

- tenera forma convexa, 241

- — forma microspora, 241

- — forma minor, 241

- — forma tenella, 241

Galerella microphues, 536

- plicatelloides, 669

Galerina acre, 49

- alpina, 123

- antheliae, 49

- arctica, 162

- badipus, 883

- bambusae, 883

- bresadoliana, 290

- bryogena, 883

- caulocystidiata, 241

- cerina var. calypttrata, 241

- chionophila, 669

- corcontica, 341

- detriticola, 341

- eucalyptorum, 883

- excentrica, 883

- favrei, 589

- glebarum, 49

- harrisonii, 536

- hygrophila, 241

- — forma paucicystidiata, 241

- inaequalis, 883

- inundata, 241

- majalis, 961

- muricellospora var. pachyspora, 431

- nothofaginea, 883

- oedipus, 883

- oligocalypttrata, 961

- ovalispora, 198

- paludinella, 883

- phillipsii, 241, 341

- recedens, 883

- sequoiae, 961

- subfusispora, 669

- tabacina, 883

- tatrensis, 961

- unicolor forma fibrillosa, 241

- — forma paucicystidiata, 241

- velutinoaffinis, 883

- viscidula, 883

- vittiformis subsp. atkinsoniana, 241

- — forma bispora, 241

- — forma tetraspore, 241

- yungicola var. bispore, 290

Galeropsis deceptiva, 1055

- desertorum var. bispore, 1055

- lateritia, 1055

Galiella japonica, 49

Galzinia forcipata, 341

- longibasidia, 49

Gamsia simplex, 83

Gamundia leucophylla, 341

- pseudoclusilis, 49

- striatula, 341

- xerophila, 49

Gangliostilbe malabarica, 961

- verrucosa, 431

Ganoderma albomarginatum, 1055

(‘albmarginatum’)

- atkinsonii, 13

- bawanglingense, 758

- cantharelloideum, 1055

- capense, 431

- chalcum var. latiporum, 242

- — var. lobulatum, 242

- — var. pleiotrichum, 242

- chenhaisense, 961

- crebrostriatum, 290

- curranii var. dimiticum, 242

- daiqingshanense, 961

- densizonatum, 589

- diaoluoshanense, 589

- formosanum, 341

- guinanense, 589

- guizhouense, 758

- impositum, 242

- koningsbergii, 431

- kunmingense, 961

- limushanense, 589

- lobatoideum, 13

- luteicinctum, 242

- magniporum, 341

- mediosinense, 883

- meijangense, 758

- meredithiae, 758 (‘meredithae’)

- microsporum, 961

- mirivelutinum, 883

- oroflavum, 431

- parviungulatum, 589

- pfeifferi var. borneense, 242

- ramosissimum, 961

- ravenelii, 13

- rothwellii, 13

- sanmingense, 589

- sculpturatum, 1055

- shandongense, 589

- shangsiense, 758

- sichuanense, 290

- simaoense, 883

- stratoideum, 1055

- subamboinense var. laevisporum, 198

- theaecolum, 341

- tibetanum, 290
- trengganuense, 242
- triangulum, 341
- trulliforme var. radicola, 242 ('radicolum')
- ungulatum, 341
- xingyiense, 1055
- Garnaudia triseptata, 536
- Gasparrinia biatorina var. baumgartneri, 962
- GASTEROAGARICOIDES, 536
 - ralstoniae, 536
- Gastroboletus sect. Gastroboletelloides, 962
 - sect. Gastrosuubomentosi, 962
 - brunneus, 962
- Gastrocybe deceptiva, 83
 - iberica, 758
- GASTROLECCINUM, 962
 - scabrosum, 962
- Gastrosporium asiaticum, 536
- GASTROSUILLUS, 962
 - amaranthii, 962
 - imbellus, 962
 - laricinus, 962
 - suilloides, 962
- GAUTHIEROMYCES, 242
 - microsporus, 242
- Gautieria chengdensis, 390
 - clelandii, 480
 - crispa, 341
 - macrospora, 480
 - monospora, 390
- GEASTERITES, 390
 - florissantensis, 390
- Gastrum coronatum forma pseudolimbatum, 242
 - huneckii, 83
 - pedicellatum, 242
 - — var. pouzarii, 480
 - saccatum, 123
- Gelasinospora amorphoporcata, 13
 - brevispora, 962
 - cratophora, 962
 - dictyophora, 962
 - hapsidophora, 962
 - micropertusa, 162
 - saitoi, 162
 - sphaerospora, 162
 - udagawae, 1055
- GELASINOSPORITES, 290, 669
 - yeelirriei, 290, 669 ('yeelirriae')
- GELATINOPSIS, 1055
 - ericetorum, 1055
 - geoglossi, 1055
- GELATOPORIA, 480
 - pannocincta, 480
 - subvermisporea, 480
- GELINEOSTROMA, 758
 - athrotaxis, 758 ('athrotaxi')
- Gelopellis purpurascens, 589
 - shanxiensis, 833
- GELTINGIA, 1055
 - associata, 1055
 - groenlandiae, 1055
 - stereocaulorum, 1056
- Geniculifera effusa, 480
- Geniculosporium densissimum, 341
- GENISTELLOIDES, 83
 - helicoides, 758
 - hibernus, 83
- Geoglossum aseptatum, 390 ('aseptatum')
 - hakelieri, 290
 - sinense, 49
 - tropicale, 589
- Geomyces laevis, 962
 - pannorum var. asperulatus, 13
 - — var. vinaceus, 13
 - pulvereus, 758
- Geopetalum rickenii, 669
 - silvanum, 480
 - striatulum, 536
 - — var. applicatum, 536
- Geopora arenosa, 198
 - tenuis, 242
- Geopyxis rehmsii, 536
- Geosmithia viridis, 480 ('virida')
- GEOTRICHITES, 431
 - glaesarius, 431
- Geotrichum amycelicum, 589
 - candidum var. d-arabiosum, 962
 - — var. thermoideum, 198
 - citri-aurantii, 883
 - clavatum, 589
 - decipiens, 341
 - loubieri, 49
 - sericeum, 589
- GERLACHIA, 13
 - nivalis, 13
 - — var. major, 13
 - oryzae, 13
- Gerronema sect. Haasiella, 669
 - albogriseolum, 962
 - amabile, 49
 - bethlehemicum, 962
 - candidum, 962
 - citrinum, 242
 - coprophilum, 341 ('coprophila')
 - costaricense, 962
 - daamsii, 198
 - daguense, 962
 - favrei, 199
 - flammeum, 962
 - incarnatum, 199
 - infumatum, 669
 - laccarioides, 962
 - mariae, 962
 - moseri, 341
 - nitriolens, 199
 - pantoxanthum, 962
 - postii var. leve, 883 ('levis')
 - prescotii, 341
 - pyxidatum, 49 ('pyxidata')
 - — var. pluviarum, 49
 - reclinis, 199
 - roseopallidum, 883
 - rusticum, 390 ('rustica')
 - sanguineum, 669 ('sanguinea')
 - sericeum, 199
 - subobscureum, 49 ('subobscura')
 - subsericellum, 199
 - subumbratile, 49
 - sucrensis, 962
 - yalae, 962
- Gerwasia pittieriana, 199
 - standleyi, 341

- GIBBAGO**, 589
 — trianthemae, 589
Gibbera barriae, 49
 — caffra, 341
 — holmii, 1056
 — lycopodii, 123
 — pseudotthiella, 341
 — sinensis, 341
 — spherospermi, 883
 — vitis, 758
Gibberella africana, 83
 — coffeae, 83
 — cylindrospora, 83
 — fujikuroi var. intermedia, 199
 — — var. moniliformis, 199
 — imperatae, 290
 — indica, 162
 — thapsina, 962
Gibellula clavulifera var. alba, 758
 — globosa, 199
 — globosostipitata, 199
 — perexigua, 758
 — petchii, 758
Gigaspora albida, 162
 — alborosea, 123, 341
 — candida, 123
 — decipiens, 390
 — dipapillosa, 480
 — erythra, 341 ('erythropha')
 — minuta, 123, 341
 — persica, 480
 — ramisporophora, 962
 — reticulata, 242
 — savannicola, 123, 341
 — tricalypta, 123
 — triclypta, 341
 — verrucosa, 480
Gilmaniella multiporosa, 962
 — punctiformis, 480
 — thermophila, 341
GIRAFFACHITINA, 589
 — poignantii, 589
GLAPHYRIOPSIS, 589
 — brunnea, 589
 — hyalina, 589
Gliocladium agarwalii, 13
 — aurifilum, 480
 — comtus, 480
 — microspermum, 162
 — microsporum, 480
 — novae-zelandiae, 481
 — polyporicola, 481
 — sampajense, 962
 — thaxteri, 481
Gliomastix atrogriseum, 589
 — felina, 83
 — macroelata, 431
GLIOPHORUS, 536
 — sect. Laeti, 833
 — glutinipes, 833
 — insipidus, 536, 833
 — laetus, 536
 — — forma pallidus, 833
 — luteolaetus, 833
 — minutulus, 833
 — nitidus, 833
 — psittacinus, 536
 — reae, 536, 833 ('reai')
 — sciophanus, 536
 — subminutulus, 834
 — unguinosus, 536, 834
 — vitellinus, 834
 — xanthochrous, 834
Gliostroma ficophilum, 758
GLOBOSASCLEROTES, 290
 — aegiranus, 290 ('ägiranus')
GLOBOSOMYCES, 49
 — aggregatus, 49
GLOBALIROSEUM, 481, 536
 — cocciniae, 481, 536
GLOECORTICIUM, 536
 — cinerascens, 536
Gloeocoryneum hawaiiense, 242
Gloeocystidiellum aspellum, 589
 — clavuligerum, 162
 — corrosum, 481
 — cryptacanthum, 758
 — fimbriatum, 162
 — kenyense, 589
 — lacticolor, 162
 — marianum, 162 ('marianus')
 — parvisporum, 162
 — peroxydatum, 162
 — porosellum, 341
 — sinuosum, 162
 — stereoideum, 162
 — triste, 536
 — tropicale, 162 ('tropicalis')
 — turpe, 162
 — wakullum, 162
GLOECYSTIDIOPSIS, 199
 — flammea, 199
 — heimii, 199
Gloeodontia americana, 834
 — pyramidata, 758
Gloeohelppia erosa, 199
GLOEOHYPOCHNICIUM, 589
 — analogum, 589
GLOEOMUCRO, 13
 — asahimontanus, 13 ('asahimontanum')
 — chlorinus, 13
 — flavus, 13 ('flava')
 — guianensis, 13
 — limpidus, 13
 — luteodiscus, 536
 — nodosus, 13
 — ventricosus, 536 ('ventricosum')
 — yakusimensis, 13
Gloeopeziza interlamellaris, 834
Gloeophyllum carbonarium, 341
 — imponens, 431
 — juniperinum, 431
 — mexicanum, 162
 — sulcatum, 431
 — vinaceibrunneum, 669
Gloeoporus carrii, 962 ('carri')
 — cremeo-albus, 962
 — croceopallens var. auriporus, 962
 — cystidiatus, 669
 — dimiticus, 962
 — dolosus, 962
 — friabilis, 962
 — hispidus, 962
 — nigrescens, 962

- var. *microsporus*, 962
- *papuanus*, 962
- *pendens*, 962
- *similis*, 962
- *subochraceus*, 962
- var. *clarus*, 962
- var. *latiporus*, 962
- var. *subinteger*, 963
- *sulphureus*, 963
- *taxicola*, 431
- *thompsonii*, 883 ('thompsoni')
- *tienmuensis*, 431
- *umbrinus*, 963
- Gloeosporidiella chamaedaphnes*, 83
 - *falcata*, 83
 - *nobilis*, 13
 - *potentillae*, 83
 - *turgida*, 13
- Gloeosporidina canthiicola*, 13
 - *cecidii*, 13
- Gloeosporium adenocalymmatum*, 123
 - ('adenocalymmae')
 - *albisiae*, 242 ('albizziae')
 - *myristicicola*, 83 ('myristicicola')
 - *sphaerosporum*, 758
 - *trotteri*, 390
- GLOEOSYNNEMA*, 834
 - *ochroleucum*, 834
- Gloeotinia aschersoniana*, 481
 - *juncorum*, 481
- Gloioccephala culmicola*, 963
 - *helisca*, 536
- Gloiodon occidentale*, 758
- Gloiothela lactescens*, 758
 - *turpis*, 758
- Glomerella cingulata forma specialis*
 - *camelliae*, 883
 - *forma specialis phaeseoli*, 536
- GLOMERULOMYCES*, 963
 - *fibulosus*, 963
- Glomus aggregatum*, 162
 - *albidum*, 83, 1056 ('albidus')
 - *ambisporum*, 431
 - *arborenses*, 536
 - *australe*, 341
 - *botryoides*, 341
 - *callosum*, 884
 - *cerebriforme*, 536
 - *citricola*, 390 ('citricolum')
 - *claroideum*, 162
 - *delhiense*, 290
 - *deserticola*, 341
 - *diaphanum*, 390
 - *dimorphicum*, 536
 - *dominikii*, 834
 - *fecundisporum*, 162
 - *fistulosum*, 1056
 - *fragilistratum*, 1056
 - *geosporum*, 199
 - *globiferum*, 536
 - *glomerulatum*, 669
 - *halonatum*, 13, 1056 ('halonatus')
 - *heterosporum*, 431
 - *hoi*, 431
 - *intraradices*, 163
 - *lacteam*, 13, 1056 ('lacteus')
 - *leptotichum*, 163
 - *maculosum*, 481
 - *manihotis*, 390
 - *microaggregatum*, 536
 - *multisubstansum*, 290
 - *nanolumen*, 1056
 - *occultum*, 199
 - *pustulatum*, 537
 - *reticulatum*, 83, 1056 ('reticulatus')
 - *scintillans*, 13
 - *tenebrosum*, 341
 - *tortuosum*, 163
 - *trimurales*, 1056
 - *versiforme*, 342
 - *warcupii*, 537
- Gloniella draconis*, 537
 - *shoreae*, 834
 - *terminaliae*, 834
- Gloniopsis constricta*, 342
 - *macrospora*, 342
- Glonium macrosporum*, 342
 - *parasiticum*, 537
 - *sasicola*, 342
 - *vestigiale*, 758
 - *xanthorrhoeae*, 481
- GLUTINISPORIDIUM*, 13
 - *compositum*, 14
- GLUTINOAGGER*, 14
 - *fibulatus*, 13
- GLYPHOPELTIS*, 481
 - *eburina*, 481
 - *ligustica*, 758
- Gnomonia acaenae*, 49
 - *betulae-pubescentis*, 290
 - *californica*, 290
 - *clethrae*, 290
 - *ditopa*, 291
 - *fahrendorffii*, 291
 - *kisslingii*, 291
 - *kodaikanalensis*, 834
 - *loniceracae*, 291
 - *milleri*, 291
 - *mirabilis*, 291
 - *nantensis*, 291
 - *norvegica*, 291
 - *orientalis*, 291
 - *palustris*, 291
 - *pecanae*, 291
 - *peckii*, 291
 - *provancheriana*, 758
 - *prunicola*, 291
 - *pseudoamoena*, 291
 - *quercicola*, 291
 - *quercus-borealis*, 291
 - *quercus-gambellii*, 291
 - *radicicola*, 963
 - *rubi-idaci*, 291
 - *salicis-auritae*, 291
 - *sentiensis*, 291
 - *sieversiae*, 291
 - *skifteii*, 291
 - *trientensis*, 291
 - *vallesiaca*, 291
 - *vescae*, 291 ('vesca')
 - *viburni-opuli*, 291
- Gnomoniella abortiva*, 291
 - *ammannii*, 291
 - *carpinea*, 291

[Gnomoniella]

- destruens, 758
- euphorbiae-verrucosae, 291
- fraxini, 834
- haraeana, 291
- kajiana, 291
- microspora, 291
- nothofagi, 481
- papillostoma, 291
- vasarii, 291
- Godfrinia acutopunicea, 537
- aurantiosplendens, 537
- brevispora, 537
- calyptriformis, 537 ('calyptraeformis')
- chlorophana, 537
- citrina, 537
- citrinovirens, 537
- crocea, 537
- flavescens, 537
- intermedia, 537
- — var. citrina, 537
- nigrescens, 537
- obrussea, 537
- punicea, 537
- spadicea, 537
- tristis, 537
- Godronia achyranthis, 481
- indica, 481 ('Grodonia')
- urniformis, 537
- GOIDANICHELLA, 242
- sphaerospora, 242
- GOLOVINOMYCES, 884
- adenophorae, 884
- americanus, 884
- arabidis, 884
- artemisiae, 884
- biocellatus, 884
- brunneopunctatus, 884
- californicus, 884
- chelones, 884
- cichoraceorum, 884
- cumminsianus, 884
- cynoglossi, 884
- depressus, 884
- echinopsis, 884
- galeopsidis, 884
- galii, 884
- greeneanus, 884
- hydrophyllaceorum, 884
- hyoscyami, 884
- immersus, 884
- laportae, 884
- magnicellulatus, 884
- morozkovskii, 884
- orontii, 884
- pseudosepultus, 884
- riedlianus, 884
- simplex, 884
- sordidus, 884
- sparsus, 884
- ulmariae, 884
- valerianae, 884
- verbasci, 884
- verbenae, 884
- Gomphidius griseovinaceus, 669
- viscidus forma giganteus, 242, 342
- Gomphillus ophioporus, 834

Gomphus dingleyae, 431 ('dingleyi')

- mamorensis, 291
- novae-zelandiae, 431
- Gonatobotrys africana, 390
- complex, 123
- primigenia, 390
- pyriformis, 537
- GONATOBOTRYTITES, 390
- primigenius, 390
- Gonatobotryum parasiticum, 123
- Gonimochaete lignicola, 431
- GONIOPIILA, 481
- monticola, 481
- Gonohymenia cribbellifera, 64
- etoshica, 669
- heppii, 1056
- hondana, 481 ('hondoana')
- inflata, 64
- iodopulchra, 1056
- minnesotensis, 1056
- nigritella, 481
- nummularia, 64
- polyspora, 1056
- pulvinata, 64 ('pulvinatum')
- schleicheri, 1056
- Gonytrichum ypsilosporum, 199
- GOOSIELLA, 589
- helicospora, 589
- GOOSIOMYCES, 885
- digitatus, 885
- Goplana australis, 199
- GORGOMYCES, 481
- honrubiae, 963
- hungaricus, 481
- Gorgoniceps charnwoodensis, 14
- hypothallosa, 391
- viridula, 669
- GRAAMSPORA, 291
- pezizaffinis, 291
- GRAHAMIELLA, 83
- dryadis, 83
- Graminella microspora, 83
- Grammothele bambusicola, 342
- delicatula, 49
- hondurensis, 431
- macrospora, 49
- ochraceus, 163
- pulchella, 885
- setulosa, 49
- subargentea, 242
- GRAMMOTHELOPSIS, 163
- incrusta, 431
- macrospora, 163
- puiggarii, 669 ('puiggari')
- Grandinia abieticola, 199
- alienata, 199
- alutaria, 199
- arguta, 199
- barba-jovis, 199
- breviseta, 199
- cineracea, 199
- curvispora, 199
- efibulata, 199
- floccosa, 199
- halonata, 199
- hastata, 199
- involuta, 199

- juniperi, 199
- latitans, 199
- microsporella, 199
- pallidula, 199
- pilaecystidiata, 199
- pruni, 199
- quercina, 199
- rimosissima, 885
- sambuci, 291
- spathulata, 199
- stenospora, 199
- subalutacea, 199
- verruculosa, 199
- GRANMAMYCES, 885
 - bissei, 885
- GRANULOCYSTIS, 481
 - flabelliradiata, 481
- Graphilbum pleomorphum, 391
- Graphina muscicola, 885
- GRAPHIOCLADIELLA, 83
 - clavigera, 83 ('clavigerum')
- Graphis assamensis, 200
 - garoana, 200
 - iriomotensis, 163
 - sikkimensis, 200
 - soresdiosa, 200
 - subasahinae, 200
 - subdura, 163
 - subglauconigra, 200
 - subtropica, 163
- Graphium aphthosae, 1056
 - indicum, 123
 - kubanicum, 589
- Graphyllum hysteroioides, 669
 - ipomoeae, 669
 - planispora, 669
- GRELETIA, 14
 - marchica, 669
 - muelleri, 589 ('Mülleri')
 - ovalispora, 14
 - planchonis, 14
 - reticulosperma, 589
 - verrucispora, 14
- Gremmeniella abietina var. balsamea, 963
- Grifola armeniaca, 963
 - eos, 963
 - frondosa var. intybacea, 758
- GRIMMICOLA, 342
 - parasiticus, 342
- Griphosphaerella albescens, 83
- Griphosphaeria gmelinae, 758
 - indica, 537
- GRISEOPORIA, 342
 - carbonaria, 342
- GROENHIELLA, 291
 - bivestia, 291
- Grondigallia dictyospora, 669
- GROVESINIA, 291
 - pruni, 885
 - pyramidalis, 292
- Guedea novae-zelandiae, 14
 - ovata, 242
- Guepiniopsis ovispora, 1056 ('ovisporus')
 - suecica, 163
- Guignardia abietella-sibirica, 669
 - apocyni, 669
 - astragali, 669
- caricicola, 669
- coffeae, 123
- cyperi, 391
- dodartiae, 669
- dyerae, 123
- empetri, 758
- gmelinae, 83
- graminicola, 670
- herbarum, 670
- heterostemmae, 963
- horaninoviaae, 670 ('horaninowiae')
- kareliniae, 670
- lapponica, 1056
- psidii, 391
- GUIZHOUNEMA, 391
 - endosporicum, 391
- Gyalectidium corticola, 98
 - eskucheii, 758
- Gyalidea lecanorina, 292
 - testacea, 885
- Gyalideopsis argentea, 834
 - confluens, 834
 - haliotidiformis, 834
 - kalbii, 292
 - lecideina, 834
 - lithophila, 342
 - megalospora, 885
 - monospora, 834
 - nepalensis, 885
 - parvula, 834
 - perlucida, 834
 - poeltii, 292
 - robrofusca, 834
 - robusta, 834
 - rogersii, 834
 - rostrata, 834
 - saxicola, 481
 - trapperi, 834
 - vainioi, 830
 - vezdae, 242
- Gylalectidium caucasicum, 242
 - colchicum, 242
- Gymnascella afilamentosa, 481
 - calcarea, 481
 - confluens, 481
 - dankaliensis, 481
 - devroeyi, 481
 - hyalinospora, 481
 - littoralis, 481
 - marginospora, 481
 - nodulosa, 481
 - punctata, 481
 - udagawae, 834
- Gymnoascus arxii, 963
 - bifurcatus, 83
 - citrinus, 590
 - dankaliensis, 590
 - desertorum, 590
 - devroeyi, 590
 - littoralis, 590
 - nodulosus, 590
 - punctatus, 590
 - siglerae, 83
 - udagawae, 590
- GYMNOHYDNOTRYA, 885
 - australiana, 885
 - echinulata, 885

[GYMNOHYDNOTRYA]

- ellipsospora, 885
- Gymnomyces eildonensis, 391
- Gymnopaxillus crubensis, 1056
- Gymnopilus abruptus, 391
- aurantiobrunneus, 590
- capitatus, 670
- chrysimyces, 292
- dulongjiangensis, 590
- elongatipes, 590
- fulgens var. luteicystis, 14
- giganteus, 292
- holocrocinus, 670
- longipes, 670
- macrocheilocystidiatus, 670
- macrosporus, 670
- magnificus, 670
- marticorenai, 885
- mesosporus, 1056
- micromegas, 292
- minutosporus, 292
- pachycystis, 963
- panelloides, 1056
- panurensis, 885
- perisporius, 885
- pleurocystidiatus, 670
- psamminus, 885
- rugulosus, 163
- russipes, 242
- stabilis, 537
- subearlei, 163
- subgeminellus, 670
- subrufobrunneus, 670
- thiersii, 885
- velutinus, 670
- zempoalensis, 391
- Gymnosporangium clavipes forma specialis cupressi, 200
- gjaeri, 670
- Gyoerffyyella myrmecophagiformis, 1056
- Gyrocerus fumagineum, 481
- Gyrocollema rupestrinum, 885 ('rupestrina')
- Gyrodon adisianus, 963
- crassipes, 292
- minutus, 49
- miretipis, 292
- ripicola, 84
- xylophilus, 292
- Gyromitra accumbens, 590
- ancilis, 391
- columbiana, 590
- esculenta var. bubaci, 481
- — var. fulva, 481
- fluctuans, 590
- geogenia, 590 ('geogenius')
- macknightii, 590 ('mcknightii')
- melaleucoides, 14
- microspora, 590
- parvispora, 590
- sichuanensis, 431
- Gyrophana pseudolacrymans, 431
- Gyroporus castaneus var. afibulatus, 14
- — var. amophilus, 963
- heterosporus var. afibulatus, 14
- microsporus, 14
- — var. congolensis, 14
- phaeocyaneus, 292

- pseudomicrosporus, 537
- sulfureus, 1056
- Gyropus cyanescens var. sulfureus, 758
- Gyrophrix chimaera, 84
- cornuta, 537
- cubensis, 670
- magica, 84
- podosperma var. falcatispora, 670
- ramosa, 963
- Habrostictis decipiens, 670
- Hadronema verrucosum, 590 ('verrucosae')
- HADROSPORA, 963
- clarkii, 963
- fallax, 963
- Hadrosporium dingleyae, 14
- Hadrotrichum bambusicola, 1056
- pyrenaicum, 242
- Haematomma alpinum, 537
- bubalinum, 482
- eremaeum, 163
- infusum, 163
- pruinum, 163
- pustulatum, 670
- saxicola, 537
- sorediatum, 163
- stevensiae, 163
- Haematostereum australe, 670
- illudens, 670
- spectabile, 670
- HAFELLIA, 759
- leptoclinoides, 759
- parastata, 759
- HAFELLNERA, 391
- parasmella, 391
- Haglundia lanata, 242
- olivacea, 14
- testaceorufa, 670
- HALECANIA, 759
- alpivaga, 759
- elaeiza, 759
- lecanorina, 759
- ralfsii, 759
- rhypodiza, 963
- spodomela, 759
- tornensis, 759
- viridescens, 963
- Haligena amicta, 14
- salina, 590
- Haliphthorus philippinensis, 14
- HALOGRAPHIS, 834
- runica, 834
- Haloguignardia cystoseirae, 84
- Halosarpheia abonnis, 482
- bentotensis, 163
- cincinnatula, 123
- lotica, 342
- marina, 482
- ratnagiriensis, 200
- retorquens, 123
- spartinae, 123
- trullifera, 242
- unicaudata, 670
- viscidula, 123
- viscosa, 123, 482
- Halosphaeria galerita, 14, 123
- viscosa, 123, 482
- HALYSIOMYCES, 84

- saxatilis, 84
- Hamatocanthoscypha acericola, 590
- cuneata, 482
- sulphureocitrina, 242
- tenuipila, 590
- Hamigera avellanea var. alba, 292
- spinulosa, 537
- HANDKEA, 963
- canadensis, 963
- excipuliformis, 963
- fumosa, 963
- hesperia, 963
- lloydii, 963
- lycoperdoides, 963
- subcretacea, 963
- utrifomis, 963
- — var. gruberi, 963
- — var. hungarica, 963
- Hanseniaspora nodinigri, 123
- osmophila, 391
- uvarum, 391
- Hansenula americana, 342
- euphorbiiphila, 200 ('euphorbiaphila')
- populi, 242
- subpelliculosa, 292
- Hansfordia caricis, 538
- indica, 14
- HANSFORDIOPELTOPSIS, 538
- amazonensis, 538
- Hapalophragmium nepalense, 14
- nsukkaense, 242 ('nsukkaensis')
- Hapalopilus albocitrinus, 49
- mutans, 538
- olivascens, 963
- phlebiiformis, 670 ('phlebiaeformis')
- rubescens, 963
- Haplariopsis microspora, 49
- Haplographium heliocephalum, 538
- ventricosum, 670
- Haploporus fraxineus, 292
- Haplosporella centrolobiicola, 759
- cissi, 590 ('cissiae')
- cymbidii, 963
- Haplotrichum ochraceum, 49
- HAPSIDOMYCES, 391
- venezuelensis, 391
- Haptoglossa humicola, 123
- intermedia, 963
- mirabilis, 84
- Harknessia eucrypta, 124
- fusca, 124
- karwarrae, 964
- liquidambaris, 124
- spermatoida, 590
- sudans, 342
- ventricosa, 14
- victoriae, 964
- weresubiae, 124
- HARMONIELLA, 84
- chrysocephalus, 84
- Harpella leptosa, 14
- HARPELLOMYCES, 342
- eccentricus, 342
- Harpographium hamatum, 482
- Harposporium arcuatum, 14
- botuliforme, 242
- spirosporum, 590
- HASEGAWAEA, 759
- japonica, 759
- — var. versatilis, 759
- HASTIFERA, 590
- tenuispora, 590
- HAWKSWORTHIANA, 964
- peltigericola, 964
- Hebeloma sect. Birri, 670
- subsect. Amygdalina, 1056
- subsect. Calyptriospora, 590
- subsect. Leucosarcina, 590
- subsect. Sacchariolens, 590
- aberrans, 163
- affine, 342
- agglutinatum, 342
- aggregatum, 342
- albocolossum, 590
- alpinicola, 342
- amarellum, 342
- aminophilum, 1056
- angelesiense, 342
- angustifolium, 342, 431, 432
- aprile, 342
- arenosum, 590 ('arenosa')
- atrobrunneum, 1056
- aurantiellum, 342
- barrowsii, 342
- bicoloratum, 342
- — var. coloradense, 342
- boulderense, 342
- bruchetii, 538
- brunneodiscum, 342
- brunneomaculatum, 342
- bulbosum, 342, 432
- calvinii, 432 ('calvini')
- chapmaniae, 343 ('chapmanae')
- cinereostipes, 343
- clavuligerum, 885 ('clavuligera')
- coniferarum, 343
- corrugatum, 343
- crustuliniforme var. longicaudum, 432
- — var. tiliae, 759
- cylindrosporum forma pseudoradicatum, 885
- danicum, 671
- dissiliens, 343
- edurum, 538
- erumpens, 964
- evensoniae, 343
- favrei, 432
- felleum, 343
- flaccidum, 343
- flammuloides, 343
- — var. longiventriosopilis, 432
- fragrans, 343
- — var. intermedium, 343
- fuscostipes, 343
- fusisporum, 124
- gigaspermum, 124
- glabrescens, 343
- gomezii, 292
- griseocanescens, 343
- griseocanum, 343
- griseovelatum, 343
- hesleri, 343
- hydrocybeoides, 343
- idahoense, 343

[Hebeloma]

- immutabile, 343
 - incarnatum, 432
 - indecisum, 343
 - insigne, 343
 - juneauense, 343
 - kanouseae, 343 ('kanousiae')
 - kauffmanii, 343
 - kelloggense, 343
 - kemptoniae, 343 ('kemptonae')
 - latifolium, 124, 538
 - latisorum, 343
 - limacinum, 343
 - lindrothii, 538
 - littenii, 343
 - lubriciceps, 432
 - luteobrunneum, 343
 - lutescentipes, 343
 - mackinawense, 432
 - marginatum var. fallax, 343
 - — var. proximum, 343
 - maritimum, 343
 - mesophaeum var. aspenicola, 343
 - — var. bifurcatum, 344
 - — var. castaneum, 344
 - — var. crassipes, 1056
 - — var. cremeovelatum, 432
 - — var. duplicatum, 344
 - — var. fluviatile, 344
 - — var. imitatum, 344
 - — var. insipidum, 344
 - — var. lacteum, 1056
 - — var. lateritium, 344
 - — var. longipes, 344
 - — var. ochroneum, 432
 - — var. similissimum, 344
 - — var. strophosum, 432
 - — var. subobscureum, 344
 - — var. velovinaceum, 344
 - — forma cremeovelatum, 432
 - — forma holophaeum, 432
 - monticola, 1056
 - naucorioides, 344
 - nigromaculatum, 344
 - obscurum, 344
 - occidentale, 344
 - ollaliense, 344
 - olympianum, 344
 - oregonense, 344
 - — var. atrobrunneum, 344
 - pallescens, 344
 - pallidoluctuosum, 538
 - pallido-argillaceum, 344
 - parcellum, 344
 - perfarinaceum, 344
 - perigoense, 344
 - perplexum, 344
 - piceicola, 344
 - pinetorum, 344
 - pitkinense, 344
 - polare, 1056
 - praecaespitosum, 344
 - praelatifolium, 344
 - praeolidum, 344
 - proximum, 344
 - psammophilum, 14, 590
 - pseudoamarens, 885
 - pseudofastabile, 344
 - pseudofastabile var. distans, 344
 - pseudomesophaeum, 344
 - pseudostrophosum, 345
 - pumiloides, 345
 - — var. sylvestre, 345
 - pungens, 345
 - pyrophilum, 345
 - — var. longiventriosopilis, 885
 - remyi, 885
 - repandum, 538
 - riparium, 345
 - sacchariolum var. pallidoluctuosum, 759
 - salmonense, 345
 - sanjuanense, 345
 - serratum, 49
 - smithii, 759
 - solheimii, 345
 - sordescens, 1056
 - stanleyense, 345
 - stenocystis, 885
 - strophosum var. occidentale, 345
 - subannulatum, 345
 - subargillaceum, 345
 - subboreale, 345
 - subcaespitosum var. psammicola, 292 ('psammocolum')
 - subcapitatum, 345
 - subfastigiatum, 345
 - subhepaticum, 345
 - sublamellatum, 345
 - submelinoides, 345
 - subrimosum, 345
 - subrubescens, 345
 - subsacchariolum, 345
 - substrophosum, 345
 - subtestaceum, 759, 1056
 - subumbrinum, 345
 - subviolaceum, 345
 - tenuifolium, 432
 - theobrominum, 759
 - — var. pruinatum, 885
 - tomentosum, 124
 - trinidadense, 345
 - truncatum var. pruinatum, 590
 - urbanicola, 345
 - utahense, 345
 - victoriense, 200
 - vinaceogriseum, 345
 - vinaceo-umbrinum, 345
 - wellsiae, 345
 - wells-kemptoniae, 345 ('wells-kemptonae')
- Hebelomina huijsmaniana, 671, 885
- maderaspatana, 163
- Heimiella subgen. Punctispora, 1057
- alveolata, 1057
 - betula, 1057
 - fruticicola, 1057
 - ivoryi, 1057
 - nigricans, 482, 538
 - punctispora, 1057
- Heimiomyces cespitosus, 14
- flavobrunneus, 14
 - fulvus, 14
 - neovelutipes, 14
 - vitiosus, 14
- HELHONIA, 14

- rhamnigena, 14
- Helicocephalum corniculatum*, 964
- Helicodendron amazonense*, 292
- cumbriense, 292
- indicum, 49
- japonicum, 671
- longisporum, 671
- multiseptatum, 292
- pinicola, 432
- HELICOFILIA**, 292
- madrasensis, 292
- HELICOGERMSLITA**, 242
- celastri, 242
- Helicoma* sect. *Atroseptatum*, 591
- sect. *Monilipes*, 591
- sect. *Violaceum*, 591
- *chlamydosporum*, 759
- *divaricata*, 591
- *irregulare*, 345
- *machaerinae*, 14
- *taiwanensis*, 292
- *vaccinii*, 1057
- Helicomina carbonica*, 84
- HELICOMINITES**, 243
- *salvinites*, 243
- Helicomycetes casuarinae*, 432
- *louisianensis*, 432
- *macrofilamentosus*, 292
- *torquatus*, 345
- Helicoon chlamydosporum*, 49
- Helicorhoidion circinatum*, 432
- *conicum*, 1057
- HELICOSINGULA**, 432
- *leucadendri*, 432
- Helicosporium abuense*, 124
- *murinum*, 964
- *raghuveeri*, 964 ('*raghuveerii*')
- *talbotii*, 964
- *virescens*, 345
- HELIOCEPHALA**, 391
- *proliferans*, 391
- HELIOCYBE**, 482
- *sulcata*, 482
- HELISCELLA**, 49
- *stellata*, 49
- *stellatacula*, 49
- HELISCINA**, 50
- *antennata*, 50
- *campanulata*, 50
- Helminthocarpus subalbatum*, 124
- Helminthophora uniseptata*, 591
- HELMINTHOSPORITES**, 391
- ('*Helminthosporites*')
- *mohgaoense*, 391 ('*Helminthosporites*')
- Helminthosporium apicale*, 538, 591
- *apioides*, 391, 432
- *belgaumense*, 964
- *cubense*, 671
- *dictyoseptatum*, 14
- *dimorphosporum*, 671
- *ellipsoidale*, 391, 432
- *giganteum*, 391, 432
- *lini*, 1057
- *macrocarpum* var. *minus*, 391, 432
- *masseeanum*, 432
- *mori*, 759
- *novae-zelandiae*, 14
- *pupiforme*, 432 ('*pupaeforme*')
- *roemeriae*, 671
- *senseletii*, 432
- *substriiforme*, 432
- Helotiella microspora*, 759
- Helotium africanum*, 200
- *albicolor*, 200
- *angustisporum*, 200
- *angustum*, 200
- *californiense*, 200
- *candidum*, 200
- *cephalotrichum*, 200
- *circulare*, 346
- *crispatum*, 200
- *crispuliforme*, 200
- *cucullatum*, 200
- *cyphelloides*, 200
- *delicatellum*, 200
- *epibioticum*, 200
- *epibryum*, 200
- *epichloë*, 200
- *filiforme*, 200
- *floridianum*, 200
- *gypsellum*, 200
- *herreriae*, 200
- *immaculatum*, 200
- *leucophaeum*, 200
- *mairi*, 200
- *mauretanicum*, 200 ('*maurentanicum*')
- *nebulophilum*, 200
- *patagonicum*, 200
- *persimile*, 200
- *pithyophilum*, 200
- *praedecurrens*, 200
- *pseudocrispulum*, 200
- *pseudogibbum*, 201
- *pseudolacteum*, 201
- *rickenii*, 201
- *setulosipes*, 201
- *setulosum*, 201
- *subimmaculatum*, 201
- *substellatum*, 201
- *subtropicale*, 201
- *tortuosum*, 201
- *truncicola*, 201
- Helvella* sect. *Silvicolae*, 885
- sect. *Solitariae*, 885
- *aestivalis*, 201
- *bulbosa*, 391
- *chinensis*, 482
- *cupuliformis* var. *badia*, 885
- *dalgeri*, 538
- *dissingii*, 834
- *galeriformis*, 885
- *glutinosa*, 886
- *michaelis*, 432
- *minor*, 886
- *nigrella*, 50
- *platypodia*, 538
- *purpurea*, 538
- *rivularis*, 84
- *robusta*, 886
- *sinensis*, 538, 591
- *subfusispora*, 538
- *taiyuanensis*, 538
- *villosa*, 834, 1057 ('*Elvela*')
- Hemibeltrania echinulata*, 243

- [Hemibeltrania]
 — laxa, 591
 — mitrata, 292
Hemicorynespora aseptata, 671
 — naviculiformis, 124
Hemidothis carissae, 14
Hemimycena amazonica, 964
 — angustispora, 243
 — arctii, 391
 — aurantiaca, 163
 — cephalotricha, 671
 — cyphelloides, 163
 — delectabilis var. paucicystidiata, 243
 — diplocystis, 964
 — guanacastensis, 964
 — hirsuta, 671
 — ignobilis, 243
 — indica, 84
 — lactea var. tetraspora, 591
 — — forma lactella, 591
 — — forma minor, 591
 — mairei var. microspora, 591
 — perone, 538
 — pithya, 433
 — pleurotiformis, 964
 — pseudocrispata, 163
 — seegeri, 886
 — stellata, 50
 — tortuosa, 50
HEMIPHOLIOTA, 84, 591
 — albocrenulata, 50
 — destruens, 50
 — heteroclita, 591
 — myosotis, 591
 — oedipus, 591
 — populnea, 591
Hemitrichia mellea, 124
 — rosea, 124
 — velutina, 538
 — vesiculosa, 163
Hendersonia punithalingamii, 759
Hendersonula elschanii, 964
 — mohgaoensis, 243 ('mohgaoense')
 — symploci, 1057
HENICOSPORA, 50
 — coronata, 50
 — cylindroclavata, 50
 — minor, 50
Henningsia galapagensis, 84
Heppia aterrima, 886
 — gigantea, 1057
 — paulina, 201
Heridium americanum, 346
HERMANNIASPORIDIUM, 14
 — juvenile, 14
 — magnum, 15
Hermatomyces dimorphus, 538
HERMINIA, 50
 — dichrospora, 50
Herpobasidium abnorme, 433
 — australe, 391
Herpotrichia gelasinosporoides, 84
 — herpotrichioides, 201
Herpotrichiella callunae, 834
 — collapsa, 591, 1057
 — longispora, 15
 — peltigerae, 15
HERTELIANA, 29
 — taylorii, 29
HERTELLA, 433
 — chilensis, 433
 — subantarctica, 433
Hesperomyces biphylli, 482
 — papuanus, 482
Heterobasidium annosum var. *indicum*, 124
 — — var. *microsporum*, 964
 — araucariae, 834
 — melleum, 292 ('mellea')
 — pahangense, 964
HETEROCEPHALACRIA, 50
 — solida, 50
Heterocephalum taiense, 591
Heterochaete bodmanii, 671
 — chrysocystidiata, 1057
 — dimitica, 201
 — falcato-sporifera, 1057
 — gillesii, 292
 — gloeodichophysata, 201
Heterochaetella pruinosa, 243
Heteroconium arundicum, 124
 — indicum, 15
 — ponapense, 292
Heterodermia barbifera, 98, 243
 — boryi var. *squarrosa*, 671
 — — forma *circinalis*, 671
 — — forma *sorediosa*, 671
 — circinalis, 98
 — comosa, 292
 — dactyliza forma *serpens*, 124
 — dendritica var. *propagulifera*, 124
 — desertorum, 391
 — erinacea, 759
 — fragilissima, 671
 — sitchensis, 433
 — stellata, 98
 — subcomosa, 482
 — translucens, 391
 — tropica, 671
 — verrucifera, 98
Heteropatella indica, 538
HETEROPORIMYCES, 243
 — spinosus, 243 ('spinosa')
Heteroporus flavus, 671
 — kinabaluensis, 671
 — odoratus, 671
 — sublacunosus, 671
 — — var. *condensatus*, 671
 — wynei, 15
 — zonatus, 671
 — — var. *aurantimaculatus*, 671
Heterosphaeria ovispora, 671
 — pulsatillae, 671
Heterosporium allii-porri, 84
 — brassicae, 84
 — maydis, 84
 — onobrychidis, 671
 — polygonati, 84
HETEROSPORULA, 15
HEXACLADIUM, 243
 — corynephorum, 243
Hexagona pruinosa, 433
Heyderia sclerotiorum, 292
 — sclerotipus, 292
Hiatulopsis aureoflava, 964

- Hiemsia cleistocarpa*, 591
Hirneola emini, 243
Hirschioporus aculeifer, 346
 — *anomalus*, 433
 — *elongatus*, 433
 — *flavus*, 433
 — *lacteus*, 433
 — *quercinus*, 671
 — *sector*, 433
 — *vellereus*, 433
Hirsutella acerosa, 292
 — *atewensis*, 243
 — *brownorum*, 15
 — *darwinii*, 201
 — *formicarum*, 759
 — *graptopsaltriae*, 201
 — *gregis*, 292
 — *guignardii*, 292
 — *guyana*, 15
 — *haptospora*, 538
 — *heteroderæ*, 84
 — *illustris*, 15
 — *jonesii*, 201
 — *kirchneri*, 292
 — *necatrix*, 293
 — *ovalispora*, 201
 — — *var. dolichoderi*, 201
 — *pichilinguensis*, 591
 — *rhossiliensis*, 15
 — *rostrata*, 538
 — *rubripunctata*, 243
 — *sinensis*, 964
 — *sphaerospora*, 201
 — *sporodochialis*, 293
 — *stilbelliformis*, 201
 — — *var. dolichoderi*, 201
 — — *var. gnaptogenos*, 201
 — — *var. monacidis*, 201
 — — *var. ponerinarum*, 201
 — *subramanianii*, 433
 — *thompsonii var. synnematos*, 15
 — — *var. vinacea*, 15
 — *tydeicola*, 201
Hirudinaria arundinariae, 759
Histeridomyces europaeus, 15
HISTOPLASMA, 759
 — *capsulatum*, 759
 — — *var. farciminosum*, 482, 671
Hobsonia christiansenii, 538, 591
 — *santessonii*, 591
Hohenbuehelia abietina, 15
 — *aciculospora*, 538
 — *algida*, 293
 — *amazonica*, 964
 — *applicata*, 538
 — *atrocaerulea var. dendrocystis*, 15
 — — *var. grisea*, 538
 — *atrolucida*, 346
 — *auriscalpium*, 201
 — *campinaranae*, 964
 — *constans*, 671
 — — *var. alni*, 671
 — *culmicola*, 15, 964
 — *cyphelliformis*, 482, 591
 — ('*cyphellaeformis*')
 — *delasotae*, 964
 — *espeletiae*, 964
 — *geogenia var. elassozyoma*, 672
 — *grisea*, 50, 392
 — *heterosporica*, 84
 — *horakii*, 392
 — *hydrogeton*, 964
 — *inversa*, 591
 — *izonetae*, 964
 — *microspora*, 964
 — *mustaliensis*, 482
 — *panelloides*, 163
 — *petaloides var. macrospora*, 293, 433
 — *pilitomaculoides*, 672
 — *pinacearum*, 482
 — *pinicola*, 392
 — *piperiformis*, 672
 — *recedens*, 15
 — *rickenii*, 84, 672
 — *silvana*, 591
 — *spathulata*, 964
 — *tenuissima*, 964
 — *testudo*, 538
 — *tremula*, 538
 — *tropicalis*, 964
 — *tsugophthora*, 672
 — *ungicularis*, 15, 482, 591
HOLLEYA, 672
 — *sinecauda*, 672
HOLUBOVAEA, 392
 — *roystoneicola*, 346, 392 ('*roystonicola*')
HOLUBOVANIELLA, 482
 — *elegans*, 482
 — *gracilis*, 482
HORAKOMYCES, 346
 — *inocyboides*, 346
 — *viscosus*, 346
Hormiactis ontariensis, 293
Hormoascus ambrosiae, 672
 — *philetomus*, 672
Hormodendrum japonicum, 1057
 — ('*Hormodendron*')
HORMOGRAPHIS, 591
 — *ramirezii*, 591
Hormonema macrosporum, 672
 — *merioides*, 482
Hormotheca plantaginis, 482
 — *rubicola*, 482
HORTAEA, 392
 — *werneckii*, 392
Hubbsia californica, 759
Huilia chungii, 293
 — *cinereoatra*, 29
 — *consentiens*, 29
 — *flavicunda*, 293
 — *flavocaerulescens var. ochracea*, 201
 — *granifera*, 293 ('*Huelia*')
 — *percontigua*, 293
 — *soredizodes*, 29 ('*soredizoides*')
 — *tuberculosa*, 29
Humaria menieri, 538
Humicola fuscoatra var. nigra, 672
 — *grisea var. indica*, 15
 — *indica*, 672, 964
 — *insolens var. thermoidea*, 124
 — *lanuginosa var. catenulata*, 672
 — *nigrescens var. thermorongeura*, 672
Humphreya eminii, 50
Hyalocrea imperconspicua, 672

[Hyalocrea]

— jasmini, 243, 672

— meliolicola, 672

Hyalopesotum pini, 886

Hyalopeziza sect. Asperoscypha, 759

— sect. Brevipila, 759

— sect. Niveopeziza, 759

— arctica, 482

— digitipila, 672

— glacialis, 201

— hamulata, 15

— ilicincola, 15

— latispora, 201

— mussooriensis, 591

— pani, 124

— pygmaea, 672

— raripila, 834

— rhododendricola, 15

— rubefaciens, 124

— schachdarica, 201

— unguiculata, 15

— xylemicola, 672

Hyalopus macrocephalus, 433

Hyaloscypha amyloideopilosa, 243

— barbata, 482

— betularum, 163

— carnosa, 672

— cladii-marisci, 672

— cupularum, 591

— himalayensis, 482

— intacta, 672

— lignicola, 243

— luteopallida, 759

— paludosa, 163

— parvula, 243

— pusilla, 243

— sulphureopilosa, 672

— trapezispota, 759

— uncinata, 482

Hyalosphaera ciliata, 672

— pulchella, 672

Hyalothyridium maydis, 346

Hydnangium nigricans var. longispinosum,
124Hydnellum aurantiacum var. macrosporum,
591

Hydnochaete resupinata, 201

— saepiaria, 201

— tabacina, 201

Hydnoporia olivacea, 672

Hydnum humidipes, 15

— repandum forma amarum, 1057

Hydrocybe alnea, 539

— atrocaerulea, 539

— cedriolens, 539

— croceotinctus, 433

— lipocystis var. microsporus, 50

— multicolor, 539

— nivea, 482

— palustris, 539

— pratensis, 482

— subconcrecens, 243

— tigrina, 539

— unimoda, 539

HYDROMETROSPORA, 539

— symmetrica, 539

Hydnectria tethys var. glabra, 482

Hydrophilomyces arcuatus, 293

— lumbricoides, 433

— pusillus, 539

Hydropus albobubescens, 243

— altus, 243

— angustispermus, 243

— anthidepas, 243

— ardesiacus, 243

— atropruinosis, 243

— beniensis, 243

— bisporus, 243

— brunneoumbonatus, 243

— brunnescens, 243

— caespitosus, 243

— californicus, 964

— campinaranae, 243

— — var. adnatifolius, 243

— cavipes var. murinialbus, 243

— chiriquiensis, 244

— chlorinodorus, 244

— comptus, 760

— confertifolius, 244

— conicus, 293

— corneri, 244

— cystidiatus, 539

— cystidiosus, 964

— decipiens, 244

— dissiliens, 244

— dryadicola, 672

— dubius, 244

— eitenianus var. obscurus, 244

— excentricus, 244

— fimbriatus, 244

— flocculinus, 760

— fluvialis, 244

— — var. aporpus, 244

— fragilior, 244

— fuscoalbus, 244

— fuscogriseus, 964

— fuscomycelinus, 244

— gigasporus, 244

— gomezii, 244

— gracilis, 244

— guaporensis, 244

— humilior, 244

— hydrophoroides, 244

— hymenoccephalus, 433

— hyperythrus, 244

— hypopolius, 244

— immutabilis, 244

— indicus, 964

— laceratus, 346

— lacuster var. riparius, 244

— levis, 244

— lipocystis var. microsporus, 392

— lutescentipes, 244

— maculatipes, 244

— martensii, 964

— mediterraneus, 433, 592

— megalobasidium, 244

— mesites, 244

— microcephalus, 244

— montanus, 244

— moserianus, 346

— mycenoides var. minor, 244

— — var. pusillus, 244

— nanus, 244

- *nigromarginatus*, 244
- *occidentalis*, 244
- *omphaliiformis*, 346 ('*omphaliformis*')
- *phylogenus*, 244
- — var. *bahiensis*, 244
- *platycystis*, 244
- *platyphyllus*, 346
- *porphyrodes*, 539
- *praedecurrens*, 433
- *putredinus*, 672
- *recedens*, 244
- *rionegrensis*, 244
- *serifluus*, 244
- *subcartilagineus* var. *aquosus*, 244
- — var. *bisporiger*, 244
- — var. *confertifolius*, 293
- — var. *napoensis*, 244
- *subtropicalis*, 244
- *taxodii*, 244
- *terraefirmae*, 244
- *tubiformis*, 346 ('*tubaeformis*')
- *tucumanus*, 244
- *umbonatus*, 244
- *xuchiliensis*, 244
- Hydrotelamonia caninoides*, 539
- Hygroaster agumbensis*, 244 ('*agumbense*')
 - *albellus*, 964
 - *trachysporus*, 760
- Hygrocybe* subgen. *Camarophylloides*, 673
 - subgen. *Neohygrocybe*, 964
 - sect. *Fornicatae*, 964
 - sect. *Obtusae*, 965
 - sect. *Squamulosae*, 965
 - subsect. *Inspidae*, 965
 - subsect. *Squamulosinae*, 965
 - subsect. *Subvitellinae*, 965
 - subsect. *Turundinae*, 965
 - *acutoconica* var. *cuspidata*, 482
 - — forma *japonica*, 244
 - *albifolia*, 163
 - *alliciens*, 539
 - *alwisii*, 539
 - *amazoniensis*, 965
 - *anisa*, 539
 - *atrosquamosa*, 244
 - *aurantia*, 965
 - *aurantiolutescens* var. *parapersistens*, 965
 - — var. *subconica*, 965
 - *aurantioviscida*, 244
 - *berkeleyana*, 346, 433 ('*berkeleyanus*')
 - *berkeleyi*, 433
 - *boriviliensis*, 965
 - *calcarum*, 539
 - *calciophila*, 482
 - — var. *microspora*, 965
 - *calyptriformis* forma *nivea*, 965
 - ('*calyptraeformis*')
 - *campinaranae*, 965
 - *canescens*, 760
 - *cantharellus* forma *sphagnicola*, 244
 - *ceracea* var. *vitellinoides*, 760
 - — forma *rubella*, 760
 - *cheilocystidiata*, 965
 - *cinerella*, 760
 - *coccinea* var. *umbonata*, 539
 - *coccineocrenata* var. *sphagnophila*, 482
 - *conica* var. *chloroides*, 433, 482
 - — var. *conicopalustris*, 592
 - — var. *peradenyca*, 539
 - — forma *pseudoconica*, 483
 - *conicopalustris*, 483
 - *constrictospora*, 483
 - *croceolutea*, 245
 - *cruenta*, 245
 - *cystidiata*, 592
 - *dimorpha*, 539
 - *diversicolor*, 539
 - *earlei*, 760
 - *elegantissima*, 539
 - *erinensis*, 163
 - *flavipes*, 346, 965
 - *fornicata* var. *clivalis*, 965
 - — var. *streptopus*, 483
 - *fulva*, 293
 - *glutinipes* var. *rubra*, 346
 - *griseopallida*, 483
 - *guyanensis*, 965
 - *hahashimensis*, 245
 - *helvolofirma*, 245
 - *hololeuca*, 965
 - *holoxantha*, 592
 - *hygrocyboides*, 760
 - *hypohaemacta* var. *boninensis*, 245
 - *ignipileata*, 245
 - *incolor*, 245
 - *konradii* forma *albidifolia*, 886
 - — forma *pseudopersistens*, 483
 - *lactarioides*, 965
 - *laeta* var. *luteolaeta*, 965
 - *lepida*, 592
 - *lepidopellis*, 245
 - *lilacinella*, 965
 - *luteolaeta*, 483
 - *megistospora*, 965
 - *mellita*, 245
 - *mephitica*, 965
 - *micacea*, 886
 - *miniata* var. *mollis*, 592
 - *multicolor*, 592
 - *mutabilis*, 965
 - *neoceracea*, 392
 - *nigrescens* var. *brevispora*, 245
 - *nivea* var. *fuscescens*, 483
 - *nouraguensis*, 965
 - *ochraceopallida*, 124
 - *olivaceoviridis*, 245
 - — forma *hirsanensis*, 245
 - *ortoniana*, 965
 - *ortonii*, 293, 433
 - *otsuensis*, 245
 - *pantoleuca*, 245
 - *paraceracea*, 965
 - *parvula*, 84, 245
 - *perplexa*, 483
 - *persistens* var. *cuspidata*, 592
 - — var. *langei*, 760
 - *phaeococcinea*, 483
 - *pomona*, 293
 - *pratensis*, 483
 - — var. *pallida*, 483
 - — forma *vitulina*, 483
 - *pseudoamylospora*, 965
 - *pseudoconica*, 293
 - — var. *tristis*, 965

- *psittacina* var. *abietina*, 1057
 - *purpureofolia*, 965
 - *radiata*, 965
 - *reae*, 293 ('*Reai*')
 - var. *insipida*, 293
 - *riparia*, 965
 - var. *conicopalustris*, 965
 - *roseostriata*, 539
 - *sciophana* forma *minor*, 245
 - *similis*, 539
 - *subacuta*, 245
 - *subcinnabarina*, 245
 - *subflavida*, 245
 - *subglobispora* forma *aurantiorubra*, 483
 - *subminutula*, 245
 - *suzukaensis*, 245
 - *tricolor*, 539
 - *tricoloroides*, 539
 - *troyana*, 965
 - *turunda* var. *macrospora*, 245
 - forma *macrospora*, 245
 - *venusta*, 392
 - *viola*, 483
 - *virinea* var. *fuscescens*, 592
 - *viridis*, 886
- Hygrophoropsis* *bicolor*, 483
- *laevis*, 483
 - *panamensis*, 293
 - *rufescens*, 673, 886
- Hygrophorus* subgen. *Neocamarophyllus*, 1057
- sect. *Discoidei*, 673
 - sect. *Fulventes*, 1057
 - sect. *Nemorei*, 673
 - sect. *Olivaceoumbriini*, 966
 - subsect. *Aurei*, 966
 - subsect. *Discoidei*, 966
 - subsect. *Tephroleuci*, 966
 - *acutoconicus* forma *japonicus*, 245
 - *albinellus*, 433
 - *arbusivus* var. *quercetorum*, 433
 - *atramentosus*, 433
 - *aurantiolutescens*, 483
 - *berkeleyi*, 293
 - *brunneus*, 433
 - *caeruleus*, 392
 - *camarophyllus*, 966
 - forma *melliolens*, 966
 - *carpini*, 50
 - *conicopalustris*, 483
 - *cossus* var. *quercetorum*, 1057
 - *dichrous*, 245
 - *discoideus* var. *californicus*, 433
 - *discoxanthus* var. *chrysaspis*, 966, 1057
 - forma *fageticola*, 1057
 - *eburneus* var. *quercuum*, 483, 539 ('*quercorum*')
 - *euroflavescens*, 483
 - *hypohaemactus* var. *boninensis*, 50
 - *karstenii* var. *vaticanus*, 966
 - *korhonenii*, 539
 - *leucophaeo-ilicis*, 433
 - *lindtneri* var. *carpini*, 966
 - *mamillatus*, 433
 - *nemoreus* var. *gracilis*, 966
 - var. *raphaneus*, 434
 - *nothofagi*, 886

- *ortonii*, 483
 - *penarius* var. *barbatulus*, 966
 - *perfumus*, 434
 - *persoonii* var. *fuscovinosus*, 163 ('*fuscovinosa*')
 - *pseudodiscoideus* var. *cistophilus*, 886
 - var. *formosus*, 966
 - *pseudotephroleucus*, 434
 - *pyrophilus*, 434
 - *quercetorum*, 434
 - *quercuum*, 346 ('*quercorum*')
 - *roseodiscoideus*, 434
 - *roseophyllus*, 886
 - *rubrobrunneus*, 539
 - *sitchensis*, 434
 - *subaustraligus*, 434
 - *subbasidiosus*, 434
 - *subcitrinopallidus*, 434
 - *subellenae*, 434
 - *subfusoides*, 434
 - *subviscifer*, 539
 - *turundus* var. *macrospora*, 245
 - forma *macrospora*, 245
 - *unicolor*, 50
- Hygrotrama* *araguensis*, 966, 1057
- *bicolor*, 245
 - *pedicellata*, 163
 - *phaeophylla*, 483, 1057
 - *phaeoxantha*, 392, 1057
 - *tetraspora*, 966, 1057
- HYMENAGARICUS**, 163
- *alphitochrous*, 163
 - var. *pegleri*, 483
 - *ardosiaeicolor*, 483
 - var. *rufidulus*, 483
 - *calicutensis*, 346
 - *canoruber*, 346
 - *chrysosporus*, 346
 - *cylindrocystis*, 346
 - *epipastus*, 346
 - *erinaceus*, 346
 - *flavidorufus*, 346
 - *globisporus*, 346, 483
 - *gracilis*, 346
 - *hymenopileus*, 163
 - *kivuensis*, 346
 - *laticystis*, 483
 - *luteolosporus*, 346
 - *myriostictus*, 346
 - *nigrovinosus*, 163
 - *nigroviolaceus*, 483
 - *olivaceus*, 483
 - *rubescens*, 346
 - *subaeruginosus*, 346
 - *subepipastus*, 346
 - *viridulus*, 346
- Hymenelia* *ceracea*, 124
- *homalomorpha*, 124
 - *lacustris*, 124
 - *obtecta*, 124
 - *similis*, 124
- Hymeniopeltis* *major*, 539
- HYMENOBIELLA**, 1057
- *aporea*, 1057
- Hymenochaete* *acanthophysata*, 84
- *boidinii*, 1057
 - *borbonica*, 673

— caucasica, 592
 — cervinoidea, 673
 — colliculosa, 592
 — gillesii, 163
 — harpago, 84
 — hauerslevii, 84
 — konradii, 434
 — longispora, 592
 — nanospora, 293
 — paucisetosa, 293
 — senatoumbrina, 592
 — separabilis, 84
 — spathulata, 84
 — sphaerospora, 673
Hymenogaster cangyanshanensis, 483
 — hessei forma bisporus, 434
 — — forma tetrasporus, 434
 — kwangsiensis, 50
 — oblongisporus, 392
 — ozeensis, 15
 — rubroniveus, 346
Hymenopleella hippophaes, 293, 592
Hymenopsis argentinensis, 15
 — saccardoana, 15
 — typhae, 15, 124
Hymenoscyphus africanus, 392
 — alismaceus, 483
 — angustisporus, 834
 — austrobryus, 50
 — borraginaceus, 483
 — buissonii, 483
 — capreae, 483
 — carpinicola, 124 ('carpinicolus')
 — cedricola, 15
 — chloophilus, 50
 — codicum, 483
 — consobrinus, 483, 484
 — contortus, 346
 — crenulatus, 484
 — denticulatus, 484
 — deodarum, 15
 — desertorum, 484
 — discretus, 484
 — duriusculus, 484
 — epiphylloides, 15
 — epiphyllus var. acarius, 484
 — ericae, 293
 — erraticus, 124, 347
 — erythropus, 124
 — euphorbiae, 484
 — fastidiosus, 124
 — filbrillosus, 1057
 — filicinus, 15
 — foliicola, 124
 — fossarum, 484
 — friesii, 15, 124
 — fructigenus var. carpini, 484
 — — var. coryli, 484
 — fucatus, 484
 — furinus, 484
 — graminum, 484 ('graminium')
 — himalayensis, 15
 — inconspicuus, 15
 — kermesinus, 125
 — ligustri, 484
 — lividofuscus, 15
 — luzularum, 484

— malawiensis, 592
 — menthae, 484
 — mirabilis, 484
 — monotropae, 293
 — mussooriensis, 15
 — myrtilli, 484
 — norvegularis, 834
 — nubilipes, 15
 — nudus, 484
 — obtusus, 484
 — paradoxus, 293
 — perplexus, 592
 — peruni, 673
 — phiala, 484 ('phialea')
 — polytrichi, 484
 — populneus, 484
 — pseudociliatus, 125
 — pteridicola, 15
 — putaminum, 484
 — ranarum, 484
 — ravirus, 966
 — resinae-piceae, 673
 — rhizomorphae, 484
 — saccicola, 1057
 — sazavae, 484
 — scutula var. solani, 434, 760
 — sessilis, 125, 347
 — sparsus, 484
 — splendens, 125
 — strangulatus, 484
 — succineus, 484
 — suspectus, 484
 — tehovensius, 484
 — tetraccladius, 125
 — translucens, 125, 484
 — tristis, 125
 — umbilicatus, 84
 — vitreus, 484
 — whitei, 484
HYPASTERIDIUM, 760
Hyperphyscia adglutinata forma
 pyrithrocardia, 245
 — carassensis, 592
 — crocata, 484
 — granulata, 760
 — isidiata, 760
 — minor, 886, 966
 — mobergii, 1058
 — pandani, 760
 — pruinosa, 760
 — pyrithrocardia, 835
 — syncolla, 245
 — tuckermanii, 760
Hyphoderma baculorubrense, 347
 — calcitrata, 347
 — cryptocallimon, 592
 — eucalypti, 835 ('eucalyptii')
 — galactinum, 886
 — iguazuense, 539
 — inusitatum, 392 ('insusitata')
 — leoninum, 245
 — malenconii, 886
 — moniliforme, 886
 — nudicephalum, 886
 — puberis var. dactyliferum, 84 ('pubera var.
 dactylifera')
 — rimosum, 245

[Hyphoderma]

- rude, 15
- sabinicum, 293
- tuberculare, 163
- HYPHODERMOPSIS**, 201
- polonensis, 201
- Hyphodiscosia europaea*, 84
- mirabilis, 84
- Hyphodiscus theiodelus*, 835
- Hyphodontia apacheriensis*, 539
- brevidens, 347
- comptopsis, 84
- granulosa, 886
- irpicoides, 245
- lanata, 84
- lutescens, 539
- orasinusensis, 886
- propinqua, 245
- quercina forma coralloides, 50
- tenuicystidia, 539, 592
- tetraspora, 760
- wrightii, 540
- Hypholoma ambiguum*, 347
- aurantiacum, 245, 392
- castilloi, 50
- chondrodermum, 246
- fasciculare var. mitis, 50
- — var. subviride, 347, 540
- flavifolium, 1058
- flavorhizum, 673 ('flavorhiza')
- frowardii, 434
- intermedium, 246
- olivaceotinctum, 347
- ornellum, 434 ('oruellum')
- puiggarii, 434
- trinitense, 246 ('trinitensis')
- tuberosum, 673
- xanthocephalum, 347
- HYPHOMUCOR**, 592
- assamensis, 592
- HYPHOMYCES**, 886
- destruens, 886
- Hyphonectria erythrostoma*, 84
- Hyphopolynema australe*, 392
- ellisiorum, 392
- HYPHORADULUM**, 592
- conspicuum, 592
- HYPHOTHYRIUM**, 886
- pallidum, 886
- HYPHOZYMA**, 125
- roseonigra, 540
- sanguinea, 125
- variabilis, 125
- — var. odora, 125
- HYPOBRYON**, 293
- bicolor, 293
- heterotropum, 293
- perforans, 293
- poeltii, 293
- validum, 293
- Hypocenomyce anthracophila*, 29
- australis, 347
- caradocensis, 29
- castaneocinerea, 347
- foveata, 347
- friesii, 29
- leucococca, 592

- praestabilis, 347
- sorophora, 125
- stoechadiana, 484 ('Hypocoenomyce')
- xanthococca, 29
- HYPOCHNICIELLUM**, 50
- cremeoisabellinum, 84
- iaganicum, 673
- molle, 84
- ovoideum, 50
- subillaqueatum, 84
- Hypochnicium albostramineum*, 484
- gomezii, 434
- karstenii, 246
- longicystidiosum, 347
- pleurobasidiatum, 673
- rickii, 201
- stratosum, 246
- Hypocrea ampulliformis*, 966
- buteae, 347
- dendrocalami, 347 ('dendrocalamae')
- dipterobia, 540
- echinospora, 85
- grevilleae, 347
- radhanagarensis, 347
- rhizophila, 347 ('rhizophilus')
- rufa forma formosana, 434
- Hypocreopsis xylariicola*, 966
- Hypoderma allii**, 966
- alpinum, 85
- gaultheriae, 16
- labiorum-aurantiorum, 760
- shimanense, 347
- shiraiianum, 760 ('shiraiana')
- Hypodermella occidentalis**, 434
- ('occidentale')
- Hypogymnia alpina**, 592
- australica, 1058
- enteromorphoides, 64
- hengduanensis, 434
- — subsp. kangdingensis, 434
- heterophylla, 202
- hypotrypa, 125
- kosciuskoensis, 64
- laccata, 64
- lugubris var. compactior, 64
- — var. sublugubris, 64
- — forma compactior, 392
- mollis, 202
- occidentalis, 202
- oceanica, 886
- pectinatula, 1058
- pruinosa, 64
- pseudoenteromorpha, 125
- pseudohypotrypa, 125
- pulchrilobata, 64
- pulverata, 64
- sinica, 64
- subarticulata, 673
- subduplicata var. rugosa, 592
- — var. suberecta, 592
- subphsodes var. austerodioides, 64
- subteres, 592
- taiwanalpina, 125
- tasmanica, 1058
- thomsoniana, 592
- tubularis, 64
- turgidula, 64, 592

- wattiana, 592
- Hypomyces aurantius* var. *microspora*, 593
- *australis*, 1058
- *badius*, 966
- *boletiphagus*, 966
- *chlorinigenus*, 966
- *completus*, 966
- *leotiiicola*, 485
- *melanochlorus*, 966
- *microspermus*, 966
- *mycogones*, 485
- *papulasporae*, 485
- — var. *americanus*, 485
- *pseudopolyporus*, 540
- *stephanomatis*, 485
- *subiculosa*, 1058
- *triseptatus*, 163
- *villosus*, 540
- Hyponectria dicalycis*, 125
- *jucunda*, 1058
- *sceptri*, 392
- *therophila*, 760
- HYPOPHLOEDA**, 966
- *rhizospora*, 966
- Hypospilina oharana*, 760
- *pustula*, 293
- HYPOTARZETTA**, 485
- *insignis*, 485
- Hypotrachyna afrorevoluta*, 673
- *aurulenta*, 673
- *colensoica*, 673
- *damaziana*, 673
- *evansii*, 164
- *everniastroides*, 540
- *habenula*, 164
- *heterochroa*, 485
- *horrescens*, 673
- *ligulata*, 164
- *meridensis*, 485
- *meyeri*, 593, 673
- *minarum*, 673
- *osseoalba*, 886
- *paramensis*, 125
- *polydactyla*, 434
- *pustulifera*, 293
- *spatulata*, 673
- *spumosa*, 673
- *subfatiszens*, 835
- *swinscowii*, 673
- Hypoxylon aeneum* var. *aureoluteum*, 540
- *aeruginosum* var. *macrosporum*, 434
- *atropurpureum* var. *brevistipitatum*, 540
- *atroroseum*, 125
- *bambusae*, 760
- *carbonaceum*, 540
- *chestersii* var. *microsporum*, 434
- *citriforme*, 760
- *cohaerens* var. *microsporum*, 50
- — var. *tenuior*, 593
- *diospyri*, 760
- *dumontii*, 434
- *duranii*, 434
- *gillesii*, 202
- *gwyneddii*, 293
- *hypomiltum* var. *microsporum*, 540
- *julianii*, 540
- *lophirae*, 835
- *maculosum*, 673
- *mammatum*, 1058
- *munkii*, 760
- *musceum*, 125
- *oceanicum*, 886
- *pithecellobii*, 761 ('*pithecolobiae*')
- *punctidiscum*, 50
- *rogersii*, 85
- *rubiginosum* var. *cercidicola*, 540
- — var. *microsporum*, 85
- — var. *perforatum*, 540
- *ticinense*, 540
- *uniapiculatum* var. *macrosporum*, 50
- *weldenii* var. *microsporum*, 50
- Hypoxylonites ellipsoideus*, 293
- *elongatus*, 294
- *xylarioides*, 294
- Hypoxylopsis rehmaniana*, 434
- Hypsizygus ulmarius*, 392
- Hysterangium epiroticum*, 540
- *hokkaidoense*, 540
- *salmonaceum*, 434
- *simlense*, 294 ('*simlensis*')
- Hysterogaster fusisporus*, 434
- *tasmanicus*, 434
- Hysterographium indicum*, 85
- *minus*, 347
- HYSTERONAEVIA**, 347
- *advena*, 347
- *cincturata*, 347
- *clavulifera*, 347
- *holoschoeni*, 347
- *kobayasii*, 347
- *luzulicola*, 347
- *lyngei*, 347
- *minutissima*, 347
- *olivacea*, 347
- *scirpina*, 347
- *stenospora*, 347
- Hysteropatella oregana*, 593
- Hysteropeziza pubescens*, 593
- *pusilla*, 593
- Hysteropezizella diminuens* var. *crystallophora*, 761
- *holmii*, 1058
- *magellanica*, 16, 761
- *prahlia* var. *orcadensis*, 294
- Hysterostegiella crassomarginata*, 1058
- *dowardensis*, 294
- *dumeti*, 294
- *juniperina*, 966
- *lauri*, 294
- *quercea*, 294
- Hysterostomella sparsa*, 593
- Idiocercus australis*, 761
- Idriella bolleyi*, 85
- *caespitosa*, 164
- *campnospermae*, 435
- *cubensis*, 593
- *falcata*, 164
- *grisea*, 164
- *malabarica*, 966
- *rara*, 435
- *setiformis*, 593
- *stilboidea*, 593
- *tainanensis*, 85
- *taiwanensis*, 16

- ILEDON, 540
 — versicolor, 540
 IMMERSARIA, 1058
 — athroocarpa, 1058
 IMMOTTHIA, 673
 — hypoxylon, 673
 IMSHAUGIA, 435
 — aleurites, 435
 — placorodia, 435
 Inapertisporites asymmetricus, 294
 ('asymmetricus')
 — cacheutensis, 294
 — cephalus, 347 ('cephala')
 — dilcheri, 347
 — ellipticus, 347
 — elongatus, 202
 — globosus, 294
 — globulosus, 202
 — granulatus, 202
 — granulosus, 347
 — hammenii, 347
 — ibrahimii, 966
 — laevigatus, 392
 — major, 202
 — miocenicus, 673
 — pseudoreticulatus, 392
 — punctatus, 348, 392
 — quadrangularis, 348
 — rotundus, 202, 294
 — tetradus, 202
 — udarii, 761
 Inapertisporonites circularis, 125
 — disciformis, 125
 — irregularis, 125
 — longissimus, 125
 — nodulus, 125
 — obpyriformis, 125
 — obscurus, 125
 — ovalis, 125
 — pulvinatus, 125
 — reniformis, 125
 — reticulatus, 125
 — scabridus, 125
 — subcapsularis, 125
 — subcurvatus, 125
 — subovoideus, 125
 — vittatus, 125
 — vulgaris, 126
 INCRUCIPULUM, 485
 — capitatum, 485
 — ciliare, 485
 — sulphurellum, 485
 — virttembergense, 485
 Incrupila alata, 202
 — kondarensis, 202
 — narynica, 202
 — sulphurea, 485
 INCRUPILELLA, 673
 — flexipila, 673
 INCRUSTOCALYPTELLA, 294
 — columbiana, 294
 — pseudopanacis, 294
 Incrustoporia overholtsii, 294
 INDURATIA, 673
 — apiospora, 674
 INFUNDIBURA, 85
 — adhaerens, 85
 Ingoldiella nutans, 967
 INIFATIELLA, 485
 — nectandrae, 485
 INOCUTIS, 392
 — dryophila, 392
 — rheades, 392
 — tamaricis, 392
 Inocybe aberrans, 886
 — abnormispora, 835
 — adaequata var. rhodiola, 761
 — aequalis, 886
 — agardhii var. arenaria, 294
 — albofibrillosa, 593
 — alboberonata, 886
 — albovelata, 392
 — albovelutipes, 50
 — alboviscida, 886
 — alienospora, 886
 — alnea, 50
 — althoffiae, 50, 164
 — amazoniensis, 294
 — amethystina, 761
 — amoenolens, 886
 — ampullaceocystidiata, 485
 — amygdalina, 887
 — angulato-squamulosa, 540, 593
 — angustifolia, 887
 — antillana, 246
 — arenacolens, 50, 164
 — arenicola, 246
 — — var. mediterranea, 761
 — — forma albida, 348
 — arthroscystis, 887
 — auricomella, 887
 — aurora var. inodorata, 246
 — ayeri, 674
 — bivela, 887, 1058
 — boltonii, 835 ('boltoni')
 — — subsp. giacomii, 835
 — — var. ionipes, 835
 — bongardii var. pisciodora, 761
 — bresadoliana, 246
 — brevicystis, 761
 — brevipes, 1058
 — brunneovillosa, 540 ('brunneovillosus')
 — calamistrata forma gracilis, 246
 — calospora forma pectinata, 50
 — castanea, 761
 — casuarinae, 50, 164
 — chondrospora, 50
 — chrysocephala, 887
 — cinninata var. major, 967
 — cingulata, 50, 164
 — cingulatipes, 887
 — claviger, 126
 — coelestium, 485
 — concinnula forma subconcinnula, 887
 — conicoalba, 50, 164
 — cookei var. kuthanii, 761
 — cordalina var. erinaceomorpha, 485
 — corneri, 887
 — crassicystidiata, 246
 — derbschii, 392
 — descissa forma bisporigera, 246
 — dulcamara var. squamosoannulata, 967
 — dulcamaroides, 887
 — dunensis var. paucicytidiosa, 348

- forma paucicystidiata, 887
- echinosimilis, 887
- erythospilota, 392
- eutheles var. claricolor, 348
- — var. commutabilis, 348 ('Inobybe')
- — var. eutheloides, 348
- — var. fusodeicystis, 348
- — var. kuehneri, 348 ('Kühneri')
- — var. xanthodiscoides, 348
- exiguispora, 835
- fastigiata var. aladior, 348
- — var. alpestris, 593
- favrei, 593
- — var. mundula, 593
- fibrillosibrunnea, 674
- flavella var. roseipes, 761
- flocculosa var. crocifolia, 761
- — var. ferruginea, 761
- fraudans var. capitatocystidiosa, 1058
- — var. incarnata, 761
- friesii var. epixantha, 887
- fulvipes, 887
- furfurea var. rufotacta, 761
- fuscescentipes, 887
- fuscidula, 246
- — var. bisporigera, 761
- fuscomarginata var. paludicola, 348
- — forma leucolepis, 887
- fuscoperonata, 50, 164
- fuscospinulosa, 50, 164
- gemina, 887
- geraniodora var. velifera, 887
- giacomii, 835
- gibbosula, 887
- godfrinioides, 887
- granulosiceps, 887
- graveolens, 887
- guttulifer, 887
- — forma inamoena, 887
- gymnopilus, 887
- halophila var. fuscolamellata, 392
- hebelomoides, 887
- heimiana, 348
- heimii, 348
- hemileuca, 887
- heterochrominea, 246
- heterocystis, 887
- hinnulea, 887
- hirtella var. bispora, 761
- — forma bispora, 1058
- holoxantha, 126
- horakomyces, 887
- huijsmanii, 761
- humilis, 835
- hydrocybiformis, 887
- hygrophana, 126
- hygrophoroides, 485
- hypotheja, 887
- ianthinofolia, 246
- imbricata, 887
- immaculipes, 887
- immigrans, 164
- impexa, 761
- incognita, 887
- indica, 348
- infumata, 887
- ingae, 246
- intricata var. pallidistipitata, 246
- involuta, 967
- ionides, 50, 164
- javorkae, 485
- johannae, 887
- jurana var. rhodiola, 435
- lacera var. aberrans, 246
- — var. helobia, 761
- — var. latispora, 888
- — var. maritima, 348
- — var. regularis, 761
- — var. rhacodes, 761
- — forma heterospora, 835
- — forma megaspora, 887
- laeta, 967
- langei var. heterosporoides, 246
- — forma bispora, 761
- — forma major, 246
- lanuginosa var. alpina, 967
- — var. longicystis, 761
- lasseroideus, 888
- lepiotoides, 246
- leptospermi, 888
- leucoloma, 888
- littoralis, 246
- luteifolia, 888
- lutescens var. roseo-inhalata, 51
- — macrospora, 674
- magnifica, 888
- malenconii var. megalospora, 393
- manukanea, 888
- martinica, 246
- mediocris, 888
- melliolens, 888
- menthi-gustans, 888
- microfastigiata, 888
- microteroxantha, 126
- minimispora, 485
- mixtilis var. aurata, 674
- multicingulata, 51, 164
- mundula var. pseudodecipiens, 1058
- mussooriensis, 348
- mycenoides, 761
- mystica, 51
- mytiliodora, 835
- nana, 1058
- neotropialis, 294
- nitidiuscula forma ampullacea, 888
- — forma epixantha, 294
- nobilis, 674
- notodryina, 294
- oblectabilis var. odora, 485
- obscura var. transiens, 393
- obscuroides forma heterospora, 348
- obtusiuscula, 888
- ochracea, 51
- ochrorufa, 348
- oehrensii, 888 ('oehrensi')
- olivaceobrunnea, 761
- olivaceonigra, 888
- — forma volvata, 888
- olorinata, 51, 164
- pahangi, 888
- pallidipes forma flagellata, 246
- paludinella forma citrophylla, 51
- paludosa, 888
- papillata, 888

[Inocybe]

- paracerasphora, 888
 - paralanuginosa, 246
 - parvispora, 674
 - patibilis, 835
 - pedemontana, 674
 - pegleri, 348 ('peglerii')
 - pelargoniodora, 888
 - permucida, 246
 - phaeocomis, 761
 - — var. major, 761
 - — var. transiens, 888
 - phaeocystidiosa, 593
 - phaeodisca var. diosma, 393
 - piceae, 485
 - pintureaui, 393
 - plocamophora, 294
 - polytrichi-norvegici, 888
 - procera, 51, 164
 - psammophila, 348
 - pseudoasterospora var. microsperma, 393
 - pseudobrunnea, 674
 - pseudoflocculosa, 888
 - pseudograta, 246
 - pseudohaemacta, 435
 - pseudoreducta, 126
 - punctatosquamosa, 888
 - pusillima, 888
 - pusio var. obscurissima, 888
 - — forma elegans, 246
 - — forma velata, 246
 - queletii var. autumnalis, 348
 - quercina, 246
 - ravaensis, 485
 - rickenii, 835
 - rimosa var. bulbosissima, 888
 - — var. cerina, 1058
 - — var. flavella, 1058
 - — forma argentata, 888
 - — forma perlata, 1058
 - romana, 967
 - rosellicaularis, 246
 - rufotacta, 393
 - rufula, 540
 - rufuloides, 348
 - — var. exilis, 762
 - salicis-herbaceae, 888
 - saponacea, 762
 - scabella var. fulvella, 674
 - scabra, 485
 - scissa, 888
 - semifulva, 126
 - shoreae, 888
 - solidipes, 888
 - splendens var. phaeoleuca, 762
 - squarrosoannulata, 888
 - squarrosolutea, 888
 - stangliana, 762
 - staurospora, 889
 - stenospora, 393
 - straminea, 889
 - striaepes, 889
 - strigiceps, 51, 164
 - — forma pygmaea, 51, 164
 - subannulata, 889
 - subbrunnea var. subconicospora, 348
 - — forma sabulosa, 348
 - subclavata, 889
 - subfusca, 889
 - subhirsuta, 889
 - subhirtella, 348
 - submuricellata var. stenosperma, 246
 - suboreina, 1058
 - subpaleacea, 889
 - subpelargonium, 202
 - subporospora, 762
 - substellata, 889
 - substraminea, 674
 - substraminipes, 889
 - sulcata, 1058
 - taxocystis, 674
 - tenbricoides, 889
 - tenerella, 1058
 - tenuicystidiata, 85
 - terrigena, 485
 - tetragonospora, 889
 - tjallingiorum, 762
 - tropicalis, 202
 - umbrinodisca, 889
 - umbrinofusca, 889
 - umbrinovirens, 51, 164
 - undulatospora, 967
 - urbana, 674
 - urceollicystis, 835
 - variabilissima var. ionipes, 348
 - velenovskyi, 393
 - vinosistipitata, 246
 - violaceovelata, 51, 164
 - violeipes, 51, 164
 - viridiumbonata, 246
 - viscata, 889
 - vulpinella var. fuscolamellata, 202, 294
 - whitei forma armeniaca, 762
 - xanthocephala forma roseipes, 762
 - xantholeuca, 762
 - xanthophylla, 247, 762
 - — forma roseipes, 247
 - xerophytica, 247
 - zonatipes, 51, 164
- INOCYBELLA, 16, 85
- calospora, 16, 85
- Inonotus albertinii, 762
- circinatus, 435
 - dryadeus var. brevisporus, 126
 - duostratosus, 762
 - fimbriatus, 435
 - flavidus, 348
 - gilvoides, 435
 - hamusetulus, 348
 - hastifer, 85
 - longisetulosus, 294
 - micantissimus, 835
 - orientalis, 435
 - pseudoradiatus, 348
 - quercustris, 435
 - sinensis, 435
 - substygius, 435
 - tomentosus, 435
 - venezuelicus, 674
- INOPILUS, 247
- avilanus, 247
 - bombycinus, 247
 - brunneus, 540
 - cystidiophorus, 247

- dennisii, 247
- entolomoides, 247
- foldatsii, 247
- glycosmus, 247
- infundibuliformis, 540
- inocephalus, 247
- kamerunensis, 247
- maculosus, 247
- magnificus, 247
- miniatus, 247
- siparianus, 247
- speciosus, 247
- tucuchensis, 247
- versatilis, 247
- virescens, 540
- INSOLIBASIDIUM**, 393
 - deformans, 393
- INTERCALARISPORA**, 294
 - nigra, 294
- Intextomyces cystidiatus*, 762
 - umbrinus, 16
- Involutisporonites kutchensis*, 85
 - putus, 202
- IODOSPHAERIA**, 674
 - phyllophila, 674
 - ripogoni, 674
- Ionaspis epulotica* var. *macrocarpa*, 126
 - fuegensis, 1058
 - granvina, 1058
 - ventosa, 1058
- Ionomidotis australis*, 835
- Irenopsis eriolaenae*, 1059
 - leae var. *indica*, 1059
- Irpex regularissimus*, 889
- Irpicomycetes bambusicola*, 16
- Isaria ovi*, 435
 - stenocoli, 247
 - tax, 348
- Isariella candida*, 967
- Isariopsis destructiva*, 889
 - ecuadorensis, 889
 - indica var. *mori*, 247 ('more')
 - irregularis, 889 ('irregulare')
 - narkandensis, 889
 - salicina, 889
 - vossiana, 889
- Ischnoderma brasiliense*, 967
 - brunneipurpureum, 967
 - concentricum, 967
 - friabile, 967
 - porphyrites, 967
 - rosulatum, 762 ('rosulata')
 - solomonense, 967
 - — var. *trimiticum*, 967
- Isia anixielloides*, 164
- ISOSOMA**, 967
 - carnosum, 967
- Issatchenkia occidentalis*, 294
 - scutulata, 294
 - — var. *exigua*, 294
 - terricola, 294
- Isthmolongispora ampulliformis*, 294
 - asymmetrica, 674
 - geniculata, 835
 - lanceata, 295
 - rotundata, 674
- Isthmotricladia britannica*, 164
- ISUASPHAERA**, 164
 - isua, 164
- ITYORHOPTRUM**, 540
 - verruculosum, 540
- IXECHINUS**, 247
 - majus, 247
 - minus, 247
 - viridis, 164
- Jacksonomyces lividus*, 164
 - subcretaceus, 164
- Jafneadelphus foliicola*, 85 ('foliicolus')
 - tectipus, 85
- JAHNOPORUS**, 85
 - hirtus, 85
- JANAUARIA**, 674
 - amazonica, 674
- Janetia bacilliformis*, 16
 - bonarii, 295
 - canescens, 889
 - capnophila, 295
 - cubensis, 674
 - garryae, 295
 - interna, 393
 - leprosa, 295
 - longispora, 435
 - mangiferae, 295
 - refugia, 889
- JAPONOGASTER**, 967
 - oohashianus, 967
- JARXIA**, 967
 - thelenula, 967
- Jattaea ceanothina*, 435
 - curvicolla, 435
- JAVARIA**, 540
 - samuelsii, 540
- JOERSTADIA**, 202
 - alchemillae, 202
 - aliena, 202
 - keniensis, 202
 - patouillardii, 202
- Johansonia cupulata*, 674
- JOHNCOUCHIA**, 295
 - mangiferae, 295
- Johnstonia* see *Neojohnstonia*
- JUBISPORA**, 540
 - acaciae, 540
- Julella fallaciosa*, 762
 - lactea, 593
 - — var. *naegelii*, 593
 - multiloculata, 967
 - sublactea, 762
 - vitrispora, 593
- JULIOHIRSCHHORNIA**, 967
 - linderi, 967
- JUNCTOSPORA**, 126
 - pulchra, 126
- Junghuhnia carneola*, 435
 - collabens var. *meridionalis*, 889
 - complicata, 348
 - fimbriatella, 295
 - microspora, 247
 - polycystidifera, 835
 - rhinocephalus, 348
 - semisupiniformis, 435
 - subfimbriata, 393
 - undigerus, 348
 - vineta, 889

Kabatia periclymeni var. *xylostelei*, 16
 — *persica*, 16
KAKABEKIA, 393
 — *edouardii*, 295 ('*eduardi*')
 — *umbellata*, 393
KALAALLIA, 1059
 — *reactiva*, 1059
KALBIANA, 889
 — *brasiliensis*, 889
KALEIDOSPORIUM, 85
 — *fenestratum*, 85
Kalmusia clivensis, 674
Kamatella apiospora, 16
KAMESHWAROMYCES, 486
 — *globosus*, 486
KANANASCUS, 348
 — *koorchalomagnatus*, 348
 — *verrucisporus*, 349
KAPOORIA, 967
 — *musarum*, 967
Karlingia lacustris, 295
 — *lobata* var. *microspora*, 541
 — *polonica*, 295
KAROOWIA, 967
 — *adhaerens*, 967
 — *adligans*, 967
 — *arquata*, 967
 — *ganymedea*, 967
 — *insipida*, 967
 — *leptoplaca*, 967
 — *microscopica*, 967
 — *perspersa*, 967
 — *protocetrarica*, 967
 — *ralla*, 967
 — *salazinica*, 968
 — *saxeti*, 968
 — *scitula*, 968
 — *spissa*, 968
 — *squamatica*, 968
 — *subchalybaeizans*, 968
Karschia alpicolae, 1059
Karstenia clematidis, 16
 — *gregaria*, 593
 — *macer*, 16
 — *maydis*, 16
 — *rubicola*, 16
KARSTENIOMYCES, 16
 — *peltigerae*, 16
 — *tuberculosis*, 1059
Karstenula rousseliana, 674
 — *shepherdiae*, 593
Kavinia globispora, 435
Kazulia foliicola, 435
KEINSTIRSCHIA, 968
 — *megalosperma*, 968
Keissleriella bavarica, 85
 — *fusispora*, 889
KEISSLERIOMYCES, 85
 — *sandstedeanus*, 85
Kendrickomyces brevisporus, 435
KENSINJIA, 968
 — *umbrina*, 968
KENTINGIA, 968
 — *corticola*, 968
Keratinomyces ceretanicus, 349
Keratinophyton durum, 486

Kernella lauricola var. *phoebes*, 295
 ('*phoebae*')
Kernia cauquensis, 349
 — *peruviana*, 889
 — *retardata*, 126
 — *setadisperma*, 16
KETUBAKIA, 674
 — *indica*, 674
KILIASIA, 393
 — *athallina*, 393
 — *episema*, 393
 — *philippea*, 393
 — *riparia*, 393
 — *scotinodes*, 835 ('*scotinoides*')
 — *tristis*, 393
KIONOCEPHALA, 541
 — *catenulata*, 541
KIONOCHAETA, 486
 — *aristata*, 486
 — *ivoriensis*, 486
 — *keniensis*, 486
 — *malaysiana*, 486
 — *nanophora*, 762
 — *pughii*, 762
 — *ramifera*, 486
 — *spissa*, 486
 — *virtuosa*, 486
KIRSCHSTEINIOTHELIA, 486
 — *acerina*, 486
 — *aethiops*, 486
 — *maritima*, 486
 — *recessa*, 486
 — *striatispora*, 486
 — *thujina*, 486
Klasterskya coronata, 889
 — *crenata*, 889
 — *splendens*, 85
Kloeckera brevis var. *rohrbachensis*, 541
 ('*rohrbachense*')
 — *japonica*, 164 ('*Kloeckeria*')
Kluyveromyces marxianus var. *bulgaricus*, 51
 — — var. *dobzhanskii*, 51
 — — var. *drosophilurum*, 51
 — — var. *lactis*, 51
 — — var. *vanudenii*, 51
 — — var. *wikenii*, 51
 — *yarrowii*, 593
Kneiffiella abieticola, 126
 — *alienata*, 126
 — *alutacea*, 126
 — *alutaria*, 126
 — *arguta*, 126
 — *aspera*, 126
 — *breviseta*, 126
 — *cineracea*, 126
 — *crustosa*, 126
 — *curvispora*, 126
 — *efibulata*, 126
 — *floccosa*, 126
 — *halonata*, 126
 — *hastata*, 126
 — *involuta*, 126
 — *juniperi*, 126
 — *microspora*, 126
 — *nespori*, 126
 — *pallidula*, 126
 — *pilaecystidiata*, 126

- quercina, 126
- spathulata, 126
- subalutacea, 126
- verruculosa, 126
- KNOXDAVIESIA**, 762
- proteae, 762
- KOCHIOMYCES**, 51
- dichotomus, 51 ('dichotomum')
- KOHLMEYERA**, 16
- complicatula, 16
- KOHLMEYERIELLA**, 295
- tubulata, 295
- KOMPSOSCPHYA**, 968
- chudei, 968
- phyllogena, 968
- waterstonii, 968
- zizyphi, 968
- KONENIA**, 762
- bambusae, 762
- KONTOSPORA**, 1059
- halophila, 1059
- Koorchaloma bambusae**, 349
- jamaicense, 349
- occidentale, 349 ('occidentalis')
- Koordersiella deightonii**, 762
- goianensis, 85 ('Koordesiella')
- insectivora, 762
- KORALIONASTES**, 762
- angustus, 762
- ellipticus, 762
- ovalis, 762
- KORUNOMYCES**, 85
- terminaliae, 85
- zapatensis, 541
- Kostermansinda minima**, 674
- KOSTERMANSINDIOPSIS**, 593
- theobromae, 593
- KRAMABEEJA**, 126
- shrungashakha, 126
- Kretzschmaria bengalensis**, 541
- intracolorata, 674
- KRIEGLSTEINERA**, 889
- lasiosphaeriae, 889
- Krombholziella aberrans**, 435
- albella, 202
- americana, 202
- arenicola, 202
- areolata, 202
- atrostipitata, 202
- avellanea, 593
- brunneobadia, 435
- carpini, 435, 594
- chalybaea, 202
- cinnamomea, 202
- coffeata, 202
- coloratipes, 594
- corsica, 594
- crocipodia var. luteoporus, 435
- crocistipidosa, 594
- extremiorientalis, 202
- fibrillosa, 202
- flavostipitata, 202
- hispanica, 435
- holopus, 202
- insignis, 202
- lepida, 435, 594
- melanea, 202
- mollis, 435 ('molle')
- murinacea, 594
- nigrescens, 202
- nivea, 435, 594
- obscura, 203
- olivaceopallida, 203
- oxydabilis, 203
- pallidistipes, 203
- pellstoniana, 203
- percandida, 203
- piceina, 203
- ponderosa, 203
- potteri, 203
- pseudocarpini, 435
- pseudoscabra, 203
- quercina, 203
- rimulosa, 203
- roseofracta, 203
- roseotincta, 203
- rotundifoliae, 203
- rufa, 594
- rufescens, 203
- rugosa, 435
- rugosiceps, 203
- salicola, 203
- sardoa, 435
- schistophila, 594
- snellii, 203
- subatrata, 203
- subcinnamomea, 594
- subleucophaea, 203
- subrobusta, 203
- subrotundifoliae, 594
- subtestacea, 203
- thalassina, 594
- tlemcenensis, 435
- umbrinoides, 594
- variabilis, 203
- variicolor, 203
- variobrunnea, 203
- versipellis, 435, 594
- vulpina, 203
- Kuehneola ramacharii**, 436
- spondiadis, 541 ('spondias')
- Kuehneromyces lignicola**, 436, 594
- marginellus, 436
- nothofagi, 889 ('nothofagis')
- populicola, 675
- terrestris, 295
- vernalis, 594
- vinicolor, 247
- Kumanasamuha kalakadensis**, 968
- KUTCHIATHYRITES**, 85
- eccentricus, 85
- KUZUHAEA**, 486
- moniliformis, 486
- KYLINDRIA**, 295
- clavata, 295
- ellisii, 295
- excentrica, 436
- keitae, 675
- obesispora, 968
- oblongispora, 295
- pluriseptata, 675
- triseptata, 295
- zignoëllae, 295
- KYPHOMYCES**, 436

[KYPHOMYCES]

- ansatus, 436
- appendiculatus, 436
- argentinensis, 436
- bicornis, 436
- carinatus, 436
- copropori, 436
- devexirostris, 436
- filarius, 436
- grenadinus, 436
- philippinus, 436
- platensis, 436
- rhizophorus, 436
- stilici, 436
- thinocharinus, 436
- Laboulbenia admirabilis, 594, 763
- amphicis, 763
- anatrachidis, 968
- anoplogenii subsp. abaceti, 486
- anosyana, 126
- arnaudii, 541
- baerii, 541
- baetica, 203
- baliensis, 486
- biondii, 51
- bordonii, 541
- brignolii, 541
- broscosomae, 486
- cantabrica, 486
- carelica, 295
- curculionidicola, 763
- cyrtomatis, 51
- deuvei, 393, 675
- durantonii, 541
- encaustis, 763
- eubradycelli, 486
- fennica, 295
- flabelliformis, 763
- geminata, 541
- ghanaensis, 541
- gratiellae, 675
- hastiana, 295
- hingstonii, 436
- indohii, 763 ('indohi')
- inversa, 393
- jovetae, 541
- kajanensis, 295
- kobilae, 486
- kurosae, 763
- kwangjuensis, 763 ('Laboulbenia')
- lamottei, 203
- lecoareri, 486
- loeffleriae, 203 ('löffleriae')
- luxurians subsp. immaculata, 486
- maecolaspidis, 51
- malaysiana, 16
- marvinii, 486
- matilei, 51
- meridensis, 51
- micropedini, 968
- mochtheri, 675
- moiwae, 51
- monandra, 203
- murmanica, 295
- nisotrae, 126
- oodiphila, 295
- orghidanii, 541
- oxyglymmatis, 486
- perigonae, 675
- peruviana, 763
- pitraeana, 436
- protuberans, 486
- pucallpae, 763
- reicheiae, 968
- remex, 541
- rucujenna, 541
- sbordonii, 51
- schulleri, 51
- sciakyi, 164
- sinica, 164
- sphiracephalae, 675
- taurica, 164
- timurensis, 675
- trochantericola, 486
- tsacasi, 51
- vignae, 51
- yurikoe, 486 ('yurikoi')
- Labridella subramanianii, 85 ('Labridiella')
- transvalensis, 85 ('Labridiella')
- Labyrinthomyces subgen. Simplex, 835
- phymatodeus, 835
- turbinatus, 835
- westraliensis, 541
- — var. parvulosporus, 541
- Labyrinthula apis, 164
- Laccaria affinis, 295
- — var. anglica, 295
- — var. carbonicola, 594
- — var. ochrosquamulosa, 763
- — var. sardoa, 436
- — var. subalpina, 1059
- — var. tatrensis, 1059
- — forma macrocystidiata, 889
- amethysteo-occidentalis, 349
- anglica, 541
- gomezii, 889
- laccata var. crispa, 890
- — var. lutea, 295
- — var. pruinosisipes, 675
- — var. pseudobicolor, 203
- lutea, 968
- maritima, 763
- nobilis, 349
- oblongospora, 349
- olivaceogrisea, 675
- pumila forma filuloides, 1059
- scotica, 541
- singeri, 675, 968 ('singerii')
- tetraspora var. major, 349, 541
- — forma major, 541
- trichodermophora, 349
- vinaceobrunnea, 349
- Lachnella sect. Australes, 675
- bicolor, 1059
- disseminata, 295
- filicina, 541
- subiculosa, 295
- Lachnellula sect. Fuscolachnellula, 763
- aeruginosa, 126
- eucalypti, 675
- intricata, 675
- occidentalis, 127
- pittospori, 51
- — subsp. azorica, 85

- robusta, 541
- viridiglaucula, 85
- Lachnum* sect. *Incrucipulum*, 763
- sect. *Longipilum*, 763
- abnorme, 349 ('abnormis')
- aconiti, 836
- aculeatum, 349
- albidulum, 594
- albocitrinum, 675
- albopileatum, 594
- aleurodes, 594
- alnifolium, 594
- altaicum, 541, 594
- apalum var. *beatonii*, 675
- asiaticum, 486
- aspidicola, 594
- attenuatum, 349
- australe, 675 ('australis')
- — var. *lasiopoda*, 675
- australiense, 675
- avellaneo-melleum, 594 ('avellaneo-mellea')
- belonidioides, 486 ('Lachum')
- berggrenii, 675
- blechnophilum, 675
- brasiliense, 349
- brevipilosum, 486
- brevipilum, 487
- brevispora, 594
- brevisporum, 675
- calosporum, 349
- candidum, 675
- capitatum, 487
- castaneicola, 595
- chusqueae, 349
- clavigerum, 487
- clavisorum, 1059
- confertum, 675
- correae, 675
- corticola, 595
- curtipilum, 675, 968
- cyphelloides, 349
- dalhousianum, 349
- darjeelingense, 595
- dasiphorae, 595
- deflexum, 595
- dumorum, 541
- ellipsosporum, 675
- elongatisporum, 487
- emERICI, 487
- erythrinicola, 349
- eucalypticola, 675
- fagicola, 595 ('fagicolum')
- filiceum, 675
- flavidulum, 436
- fuscidulum, 595
- gahniae, 675
- hissaricum, 595
- hyalopus, 675
- impudicum, 487
- indicum, 349
- javanicum, 436
- juncinum, 675
- kumaonicum, 487
- labradoricum, 541
- lagerheimii, 349
- lanariceps, 675
- ledi, 595
- lespezeae, 595
- luteocarpum, 595
- luteodiscum, 1059
- mapirianum, 595 ('maprianum')
- melanophthalmum, 676
- minutissimum, 541, 595
- misellum, 541
- myricaceum, 1059 ('myricacea')
- nainitalense, 595 ('nainitalensis')
- nilgherrensis, 487
- nipponicum, 393
- nothofagi, 676
- novoguineense, 676
- oblongo-ellipticum, 349 ('oblongus-ellipticum')
- olivaceobrunneum, 676
- palearum, 164, 487
- palmae, 676
- patena, 349
- perplexum, 164, 595
- pinnicola, 676 ('pinnicolum')
- ponticum, 595
- pritzelianum, 676
- pseudocannabinum, 487
- pteridicola, 676 ('pteridicolum')
- pteridophyllum, 676
- pubescens, 1059
- pudicelloides, 487
- pulverulentum var. *fruticicola*, 836
- radovii, 393
- rubi, 487
- rubropunctatum, 836
- sasae, 487
- scabrovillosum, 487
- schoenoplecti, 836, 1059
- sclerotii, 349
- sesleriae, 487
- sinegoricum, 487
- sopitii, 595
- subnudipes, 487, 541
- subvirgineum, 487
- sulphurellum, 595
- tenuipilosum, 836
- tenuissimum, 436, 487
- thindii, 487
- turkestanicum, 595
- vantschense, 595
- varians, 595, 676
- — var. *pteridophyllum*, 595 ('pteridophyllus')
- virtembergense, 487 ('virtembergensis')
- willisii, 676
- Lacrimasporonites bellus*, 349
- longus, 85
- major, 203
- minutaestriatus, 203
- ovaliformis, 349
- oviformis, 295
- reniformis, 295
- singularis, 127
- traversei, 968 ('traversii')
- Lacrymaria lacrymabunda* var. *velutina*, 247
- — forma *gracillima*, 247
- Lactarius affinis* var. *viridilactis*, 51
- *alachuanus* var. *amarissimus*, 51
- *albivellus*, 51

[Lactarius]

- albocarneus var. glutinovirens, 541
- alnicola var. pitkinensis, 51
- — var. pungens, 51
- alpinus var. mitis, 51
- amazonensis, 295
- angustifolius, 51
- annulatoangustifolius, 968
- annulifer, 296
- aquizonatus, 393
- areolatus, 51
- argillaceifolius, 51
- — var. dissimilis, 51
- — var. megacarpus, 51
- aroostookensis, 51
- atrobadius, 51
- atro-olivaceus, 51
- aurantiofulvus, 541
- auriolla, 393
- ausablensis, 51
- badiopallescens, 51
- barrowsii, 52
- bertillonii, 16
- blennius forma alboidopallens, 542
- — forma virescens, 247
- blumii forma betularum, 164
- brasiliensis, 296
- bubalinus, 52
- caespitosus, 52
- californiensis, 52
- campinensis, 542
- canadensis, 247
- carminascens, 52
- cascadenis, 52
- changbainensis, 393
- chelidonium var. chelidonioides, 52 ('cheilidonioides')
- chromospermus, 164
- cinereus var. fagetorum, 52
- circellatus var. borealis, 52
- cocosiolens, 436 ('Lacterius')
- constans, 52
- cordovaensis, 52
- costaricensis, 296
- deliciosus var. deterrimus, 52
- — var. olivaceosordidus, 52
- depressus, 52
- dispersus, 52
- dunfordii, 52
- eburneus, 85
- — var. ervinii, 51
- eucalypti, 676
- favrei, 203
- fragilis, 52
- — var. rubidus, 52
- frustratus, 52
- fuliginosus var. albipes, 16
- fumosus var. fumosoides, 52
- fusco-olivaceus, 52
- — var. graveolens, 52
- gerardii var. fagicola, 52
- — var. subrubescens, 52
- gigasporus, 296
- gossypinus, 52
- guanacastensis, 296
- hibbardae var. glaucescens, 52
- highlandensis, 52

- himalayanus, 349 ('himalayana')
- hygrophoroides var. lavendulaceus, 52
- — var. odoratus, 52
- — var. rugatus, 52
- hysginus var. americanus, 52
- — var. subroseus, 52
- igapoensis, 542
- incarnatozonatus, 52
- indigo var. diminutivus, 52
- kabansus, 52
- kauffmanii, 52
- — var. sitchensis, 52
- laricinus, 968
- leonis, 393
- lepidotus, 52
- lignyotus var. marginatus, 52
- — var. nigroviolascens, 52
- luculentus var. laetus, 52
- luteocanus, 52
- luteolus forma kuehnerianus, 52
- mackinawensis, 52
- mairei var. ilicis, 968
- mamorensis, 296 ('Lacterius')
- manzanitae, 436
- midlandensis, 52
- moschatus, 52
- moseri, 542
- mucidus var. fuscogriseus, 52
- — var. mucidioides, 52
- muscicola, 52
- nancyae, 52
- necator forma ochroleucoides, 296
- neotabidus, 247
- neuhoffii, 52
- — var. fragrans, 52
- nimkeae, 52
- olivaceobrunneus, 52
- olivaceo-umbrinus, 53
- olivinus, 393
- olympianus, 53
- pallescens, 53
- — var. palmerensis, 53
- pallidiolivaceus, 53
- pallidipes, 296
- pallidus var. compactus, 16
- paulensis, 296
- peckii var. glaucescens, 53
- — var. lactolutescens, 53
- pelliculatus, 968
- pervelutinus, 53
- petersenii, 53
- pinastri, 53
- pinckneyensis, 53
- piperatus var. glaucescens, 53
- psammicola forma glaber, 53
- pseudoaffinis, 53
- pseudoaspideus, 53
- pseudodeceptivus, 53
- pseudodeliciosus var. paradoxiformis, 53
- pseudoflexuosus, 53
- pseudogerardii, 53
- pseudomaculatus, 53
- pseudomucidus, 53
- pubescens var. betulae, 53
- — var. betularum, 487
- pungens, 53
- purpureo-echinatus, 53

— *quietus* var. *incanus*, 53
 — *riparius*, 436
 — *robertianus*, 595
 — *rubrilacteus*, 53
 — *rufus* var. *parvus*, 53
 — *salmoneus* var. *curtisii*, 53
 — *sanguineo-virescens*, 968
 — *sanmiguelensis*, 53
 — *scrobiculatus* var. *canadensis*, 53
 — — var. *montanus*, 436
 — *sesemotani*, 968
 — *similis*, 53
 — *sphagneti*, 890
 — *splendens*, 53
 — *subflammeus*, 53
 — *subgerardii*, 53
 — *subisabellinus* var. *murrillianus*, 53
 — *sublacustris*, 53
 — *subolivaceus*, 53
 — *subpallidipes*, 296
 — *subpaludosus*, 53
 — *subpalustris*, 53
 — *subresimus*, 247
 — *subreticulatus*, 296
 — *subruginosus*, 542
 — *subumbrinus*, 53
 — *subvellerus* var. *subdistans*, 53
 — *subvernalis* var. *albo-ochraceus*, 53
 — — var. *cokeri*, 53
 — *subvillosus*, 53
 — *subviscidus*, 53
 — *tephropeplis*, 53
 — *tesquorum* var. *splendidus*, 968
 — *testaceus*, 127
 — *texensis*, 53
 — *thakalorum*, 968
 — *thiersii*, 53
 — *tomentosomarginatus*, 53
 — *torminosus* var. *nordmanensis*, 53
 — *tuomikoskii*, 393
 — *umbrinopapillatus*, 53
 — *uvidus* var. *acystidiosus*, 53
 — — var. *montanus*, 53
 — *uyedae*, 542
 — *vellerus* var. *virescens*, 53
 — *vietus* forma *constans*, 247
 — *vinaceopallidus*, 53
 — *vinaceosporus*, 53
 — *virgineus*, 16
 — *volemus* var. *flavus*, 53
 — *waltersii*, 53
 — *wenquanensis*, 393
 — *yazooensis*, 53
 — *zonarius* var. *riparius*, 53
 — — var. *scrobipes*, 16, 436
 — — forma *scrobipes*, 436
Lactocollybia sect. *Bertrandiella*, 676
 — sect. *Graminicolae*, 676, 969
 — *albida*, 676
 — *carneipes*, 676
 — *epia*, 542
 — *graminicola*, 969
 — *marasmiiformis*, 676
LADROCOCCUS, 595
 — *diplax*, 595
Laestadia *xerotifolia*, 969
Laeticorticium *cremeo-albidum*, 349

— *efibulatum*, 349
 — *expallens*, 86
 — *floridense*, 349
 — *lilacinoroseum*, 542
 — *meridioroseum*, 542
 — *piceinum*, 127
 — *pinsapineum*, 676
 — *violaceum*, 127
Laetinaevia *colobanthi*, 890
 — *luzulae*, 86
 — *marina*, 349
Laetiporus *discolor*, 393
 — — var. *brunnescens*, 393
 — — var. *diffluens*, 393
 — — var. *pallidus*, 393
 — *persicinus*, 86
Laetisaria *agaves*, 203 ('*agavei*')
 — *arvalis*, 54
LAEVIOMYCES, 86
 — *fallaciosus*, 1059
 — *opegraphae*, 86
 — *pertusariicola*, 86
Lagenidium *cantherae*, 203 ('*cantherii*')
 — *lundii*, 203
 — *myophilum*, 969
 — *oviparasiticum*, 969
 — *pygmaeum* var. *pygmaeoides*, 164
 ('*pygmaeoides*')
Lambdasporium *viridense*, 487
Lambertella *albida*, 164
 — *bonahawensis* var. *tomentosa*, 203
 ('*tomentosus*')
 — *crystallina*, 203
 — *guizhouensis*, 676
 — *indica*, 350
 — *langei*, 1059
 — *lasseri*, 86
 — *latispora*, 676
 — *orientalis*, 836 ('*orientale*')
 — *rubi*, 487
 — *spadiceo-atra*, 86
 — *subrenispora*, 487
 — *tubulosa*, 86
 — *whetzelii*, 204
LAMBIELLA, 393
 — *psephota*, 393
LAMELLOPORUS, 676
 — *americanus*, 676
Lamproderma *anglicum*, 164
 — *debile*, 164
 — *elasticum*, 1059
 — *hieroglyphicum*, 204
 — *latifilum*, 296 ('*latifila*')
 — *laxum*, 54 ('*laxa*')
 — *nigricapillitum*, 1059
 — *retispora*, 86
Lamprospora *cailletii*, 763
 — *dicranellae*, 763
 — *ditrichi*, 763
 — *faroensis*, 763
 — *gotlandica*, 763
 — *hanffii*, 763
 — *hispanica*, 763
 — *leptodictya*, 86
 — *miniatopsis*, 54
 — *moynei*, 763
 — *paechnatzii*, 763

- [*Lamprospora*]
 — *polytrichi*, 247
 — *rehmii*, 763
 — *retispora*, 595
 — *rugensis*, 763
 — *seaveri*, 763
 — *tortulae-ruralis*, 763
Lampteromyces luminescens, 16
LANSPORA, 595
 — *coronata*, 595
Lanzia aesculi, 487
 — *albida*, 127
 — *albo-atra*, 86
 — *allantospora*, 676
 — *ambigua*, 127
 — *antarctica*, 54
 — *australis*, 676
 — *berggrenii*, 676
 — — *var. metrosideri*, 676
 — *caryopsicola*, 54
 — *coracina*, 86
 — *echinophila*, 164
 — *elatina*, 487
 — *equiseti*, 436
 — *fibrilosa*, 487
 — *filicis-maris*, 165
 — *glenii*, 836 ('*gleni*')
 — *henningsiana*, 165, 890
 — *juniperi*, 487
 — *lanaripes*, 676
 — *latispora*, 350 ('*latisporus*')
 — *lindaviana*, 487
 — *livida*, 86
 — *minuta*, 595
 — *moniliformis*, 436 ('*moniliformae*')
 — *ovispora*, 676
 — *prasina*, 676 ('*prasinum*')
 — — *var. nigripes*, 676
 — *pruni-serotinae*, 487
 — *quercifolia*, 350
 — *rufocornea*, 54
 — *serotina*, 436
 — *stellariae*, 86
 — *ulmariae*, 542
 — *vacini*, 350, 487
Lasallia asiae-orientalis var. fanjingensis, 204
 — — *forma major*, 296 ('*maior*')
 — *brigrantium* subsp. *hispanica*, 30
 — *caeonshanensis*, 204
 — *daliensis*, 204
 — — *var. caeonshanensis*, 890
 (''*cacongshanensis*'')
 — *hispanica*, 890
 — *mayebarae var. sinensis*, 127
 — *pertusa forma squamulifera*, 296
 — *sinorientalis*, 204
 — *xizangensis*, 296
 — — *var. acuta*, 296
Lasiobelonium sect. *Fuscobelonium*, 763
 — *belanense*, 54
 — *boreale*, 54
 — *cazenoviae*, 54
 — *corticale*, 54
 — *crosslandii*, 676
 — *diervillae*, 54
 — *fuscum*, 54
 — *hooglandii*, 676
 — *karatalicum*, 54
 — *lanceolatum*, 54
 — *lonicerae*, 54
 — *nazarovae*, 54
 — *nidulum*, 676
 — *parksii*, 54
 — — *var. album*, 54
 — *stipitatum*, 204
 — *subfuscum*, 204
 — *variegatum*, 54
Lasiobolidium aegyptiacum, 969
 — *fallax*, 296
 — *helicoideum*, 296
 — *recurvatum*, 296 ('*Lasiobasidium*')
Lasiophaeria dactylina, 763
 — *foliicola*, 763
 — *meznaensis*, 350
 — *moseri*, 350
 — *munkii*, 763
 — *triseptata*, 595
LASIOSPHAERIOPSIS, 16
 — *christiansenii*, 1059
 — *salisburyi*, 16
 — *stereocaulicola*, 542
 — *supersparsa*, 1059
Lasiostemma fimbriatum, 676
 — *leersiae*, 350
 — *maesae*, 595
 — *minutum*, 676
LASIOSTICTELLA, 595
 — *bambusae*, 595
Lasiostictis elegans, 296
LATERICONIS, 350
 — *obscura*, 350
LATERISPORA, 165
 — *brevirama*, 165
Laternea dringii, 165
LATHRAEODISCUS, 890
 — *arcticus*, 890
LAUDERLINDSAYA, 1059
 — *borreri*, 1059
Laurera alboverruca, 836
 — *aurantiaca*, 836
 — *aurata*, 542
 — *columellata*, 836
 — *elator*, 296
 — *fusispora*, 836
 — *indica*, 763, 836
 — *keralensis*, 763
 — *kundaraensis*, 763
 — *pseudovariata*, 763
 — *sepulta*, 165
 — *sikkimensis*, 836
 — *subbenguelensis*, 763
 — *subdisjuncta*, 542
 — *subphaeomelodes*, 763
 — *subsphaerioides*, 836
 — *tuberculosa*, 836
 — *verrucoaggregata*, 836
 — *vezdae*, 836
LAUROBASIDIUM, 204
 — *lauri*, 204
LAUTITIA, 350
 — *danica*, 350
LAUTOSPORA, 1059
 — *gigantea*, 1059
LAWALREEA, 1059

- *lecanorae*, 1059
- Laxitextum incrustatum*, 86
- *lutescens*, 86
- LAZUARDIA**, 763
- *lobata*, 764
- Lazulinospora cinnamomea*, 86
- Lecanactiomyces patellarioides*, 99
- ('patellarioidis')
- Lecanactis dilleniana forma muscicola*, 296
- *grumulosa var. monstrosa*, 1060
- *mecistophora*, 296
- *meiophragmia*, 296
- *nothiza*, 30
- *wernerii*, 1060
- Lecania** *baeomma*, 30
- *bicincta var. sorediata*, 676
- *coeruleorubella*, 764
- *diplococca*, 676
- *gattefossei*, 676
- *hassei*, 595
- *helicopis*, 542
- *insularis*, 764
- *inundata*, 676
- *saviczii*, 30
- *sylvestris var. umbratica*, 677
- *tenera*, 393
- LECANIDIELLA**, 595
- *contortae*, 595
- Lecanidion caesalpiniae*, 165
- *combreti*, 165 ('combretti')
- *glycosmidis*, 165
- *indicum*, 165
- *ipomoeae*, 165
- *lantanae*, 165
- *lasiosiphonis*, 165
- *sarcostemmatidis*, 165 ('sarcostemmae')
- Lecaniomyces cyrtellinoides*, 99
- ('cyrtellinoids')
- Lecanora ahtii*, 542
- *albescens var. bandolensis*, 542
- *albicans*, 487
- *albula var. vocontia*, 542
- *avium*, 394
- *balearica*, 127
- *bicincta var. sorediata*, 969
- *biformis*, 542
- *byssinula*, 296
- *californica*, 394
- *campestris subsp. dolomitica*, 350
- *cavicola*, 127
- — *var. zonata*, 127
- — *forma squamulosa*, 127
- *cenisia var. atrynea*, 542
- — *var. soredians*, 296
- — *var. transcendens*, 64
- *chaffiniana*, 890
- *chlarotera subsp. meridionalis*, 542
- *cinereofusca var. appalachensis*, 394
- *circumborealis*, 394
- *daunasii*, 394
- *demersa*, 1060
- *disjungenda*, 1060
- *fuliginosa*, 394
- *geophila*, 595
- *hensseniae*, 595
- *henssenii*, 542
- *hybocarpa*, 394
- *imshaugii*, 394, 436
- *luteovernalis*, 165
- *marginata*, 487
- *mugosphagneti*, 127
- *muralis subsp. bolcana*, 542
- — *subsp. macrocyclos*, 542
- *ochrococca*, 542
- *opiniconensis*, 436, 542
- *oraefrigidae*, 350
- *oreinoides*, 1060
- *pachysoma*, 1060
- *perplexa*, 394
- *perpruinosa*, 969
- *phaeostigma*, 350
- *physciella*, 394
- *poeltiana*, 394
- *psarophana var. aquilina*, 542
- *pseudochlarotera*, 436
- *pseudopinguis*, 99
- *pulicaris subsp. rhododendri*, 542
- — *forma pinastri*, 542
- *rhizinata*, 350, 487
- *rubida*, 296
- *rupicola subsp. arctoa*, 969
- — *subsp. subplanata*, 969
- — *subsp. sulphurata*, 969
- — *var. bicincta*, 542
- — *var. efflorens*, 969
- — *var. leucogaea*, 350
- — *var. subplanata*, 542
- — *var. sulphurata*, 542
- *scotopholis*, 394
- *subcoarctata*, 394
- *subelevata*, 764
- *subradicosa var. effigurata*, 127
- *sverdrupiana*, 350
- *swartzii subsp. caulescens*, 969
- — *subsp. nuorensis*, 969
- — *subsp. nylanderii*, 969
- *texans*, 99
- *thysanophora*, 436
- *vainioi*, 542
- *weberi*, 1060
- *xantholeuca*, 394
- *xanthosora*, 1060
- Lecanoromyces chlaronae*, 99
- Lecanosticta cinerea*, 350
- *gaubae*, 248
- *gloeospora*, 350
- Leccinum** *andinum*, 890
- *crocipodium var. corsicum*, 16
- — *var. lepidum*, 969
- *crocistipidosum*, 127
- *depilatum*, 890
- *eximium*, 350
- *fragrans*, 890
- *impolitum*, 54
- *intusrubens*, 165, 969
- *lepidum*, 437
- — *subsp. sardoum*, 437
- *leucophaeum*, 165
- *luteoporum*, 890
- *molle*, 969
- *niveum*, 764, 890
- *pseudoscabrum*, 890
- *rigidipes*, 890
- *rubrum*, 542

[Leccinum]

- rufescens, 890
- rufum, 394
- rugosum, 165
- scabrum var. melaneum, 764
- schistophilum, 165
- subleucophaeum var. minimum, 437
- ustale, 86
- Lecidea** subgen. *Cladopycnidium*, 1060
- subgen. *Rehmiopsis*, 1060
- circumnigrata forma sorediosa, 127
- coloradensis, 764
- diexcipula, 1060
- flavorubens, 677
- glaucoflavens, 248
- griseoatra var. leucophaea, 64
- hyalinescens, 248
- hymenellicola, 1060
- kalbii, 394
- kieneri, 764
- lactea var. ecrustacea, 543
- — var. spilotica, 543
- lapicida var. lactea, 764
- leprolema, 595
- lygomoides, 1060
- marginata subsp. elata, 543
- micheleri, 127
- nagalandica, 890
- oroantartica, 488
- pantherina var. fallax, 99
- promiscua var. cervinicola, 543
- — var. promiscens, 543
- roseotincta, 890
- saximontana, 764
- saxosa, 764
- spheniscidarum, 394
- subleucothallina, 204
- subpaupercola, 204
- swartzioidea var. lithophiloides, 543 ('lithophiloides')
- tuckermanii, 764
- ullrichii, 890
- Lecidella** *achristotera* var. *juniperina*, 677
- *aeruginea*, 127
- *alaiensis* var. *spitzbergensis*, 543
- *alba*, 127
- *albidicinerella*, 127
- *anomaloides*, 30
- *buelliastrum*, 1060
- *caesiocinerea*, 127
- *conspurcatosorediosa*, 1060
- *dirumpens*, 127
- *elaeochroma* var. *flavosorediata*, 543
- — var. *soralifera*, 127, 543
- *euphorea*, 30
- *frigida*, 543
- *glaucopa*, 394
- *granulata*, 764
- *lecanoricola*, 1060
- *leptoderma*, 543
- *parasemella*, 127
- *placidensis*, 764
- *prasina*, 30
- *protracta*, 394
- *punctuliformis*, 764
- *schistiseda*, 296
- *stigmatea* forma *egena*, 543

- *subdeclinans*, 394
- *sublapicida*, 296
- *tristicula*, 296
- *violaceofuliginea*, 165
- *vorax*, 677
- LECIDOMA**, 127
- *demissum*, 127
- Leciographa** *sphyridii*, 969
- LECYTHISPORA**, 488
- *indica*, 488
- Lecythophora** *hoffmannii*, 296
- *mutabilis*, 296
- Legeriomyces** *aenigmaticus*, 296
- Leioderma** subgen. *Fuscoderma*, 677
- *amphibolum*, 596
- *applanatum*, 677
- *duplicatum*, 677
- *erythrocarpum*, 677
- *glabrum*, 677
- *sorediatum*, 677
- Leiophloeae** *pelvetiae*, 30
- Leiosphaerella** *cocoes*, 677
- *dicalycis*, 127
- *ilicis*, 127
- *leonensis*, 296
- Lemalis** *mori*, 764
- Lembosia** *bruckenthaliae*, 764
- *miconiae*, 596, 677
- LEMKEA**, 248
- *sphaerospora*, 248
- Lemmopsis** *pelodes*, 99
- Lentaria** *epichnoa* var. *indica*, 437
- *subcaulescens*, 890
- Lentinellus** *micheneri*, 350
- *pseudobarbatus*, 543
- *singeri*, 596
- Lentinula** *guarapiensis*, 350
- *lateritia*, 350
- *novae-zelandiae*, 350
- Lentinus** subgen. *Edodes*, 677
- *calyx*, 248
- *carbonarius*, 350
- *concavus*, 127
- *cyathiformis*, 1060
- — forma *plumbeus*, 248
- *lepideus* forma *rufescens*, 677
- *prancei*, 165
- *retinervis*, 248
- *sajor-caju* var. *subdistans*, 127
- *schaefferi*, 890
- *tenebrosus*, 350
- *tigrinoides*, 127
- *triginus* var. *dunalii*, 437
- Lentomita** *borealis*, 764
- *dryadis*, 764
- Lenzites** *colliculosa*, 596
- *kusanoi*, 437
- *lurida*, 437
- *shichiana*, 437
- Leocarpus** *bisporus*, 1060
- Leotia** *himalayaensis*, 165
- Lepidoderma** *crassipes*, 677
- *stipitatum*, 543
- LEPIDOPTERELLA**, 54
- *palustris*, 54
- Lepidostroma** *calocerum*, 394
- Lepiota** *adusta*, 86

- andegavensis, 248
- argentina, 890
- atrata, 86
- audreae, 127
- aurora, 86
- baraliana, 488
- besseyi, 543, 677
- bettiniae, 204
- bichroma, 86
- bickhamensis, 350
- boertmannii, 86
- calcarata, 86
- calcicola, 86
- carpatica, 394
- ciproensis, 296
- citrophylloides, 248
- clypeolaria forma foetens, 677
- clypeolarioides var. armillata, 1060
- colliquensis, 890
- coxheadii, 350 ('coxheadi')
- crepusculata, 86
- cristata var. exannulata, 127
- — var. felinoides, 127
- — var. pallidior, 127
- — var. viridispora, 596
- cupro-brunnea, 890
- cystidioreisina, 890
- cystophorioides var. septentrionalis, 248
- cystophoroides var. septentrionalis, 296
- denticulata, 437
- disseminata, 86
- dryadicola, 248
- echinella var. asperula, 248
- — var. eriophora, 248
- efibulis, 86
- epicharis var. indica, 165
- eyrei, 248
- favrei, 248
- felinoides, 350, 437
- flavidocana, 248
- floridiana, 890
- forquignonii var. coniferarum, 127
- fraterna, 86
- fulvella var. subolivacea, 543
- — forma gracilis, 248
- gomezii, 969
- gracilis forma major, 248
- grangei, 248
- griseosticta, 165
- haematosperma forma gracilis, 248
- helveoloides, 596
- hetieriana, 488
- ianthinosquamosa, 248
- infelix, 86
- insimulata, 86
- izonetae, 969
- josserrandii var. rosabrunnea, 890
- langei, 86
- latispota, 127
- lilacea var. pallida, 1060
- lineata, 248
- locquinii, 543
- — forma rioussetae, 543
- lotharingiana, 248
- luteocastanea, 86
- macrorrhiza, 488 ('macrorrhiza')
- microcystidiata, 296
- mucrocystis, 248
- mucronata, 297
- ochraceosulfurescens, 127, 543
- olivaceobrunnea, 890
- olivaceo-mammosa var. irritans, 890
- perplexa, 86
- pseudoasperula, 86
- pseudofelina, 248
- pseudohelveola var. sabulosa, 596
- pseudopatagonica, 890
- pseudorubiginosa, 165
- purpurata, 86
- pusilla, 488
- quintanaroensis, 297
- rhodosperma, 350
- rufescens, 248
- sanguinea, 248
- sistrata forma minima, 764
- speciosa, 890
- spiculata, 248
- squamatula, 86
- subfelinoides, 437
- subgracilis, 488
- sublaevigata, 16
- subornata, 437
- subrufa, 165
- termitomyces, 297
- thiersii, 890
- trongolei, 890
- umbonata, 248
- vicarii, 836
- volvatula, 248
- xanthophylloides, 969
- LEPIOTASPORITES, 165
- taiwanensis, 165
- Lepiotula adusta, 54
- alopochoa, 54
- calcarata, 54
- grangei, 54
- lilacea, 16
- pseudolilacea, 16
- Lepista calathus, 16
- collybiiformis, 969
- densifolia, 350
- flaccida var. lobata, 596
- — forma caespitosa, 543
- graveolens, 16, 350
- hyalodes, 543
- indica, 248
- irina var. montana, 596
- irinoides, 16
- juniperi, 764
- leucopaxilloides, 350
- multiformis, 350 ('multiforme')
- nimbata, 297
- nuda var. lilacina, 764
- — var. pruinosa, 437
- — var. tridentina, 764
- — var. violaceofusculata, 764
- nudoidea, 248
- ovispora, 351
- panaeolus var. irinoides, 297
- — var. nimbata, 297, 437
- piperata, 297
- pseudoectypa, 351
- purpurascens, 677
- repanda, 543

[Lepista]

- rhodotoides, 248
- ricekii, 297
- singeri, 204
- sordida var. aianthina, 16
- — var. lilacea, 16
- — var. obscurata, 16
- — var. umbonata, 16
- subconnexa, 351
- subisabellina, 249
- tomentosa, 394, 890
- vernicosa, 297
- yukatensis, 351
- Lepraria angardiana, 351
- finkii, 437, 488
- lesdainii, 764
- rigidula, 1060
- vouauxii, 764
- LEPRIEURIA, 969
- bacillum, 969
- Leproloma angardianum, 890
- diffusum, 890
- — var. chrysotoides, 891
- vouauxii, 891
- Leproplaca lutea, 297
- Lepteutypa concentrica, 86
- elaeidis, 86
- podocarpi, 677
- Leptochidium albociliatum var. eciliatum, 204
- LEPTOCLADIA, 488
- see Stenocladiella
- neglecta, 488
- Leptodiscella chlamydospora, 437
- Leptodontidium aciculare, 543
- cubense, 969
- orchidicola, 764
- Leptodothiorella aesculicola, 351
- crotonicola, 128
- ficicola, 128
- pachmarhiensis, 204
- Leptogium britannicum, 249
- caespitosum, 836
- cochleatum, 249
- gelatinosum, 394
- indicum, 30
- Leptoglossum subgen. Phaeotellus, 677
- griseopallidum, 128, 1060
- — forma bisporicum, 1060 ('bisporica')
- lobatum var. antarcticum, 1060 ('antarctica')
- omnivorum, 297
- retirugum var. antarcticum, 351, 437
- salinum, 204
- septentrionale, 297
- Leptographium abietinum, 437
- alacre, 488 ('alacris')
- antibioticum, 437
- aureum, 437, 677
- brachiatum, 437
- crassivaginatatum, 437
- dryocoetidis, 437
- gallectiae, 249, 394 ('gallaeciae')
- grandifoliae, 437
- huntii, 437
- procerum, 437
- robustum, 437, 677

- serpens, 437, 677
- truncatum, 437
- valdivianum, 596
- wagneri, 437
- — var. ponderosum, 764
- — var. pseudotsugae, 764
- wingfieldii, 969
- Leptolegnia chapmanii, 394
- Leptolegniella abnormis, 764
- angularis, 764 ('angularis')
- exogena, 764
- Leptomelanconium hawaiiense, 437
- pinicola, 437
- Leptonia argyropellis, 249
- caeruleocapitata, 249
- caribaea, 249
- naranjana, 249
- pentagonospora, 351
- purpurea, 543
- subrubinea, 488
- Leptopeltis japonica, 17
- subconfluens, 596
- LEPTOPERIDIA, 764
- applanata, 764
- asperrima, 764
- macropunctata, 764
- trifida, 764
- Leptophyma grandispora, 677
- Leptopodia villosa, 1060
- Leptoporus caesius var. rhenanus, 891
- jacksonii, 891
- wynnei forma ellipsospora, 891
- Leptorhaphis ischnobela, 17
- LEPTOSPHAERELLA, 765
- bambusae, 765
- cordyline, 765
- eremophila, 765
- fagaricola, 765
- musicola, 765
- Leptosphaeria subgen. Phaeosphaeria, 765
- africana, 86
- asclepiadis, 438
- atraphaxidis, 677
- barriar, 438
- brightonensis, 438
- byssincola, 596
- calvescens, 249
- castillejae, 438
- castrensis, 438
- centrafricana, 86
- chochrjakovii, 765
- clarkii, 17
- cordyline, 765
- cycadis, 54
- cylindrospora, 86
- darkeri, 438
- dearnessii, 438
- dennisiana, 969
- drechsleri, 596
- eremophila, 765
- excelsa, 86
- fagaricola, 765
- frigida, 765 ('frigidus')
- fulgida, 596
- galiorum var. gnaphaliana, 765
- gigaspora, 86
- hispanica, 765

- holmii, 765
- jacksonensis, 438
- jacksonii, 438
- japonica, 765
- lassenensis, 969
- lobayensis, 87
- longispora, 87
- macrorostra, 87
- minoensis, 765
- musicola, 765
- nanae, 438
- nigromaculata, 596
- noveboracensis, 438
- oubanguensis, 87
- phyllostachydis, 765 ('phllostachydis')
- pimpinellae, 1060
- quinta, 765
- ramsaugiensis, 969
- russellii, 438
- setosa, 969
- shastensis, 438
- staritzii, 438
- styriaca, 1060
- tetonensis, 438
- tetraspora, 87
- wehmeyeri, 438
- zingiberis, 128 ('fingiberi')
- Leptosphaerulina albulae, 249
 - alpina, 249
 - carinthiaca, 249
 - chartarum, 543
 - convolvuli, 677
 - fontium, 891
 - gei-reptantis, 249
 - nitida, 249
 - olivaceogrisea, 1060
 - polyphragmia, 1060
 - potentillae, 249
 - primulicola, 249 ('primulaecola')
 - rupestris, 249
 - senecionis, 249 ('senecii')
 - sieversiae, 249
 - sojicola, 677 ('sojaecola')
- Leptospora elaeodendri, 596
 - implexa, 17
- Leptosporomyces fuscostratus, 765
 - luteofibrillosus, 438
- Leptostroma pinorum var. cembrae, 17
 - var. graupianum, 87
 - rostrupii, 17
 - shimanense, 351
- LEPTOTHYRIOMYCES, 394
 - radiatus, 394
 - zonatus, 394
- Leptothyrium japonicum, 765
- Leptotrema desquamans, 64
 - meghalayense, 30
 - norstictideum, 30
 - nuwarensense, 596
 - oligosporum, 64
 - pertusarioides, 596
 - submicrosporoides, 678
 - tarmuguliense, 596
- Leptoxyphium delhianum, 351 ('dehlianum')
 - fumago, 204
 - gramineum, 351 ('graminium')
 - zeae, 351
- Letendreaa kamatii, 54 ('Letendrea')
- Lethariella flexuosa, 297
 - sinensis, 297
- LETROUITIA, 165
 - aureola, 165
 - bifera, 249
 - corallina, 249
 - coralloidea, 249
 - domingensis, 165
 - flavidula, 249
 - flavocrocea, 165
 - leprolyta, 249
 - muralis, 249
 - parabola, 165
 - pseudomuralis, 249
 - spiralis, 249
 - subvulpina, 249
 - transgressa, 249
 - vulpina, 165
- Leucoagaricus amylosporus, 128
 - badhamii, 128, 543
 - — var. erubescens, 128
 - bohussii, 128
 - brunneolilacinus, 54
 - cinerascens var. riparius, 488
 - cupro-brunneus, 1060
 - densifolius, 249, 438
 - erioderma, 128
 - gauguei var. fusipes, 543
 - glabridiscus, 596
 - griseus, 17
 - hortensis, 249
 - ionidicolor, 891
 - japonicus, 543
 - josserandii, 1061
 - jubilaei, 249
 - leucothites, 488
 - — forma cinereolilacina, 488
 - locquinii, 438
 - macrorrhizus, 488
 - — var. pinguipes, 891
 - mairei, 128
 - malvaceus, 17
 - melanotrichus forma citrifolius, 970
 - morenoi, 836
 - pinguipes, 128
 - platensis, 836
 - pudicus, 128, 249
 - pulverulentus forma minimus, 970
 - quilonensis, 249 ('quilonense')
 - repertus, 891
 - rosabrunneus, 1061
 - steppicola, 17 ('steppicolus')
 - subcretaceus, 128, 249
 - sublittoralis, 249
 - — var. macrospora, 836
 - tomesensis, 891
 - tricolor, 970
 - variisporus, 249 ('varisporus')
 - wychanskiyi var. macrospora, 249
- Leucocoprinus acer, 891
 - aureofloccosus, 128, 678, 891
 - bakeri, 297, 970
 - birnbaumii var. salvadorianus, 678
 - bresadolae, 488
 - breviramus, 351
 - brunnescens, 250

- [*Leucocoprinus*]
 — *bulbipes*, 678
 — *caeruleoviolaceus*, 1061
 — *cepaestipes* var. *hiatuloides*, 678
 — — var. *rorulentus*, 54
 — — forma *macrosporus*, 891
 — *citrinellus*, 678
 — *cristatulus*, 678 ('*cristatula*')
 — *fibrillosus*, 891
 — *flavescens*, 128
 — *georginae*, 488, 891, 1061
 — *heinemannii*, 836
 — *inflatus*, 678
 — *jubilaei*, 17
 — *lanzonii*, 970
 — *lilacinogranulosus*, 970
 — — var. *subglobisporus*, 1061
 — *longistriatus*, 351
 — *macrorhizus*, 1061
 — *magnicystidiosus*, 351
 — *meleagris*, 891
 — *minimus*, 87
 — *phaeopus*, 678
 — *pilatianus*, 488
 — *proletarius*, 678
 — *revolutus*, 678
 — *rivulosus*, 678
 — *russoceps*, 678
 — *squamulosus*, 250
 — *subglobisporus*, 488
 — *sulphurellus*, 250
 — *tenellus*, 250, 891
 — *tricolor*, 128
 — *tropicus*, 165
Leucogaster meridionalis, 488
Leucopaxillus baeospermus, 678
 — *cerealis* var. *piceinus*, 488
 — — var. *subhirtus*, 488
 — *cutefractus*, 297
 — *lentus*, 543
 — *lilacinus*, 678
 — *macrorhizus*, 488
 — *paradoxus* forma *subaerugineus*, 17
 — *phaeopus*, 678
 — *piceinus*, 351
 — *sainii*, 970
Leucophellinus hobsonii, 765
 — *mollissimus*, 394
Leucoporus albiceps, 351
 — *peckianus*, 351
Leucoscypha oviloides, 596
 — *ricciae*, 166
 — *ricciicola*, 87 ('*ricciaecola*')
 — *sphaerospora*, 54
Leucosphaerina arxii, 970
Leucosporidium lari-marini, 970
Leucostoma kuduerense, 970 ('*kuduerensis*')
 — *mangiferae*, 204
LEULIISINIA, 438 ('*Leuliisineae*')
 — *bambusicola*, 438 ('*Leuiisineae*')
Leveillula subgen. *Cingulisporea*, 678
 — subgen. *Obtusisporea*, 678
 — sect. *Dilatiospora*, 678
 — sect. *Mediospora*, 678
 — *braunii*, 765
 — *chrozophorae*, 351
 — *cleomis*, 970
 — *compositarum* forma *chardiniae*, 87
 — — forma *onopordi*, 204
 — *contractirostris*, 970
 — *cylindrospora*, 87
 — *duriaei*, 351
 — *elaeagni*, 765
 — *golovinii*, 766
 — *helichrysi*, 970
 — *labiatarum* forma *perovskiae*, 204
 — *lactucarum*, 438
 — *picridis*, 438, 678
 — *rutae*, 438
 — *scolymi*, 438, 970
 — *simonianii*, 488
LEWIA, 488
 — *ethzedia*, 488
 — *eureka*, 488
 — *infectoria*, 488
 — *photistica*, 488
 — *scrophulariae*, 488
LIAONINGNEMA, 596
 — *multinodum*, 596 ('*multinoda*')
Libertella heveae, 17
Libertiella quercicola, 438
Licea albonigra, 394
 — *atricapilla*, 297
 — *bulbosa*, 678
 — *capitata*, 166
 — *clarkii*, 166
 — *erectoides*, 297
 — *gloeoderma*, 54
 — *kelleri*, 297 ('*kellerii*')
 — *lucens*, 128
 — *nannengae*, 836
 — *pygmaea*, 166
 — *rufocuprea*, 678
 — *rugosa*, 678
Lichen arietinus, 297
 — *aurelianus*, 297
 — *cancellatus*, 297
 — *capillaceus*, 297
 — *coralloides*, 297
 — *fruticulosus*, 297
 — *imbricatus*, 297
 — *polydactylon*, 297
 — *scopulas-referens*, 297
 — *soloniensis*, 297
 — *spongiosus*, 297
 — *vesicarius*, 297
Lichendothelia schindleri, 678
Lichenella flexa, 543
 — *intermedia*, 543
 — *robustoides*, 543
LICHENOCHORA, 970
 — *constrictella*, 970
 — *galligena*, 970
 — *inconspicua*, 970
 — *polycoccoides*, 970
 — *thallina*, 970
Lichenocodium reichlingii, 543
Lichenopeltella cetrariicola, 970
 — *epiphylla*, 891
 — *minuta*, 970
LICHENOPUCCINIA, 394
 — *poeltii*, 394
Lichenosticta alcornaria, 17
LICHENOSTIGMA, 250

— maureri, 250
 — rugosa, 488
LICHENOTHELIA, 99
 — calcarea, 678
 — convexa, 678
 — dendritica, 678
 — echinulata, 678
 — gigantea, 678
 — globulifera, 678
 — intermedia, 678
 — intermixta, 678
 — macrocarpa, 678
 — metzleri, 99
 — minor, 678
 — paradoxa, 678
 — patagonica, 678
 — prolifera, 678
 — radiata, 679
 — scopularia, 99
 — solitaria, 679
 — solitarioides, 679
 — tenuissima, 679
Lichina macrospora, 438
Lichinella japonica, 679
LICHINGOLDIA, 596
 — gyalectiformis, 596
LIGIELLA, 17
 — rodrigueziana, 17
Lignicola longirostris, 488
 — tropica, 488
Limacella alachuana, 250
 — anomologa, 544
 — grisea, 970
 — laeviceps, 54
 — myochroa, 250
 — myxodictyon, 544
 — quilonensis, 250
 — steppicola, 17, 891
Limacina juniperi, 438
Limacinula macrospora, 351
Limacium eburneum var. *cossus*, 297
LIMONOMYCES, 204
 — culmigenus, 204
 — roseipellis, 204
Lindbladia cribrarioides, 488
Linderiella xiningensis, 891
LINDQUISTOMYCES, 250
 — antarcticus, 250
Lindra hawaiiensis, 679
 — obtusa, 250
 — thalassiae var. *crassa*, 488
Lindtneria alutacea, 596
 — baboquivariensis, 544
 — chordulata, 596
 — rugospora, 596
 — thujatsugina, 596
LINOSTROMA, 891
 — banksiae, 891
Linocarpon appendiculatum, 970
 — livistonae, 970
 — nipae, 970
 — verminosum, 970
Linodochium formosum, 128
Linospora salicis-helveticae, 297
 — salicis-reticulatae, 297
Lipomyces japonicus, 970
Lisea australis var. *bambusae*, 438

Lisiella tilakii, 128
LITHOGLYPHA, 836
 — aggregata, 836
Lithothelium indicum, 87, 544
 — neoindicum, 596
Litschaueria longipila, 596
LOBACA, 297
Lobaria dictyophora, 297
 — exornata, 438
 — — var. *corallophora*, 438
 — subexornata, 438
 — virens, 394
Lobatopedis elegans, 204
LOBULICIUM, 166
 — occultum, 166
LOFLAMMIA, 544
 — demoulinii, 544
 — flammea, 544
 — gabrielis, 544
 — intermedia, 544
LOGILVIA, 544
 — gilva, 544
Lojkania decorticata, 351
 — melasperma, 351
 — nuda, 351
 — separans, 351
 — striatisporea, 351
 — utahensis, 351
LOPACIDIA, 394
 — callichroa, 394
 — multilocularis, 394
Lopadium austroindicum, 128
 — coorgianum, 128
 — granulosum, 128
 — hepaticola, 488
 — ionoexcipulum, 128
 — palniense, 128 ('palniensis')
Lopadostoma turgisporum, 766
LOPEZARIA, 1061
 — versicolor, 1061
Lophiosphaera lophospora, 128
Lophiostoma herbarum, 597
 — mangrovei, 597 ('mangrovis')
 — massarioides, 891
Lophiotrema boreale, 597, 1061
 — grandisporea, 970
Lophodermella maureri, 766
 — orientalis, 836
Lophodermium agathidis, 250
 — anhuiense, 891
 — asteliae, 1061
 — atrum, 1061
 — balaramii, 544
 — brunneolum, 1061
 — camelliicola, 204
 — clusiae, 1061
 — coalescens, 679
 — croesicum, 1061
 — foliicola, 351
 — hauturuanum, 1061
 — himalayense, 544
 — ilicinum, 297
 — inclusum, 1061
 — indianum, 87
 — irregulare, 1061
 — kaikawakae, 1061
 — kumaunicum, 204

[Lophodermium]

- litseae, 204
- magellanicum, 17
- mahuianum, 1061
- mangatepopense, 1061
- maximum, 597
- medium, 1061
- minor, 1061 ('minus')
- mirabile, 891
- molitoris, 17
- multimetricum, 836
- nanakii, 544
- nigrofactum, 1061
- orientale, 87
- parasiticum, 597
- pini-bungeanae, 891
- ravenelii, 87
- rectangulare, 1061
- rubrum, 1061
- staleyi, 87
- tindalii, 1061
- unciniae, 1061

Lophomerum ponticum, 17

— rhododendri, 17

Lophophacidium dooksii, 394

Lophotrichus geniculosporus, 544

— macrosporus, 836

LOWEOMYCES, 166

— fractipes, 166

— wynnei, 166

Loweoporus castaneus, 970

— — var. grandis, 970

— corticicola, 970

— fuscopurpureus, 54

— — var. albiporus, 970

— — var. latiporus, 970

— inflexibilis, 54

— mollis, 970

— ochraceicinctus, 970

— pileoliferus, 970

— roseo-albus, 54

— rufescens, 971

— tephroporus, 54

— violaceus, 54

Loxospora cismonica, 766

Luellia cystidiata, 766

Lulworthia calcicola, 971

— crassa, 438

— kniepii var. curalii, 488

— lignoarenaria, 351

— lindroidea, 87

— medusa var. apiculata, 250

— — var. fucicola, 250

— — var. halima, 250

— uniseptata, 438

LUTTRELLIA, 17 ('Lutrellia')

— monoceras, 17 ('Lutrellia')

— oryzae, 17 ('Lutrellia')

— rostrata, 17 ('Lutrellia')

— turcica, 17

LUXURIOMYCES, 971

— grandis, 971

Lycoperdon fusiforme, 17

— gulmargense, 836

— himalayense, 836

— indicum, 836

— nainitalense, 836

— nettyanum, 17 ('nettyana')

LYOPHYLLOPSIS, 250

— keralensis, 250 ('Lyophylopsis keralensis')

Lyophyllum acutipes, 297

— amariusculum, 204

— amygdalosporum, 679

— anthracophilum, 891

— baeospermum, 679

— biconicosporum, 297

— boudieri, 679

— caerulescens, 204

— candidum, 298

— canescentipes, 298

— chamaeleon, 298

— chondrocephalum, 298

— connatum var. revolutum, 250

— conocephalum, 166

— conoideospermum, 298

— corrugatum, 298

— deliberatum, 438

— dominicum, 250

— effocattellum, 836

— eucalyptium, 891

— eustygium, 204

— fistulosum, 298

— fumescens, 204

— furfurellum, 298

— geminum, 298

— — var. olens, 298

— gracile, 298

— helvella, 298

— ignobile, 204

— incarnatobrunneum, 204

— investitum, 298

— laticeps, 204

— leprosarx, 298

— lubricum, 298

— lugubre, 204

— luteogriseascens, 298

— lutescens, 298

— ochrocinerascens, 298

— oldae, 204

— paelochroum, 166

— pallidum, 298

— piceum, 298

— platypum, 679

— plexipes, 597

— — forma atrum, 597

— pusillum, 298

— raphanolens, 892

— rhopalopodium, 204

— rugulosum, 298

— scabrisporum, 298

— semitale var. intermedium, 892

— serius, 892

— solidipes, 298

— solitarium, 250

— stenosporum, 298

— subsimulans, 204

— sykosporum, 298

— tenebrosus, 204

— umbriniceps, 250

Lysurus periphragmoides, 54

MAASOGLOSSUM, 597

— verrucosporum, 597

Macbrideola argentea, 298

— confusa, 298

- *declinata*, 836
- *indica*, 87
- *macrospora*, 166
- *oblonga*, 836
- *ovoidea*, 298
- *verrucosa*, 298
- *vesiculifera*, 544
- Macentina aurantiaca**, 488
- *borhidii*, 971
- *hepaticicola*, 205 ('hepaticola')
- *stigonemoides*, 971
- Macowanites durangensis**, 971
- *mexicanus*, 971
- MACROALLANTINA**, 679
- *coccifera*, 679
- Macrobotrophthora vermicola**, 128
- Macrocyttidia cucumis** var. *latifolia*, 250
- *indica*, 250
- *lutea*, 205
- *reducta*, 87
- Macroderma uleanum**, 395
- MACROHILUM**, 766
- *eucalypti*, 766
- Macrohyporia extensa**, 351
- *sulphurea*, 352
- Macrolepiota** subsect. *Microsquamatae*, 892
- *alborubescens*, 544
- *bohemica*, 438, 439, 892
- *bonaërensis*, 352
- *brasiliensis*, 766
- *campestris*, 352
- *excoriata* var. *rubescens*, 128
- *fornica*, 766
- *fuliginosa*, 128
- *gracilentia*, 488
- var. *acuteumbonato*, 766
- var. *goossensiae*, 488
- *heimii*, 128
- *mahabaleshwariensis*, 298
- *mallea*, 298
- *mastoidea* var. *atrobrunnea*, 544
- var. *coccineobasalis*, 128
- *neomastoidea*, 544
- *nordica*, 544
- *nympharum*, 488
- *olivieri*, 128
- *permixta*, 17, 439, 489
- *phaeodisca*, 352
- *procera* var. *fuliginosa*, 892
- var. *pseudoolivascens*, 892
- *rachodes* var. *bohemica*, 892
- *rhacodes* var. *hortensis*, 128
- *rickenii*, 892
- *rubescens*, 439
- *stercoraria*, 766
- *subsquarrosa*, 128
- Macrophoma artabotrydicola**, 54
- ('artabotrycola')
- *boltoniae*, 395
- *canephorae*, 87
- *castaneicola*, 17
- *eriobotryae*, 205
- *lagerstroemiae*, 166
- *luzonensis*, 205
- *monsterae* var. *crassisporea*, 166
- ('crassasporea')
- *plumeriae*, 166
- *varanasiensis*, 298
- Macropodia nigrella**, 439
- Macrosporium cirsicola**, 679
- *ropaloides*, 439
- Macrotyphula contorta**, 766
- *defibulata*, 836
- — *forma pallida*, 837
- *filiformis*, 892
- *fistulosa* var. *contorta*, 488, 544
- *rhizomorpha*, 837
- MACRUROPYXIS**, 54
- *fraxini*, 54
- Magnaporthe poae**, 971
- *rhizophila*, 250
- Mahabalella cubensis**, 439
- MAJEWSKIA**, 544, 766
- *japonica*, 544, 766
- Malacaria luxurians**, 679
- Malbranchea cinnamomea**, 352
- *filamentosa*, 205
- *graminicola*, 205
- *multicolor*, 439
- MALLOCHIA**, 597
- *echinulata*, 597
- Mamianiella yukawana**, 298
- MAMMARIOPSIS**, 892
- *variospora*, 892
- Manginella oblongisporea**, 544
- Marasmiellus albiceps**, 298
- *amazoniensis*, 971
- *anastomosus*, 679
- *baeosporoides*, 971
- *bambusicola*, 352
- *bauhiniae*, 971
- *californicus*, 971
- *candidus*, 250
- *cocosensis*, 971
- *corticigenus*, 544
- *corticis*, 892
- *delicious*, 544
- *earlei*, 766
- *epitrichialis*, 971
- *eugeniae*, 971
- *filocystis*, 205
- *filopes*, 54
- *flosculus*, 544
- *fusicystis*, 766
- *helminthocystis*, 971
- *hypolissus*, 971
- *illinorum*, 971
- *keralensis*, 250 ('keralense')
- *latispermus*, 971
- *lecythidacearum*, 971
- *leucophyllus*, 971
- *lysochlorus*, 971
- *minutalis*, 971
- *nodosus*, 679
- *omphaliiformis*, 298 ('omphaliiformis')
- *ornatissimus*, 766
- *paludosus*, 17
- *pantholocystis*, 971
- *papillatus*, 166
- *paspali* var. *americanus*, 837
- *petchii*, 544
- *pluvius*, 166
- *potamogeton*, 971
- *potassiovirens*, 971

[Marasmiellus]

- praeacutus, 679
- primulae, 597
- pusillimus, 205
- ramealis var. californicus, 679
- — forma macrospora, 597
- rawakensis, 971
- rosascentifolius, 971
- salmonicolor, 544
- senescens, 544
- sinensis, 205
- stypinoides, 544
- stypinus, 544
- subaurantiacus, 544
- subepiphyllus, 298
- subhirtellus, 971
- subinodermatoides, 971
- usambarensis, 971
- varzeae, 971
- volvatus, 971
- Marasmius sect. Inaequales, 679
- sect. Rhizomorphigena, 971
- subsect. Horriduli, 679
- adisianus, 971
- afrosulphureus, 395
- albidomurinus, 971
- alliodoratissimus, 892
- amygdalosporus, 892
- anomalus var. microsporus, 766
- applanatipes, 488
- asemiformis, 971
- asemus, 971
- australis, 679
- bathomphalus, 971
- brachysporus, 971
- brunneolus, 544
- bulliardii forma acicola, 766
- burkillii, 298
- buxicola, 766 ('buxicolus')
- calhouniae, 971
- campinaranae, 971
- cascadenis, 892
- cenospilus, 298
- centroamericanus, 971
- ciliatomarginatus, 892
- ciliatus, 250
- cornelii, 766
- costaricensis, 972
- dauliporus, 972
- decipiens, 439
- epi rhododendron, 766
- escarlatus, 488
- fagi, 1061
- falcatipes, 892
- fiardii, 250
- flavomerulinus, 87
- flexipes, 679
- gomezii, 972
- guanacastensis, 972
- hendecaphyllus, 972
- hexaphyllus, 972
- horridulus, 679
- hydropodoides, 972
- ilicicola, 892
- inundabilis, 972
- iodactylus, 972
- izonetae, 972
- janauariensis, 972
- jaruensis, 892
- kallioneus, 439
- litoralis var. ventallonii, 87
- longispora, 352, 489
- maasii, 972
- macrosporus, 17
- marasmioides, 250
- mesocephalus, 972
- microrotalis, 972
- minusculus, 972
- mundulus, 972
- nanorotalis, 972
- neorotula, 972
- nigrodiscus, 352
- nilgiriensis, 166
- omphaliiformis forma bispora, 395 ('bisporique')
- paludigenus, 892
- parviconicus, 166
- parvulus, 679, 892
- pegleri, 395 ('peglerii')
- perrarus, 972
- pichinchensis, 972
- plantaginis, 679
- polycladoides, 972
- polylepidis var. jujuyensis, 972
- praegrandidispermus, 972
- pseudocarcis, 128
- pseudocupressiformis, 972
- — var. alboflavescentulus, 972
- — var. atripes, 972
- — var. conspicuus, 972
- — var. hendecaphyllophorus, 972
- — var. intermedius, 972
- pseudominutus, 972
- pseudo-euosmus, 439
- purpureus, 395
- pusillissimus, 1061
- quercophilus, 166
- rhododendrorum, 766
- rosulatus, 1061
- rotaliformis, 299
- rubi, 766
- rubromarginatus var. albilamellatus, 972
- salalis, 679
- scleronematis, 972
- setosus, 766
- shideiae, 972
- skaliae, 837
- sphaerodermatoides, 972
- stipitarius, 250
- straminipes var. fibulatus, 972
- subaimara, 439
- submarginatus, 972
- subsetiger, 439
- sulphureus, 395
- tasmaniensis, 972
- tephromelanus, 972
- terraefirmae, 972
- thiersii, 679
- tibeticus, 17
- titanosporus, 892
- truncigenus, 488
- truncorum, 972
- — var. ramorum, 972
- umbilicatus, 439

- viridicarneus, 544
- wynei forma pachyphyllus, 892
- xyloendron, 972
- Maravalia amazonensis**, 395
- aulica, 395
- bauhiniicola, 395
- bolivarensis, 395
- cryptostegiae, 395
- echinulata, 395
- erythroxyli, 352
- exigua, 395
- fici, 395
- fusiformis, 837
- gentilis, 395
- guianensis, 395
- kevorkianii, 352
- lonchocarpi, 395
- lucumae, 395
- milletticola, 352 ('melletticola')
- mimusops, 395
- palaquii, 395
- payenae, 395
- pseudosuprastomatalis, 892
- quadrilobata, 395
- sapotae, 395
- swartziae, 395
- Marcelleina benkertii**, 766
- chopraiana, 205
- donadinii, 766
- georgii, 766
- pseudoanthracina, 766
- MARCHANDIOMYCES**, 1061
- corallinus, 1061
- MARIAELLA**, 679
- bovina, 679
- Mariannaea clavispora**, 767
- superimposita, 972 ('superimpositus')
- MARINOSPHERA**, 1061
- mangrovei, 1061
- MARISOLARIS**, 972
- ansata, 972
- Maronea afroalpina**, 972
- Marssonina balsamiferae**, 352
- brunnea forma specialis trepidae, 352
- ershadii, 54
- pakistanica, 352
- populi forma specialis monogermmtubi, 439
- — forma specialis multigermmtubi, 439
- psidii, 597
- sojicola, 166 ('sojaecola')
- Martellia medlockii**, 597
- redolens, 395
- Massariella oleae**, 395
- zambettakiana, 597
- Massarina acrostichi**, 1062
- alpina, 166
- arundinacea, 439
- azadirachticola, 166
- balnei-ursi, 597
- chamaecyparissi, 128
- coniferarum, 597
- cystophorae, 17
- gloeospora, 597
- indigoferae, 439
- lacustris, 439
- macrospora, 597
- mori, 439
- operculicola, 128
- oplismeni, 17
- piskorzii, 439
- ribesiella, 488
- sivanesanii, 679 ('sivanesami')
- thalassiae, 679
- velataspora, 597
- waikanaensis, 972
- MASSARIOSPHAERIA**, 251
- adrianii, 973
- alpigena, 892
- autumnalis, 251
- clavata, 973
- compositarum, 439
- grandispora, 439
- melicae, 973
- mosana, 439
- multiseptata, 251
- pakistana, 251
- palustris, 439
- phaeospora, 251
- pusillispora, 892
- roumegueri, 439 ('roumegueri')
- rubelloides, 251
- rubicunda, 251
- scabrispora, 973
- scirpina, 439
- straminis, 251
- thurgoviensis, 973
- triseptata, 679
- typhicola, 439
- Massariothea attenuata**, 439
- botulispora, 17
- scotica, 55
- Massospora cicadetae**, 87
- pahariae, 87
- Mastigospora nyssae**, 128
- Mazosia pilosa**, 837
- pseudobambusae, 837
- Mazzantia borealis**, 299
- tranzschelii, 439
- MEBARRIA**, 973
- thujina, 973
- MEGALARIA**, 395
- grossa, 395
- MEGALOBLASTENIA**, 251
- flavidoatra, 251
- marginiflexa, 251
- — var. dimota, 251
- Megalocystidium humile**, 166
- Megalodochium inflatum**, 251
- Megalonectria coffeae**, 87
- Megalospora admixta**, 488
- albescens, 251
- atrorubicans subsp. australis, 251
- — subsp. sendaiensis, 251
- australiensis, 251
- bartlettii, 251
- campylospora, 251
- coccodes, 251
- — subsp. nigricans, 251
- disjuncta, 488
- foersteri, 1062
- gompholoma, 251
- — subsp. fuscolineata, 251
- granulans, 251
- halei, 251

[Megalospora]

- hillii, 251
- inflexa, 251
- isidiza, 128
- kalbii, 251
- knightii, 251
- lopadioides, 251
- maderensis, 251
- pachycarpa, 166
- pachycheila, 251
- porphyritis, 439
- pruinata, 251
- — subsp. fusca, 251
- — subsp. lamii, 251
- queenslandica, 251
- subtuberculosa, 251
- thomensis, 251
- tuberculosa, 251
- verruculosa, 128
- weberi, 251

MEGASPORA, 767

- verrucosa, 767

MEGASPOROPORIA, 205

- cavernulosa, 205
- hexagonoides, 205
- mexicana, 205
- setulosa, 205

MEGATRICHOLOMA, 439

- colossus, 439 ('colossus')

Melampsora cumminsii, 395

- dimorphospora, 251
- euphorbiae var. euphorbiae-dulcis, 205
- hissarica, 767
- kamikotica, 251
- medusae forma specialis deltoidis, 893 ('deltoidae')
- — forma specialis tremuloidis, 893 ('tremuloidae')
- osmaniensis, 395
- populi, 439
- salcis-viminalis, 17

Melampsoridium asiaticum, 251

- linderae, 597

Melanconiella striispora, 87

Melanconiopsis megalospora, 597

Melanconis gigantea, 767

- leiphaemia, 973

Melanconium melanoanthum var. major, 597

Melanelia fuliginosa, 767

- glabra, 767
- glabrata subsp. fuliginosa, 893
- granulosa, 767
- incolorata, 767
- poeltii, 597
- sorediata, 597

Melanocarpus oblatum, 767

Melanocephala cubensis, 767

Melanogaster obovatisporus, 973

- shanxiensis, 973

- trapei, 299

Melanographium indicum, 166

- laxum, 166

MELANOLECIA, 128

- dissipabilis, 129
- jurana, 129
- — subsp. bicincta, 545

- — var. bicincta, 129

- — var. muverani, 129

- micropsis, 129

- — var. lutescens, 129

- muscigena, 129

- similigena, 129

- transitoria, 129

Melanoleuca subgen. Macrocytis, 837

- subgen. Urticocystis, 837

- subsect. Exscissae, 837

- subsect. Grammopodiae, 837

- abutyrea, 439

- albifolia, 837

- atripes, 837

- brachyspora, 545

- bresadolana, 893

- brevispora, 545

- brunnea, 767

- cavipes, 837

- cinereifolia var. maritima, 545

- clelandii, 439

- cognata var. nauseosa, 837

- conspurcata, 545

- contracta, 837

- cremeospora, 973

- decembris, 545

- deusta, 439

- divarticulata, 55

- excissa var. iris, 837

- fusca, 439

- grammopodia forma macrocarpa, 837

- guzmanii, 395

- heterocystidia, 352

- heterocystidiosa var. cistorum, 439

- — forma alba, 439

- intervenosa, 837

- krieglstaineri, 893

- kuehneri, 893

- — var. iris, 893

- leucophylla, 837

- leucophylloides, 55

- — var. pruinatipes, 55

- mackleri, 973

- maritima, 439, 545

- metrodiana, 893

- metrodii, 205

- nigripes, 837

- nivea, 837

- parisianorum, 767

- — forma clitocyboides, 973

- parisiorum, 767

- polioleuca forma langei, 837

- — forma oreina, 837

- pseudobrevipes, 545

- pseudoevenosa, 55

- pseudoluscinia, 18

- pseudorasilis, 395

- rasilis var. pseudoluscinia, 837

- tristis, 395, 893

- tropicalis, 205, 352

- xavieri, 973 ('xavierii')

- yucatanensis, 352

- zaaminensis, 767

Melanomma distinctum, 767 ('distincta')

- dzungaricum, 680 ('dzungarica')

- oxysporum, 488

Melanomphalia leucocephala, 973

- Melanophyllum globisporum*, 87
 — *haematospermum*, 440, 489
Melanopsichium onumae, 440
Melanopus radicans, 352
MELANOSPHAERITES, 252
 — *devonicus*, 252
 — *subdevonicus*, 252
Melanospora longisetosa, 166
Melanotaenium majus var. *melinidis*, 767
Melanotheca leightonii, 973
Melanotus decapitatus, 973
 — *dumontii*, 973
 — *heteroloma*, 973
 — *horizontalis*, 352
 — *macrosporus*, 299
 — *matrisdei*, 973
 — *musacearum*, 973
 — *pecten*, 973
 — *textilis*, 395
Melasmia iranica, 55
 — *phyllostachydis*, 767
Melaspilea canariensis, 166
 — *granitophila*, 973
 — *lecideopsoidea*, 597
 — *zerovii*, 99
Melastiza asperula, 87
 — *kumouensis*, 440
 — *laeticolor*, 893
Meliola acunae, 973 ('*acunai*')
 — *affinis* var. *indica*, 893
 — *agavicola*, 767
 — *agumbensis*, 893
 — *ailanthi*, 767 ('*ailanthii*')
 — *arnoldii*, 973
 — *balakrishnanii*, 352
 — *bidentata* var. *major*, 973
 — *bissei*, 973
 — *blepharidis*, 488
 — *brevispora*, 680
 — *buchenaviae* var. *terminaliae*, 352
 — *caesalpiniae* var. *bauhiniae*, 680
 — *campanulacearum*, 767
 — *carissae* var. *spinari*, 973
 — *chrysobalanacearum*, 680
 — *coilocosa*, 352
 — *cyclobalanopsina* var. *globopodia*, 973
 — *cyrillacearum*, 973
 — *danertii*, 973
 — *delae*, 973
 — *dendrotrophicola*, 973
 — *drepanochaeta* var. *insignis*, 893
 — *ervatamiae*, 893
 — *eupatorii*, 973 ('*eupatoriae*')
 — *fatsiae*, 18
 — *floridensis* var. *pudukadensis*, 893
 — *garhwalensis*, 299
 — *grewiae* var. *longispora*, 545
 — *hainanensis*, 973
 — *hemidesmi*, 767 ('*hemidesmae*')
 — *jayachandranii*, 893
 — *kreiseli*, 974
 — *linocierae-malabaricae*, 893
 — *lithocarpina* var. *mengyangensis*, 974
 — *litseae* var. *microspora*, 893
 — *livistonae* var. *boninensis*, 18
 — *mappianthicola*, 974
 — *mayapeicola* var. *indica*, 893
 — *ochrocarpi*, 395
 — *paramignya*, 893
 — *parvifoliae*, 252
 — *piperis*, 395 ('*piperae*')
 — *pudukadensis*, 893
 — *ramacharii*, 974
 — *reevesiae*, 129
 — *sapotacearum*, 767
 — *sparsipoda* var. *longiseta*, 974
 — *tenella* var. *atalanticola*, 893
 — *torulosispora*, 680
 — *yuanjiangensis*, 974
Meliolina subramanianii, 440
Meliolinites dilcheri, 166 ('*dilcherii*')
Melioliphila winkleriana, 680
Melittosporiella macrospora, 597
Meloderma dracophylli, 893
 — *richeae*, 252
 — *sharmarum*, 545
Melomastia coffeae, 87
Melzericium rimosum, 597
MELZERODONTIA, 55
 — *aculeata*, 55
MEMBRANICIUM, 545
 — *carnosum*, 545
 — *flavido-album*, 545
 — *martianum*, 545
 — *niveum*, 545
 — *ravenelii*, 545
 — *sulphurinum*, 545
 — *versicolor*, 545
 — *viticola*, 545
Memnoniella leprosa, 597
Menegazzia amabilis, 597
 — *aucklandica*, 299
 — *caesiopruinosa*, 598
 — *caliginosa*, 299
 — *castanea*, 299
 — *confusa*, 598
 — *eperforata*, 299
 — *inactiva*, 598
 — *inflata*, 299
 — *lucens*, 299
 — *minuta*, 598
 — *nothofagi*, 299
 — *pulchra*, 299
 — *subbullata*, 598
 — *subpertusa*, 299
 — *testacea*, 299
 — *ultralucens*, 299
Menispora britannica, 440
Menisporopsis ludoviciana, 488
 — *pleiosetosa*, 545
MERCADOMYCES, 974
 — *camagueyensis*, 974 ('*camagueyense*')
Meria harposporioides, 205
 — *parkeri*, 598
Meripilus applanatus, 395
 — *lentifrondosus*, 893 ('*lentifrondosa*')
 — *maculatus*, 395
 — *sumstinei*, 893
 — *villosulus*, 395
Merismatium decolorans, 1062
 — *discrepans*, 1062
Merismella amazonensis, 545
Meristacrum milkoi, 87
Merostictus aciculispota, 767

- [*Merostictis*]
— *betulicola*, 488
— *lundellii*, 1062
Meruliopsis albostramineus, 129
Mesophellia agglutinospora, 252
Metacapnodium crassum, 129
— *dingleyae*, 129
— *guava*, 129
— *smilacinum*, 129
— *spongiosum*, 352
METAMELANEA, 974
— *caesiella*, 1062
— *melambola*, 974
— *umbonata*, 974
Metarhizium cylindrospora, 598
('cylindrospora')
— *flavoviride* var. *minus*, 598
— *guizhouense*, 598
— *pingshaense*, 598
Metasphaeria africana, 87
— *coffeicola*, 87
— *dendrocalami*, 680 ('dendrocalamae')
METASTERIDIUM, 767
Metatrichia floriformis, 252, 440
— *floripara*, 598
— *rosea*, 252, 440
METAZYTHIOPSIS, 974
— *halepensis*, 974
Metrodia excissa, 352
Metschnikowia australis, 488
METULOCYPHELLA, 299
— *lanceolata*, 299
— *rostrata*, 299
Metulodontia nivea forma sulphurea, 352
METUS, 767
— *conglomeratus*, 767
— *efflorescens*, 767
— *pileatus*, 767
Micarea adnata, 299
— *alabastrites*, 166
— *assimilata*, 299
— *botryoides*, 30
— *chlorosticta*, 767
— *clavulifera*, 30
— *crassipes*, 299
— *curvata*, 299
— *elachista*, 299
— *endocyanea*, 767
— *erratica*, 1062
— *excipulata*, 837
— *globulosella*, 299
— *hedlundii*, 299
— *intrusa*, 299
— *lignaria* var. *endoleuca*, 299
— *lutulata*, 30
— *marginata*, 837
— *melaenida*, 299
— *melanobola*, 299
— *micrococca*, 440
— *muhrii*, 299
— *myriocarpa*, 299
— *nigella*, 299
— *nigrata*, 129
— *olivacea*, 299
— *pseudomarginata*, 974
— *subnigrata*, 129
— *subviolascens*, 299
— *synotheoides*, 166
— *turfosa*, 64
— *viridiatra*, 395
— *vulpinaris*, 598
Micraspis tetraspora, 395
Microascus caviariformis, 767
— *tardifaciens*, 252
Microbotryum dianthorum, 893
— *gaussenii*, 893 ('gaussenii')
— *lychnidis-dioicae*, 205 ('lynchis-dioicae')
— *major*, 205
— *silenes-inflatae*, 205
— *stellariae*, 205
— *violaceo-irregulare*, 205
— *violaceo-verrucosum*, 893
— *violaceum*, 205
Microcollybia conidiophora, 87
Microcylus argyreiae, 55
Microdiplodia cannabina, 488
— *carissae*, 166
— *mimuli*, 768
— *ramonae*, 768
— *ziziphi*, 55 ('zyzphy')
Microdochium dimerum, 395
— *fusarioides*, 440
— *lunatum*, 395
— *nivale*, 299
— — var. *majus*, 299
— *oryzae*, 299
— *palmicola*, 166
— *panattonianum*, 545
— *passiflorae*, 680
— *stoveri*, 299
— *tabacinum*, 395
— *tripsaci*, 167
MICROGLOMUS, 18
— *paxillus*, 18
— — var. *bicellulare*, 299
Micromphale abhorrens, 545
— *amadelpum*, 352 ('amadelpus')
— *arbuticola*, 488
— *arenivagum*, 352 ('arenivagus')
— *bisporigera*, 768
— *humillimum*, 352 ('humillimus')
— *orientale*, 893
— *rameale*, 352 ('ramealis')
— *sequoiae*, 488
— *todae*, 1062
— *trabutii*, 352
— *tricolor*, 352
MICROMUCOR, 252
— *isabellinus*, 252
— *longicollis*, 252
— *naumovii*, 440
— *ramannianus*, 252
Micropeltopsis alpestris, 1062
— *ammophilae*, 974
— *palustris*, 1062
— *peltigericola*, 1062
— *pinophylla*, 1062
— *santessonii*, 1062
Micropeziza diphasii, 129
Microporellus brunneus, 680
— *burkillii*, 680
— — var. *discolor*, 680
— — var. *griseiporus*, 680
— — var. *rufescens*, 680

- *clemensiae*, 440
- *fuliginosus*, 680
- *grandiporus*, 680
- *iguazuensis*, 598
- *inusitatus*, 680
- — *var. lateritius*, 680
- — *var. latiporus*, 680
- — *var. parvisporus*, 680
- — *var. roseibrunneus*, 680
- *labyrinthiformis*, 680
- *nigripes*, 680
- *pahangensis*, 680
- *setigerus*, 680
- *subincarnatus*, 680
- *subumbonatus*, 680
- *violaceocinereascens*, 440
- Microporus luteo-ceraceus*, 598
- Micropsalliota* sect. *Albonudae*, 893
- sect. *Brunneospermae*, 893
- sect. *Plumariae*, 894
- sect. *Repandae*, 894
- sect. *Subalbae*, 894
- sect. *Subargineae*, 894
- *alba*, 299
- *albonuda*, 894
- *arginophaea*, 18
- *atropurpurea*, 894
- *avellanea*, 299
- *bambusicola*, 894
- *bogoriensis*, 300
- *brunneola*, 18
- *brunneosperma* var. *cortinata*, 18
- *campestroides*, 894
- — *var. brevipes*, 894
- *cinnamomeopallida*, 300
- *cortinata*, 894
- *cymbispora*, 300
- *cystidiosa*, 167
- *elata*, 894
- *endophaea*, 894
- *erythrospila*, 545
- *globocystis*, 18
- *gracilis*, 18
- *heterocystis*, 894
- *ianthina*, 18
- *laeta*, 18
- *lateritia*, 18
- *luteotacta*, 894
- *lutescens*, 18
- *malabarensis*, 300
- *ochracea*, 18
- *pholiotinoides*, 300
- *pilicystis*, 18
- *pleurocystidiata*, 300
- *pseudoarginea*, 252
- *repanda*, 18
- *roseipes*, 18
- *roseovinaceus*, 252
- *subalba*, 300
- *subarginea*, 18
- *violaceosquamulosa*, 18
- *xanthorubescens*, 18
- MICROPYXIS**, 1062
- *tryblidariae*, 167
- Microscypha cejpai*, 488
- Microsomyces telephani*, 545
- Microsphaera acaciae*, 129
- *aceris*, 167
- *alhagi*, 167
- *alphitoides* var. *chenii*, 205
- *americana*, 167
- *aristolochiae*, 87
- *azaleae*, 167
- *berberidis* var. *asiatica*, 252
- — *var. dimorpha*, 129 ('*dimorpha*')
- *bulbosa*, 768
- *caprifoliacearum*, 167
- *caryae*, 167
- *ceanothi*, 205
- *celastri*, 87
- *cinnamomi*, 205
- *clethrae*, 205
- *cotini*, 768
- *crispula*, 205
- *deutziae*, 167
- *diffusa* forma *elongata*, 352
- *dimorpha*, 252
- *dipeltae*, 300
- *ellisii*, 167
- *erlangshanensis*, 300
- *extensa* var. *curta*, 205
- *fraxini*, 167
- *friesii* var. *dahurica*, 252
- *golovinii*, 129
- *hedysari*, 353
- *himalayensis*, 768
- *hommae*, 205
- *hypericacearum*, 129
- *hyperici*, 87
- *indica*, 680
- *indigoferae*, 894
- *itoana*, 488
- *izuensis*, 440
- *juglandis-nigrae*, 205
- *katumotoi*, 205
- *loniceriae* var. *ehrenbergii*, 205
- — *var. flexuosa*, 205
- *ludens* var. *lathyri*, 205
- *magnifica*, 252
- *mayumi*, 440
- *meliosmae*, 353
- *menispermii* var. *dahurica*, 440
- — *var. sinomenii*, 440
- *miurae*, 252
- *miyabeana*, 205
- *multappendicis*, 129
- *neglecta*, 252
- *neomexicana*, 252
- *nomurae*, 167
- *orixae*, 490
- *ornata*, 167
- — *var. europaea*, 252
- *paederiae*, 490
- *peckii*, 205
- *phyllanthi*, 490
- *polygoni*, 440
- *pseudoacaciae*, 167
- *pulchra* var. *japonica*, 205
- *pusilla*, 206
- *rhamnocola*, 87 ('*rhmnicola*')
- *rhododendri*, 167
- *rosae*, 88
- *sedi*, 88
- *sichuanica*, 129

[Microsphaera]

- sinomenii, 88
- subtrichotoma, 440
- swainsoniae, 167
- sydowiana, 206
- symploci, 88
- syringae-japonicae, 206
- thermopsidis, 353
- tiliae, 768
- trifolii, 129
- — var. desmanthi, 353
- — var. intermedia, 598
- ulmi, 353
- vanbruntiana var. sambuciracemosae, 353
- variabilis, 88
- verruculosa, 88
- wallrothii, 490

Microsphaeropsis arundinis, 18

- clidemiae, 18
- ixorae, 206

pittospororum, 353**MICROSPORONITES**, 167

- cacheutensis, 167
- taiwanensis, 167
- Microsporum canis* var. distortum, 300
- praecox, 1062

MICROSTELLA, 396

- pluvioriens, 396

Microstoma floccosum var. *macrosporum*, 55
(*floccosa* var. *macrospora*)**Microthecium rywardenianum**, 490

- Microthelia acerina*, 440
- araucariae, 300

Microthyriacites fuxinensis, 598

- palmatus, 206
- plicatus, 598

MICROTHYRINA, 55

- buxicola, 55
- cytisi, 55
- epimyces, 55
- paraguayensis, 55

Microthyriolum calathea, 55

- equatoriense, 55

Microthyrium holmiae, 1062

- mahabaleshwariense, 680
- (*mahabaleshwariensis*)

- microscopicum subsp. arctoalpinum, 1062
- pamelaiae, 55

Micularia tabebuiae, 837**Miltidea ceroplasta**, 396**Mimeomyces bicolor**, 440

- deplanatus, 440
- formicetorum, 440
- macropus, 440
- rostratus, 440
- speluncalis, 440
- urophilus, 440

MINIANCORA, 974

- allisoniensis, 974

Minimidochium crepuscolare, 894

- indicum, 55

Minksia alba, 894**MINUTOPHOMA**, 88

- chrysophthalmae, 88

Mirandina arnaudii, 545

- dactylelloides, 18
- flagelliformis, 680

- fusiformis, 680

- taiwanensis, 680

- yushanensis, 300

MIRIQUIDICA, 768

- complanata, 768

- deusta, 768

- disjecta, 768

- garovaglii, 768

- griseoatra, 768

- instrata, 768

- intrudens, 768

- leucophaea, 768

- limitata, 768

- lulensis, 768

- molybdochroa, 768

- nigroleprosa, 768

- obnubila, 768

- pulvinatula, 768

Mitocythridium regale, 768**Mitrula paludosa** forma *lilacinorosea*, 490**MITRULINIA**, 680

- ushuaiae, 680

Miuraea asiminae, 252**MIYAKEOMYCES**, 768 ('Miyakeamycetes')

- bambusae, 768

Mniopetalum arachnoideum, 680

- (*arachnoidea*)

- distinctum, 88

- flabelliforme, 545

- furfuraceum, 545

- miniatum, 545

- minutum, 768

MOANA, 974

- turbinulata, 974

Moellerodiscus brunneus, 353, 396

- (*Mollerdiscus brunius*)

- carneus, 353, 396 (*'Mollerdiscus'*)

- fuscobrunneus, 88

- gemmiger, 300 (*'gemmigerus'*)

- glaucescens, 129

- hederiae, 206

- iodotogens, 206

- — subsp. canariensis, 206

Moelleropsis nebulosa subsp. *frullaniae*, 837**Moesziomyces eriocauli**, 545**MOLGOSPORIDIUM**, 18

- ellipticum, 18

MOLLIARDIOMYCES, 353

- coccineus, 353 (*'coccinea'*)

- crispatus, 490

- cupressinus, 353 (*'cupressina'*)

- domingensis, 353

- guatemalensis, 353

- luteus, 353

- occidentalis, 353

- pfisteri, 353 (*'pfisterii'*)

MOLLICARPUS, 353

- cognatus, 353

Mollisia alcaliuregens, 680

- brevispila forma *artemisiae*, 768

- buniadis, 1062

- cinerella var. *citrinorelecta*, 768

- crocata, 768

- dextrinospora, 18

- exsilienis, 680

- gigantea, 300

- glutinosa, 768

- olivaceo-cinerea, 974
- polytrichicola, 837
- potentillae-erectae, 837
- rumicis, 974
- sericeomarginata, 680
- tenuispora, 1062
- upsaliensis, 1062
- ushuaiae, 18
- Mollisina alba**, 1062
- echinulifera, 894
- flava, 129
- globulosa, 129
- indica, 252
- uncinata, 353
- MOLLISINOPSIS**, 353
- aurantiaca, 490
- filicis, 353
- indica, 353
- Mollisiopsis lobkovicensis**, 680
- quercina, 974
- subantarctica, 18
- Monacrosporiella indica**, 206 ('indicum')
- Monacrosporium thaumasium**, 490
- ('thaumasia')
- MONASCELLA**, 598
- botryosa, 598
- Monascostroma bacilliferum**, 206
- ('bacillifera')
- typhae, 300
- Monascus albidus**, 252
- — var. glaber, 252
- anka, 252
- — var. rubellus, 252
- araneosus, 252
- aurantiacus, 206
- eremophilus, 768
- floridanus, 768
- fuliginosus, 252
- kaoliang, 396
- major, 252
- pilosus, 252
- pubigerus, 252
- rubiginosus, 252
- rubropunctatus, 252 ('rubropunctatas')
- serorubescens, 252
- vitreus, 252
- Monilia asteroides**, 837
- balcanica, 837
- bethaliensis, 837
- blanchardii, 837 ('blanchardi')
- bronchialis, 837
- burgesii, 837 ('burgessi')
- caoi, 838
- chalmersii, 838 ('chalmersi')
- corticola, 440
- cutanea, 838
- enterica, 838
- faecilis, 838
- gaylussaciae, 894
- guillermondii, 838 ('guillermondi')
- harteri, 838
- insolita, 838
- intestinalis, 838
- krusei, 838
- lustigi, 838
- macedoniensis, 838
- metatropicalis, 838
- metschnikoffii, 768 ('metchnikoffi')
- montoyae, 838 ('montoyai')
- nabarroii, 838
- nitida, 838
- nivea, 838
- parabalconica, 838
- parachalmersii, 838
- parakrusei, 838
- paratropicalis, 838
- perieri, 838
- perryi, 838
- pinoyi, 838
- pseudoguillermondii, 838
- pseudotropicalis, 838
- pulmonea, 838
- rhoi, 838
- rosea, 838
- rotunda, 838
- rugosa, 838
- tropicalis, 838
- versiformis, 598 ('versiformia')
- zeylanica, 838
- Moniliella pollinis**, 353
- Monilinia gaylussaciae**, 894
- mespili, 768, 769
- Moniliopsis oryzae**, 680
- solani, 680
- zaeae, 680
- Monoblepharis thalassinosa**, 252
- ('thalassionosus')
- Monochaetia ilicina**, 440
- MONOCHAETINULA**, 545
- terminaliae, 545
- MONODICTYITES**, 252
- intertrappeus, 252 ('intertrappea')
- Monodictys abuensis**, 545
- antillani, 490
- asterospora, 440
- cruciseptata, 300
- gemmipara, 545
- indica, 353, 490
- juglandis, 974
- pandani, 440
- sessilis, 545
- spiraeae, 974
- striata, 545
- torulosa, 300
- Monographella albescens**, 88
- cucumerina, 396
- maydis, 490, 546
- nivalis, 18
- opuntiae, 396
- passiflorae, 681
- stevensonii, 88
- stoveri, 300
- Monoicomyces chosunensis**, 769
- focarilei, 129
- labiatus, 598
- oxyteli, 300 ('oxytelis')
- yamamotoi, 490
- Monoporisporites abruptus**, 129
- cupuliformis, 129
- keralensis, 396
- novus, 353
- ovalis, 129
- psilatus, 353
- sheffyi, 353 ('sheffvi')

- [Monoporisorites]
 — singularis, 129
 Monostichella appendiculata, 598
 — indica, 18
 Monotosporella rhizoidea, 546
 MONOTRETOMYCES, 681
 — uniseptatus, 681 ('uniseptatum')
 Montagnea radiosa, 974
 — tenuis, 440
 Montagnula anthostomoides, 440
 — baatanensis, 252
 — dura, 252
 — gillettiana, 252
 — hirtula, 440
 — obtusa, 252
 — opaca, 252
 — phragmospora, 253
 — rhodophaea, 440
 — spinosella, 253
 — subsuperficialis, 974
 — thuemeniana, 253
 — triseti, 253
 MONTROYELLA, 839
 — bodinii, 839 ('bodini')
 MORAVECIA, 681
 — calospora, 681
 Morchella angusticeps var. ovoideo-brunnea, 769
 — conica var. deliciosa, 974
 — conicopapyracea, 490
 — costata forma acuminata, 490
 — — forma teratologique, 490
 — deliciosa, 490
 — distans forma longissima, 490
 — — forma spathulata, 490
 — elata var. costata, 396
 — — var. nigripes, 396
 — — var. purpurascens, 396
 — elatoides, 490
 — — var. elegans, 490
 — elatovelutipes, 490
 — esculenta var. crassipes, 396
 — — var. vulgaris, 974
 — — forma alba, 769
 — eximia forma schizocostata, 490
 — eximioides, 490
 — guatemalensis, 490
 — norvegiensis, 490
 — pseudorigida, 490
 — pseudoumbrina, 490
 — — var. ovalis, 491
 — pseudoviridis, 491
 — purpurascens, 491
 — — var. ionoviridis, 491
 — — forma heteroparaphysa, 491
 — rotunda var. crassipes, 491
 — — var. esculenta, 491
 — — var. minutula, 491
 — — var. pallida, 491
 — — var. rigida, 491
 — — forma minutella, 491
 — rudis, 491
 — spongiola, 491
 — tibetica, 598
 — umbrina forma macroalveola, 491
 — umbrinovelutipes, 491
 Morenoia arundinariae, 18
 — chamaecyparidis, 18
 — clarkii, 18
 — festucae, 18
 — fimbriata, 18
 — minuta, 18
 — paludosa, 18
 — parvula, 491
 — phragmitis, 18 ('phragmitidis')
 — pteridicola, 300
 — rhododendri, 18
 — websteri, 18
 MOROSPORIUM, 396, 440
 — elongatum, 396, 440
 — lignitum, 396, 441
 — pedicellatum, 441
 MORRISIELLA, 441
 — indica, 441
 Morrisographium boudieri, 441
 — fusisporium, 441
 — hispidulum, 441
 — persicae, 353
 — ulmi, 441
 — ulmicola, 441
 Mortierella macrocystopsis, 974
 — ornata, 353, 396
 — ovata, 167
 — pseudozygospora, 974
 Mosigia illita, 353
 — intercedens, 353
 MRAKIA, 894
 — frigida, 894
 — gelida, 894
 — nivalis, 894
 — stokesii, 894
 Mucilopilus castaneiceps, 894
 — mexicanus, 167
 MUCITURBO, 894
 — reticulatus, 894
 — truncatus, 894
 — verrucosus, 894
 MUCOBASISPORA, 1062
 — tarikii, 1062
 Mucor circinelloides var. mandshuricus, 396
 — faisalabadensis, 441
 — hiemalis forma luteus, 396
 — — forma silvaticus, 396
 — inaequisporus forma kaki, 396
 — intermedius, 441
 — lahorensis, 441
 — laxorrhizus var. ovalisporus, 974
 — luteus var. indicus, 441
 — miehei var. minor, 441
 — pakistanicus, 441
 — pilobolus, 441
 — pontiae, 441
 — punjabensis, 441
 — thermohyalospora, 353
 — umbellatus var. asperior, 396
 — variusporus, 441
 Mucronella bresadolae var. microspora, 441
 — pendula, 18
 Muellerella frullaniae, 491
 — macrospora, 441 ('Müllerella')
 — pygmaea var. athallina, 1062
 — — var. ventosicola, 1062
 — rubescens, 491
 — triseptata, 546

- vesicularia, 491
- MUHRIA**, 769
- urceolata, 769
- Multicellaesporites allomorphus**, 129
- attenuatus, 129
- bellus, 206
- bigeminatus, 129
- capsularis, 129
- cingulatus, 206
- compactilis, 206
- confusus, 353
- conicus, 206
- conspicuus, 206
- crassispora, 300
- curvatus, 353
- desmodes, 206 ('Milticellaesporites')
- didymus, 130
- differentialis, 253
- discitypicus, 206
- dongyingensis, 206
- doualae, 300
- ellipticus, 130
- elongatus, 130
- elsikii, 975
- evidens, 206
- fusiformis, 130
- fusus, 300
- grandiusculus, 130
- granulatus, 206
- incurvus, 206
- irregularis, 130
- karii, 354
- lanceolatus, 206
- leptaleus, 206
- littoralis, 300
- margaritus, 206
- maximus, 206
- mollis, 206
- mustus, 206
- obscurus, 206
- oculus, 206
- ovatus, 130
- pachydermus, 206
- pachyspora, 300
- pandus, 130
- reniformis, 206
- sacciformis, 130
- simplicissimus, 130
- tenerus, 206
- tricellatus, 354
- tricyclosus, 206
- vermiculatus, 206
- verus, 206
- volubilis, 207
- Multicellaesporonites elsikii**, 88
- Multiclavula samuelsii**, 839
- sinensis, 546
- Mundkurella kalopanacis**, 1062
- mohgaoensis, 167 ('mohgaoense')
- MURCIASPORIDIUM**, 18
- divisum, 18
- Murogenella eucalypti**, 253
- MURRILLOPORUS**, 441
- rutilantiformis, 441
- MUSCICOLA**, 491
- dubia, 491
- Myceliophthora hinnulea**, 253
- indica, 546
- lutea var. macrospora, 546
- vellerea, 18
- Mycelochroa irrugans**, 681
- Mycena** sect. *Crocatae*, 894
- sect. *Cyanocephalae*, 681
- sect. *Euspeireae*, 975
- sect. *Galactopoda*, 894
- sect. *Ingratae*, 975
- sect. *Insignes*, 975
- sect. *Kermesinae*, 681
- sect. *Sanguinolentae*, 894
- subsect. *Galactopodinae*, 681
- subsect. *Lilacifolinae*, 681
- subsect. *Pseudocrocatae*, 681
- adscendens, 130
- — var. *rickiana*, 491
- agloea, 975
- alcalina var. *inodora*, 396
- alni, 769
- alphetophora var. *distincta*, 975
- — var. *globispora*, 975
- amazonica, 253
- anchietana, 491
- araujae, 253
- asterophora, 253
- atrata, 300
- atroavellanea, 300
- austrofilipes, 300
- austropolygramma, 396
- avenacea var. *citrinomarginata*, 253
- — var. *contraria*, 253
- baumeri, 491
- biornata var. *manausensis*, 253
- candidissima, 300
- cariciophila, 19
- castaneomarginata, 975
- castaneostipitata, 975
- chlorantha forma *caespitosa*, 546
- chloranthoides, 441
- chloroxantha, 253
- clavata, 546
- cnaphocystis, 975
- contulmensis, 894
- coracina, 769
- corynephora, 300
- costaricensis, 300
- cucullata, 441
- culmigena, 546
- cuspidatipilosa, 839
- cyanosyringea, 300
- deceptor, 769
- decora, 598
- delectabilis var. *bispora*, 769
- delica, 975
- delvisoi, 55
- dendrocystis, 598
- depilata, 975
- dinghuensis, 598
- diosma, 167
- dumontii, 975
- eburnea, 769
- egregia, 975
- epipterygia var. *atroviscosa*, 975
- — var. *brunneola*, 975
- — var. *fuscopurpurea*, 975
- — var. *griseoviridis*, 130

[*Mycena epipterygia*]

- — var. *pelliculosa*, 130
- — var. *sophia*, 441
- — var. *splendipes*, 975
- *erythromyces*, 300
- *ezeizae*, 491
- *falsidica*, 598
- *filopes* var. *metata*, 253
- *follicystidiata*, 441, 546
- *fuscocystidiata*, 975
- *fusconigra*, 894
- *galericulata* var. *ferrugineomaculata*, 769
- — forma *patagonica*, 396
- *galopus* var. *mellea*, 253
- *gelatinomarginata*, 839
- *gloeoloma*, 975
- *glutinocothurnata*, 975
- *gomezii*, 975
- *griseoradiata*, 975
- *griseoradiatella*, 975
- *gypsella*, 769
- *helminthobasis* var. *novaezelandiae*, 300
- *hemitrichialis*, 975
- *hispida*, 300
- *hydropodoides*, 975
- *hypoxera*, 396
- *icterinoides*, 975
- *igapoensis*, 975
- *indica*, 253, 894, 975, 1062
- *inopinata*, 546
- *insignis* var. *macrospora*, 441
- *interrupta* var. *fumosa*, 300
- *intervenosa*, 975
- *invisibilis*, 396
- *ionocephala*, 975
- *isabellina*, 300
- *kermesina*, 681
- *kuthanii*, 975
- *lacrimans*, 975
- *lactea* var. *tetraspora*, 769
- *laevigatoides*, 769, 839
- *lageniformis*, 301
- *lammiensis*, 546
- *lecythidacearum*, 975
- *leptocephala* var. *minuta*, 253
- *lineata*, 55
- *longicrinita*, 975
- *marocana*, 301
- *mauretanica* var. *apogama*, 769
- — var. *longipila*, 769
- — var. *megaspora*, 769
- — var. *microcephala*, 769
- — var. *stenospora*, 769
- *melcula*, 301
- *meliigena* forma *alba*, 598
- *microjonina*, 975
- *microleucoides*, 975
- *micromelaena*, 975
- *micropolia*, 975
- *microstena*, 975
- *microtephra*, 975
- *microtrichialis*, 976
- *microxantha*, 976
- *muciflua*, 976
- *nanoclavula*, 976
- *neocrispata*, 769
- *neotropicalis*, 976
- *neuhoffii* forma *acute cystidiata*, 491
- — forma *casuarinae*, 491
- *nigroalba*, 769, 839
- *nitriolens*, 769
- *niveipes* var. *alni*, 1062
- *occulta*, 546
- *olivaceomarginata* forma *contraria*, 598
- — forma *roseofusca*, 598
- — forma *thymicola*, 598
- *osmundicola* var. *yalensis*, 396
- *pantopolia*, 976
- *pelliculosa* var. *bryopsea*, 441
- — var. *fuscopurpurea*, 253
- *perturbata*, 354
- *pilosella*, 769, 839
- *pluvialis*, 976
- *poecila*, 976
- *poliocephala*, 976
- *porphyrocephala*, 976
- *profusa*, 894
- *pseudocrispata*, 769
- *pseudogibba*, 769
- *pseudoglutinosa*, 491
- *pseudolaevigata*, 769, 1062
- — var. *maculata*, 769
- *pseudomaculata*, 1062
- *pseudovittilis*, 55
- *pteridophila*, 441 ('*Pteriphila*')
- *pura* var. *marplatensis*, 55 ('*marplatense*')
- — var. *mediterranea*, 839
- — var. *raphanacea*, 442
- — var. *rosea*, 253
- — forma *alba*, 253
- — forma *ianthina*, 1062
- — forma *lutea*, 253
- — forma *purpurea*, 1062
- — forma *rosea*, 253
- — forma *roseobrunnescens*, 769
- — forma *roseoviolacea*, 1062
- — forma *violacea*, 1063
- *radiata*, 492
- *ramicola*, 354
- *respersa*, 442
- *rhenana*, 492
- *riparia*, 546
- *robusta*, 769, 839
- *rosaviolacea*, 55
- *rubromarginata* var. *bulbosostipitata*, 442
- *sanguinolenta* var. *cuspidata*, 895
- — forma *graveolens*, 598
- *seegeri*, 895
- *semipilosa*, 976
- *sepia* var. *tenella*, 253
- *septentrionalis*, 442
- *silvae-nigrae*, 895
- *singeri*, 839
- *speirea* var. *camptophylla*, 599
- *stercoraria*, 354
- *stipata*, 895
- *subclavularis*, 396, 895
- *subfragilis*, 492
- — var. *ravida*, 396
- — var. *typica*, 396
- *subglobosa*, 681
- *subgracilis*, 599
- *subgrisea*, 546
- *sublongiseta*, 599

- subglucida, 301
- substellata, 770
- subtenerrima, 976
- tentorium, 895
- tephrophylla, 976
- tristis, 839
- umbrinovinosa, 492
- uracea, 442, 546, 599
- ustalis, 976
- villicaulis, 770, 895
- Mycenella bryophila* var. *caesia*, 492
- *favreana*, 681
- *incommiscibilis*, 253
- *margaritifera*, 167
- *nodulosa*, 492
- *polylepidis*, 976
- *radicata*, 397
- *rubropunctata*, 492
- *salicina* forma *bispora*, 492
- *trachyspora*, 492
- Mycerema chandleri*, 681
- Mycoacia meridionalis*, 88
- *nothofagi*, 130
- *subconspersa*, 207
- Mycoaciella hinnulea*, 19
- MYCOALVIMIA**, 88
- *theobromicola*, 88
- Mycoarachis tetraspora*, 839
- Mycobilimbia accedens*, 1063
- *berengeriana*, 770
- *diplotypa*, 770
- *fissuriseda*, 1063
- *fusca*, 770
- *hunana*, 770
- *hypnorum*, 770
- *lobulata*, 770
- *microcarpa*, 1063
- *philippina*, 770
- *sabuletorum*, 397
- *sphaeroides*, 770
- *tetramera*, 976
- MYCOBYSTROVIA**, 301
- *lepidophaga*, 301
- Mycocalicium albonigrum*, 207
- *americanum*, 681
- *calicioides*, 397
- *fulvofuscum*, 681
- *schefflerae*, 301
- *victoriae*, 397
- *viscinicola*, 167
- Mycocandida pinoyisimilis* var. *citelliana*, 599
- Mycocarpus asterineus*, 976
- *bimuratum*, 253 ('*bimuratus*')
- *flexum*, 253 ('*flexus*')
- *ornatum*, 253 ('*ornatus*')
- Mycocentrospora acerina* var.
- *castelnaudariensis*, 167
- *angulata*, 301, 681
- *camelliae*, 301
- *cladosporioides*, 301
- *fusarioides*, 681
- Mycocitrus hypocrellicola*, 1063
- Mycocladus blakesleeanus*, 442
- ('*blakesleeanns*')
- *corymbiferus*, 442
- *hyalospora*, 442
- *ramosus*, 442 ('*ramosa*')
- MYCOCLELANDIA**, 397
- *arenacea*, 397
- *bulundari*, 397
- MYCOCRYPTOSPORA**, 681
- *anthostomoides*, 681
- Mycocenterolobium platysporum* var.
- *magnum*, 681
- Mycogloea orthospora*, 976
- Mycogone novae-zelandiae*, 681
- MYCOKIDSTONIA**, 397
- *sphaerialoides*, 397
- Mycocoleptodiscus lunatus*, 442
- *minus*, 301
- *taiwanensis*, 681
- MYCOLINDTNERIA**, 895
- *flava*, 895
- *leucobryophila*, 895
- *pellicularis*, 895
- *pterospora*, 895
- *trachyspora*, 895
- Mycocomicrothelia anonacea*, 492
- *apposita*, 492
- *atlantica*, 492
- *captiosa*, 492
- *confluens*, 492
- *confusa*, 492
- *conothelena*, 492
- *decipiens*, 895
- *dothideaspora*, 492
- *exigua*, 492
- *fumosa*, 492
- *hemisphaerica*, 492
- *inaequalis*, 130
- *melanospora*, 167
- *micula*, 64
- *miculiformis*, 492
- *minutissima*, 301
- *minutula*, 492
- *modesta*, 492
- *nonensis*, 492
- *obovata*, 492
- *pachnea*, 492
- *socialis*, 492
- *subfallens*, 492
- *thelena*, 492
- *wallrothii*, 19
- *willeyana*, 492
- MYCOPAPPUS**, 442
- *aceris*, 442
- *alni*, 442
- MYCOPEPON**, 770
- *guianensis*, 770
- Mycoporum compositum*, 770
- Mycorrhaphium adustum*, 976
- *citrinum*, 976
- Mycosphaerella algida*, 770
- *allii-cepae*, 546
- *andromedae*, 546
- *annulata*, 546
- *antarctica*, 397
- *apophlaeae*, 88
- *bambusae*, 770
- — var. *phylostachydis*, 770
- ('*phyllotachydis*')
- *brunneomaculans*, 397
- *canephora*, 88
- *capparidis*, 681

[Mycosphaerella]

- chlorogali, 770 ('chlorogalli')
- corni, 839 ('cornii')
- costii, 88
- crepidophora, 976
- delegatensis, 354
- dendrobii-nobilis, 354
- ephedrae, 681
- epiphylla, 130 ('epithylli')
- fagraeae, 55
- gaubae, 253
- gibsonii, 354
- henningsii, 442
- implexicola, 976
- juglandis, 354
- kankeshwarensis, 599
- luzonensis, 88
- mangiferae, 599
- minuartiae, 253
- mycopappi, 770
- nemoseridis, 770
- pachysandrae, 770 ('Mycosphaerella')
- papuana, 492
- parva, 167
- piliosigmatis, 770
- pini, 253, 354
- pongamiaeae, 442
- potentillae-stipularis, 253
- rusci, 130
- ruscicola, 55
- sesami, 492
- sesamicola, 492
- swartii, 354
- uspenskajae, 599
- walkeri, 354
- welwitschii, 839
- Mycosylva setosa, 167
- Mycotorula dimorpha, 599
 - trimorpha, 599
 - verticillata, 599
- Mycotypha indica, 397
- MYCOUSTERIA, 546
 - ellipsoideispora, 546
 - morulinae, 546
- Mycovellosiella acericola, 895
 - acori, 130
 - bellynckii, 167
 - boldoae, 354
 - brideliae, 301
 - broussonetiae, 976
 - carlinae, 167
 - cordiicola, 976
 - costeroana, 895
 - curvispora, 976
 - desmodiicola, 492
 - dioscoreae, 895
 - eupatorii-odorati, 130
 - fici, 599
 - fulva, 253
 - gmelinae-arboreae, 599
 - gonostegiae, 976
 - gorakhpurensis, 88
 - haplophragmatis, 167 ('haplophragmae')
 - holobrunnea, 130
 - hyalofilispora, 130
 - imperatae, 895
 - indica, 207

- lobeliae-cardinalis, 546
- malvacearum, 492
- merremiae, 895
- mitragynae, 301 ('mitragyneae')
- myrtacearum, 546
- paulowniicola, 301
- pirozynskii, 681
- rhois, 1063
- rubiacearum, 207
- solenae-heterophyllae, 976
- taiwanensis, 895
- trijugae, 492
- triseptospora, 130
- MYCOWINTERIA, 546
 - anodonta, 546
- MYELOCHROA, 681
 - amagiensis, 681
 - aurulenta, 681
 - crassata, 681
 - degelii, 681
 - denegans, 681
 - entotheiochroa, 682
 - galbina, 682
 - hayachinensis, 682
 - immiscens, 682
 - indica, 682
 - leucotylyza, 682
 - lindmanii, 682
 - metarevoluta, 682
 - obsessa, 682
 - perisidians, 682
 - rhytidodes, 682
 - subaurulenta, 682
 - xantholepis, 682
- MYELORRHIZA, 599
 - antrea, 599
 - jenkinsiana, 599
- Myiocopron fagifolii, 55
 - ovatisporum, 546
 - smilaciscae, 55
- Myriangium catalinae, 770 ('Myrangium')
 - superficiale, 599 ('superficialis')
- MYRIONORA, 839
 - albidula, 839
- Myriophacidium corticola, 19
 - quercinum, 546
 - tridentatum, 19
- Myriosclerotinia curreyana forma latispora, 492
 - gregoriana, 895
 - luzulae, 492
 - sulcata, 493
 - sulcatula, 493
- Myriotrema albidulum, 30
 - albocinctum, 99
 - anamalaiense, 30
 - andamanicum, 30
 - bahianum, 30
 - barroense, 30
 - calvescens, 30
 - cinereoglaucescens, 30
 - cinereum, 30
 - clandestinum, 30
 - compunctum, 30
 - concretum, 30
 - configuratum, 30
 - congestum, 30

— costaricense, 30
 — craterellum, 1063
 — dactyliferum, 30
 — deceptum, 30
 — decorticatum, 99
 — desquamans, 30
 — elachistoterum, 30
 — eminens, 30
 — exile, 30
 — extendens, 1063
 — fissurinum, 99
 — fluorescens, 99
 — foliicola, 30
 — fragile, 30
 — frondosum, 99
 — glaucescens, 30
 — glaucophaenum, 30
 — glauculum, 30
 — granulosum, 30
 — halei, 30
 — hartii, 30
 — immersum, 30
 — insigne, 30
 — laeviusculum, 30
 — leiostomum, 30
 — lunense, 1063
 — mammicolum, 30
 — mammilare, 30
 — masonhalei, 30
 — mastarion, 99
 — maximum, 30
 — microphthalmum, 1063
 — microporellum, 30
 — microporum, 30
 — microstomum, 30
 — minutulum, 30
 — minutum, 30
 — multicavum, 99
 — myriocarbon, 31
 — myrioporoides, 31
 — myrioporum, 31
 — myriotremoides, 31
 — norsticticum, 31
 — nuwarensis, 99
 — occultum, 31
 — pachystomum, 31
 — permaculatum, 1063
 — phaeosporum, 31
 — polytretum, 99
 — porinaceum, 31
 — protoalbum, 99
 — protocetraricum, 31
 — pulverulentum, 31
 — pycnoporellum, 31
 — reclusum, 31
 — rugiferum, 31
 — santessonii, 31
 — scabridum, 31
 — schizostomum, 31
 — secernendum, 31
 — sembilanense, 1063
 — sphinctrinellum, 31
 — steyermarkii, 31
 — subcompunctum, 31
 — subconforme, 31
 — subwrightii, 31
 — terebrans, 31

— terebratulum, 31
 — thwaitesii, 99
 — trypaneoides, 31
 — uniseptatum, 31
 — urceolare, 31
 — viride, 1063
 — viridialbum, 31
 — vulcani, 31
 — wightii, 31
 — wrightii, 31

MYROTHECIASTRUM, 839

— salvadorae, 839

Myrothecium bisetosum, 301

— flavo-virens, 599
 — mori, 493
 — penicilloides, 354
 — setiramosum, 599
 — tongaense, 55
 — viride, 19

Mystrosporiella denticulata, 19

MYTHICOMYCES, 546

— corneipes, 546

Mytilinidion resinae, 546 ('Mytilidion')

MYTILODISCUS, 354

— alnicola, 354

Myxarium dischroipes, 895, 1063

Myxarium galzinii, 253

— tremelloides, 253

MYXOCEPHALA, 1063

— albida, 1063

Myxomphalia invita, 895, 1063

Myxosporium ficophilum, 770

— mori, 770
 — psidii-guajavae, 442

MYXOZYMA, 167

— geophila, 682
 — lipomycoides, 682
 — melibiosi, 167
 — mucilagina, 167

NADSONIELLA, 770

— nigra, 770
 — — var. hesuelica, 770
 — — var. psychrophilica, 770

NADVORNIA, 397

— diplotylia, 1063

— hawaiiensis, 397 ('hawaiiensis')

Naemacyclus fimbriatus, 301

— lambertii var. dryadis, 599

— steatopygioides, 771

Naemaspora mori, 771

Naematoloma aequatoriae, 55

— alnetorum, 55
 — aurantiacum, 682
 — capnoides var. pusillum, 599
 — cokerianum, 55 ('cokeriana')
 — magnivelaris, 682
 — marginatum, 599
 — munnarensis, 254 ('munnaensis')
 — naematoliforme, 55 ('naematoliformis')
 — neocaledonicum, 55 ('neocaledonica')
 — rhombispora, 55
 — scobicola, 546
 — subericaceum forma iodolens, 599
 — trinitense, 682
 — umbrosum, 976
 Naeviella poeltiana, 895
 — volkartiana, 254

Naeviopsis caricis-brizoidis, 167
NAGRAJOMYCES, 354
 — *dictyosporus*, 354
NAIADELLA, 682
 — *fluitans*, 682
NAILISPORITES, 167
 — *taiwanensis*, 168
Naïs glitra, 546
Nakataea curvularioides, 771
NAMAKWA, 839
 — *exornata*, 839
Nannfeldtiella guldeniae, 88
NANNFELDTIOMYCES, 168
 — *anomalus*, 168
 — *sparganii*, 168
Nannizzia cookiella, 254
 — *corniculata*, 168
NANNIZZIOPSIS, 493
 — *vriesii*, 493
NANOSHEMA, 19
 — *elaecarpi*, 19
Nanoscypha denisonii, 442
 — *euspora*, 130
 — *orissaensis*, 442
 — *phyllogena*, 442
Nanostictis pseudocypbellariae, 599
Narasimhella marginospora, 599
NATTRASSIA, 1063
 — *mangiferae*, 1063
Naucoria albotomentosa, 354
 — *badiolateritia*, 354
 — *cedriolens*, 599
 — *cerodes*, 493
 — *clavuligeroides*, 354
 — *decolorata*, 354
 — *macrospora*, 254
 — — *forma tetraspora*, 254
 — *mirabilis*, 130
 — *myosotis forma minor*, 254
 — *pseudoscolecina*, 354
 — *rubriceps*, 354
 — *saliceti*, 354
 — *salicetorum*, 354
 — *scolecina forma gracillima*, 254
 — *silvaenovae*, 354
 — *spadicea*, 354
 — *vernalis*, 599
NAVISPORUS, 55
 — *floccosus*, 55 ('*floccosa*')
 — *sulcatus*, 301
NAWAWIA, 55
 — *filiformis*, 55
Nectria alata, 976
 — *albida*, 254
 — *albidopilosa*, 493
 — *aleuritis*, 397 ('*aleuritidia*')
 — *antarctica*, 976
 — *australiensis*, 493
 — *austro-americana*, 976
 — *boothii*, 19
 — *brunneostriata*, 976
 — *camelliae*, 207
 — *catalinensis*, 771
 — *chaetopsinae*, 442
 — *chaetopsinae-catenulatae*, 442
 — *chaetopsinae-penicillatae*, 442
 — *chaetopsinae-polyblastiae*, 442

— *chlorogloea*, 895
 — *chrysogramma*, 976
 — *cinnabarina forma stromaticola*, 771
 — *coffae*, 88
 — *dacryocarpa*, 895
 — *dictyospora*, 254
 — *discicola*, 493
 — *discophila*, 493
 — *echinospora*, 88
 — *echinulata*, 88
 — *ellisii var. tofieldina*, 976
 — *euphorbiana*, 19
 — *fusispora*, 254
 — *ganymede*, 599
 — *glabra*, 254
 — *golovinii*, 130
 — *grammicosporopsis*, 895
 — *haematococca var. brevicona*, 207
 — — *forma specialis piperis*, 682
 — *haematococcoides*, 254
 — *hoheriae*, 976
 — *impariphalis*, 976
 — *ingae*, 254
 — *kera*, 397
 — *kurdica*, 254
 — *laetidisca*, 254
 — *lasiacidis*, 977
 — *lateritia*, 254
 — *lonicerae*, 977
 — *lucifer*, 895
 — *mammiformis*, 207
 — *mauritiicola*, 493
 — *microdisca*, 254
 — *mnii*, 771
 — *neogrammicospora*, 895
 — *neohenningsioides*, 254
 — *neomacrospora*, 130
 — *neorehmiana*, 254
 — *oubanguiensis*, 88
 — *pachyderma*, 254
 — *parmeliae*, 88
 — *parviphalis*, 977
 — *patavina*, 977
 — *penicilliferi*, 977
 — *phaeodisca*, 254
 — *phaeohaematococca*, 254
 — *phycophora*, 254
 — *phyllostachydis*, 771 ('*Nectoria*')
 — *platyspora*, 1063
 — *pseudocinnabarina*, 977
 — *pseudogrammicola*, 1063
 — *purpurea*, 1063
 — — *var. veneta*, 1063
 — *racomitrii*, 354
 — *rehmiana*, 254
 — *rubrostoma*, 254
 — *septomyrothecii*, 895 ('*septomyrotheciae*')
 — *sesquicillii*, 977
 — *sesquiphialis*, 977
 — *setofusariae*, 1063
 — *spirostriata*, 254
 — *tonduzi*, 977
 — *uredinophila*, 254
 — *xanthoxyli*, 977
Nectriella anisospora, 977
 — *erythrinella*, 1063
 — *exigua*, 301

- fuscidula, 1063
- guttulata, 977
- leptaleae, 397 ('Netriella')
- lichenicola, 1063
- muelleri, 397
- ornamentata, 254
- pironii, 19
- robergei, 1063
- santessonii, 599
- silenes-acaulis, 1063
- subimperspicua, 397
- Nectriopsis albofulta*, 977
- *bactridioides*, 977
- *broomeana*, 168
- *byssotecta*, 977
- *cephalosporii*, 977
- *cordiae*, 977
- *cupulata*, 977
- *discicola*, 977
- *discophila*, 977
- *epichloe*, 977
- *epimyces*, 977
- *epimycota*, 977
- *epinectria*, 977
- *exigua*, 168
- *flavella*, 977
- *guarapiensis*, 977
- *hirsuta*, 977
- *hyperbiota*, 977
- *hypocrellicola*, 977
- *lasioderma*, 977
- *lasiodermopsis*, 977
- *leucorrhodina*, 977
- *lilliputia*, 977
- *macrocephichloe*, 977
- *microthecia*, 977
- *mindoensis*, 977
- *nanocarpa*, 977
- *oidioides*, 977
- *oropensoides*, 977
- *ostiolorum*, 978
- *oxyspora*, 978
- *perpusilla*, 978
- *pipericola*, 978
- *porinicola*, 978
- *puiggarii*, 978
- *sensitiva*, 978
- *septofusidae*, 978
- *sepultariae*, 978
- *sibicola*, 978
- *sororicola*, 978
- *sporangiicola*, 978
- *squamulosa*, 978
- *tremellicola*, 168
- *tubariicola*, 168
- ermania aenea*, 442
- *albocincta*, 397
- *atropurpurea*, 397
- *bipapillata*, 397
- *carbonacea*, 397
- *chestersii*, 397
- *conostoma*, 397
- *effusa*, 397
- *gwyneddii*, 397
- *illita*, 397
- *serpens* var. *macrospora*, 442
- ematoctonus angustatus*, 547
- *brevisporus*, 547
- *cylindrosporus*, 547
- *geogenius*, 547
- *hamatus*, 547
- *subreniformis*, 547
- Nematogonum caribense*, 493 ('caribensis')
- *mycophilum*, 130
- Nematoloma frowardii*, 599
- NEMATOPHTHORA**, 19
- *gynophila*, 19
- Nematospora hoehneltii*, 682
- *sinecauda*, 397
- Nematostigma himalayanum*, 839
- ('himalayana')
- Nematostoma costaricana*, 771
- Nematothecium horridum*, 682
- NEOALPAKESA**, 130
- *poae*, 130
- NEOARBUSCULA**, 301
- *eugeniae*, 301
- NEOBARYA**, 547
- *parasitica*, 547
- NEOCALLIMASTIX**, 354
- *frontalis*, 354
- *patriciarum*, 493
- Neoclitocybe acromelalga*, 682
- *ciliata*, 978
- *infundibuliformis*, 682
- *sanctaerosae*, 978
- NEOCORDYCEPS**, 397
- *kohyasanensis*, 397
- Neocosmospora arxii*, 1063
- *boninensis*, 1063
- *indica*, 354
- *tenuicristata*, 254
- *vasinfecta* var. *africana*, 354
- Neocudoniella radicella*, 599
- NEODASYSCYPHA**, 682
- *cerina*, 682
- *subciboria*, 682
- Neodeightonia ramulicola*, 600
- Neofuscelia atrobarbatica*, 771
- *esterhuyseniae*, 547
- *neodelisei*, 771
- *nonreagens*, 547
- *pseudoloriloba*, 547
- NEOHYGROCYBE**, 547
- *fornicata*, 547
- *ingrata*, 547
- *metapodia*, 547
- *nitrata*, 547
- *ovina*, 547
- NEOJOHNSTONIA**, 301
- *colocasiae*, 301
- NEOKELLERMANIA**, 130
- *oryzae*, 130
- *setariae*, 130
- NEOLENTINUS**, 493
- *adhaerens*, 493
- *cirrhusus*, 493
- *dactyloides*, 493
- *kauffmanii*, 493
- *lepideus*, 493
- *pallidus*, 493
- *papuanus*, 493
- *ponderosus*, 493
- *schaefferi*, 493

- Neopaxillus bryogenus*, 600
 — *plumbeus*, 896
 — *reticulatus*, 547
NEOPERICONIA, 254
 — *indica*, 254
Neophoma stipitata, 682
Neophyllis pachyphylla, 31
Neosartorya spathulata, 493
Neoskofitzia monilifera, 1063
NEOSPORIDESMIUM, 896
 — *maestrense*, 896
Neotestudina diplodioides, 682
NEOTREMELLA, 19
 — *guzmanii*, 19
Neotrotteria lobayensis, 88
 — *mangiferae*, 130
Neottiella aphanodictyon, 254
 — *atrichi*, 896
Neottiosporina clavata, 19
 — *cylindrica*, 442
Neovossia vittata, 130
Neozygites acaridis, 493
 — *adjarica*, 19
 — *floridana*, 19
 — *fresenii*, 19
 — *fumosa*, 19
 — *lageniformis*, 19
 — *lecanii*, 682
 — *parvispora*, 19
 — *tetranychii*, 19
 — *turbinata*, 19
Nephrochytrium bipes, 301
Nephroma areolatum, 683
 — *foliolatum*, 683
 — *helveticum* subsp. *sipeanum*, 600
 — *hensseniae*, 683
 — *occultum*, 65
 — *papillosum*, 771
 — *plumbeum* var. *isidiatum*, 771
 — *rufum*, 301
 — *skottsbergii*, 771
 — *sulcatum*, 683
Nephromopsis globulans, 130
 — *morrisonicola*, 130
 — *nipponensis*, 131
 — *pseudocomplicata*, 131
NEREIOSPORA, 301
 — *comata*, 301
 — *cristata*, 301
Neta compacta, 493
 — *quadriguttata*, 493
 — *salmonicolor*, 493
Neuropogon ciliata var. *subcapillaris*, 600
 — *subcapillaris*, 301
Neurospora discreta, 600
 — *sublineata*, 88
Newinia kigeliae, 254
 — *thaiana*, 839
Niesslia pulchriseta, 600
 — *taiwanensis*, 978
Nigrofomes castaneus, 442
NIGROHYDNUM, 683
 — *nigrum*, 683
Nigroporus aratus, 442
 — *castaneus*, 600
 — *pubertatis*, 442
 — *rigidus*, 683
NIGROPUNCTA, 88
 — *rugulosa*, 88
NIMBOMOLLISIA, 254
 — *aberrans*, 254
 — *eriophori*, 254
 — *macrospora*, 254
 — *melatephroides*, 254
 — *stictioidea*, 254
 — *trichophoricola*, 254
NIMBOSPORA, 168
 — *bipolaris*, 442
 — *effusa*, 168
 — *octonae*, 442
NIMBYA, 1063
 — *caricis*, 1064
 — *gomphrenae*, 1064
 — *heteroschemos*, 1064
 — *juncicola*, 1064
 — *scirpicola*, 1064
Niptera bambusae, 683
 — *filispora*, 896, 1064
 — *graminea*, 683
 — *tephromelas*, 600
 — *vaginalis*, 683
NIVEOSTOMA, 839
 — *leucostoma*, 839
NOCHASCYPHA, 301
 — *dumontii*, 301
 — *filicina*, 301
 — *paraguayensis*, 301
 — *stricta*, 301
NODOTIA, 600
 — *aspera*, 600
Nodulisporium acervatum, 493
 — *geochroum*, 354
 — *hyalosporum*, 88
 — *puniceum*, 493
 — *radians*, 493
 — *sylviforme*, 493
 — *umbrinum*, 493
Nodulosphaeria engadinensis, 683, 1064
 — *morthieriana*, 683
 — *pileata*, 255
 — *revelstokensis*, 442
 — *rupestris*, 255
 — *winteri*, 255
Nolanea caribaea, 255
 — *cuspidifera*, 494
 — *cyanea*, 355
 — *juncea*, 494
 — — var. *cuspidata*, 494
 — *murraii*, 355
 — *obscura*, 255
 — *peckiana*, 355
 — *permutata*, 255
 — *pseudopapillata*, 255
 — *quadrospora*, 547
 — *rhombispora*, 355
 — *salmonea*, 355
 — *scabrinella*, 355
 — *strictior*, 355
 — *subcaelestina*, 168
NOTHOCASTOREUM, 355
 — *cretaceum*, 355
Nothopanus candidissimus, 355
 — *lignatilis*, 600
 — *minutus*, 255

NOTHOPORPIDIA, 397— *irrubens*, 397**NOTHOSTRASSERIA, 255**— *dendritica*, 255**NOTOLECIDEA, 397**— *subcontinua*, 397**Notothyrites amorphus, 88**— *haizhouensis*, 600**Nowakowskiella keratinophila, 896**— *methistemichroma*, 255— *moubasherana*, 397 ('*moubasheriana*')**Nummularia bartholomaei, 771**— *bulliardii* var. *minor*, 771**Nyctalis agaricoides, 1064**— *asterophora* forma *major*, 301**Nyssopsora chinensis, 56**— *schefflerae*, 771— *thirumalacharii*, 494**OBOLARINA, 494**— *dryophila*, 494**OBTECTODISCUS, 19**— *aquaticus*, 19— *nectrioides*, 547**Ocellularia agasthiensis, 896**— *albomaculata*, 99— *arecae*, 31— *ascidioidea*, 99— *asiatica*, 31— *auberiana*, 31— *auberianoides*, 1064— *aurata*, 31— *bakoensis*, 1064— *caledoniensis*, 31— *canara*, 896— *canariana*, 683— *chiriquiensis*, 31— *concentrica*, 600— *conformis*, 31— *confusa*, 31— *crassa*, 31— *croceopora*, 99— *cryptotrema*, 302— *deformis*, 1064— *depressa*, 31— *epitrypa*, 31— *erumpens*, 31— *eumorpha*, 31— *eurychades*, 1064— *exuta*, 99— *fissa*, 31— *flavomedullosa*, 1064— *garoana*, 31— *gentingensis*, 1064— *glyphica*, 31— *grandis*, 31— *inexpectata*, 1064— *interponenda*, 31— *interposita*, 31— *kanneliyensis*, 99— *keralensis*, 99— *kinabalensis*, 1064— *lankaensis*, 99— *leucina*, 31— *leucomelaena*, 31— *lirelliformis*, 31— *marivelensis*, 31— *massalongi*, 31 ('*massalongi*')
— *meiosperma*, 31— *meiospermoides*, 99— *melanostoma*, 302— *melanotremata*, 99— *metaphorica*, 31— *microspora*, 31— *monosporoides*, 31— *neocavata*, 99— *neodominicana*, 31— *neopertusariiiformis*, 99— *nureliya*, 683— *obscura*, 31— *obturascens*, 771— *panamensis*, 31— *planaria*, 31— *pluripora*, 99— *polilensis*, 99— *praestans*, 31— *pruinata*, 1064— *psoromica*, 31— *rassagala*, 99— *rhicnopora*, 99— *sanfordiana*, 32— *stictica*, 32— *sticticans*, 99— *straminea*, 32— *subperforata*, 896— *subpraestans*, 32— *subsimilis*, 32— *tenuis*, 32— *thelotremoides*, 32— *tuberculata*, 1064— *udupiensis*, 683— *verrucoisidiata*, 896— *verrucomarginata*, 683— *virens*, 32— *wandoorensis*, 600**OCHOTRICHOBOLUS, 255**— *polysporus*, 255**OCHRACEOSPORA, 600**— *cavarae*, 600**Ochroconis gallopava, 255 ('gallopavum')**— *gamsii*, 494**Ochrolechia austroamericana, 398**— *isidiifera*, 771— *macrosperma*, 255— *parella* subsp. *anomala*, 547— — subsp. *pallescens*, 547— *pseudopallescens*, 443— *rhodoleuca*, 839— *subplicans*, 839— — subsp. *hultenii*, 839— *verrucosa*, 398**Ochroporus alni, 398**— *cinereus*, 600— *igniarius* var. *cinereus*, 547— — var. *trivialis*, 547— *laevigatus*, 398— *lundellii*, 398— *nigricans*, 398— *nigrolimitatus*, 398— *ossatus*, 600— *populicola*, 398— *ramni*, 398— *tremulae*, 398— *tuberculosis*, 398**OCOSTASPORA, 302**

[OCOSTASPORA]

- apilongissima, 302
- OCOTOMYCES, 398
- parasiticus, 398
- Octavianina aculeatosporea, 168, 443
- asterosperma var. mutabilis, 168, 443
- cigroensis, 207
- Octospora sect. Lamprospora, 839
- sect. Neottiellae, 839
- sect. Octosporae, 839
- sect. Ramsbottomiae, 840
- albocincta, 771
- areolata, 56
- ascoboloides, 56
- biannulata, 56
- borealis, 771
- bridei, 771
- calospora, 56
- carbonaria, 56
- catharinaea, 771
- ciervensis, 896
- crec'hqueraultii, 56
- dictydiola, 56
- echinospora, 771
- hissarica, 255
- hygrohypnophila, 302
- laetirubra, 56
- lutziana, 56
- macracantha, 56
- miniata, 56
- ovalispora, 771
- polytrichi, 56
- pseudoampezzana, 771
- roxheimii var. aestivalis, 771
- tuberculata, 56
- tuberculatella, 56
- OCTOSPORELLA, 19
- hemicypta, 19
- jungermanniarum, 19
- ornithocephala, 88
- perforata, 19
- ptilidii, 771
- suboperculata, 19
- urospora, 88
- OCTOSPORONITES, 302
- stauroides, 302 ('Octosporites')
- Odonticium australe, 88
- helgae, 547
- monfraguense, 978
- ODONTIOPSIS, 56
- ambigua, 600
- hyphodontia, 56
- ODONTODICTYOSPOREA, 443
- comasii, 443
- Odontotrema oregonense, 600
- sieversiae, 255
- OESOPHAGOMYCES, 207
- lithobii, 207
- Oidiodendron robustum, 547
- scytaloides, 302
- setiferum, 600
- Oidiopsis haplophylli, 600
- taurica, 896
- — forma specialis aristolochiacearum, 896, 978
- — forma specialis balsaminacearum, 896, 978

- — forma specialis boraginacearum, 896, 978
- — forma specialis euphorbiacearum, 896, 978
- — forma specialis leguminosarum, 896, 978
- — forma specialis malvacearum, 896, 978
- — forma specialis passifloracearum, 896, 978
- — forma specialis ranunculacearum, 896, 978
- — forma specialis rosacearum, 896, 978
- — forma specialis solanacearum, 896, 978
- Oidium ailanthe, 255, 355 ('ailanthii')
- antigononis, 207 ('antigononii')
- araliacearum, 494
- bauhiniarum, 443
- braunii, 443
- buddlejiae, 443
- caesalpinjiacearum, 494
- cinnamomi, 494
- cinnamomi-japonici, 494
- dendrophthoe, 255
- dombeyae, 683
- ericinum, 771
- forsythiae, 168 ('forsythiae')
- grewiae, 89
- ipomoeae, 494
- jasmini, 207 ('jasminii')
- lanneae, 683
- limnanthis, 978
- longipes, 978
- nephelii, 494
- parthenii, 168
- pavoniae, 600
- peltophori, 131
- pentatropidis, 978
- prinsepiae, 771 ('prinsepiae')
- riveae, 355
- robustum, 494
- saintpauliae, 683 ('saintpaulia')
- santalacearum, 978
- schmieckeknechtii, 494
- scopariae, 255
- stapeliae, 494
- syringicola, 896
- tropicale, 683
- verbenae, 683
- vernoniae, 207
- zinniae, 168
- OIDOSPOREA, 1064
- anomala, 1064
- Oligoporus africanus, 840
- amarus, 443
- anguloporus, 443, 771
- balsameus, 443
- caesius, 443
- cerifluus, 443
- floriformis, 443
- fragilis, 443
- guttulatus, 443
- hibernicus, 443
- johnstonii, 443
- lacteus, 443
- leucomallellus, 443
- leucospongia, 443
- lowei, 443

- manuka, 771
- mappa, 443 ('mappus')
- minusculoides, 772
- obductus, 443
- perdelicatus, 443
- placenta, 1064
- placentus, 443
- rancidus, 443, 772
- sequoiae, 443
- sericeomollis, 302, 398
- stipticus, 772
- subpendulus, 772
- tephroleucus, 443
- undosus, 443
- Olivea fimbriata**, 355
- isonandrae, 978
- viticis, 355
- Oliveonia subfibrillosa**, 56
- Olla costata**, 683
- millepunctata, 683
- scrupulosa, 683
- Olpidiopsis deformans**, 207
- endogena, 547
- Olpidium vermicola**, 600
- Ombrophila pura**, 494
- tetraccladia, 494
- translucens, 494
- OMEGA**, 896
- coenobiticum, 896
- Omphalia asterospora forma fusca**, 255
- speirea var. tenuistipes, 255
- subsericella, 683
- Omphaliaster ianthinocystis**, 131
- kytosporus, 302
- nauseodulcis, 302
- obolus, 683
- palustris, 683
- Omphalina acerosa**, 131
- affricata, 56
- arctica, 255
- asterospora, 355
- clavuligera, 355
- cyanobrunnescens, 494
- cyanophylla, 600
- cyathella, 398
- ectypoides, 255
- elastica, 355
- ericetorum, 131
- foliacea, 979
- fuliginea, 772
- fuliginosa, 302
- fulvopallens, 355
- infumata, 979
- largispora, 600
- lilacinicolor, 19
- lobata, 979
- melanomphax, 131
- mercantoria, 302
- microsperma, 255
- var. inodora, 255
- nodulispora, 355 ('nodulisporus')
- oedipus, 302
- pararustica, 207
- parvivelutina, 207
- pauxilla, 207
- psammophila, 494
- pseudogrisella, 131
- radiatilis, 302
- ranunculina, 302
- rigidipes, 255
- roblemaulicola, 896
- rogersii, 302 ('rogersi')
- subhepatica, 896, 1064
- venustissima, 131
- vesuviana, 494
- violaceoviridis, 600
- viridis, 302
- wallacei, 355
- Omphalotus lutescens**, 896
- mexicanus, 398
- subilludens, 255
- Oncocladium flavum var. robustum**, 600
- Oncopodiella cubensis**, 547
- guamensis, 131
- Oncopodium aceris**, 979
- munjalii, 89
- suttonii, 979
- ONDINIELLA**, 355
- torquata, 355
- ONYCHOPHORA**, 302
- coprophila, 302
- Oospora amycelica**, 600
- Opegrapha andamanica**, 772
- atra forma reticulata, 302
- — forma rimosa, 302
- — forma stenocarpa, 302
- bacidiae, 979
- bengalensis, 772
- brevis, 772
- brigantina, 494
- diaphora forma signata, 302
- — forma tigrina, 302
- dibbenii, 398
- dolomitica, 547
- herbarum var. betulina, 302
- — forma conferta, 302
- indica, 772
- lamyi, 1064
- lichenoides forma cerebrina, 302
- luzonensis, 398
- maligna, 1064
- mangelotii, 302
- niveoatra forma intermedia, 302
- — forma olivaceonigra, 302
- rufescens forma fuscata, 302
- — forma herpetica, 302
- — forma stellaris, 302
- santessonii, 398
- saxicola var. dolomitica, 65
- sporopodiae, 979
- squalida, 772
- stereocaulicola, 1064
- strigulae, 979
- thelotrematis, 772
- vermicellifera forma deplanata, 302
- — forma discrepans, 302
- — forma spermogonifera, 302
- — forma subpulcaris, 303
- Ophiobolus catharanthicola**, 89
- didolotii, 89
- fragmentarius, 772
- idamalayarensis, 979
- kugitangi, 207
- landoltii, 600

[*Ophiobolus*]
 — *lepidolophae*, 168 ('*Ophiobolus*')
 — *miscanthi*, 979
Ophioceras boukokoensis, 89
 — *coffaeae*, 89
 — *indicus*, 979
 — *leptosporum*, 19
OPHIODEIRA, 896
 — *monosemeia*, 896
Ophiodothella lagerstroemiae, 600
 — *longispora*, 207
Ophiognomonina capillaris, 303
 — *elasticae*, 303
 — *langii*, 303
 — *padicola*, 303
 — *pseudoplatani*, 89
 — *sassafras*, 303
Ophionectria africana, 89
 — *lobayensis*, 89
 — *macrorostrata*, 89
 — *magniverrucosa*, 255
 — *rostrellata*, 89
Ophioparma lapponica, 772
 — *ventosa* var. *cuprigena*, 772
Ophiosphaerella erikssonii, 19
 — *herpotricha*, 19
 — *korrae*, 979
 — *leptosperma*, 19
 — *sasicola*, 979 ('*sasaecola*')
 — *stipae*, 19
 — *williamsii*, 19
Ophiostoma abiocarpum, 600
 — *adjuncti*, 600
 — *ainoae*, 547
 — *araucariae*, 355
 — *aureum*, 601
 — *bacillisporum*, 355
 — *brevicollae*, 355 ('*brevicolla*')
 — *cainii*, 601
 — *clavigerum*, 601
 — *crassivaginatum*, 601
 — *cucullatum*, 547
 — *davidsonii*, 547
 — *distortum*, 355
 — *dryocoetidis*, 355
 — *europioides*, 548
 — *flexuosum*, 548
 — *francke-grosmaniae*, 356
 — *grandifoliae*, 601
 — *huntii*, 356
 — *kubanicum*, 601
 — *megalobrunneum*, 356
 — *nigrum*, 356
 — *nothofagi*, 601
 — *polyporicola*, 979
 — *populinum*, 356
 — *robustum*, 601
 — *rostrocoronatum*, 356
 — *sagmatospora*, 548
 — *seticollae*, 356
 — *sparsum*, 356
 — *subannulatum*, 683
 — *tremulo-aureum*, 356
 — *trinacriforme*, 601
 — *valdivianum*, 601 ('*valdiviana*')
 — *wagneri*, 601
Ophiovalsa caryae, 207

— *fici*, 207
 — *valsoides*, 548
Oramasia hirsuta var. *cubensis*, 601
Orbilbia cryptocarpa, 683
 — *ebuli*, 601
 — *flexispora*, 683
 — *piloboloides*, 207
 — *roseofuscella*, 683
 — *septispora*, 979
 — *terrestris*, 255
ORCHESELLARIA, 398
 — *lattesii*, 398
 — *mauguioi*, 398
 — *pelta*, 356
Ordonia spinulosa, 1064
ORDOVICIMYCES, 255
 — *gallowayi*, 255
 — *recensis*, 255
ORDUS, 356
 — *tribrachiatulus*, 356
ORMOMYCES, 443
 — *clivinae*, 303, 443
ORNASPORONITES, 398
 — *inaequalis*, 398
Oropogon aliphaticus, 979
 — *americanus*, 979
 — *atranorinus*, 131
 — *barbaticus*, 979
 — *bicolor*, 979
 — *bolivianus*, 979
 — *byssaceus*, 979
 — *caespitosus*, 979
 — *cinereus*, 979
 — *colibor*, 979
 — *diffRACTAICUS*, 979
 — *fissuratus*, 979
 — *granulosus*, 979
 — *halei*, 979
 — *herzogii*, 979
 — *imperforatus*, 979
 — *lateralis*, 979
 — *lopezii*, 131
 — *lorobic*, 979
 — *macilentus*, 979
 — *maurus*, 979
 — *mexicanus*, 979
 — *orientalis*, 979
 — *parietinus*, 979
 — *pendulus*, 979
 — *pseudoloxensis*, 979
 — *salazinicus*, 979
 — *satoanus*, 979
 — *secalonicus*, 979
 — *sperlingii*, 979
 — *striatulus*, 979
 — *venezuelensis*, 979
 — *yunnanensis*, 979
ORPHANOCOELA, 1064
 — *calamagrostidis*, 1064
 — *kranzii*, 1064
 — *maydis*, 1064
Orphella haysii, 772
Orphniospora atrata var. *brunnea*, 32
 — *moriopsis*, 168
 — — var. *bahusiensis*, 548
 — — var. *brunnea*, 168
 — — var. *subtenebrosa*, 548

- *mosigii*, 896
- ORPINOMYCES, 979
- *bovis*, 979
- ORROMYCES, 897
- *spiralis*, 897
- ORTHOCELLUS, 89
- *lauracearum*, 89
- *leguminosarum*, 89
- OSORIOMYCES, 89
- *rhizophorus*, 89
- OSSICAULIS, 494
- *lignatilis*, 494
- OSTRACODERMIS, 303
- *conchatus*, 303
- Ostreola chandrapurensis*, 168
- *formosa*, 683
- Otidea daliensis*, 1064
- *grandis*, 1064
- *integra*, 601
- *purpurea*, 443
- *unicisa*, 601
- OTIDEOPSIS, 772
- *kaushalii*, 840, 897
- *yunnanensis*, 772
- Otthia artemisiae*, 684
- *buteae*, 601
- *dryadis*, 1064
- *pulneyensis*, 979
- Oudemansiella* sect. *Dactylosporina*, 601
- *americana*, 601, 684, 897
- *badia*, 601
- *caussei*, 601
- *endochorda*, 548
- *ephippium*, 601
- *glutinosa*, 979
- *indica*, 255
- *japonica*, 601
- — *var. ahmadii*, 601
- — *var. colensoi*, 601
- *laqueata*, 443
- *linicolor*, 980
- *longipes*, 398
- — *var. americana*, 398
- — *var. fusca*, 398
- *mediterranea*, 840
- *melanotricha*, 398
- *munnaensis*, 256
- *platyphylla*, 398, 601
- *pudens*, 601
- — *var. fusca*, 601
- *radicata* var. *africana*, 601
- — *var. alba*, 601
- — *var. australis*, 601
- — *var. furfuracea*, 601
- — *var. hygrophoroides*, 602
- — *var. marginata*, 444
- — *var. rubescens*, 602
- — *var. superbiens*, 602
- *raphanipes*, 602
- *stridula*, 602
- *subnigra*, 980
- Ovulariopsis ellipsospora*, 980
- *lawsoniae*, 840
- Oxydothis nypae*, 980
- *rhopalostylidis*, 684
- *selenosporellae*, 684
- Oxyporus borealis*, 444
- *lilaceus*, 684
- *pellicula*, 56
- *populinus* var. *borneensis*, 684
- *spiculifer*, 772
- *subulatus*, 168
- Paathramaya indica*, 356
- *jaipurensis*, 444
- *suttonii*, 444
- PACHYCLADINA, 602
- *hispanica*, 1065
- *mutabilis*, 602
- Pachyella aquatilis*, 56
- *peltata*, 131
- *pseudosuccosa*, 131
- *subuliginosa*, 548
- Pachykytospora major*, 980
- Pachylepyrium wrightii*, 356
- PACHYMETRA, 897
- *chaunorhiza*, 897
- Pachysacca pusilla*, 207
- *samuelii*, 207
- PACHYTHYRIUM, 1065
- *parasiticum*, 1065
- Paecilomyces aegyptiacus*, 303
- *breviramosus*, 19
- *cateniannulatus*, 89, 168
- *catenibliquus*, 89, 168
- *fumosoroseus* var. *beijingensis*, 303
- *gunnii*, 494
- *hawkesii*, 398
- *lineatus*, 548
- *nostocoides*, 256
- *pascua*, 494
- *sinensis*, 356
- *variottii* var. *zaaminelli*, 356
- PALAEOAMPHISPHERELLA, 256
- *keralensis*, 256
- *pirozynskii*, 256
- PALAEOCIRRENALIA, 256
- *elegans*, 256
- *oligoseptata*, 256 ('*oligoseptatum*')
- PALAEOCYTOSPHAERA, 256
- *intertrappeana*, 256
- PALAEOFIBULA, 980 ('*Palaeofibulus*')
- *antarctica*, 980 ('*Palaeofibulus*')
- PALAEOLEPTOSPHAERIA, 256
- *intertrappeana*, 256
- Palaeomyces agglomeratus*, 207
- ('*agglomerata*')
- *asteroxyli*, 207
- *gordonii*, 207 ('*Gordoni*')
- — *var. major*, 207
- *horneae*, 207
- *simpsonii*, 207 ('*Simpsoni*')
- *vestitus*, 208 ('*vestita*')
- PALAEOPHTHORA, 56
- *mohgaonensis*, 56
- Palawaniella xylopii*, 840 ('*Pallaveniella*')
- PALEOARCYRIA, 303, 684
- *capillifer*, 303, 684
- PALEOBASIDIOSPORA, 303, 684
- *taugourdeui*, 303, 684 ('*taugourdeuii*')
- PALEOCATENARIA, 303, 684
- *disjoncta*, 303, 684
- PALEOGUTTULINA, 303, 684
- *murarii*, 303, 684
- PALIPHORA, 494

[PALIPHORA]

— aurea, 494

— porosa, 684

PALMELLATHYRITES, 398

— palmata, 398

Pampolysporium asclepiadeum, 303

— koschkelovae, 303

— vizeanum, 303

Panaeolina indica, 256

— microsperma, 303

Panaeolopsis nirimbii, 303

Panaeolus alcidis, 356, 399, 897, 1065

— annulatus, 303

— ater, 548

— bernicis, 980 ('bernicii')

— campanuloides, 131

— chlorocystis, 897

— dunensis, 303

— fimbriatus, 980

— obliquoporus, 303

— semilanceatus, 256

PANDORA, 980

— blunckii, 980

— brahminae, 980

— bullata, 980

— calliphorae, 980

— dacnusa, 980

— delphacis, 980

— dipterigena, 980

— echinospora, 980

— formicae, 980

— gammae, 980

— gloeospora, 980

— kondoiensis, 980

— neoaphidis, 980

— nouryi, 980

— phalangicida, 980

— suturalis, 980

Panellus subgen. Megalopanellus, 684

— subgen. Mesopanellus, 684

— albifavolus, 684

— alutaceus, 684

— ambiguus, 684

— aureofactus, 89

— bambusarum, 684

— bambusifavolus, 684

— brunneifavolus, 684

— brunneomaculatus, 684

— dichotomus, 684

— — var. pinnatus, 684

— erubescens, 684

— exiguus, 684

— fuscatus, 684

— gloecocystidiatus, 685

— glutinosus, 685

— hispidifavolus, 685

— intermedius, 685

— — var. stenoporus, 685

— ligulatus, 303

— longinquus subsp. pacificus, 356

— luminescens, 685

— magnus, 685

— megalosporus, 685

— microsporus, 685

— mitis var. roseitingens, 685

— nigritus, 444

— oralis, 685

— orientalis, 685, 897

— parvulus, 685

— pauciporus, 685

— pendens, 685

— pyruliferus, 685

— stipticus var. occidentalis, 685

— sublamelliformis, 685

— sublevatus, 685

Pannaria crenulata, 256

— santessonii, 602

Pannoparmelia angustata var. moniliformis, 602 ('moniliforme')

Panus sect. Fulvi, 685

— adhaerens, 131

— brunneipes, 131

— convivalis, 131

— fulvus var. fenestratus, 131

— — var. glabrior, 131

— — var. nudicollum, 131

— — var. similis, 131

— giganteus, 131

— indicus, 256

— javanicus, 131

— johorensis, 131

— kauffmanii, 131

— kinabaluensis, 131

— lecomtei, 131

— lepideus, 131

— serotinus, 356

— setiger, 444

— solomonensis, 131

— tenebrosus, 131

— tuber-regium, 131

— vetustus, 131

Papularia algicola, 89

Papulaspora aspera, 444

— equi, 980

PARAAORIA, 602

— himalayana, 602

PARACAINIELLA, 256

— dryadis, 256

PARACERATOCLADIUM, 685

— polysetosum, 685

— silvestre, 685

Parachnopeziza bambusae, 356

— triseptata, 444

PARACOSTANTINELLA, 980

— pulchra, 980

PARADACTYLARIA, 980

— elegans, 980

Paradendryphiopsis anomala, 256

Paradiachea howardii, 168

Paradiacheopsis acanthodes, 548

— rigida, 548

PARADIDYMOBOTRYUM, 356

— oblongum, 356

Paradiplodia ribis, 56

PARADISCHLORIDIUM, 444

— ychaffrei, 444

PARAEUTYPA, 772

— pulchra, 772

PARAFULVIA, 256

— indica, 256

PARAHELMINTHOSPORIUM, 980

— malabaricum, 980

PARAISARIA, 303

— dubia, 303

- Paranectria superba*, 256
Paranectriella arcuata, 685
 — *miconiae*, 685
PARAPARMELIA, 602
 — *adusta*, 602
 — *alabamensis*, 602
 — *annexa*, 602
 — *aranaea*, 840
 — *arcana*, 602
 — *arida*, 602
 — *stricta*, 602
 — *atrocapnodes*, 602
 — *ballingallii*, 840
 — *basutoensis*, 602
 — *brownlieiae*, 840 ('brownlieii')
 — *capnoides*, 602
 — *cerussata*, 602
 — *colensoica*, 602
 — *columbariensis*, 840
 — *condyloides*, 602
 — *conranensis*, 602
 — *fumarprotocetrarica*, 840
 — *fumigata*, 602
 — *gregaria*, 602
 — *hypoconstictica*, 602
 — *interposita*, 602
 — *ischnoides*, 602
 — *lecanoracea*, 602
 — *leucophaea*, 840
 — *lithophila*, 602
 — *lithophiloides*, 603
 — *molybdiza*, 603
 — *mongaensis*, 603
 — *murina*, 603
 — *nana*, 603
 — *neomongaensis*, 840
 — *neoquintaria*, 603
 — *norcapnodes*, 840
 — *norlobaridonica*, 685
 — *numinbahensis*, 603
 — *olivetorica*, 685
 — *owariensis*, 603
 — *pinguiacida*, 603
 — *poeltii*, 840
 — *prolata*, 603
 — *pustulescens*, 603
 — *roderickii*, 840 ('Paraparmelia')
 — *rodriguesiana*, 603
 — *rugulosa*, 603
 — *rupicola*, 603
 — *sammyi*, 840 ('sammyii')
 — *sargentii*, 840
 — *schistacea*, 603
 — *scotophylla*, 603
 — *seginata*, 603
 — *spodochoa*, 603
 — *subalpina*, 603
 — *sublineola*, 840
 — *subrugulosa*, 840
 — *subspodochoa*, 603
 — *subtortula*, 603
 — *subtropica*, 603
 — *tortula*, 603
 — *tropica*, 840
 — *vanderbylii*, 603
 — *violacea*, 603
 — *xanthomelaena*, 603
 — *xanthomelanoides*, 685
Parapericonia sessilispora, 494
PARAPERONOSPORA, 1065
 — *artemisiae-annuae*, 1065
 — *artemisiae-biennis*, 1065
 — *chrysanthemi-coronarii*, 1065
 — *leptosperma*, 1065
 — *minor*, 1065
 — *multiformis*, 1065
 — *sulphurea*, 1065
 — *tanacetii*, 1065
Paraphaeosphaeria glauco-punctata, 444
 — *longispora*, 256
 — *microspora*, 444
 — *oblongata*, 256
Paraphelaria borneensis, 19
PARAPHOMA, 256
 — *radicina*, 256
PARAPLEUROTHECIOPSIS, 131
 — *ilicina*, 131
 — *inaequiseptata*, 131
PARAPOLYPORITES, 603
 — *japonicus*, 603 ('japonica')
PARAPORPIDIA, 1065
 — *aboriginum*, 1065
 — *glauca*, 1065
 — *leptocarpa*, 1065
Parapyricularia gymnematis, 444
Parascutellinia arctespora, 897
 — *carneosanguinea forma violacea*, 494
 — *fuckelii*, 444
 — *iuliana*, 131
PARASTRIDIDIUM, 772
Parasympodiella africana, 256
 — *longispora*, 772
 — *minima*, 168
Paratomenticola georgiana, 168
PARATRICHAPTUM, 685
 — *accuratum*, 685
PARATRICHOPHAEA, 548
 — *albescens*, 897
 — *macrocystis*, 548
 — *michiganensis*, 897
 — *pygmea*, 897
PARAUOLOCLADIUM, 603
 — *angulosporum*, 603
PARAVALSA, 1065
 — *indica*, 1065
Parencoelia biparasitica, 840
 — *myriostylidis*, 840
Parmastomyces corticicola, 980
 — *deceptivus*, 980
 — *glutinosus*, 980
 — *mollissimus*, 399
 — *transmutans*, 356, 772
 — *umbrinus*, 980
Parmathyrites ramanujamii, 685
 — *robustus*, 89
PARMELARIA, 772
 — *subthomsonii*, 772
 — *thomsonii*, 772
Parmelia acrotrycha, 131
 — *adligans*, 840
 — *adplanata*, 685
 — *adusta*, 494
 — *agamalis*, 980
 — *aggregata*, 399

[*Parmelia*]

- antleriformis, 131
- applanata, 685
- aprica, 131
- arapilensis, 303
- areolata, 1065
- arquata, 840
- asilaris, 772
- stricta, 399
- atrobarbatica, 99
- australasica, 208
- austroindica, 981
- barbellata, 208
- barda, 685
- bellatula, 208
- bibax, 548
- borrieri var. subrudecta, 399
- bungendorensis, 131
- butleri, 32
- capicola, 840
- capnoides, 494
- cedrus-montana, 399
- ceresensis, 840
- cerussata, 494
- clivorum, 399
- colensoica, 1065
- conlabrosa, 32
- conranensis, 99
- consociata, 131
- conspersa subsp. tinctina, 548
- coorgiana, 131
- crassata, 685
- curtata, 131
- dahlii, 131, 208
- dayiana, 303
- deflectens, 132
- diacida, 840
- digitiformis, 303
- durumae, 132
- dwaasbergensis, 981
- dysprosa, 399
- elacinulata, 132
- elaeodes, 132
- elegantula subsp. infumata, 548
- endochromatica, 840
- erosa, 303
- etheridgensis, 132
- everardensis, 304
- evernica, 981
- exillima, 132
- eximia, 603
- exornata, 399
- exquisita, 685
- exuviata, 208
- fausta, 603
- festiva, 1065
- flaccidifolia, 132
- flindersiana, 304
- fumigata, 494
- ganymedea, 840
- geckonalis, 981
- gemmulosa, 132
- glareosa, 208
- gloriosa, 132
- gyrophorica, 840
- helmsii, 208
- hirtifructa, 132
- hygrophila, 256
- indica, 132
- indoafra, 132
- infausta, 1065
- inops, 981
- insignis, 603
- insipida, 603
- interposita, 495
- inuncta, 603
- jacarandicola, 132
- kaisenikiana, 444
- kamatii, 132
- karoo, 399
- kokiuiensis, 304
- kwalensis, 132
- laminisorediata, 99
- leonis, 132
- leptoplaca, 603
- lesothoensis, 840
- leucostigma, 399
- lithophila, 495
- lithophiloides, 495
- loxodes var. verruculifera, 548
- luminosa, 132
- lurida, 772
- lusitaniensis, 99
- lyrigera, 981
- manipurensis, 208
- mannumensis, 132
- marroninipuncta, 399
- mason-halei, 132
- matudae, 399
- metastrigosa, 132
- mixta, 981
- mongaensis, 99
- multipartita, 132
- murina, 495
- nana, 495
- nanfongensis, 685
- nebulosa, 208
- neodelisei, 99
- neodiscordans, 772
- neoquintaria, 32
- neorimalis, 304
- neotinctina, 132
- nimbicola, 604
- norconvoluta, 304
- norcrambidiocarpa, 772
- norstictica, 32
- novae-zelandiae, 772
- numinbahensis, 32
- ochropulchra, 840
- oleosa, 304
- omphalodes subsp. discordans, 356
- — subsp. glacialis, 495
- — subsp. pinnatifida, 356
- pantherina, 495
- pardii, 132
- patula, 399
- perfunctata, 981
- phillipsiana, 99
- phylloclactylaris, 981
- pigmentifera, 132
- ponderosa, 1065
- praegnans, 304
- praecinsueta, 399
- princeps, 685

- protodysprosa, 981
- protosignifera, 840
- protosulcata, 208
- pseudoamphixantha, 132
- pudens, 604
- pulla subsp. glabrans, 548
- subsp. luteonotata, 548
- var. delisei, 548
- var. locarnensis, 548
- var. pokorny, 132
- pustuliza, 132
- quaesita, 686
- queenslandica, 32
- radiculata, 132
- ralla, 604
- rava, 132
- remanens, 132
- reticulata forma nuda, 304
- retrospinosa, 132
- revoluta var. brittanica, 65
- rhytidodes, 132
- rogersii, 840
- rubropustulata, 981
- salax, 981
- salcrambidiocarpa, 772
- saniensis, 981
- scabropustulata, 132
- scitula, 399
- semansiana, 32
- sigillata, 840
- sitiens, 981
- skultii, 772
- spargens, 399
- spissa, 772
- springtonensis, 32
- squamatica, 604
- stenosporonica, 840
- streimannii, 304
- subconnivens, 32
- sublatifolia, 304
- submontana, 773
- subpallescens, 686
- subpumila, 132
- subtabacina, 32
- subtestacea, 773
- subverruculifera, 65
- sulcifera, 208
- taitae, 132
- tantillum, 981
- taractica var. pulvinaris, 132
- var. subdiffuens, 132
- var. vagans, 132
- forma angustiphylla, 981
- forma desertorum, 132
- forma elegans, 132
- forma hypoclista, 132, 548
- terrestres, 208
- thamnolica, 840
- transvaalensis, 840
- tsavoensis, 132
- umbrosa, 132
- umtamvuna, 981
- unctula, 399
- usitata, 548
- verecunda, 840
- vernicosa, 399
- viridosoredians, 99
- vittata var. subarticulata, 304
- vivida, 132
- willisii, 208
- woitapensis, 686
- xanthomelanoides, 840
- xanthosorediata, 132
- Parmeliella duplomarginata, 32
- neozelandica, 356
- subgranulata, 686
- Parmelina cleefii, 99
- conlabrosa, 604
- labrosa, 604
- manipurensis, 99
- minarum, 304
- neodamaziana, 604
- radiculata, 604
- stevensiana, 604
- subalbicans, 304
- PARMELINELLA, 686, 897, 981
- manipurensis, 686
- simplicior, 686
- wallichiana, 686
- PARMELINOPSIS, 686
- afrorevoluta, 686
- bonariensis, 773
- cryptochlora, 686
- damaziana, 686
- expallida, 686
- heteroloba, 686
- horrescens, 686
- jamesii, 686
- melanochaeta, 686
- microlobulata, 686
- minarum, 686
- neodamaziana, 686
- pindarensis, 686
- radiculata, 686
- schindleri, 686
- spathulata, 686
- spumosa, 686
- subfatiscens, 686
- swinscowii, 686
- Parmeliopsis esorediata, 168
- evernica, 841
- Parmentaria albidopora, 841
- anamalaiensis, 981 ('anamalaiense')
- andamanica, 604
- ceylonensis, 981 ('ceylonense')
- immersa, 686
- indica, 981
- keralensis, 686
- mamillata, 604
- nana, 773
- nilamburensis, 841
- oligocarpa, 304
- pluricarpa, 304
- Parmotrema acrotrychum, 604
- amaniense, 256
- apricum, 256
- arteagum, 168
- austrocetratum, 841
- betaniae, 495
- blanchetianum, 773
- catarinae, 495
- chinense, 495
- clavuliferum, 604
- consors, 256

[Parmotrema]

- convolutum, 841
- cooperi, 356
- deflectens, 604
- degelianum, 257
- demethylmicrophyllinicum, 686
- durumae, 257
- elactinulatum, 604
- erubescens, 257
- flaccidifolium, 604
- fumarprotocetraricum, 495
- gardneri, 356
- glaucocarpoides, 257
- gloriosum, 604
- hicksii, 548
- jacarandicola, 257
- judithae, 841
- kahuziense, 356
- kaisenikianum, 604
- kwalense, 257
- lambinonii, 356
- larense, 257
- leonis, 257
- lobulatum, 495
- madilynac, 495
- masonii, 32
- moreliense, 132
- ochrocrinitum, 841
- paramoreliense, 132
- pardi, 257
- pigmentiferum, 257
- pilosum, 257
- poolii, 257
- pseudeunetum, 356
- pseudobreviciliatum, 1065
- pseudograyanum, 356
- queenslandense, 686
- ravum, 304
- schindleri, 495
- sorediiferum, 495
- stuhlmannii, 257
- subhanningtonianum, 356
- taitae, 257
- tsavoense, 257
- umbrosum, 257
- virescens, 495
- vividum, 686
- PARMOTREMOPSIS**, 686
 - antillensis, 686
 - phlyctina, 686
- Parodiella millettiae**, 981
- tephrosiae, 168 ('tephrotiae')
- PARORBILIOPSIS**, 604
 - extumescens, 604
 - minuta, 604
- PARVACOCCUM**, 897
 - pini, 897
- Parvobasidium lianaicola**, 495 ('lianacola')
- PASCHELKIELLA**, 604
 - pini, 604
- Passalora annonacearum**, 897, 981
 - ('anonacearum')
 - chaetomium, 257
 - euphorbiae, 257
 - fraxini, 257
 - galii, 257
 - gliricidiasis, 1065

- guanicensis, 1065
- henningsii, 1065
- indica, 133, 399
- nepalensis, 604
- puncta, 604
- Passeriniella obiones**, 841
 - savoryeliopsis, 841
- Patellaria glycosmidis**, 168
 - indica, 168
- Patellariopsis indica**, 257
- Paulia aldabrensis**, 65
 - cubana, 548
 - gibbosa, 548
 - myriocarpa, 1065
 - pyrenoides, 1065
 - rhizophora, 548
 - schroederi, 1065
 - stipitata, 548
 - tessellata, 548
- Paxillus amazonicus**, 897
 - boletinoides forma olivascens, 604 ('olivacens')
 - brunneotomentosus, 495
 - chalybaeus, 19
 - chilensis, 897
 - contulmensis, 897
 - fasciculatus, 168
 - involutus forma subrubicundulus, 168
 - minutesquamulosus, 20
 - piperatus, 495
- Paxina clypeata**, 56
 - nemoralis, 356
- Peccania arabica**, 1065
 - cerebriformis, 356
 - subnigra, 444
 - teretiuscula, 1065
 - texana, 444
 - tiruncula, 1065
- PEETHASTHABEEJA**, 169
 - krishna, 169
- PEGLEROCHAETE**, 686
 - setiger, 686
- PEGLEROMYCES**, 89
 - collybioides, 89
- Pelloporus focicola**, 357
- Peltigera didactyla**, 399
 - dolichospora, 604
 - frippii, 773
 - kristinssonii, 548
 - lactucifolia, 399
 - neckeri, 399
 - pacifica, 549
 - pindarensis, 208, 357
 - praetextata var. prolifera, 549
 - retifoveata, 549
 - scabrosella, 773
- PELTOPSIS**, 56
 - affinis, 56
 - millepunctata, 56
 - singulata, 56
- Peltula boletiformis**, 686
 - capensis, 686
 - coriacea, 549
 - corticola, 687
 - crispata, 1065
 - decorticans, 841
 - imbricata, 841

- impressula, 169, 208
- kofleri, 549
- marginata, 687
- minuta, 169
- obscuratula, 1066
- psammophila, 1066
- rodriguesii, 687, 981
- subglebosa, 841
- tenuis, 687
- zabolotnoji, 169
- Peltularia crassa*, 357
- Penella arctica*, 357
- Penicillifer bipapillatus*, 981
 - japonicus, 444
 - macrosporus, 981
- Penicilliopsis africana*, 549
- Penicillium aethiopicum*, 1066
 - alicantinum, 56
 - allii, 981
 - angustiporcatum, 304
 - aragonense, 89
 - asturianum, 89
 - aurantioflammiiferum, 56
 - aurantiogriseum var. melanoconidium, 1066
 - var. neoechinulatum, 687
 - var. polonicum, 1066
 - var. viridicatum, 1066
 - brevipactum var. magnum, 169
 - brunneostoloniferum, 169
 - caerulescens, 304
 - castellae, 549
 - castellanense, 89
 - chalybeum, 444
 - chrysogenum var. dipodomyis, 687
 - var. fulvescens, 169
 - cieglarii, 549
 - citreovirens, 169
 - claviforme var. candicans, 169
 - var. olivicolor, 169
 - coalescens, 357
 - confertum, 1066
 - conservandi, 304
 - coprobium, 1066
 - coprophilum, 549
 - cordubense, 89
 - corynephorum, 444
 - cryptum, 549
 - cyclopium var. echinulatum, 304
 - dangeardii, 20
 - dendriticum, 20
 - derxii, 841
 - dodgei, 20
 - eberhardtii, 89 ('eberhardtii')
 - echinosporum, 169
 - emmonsii, 20
 - erythromellis, 20
 - flavidostipitatum, 399
 - formosanum, 1066
 - gaditanum, 89
 - gallaicum, 56
 - gerundense, 56
 - glandicola, 549
 - var. confertum, 687
 - var. glaucovenetum, 1066
 - var. mononematosum, 687 ('mononematos')
 - glaucum var. minor, 444
 - gossypii, 20
 - granatense, 56
 - granulatum var. globosum, 1066
 - griseofulvum var. dipodomyicola, 687
 - griseo-azureum, 169
 - heteromorphum, 897
 - hirsutum var. albocoremium, 1066
 - var. allii, 1066
 - var. hordei, 1066
 - var. venetum, 1066
 - hispalense, 89
 - ilderdanum, 56
 - indonesiae, 20
 - klebahnii, 20
 - kloeckeri, 20
 - lacussarmientei, 604
 - lagna, 257
 - lapatayae, 444
 - lehmanii, 20
 - lineatum, 20
 - lividum var. thomii, 549
 - loliense, 20
 - maclennaniae, 89
 - malacaense, 56
 - mali, 304, 357
 - mariaecrucis, 549
 - marneffeii, 169
 - mediolanense, 304 ('mediolanensis')
 - michaelis, 208
 - mimosinum, 20
 - molle, 20
 - mononematosum, 1066
 - murcianum, 89
 - nalgiovense, 304 ('nalgiovensis')
 - nepalense, 304
 - nilense, 20
 - noduleum, 897
 - nordicum, 304, 549
 - novae-caledoniae var. album, 89
 - oblatum, 495
 - ochrochloron var. paraherquei, 549
 - olivicolor, 20
 - onobense, 89
 - ovetense, 89
 - palmae, 981
 - panamense, 981
 - panasenkenoi, 20
 - patens, 444
 - pittii, 444
 - primulinum, 20
 - purpurescens, 304
 - rademirici, 444
 - radiatolobatum, 169
 - rasile, 20
 - resinae, 208
 - roqueforti var. carneum, 1066
 - rubefaciens, 208
 - sabulosum, 495
 - sajarovii, 549
 - samsonii, 444
 - severskii, 89
 - shennonghianum, 897
 - siamense, 773
 - sinaicum, 169
 - smithii, 549
 - solitum var. crustosum, 1066

[*Penicillium*]

- *sphaerum*, 20
- *spinuloramigenum*, 169
- *spirillum*, 20
- *terraconense*, 56
- *toxicarium*, 169
- *trzebinskianum*, 169
- *turoloense*, 89
- *turris-painense*, 444 ('*turris-painensis*')
- *ulaiense*, 1066
- *vaccaeorum*, 208
- *valentinum*, 56
- *vanbeymae*, 20
- *vasconiae*, 56
- *vulpinum*, 549
- *yugoslavicum*, 399
- *zacinthae*, 89

Peniophora bicornis, 357

- *malenconii* subsp. *americana*, 687
- *manshirica*, 687
- *pseudonuda*, 56
- *quercina* subsp. *caucasica*, 687
- — forma *phlebioides*, 56
- *reidii*, 304
- *sphaerocystidiata*, 257
- *trigonosperma*, 304

Penzigia indica, 444

- *orientalis*, 444
- *silcharii*, 773

Perenniporia subgen. *Brachymereia*, 981

- *adnata*, 981
- *ahmadii*, 257
- *albida*, 208
- *albicinnamomea*, 981 ('*Perenniporis*')
- *amylodentrinoidea*, 773
- *amylohypha*, 357
- *clelandii* var. *subrosea*, 981
- *compacta*, 357
- *decurrata*, 981
- *dendrohyphidia*, 841
- *detritus*, 56
- *ellipsospora*, 357
- *ellisiana*, 444
- *elongata*, 133, 399
- *fergusii*, 773
- *ferruginea*, 981 ('*Perenniporis*')
- *fissiliformis*, 444
- *fulviseda*, 133, 687 ('*Perenniporis*')
- *gomezii*, 208
- *inflexibilis*, 981
- *isabellina*, 357
- *latissima*, 897
- *malvena*, 1066
- *micropora*, 687
- *narymica*, 399
- *oviformis*, 773, 982 ('*oviformus*')
- — var. *borneensis*, 982
- *pauciskeletalis*, 897
- *penangiana*, 982
- *phloiohypha*, 357
- *piperis*, 841
- *robiniophila*, 257
- *roseoisabellina*, 357
- *semistipitata*, 773
- *sinuosa*, 687
- *stipitata*, 687
- *straminea*, 897

- *straminella*, 897
- *tenuis* var. *pulchella*, 982
- *tepeitensis*, 444
- *truncatospora*, 604
- *variegata*, 357
- *voeltzkowii*, 57

PERIAMPHISPORA, 982

- *phacelodes*, 982
- Perichaena areolata*, 133
- *dictyonema*, 133
- *heterobaculata*, 133
- *thindii*, 169

- Periconia echinochloae* var. *microspora*, 208
- *subramanianii*, 208
- *viridis*, 57

Periconiella actinostemonis, 841

- *andina*, 133
- *caseariae*, 20
- *ilicis*, 257
- *liberatas*, 208
- *shoreae*, 773
- *trichostigmatidis*, 687 ('*trichostigmae*')

Peridermium sinense, 20 ('*sinensis*')

- *yamabense*, 133
- *yunshae*, 20

PERIDIOTHELIA, 495

- *fuliguncta*, 495
- *grandiuscula*, 495
- *oleae*, 495

Perisporiacites shaheziensis, 604

- Perisporiopsis clusiicola*, 357
- *quinqueseptata*, 20

Peristomialis corynospora, 982

- *dentifera*, 982
- *dictyospora*, 982
- *leucocarpa*, 982
- *paraparilis*, 982
- *parilis*, 982

Peroneutypa coffeae, 89

- *macroceras*, 90

Peroneutypella ailanthi, 687 ('*ailanthii*')

PERONOSCLEROSPORA, 444

- *dichanthiicola*, 444
- *globosa*, 399
- *heteropogonis*, 20 ('*heteropogoni*')
- *maydis*, 444
- *miscanthi*, 444
- *noblei*, 20
- *philippinensis*, 444
- *sacchari*, 445
- *spontanea*, 445
- *westonii*, 445

Peronospora amethysteae, 841

- *capsici*, 90
- *elsholtziae*, 445
- *fontana*, 773
- *leonuri*, 445
- *leptosperma*, 773
- *menthae*, 604
- *microulae*, 1066
- *parietariae*, 841
- *sinensis*, 495
- *teucarii*, 897, 982
- *viciae* forma *specialis pisi*, 304

Perrotia apiculata, 687

- *distincta*, 1066
- *gallica*, 687

- var. *phyllocyadi*, 687
- *robusta*, 687
- *sphaerula*, 687
- *velutarioides*, 687
- PERSICIOSPORA**, 169
- *africana*, 841
- *japonica*, 495
- *masonii*, 169
- *moreaui*, 169
- Pertusaria** *ascoscyphoides*, 549
- *albescens* var. *subflotlowiana*, 399
- *amara* var. *szataelae*, 549 ('szatalai')
- *arizonica*, 65
- *californica*, 65
- *carneopallida* var. *macrospora*, 549
- *christae*, 773
- *consocians*, 65
- *epibryon*, 445
- *ferruginea*, 169
- *floridana*, 65
- *geminipara*, 604
- *hypothamnolica*, 65
- *macounii*, 65
- *multipunctoides*, 65
- *nakamurae*, 169
- *ostiolata*, 65
- *otagoana*, 304
- *paramerae*, 445
- *paratuberculifera*, 65
- *poriniformis*, 549
- *salax*, 549
- *santamonicae*, 65
- *shenandoensis*, 65
- *sinusmexicani*, 65
- *subambigens*, 65
- *suboculata*, 65
- *sulcata*, 65
- *valliculata*, 65
- Pertusariomyces** *pustulatae*, 99
- Pestalospaeria** *elaeidis*, 445
- *hansenii*, 90
- *leucospermi*, 687
- *varia*, 445
- Pestalotia** *angustata*, 90
- *apiculata*, 169
- *canariensis*, 90
- *ceratospora*, 90
- *uljanischevii*, 20
- Pestalotiopsis** *acaciae*, 57
- *anthurii*, 1066
- *apiculata*, 841 ('apiculatus')
- *arbores*, 133 ('arbores')
- *besseyi*, 445 ('besseyii')
- *ceratoniae*, 1066
- *citrina*, 549
- *cycadis*, 1066
- *diospyri*, 1066
- *effecta*, 20
- *eugeniae*, 57, 1066
- *eupyrena*, 1066
- *gastrolobi*, 1066
- *heucherae*, 773
- *langloisii*, 773
- *longi-aristata*, 1066
- *lucumae*, 1066 ('Pestalotipsis')
- *maculans*, 445
- *magnoliae*, 57
- *menezesiana*, 257
- *montellicoides*, 549
- *psidii*, 1066
- *puttemans*, 1066
- *quadrilicata*, 257
- *rapanea*, 1066
- *sapotae*, 1066
- *steyaertii*, 495
- *triseptata*, 982
- *uvicola*, 257
- Pestalozzina** *heteromorpha*, 549
- Petersenia** *palmariae*, 445
- Petractis** *crozalsii*, 549
- Petrakina** *discoidea*, 495
- Petrakomyces** *caraganicola*, 90
- Petriella** *proteophila*, 257
- Petromyces** *albertensis*, 445
- Peyritsiella** *angolensis*, 445
- *argentinensis*, 445
- *arimensis*, 445
- *australiensis*, 445
- *belonuchi*, 445
- *bicolor*, 445
- *bifida*, 445
- *biformis*, 445
- *cafiana*, 445
- *chilensis*, 445
- *dubia*, 445
- *eulissi*, 445
- *exilis*, 445
- *formosana*, 257
- *fumosa*, 445
- *furcifera*, 445
- *gracilis*, 445
- *homalotae*, 445
- *hybrida*, 445
- *infecta*, 445
- *insignis*, 445
- *japonica*, 445
- *javana*, 445
- *lepida*, 445
- *madagascarensis*, 445
- *mexicana*, 445
- *okumae*, 257
- *pallida*, 445
- *peruviana*, 445
- *pretiosa*, 445
- *princeps*, 445
- *quedii*, 445
- *staphylini*, 445
- *thyreocephali*, 445
- *vulgata*, 445
- Pezicula** *rhododendri*, 20
- *tasmanica*, 773
- *tiliae*, 495
- Peziza** *alborosea*, 57
- *alcidis*, 604
- *azureoides*, 208
- *badiofuscoides*, 57
- *badioides*, 57
- *barahonae*, 1066
- *berthetiana*, 445
- *boudieri*, 208
- *buxoides*, 57
- *chryso-olivascens*, 57
- *coquandii*, 604 ('coquandi')
- *cornui*, 169

[Peziza]

- *corrugata*, 841
- *donadiniana*, 773
- *echinophora*, 208
- *flavobrunnescens*, 549
- *flos-nivium*, 208
- *fortoului*, 208
- *fugiens*, 773
- *granularis*, 208
- *howsei*, 57, 257
- *kabyliensis*, 495
- *kallioi*, 604
- *labessiana*, 57, 133
- *laricina*, 57
- *lilacinoalba*, 57
- *lohjaensis*, 604 ('lohjaënsis')
- *lundellii*, 208 ('lundellii')
- *luticola*, 208
- *martinii*, 549 ('martini')
- *megalochochondra*, 208
- *merdae*, 208
- *moravecii*, 209
- *neocornui*, 549
- *ninguis*, 209
- — *var. fortoului*, 57
- — *forma fortoului*, 209
- *nivalis*, 57
- *nivis*, 57
- *obtuspiculata*, 357
- *perparva*, 604
- *phlebospora*, 20, 257
- *polarispinosa*, 495
- *prosthetica*, 304
- *pseudoammophila*, 209
- — *var. bonii*, 209
- *pseudoampelina*, 57
- *pseudanthracina*, 209
- *pseudostigmatizans*, 357
- *pseudosylvestris*, 209
- *pseudovesiculosa*, 209
- *pseudoviolacea*, 57
- *puccella*, 169
- *punctispora*, 57, 257
- *rifaii*, 773
- *subcitrina*, 169
- *subisabellina*, 257
- — *var. subiculata*, 257
- *sublaricina*, 357
- *subuliginosa*, 357
- *tiliacea*, 495
- *uliginosa*, 209
- *violacea forma terricola*, 57
- *violaceonigra*, 57, 258
- *vladimirii*, 133
- PEZIZASPORITES, 169
- *taiwanensis*, 169
- Pezizella amyloideoexcipulata, 169
- *junipericola*, 495
- *kashmirensis*, 90
- *nigrostipitata*, 169
- *pilosa*, 133
- *pulcherrima*, 604
- *pulvinata var. lignicola*, 773
- Pezoloma bhutanicum, 897, 982
- *marchantiae*, 90
- *petiolatum*, 897, 982
- *rhodocarpa*, 604

- Phacidiella asperulina*, 20
- *tomispora*, 20
- Phacidiopycnis padwickii*, 20
- *tuberivora*, 20
- Phacidium balsamicola*, 258
- *coniferarum*, 258
- *dearnessii*, 258
- *fennicum*, 445
- *gaeumannii*, 258 ('gaeumanni')
- *grande*, 258 ('grandis')
- *infestans forma specialis abietis*, 982
- — *forma specialis piceae*, 982
- *lunatum*, 258 ('lunatus')
- *sherwoodiae*, 258
- Phacopsis cephalodioides*, 897
- *crustulosae*, 133
- *oxyspora*, 898
- *thallicola*, 898
- PHAEOANNELLOMYCES, 445
- *elegans*, 445
- *werneckii*, 446
- Phaeocalicium asciiforme*, 687
- *pinaceum*, 549
- Phaeococcomyces alcalophilus*, 209
- Phaeocollybia brasiliensis*, 687
- *coniuncta*, 90
- *elaephylla*, 687
- *flava*, 687
- *latispora*, 982
- *martinicensis*, 982
- *megalospora*, 687
- — *var. tetraspora*, 687
- *neosimilis*, 687
- *oligoporpae*, 687
- *quercetorum*, 687
- *singeri*, 982 ('singerii')
- *subarduennensis*, 687
- Phaeocryptopus saxegotheae*, 399
- Phaeocytostroma iliaui*, 133
- *plurivorum*, 20
- *sacchari var. calami*, 21
- Phaeodactylum curvularioides*, 21
- Phaeogalera oedipus*, 57
- — *var. mutans*, 549
- — *var. olivacea*, 549
- *striatula*, 550
- Phaeographina austroindica*, 258
- ('Phaeographine')
- *canarensis*, 99
- *ceylonensis*, 99
- *dividens*, 99
- *nilgiriensis*, 99
- *norallboradians*, 99
- *rufospora*, 99
- Phaeographis flavicans*, 170
- *fractuosum*, 133
- *fujisanensis*, 170
- *hypoglaucoides*, 170
- *nilgiriensis*, 170
- *platycarpa var. indica*, 170
- *submarcescens var. megaspora*, 170
- Phaeogyroporus fragicolor*, 90
- Phaeohelotium conicola*, 495 ('conicola')
- *imberbe*, 495
- *luteum*, 90
- *pani*, 495
- *samaricola*, 258 ('samaricolum')

- terrestre, 605
- vasaense, 495
- Phaeoisaria triseptata**, 773
- uniseptata, 446
- Phaeoisariopsis argyreiae**, 209
- caesalpiniae, 209
- caprifoliacearum, 773
- cassiae, 258
- chonemorphae, 357
- clematidis, 687
- costi, 399 ('costusae')
- desmanthi, 258
- paulowniae, 304
- personata, 258
- tephrosiicola, 90 ('tephrosicola')
- tinosporae, 170
- Phaeolus spadiceus**, 898
- Phaeomarasmius affinis**, 21
- aureosimilis, 57
- erinaceus, 605
- globisporus, 304
- hispidulus, 57
- infidus, 21
- lanatulus, 57
- limulatus, 550
- littoralis, 982
- melanesius, 21
- mercedis, 982
- microspilus, 982
- nanus, 21
- oligosporus, 982
- pascuus, 982
- perlaetus, 21
- pityrodes, 21
- proximans, 982
- secretus, 21
- setulosus, 304
- squamulatus, 21
- terrigenus, 982
- verrucipes, 57
- Phaeomycena indica**, 258
- PHAEOPHOLIOTA**, 688
- crinipellis, 688
- Phaeophyscia ciliata** var. *concrustans*, 550
- confusa, 305
- echinata, 170
- endococcina var. *decolor*, 550
- — var. *khumbuensis*, 133
- endococcinodes, 133, 258
- exornatula, 399
- fumosa, 305
- hirtuosa, 170
- limbata, 399
- lygaea, 982
- melanchra, 258, 495
- nadvornikii, 170
- nepalensis, 982
- opuntiella, 550
- orbicularis var. *hueiana*, 550
- — var. *virella*, 982
- poeltii, 550
- primaria, 209
- pyrrhophora, 133, 258, 446
- sciastra var. *salina*, 550
- spinellosa, 357
- squarrosa, 357
- stiriaca, 550
- strigosa, 170
- sulphurascens, 209
- trichophora, 399
- Phaeopolynema suttonii**, 209
- PHAEOPYXIS**, 1067
- australis, 1067
- carniolica, 1067
- punctum, 1067
- varia, 1067
- Phaeoramularia acanthicola**, 688
- acericola, 258
- angolensis, 605
- asiatica, 841
- barringtoniae, 258
- cordiae, 170
- cyperi, 90
- eupatorii-odorati, 258
- euphorbiae, 258
- fusimaculans, 258
- graminicola, 357
- helianthi, 258
- isotomae, 550
- markhamiae, 258
- penicillata, 258
- pithoragarhensis, 773
- pruni, 773
- tabebuiae, 90 ('tabebuia')
- trilobi, 258
- Phaeosaccardinula dictyospora**, 446
- PHAEOSCLERA**, 90
- dematioides, 90
- PHAEOSCYPHA**, 357
- cladii, 357
- Phaeoseptoria festucae** var. *muhlenbergiae*, 57
- johnstonii, 209
- paulowniae, 898
- setariae, 133
- tritcalina, 57
- vermiformis, 57
- xanthorrhoeae, 495
- Phaeosphaeria** subgen. *Fusispora*, 982
- subgen. *Ovispora*, 982
- subgen. *Sicispora*, 982
- subgen. *Spathispora*, 983
- subgen. *Vagispora*, 983
- aeluropodis, 495
- agminalis, 495
- albopunctata, 983
- alpestris, 1067
- alpina, 446
- annulata, 983
- arenaria, 983
- avenaria forma *specialis triticea*, 983
- borealis, 983
- brevispora, 983
- brizae, 983
- calderi, 983
- canadensis, 983
- caricicola, 446
- caricis, 446
- caricis-firmae, 983
- celata, 983
- cinnae, 983
- clavispora, 605
- cookei, 983
- corallorhizae, 605

[Phaeosphaeria]

- crenata, 983
- culmorum, 446
- cyperina, 983
- dennisiana, 446
- donacina, 983
- dryadis, 1067 ('dryadea')
- elongata, 983
- elymi, 983
- emilii, 983
- erikssonii, 983
- eustomoides, 983
- exarata, 983
- fautreyi, 983
- fetanensis, 983
- firmicola, 1067
- franklinensis, 983
- gaubae, 983
- gessneri, 983
- gigaspora, 983
- glebosoverrucosa, 1067
- glyceriae-plicatae, 983
- guttulata, 984
- halima, 984
- heptamera, 984
- heterospora, 446
- hiemalis, 984
- humerata, 984
- huronensis, 984
- inclusa, 984
- juncinella, 984
- juncophila, 446
- kukutae, 1067
- larseniana, 984
- licatensis, 984
- lindii, 446
- lineolaris, 984
- lunata, 984
- lutea, 446
- lycopodiicola, 984
- macrosporidium, 984
- marciensis, 133
- maritima, 209
- michiganensis, 984
- minima, 984
- minuscula, 984
- moravica, 984
- mounceae, 984
- nanosalicium, 1067
- narmari, 984
- neomaritima, 984
- norfolcia, 446
- occidentalis, 984
- occulta, 446
- oreochloae, 446
- ovei, 984
- padellana, 688
- panici, 984
- parvograminis, 984
- parvula, 446
- petkovicensis, 984
- phragmiticola, 446
- phragmitis, 446
- pleurospora, 446
- pontiformis, 446
- pulchra, 984
- recessa, 984
- robusta, 984
- sacchari, 984
- salebricola, 446
- saxonica, 984
- sequana, 984
- setosa, 446
- sorgho-arundinacei, 984
- sparsa, 985
- spartinae, 985
- stellariae, 446
- stipae, 688
- subalpina, 985
- tenuispora, 898
- tofieldiae, 446
- tricineta, 985
- triglochinicola, 446
- typhae, 985
- variiseptata, 985
- viridella, 446
- waikanaensis, 1067
- Phaeospora lemaneae, 773
- peltigericola, 21
- subantarctica, 605
- Phaeosporis interlatens, 985
- phaeosperma, 985
- podzimekii, 985
- PHAEOSPOROBOLUS, 605
- alpinus, 1067
- usneae, 605
- Phaeostalagmus altissimus, 170
- arbusculus, 170
- peregrinus, 133
- Phaeostoma see Arxiomyces
- Phaeotellus acerosus, 898
- — var. latisporus, 898
- — var. tenellus, 898
- arbuticola, 898, 1067
- griseopallidus, 305, 446
- — var. tetraspora, 446
- PHAEOTHECA, 90
- fissurella, 90
- Phaeothyrium microthyrioides, 550
- PHAEOTOMASELLIA, 170
- ruwenzorensis, 170
- Phaeotrema discissum, 133 ('discissa')
- Phaeotrichoconis aquatica, 688 ('aquaticus')
- aurata, 90
- minigelatinosa, 688 ('minigelatinosum')
- PHAEOTRICHOSPHAERIA, 305
- britannica, 305
- caesariata, 605
- hymenochaeticola, 305
- indica, 305
- Phakopsora fici-erectae, 133
- litseae, 605
- PHALANGISPORA, 170
- constricta, 170
- nawawii, 773
- Phallus fragrans, 495
- hadrianii forma minor, 605
- impudicus var. pseudoduplicatus, 985
- macrosporus, 21
- nanchangensis, 985
- taipeiensis, 605
- Phanerochaete arenata, 550
- aurata, 550
- australis, 57

- avellanea, 90
- borneensis, 57
- bubalina, 550
- cacaina, 550
- cana, 550
- caucasica, 550 ('Phaneochoete')
- cordylines, 496, 550
- corymbata, 550
- crassa, 550
- cremea var. caucasica, 550
- — var. microspora, 550
- cremeo-ochracea, 774 ('Phanerochate')
- cumulodentata, 550
- deflectens, 774
- emplastra, 985
- ericina, 90
- exilis, 550
- filamentosa, 550
- flabelliradiata, 90
- furfuraceo-velutinus, 841
- hiulca, 21
- incrustans, 688
- insolita, 90
- leprosa, 550
- luteo-aurantiaca, 550
- magnoliae, 550
- martelliana, 550
- pallido-virens, 774
- phosphorescens, 21
- ravenelii, 550
- rimosa, 550
- sacchari, 550
- sacrata, 258
- sanguinea, 550
- singularis, 496, 550
- subceracea, 550
- subiculosa, 550
- subquercina, 774
- sulphurina, 550
- velutina, 551
- xerophila, 551
- Pharcidia epicymatica var. rubescens, 57
- Phaulomyces dibelonetis, 446
- discolomidinus, 446
- ephistemi, 446
- euaestheti, 446
- octotemni, 446
- PHELLINIDIUM, 399
- ferrugineofusum, 399
- fragrans, 605
- pouzarii, 399
- Phellinus acontextus, 357
- adhaerens, 399
- altocedronensis, 446
- andinopatagonicus, 446
- andinus, 209 ('andina')
- apiahynus, 688
- aureobrunneus, 400
- bicuspidatus, 446
- callimorphus, 57
- caryophylli, 57
- chaquensis, 400
- chryseus, 57
- cylindrosporus, 688
- daedaliformis, 400
- densus, 446
- durissimus, 21
- elegans, 400
- erectus, 170
- extensus, 447
- garuhapensis, 400
- hohnelii, 57
- igniarius forma alni, 898
- illiciicola, 447
- kamahi, 774
- kawakamii, 447
- lamaoensis, 447
- linteus, 447
- livescens, 898
- longisetulosus, 57
- macgregorii, 898
- maxonii, 90
- melleoporus, 447
- membranaceus, 400
- minutiporus, 57
- nicaraguensis, 21, 209
- orientalis, 57
- ostricolor, 447
- overholtsii, 400
- pseudopunctatus, 170
- pseudosenex, 21
- pusillus, 1067
- reichingeri, 898
- rhamni, 357
- rhytiphloeus, 57
- rickianus, 400, 841
- rickii, 447, 774
- rudis, 774
- rufus, 898
- scleropileatus, 774
- sublamaensis, 1067
- swieteniae, 21
- syringeus, 774
- tropicalis, 774
- troyanus, 21
- tuberculosus, 209
- umbrinellus, 21, 57, 209
- uncinatus, 605
- vorax, 447
- zelandicus, 447
- Phellodon excentri-mexicanus, 447 ('excentri-mexicana')
- implicatus, 605
- radicatus, 447
- tenuis, 898
- Phialea bambusae, 133
- PHIALEMONIUM, 305
- curvatum, 305
- dimorphosporum, 305
- obovatum, 305
- Phialina sect. Leucophialina, 774
- montana, 496
- obscura, 496
- plowrightii, 133
- Phialoarthrobotryum brasiliense, 90
- Phialocephala foliicola, 447
- fortinii, 496
- ivoriensis, 357
- mexicana, 357
- xalapensis, 357
- Phialocybe improvisa, 305
- Phialomyces taiwanensis, 447
- Phialophora cyanescens, 357
- dancoi, 1067 ('dancoii')

[Phialophora]

- endoparasitica, 209
- finlandia, 496
- graminicola, 21
- intermedia, 841
- japonica, 496
- taiwanensis, 305
- tracheiphila, 551
- tribrachispora, 400
- zeicola, 305

PHIALOSPOROSTILBE, 688

- turbinata, 688

Phibalis hematochlora, 688

- — var. microspora, 688
- indica, 688 ('indicus')

Phillipsiella bambusae, 551

PHILOBRYON, 774

- anuliferum, 774

Phlebia albofibrillosa, 357

- argentina, 688
- brevispora, 133
- cacao, 90
- caspica, 58
- concentrica, 496
- cretacea, 90
- diaphana, 551
- diffisa, 90
- femsioeensis, 90
- firma, 90
- griseoflavescens, 90
- incarnata, 400
- leptospermi, 496
- lilascens, 90, 170
- ludoviciana, 170
- pellucida, 841
- rosea, 21
- rywardenii, 841
- subulata, 90
- tremellosa, 400 ('tremellosus')
- unica, 400
- verruculosa, 58
- viridesalebrosa, 90 ('viridesalebrosum')

Phlebiella subgen. Aphanobasidium, 688

- allantospora, 688
- ardosiacae, 688
- aurora, 841
- borealis, 688
- californica, 688
- christiansenii, 688
- fibrillosa, 688
- filicina, 688
- gaspesica, 688
- grisella, 688
- inopinata, 688
- lloydii, 688
- nasti, 985
- pseudotsugae, 688
- ralla, 688
- romellii, 688
- subnitens, 688

Phlebiopsis afibulata, 496

- darjeelingensis, 605
- flavidoalba, 774
- galochroa, 21
- himalayensis, 605
- ravenelii, 774
- roumegueri, 133 ('roumeguerii')

PHLEBOGASTER, 58

- laurisylvicola, 58
- sinensis, 985
- Phlebopus beniensis, 209, 305
- brasiliensis, 305
- bruchii, 209
- brunneoruber, 209, 305
- cystidiosus, 209
- harleyi, 209
- latiporus, 209
- tropicus, 209, 305

Phlegmacium ludmilae, 689

Phloeospora bullata, 21

- ehretiae, 21
- koenigii, 21
- Phloeosporella ariaefoliae, 21
- borealis, 400
- filipendulae, 898
- hedysari, 21
- leucosceptra, 21

Phlyctella longifera, 305

- megalospora, 305
- subuncinata, 305

Phlyctis chilensis, 898

- longifera, 898
- megalospora, 898

Phliota subgen. Hemiphliota, 605

- alnicola, 305
- alniphila, 447
- astragalina, 305
- aurantiaca, 898
- bicolor, 305
- brevipes, 985
- carbonaria, 305
- catervaria, 305
- ceriferoides, 898
- chrysocystidiata, 689
- conissans, 551
- cortinata, 985
- dinghuensis, 496
- flammuloides, 400, 898
- freindlingiae, 305
- galapagensis, 91
- gummosa, 305
- — var. obscurifusca, 605
- irazuensis, 985
- jahnii, 551
- lapponica, 305
- lenta, 305
- lignicola, 1067
- lubrica, 305
- lutaria, 551
- mahabaleshwarensis, 58
- metallica, 91
- mixta, 551
- multicingulata, 305
- muricella, 551
- ochroflavida, 551
- ochropallida, 605
- pattersoniae, 447 ('pattersonae')
- persicina, 898
- phlegmatica, 305
- pinicola, 605
- populnea, 551
- praecox forma cutifracta, 496
- salicicola, 258
- scamba, 551, 605

- *siennaecolor*, 551
- *spectabilis* var. *pusilla*, 258
- *spumosa*, 306
- — var. *amara*, 400
- *talquensis*, 898
- *truncata*, 306
- *varzeae*, 985
- *xanthophaea*, 898
- Pholiotina aeruginosa**, 400
- *altoandina*, 985
- *aporos*, 58
- *appendiculata*, 551
- *caricicola*, 985
- *coprophila* var. *exigua*, 985
- *dentatmarginata*, 551
- *ealaensis*, 985
- *exannulata*, 551
- *hadrocystis*, 551
- *mairei*, 551
- *maireiaffinis*, 985
- *microspora*, 985
- *striaepes*, 985
- Phoma adianticola**, 306
- *aequivoca*, 605 ('*aequivocum*')
- *albae*, 400
- *aloidis*, 774
- *ambrosioidis*, 306
- *americana*, 258
- *ammodendri*, 689
- *andina* var. *crystalliniformis*, 774
- *andrachnidis*, 689
- *astragalina*, 133
- *atraxaxidis*, 689
- *averrhoae*, 258 ('*averrhoiae*')
- *banksiae-integrifoliae*, 496
- *boltoniae*, 400
- *buteae*, 400 ('*Phomal*')
- *cajani*, 133
- *caloplacae*, 91
- *cannae-indicae*, 774
- *caricae-papayae*, 58
- *celastri*, 306
- *coffeiphila*, 91
- *coonsii*, 447
- *crastophila*, 133
- *cyanea*, 91
- *draconis*, 306
- *enteroleuca* var. *inflouescens*, 447 ('*inflouescens*')
- *excelsa*, 91
- *exigua* var. *heteromorpha*, 985
- — var. *lilacis*, 306
- *ficophila*, 774 ('*ficophilum*')
- — var. *zythia*, 774
- *flavigena*, 209
- *funkiae-albomarginatae*, 774
- *gardeniae*, 209
- *glaucispora*, 985
- *gorakhpurensis*, 306
- *harmalae*, 689
- *helianthi*, 496
- *heteromorphospora*, 21
- *hyacinthi*, 774
- *insulana*, 209
- *ipomoeae*, 21
- *jaunpurensis*, 170
- *jolyana* var. *sahariensis*, 306
- *lecanorina*, 551
- *lotivora*, 133
- *lucknowensis*, 133
- *manihot*, 551
- *mathurii*, 170 ('*mathuri*')
- *megarrhizae*, 774
- *meghalayaensis*, 91 ('*meghalayansis*')
- *microspora*, 91
- *multirostrata* var. *macrospora*, 689
- — var. *microspora*, 689
- *nigricans*, 170
- *nigrificans*, 551
- *nivea*, 21, 689
- *paspali*, 134
- *peltigerae*, 21
- *pentatropidis*, 21
- *petrakii*, 134
- *pezizoides*, 134
- *pinodella*, 689
- *piskorzii*, 134
- *plurivora*, 134
- *pratorum*, 170
- *rabiei*, 91
- *riggenbachii*, 170
- *rumicicola*, 91
- *ruttneri*, 134
- *sublingam*, 134
- *sydowii*, 91
- *terricola*, 496
- *tracheiphila* forma *specialis* *chrysanthemi*, 496
- *ushtrina*, 91
- *veronicicola*, 447
- *vitis*, 774
- *vulgaris*, 496
- Phomatosporella acrostichi**, 774
- *admontensis*, 1067
- *albomaculans*, 258
- *aucubae*, 357
- *canephora*, 91
- *coffae*, 91
- *coffeicola*, 91
- *kamatii*, 21
- *radegundensis*, 898
- *striatigera*, 898
- *tamarindi*, 259 ('*tamarindii*')
- PHOMATOSPORELLA**, 259
- *albomaculans*, 259
- Phomopsis amygdali**, 985
- *antigoni*, 170 ('*antigononii*')
- *archeri*, 21
- *arnoldiae*, 21
- *baliospermi*, 21
- *barringtoniae*, 306
- *brevistylispora*, 1067
- *capsicum*, 209
- *clerodendri*, 306
- *convolvuli*, 898 ('*convolvulus*')
- *corchoricola*, 58
- *crini*, 551
- *dendrobii*, 985
- *diplodinoides*, 774
- *filiformis*, 447
- *firmianae*, 134
- *foeniculi*, 91
- *fusiformis*, 447
- *ganjae*, 306

[Phomopsis]

- garugae, 209
- gmelinae, 774
- gorakhpurensis, 134
- gulabii, 259 ('gulabia')
- helianthi, 134
- hughesii, 209
- ichnocarpi, 774
- indica, 134, 899
- ipomoeae-batatas, 210
- jaunpurensis, 58
- lantanæ, 22, 551
- leucaenæ, 774
- litseæ, 306
- longicolla, 447
- manilkaræ, 400
- micheliae, 774
- nicotianæ, 774
- oryzae-sativæ, 22
- pedilanthi, 357
- pehenningsii, 210
- pergulariæ, 134 ('pergularæ')
- phaseoli forma specialis caulivora, 357
- plantaginis, 22
- putranjivæ, 134
- sapotæ, 170
- spectabilis, 496 ('spectabilæ')
- tanakæ, 210
- tectonæ, 170
- terminaliæ, 22
- tersa, 22
- tritici, 58
- variosporum, 774

PHRAGMASPIDIUM, 58

- coruscans, 58
- manaosense, 58 ('manaosensis')
- viniferae, 58

Phragmidium cinnamomeum, 22

- himalense, 605
- hiratsukanum, 899
- rosae-omeiensis, 899
- rubi-eucalypti, 899
- supinum, 22

PHRAGMITICOLA, 605

- rhopalospermum, 605

Phragmocephala elegans, 496

- stemphylioides var. parva, 134

Phragmodiaporthe philadelphi, 985

Phragmoporthæ grisea, 306

- salvinii, 306

Phragmopathula brachyspathulata, 91

- roystoneæ, 91

PHRAGMOSPATHELELLA, 899

- matsushimæ, 899

Phragmothyrites fimbriatus, 91

- lutosus, 91

- quilonensis, 91

Phragmotrichum vassiljevæ, 358

PHYCORELLA, 91

- scytonematis, 91

Phylacia bomba var. macrospora, 985

- glandulina, 58
- pseudohypoxylon, 58

Phyllachora balakrishnanii, 985

- cibotii, 134
- columbiensis, 985
- concentrica, 605

- ehretiae, 605

- gordoniae, 605

- keralensis, 986 ('keralense')

- millettiae-rubiginosae, 551

- nuttalliana, 775

- onobrychidis, 775

- phyllostachydis, 775

- prataprajii, 841

- punctifaciens, 775

- quercus, 134 ('quercae')

- rhytismoides, 775

- shettyi, 899

- spicatae, 775

- subpapillata, 775

- vitis, 775

Phyllactinia aceris, 899

- babayanii, 400

- cassiae, 689

- corni, 899

- desmodii, 22

- ehretiae, 775

- enkianthi, 447

- gorteri, 841 ('gorterii')

- kashmirensis, 496

- phaseolina, 689

- rhododendri, 899

- ribesii, 447

- sabiae, 210

- salmonii forma amygdali, 400

- subspiralis, 447

- suffulta forma rudbeckiae, 170

PHYLLISCIELLA, 400

- aotearoa, 400

- marionensis, 400

- polymorpha, 400

Phylliscum indicum, 899

Phyllobathelium albolinitum, 775

- nigrum, 899

- obtectum, 775

Phyllogloea liui, 447

Phylloporia ampelina, 306

- capucina, 170

- ephedrae, 447

Phylloporis multipunctata, 358

- obducta, 899

- platypoda, 358

Phylloporus sect. Fibulati, 689

- sect. Immutabiles, 689

- sect. Oxydabiles, 689

- sect. Tubipedes, 689

- centroamericanus, 400

- gomphidioides, 551

- gymnocystis, 986

- leucomycelinus, 400

- luteobasalis, 689

- nigrescens, 689

- phaeoxanthus, 400

- — var. simplex, 400

- pseudopaxillus, 689

- rhodophaeus, 689

- rhodoxanthus subsp. albomycelinus, 400

- statuum, 91

- veluticeps, 91

Phyllopsora bibula, 134

- buettneri var. glauca, 986

- — var. munda, 986

- canoumbrina, 986

— confusa, 134
 — congregans, 306
 — corallina var. glauccella, 986
 — — var. ochroxantha, 986
 — — var. phaeobyssina, 986
 — — var. santensis, 986
 — glabriuscula, 134
 — janeirensis, 134
 — longispora, 496
 — martinii, 134
 — mediocris, 134
 — microdactyla, 306
 — microphyllina, 134
 — minor, 986
 — parvifolia var. brevisuscula, 986
 — pertexta, 134
 — pyrrhomelaena, 134
 — santensis, 134
 — subcrustacea, 986
 — weberi, 496
Phyllosticta abietis, 1067
 — acicola, 1067
 — alocasiae, 58
 — annulicaudata, 1067
 — ashtonii, 1067
 — aurea, 134
 — beaumarisii, 605
 — blackwoodiae, 1067
 — boltoniae, 605
 — cocoicola, 358
 — coffeae-libericae, 134
 — cuspidatae, 358
 — dieffenbachiae, 210
 — dracaenicola, 210
 — dyerae, 134
 — elongata, 170
 — euphorbiae-khandalensis, 986
 — evodiae, 986
 — galphimicicola, 358 ('Phyllostictis galphimicicola')
 — gmelinae, 91
 — hemibrunnea, 1067
 — imbricatae, 358
 — jacquemonticola, 358 ('jacquimonticola')
 — jatrophae-podagraceae, 358
 — lepidanthicola, 58
 — limonae, 170
 — microcosi, 775
 — monsterae, 22
 — multicorniculata, 1067
 — nerii-atropurpureae, 358 ('neriae-atropurpureae')
 — pentatis, 358 ('pentasii')
 — pentatis-carniae, 58 ('pentas-carni')
 — pervincae, 400
 — poterii, 22
 — proticola, 841
 — regis, 358 ('rexii')
 — rhoiseda, 775
 — rubiae, 22
 — samba, 259 ('sambacae')
 — sesami, 447
 — spigeliae, 91
 — telopeae, 1067
 — tetrastigmatis, 358 ('tetrastigmae')
 — thujae, 1067
 — tinctoriae, 259 ('Phytlosticta')

— tortilicaudata, 775
 — volubilis, 358 ('volubiliae')
 — xeromphiicola, 22
 — yuccae, 605
 — zinniae-leneareis, 358 ('zinniae-leneareae')
Phyllostictina jabalpurensis, 210
Physalacria cryptomeriae, 134
 — gillesii, 447
 — orientalis, 447
 — pseudotropica, 447
Physalidium carbonis, 605
Physalospora abri, 689 ('abruissae')
 — celtidis, 134
 — coffeigena, 91
 — dalbergiae, 775
 — erythrinicola, 22
 — eucalyptina, 775
 — halimodendri, 134
 — heteromelina, 775
Physarina alboscabra, 551
Physarum alpestre, 551
 — cinereum var. aureonodum, 775
 — columellatum, 689
 — dubium, 689
 — hagiwarae, 689
 — lakhanpalii, 689
 — lenticulare, 689
 — luteonodum, 775
 — miniatum, 1067
 — nigripodum, 689
 — nitens, 171
 — nutans forma rubrum, 689
 — obscurum, 171
 — pseudodiderma, 689
 — scoticum, 171
 — spectabile, 358
 — urne, 22
Physcia sect. **Atrac**, 606
 — aipolia subsp. phaea, 551
 — — forma angustata, 306
 — atrostriata, 606
 — caesia var. caesiella, 551
 — dubia var. teretiuscula, 552
 — erumpens, 606
 — hupehenis, 306
 — krogiae, 606
 — latifolia, 552
 — nakanishii, 32
 — opuntiella, 32
 — orientalis, 496
 — scopulorum, 689
 — stellaris subsp. albinea, 552
 — — subsp. angustifolia, 552
 — — subsp. angustiloba, 552
 — — forma radiata, 306
 — — forma rosulata, 306
 — tenella subsp. marina, 32
 — undulata, 606
 — verrucosa, 606
PHYSCIOLA, 552
 — chloantha, 552
 — denigrata, 552
 — melanchra, 552
 — nepalensis, 552
Physconia distorta, 401
 — grisea var. hillmannii, 986
 — — var. pityrea, 986

- muscigena forma alpina, 689
- — forma squarrosa, 690
- pulverulacea var. argyphaea, 552
- — var. subpapillosa, 552
- — var. subvenusta, 552
- — var. superfusa, 552
- pulverulenta var. angustata, 986
- — var. turgida, 986
- — var. venusta, 986
- — forma imbricata, 986
- — forma superfusca, 986
- venusta subsp. subaquila, 552
- Physisporinus rivulosus, 358 ('rivulosa')
- Physisporus fragillimus, 552
- Physoderma thirumalacharii, 22
- Physopella cingens, 171
- Phytoconis aurantiaca, 775
- chromacea, 775
- ericetorum, 775
- lobata, 775
- luteovitellina, 775
- velutina, 775
- viridis, 775
- PHYTOCORDYCEPS, 552
- ninchukispora, 552
- Phytophthora avicenniae, 358 ('avicennae')
- batemanensis, 358
- clandestina, 447
- cryptogea forma specialis begoniae, 210
- humicola, 447
- insolita, 91
- megasperma forma specialis glycines, 171 ('glycinea')
- — forma specialis medicaginis, 171
- — forma specialis trifolii, 134
- mirabilis, 606
- operculata, 210
- palmivora var. heterocystica, 358, 899
- polymorphica, 358
- pseudotsugae, 358
- sinensis, 171
- undulata, 1067
- vignae forma specialis adzukicola, 606
- — forma specialis medicaginis, 606
- PICARDELLA, 447
- cataunica, 986
- endogaea, 447
- Pichia alni, 358
- americana, 358
- amylophila, 22
- angusta, 358
- anomala, 358
- antillensis, 358
- barkeri, 690
- bimundalis, 358
- bisporea, 358
- canadensis, 358
- capsulata, 358
- cellobiosa, 22
- ciferrii, 358
- deserticola, 448
- dryadoides, 358
- euphorbiae, 259
- euphorbiaphila, 358
- fabianii, 358
- finlandica, 358
- galeiformis, 775
- glucozyma, 359
- hampshirensis, 775
- hangzhouana, 1067
- henricii, 359
- holstii, 359
- inositovora, 134
- jadinii, 359
- japonica, 775
- kluyveri var. cephalocereana, 775
- — var. eremophila, 775
- kodamae, 259
- labacensis, 401
- lynferdii, 359
- methanothermo, 58
- methylovora, 690
- mexicana, 171
- meyeriae, 210
- minuta, 359
- — var. nonfermentans, 359
- mississippiensis, 22
- muscicola, 359
- nakasei, 306
- petersonii, 359
- philodendra, 359
- populi, 359
- pseudocactophila, 306, 359
- scaptomyzae, 401
- silvicola, 359
- sorbitophila, 58
- subpelliculosa, 359
- sydwiorum, 359
- thermotolerans, 496
- triangularis, 690
- Piggotia coryli, 22
- PILLULASCLEROTES, 306
- incertus, 306
- Pilobolus crystallinus var. hyalosporus, 1067
- — var. kleinii, 1067
- lentiger var. minutus, 1068
- roridus var. umbonatus, 1068
- Piloderma croceum, 91
- — forma olivaceum, 91
- fallax, 359
- lanatum, 91
- — var. bisporeum, 91
- olivaceum, 401
- Pilophorus dovrensis, 775
- pallidus, 776
- PILOPORIA, 210
- albobrunnea, 401
- indica, 841
- sajanensis, 210
- Piptarthron limbatum, 22
- yuccae, 306
- Piptcephalis macrocephala, 448
- Piptoporus elatinus, 448
- Pirella marina, 606
- PIREX, 496
- concentricus, 496
- subvinosus, 776
- Piricauda caribensis, 359
- cubensis, 359
- taiwanensis, 690
- PIRICAUDILIUM, 899
- lobatum, 899
- PIRICAUDIOPSIS, 690
- elegans, 690

- PIROMONAS**, 690
 — communis, 690
 — maxima, 690
 — minima, 690
PIROMYCES, 986
 — communis, 986
Pirottaea absinthicola, 606
 — adenostylidis, 606
 — astragali, 606
 — imbricata, 606
 — inopinata, 606
 — intercedens, 606
 — lamii, 606
 — paupercula, 606
 — pilosissima, 606
 — plantaginis, 1068
 — saxonica, 606
 — symphyti, 606
PITHOASCINA, 690
 — langeronii, 690
Pithoascus stysanophorus, 690
Pithomyces alabamensis, 259
 — cinnamomeus, 359
 — clavisorus, 776
 — divaricatus, 552
 — niger, 690
 — pavgii, 134
 — prolatus, 552
 — sivaramaprasadii, 841
 — subramanianii, 91
 — sumiderensis, 552
 — taiwanensis, 690
 — terricola, 259
 — valparadisiacus, 259
Pithya cupressina forma albida, 448
Pithyella anonyma, 690
 — apicalis, 690
 — jenkinsii, 690
Placidiopsis cinerascens, 448
 — crassa, 552
 — daedalea, 135 ('daedaleum')
 — pseudocinerea, 259
 — sbarbaronis, 552
 — tirolensis, 1068
Placoasterella pandanicola, 259
 ('Placsoterella')
Placocarpus schaeferi, 448
Placodiopodia canthiifolia, 690
Placodium kuminovii, 210
Placolecanora muralis var. versicolor, 986
 — — forma imbricata, 986
Placolecis opaca, 401
Placopsis gelida var. neglecta, 552
 — lambii, 776
PLACOPYRENIUM, 690
 — bucekii, 690
 — rubescens, 899
 — trachyticum, 690
Placosphaeria rubiae, 690
Placynthiella hyporhoda, 401
 — icmalea, 401
 — oligotropha, 401
 — uliginosa, 401
Placynthium arachnoideum, 401
Plagiocarpa acrocordioides, 899
 — illota, 776
 — langloissi, 65
Plagiosphaera gleditsiae, 306 ('gleditschiae')
 — helvetica, 776
 — japonica, 259
 — muroiana, 22
 — nilotica, 259
 — platensis, 22
 — sacchari, 306
Plagiostoma arnstadtense, 306
 — cahirense, 986 ('cahirensis')
 — conductrix, 986
 — petrakii, 306
 — prasiolae, 987
 — pseudobavaricum, 306
 — septentrionale, 776 ('septentrionalis')
 — solidaginis, 259
 — solorinae, 987
PLASIA, 92
 — ramicola, 92
Plasmopara achyranthis, 306 ('achyranthis')
 — cryptotaeniae, 606
 — elsholtziae, 306
 — helichrysi, 776
 — lactucae-radici, 842
 — oenanthes, 606 ('oenantheae')
 — pimpinellae var. maioris, 690
 — plantaginicola, 448
 — portoricensis, 92
 — selini, 690
 — siegesbeckiae, 776
 — yunnanensis, 776
Platyglea acanthophysa, 606
 — bisporea, 776
 — longispora, 606
 — navispora, 690
 — subabditia, 776
Platypeltella irregularis, 210
Platystomum curtum, 1068
 — insigne, 606
 — subcompressum, 606
Plectania helvelloides, 690
 — melaena, 171, 401
 — mexicana, 401
 — rhytidia forma platensis, 448
Plectocarpon lichenum, 359
Plectophomella concentrica, 135
 — ulmi, 135
Plectopycnis apocynacearum, 552
PLECTOSCLEROTES, 306
 — fruticosus, 306
 — implicatus, 307
Plectosphaera banksiae, 899
 — eucalypti, 92
Plectronidium australiense, 606
 — magnoliae, 606
Pleiochaeta ghindensis, 307
 — stellaris, 92
Pleiomorpha biforis, 22
Plenodomus fuscomaculans, 448
Plenotrichaius densus, 552
 — laxus, 552
Pleochaeta mali, 606
 — populicola, 259
 — prosopidis, 210
 — turbinata, 210
Pleomassaria capparidis, 690
 — fagi, 987
 — luzonensis, 448

[Pleomassaria]

- monosperma, 210
- phoenicis, 842
- ulmicola, 210
- Pleosphaerulina americana, 776
- ussuriensis, 496
- Pleospilis ascaridiella, 259
- Pleospora agavicola, 359
- alfalae, 606
- ascodedicata, 1068
- avicenniae, 776
- baldensis, 259
- chlorogali, 776 ('chlorogalli')
- conorum, 135
- drummondii, 307
- eucalypti, 899
- gracilariae, 987
- halophila, 401
- incerta, 259
- kamatii, 171
- kravtzevii, 690
- leptosphaerulinoides, 259
- mangiferae, 92
- pallideterminalis, 1068
- penicillus var. ambigua, 259
- primulae, 259
- spartii var. alhagis, 776
- subramaniani, 171
- tarda, 606
- uzbekistanica, 899
- welwitschiae, 259
- Pleosporonites dictyosus, 307
- morularis, 307
- moruloides, 307
- ovoideus, 307
- PLEOTRICHIELLA, 401
- australiensis, 401
- PLEROGONE, 552
- helodes, 552
- Pleurage glabra, 22
- PLEUROCATENA, 210
- foliicola, 210
- Pleuroceras arollanum, 307
- bottnicum, 307
- insulare, 307
- labradorensis, 307
- oregonense, 307
- propinquum, 307
- pseudoplatani, 307
- quercicola, 307 ('quercicolum')
- quercinum, 307
- rousseaui, 307
- Pleurocollybia densifolia, 690
- PLEURODESMOSPORA, 58, 171
- coccorum, 58, 171
- Pleuroflammula aromatica, 606
- decolorata, 359
- fagicola, 606
- minutula, 606
- multifolia, 606
- squamulosa, 606
- subsulphurea, 606
- tuberculosa, 606
- Pleuromykenula hydrophila, 691
- Pleurophragmium arecae, 691
- taiwanense, 691 ('Pleurophragmium')
- Pleurosticta acetabulum, 899

- koflerae, 899
- Pleurostoma ootheca, 448
- Pleurotellus keralensis, 259 ('keralense')
- sinuosus, 496
- Pleurotheciopsis setiformis, 496
- Pleurothecium magnum, 987
- pulneyense, 987
- Pleurotheliopsis andamanensis, 691
- ceylonensis, 691
- Pleurothelium microsporum, 135
- Pleurotopsis longinqua, 307
- Pleurotrema acrophaeum, 552
- filispora, 100
- uniseriale, 496 ('uniserialis')
- Pleurotus sect. Coremiopleurotus, 691
- albellus, 259
- albidus, 359
- alocasiae, 135
- arbuticola, 899 ('arbuticolus')
- armeniascus, 135
- aureovillosus, 135
- chrysorrhizus, 135
- cornucopiae var. citrinopileatus, 899
- cyatheicola, 135 ('cyatheicolus')
- decipiens, 135
- djamor var. cyathiformis, 135
- — var. fuscopruinosus, 135
- — var. fuscroseus, 135
- — var. roseus, 135
- — var. terricola, 135 ('terricolus')
- eryngii var. ferulaginis, 1068
- — var. tuoliensis, 776
- eugrammus var. brevisporus, 135
- — var. fuscovineus, 135
- — var. radiculicola, 135 ('radicicolus')
- favoloides, 987
- hyacinthus, 135
- kabulensis, 448
- lactuosus, 135
- lazoi, 92
- lilaceilentus, 135
- musae, 135
- olivascens, 135
- omnivagus, 135
- ostreatus forma florida, 899
- penangensis, 135
- pometi var. macrosporus, 135
- problematicus, 135
- rickenii, 691
- submembranaceus, 899
- subviolaceus, 135
- tigrinus, 359
- tubarius, 259
- Ploioderma cedri, 776
- Plowrightia abietis, 1068 ('Plowrightia')
- Pluricellaesporites alleppeyensis, 401
- annulatus, 359 ('annulatus')
- catenatus, 401
- delicatus, 210
- fusiformis, 210
- informis, 210
- longicollis, 135
- maximus, 210
- minusculus, 135
- mirus, 210
- misrae, 359
- ovatus, 135

- serratus, 135
- simplicissimus, 135
- subcapsularis, 135
- suboblongatus, 135
- tenuis, 135
- vermiculus, 307
- verrucatus, 691
- Pluteolus aleuriatus** var. *reticulatus*, 259
 - *reticulatus* var. *australis*, 606
- Pluteus amazonicus**, 987
 - *atricapillus*, 259, 496
 - — var. *albus*, 496
 - — var. *brasiliensis*, 359
 - — var. *tucumanensis*, 359, 842
 - *atromarginatus*, 496
 - *australis*, 842, 987
 - *brunneoradiatus*, 691
 - *cervinus*, 497
 - — var. *atromarginatus*, 497
 - — var. *umbrosus*, 259
- *chrysophaeus* forma *gracillimus*, 259 ('*gracillima*')
 - *dennisii*, 987
 - *exilis*, 987
 - — var. *austriacus*, 987
- *flammipes* var. *depauperatus*, 307 ('*depauperata*')
 - *glutinosus*, 987
 - *gracilis*, 259
 - *griseoluridus*, 359
 - *hispidulus* var. *cephalocystis*, 497
 - *hongoi*, 987
 - *hylaecicola*, 987
 - *inocybecystis*, 259
 - *insidiosus*, 497
 - *kuthanii*, 987
 - *lipidocystis*, 691
 - *luteus*, 448
 - *major*, 987
 - *martinicensis*, 259
 - *melanopotamicus*, 987
 - *minimus*, 497
 - *muscorum*, 58
 - *nanus* forma *griseopus*, 497
 - *nigroviridis*, 307
 - *perroseus*, 307
 - *podospileus* forma *minutissimus*, 497
 - *pouzarianus*, 359
 - *salmonaeus*, 260
 - *umbrosus* var. *albus*, 497
 - *varzeicola*, 987
 - *veraecrucis*, 171
- PNEUMATOSPORA**, 401
 - *obcoronata*, 401
- Pocheina flagellata**, 307
- Pocsia dispersa**, 210
 - *septemseptata*, 210
- POCULINIA**, 691
 - *nothofagi*, 691
- Poculum americanum**, 359
 - *bambusae*, 92
 - *chlorosplenoides*, 135
 - *fraternum*, 58
 - *fuegianum*, 135
 - *helotioides*, 497
 - *henningsianum*, 497 ('*henningsiana*')
 - *hyalinum*, 135
 - *myricae*, 606
 - *sydowianum*, 58
 - *symingtoniae*, 359 ('*symingtonius*')
 - *titubans*, 92
- Podabrella albida**, 987
 - *epipolia*, 987
 - *microcarpa* var. *major*, 260
 - *poliophax*, 987
- Podaxis** sect. *Umbriticorticalis*, 987
 - *africana*, 987
 - *longii*, 448
 - *microporus*, 448
 - *rugospora*, 987
- Podofomes pyrenaicus**, 842, 899
- PODOHYDNANGIUM**, 401
 - *australe*, 401
- Podoporia cincta**, 552
- Podosphaera clandestina** var. *aucupariae*, 360
 - *corni*, 171
 - *curvispora*, 401
 - *tridactyla* var. *pruni-ulfmifoliae*, 360, 691
 - *viburni*, 210
 - *wuyishanensis*, 1068
- Podospora anamalayensis**, 987
 - *badia*, 842
 - *carpinicola*, 552
 - *deltoides*, 987
 - *euphratica*, 691
 - *horridula*, 360
 - *inquinata*, 448
 - *minipistillata*, 987
- Podosporium duartei**, 401
 - *furcatum*, 691
- Podostroma daisenense**, 776
- POELTIARIA**, 401
 - *coromandelica*, 1068
 - *corralensis*, 401
 - *howickensis*, 1068
 - *turgescens*, 401
 - *urbanskyana*, 401
- POELTIDEA**, 401
 - *perusta*, 401
- POELTINULA**, 401
 - *cacuminum*, 552
 - *cerebrina*, 401
 - — subsp. *parvocalcicola*, 552
- POITRASIA**, 307
 - *circinans*, 307
- POLAROSCYPHUS**, 842
 - *spetsbergianus*, 842
- Polioma reniformis**, 210
- POLIOMOPSIS**, 691
 - *thermopsidis*, 691
- Pollaccia borealis**, 987
 - *populi-albae*, 607
 - *radiosa* var. *lethifera*, 448
 - — var. *populi-albae*, 448
 - *spiraeae*, 360
- Polyadosporites conoideus**, 307
 - *enormis*, 307 ('*Polyadosporonites*')
 - *orbis*, 307
- Polyblastia atlantica**, 100
 - *cucurbitula*, 842
 - *muscorum*, 552
- Polyblastiopsis anoptella**, 171
 - *euthelia*, 776
 - *luteonitens*, 171

[Polyblastiopsis]

- monosporum, 776
- muelleri, 776

POLYCELLAESPORONITES, 360

- bellus, 360

Polycephalomycetes cylindrosporus, 135

- tomentosus, 497

Polycoccum cartilagosum, 497

- cladoniae, 776
- dzieduszyckii, 22
- gelidarium, 260 ('gelidaria')
- innatum, 497
- jamesii, 497
- marmoratum, 22
- rugulosarium, 58
- umbilicariae, 497
- vermicularium, 497
- versisporum, 497

POLYCYTELLA, 776

- hominis, 776

POLYMERIDIUM, 65

- albidum, 553
- biloculare, 553
- catapastum, 553
- contendens, 65
- pleiomerellum, 776
- pleiomeroides, 553
- quinqueseptatum, 65
- subcinereum, 65

Polymyxa betae forma specialis portulacae, 691

Polynema perlaceum, 899

- vitis, 776

Polypaecilum pisce, 448

POLYPORASCLEROTES, 307

- hagenii, 307 ('hageni')

Polyporellus arcularius forma grisea, 899

Polyporites macrospora, 307

- microspora, 307

Polyporus albicans, 448

- arcularioides, 448
- aurantibrunneus, 401
- aurora, 607
- biskeletalis, 401
- brasiliensis, 401
- — var. macroporus, 401
- brumalis var. nanus, 171
- caesiellus, 607
- caliginosus, 607
- canadensis, 360
- confundens, 607
- cremorinus, 607
- durescens, 360
- durus, 401
- ferruginipes, 401
- flavus, 401
- — var. orbicularis, 402
- indigenus, 171
- lineatus, 360
- lowei, 987
- lucienqueletii, 691 ('lucienqueletii')
- luctuosus, 607
- melanoporoides, 607
- meridionalis, 22, 92
- minor, 210
- miquellii var. cucullatus, 402
- nigrocristatus, 448

- odorus, 402

- pekingensis, 210

- pervadens, 402

- piceus, 607

- polychrous, 607

- — subvar. irregularis, 607

- — var. pallidus, 607 ('pallida')

- — var. rufo-auratus, 607 ('rufo-aurata')

- — forma mesopodus, 607 ('mesopoda')

- — forma pleuropodus, 607 ('pleuropoda')

- pusiolus, 607

- retirugis, 58

- rickianus, 899

- rosulatus, 135

- scalaris, 691

- spatulatus, 402

- — var. major, 402

- subfloriformis, 210

- submolles, 210

- subperennis, 210

- subpurpurascens, 448

- trametoides, 402

- varius var. malesianus, 402

- — forma nummularius, 899

- vilis, 607

- xinjiangensis, 135

POLYPYRENULA, 497

- sexlocularis, 497

Polyschema bicellularis, 171

- chambalensis, 260

- lignicola, 607

- toruloides, 22

Polyscytalum fagicola, 135

- hareae, 92

- pini, 260

Polysphondylium filamentosum, 136

- luridum, 842

Polysporina gyrocarpa, 171

- lapponica, 211

- simplex var. crustosa, 171

- — var. hymenogonia, 900

- — forma complicata, 899

- — forma ferruginea, 553

- sinensis, 171

- — forma complicata, 171

- urceolata, 607

Polystictoides fumosus, 691

Polystictus consors, 448

- fibula var. pores-adustus, 448

- tenuoroseus, 448

Polystigma apophlaeae, 92

- caraganae, 136

- caulicola, 497

POLYSYNNEMA, 776

- tropicum, 776

POLYTRETOPHORA, 402

- calcarata, 402

Pontogeneia codicola, 22

- erikae, 92

Poria ahmadii, 402

- albida, 402

- alpina forma pachymera, 360 ('pachymeres')

- amylohypha, 402

- asiatica, 360

- berkeleyi, 402

- chromatica, 360

- clelandii, 402
- compacta, 402
- contraria, 402
- detrita, 402
- ellipsospora, 402
- ellisiana, 402
- fraxinea, 402
- glaucopora, 402
- gomezii, 402
- inflata, 360
- inflexibilis, 402
- martia, 402 ('martius')
- mesoleuca, 402
- minutula, 402
- mundula, 402
- oviforma, 776
- phloiophila, 402
- robiniophila, 402
- rosmarini, 402
- stenospora, 360
- truncata, 402
- variegata, 402
- Porina andamanensis, 691
- balanina, 553
- borrieri, 32
- colchica, 260
- cubana, 360
- heterospora, 65
- oleriana var. ginsbergeri, 553
- — var. provincialis, 553
- pocsii, 360
- sphaerocephaloides, 607
- stoechadiana, 402
- subpilosa, 360
- PORIODONTIA, 171
- subvinosa, 171
- Porocyphus leptogiella, 100
- ocellatus, 987
- Porodaedalea chrysoloma, 402
- conchata, 402
- piceina, 553
- pilatii, 402
- Poromycena rubra, 211
- Poronia erici, 842
- Porophoromyces formosanus, 260
- Poroptycha destructor, 691
- POROSPHAERELLA, 260
- cordanophora, 260
- POROSPHAERELLOPSIS, 260
- sporoschismophora, 260
- Porosphaeria see Porosphaerellopsis
- Porostereum lilacinum, 987
- POROSUBRAMANIANA, 448
- ('Porosubramaniana')
- malabarica, 987
- moniliformis, 448 ('Porosubramaniana')
- Porotenus depallens, 360
- elatipes, 360
- permagnus, 360
- Porphyrellus formosanus, 842
- Porpidia aeolotera, 402
- afromontana, 842
- albocaerulescens, 402
- — var. polycarpiza, 1068
- athrocarpa, 497
- austroshetlandica, 402
- calcarea, 987
- carlottiana, 987
- chungii, 402
- cinereoatra, 402
- contraponenda, 402
- corralensis, 842
- crustulata, 402
- diversa, 987
- flavicunda, 987
- flavocaerulescens, 403
- glaucophaea, 403
- grisea, 987
- herteliana, 987
- hydrophila, 403
- lowiana, 987
- macrocarpa, 403
- — var. hercynica, 607
- musiva, 403
- nadvornikiana, 403
- nigrocruenta, 900
- platycarpoides, 691
- pseudomelinodes, 607
- skottsbergiana, 403
- soredizodes, 987, 1068
- stephanodes, 403
- superba, 403
- tahawasiana, 988
- thomsonii, 988
- tuberculosa, 403
- — var. rubescens, 607
- turgescens, 842
- umbonifera, 1068
- urbanskyana, 842
- zeoroides, 403
- Porpodia cinereoatra var. percontigua, 553
- — var. platycarpoides, 553
- macrocarpa var. percontigua, 553
- — var. platycarpoides, 553
- speirea var. alpina, 553
- — var. prochsthallina, 553
- — var. trullisata, 553
- Porpoloma boninense, 58
- coyan, 900
- PORPOMYCES, 171
- mucidus, 171
- Postia amara, 553
- angulopora, 553
- balsamea, 171
- campyla, 900
- ceriflua, 171
- cretacea, 900
- dissecta, 900
- floriformis, 171
- fragilis, 171
- grata, 1068
- guttulata, 171
- hibernica, 171
- inocybe, 171
- johnstonii, 171
- leucomallela, 172
- leucospongia, 172
- lowei, 172
- luteocaesia, 172
- mappa, 553
- pelliculosa, 900
- perdelicata, 553
- placenta, 553
- rancida, 553

[Postia]

- salmonicolor, 553
- sequoiae, 553
- sericeomollis, 172
- simanii, 172
- stiptica, 172
- subcaesia, 172
- tephroleuca, 172
- undosa, 172
- venata, 900

Potebniomyces gallicola, 136

Pouzaromyces atypicus, 58

- aureocrinitus, 260
- debilis, 58
- erinaceus, 260
- horridus, 58
- sepiaceobasalis, 260
- transitus, 58

Pratella acicola, 988

- aeruginosa, 988
- algeriensis, 988
- amethystina, 988
- arvensis, 1068
- augusta, 1068
- bernardii, 988
- bitorquis, 988
- campestris, 988
- — var. alba, 1068
- — var. lutescens, 988
- — var. praticola, 1068
- — var. sylvicola, 988
- — var. vaporaria, 988
- — var. villatica, 988
- comtula, 988
- cretacea, 1068
- echinata, 1068
- edulis, 988
- fascicularis, 988
- flavescens, 1068
- haematosperma, 1068
- haemorrhoidaria, 1068
- lateritia, 988
- peronata, 988
- pratensis, 1068
- rubella, 1068
- semota, 988
- setigera, 1068
- sylvatica, 1068
- villatica, 988
- xanthoderma, 988

Prathigada picrasmae, 22 ('picrismae')

PREDALDINIA, 307, 691

— yeelirriei, 307, 691 ('yeelirriae')

PREMYXOMYCES, 307

— ameobigenius, 308

Preussia cymatomera, 448

— irregularis, 448

— octonalis, 448

— sorghophila, 691

— systemospora, 448

Prillieuxia caesia, 553

Pringsheimia apiosporicola, 92

— thujina, 136

PROBOSCISPORA, 360

— manihotis, 360

PROLIFERODISCUS, 260

— alboviridis, 691

— caeruleoniger, 691

— dingleyae, 691 ('dingleyi')

— earoleucus, 260

— inspersus, 260

— pulveraceus, 497, 692, 988

Prolixandromyces lingulatus, 360

— rhinoceralis, 360

— tenuis, 360

— triandrus, 842

Propolis dendrobii, 553

— dracophylli, 553

Propolomyces lugubris, 776

— pulchellus, 22

— versicolor, 172

PROPRIOSCYPHA, 692

— corticicola, 692

PROPYTHIUM, 260

— carbonarium, 260

Prospodium bicolor, 607

Prosthecium africanum, 92

Protoachlya oryzae, 260

Protoblastenia cyclospora var. *geitleri*, 553

— manipurensis, 1068

— rupestris var. *sarda*, 692

— siebenhaariana subsp. *albida*, 553

— — var. *alpina*, 553

Protodontia ellipsospora, 1068

Protomyces cicutae, 92

— leucanthemi, 92

— rhaeticus, 92

— umbelliferarum, 92

Protoparmelia atriseda, 776

— badia, 403

— — var. *cinereobadia*, 553

— badiola, 403

— loricata, 988

— montagnei, 692, 988

— nitens, 988

— ochrococca, 900

— petraeoides, 403

— picea, 553

— plicatula, 1068

— psarophana, 988

— rhombosporea, 988

Protosporangium conicum, 607

Protostelium expulsum, 92

— nocturnum, 360

Prototheca ulmea, 554

Protothelenella corrosa, 497

— croceae, 776

— leucothelia, 497

— petri, 776

— polytrichi, 497, 842

— santessonii, 777

— sphinctrinoidella, 497

— sphinctrinoides, 497

— xyliana, 497

PROTOUNGUICULARIA, 554

— barbata, 900

— — forma *resinacea*, 900

— brevicapitata, 554

— monoseptata, 554 ('Protoanguigularia')

— varieipilosa, 554

Protoventuria andromedae, 1068

— angustispora, 1068

— arizonica, 1068

— cassandrae, 1068

- *elegantula*, 1068
- *gaultheriae*, 1068
- *kalmiae*, 1068
- *major*, 1068
- *myrtilli*, 1068
- *ramicola*, 1069
- Protuber* *canescens*, 607
- *sabulonensis*, 900
- Psalliota* *arvensis*, 988
- *bernardii*, 988 ('*bernardi*')
- *bitorquis*, 988
- *campestris*, 988
- — *var. sylvicola*, 988
- *comtula*, 988 ('*comtulus*')
- *cretacea*, 988 ('*cretaceus*')
- *pratensis*, 988
- *subfloccosa*, 260
- *subperonata*, 260
- *sylvatica*, 988 ('*sylvaticus*')
- — *var. amethystina*, 988
- Psathyra* *conopile* *var. subatrata*, 308
- *fusca*, 308
- *gordonii* *forma minor*, 308
- *gracilis* *var. corrugis*, 260, 308
- — *forma substerilis*, 308
- *lactea* *forma virginea*, 308
- *semivestita* *var. coprobia*, 308
- *stipatissima*, 308
- Psathyrella* *subgen. Homophron*, 692, 900
- *sect. Coprinocipites*, 692
- *agaves*, 497
- *almerensis*, 448
- *amaura*, 554
- *ammophila* *forma ecaudata*, 900
- — *forma marginata*, 900
- *appendiculata*, 448
- *artemisiae* *var. microspora*, 448
- *ascarioides*, 22
- *atrolaminata*, 136
- *badhyzensis*, 211
- *badia*, 777
- *badiophylla*, 260, 449, 554
- — *var. microspora*, 449
- — *var. neglecta*, 449, 554
- *basii*, 449
- *bernhardii*, 777
- *berlinensis*, 58
- *borgensis*, 777
- *caespitosa*, 900, 1069
- *capitatocystis*, 777
- *caput-medusae* *var. depauperata*, 260
- *casca*, 449
- *cernua*, 449, 554
- *condensa*, 308
- *conopilus*, 449
- *cordispora*, 308
- *coronata*, 554
- *corrugis* *forma gracilis*, 777
- *corticalis*, 449
- *dennyensis*, 777
- *dicrani*, 449
- *dunarum*, 449
- *dunensis*, 449
- *egenula*, 449
- *elegans*, 260
- *exalbicans*, 172, 260, 449
- *fagicola*, 449
- *flagelliformis*, 497
- *fulvescens*, 172, 260
- — *var. brevicystis*, 449
- — *var. dicrani*, 308
- *galeroide*, 607
- *globosivelata*, 554
- *griseoalba*, 497
- *groegeri*, 554
- *hydrophila* *forma pratensis*, 260
- *hydrophiloides*, 172
- *hypertropicalis*, 842
- *immaculata*, 692
- *impe*, 172, 260
- *indica*, 989
- *involuta*, 172
- *ivoensis*, 607
- *janauariensis*, 989
- *kitsiana*, 607
- *kodaikanalensis*, 308
- *lignatilis*, 989
- *lucipeta*, 554
- *lutensis*, 260, 449
- *melanthina*, 449
- *microrrhiza* *forma pumila*, 449
- *minutella*, 692
- *minutissima*, 777
- *mookensis*, 777
- *multicystidiata*, 777
- *murcida*, 449
- *nahuelbutensis*, 900
- *nana*, 308
- *nassa*, 308
- *nolitangere*, 449
- — *var. minor*, 497
- *obtusata* *var. aberrans*, 777
- — *var. utrififormis*, 172
- *ocellata*, 172
- *ochracea*, 172, 260, 449
- *olympiana* *forma amstelodamensis*, 449
- — *forma caespitosa*, 449
- *opaca*, 172, 261, 449
- *panaeoloides*, 261, 449
- *papyracea*, 449
- *patagonica* *var. nahuelbutensis*, 900
- *pellucidipes*, 403
- *pennata*, 449
- — *forma annulata*, 449
- *perpusilla*, 777
- *phaseolispora*, 261
- *phegophila*, 450
- *picta*, 172, 261
- *ploddensis*, 777
- *polycystis*, 172, 261, 450
- *poonensis*, 261 ('*poonesis*')
- *populina*, 450
- *prona* *forma orbitarum*, 450
- *proxima*, 261
- *pseudocasca*, 172, 450
- *pseudocorrugis*, 172, 261
- *pseudogordonii*, 450
- *pseudogracilis*, 172, 554
- *radicellata*, 842
- *rannochii*, 172
- *reticulata*, 172, 261, 450
- *romagnesiana*, 900
- *romagnesii*, 900
- *romseyensis*, 777

[Psathyrella]

- *rostellata*, 607
- *rufescens*, 554
- *saccharioides*, 450
- *scotospora*, 261
- *segregis*, 989
- *spadiceogrisea* forma *exalbicans*, 450
- — forma *mammifera*, 450
- — forma *phaeophylla*, 450
- — forma *vernalis*, 450
- *squamosa*, 450, 554
- — var. *ochrospora*, 172, 261, 450, 554
- *stellata*, 172, 261
- — var. *orbicularis*, 172
- *stercoraria*, 261, 554, 692
- *stigmatospora*, 497
- *storea*, 261, 450
- *suavissima*, 360
- *subincerta*, 692
- *subpannucioidea*, 554
- *subpapillata*, 172, 497
- *subumbrina*, 554
- *sylvestris*, 498 ('*sylvestre*')
- *tephrophylla*, 261, 450
- *torpens*, 450, 554
- *trechispora*, 554
- *trivialis*, 261
- *twickelensis*, 777
- *typhae* var. *bispora*, 450
- *umbrina*, 172
- — var. *utriformis*, 450
- *varzeae*, 989
- *vyrnwyensis*, 777
- *waverenii*, 261 ('*wavereni*')
- Psathyrodon informis*, 172
- PSATHYROPHLYCTIS**, 777
- *serpentaria*, 777
- PSEUDAEGERITA**, 92
- *corticalis*, 92
- *matsushimae*, 261
- *viridis*, 261
- PSEUDALEURIA**, 777
- *quinaultiana*, 777
- Pseudallescheria africana*, 173 ('*africanum*')
- *angusta*, 173 ('*angustum*')
- *boydii*, 173
- *desertorum*, 173
- *ellipsoidea*, 173 ('*ellipsoideum*')
- *fineti*, 173
- *fusoidea*, 173 ('*fusoideum*')
- PSEUDASCOZONUS**, 450
- *racemosporus*, 450
- Pseudephebe striata*, 136
- Pseudeurotium dispersum*, 92 ('*dispersa*')
- Pseudoarachnietus orissae*, 900 ('*orissi*')
- PSEUDOARICULARIA**, 211
- *papuana*, 211
- Pseudobaeospora pillodii*, 498
- *sericatella*, 900
- Pseudobalsamia carnea*, 692
- *harknessii*, 692
- Pseudobeltrania havanensis*, 607
- *summa*, 136
- PSEUDOCERCOPHORA**, 692
- *ingoldii*, 692
- Pseudocercospora abacopteridicola*, 58
- *aberrans*, 692

- *abri*, 692
- *acaciae*, 92
- *acaciae-confusae*, 1069
- *acalyphicola*, 58 ('*acalyphigena*')
- *acanthi*, 692
- *actinidiicola*, 989 ('*Pseudocercospora actinidicola*')
- *actinostemmatis*, 1069 ('*actinostemmae*')
- *afgoiensis*, 360
- *alangii*, 1069
- *allemandae*, 58 ('*allamendae*')
- *allophyli*, 692
- *allophylicola*, 692
- *allophylina*, 1069
- *alstoniae*, 989
- *alternantherae*, 211
- *alternantherae-nodiflorae*, 1069
- *amomi*, 692
- *anacardii*, 136
- *anisomelicola*, 1069
- *annonae-squamosae*, 1069
- *antidesmatis*, 692
- *apocynacearum*, 777
- *aranetae*, 58
- *ardisiicola*, 777
- *asystasiae*, 58
- *atrofiliformis*, 136
- *avicularis*, 360
- *bacilligera*, 1069
- *bagdogrensis*, 692
- *bambusae*, 607
- *baphiae*, 136
- *baphicacanthi*, 989
- *barringtoniae*, 360 ('*baringtoniae*')
- *basellae*, 989
- *berberidis-vulgaris*, 261
- ('*berberisvulgarae*')
- *bignoniacearum*, 777
- *bischofia*, 692, 1069
- *blumeae-balsamiferae*, 1069
- *boehmeriae*, 1069
- *bolleana*, 360
- *bombacina*, 692
- *brideliicola*, 211
- *broussonetiae*, 1069
- *bruceae*, 1069
- *buddleiae*, 1069
- *buteae*, 92
- *byliana*, 58
- *caesalpiniae*, 989
- *cajanicola*, 692
- *callicarpae*, 989
- *campanumoeae*, 1069
- *camptothecae*, 777
- *canavaliae*, 360
- *canavaliigena*, 360
- *carbonacea*, 900
- *careyae*, 989
- *carissae*, 22
- *carpentariae*, 777
- *cassiae-alatae*, 58
- *cassiae-diphyllae*, 989
- *cassiae-occidentalis*, 92
- *cassiiigena*, 58
- *catappae*, 1069
- *ceanothi*, 1069
- *centrosematicola*, 59

- chamaesyces, 692
- chamissoana, 1069
- chenopodii-ambrosioides, 1069
- chionea, 1069
- cinnamomi, 1069
- circumscissa, 1069
- cladophora, 1069
- clausenae, 1069
- columnaris, 59
- combretacearum, 692
- combreti, 900, 989 ('combretii')
- consociata, 1070
- conyzae, 1070
- cordiae, 92
- cordiicola, 59
- coriariae, 1070
- cornicola, 1070
- correae, 692
- correicola, 842
- cosmicola, 692
- cotini, 692
- cotoneasteris, 692
- crossopterygis, 308
- crotalariicola, 59
- cybistacis, 1070
- cylindrata, 900
- cynometrae, 692
- daphniphylli, 692
- deightonii, 22
- delonicis, 59
- desmodii-salicifolii, 693
- dichrocephalae, 1070
- diclipterae, 693
- diffusa, 1070
- diospyri-erianthae, 1070
- diospyri-morrisianae, 1070
- dodonaeae, 136
- dolichi, 136
- ecbolii, 693
- ecdysantherae, 92
- elaeagnicola, 693
- elephantopodis, 1070
- eriobotryae, 1070
- ervatamiae, 59
- eucalypti, 1070
- eucalyptorum, 989
- eucommiae, 777
- eupatoriicola, 360
- eupatorii-formosani, 59
- euphorbiae-piluliferae, 211
- exochordiae, 693
- feijoae, 900
- fengshanensis, 308
- fici-chartaceae, 59
- fici-septicae, 1070
- flagellariae, 1070
- forrestiae, 1070
- forsythiae, 693
- fudinga, 1070
- fukuui, 1070
- garhwalensis, 498
- giranensis, 1070
- glochidionis, 1070
- gotoana, 693
- grewiae, 1070
- gymnematis, 92
- gymnopetali, 1070
- handelii, 693
- hansfordii, 693
- harunganae, 693
- hemidesmi, 693
- heteromella, 693
- hibiscina, 1070
- hibisci-mutabilis, 136
- homalanthi, 693
- houttuyniae, 989 ('houttuynulae')
- hymenocardiae, 693
- ichnocarpi, 693
- ilicis-micrococcae, 1070
- indica, 211, 693
- ipomoeae-purpureae, 59
- iteae, 1070
- ixoricola, 59
- javanica, 308
- jujubae, 360
- jussiaeae-repentis, 1070
- katongensis, 59
- khasiana, 777
- kydiae, 900, 989
- laburni, 693
- lantanae-aculeatae, 59
- latens, 1070
- leucothoes, 693
- lilacis, 693
- lindericola, 1071
- lippiae-albae, 1071
- lyciicola, 59
- lygodii, 1071
- lyoniae, 693
- machili, 1071 ('machill')
- manilkarae, 1071
- mate, 989 ('mete')
- melanolepidis, 1071
- melastomobia, 693, 1071
- meliae, 173
- meliicola, 211
- melothriacae, 1071
- menispermacearum, 136
- meynae-laxiflorae, 608 ('meyna-laxiflorae')
- micheliicola, 211
- mikaniigena, 360 ('mikiniigena')
- millettieae, 989
- minuta, 900
- mississippiensis, 1071
- montantiana, 693
- murrayae, 693
- murrayicola, 136
- myriactidis, 1071
- naraveliae, 693
- nephelii, 1071
- njalaensis, 693
- nymphaeaceae, 693
- ocellata, 693
- ogowae, 693
- olacicola, 1071
- oroxyli, 693
- oroxylogena, 211
- osbeckiae, 1071
- osmanthi-asiatici, 1071
- oxalidis, 989
- oxysporae, 693
- pachyrrhizi, 1071
- pavettae-indicae, 211
- peltophori, 59

[Pseudocercospora]

- pergulariae, 59
- peronosporoidea, 92
- phyllanthi-niruri, 59
- phytolaccacearum, 608
- pini-densiflorae, 693
- piperina, 59
- piperis-muricati, 59
- piricola, 136
- plagiogyriae, 1071
- platycaryae, 989
- polliae, 1071
- polyalthiae, 211
- polygonicola, 693
- polypodiacearum, 211
- profusa, 693
- pruni-persicicola, 92
- psidii, 1071
- pterocarpicola, 59
- pterocaryae, 989
- puerariina, 59
- putranjivae, 92
- ranunculacearum, 777
- rauvolfiae, 308
- rhododendricola, 693
- rubi, 360
- rubropurpurea, 136
- sabiae, 989
- saccharicola, 136
- saketensis, 693
- salviae, 989
- samuhabeeja, 989
- samydacearum, 554
- sawadae, 1071
- sesami, 693
- sesbaniicola, 92
- shihmenensis, 92
- simulata, 1071
- singaporensis, 59
- stachyurina, 989
- stephaniae, 1071
- stephanotidis, 59
- stereospermicola, 22
- stillingiae, 211
- stransvesiae, 693
- superficialis, 989
- symphyti, 989
- symploci, 693
- tabernaemontanicola, 59
- tagetis-erectae, 989
- taiwanensis, 136
- tectoncola, 211
- tephrosiae, 1071
- tetramelis, 360
- theae, 693
- thespesiae, 989
- thladianthae, 1071
- tibouchinae, 693
- tiliacorae, 693
- tinosporae, 1071
- toxicodendri, 1071
- trematicola, 92 ('tremicola')
- udagawana, 1071
- unicolor, 308
- urariicola, 694
- vernoniacearum, 211
- vignigena, 211

- violae, 694
- violicola, 777 ('violaeicola')
- viticicola, 59
- viticigena, 211
- vitigena, 211
- waltheriae, 498 ('waltherae')
- weigeliae, 694
- xeromphidicola, 92 ('xeromphicola')
- zingiberis, 308

Pseudocercospora aestiva, 92

- anguioides, 93
- astragali, 900
- caryigena, 361
- cytisi, 901
- filicis-feminae, 901
- herpotrichoides var. acuformis, 93
- hieracii, 901
- hungarica, 361
- inconspicua, 901
- laserpitii, 901
- magnusiana, 901
- meliae, 901
- miyabei, 901
- ochracea, 93
- oxyriae, 901
- pogostemonis, 403 ('pogostemoniae')
- pomi, 989
- septorioides, 901
- strebli, 22
- sublineolata, 901
- trollii, 901

Pseudocercosporidium carotae, 498

PSEUDOCUPPIA, 361

- sarcinisporea, 361

PSEUDOCLATHRUS, 22

- cylindrosporus, 22
- leigongshanensis, 777

Pseudoclitocybe beschidica, 22

- trivialis, 59

Pseudocochliobolus akaii, 498

- australiensis, 93
- eragrostidis, 498
- hawaiiensis, 93
- pallescens, 361
- verruculosus, 173

PSEUDOCOELOMOMYCES, 694

- milkoi, 694

Pseudocolus grandis, 261

Pseudocraterellus crispus, 608

- sinuosus var. pusillus, 608
- undulatus, 901

Pseudocyphellaria allanii, 211

- amphisticta, 608
- anomala, 608
- anthraspis, 608
- ardesiaca, 261
- arvidssonii, 901
- astictina, 608
- bartlettii, 498
- boryana, 498
- coerulescens, 65
- condensata, 65
- corbettii, 777
- coriacea, 65
- crassa, 308
- degelii, 261
- delisea, 65

- desfontainii, 498
- dissimilis, 65
- dozyana, 498
- durietzii, 261
- encoensis, 901
- expansa, 608
- fimbriata, 261
- fimbriatoides, 261
- fragillima, 608
- glaucolorida, 608
- godeffroyi, 498
- gretae, 261
- guillemini, 554
- haywardiorum, 777
- hookeri, 65
- imbricatula, 498
- insculpta, 498
- jamesii, 777
- knightii, 261
- lindsayi, 777
- lividofusca, 65
- maculata, 262
- margaretae [sic], 211
- meyenii, 901 ('meyeni')
- montagnei, 65
- multifida, 65
- murrayi, 211 ('murrayii')
- nermula, 777
- nudata, 901
- pickeringii, 777
- pluvialis, 554
- poculifera, 65
- polyschista, 608
- psilophylla, 65
- pubescens, 65
- reineckeana, 498
- rigida, 498
- rubella, 65
- rubrina, 498
- rufovirescens, 211
- santessonii, 554
- scabrosa, 554
- semilanata, 498
- sericeofulva, 262
- stenophylla, 498
- sulphurea, 498
- verrucosa, 901
- wilkinsii, 777
- PSEUDODESCOLEA**, 59
 - brunneosperma, 450
 - lepiotiformis, 59
- PSEUDODOASSANSIA**, 173, 211
 - obscura, 173, 211
- Pseudoepicoccum tectonae**, 777
- Pseudofavolus nigrus**, 694
- Pseudofistulina radicata**, 694
 - sinensis, 608
- Pseudofusidium clusiae**, 498
- PSEUDOGLIOMASTIX**, 450
 - protea, 450
- PSEUDOGLIOPHRAGMA**, 22
 - indica, 23
- Pseudographiella rhizomorparum**, 450
- Pseudogymnoascus alpinus**, 262
 - dendroideus, 262
- Pseudogymnopilus pampeanus**, 59
- PSEUDOGYRODON**, 308
 - isabellinus, 308
- Pseudohalonectria adversaria**, 989
 - falcata, 989
 - longirostrum, 989
 - lutea, 989
 - phialidica, 989
- Pseudohansfordia artocarpi**, 694
 - lanyuensis, 694
 - ponapensis, 136
 - pulchra, 694
- Pseudohelotium asperotrichum**, 262
 - vernale, 694
- PSEUDOHYGROCYBE**, 842
 - sect. Puniceae, 842
 - sect. Squamulosae, 842
 - calciphila, 842
 - cantharella, 842 ('cantharellus')
 - ceracea, 842
 - coccinea, 842
 - coccineocrenata, 842
 - constrictospora, 842
 - cruenta, 842
 - helobia, 842
 - intermedia, 842
 - marchii, 842
 - miniata, 842
 - obrussea, 842
 - parvula, 842
 - phaeococcinea, 842
 - procera, 843
 - punicea, 843
 - substrangulata, 843
 - swanetica, 843
 - turunda, 843
- PSEUDOIDIUM**, 608
 - tuckeri, 608
- Pseudolachnea antillana**, 694
 - coronata, 23
 - longiciliata, 23
 - ryukyuensis, 23
 - setibicolor, 694
- PSEUDOLAGAROBASIDIUM**, 498
 - leguminicola, 498
- PSEUDOLASIOBOLUS**, 308
 - minutissimus, 308
- PSEUDOLECIDIA**, 450
 - chalybeioides, 450
 - parmeliarum, 450
- PSEUDOLYOPHYLLUM**, 59
 - aconquijense, 1071 ('aconquijensis')
 - angustissimum, 1072
 - asema, 403, 843
 - australe, 403 ('australis')
 - flexuosum forma ezeizae, 1072
 - marthae, 1072
 - nothofageti, 403
 - obsoletum, 498
 - — var. feniculum, 1072
 - patagonicum, 403
 - pleurotus, 403
 - podocarpi, 403
 - praticola, 1072
 - pruinsum, 1072
 - subleptoloma, 1072
- Pseudombrophila fellneri**, 843
 - luteopallens, 901
 - maekinenii, 608

- [Pseudombrophila]
 — obliquerrimosa, 608
PSEUDOMERIA, 23
 — mucosa, 23
Pseudomerulius curtisii, 608
Pseudomicrodochium lauri, 308
 — *suttonii*, 59
PSEUDOMITRULA, 23
 — *horakii*, 23
 — — var. *microglossoidea*, 23
PSEUDOMORFEA, 136
 — *coffea*, 136
Pseudonectria bambusae, 1072
 — *coffeicola*, 93
 — *collorioides*, 1072
 — *strasseri*, 1072
Pseudoomphalina farinacea, 694
 — *graveolens*, 694
Pseudoparmelia chlorea, 694
 — *crystallicola*, 308
 — *endochromatica*, 694
 — *mongaensis*, 498
 — *simplicior*, 694
 — *singularis*, 694
 — *usambarensis*, 694
 — *wallichiana*, 694
Pseudopeltis perminuta, 136
Pseudoperonospora aethionematis, 93
 — *cassiae*, 93
 — *elsholtzia*, 403
Pseudopetrakia magna, 450
PSEUDOPEZICULA, 554
 — *tetraspora*, 554
 — *tracheiphila*, 554
PSEUDOPEZIZITES, 403
 — *derasmoi*, 403
Pseudophacidium garmanii, 59
 — *kumaonense*, 262
PSEUDOPIPTOPORUS, 59
 — *devians*, 59
Pseudoplectania ericae, 694
Pseudopleospora galiorum, 262
 — *petrakii*, 262
PSEUDORAMULARIA, 308
 — *ponapensis*, 308
 — *ruwenzoriensis*, 308 ('*Pseudoramularia*')
PSEUDORHIZOPOGON, 308
 — *sudae*, 308
Pseudorobillarda aquatica, 173
 — *sojae*, 608
PSEUDOSCHIZOTHYRA, 23
 — *thaungii*, 23
Pseudoseptoria bromigena, 23
 — *everhartii*, 23
 — *obtusa*, 23
 — *stomaticola*, 23
 — *usneae*, 93
Pseudosphaerita drylii, 554 ('*dryli*')
Pseudospiropes bambusae, 93
 — *cubensis*, 555
 — *elaeidis*, 498
 — *falcatus*, 211
 — *miscanthi*, 694
 — *navicularis*, 694
 — *novae-zealandiae*, 1072
 — *obscurus*, 308 ('*Pseudospiropes*')
 — *pinarensis*, 989
 — *variabilis*, 1072
 — *verruculosus*, 498
PSEUDOTAENIOLINA, 555
 — *convolvuli*, 555
Pseudotomentella fumosa, 262
 — *kaniksuensis*, 262
 — *molybdea*, 262
Pseudotorula helica, 989
Pseudotrichia mamillata, 361
 — *pachnostoma*, 361
Pseudovalsa cotoneastri, 136
PSEUDOVALSARIA, 555
 — *foedans*, 555
PSEUDUYUCONIA, 262
 — *thalicti*, 262
PSEUDOZYMA, 498
 — *prolifera*, 498
PSIAMMOPOMOPIOSPORA, 308
 — *ellipsoides*, 308
 — *globoides*, 308
 — *naviculoides*, 308
PSIAMSPORA, 309
 — *fusiformis*, 309
PSIDIMOBIIOSPORA, 309
 — *clarkii*, 309
 — *dyadospora*, 309
 — *elsikii*, 309
 — *substrangulata*, 309
Psilachnum chrysostigma var. *versicolor*, 694
 — *eburneum*, 498
 — *equisetinum*, 498
 — *graminum*, 498
 — *martiale*, 498
 — *microallantosporum*, 450
 — *striatum*, 1072
 — *woodwardiae*, 843
Psilocistella deschampsiae, 901
 — *fonticola*, 262
 — *nympharum*, 498
 — *priapi*, 498
 — *vernalis*, 498
Psilocybe albofimbriata, 694
 — *alpestris*, 990
 — *angustipleurocystidiata*, 262
 — *armandii*, 23
 — *banderillensis* var. *paulensis*, 361
 — *barrerae*, 173
 — *bohémica*, 262
 — *caerulescens* var. *ombrophila*, 262
 — *calongei*, 777
 — *castanella* var. *subhyperella*, 262
 — *clavata*, 262 ('*clavatum*')
 — *cyanofibrillosa*, 59
 — *fascicularis*, 361
 — *februaria*, 990
 — *gigaspora*, 309
 — *glutinosa*, 262
 — *guzmanii*, 309
 — *hoogshagenii*, 262 ('*Hoogshageni*')
 — — var. *convexa*, 262
 — *indica*, 262
 — *inuncta*, 361 ('*inunctu*')
 — *jacobsii*, 262 ('*jacobsi*')
 — *laetissima*, 555
 — *liniformans* var. *americana*, 59
 — *lonchophora*, 262 ('*lonchoporus*')

- *magica*, 990
- *microcystidiata*, 361
- *mixaeensis*, 262
- *montana* forma *plana*, 262
- *ochreatea*, 262
- *pericystis*, 990
- *physaloides* var. *substerilis*, 309
- *pleurocystidiosa*, 262
- *polytrichophila*, 361
- *pseudoaztecorum*, 450
- *rhomboidospora*, 262
- *rostrata*, 555
- *sanctorum*, 309
- *scatigena*, 262
- *schultesii*, 23
- *semilanceata* var. *obtusata*, 555
- *semistriata*, 262
- *singeriana*, 262
- *smithiana*, 262
- *squamosa* var. *thrausta*, 262
- *subaeruginascens* var. *septentrionalis*, 262
- *subanellariiformis*, 263
- *trufemiae*, 361 ('truphemi')
- *tuxtensis*, 263
- *uda* forma *sphagnicola*, 309
- *velifera*, 694
- *wassoniorum*, 23
- *xalapensis*, 23
- *zapotecorum* var. *ramulosa*, 361 ('ramulosum')
- PSILODIPORITES**, 403
 - *bhardwaji*, 403
 - *cooksoniae*, 403
 - *ellipsoideus*, 309
 - *elongatus*, 403
 - *gunniae*, 403
 - *hammenii*, 403
 - *krempii*, 403
- Psilolechia clavulifera*, 309
 - *leprosa*, 608
 - *purpurascens*, 608
- PSILOPARMELIA**, 990
 - *arhizinosa*, 990
 - *distincta*, 990
- Psilopezia nummularialis*, 93
- Psilospora mori*, 778
- Psora albilabra* subsp. *deceptoria*, 555
 - *californica*, 778
 - *cerebriformis*, 100
 - *himalayana*, 778
 - *hypotheja*, 403
 - *montana*, 778
 - *nipponica*, 32
 - *nitida*, 778
 - *pacifica*, 778
 - *pseudorussellii*, 778
 - *rubiformella*, 32
 - *subconcava*, 32
 - *subrubiformis*, 403
 - *tenuifolia*, 778
 - *tuckermanii*, 136, 778
 - *vallesiaca*, 403
- Psorella isidiza*, 211
- PSORINIA**, 32
 - *conglomerata*, 32
 - *lepidotella*, 32
- Psoroma crispellum*, 608
 - *fruticulosum*, 263
 - *microphyllizans*, 309
 - *pannarioides*, 263
 - *pholidotoides*, 608
 - *rubromarginatum*, 263
 - *tenuae*, 136
 - var. *boreale*, 136 ('borealis')
- Psoromidium aleuroides*, 309
 - *versicolor*, 309
- Psorotichia columaris*, 361
 - *isidiosa*, 694
- PSORULA**, 32
 - *rufonigra*, 32
 - *scotopholis*, 32
- PTECHETELIUM**, 403
 - *cyathea*, 403
- Pteridiosperma lenticulare*, 136 ('lenticularis')
- Pteridiospora munkii*, 263
- Pteridomyces bananisporus*, 608
 - *bisporus*, 843
 - *capitatus*, 608
 - *lacteus*, 263
 - *roseolus*, 263
 - *sphaericosporus*, 263
 - *subspaericosporus*, 901
- PTEROSPORA**, 694
 - *aequatorialis*, 361
 - *alba*, 361
 - *austrochilensis*, 361
 - *dendrophora*, 361
 - *diplocystis*, 361
 - *goniospora*, 361
 - *nigripes*, 361
 - *olivaceonigra*, 361
 - *peullensis*, 361
 - *reducta*, 361
 - *simulans*, 361
 - *stipitata*, 361
 - *subcinerea*, 361
 - *subdendrophora*, 361
 - *tenuitunicata*, 361
- Pterula echo*, 23
- Pterygellus polyccephalus*, 361
- Pterygiopsis affinis*, 65
 - *convexa*, 450
 - *coracodiza*, 1072
 - *malanophthalma*, 451
 - *submersa*, 451
 - *umbilicata*, 1072
- PTERYGOSPOROPSIS**, 309
 - *fragilis*, 309
 - *rhododendri*, 361
- Ptychographa flexella*, 32
- Ptychoverpa bohémica* var. *pallida*, 136
- Puccinia absinthii* var. *artemisiae-maritimae*, 136
 - var. *dracunculina*, 136
 - var. *minor*, 136
- *achnatheri-inebriantis*, 451
- *agoseridis*, 93
- *ainsliaeae-acerifoliae*, 451
- *akebiae*, 23
- *angelicae* var. *athamanthae*, 211
- *antenori*, 555
- *anthriscicola*, 498
- *apochitonis*, 843
- *artemisiae-afrae*, 608

[Puccinia]

- aureocrassa, 843
- biporosa, 901
- bistortae var. vivipari, 136
- calcitrapae var. cardui-pygnoccephali, 136
- — var. fennica, 136
- caricina var. bigelowii, 136
- — var. caricis-strictae, 136
- caricis-fediae, 694
- caricis-flabellatae, 694
- caricis-lingii, 901
- caricis-podogynae, 694
- caricis-stipatae, 695
- caricola, 1072
- cellulosa, 23
- centellae, 23
- centellae-asiaticae, 309
- cephalariae, 451
- chaerophylli var. osmorrhizae, 137
- — var. retifera, 137
- citrullina, 555
- clintoniae-udensis var. tibetica, 23
- coimbatorica, 555
- coronata var. epigejos, 361
- crassocephali, 608
- cremanthodii, 1072
- cruciferarum subsp. inornata, 309
- ctenolepidis, 498
- cyperi-cristati, 361
- cyphochlaenae, 93
- danthoniae, 211
- deyeuxiae-scabrescentis, 23
- digitariae-biformis, 403 ('digitaria-biformis')
- digitariicola, 695 ('digitaricola')
- dioicae var. firma, 137
- — var. micropuncta, 263
- — var. opizii, 211
- douglasii var. hoodii, 608
- dracunculi, 695
- ecliptae, 555
- emondensis, 23
- enneapogonis, 211
- erigerontis-elongati, 23 ('erigerontis-elongata')
- estcourtensis, 843
- fashamensis, 778
- fragilis var. divaricatae, 608
- freycinetiae, 901
- fukienensis, 309
- geranii-polyanthi, 608
- harknessii var. stephanomeriae, 93
- heterocolor, 23 ('heteroloris')
- hieracii forma specialis cichorii, 59
- hyderabadensis, 778 ('Puccinia')
- hyparrheniiphila, 843
- juniperi, 173
- kangrikarpoensis, 608
- kawakamiensis, 361
- kulabica, 695
- kyangjinensis, 990
- lavrovii, 59
- leucanthemi-kurilensis, 60
- levata, 173
- linariae, 778
- lioui, 1072
- maculosa var. lactucae, 137
- major var. praecox, 137
- medogensis, 608
- melandrii, 263
- mercei, 695
- mesobulbosae, 555
- milovidoviae, 263
- morotoensis, 361
- nabugaboensis, 361
- namjagbarwana, 901
- nitida var. major, 211
- obscura var. luzulae-maximae, 212
- obscuripora, 498
- oedibasidis, 778 ('oedibasis')
- oedopoda, 1072
- oedospora, 990
- ohsawaensis, 23
- otostegia, 990
- petitianae, 361
- peucedani-elgonensis, 499
- peucedani-kerstenii, 499
- phaeopappi var. cretica, 695
- phaeospora, 212
- phragmitis forma specialis polygoni-cuspidati, 778
- — forma specialis polygoni-thunbergii, 778
- — forma specialis rumicis-acetosae, 778
- — forma specialis rumicis-japonici, 778
- pileatospora, 309
- poarum var. petasiti-pulchellae, 778
- polozhia, 263
- polygoni-sieboldii, 901
- polypogonobia, 93
- pseudochinolaenae, 309
- pternopetali, 609
- ptychotidis, 173
- pulchella, 137
- punctata var. coetanea, 212
- rara, 93
- rhei-palmati, 901
- scandicicola, 93 ('scandicola')
- schneideri var. ruebsaamenii, 212
- scorzonerae-limnophilae, 451
- sessilis forma specialis convallariae-digraphidis, 901
- — forma specialis narcissi-orchidacearum, 212
- — forma specialis orchidacearum, 212
- — forma specialis smilacearum-digraphidis, 901
- stenotaphricola, 843
- substriata var. decrospora, 609
- suzutake, 212
- taibaiana, 901
- tetradeniae, 609
- tibetica, 173
- trachypogonicola, 843
- trichopterygicola, 843
- trichopterygiphila, 843 ('trichopterygiphila')
- triraphidis, 843
- typhae, 778
- undulitunicata, 555
- uzbekistana, 173
- velutina, 173
- viburnicola, 609
- violae var. sublaevis, 212

- violae-reniformis, 23
- vitata, 173
- wenchuanensis, 901
- wulingensis, 901
- xanthii forma specialis ambrosiae-trifidae, 93 ('ambrosia-trifidae')
- Puccinosira arthurii**, 137 ('arthuri')
- cornuta, 990
- cumminsiana, 137
- dorata, 137
- Puiggarina amphigena**, 901
- amphibobii, 901 ('amphilophii')
- astragali, 901
- astronii, 901
- atro-inquinans, 901
- balansae, 901
- blanquillo, 901
- cecropiae, 901
- citharexylis, 902
- coccolobae, 902
- dispersa, 902
- enterolobii, 902
- forsteroniae, 902
- globispora, 902
- kellermannii, 902 ('Kellermanni')
- lagunculariae, 902
- machaerii, 902
- manaosensis, 902
- melastomicola, 902
- menispermii, 902
- michelii, 902
- mimosaceae, 902
- morindae, 902
- paraguayana, 902
- perversa, 902
- piptadenicola, 902
- placida, 902
- puiggarii, 902
- quebrachii, 902
- ramosii, 902 ('Ramosi')
- ruprechtii, 902 ('Ruprechtii')
- tabebuiae, 902
- tijucensis, 902
- usteriana, 902
- vinosa, 902
- Pulparia brevicostatispora**, 23
- jetelae, 137
- persoonii, 137
- rickii, 23
- Pulveroboletus acaulis**, 263
- albopruinosus, 902
- brachyspermus, 263
- ducleanus, 309
- flavipes, 93
- fragicolor, 695
- frians, 695
- icterinus, 1072
- innixus, 695
- leucomycelinus, 309
- parvulus, 778
- pseudolignicola, 843
- rosaemariae, 309
- thibetanus, 695
- xylophilus, 309, 555, 695, 902
- PULVINOTRICHUM**, 212
- album, 212
- capitatum, 1072

- Pulvinula anthracobia**, 173
- ascobeloides, 361
- multiguttula, 212
- nepalensis, 212
- PUNCTELIA**, 173
- appalachensis, 173
- bolliana, 173
- borrieri, 173
- borrierina, 173
- canaliculata, 173
- colombiana, 451
- constantimontium, 309
- darrowii, 173
- flaventior, 173
- hypoleucites, 173
- jujensis, 1072
- lorentzii, 173
- microsticta, 173
- nebulata, 843
- negata, 173
- neutralis, 173
- novozelandica, 843
- perreticulata, 609
- praesignis, 173
- punctilla, 173
- reddenda, 173
- riograndensis, 173
- rudecta, 173
- semansiana, 174
- soredica, 174
- stictica, 174
- subalbicans, 404
- subflava, 843
- subpraesignis, 174
- subrudecta, 174
- Pustularia microspora**, 361
- PUSTULIPORA**, 212
- corticola, 212
- Puttemansia stromatica**, 695
- stromaticola, 695
- PYCNIDIOARXIELLA**, 23
- indica, 23
- Pycnopeziza sympodialis**, 23
- Pycnoporellus metamorphosus**, 361
- Pycnoporus cinnabarinus** var. **osorninus**, 902
- Pycnothelia caliginosa**, 778
- PYCNNOVELLOMYCES**, 695
- follicola, 695
- Pyrenidium hetairizans**, 609
- hyalosporum, 1072
- Pyrenobotrys pulchella**, 609
- Pyrenocollema caesia**, 778
- halodytes, 778
- pelvetiae, 778
- prosperella, 65
- saxicola, 902
- strontianense, 778 ('strontianensis')
- tichothecioides, 65
- Pyrenopeziza appendiculata**, 309
- ('appendiculatum')
- betulina, 902
- granulosa, 990
- maculata, 609
- mercurialidis, 609
- pabulariae, 263
- paramyciformis, 555
- smilicis, 309

Pyrenophora ephemera, 263
 — *kugitangi*, 212
 — *phlei*, 263
 — *raetica*, 263
 — *subalpina*, 263
PYRENOPHOROPSIS, 843
 — *indica*, 843
Pyrenopsis haematina, 1072
 — *multispora*, 843
Pyrenotrichum vitis, 778
Pyrenula acutalis, 902
 — *andamanica*, 778
 — *aquila*, 65
 — *astroidea*, 902
 — *awajiensis*, 174 ('*Pyenula*')
 — *chilensis*, 902
 — *citriformis*, 902
 — *columellata*, 990
 — *concatervans*, 66
 — *confoederata*, 902
 — *corticata*, 902
 — *cruentata*, 778
 — *cubana*, 902
 — *cuyabensis*, 902
 — *deprimens*, 309
 — *elegans*, 778
 — *erumpens*, 902
 — *falsaria*, 902
 — *fulvella*, 902
 — *galactina*, 902
 — *homalisma*, 309
 — *kurzii*, 778
 — *longislandica*, 778
 — *lucifera*, 903
 — *macrospora*, 32
 — *macularis*, 903
 — *maculata*, 778
 — *martinicana*, 903
 — *massariospora*, 903
 — *micheneri*, 903
 — *microtheca*, 903
 — *neofulva*, 309
 — *neopeltophora*, 309
 — *nuda*, 778
 — *occidentalis*, 609
 — *ochraceoflava*, 903
 — *ochraceoflavens*, 903
 — *oculata*, 778
 — *oleosa*, 903
 — *plittii*, 903
 — *pseudobufonia*, 499
 — *pseudonitidella*, 309
 — *pyrenuloides*, 903
 — *ravenelii*, 903
 — *rubrostoma*, 66
 — *septicollaris*, 903
 — *subdecolor*, 778
 — *subelliptica*, 778
 — *subferruginea*, 903
 — *submastophora*, 778
 — *subrizalensis*, 778
 — *tenuisepta*, 903
 — *texans*, 66
 — *zeylanica*, 990
Pyrgidium montelicum, 212
PYRGILLOCARPON, 404
 — *cubanum*, 404

— *indicum*, 404
Pyricularia borealis, 499 ('*boreale*')
 — *caricis*, 93
 — *fusispora*, 404
 — *grisea forma specialis eleusines*, 555
 — — *forma specialis oryzae*, 555
 — *lauri*, 310
 — *luzulae*, 779
 — *oryzae forma specialis oryzae*, 609
 — — *forma specialis zizaniae*, 609
 — *pyricularioides*, 499
 — *sphaerulata*, 609
Pyriculariopsis pleuroconidiophora, 990
Pyrofomes aurantiacus, 451
 — *fulvoumbrinus*, 451
 — *tricolor*, 990
 — — *var. eumorphus*, 990
 — — *var. indicus*, 990
 — — *var. shoreicola*, 990
Pyropolyporus adamantinus, 451
 — *caryophylli*, 451
 — *fomentarius*, 451
 — *macgregorii*, 451
 — *minutulus*, 451
 — *pusillus*, 451
 — — *var. angularis*, 451
 — *rimosus*, 451
 — *spadiceus*, 451
 — *tropicalis*, 451
PYROPYXIS, 362
 — *rubra*, 362
Pyrrhoglossum viriditinctum, 1072
Pyrrhospora rubiginans, 137
 — *sanguinolenta*, 1072
 — *varians*, 499
Pythium boreale, 451 ('*borealis*')
 — *buismaniae*, 137
 — *capillosum*, 695
 — — *var. helicoides*, 779
 — *chondricola*, 499
 — *cucumerinum*, 404
 — *destruens*, 695
 — *drechsleri*, 903, 990 ('*Pithium*')
 — *hypoandrum*, 779
 — *insidiosum*, 695
 — *lucens*, 499
 — *lutarium*, 499
 — *macrosporium*, 137
 — *minor*, 499
 — *nunn*, 362
 — *okanoganense*, 93
 — *ornamentatum*, 779
 — *pachycaule*, 499
 — *parvum*, 499
 — *polycarpum*, 555
 — *ramificatum*, 695
 — *toruloides*, 555
 — *vexans var. minutum*, 310 ('*minuta*')
Pyxidiophora arvernensis, 23
 — *badirostris*, 23
 — *bainemensis*, 23
 — *brunneo-capitata*, 555
 — *caulicola*, 23
 — *crenata*, 310
 — *fimbriata*, 174
 — *fusco-olivacea*, 23
 — *grovei*, 23

- *kimbroughii*, 555
- *lundqvistii*, 555
- *marchalii*, 24
- *microspora*, 24
- *moseri*, 24
- *petchii*, 24
- *schotteriana*, 24
- *spinuliformis*, 24
- *spinulo-rostrata*, 555
- *subbasalipunctata*, 24
- Pyxine africana*, 695
- *albovirens*, 843
- *astridiana*, 695
- *austroindica*, 212
- *berteriana* var. *himalaica*, 212
- *cocoës* var. *pallida*, 695
- — var. *prominula*, 137
- *daedalea*, 609
- *endocrocea*, 695
- *endolutea*, 695
- *glaucovirescens*, 779
- *himalayensis*, 212
- *isidiolenta*, 555
- *keralensis*, 212
- *linearis*, 555
- *nana*, 695
- *nilgiriensis*, 212
- *nubila*, 66
- *palniensis*, 212
- *petricola* var. *convexula*, 695
- *primaria*, 695
- *pyxinoides*, 695
- *rhizophorae*, 695
- *schechingeri*, 695
- *simulans*, 695
- QUADRICLADIUM**, 990
- *aquaticum*, 990
- QUASICONCHA**, 93
- *reticulata*, 93
- Quaternaria tilakii*, 990
- Queletia andina*, 1072
- QUESTIERIELLA**, 362
- *caseariae*, 404
- *craterispermi*, 362
- *prestoniae*, 362
- *pulchra*, 362
- *quercina*, 609
- RABENHORSTINIDIUM**, 263
- ('*Rabenhorstinidim*')
- *intertrappeanum*, 263 ('*intertrappeum*')
- Raciborskiella minor*, 263
- Radiigera asperata*, 555
- *termitariicola*, 555
- Radulodon subquercinus*, 24
- RAIZADENIA**, 174
- *garhwalensis*, 174
- Ramalina caespitella*, 555
- *celastri* subsp. *ovalis*, 695
- *confertula*, 66
- *crispans*, 695
- *cupularis*, 66
- *cuspidata* var. *armorica*, 555
- — var. *atlantica*, 555
- — var. *stenoclada*, 555
- *deminuta*, 66
- *dissecta*, 903
- *farinacea* var. *hypoprotocetraria*, 556
- *fastigiata* var. *colorans*, 695
- *filicaulis*, 695
- *fragilissima*, 310
- *grumosa*, 779
- *hamulosa*, 66
- *hierrensis*, 66
- *incana*, 779
- *inflata* subsp. *australis*, 695
- — subsp. *perpusilla*, 695
- *lacera*, 404
- *litorea*, 556
- *luciae*, 137
- *macrospora*, 779
- *nematodes*, 66
- *nervulosa* var. *dumeticola*, 310
- — var. *luciae*, 310
- *otagoensis*, 609
- *pacifica* var. *inacida*, 310
- *patelliformis*, 779
- *pertusa*, 499
- *polymorpha* subsp. *capitata*, 556
- — var. *protecta*, 556
- *sayreana*, 174
- *shinanoana*, 695
- *siliquosa* var. *zopfii*, 556
- *subfraxinea* var. *confirmata*, 696
- — var. *leiodea*, 696
- — var. *norstictica*, 696
- *superfraxinea*, 66
- *tropica*, 696
- *whinrayi*, 556 ('*whinrayii*')
- RAMARAOMYCES**, 1072
- *corticola*, 1072
- Ramaria aenea*, 609
- *ambigua*, 843
- *americana*, 137
- — var. *orientalis*, 1072
- *anisata*, 212
- *anziana*, 843
- *argentea*, 137
- *armeniaca*, 903
- *articulotela*, 137
- *asiatica*, 903
- *atkinsonii*, 404
- *aureorhiza*, 843
- *avellaneo-vertex*, 843
- *basirobusta*, 843
- *botrytis* forma *musicolor*, 212
- ('*musaecolor*')
- *botrytoides* var. *microspora*, 1072
- *broomei*, 137
- *brunneicontusa*, 990
- *brunneipes*, 1072
- *bulbobasidiata*, 499
- *campestris*, 137
- *campoi*, 137
- *canescens*, 499
- *capucina*, 137
- *cettoi*, 310
- *cinereocarnea*, 609
- *conjunctipes* var. *odora*, 263
- — forma *raveneliana*, 404
- *coralcolor*, 263
- *coulterae*, 903
- *cristatospora*, 137
- *cystidiophora* var. *anisata*, 843
- *daucipes*, 609

[Ramaria]

- decolor, 404
- decurrens, 137
- — var. australis, 137
- distinctissima, 1072
- — var. americana, 843
- ephemeroderma, 1073
- eryuanensis, 1073
- fasciculata, 263
- flava var. aurea, 263
- — var. varicata, 609
- flavicingula, 990
- flavobrunnescens var. asperospora, 843
- flavoides, 137
- flavomicrospora, 499
- flavosaponaria, 499
- foetida, 843
- formosa var. concolor, 212
- gigantea, 137
- — forma tenuispora, 843
- glauco-aromatica, 137
- grandipes, 60
- grandis forma cyanocephala, 137
- griseobrunnea, 310
- grundii, 609
- gypsea, 212
- harrisonii, 609
- hemirubella, 556
- highlandensis, 843
- hilaris, 1073
- — var. olympiana, 843
- himalayensis, 903
- incognita, 137
- incongrua, 137
- indo-yunnaniana, 556
- insignis, 137 ('insigne')
- junquilleo-vertex, 844
- kisanuensis var. indica, 24
- laeviformosoides, 1073
- linearoides, 1073
- linearis, 1073
- longissimisporea, 212
- luteobrunnescens, 60
- maculosporea, 499
- magnifica, 310
- magnipes var. albidior, 903
- marrii, 903
- mutabilis, 137
- myceliosa var. microsporea, 137
- nanisporea, 1073
- neoformosa var. macrosporea, 609
- — var. sinensis, 1073
- nivalis, 903
- obtusissima var. scandinavica, 990
- ochracea var. sicco-olivacea, 844
- ochraceovirens var. parvispora, 499, 556
- pallido-saponaria, 990
- paludosa, 24
- pancaribbea, 137
- — var. zealandica, 844
- perfluopunicea, 844
- petersenii, 451
- piedmontiana, 263
- primulina, 609
- prostrata, 24
- purpureopallida, 844
- purpurissima, 903
- — var. gigantea, 903
- pyrispora, 1073
- raveneliana, 263, 362
- rosella, 499
- rotundisporea, 844
- rubella var. himalaica, 499
- rubricarnata var. laeta, 1073
- — var. pallida, 903
- — var. verna, 903
- rubripermanens var. longissimisporea, 609
- rubri-attenuipes, 1073
- samuelsii, 844
- sanguinipes, 556
- schildii, 844
- sclerocarnosa, 844
- sesiana, 1073
- sino-conjunctipes, 1073
- somniculosa, 609
- spinulosa var. diminutiva, 844
- — forma fibulata, 499
- stricta var. condensata, 499
- stuntzii var. gelatinosa, 1073
- subdecurrens var. burnhamii, 137 ('burnhami')
- subtilis, 174, 609
- — var. microsporea, 1073
- thiersii, 903
- toxica, 990
- tridentina, 137
- tropicalis, 137
- versatilis var. latispora, 903
- — var. violaceibrunnea, 903
- violaceibrunnea, 556
- — var. asiatica, 556
- vittadinii, 990
- watlingii, 1073
- xanthosperma var. australiana, 1073
- zeppelinosporea, 609
- zippellii forma aeruginosa, 137
- — forma grandis, 404
- Ramariopsis agglutinata, 844
- alutacea, 844
- antillarum, 844
- aurantio-olivacea, 844
- avellanea, 844
- avellaneo-inversa, 844
- bicolor, 844
- corniculata var. simplex, 24
- cremicolor, 844
- dealbata, 404
- depokensis forma persicina, 844
- junquillea, 844
- laeticolor forma bulbisporea, 844
- longipes, 844
- luteotenerima, 844
- macropus, 903
- ovispora, 844
- ramarioides, 844
- simplex, 844
- tortuosa, 844
- Ramichloridium bambusac, 310
- ellipticum, 310
- fasciculatum, 556
- pini, 310
- Ramicola centuncula, 990 ('centunculus')
- haustellaris, 990
- laevigata, 990

- obscura, 990
- reducta, 990
- rubi, 990
- sumptuosa, 990
- Ramonia dictyospora**, 696
- intermedia, 263
- kandleri, 263 ('kandlerii')
- nepalensis, 362
- nigra, 696
- RAMSAYSPHAERA**, 174
- ramses, 174
- Ramsbottomia asperior**, 499
- cec'hqueraultii, 499
- macracantha, 499
- Ramularia abscondita**, 990
- anaphalidis, 990
- arabidicola, 93 ('arabicola')
- astaci, 174
- atraphaxidis, 990
- babajaniae, 990
- baldingerae, 991
- berberidis, 991
- bornmuelleriana, 991
- branchialis, 174
- carletonii, 991 ('carletoni')
- castaneae, 991
- centaureae-scabiosae, 903
- chesneyae, 991
- cirsii-eriphori, 991
- collo-cygni, 779
- conferta, 991
- crassiuscula, 903
- cucurbitae, 991
- dobrozrakoviana, 991
- fagopyri, 499
- fuscusora, 991
- graminella, 991
- helminthiae, 263
- heteropappi, 93
- hordeicola, 991
- hughesiana, 991
- jaczewskii, 991
- jordanovii, 779
- karelii, 991
- lolii, 991
- ludoviciana, 310
- lupinicola, 991
- maclurae, 991
- major, 903
- melittis, 991
- minutissima, 991
- nasturtii, 991
- nikitinii, 93
- oblongispora, 404
- occulta, 991
- pastinacae-sativae, 991
- peltigericola, 24
- pollinae, 991
- pseudogeranii, 991
- puccinioides, 451
- rhamnigena, 991
- robiciana, 991
- rubi, 991
- rubiicola, 991
- rutae, 696
- salicina, 779, 991
- var. tirolensis, 779
- scirpina, 991
- solheimii, 991
- symphoricarpi, 991
- torrendii, 991
- tovarae, 991
- tuberculiformis, 991
- vitis, 991
- vogeliana, 991
- zeretelliana, 992
- RAMULARITES**, 404
- oblongisporus, 404
- Ramulispora herpotrichoides**, 263
- Raperia ingelheimensis**, 556
- RASUTORIA**, 696
- abietis, 696
- pseudotsugae, 696
- terrieri, 696
- tsugae, 696
- Ravenelia microcephala**, 24
- omanensis, 310
- pennatae, 24
- sonorensis, 362
- Rectipilis sulphureus**, 992
- Redbia laxa**, 451
- Rehmiodothis eucalypti**, 779
- inaequalis, 779
- Reisneria abietina**, 696
- Relicina agglutinata**, 609
- butleri, 609
- conglutinata, 609
- demethylbarbatica, 609
- fijiensis, 609
- filsonii, 609
- gemmulosa, 609
- hirtifructa, 609
- niuginiensis, 609
- ramboldii, 903
- retrospinosa, 609
- subnigra, 844
- terricrocodila, 844
- RELICINOPSIS**, 609
- dahlii, 610
- intertexta, 610
- malaccensis, 610
- rahengensis, 610
- stevensii, 844
- Remispora crispa**, 137
- spinibarbata, 903
- REPETOBASIDIELLUM**, 93
- fusisporum, 93
- Repetobasidium americanum**, 93
- var. bisporum, 610
- canadense, 93
- conicum, 93
- glaucocanum, 499
- hastatum, 60
- macrosporum, 93
- vestitum, 93
- Requienella lichenopsis**, 556
- seminuda, 556
- Resinicium pinicola**, 93
- RESINOMYCENA**, 93
- acadiensis, 94
- brunnescens, 94
- japonica, 696
- kalalochensis, 94
- mirabilis, 696

[RESINOMYCENA]

- montana, 94
- pyrenaica, 696
- rhododendri, 94
- saccharifera, 404
- — subsp. kalalochensis, 404
- Resinomyces saccharifera, 451
- Resupinatus lanatiechinatus, 696
- meruloides, 696
- petaloides, 362
- rasilis, 696
- striatulus var. prolificans, 696
- stuntzii, 696
- RETICULOSPHERA, 174
- indica, 174
- RETICULOSPORIDIUM, 24
- globosum, 24
- RETIDIPORITES, 404
- bengalensis, 404
- RETIHELICOSPORONITES, 404
- elsikii, 404
- RETROCONIS, 992
- fusiformis, 992
- REYMANELLA, 137
- globosa, 138
- Rhabdocline parkeri, 610
- Rhachomyces basilewskyi, 174
- beronii, 24
- calypso, 556
- gratiellae, 60
- insularis, 499
- kenodactyli, 404
- lavagnei, 212
- leleupidiai, 174
- maublancii, 60
- moorei, 404
- orotrechorum, 94
- sciakyi, 212
- venetianus, 94
- Rhadinomyces gracilis, 451
- RHAGIDIASPORIDIUM, 24
- svalbardense, 24
- RHEXOAMPULLIFERA, 174
- fagi, 174
- Rhinocladia apiculata, 24
- aquaspersa, 263
- phaeophora, 362
- selenoides, 310
- Rhinocladium dingleyae, 60
- havanense, 696
- pulchrum, 60
- Rhinotrichella macrospora, 310
- Rhinotrichum mexicanum, 212
- Rhizidiomyces bullatus, 138
- Rhizocarpon bryontheae, 499
- constrictum subsp. richardii, 556
- destructans, 1073
- disporum var. citrinum, 556
- fraticida, 696
- geographicum subsp. diabolicum, 32
- — subsp. tinei, 404, 556
- inimicum, 362
- intermediellum subsp. carpathicum, 556
- lecanorinum subsp. drepanodes, 556
- lusitanicum var. ochrolechiai, 696
- mahreri, 212
- megapotamicum, 404

- narssaqense, 1073 ('narssaqensis')
- roussopoulosii, 696
- santessonii, 610
- superficiale var. crystalligenum, 556
- umbilicatum var. reagens, 404
- vorax, 263
- Rhizoctonia anaticula, 779
- fumigata, 779
- tomato, 499 ('Rhizoctonia')
- RHIZOLECIA, 404
- hybrida, 404
- Rhizomucor nainitalensis, 263
- pakistanicus, 362, 451
- RHIZOPHILA, 992
- marina, 992
- Rhizophydium aestuarii, 362
- littoreum, 362
- punctatum, 903
- spinosum, 174
- squamosum, 903
- undatum, 904
- venezuelense, 138 ('venezuelensis')
- Rhizoplaca aspidophora, 451
- baranowii, 174
- fumida, 779
- huashanensis, 451
- peltata var. regalis, 451
- subdiscrepans, 362
- Rhizopogon gigasporus, 362
- obtectus, 556
- sardous, 404
- shanxiensis, 499 ('Rhizopogon')
- superiorenensis var. mexicanus, 94
- verii, 362
- Rhizopus arrhizus var. delemar, 362, 451
- — var. rouxii, 362, 451
- azygosporus, 362
- microsporus var. chinensis, 362
- — var. oligosporus, 362
- — var. rhizopodiformis, 362
- stolonifer var. lycococcus, 362
- RHIZOSPHERINA, 610
- variabilis, 610
- Rhizostilbella hibisci, 499
- Rhizothyrium parasiticum, 556
- Rhodoarrhenia pensilis, 696
- Rhodocollybia filamentosa, 696
- Rhodocybe alutacea var. carpogena, 138
- ammophila, 451
- angustispora, 992
- ardosiacae, 696
- atrigilva, 138
- aureicystidiata, 138
- azalearum, 138
- calocyboides, 610
- carlottae, 556
- — var. vinacea, 556
- claudopus, 138
- conica, 992
- densifolia, 904
- eccentrica, 904
- gemina, 779
- hawaiiensis, 992
- heterospora, 138
- hispanica, 904
- hondensis, 138
- horakii, 362, 451

— mairei, 138
 — malenconii, 452
 — mellea, 904
 — microspora, 310 ('microsporum')
 — mordax, 138
 — oenocephala, 1073
 — pascuensis, 138
 — popinalis var. insititia, 60
 — — forma insititia, 904
 — priscua, 138
 — pulchrisperma, 452
 — semiarboricola, 138
 — speciosa, 138
 — sphaerosporus, 138
 — trachyospora, 904
 — — var. griseoviolacea, 904
 — — var. purpureoviolacea, 904
 — — var. vinacea, 904
 — truncata, 452
 — — forma mauretanica, 904
 — villosa, 94
RHODOCYBELLA, 779
 — rhododendri, 779
Rhodophyllus cordae, 264
 — cuspidifer, 499
 — cyanulus, 264
 — elegantior, 60
 — garibaldii, 610
 — hiemalis, 499
 — imbecillis, 610
 — incanus, 610
 — kjuensis, 499
 — lividocyanulus, 405
 — minutoalbus, 610
 — neglectus var. tetrasporus, 362
 — niphoides, 499
 — pallidosporus, 60
 — papillatus, 264
 — pellectus, 610
 — poliothrix, 60
 — proceripes, 60
 — pseudolazulinus, 405, 904
 — pumilio, 60
 — sarcitulus var. spurcifolius, 405
 — sodalis, 405
 — — var. longipes, 405
 — spurius, 60
 — staurosporus, 264
 — trichromus, 60
RHODOSCYPHA, 264
 — ovilla, 264
Rhodosporidium fluviale, 904
 — kratochvilovae, 992
 — paludigenum, 94
RHODOTARZETTA, 264
 — rosea, 264
Rhodotorula acuta, 904
 — armeniaca, 264
 — auriculariae, 904
 — bacarum, 904
 — bogoriensis, 138
 — buffonii, 992, 1073
 — diffuens, 138, 310
 — dulcaminis, 992, 1073
 — foliorum, 904
 — fragaria, 904 ('fragariae')
 — fujisanensis, 94

— futronensis, 992, 1073
 — grinsbergii, 405 ('grinsbersii')
 — hasegawae, 452
 — hinnulea, 904
 — hordea, 904
 — hylophila, 904
 — ingeniosa, 138
 — javanica, 138
 — lignophila, 992, 1073
 — matritensis, 94 ('matritense')
 — muscorum, 138
 — nothofagi, 500, 992, 1073
 — philyla, 904
 — phylloplana, 904
 — pilatii, 310
 — pustula, 904
 — sonckii, 904
 — yunnanensis, 610
RHOMBIELLA, 500
 — cardamines, 500
Rhopalomycetes bennyi, 1073
 — elegans var. minor, 556
Rhopalospora lugubris, 138
Rhopalostroma gracile, 452
Rhymbocarpus elachistophorus, 1073
 — gregarius, 1073
 — nitschkei, 1073
Rhynchomeliola lichenicola, 405
Rhynchophoromyces unguicola, 452
Rhynchostoma rubefaciens, 610
Rhytidhysterium indicum, 500
 — quercinum, 500
Rhytidhysterium hysterinum, 24
Rhytidospora cainii, 310
Rickenella aulacomniophila, 452
 — demissella, 212
 — icterina, 60 ('icterinum')
 — lignicola, 405
 — minuta, 60, 362
 — pseudogrisella, 500
 — scandens, 60
 — straminea, 556
 — swartzii, 310 ('Rickenella')
Rickia borneoensis, 264
 — georgii, 556
 — huggertii, 60 ('huggerti')
 — hyperborea, 60
 — leonis, 60
 — lispini, 452
 — lordithonis, 500
 — minutissima, 264
 — pachyiuli, 610
 — pachylaelapis, 174
 — proteini, 556
 — ptiliidarum, 174
 — sakaii, 500
 — sakkae, 610
 — stellata, 610
 — sugiyamae, 452
 — tachini, 60
 — yoshii, 264
Rickiella edulis, 696
Riessia radicolica, 500
RIESSIELLA, 500
 — clavata, 500
 — cylindrica, 500
Rigidoporopsis macrospora, 779

Rigidoporus adnatus, 696

- *albostygius*, 452
- *amazonicus*, 696
- *aureofulvus*, 779
- *cartilagineus*, 24
- *catervatus*, 696
- *crocatus*, 362
- *cystidioides*, 696
- *defibulatus*, 696
- *erectus*, 696
- *flammans*, 696
- *geotropus*, 138
- *hypobrunneides*, 697
- *hypobrunneus*, 697
- *incarnatus*, 697
- *incurvus*, 779
- *laetus*, 779
- *micromegas* var. *aurantiacus*, 697
- *microporus* var. *pallidus*, 697
- *parvulus*, 697
- *patellarius*, 697
- *sulphureus*, 697
- *suppileatus*, 697
- *trametoides*, 697
- *umbonatis*, 610
- *vinaceus*, 697

Rimbachia arachnoidea, 362

- subsp. *bispora*, 362
- *bryophila*, 363
- *ellipsoidea*, 363
- *furfuracea*, 363
- *neckeriae*, 363
- subsp. *megalospora*, 363
- *paludosa*, 363

RIMELIA, 1073

- *austrocetrata*, 1073
- *cetrata*, 1073
- *commensurata*, 1074
- *diffRACTAICA*, 1074
- *hawaiiensis*, 1074
- *homotoma*, 1074
- *macrocarpa*, 1074
- *olivaria*, 1074
- *reticulata*, 1074
- *ruminata*, 1074
- *simulans*, 1074
- *subsidiosa*, 1074

Rimularia australis, 1074

- *exigua*, 1074
 - *furvella*, 779
 - *impavida*, 779
 - *insularis*, 500
 - *psephota*, 779
- Rinodina afghanica*, 697
- *albicans*, 363
 - *albornii*, 363
 - *andjasmorensis*, 363 ('*andjasmorensis*')
 - *asperata*, 904
 - *aspera*, 556
 - *atrocinerea* var. *fatiscens*, 556
 - *brattii*, 405
 - *clauzadei*, 363
 - *cretica*, 363
 - *degeliana*, 264
 - *dissa*, 405
 - *egedeana*, 1074
 - *epimilvina*, 363

- *euskadiensis*, 452
 - *filsonii*, 405
 - *fuscescens*, 363
 - *gallowayi*, 310 ('*gallowayii*')
 - *geesterani*, 363 ('*geesteranii*')
 - *griseosoralifera*, 992
 - *groenhartii*, 363
 - *iberica*, 363
 - *iodes* var. *immersa*, 363
 - *jamesii*, 310
 - *mayrhoferi*, 500
 - *milvinodes*, 405
 - *minima*, 363
 - *murrayi*, 310 ('*murrayii*')
 - *newtonii*, 363
 - *nigricans*, 310
 - *ivalis*, 363
 - *novoconfragosa*, 452
 - *orculariopsis*, 363
 - *otagensis*, 310
 - *perminuta*, 363
 - *poeltii*, 363
 - *posthabita*, 992
 - *procellarum*, 405
 - *subglaucescens* var. *lavicola*, 363
 - *subtristis*, 363
 - *tasmanica*, 405
 - *thujae*, 779
 - *tibellii*, 310
 - *tominii*, 363
 - *verrucosa*, 452
 - *vezdae*, 363
 - *williamsii*, 405
 - *xanthophaea* forma *isidiosa*, 697
 - — forma *sorediosa*, 697
- Rinodinella halophila*, 363
- *stenospora*, 363
- Rinodinomyces maroccanus*, 100
- Ripartitella rickenii*, 697
- Ripartites flabellatus*, 212
- *odora*, 500
 - *tricholoma* var. *macrosporus*, 500
- Roccella belangeriana*, 138
- *guanchica*, 779
 - *verruculosa*, 32
 - *vicentina*, 844
- Roccellina accedens*, 310
- *badia*, 310
 - *capensis*, 310
 - *cerebriformis*, 310
 - — forma *sorediata*, 310
 - *chalybea*, 310
 - *chilena*, 310
 - *cinerea*, 310
 - — forma *sorediosa*, 310
 - *conformis*, 310
 - *exspectata*, 310
 - *falklandica*, 310
 - *flavida*, 310
 - *franciscana*, 138
 - *inaequabilis*, 310
 - *jamesii*, 610
 - *limitata*, 310
 - *lutosa*, 310
 - *mahuiana*, 311
 - *nigricans*, 311
 - *nigrocincta*, 311

- nipponica, 311 ('niponica')
- obscura, 311
- suffructicosa, 311
- terrestris, 311
- Roccellinastrum candidum*, 264
- *epiphyllum*, 264
- *flavescens*, 1074
- *lagarostrobi*, 1074
- *neglectum*, 264
- ROCCELLOPSIS**, 610
- RODWAYELLA**, 500, 610
- *citrinula*, 500, 610
- *myricae*, 500, 610
- *sessilis*, 697
- Roesleria subterranea*, 452
- ROESLERINA**, 452
- *microspora*, 452
- *radicella*, 452
- Roestelia fenzeliana*, 60
- *levis*, 60
- *wenshanensis*, 60
- Rogersella eburnea*, 24
- *griselinae*, 500
- ROIGIELLA**, 363
- *lignicola*, 363
- ROLFIDIUM**, 610
- *peltatum*, 610
- Romellia cornina*, 452
- *tympanoides*, 452
- Rosellinia alhagi*, 697
- *britannica*, 1074
- *diathrausta*, 557
- *helvetica*, 1074
- *lepidolophae*, 138
- *minor*, 610
- *pumila*, 992
- Roselliniella frustulosae*, 500
- *haplospora*, 500
- *kalbii*, 500
- *lopadii*, 500
- ROSELLINULA**, 610
- *frustulosae*, 904
- *haplospora*, 610
- *kalbii*, 779
- Rosenscheldia lycopi*, 405
- Rosenscheldiella intermedia*, 844
- Roussoella verruculosa*, 610
- Roussoëlla bambusae*, 311
- Rozella diplophlyctidis*, 779
- *itersoniliae*, 24
- *longisporangia*, 311
- Rozites castanella*, 174
- *collariatus*, 611
- *colombiana*, 779
- *fusipes*, 174
- *gamundiae*, 611
- *meleagris*, 174
- *neocaledonica*, 174
- *ochraceoazureus*, 611
- *pallida*, 174
- *rugosiceps*, 174
- *sarmienti*, 611
- *similis*, 174
- RUBIKIA**, 405
- *samsonii*, 405
- Rubinoboletus balloui*, 311
- var. *fuscatus*, 311
- var. *luteoporus*, 311
- *griseus*, 311
- *laetus*, 311
- *luteopurpureus*, 311
- *phlebopoides*, 311
- *reticulatus*, 311
- *virescens*, 311
- Rugosomyces onychinus*, 60
- Ruhlandiella parvispora*, 363
- Russula* subgen. *Coccinula*, 780
- subgen. *Compacta*, 611
- subgen. *Heterophyllidia*, 780
- subgen. *Incrustatula*, 780
- subgen. *Ingratula*, 780
- subgen. *Insidiosula*, 780
- subgen. *Polychromidia*, 780
- subgen. *Tenellula*, 780
- sect. *Crassotunicatae*, 697
- sect. *Fistulosae*, 1074 ('*Fistulosinae*')
- subsect. *Albospissae*, 1074
- subsect. *Amethystinae*, 611
- subsect. *Amoenae*, 1074
- subsect. *Archaeae*, 1074
- subsect. *Atropurpurinae*, 611
- subsect. *Aurantiomarginatae*, 1074
- subsect. *Auratinae*, 611
- subsect. *Brunneodermata*, 1074
- subsect. *Brunneofloccosae*, 1074
- subsect. *Citrinae*, 611
- subsect. *Concolorae*, 1074
- subsect. *Cupreinae*, 611
- subsect. *Echinosperrae*, 1074
- subsect. *Farinipedes*, 697
- subsect. *Fistulosinae*, 697
- subsect. *Griseinae*, 611
- subsect. *Ilices*, 1074
- subsect. *Inflatae*, 1074
- subsect. *Ingentes*, 1074
- subsect. *Integriforminae*, 611
- subsect. *Integroidinae*, 611
- subsect. *Laeticolorinae*, 611
- subsect. *Laetinae*, 611
- subsect. *Laricinae*, 611
- subsect. *Luteomaculatae*, 1075
- subsect. *Mamillatae*, 1075
- subsect. *Meleagres*, 1075
- subsect. *Mimeticinae*, 992
- subsect. *Murinaceae*, 1075
- subsect. *Nigroviolaceae*, 1075
- subsect. *Ochroleucinae*, 904
- subsect. *Odoratinae*, 611
- subsect. *Pachycystes*, 1075
- subsect. *Pallidorimosae*, 1075
- subsect. *Pallisosporinae*, 611
- subsect. *Paludosinae*, 611
- subsect. *Parvoroseae*, 1075
- subsect. *Pectinatae*, 611
- subsect. *Polychromae*, 697
- subsect. *Pseudoepteliosae*, 1075
- subsect. *Rhodellinae*, 611
- subsect. *Subvelatae*, 697
- subsect. *Testaceoaurantiacae*, 1075
- subsect. *Tomentosae*, 1075
- subsect. *Vinosinae*, 697
- subsect. *Violaceinae*, 611
- *abietum*, 311
- *acetolens*, 1075

[*Russula*]

- aciculocystis, 405
- acriuscula, 905
- acuminata, 905
- adusta var. sabulosa, 611
- afrodelicata, 1075 ('afrodelica')
- afronigricans, 992
- albofloccosa, 1075
- albospissa, 992
- albo-areolata, 24
- alnicrispae, 1075
- alnijorullensis, 697
- alternata, 311
- alutacea forma olivacea, 264
- — forma roseola, 264
- amnicola, 311
- amoena forma acystidiata, 500
- — forma viridis, 611
- amoenicolor forma olivacea, 611
- anatina var. xanthochlora, 264, 452
- angustispora, 557
- annulata var. limbaluensis, 1075
- — var. tshopoensis, 1075
- anthracina var. semicrema, 905
- archaeofistulosa, 1075
- areolata, 992
- artesiana, 363
- atroglaucia, 138
- atrovina, 992
- aurantiaca, 264
- aurantiofloccosa, 1075
- aurantiomarginata, 992
- aurea var. axantha, 611
- aureola, 1075
- aurora var. heteroderma, 905
- — forma pulposa, 905
- austromontana, 992
- barlae var. marthae, 212
- — var. pseudomelliolens, 905
- basiturgida, 1075
- blumiana, 611
- blumii, 611
- brevis, 780
- brunneoalba, 363, 992
- brunneoannulata, 1075
- brunneoderma, 992
- brunneofloccosa, 1075
- brunneorigida, 905
- — var. brachystegiensis, 905
- brunneoviolacea var. cristatispora, 611
- bururiensis, 905
- campestris, 264
- carmesina var. humilis, 1075
- — var. parasitica, 1075
- carpini var. tenella, 905
- caucaensis, 992
- cavipes var. abietina, 611
- cedriolens, 557
- cellulata, 992
- chamaeleontina var. maxima, 780
- chloroides var. glutinosa, 611
- cicatricata, 780
- ciliata, 780
- cinnabarina, 557
- cistoadelpha, 174
- — forma pseudounicolor, 612
- citrina var. rufescens, 557
- — clariana, 500
- clelandii, 697
- coffeata, 311
- compressa, 992
- concolora, 905
- congoana var. djongoensis, 905
- costaricensis, 311
- cremeolilacina, 60
- — var. coccolobicola, 311
- cretata, 557, 905
- cuprea var. cinnamomicolor, 500
- — var. juniperina, 612
- — forma aurantiopurpurea, 612
- — forma pseudomaculata, 612
- cyanoxantha forma atroviolacea, 264
- cyclospora, 1075
- decipiens, 500, 612
- — var. vermiculata, 905
- declinata, 1075
- delica var. centroamericana, 992
- densissima, 60
- diffusa, 905
- — var. fissurans, 905
- — var. rotundispora, 1075
- dipigmentata, 992
- diversicolor, 60
- drimeia var. pseudorhodopoda, 612
- — forma mellina, 612
- — forma viridis, 612
- dryophila, 612
- elaeodes, 311
- emetica var. multifurcata, 612
- — var. violacea, 612
- emeticicolor forma purpureoatra, 612
- eogranulata, 697, 992
- epitheliosa, 311
- fageticola, 612
- fagorum, 612
- fimbriata, 780
- flavisiccans, 992
- flavobrunnea, 1076
- — var. aurantioflava, 1076
- — var. violaceotincta, 1076
- flavocitrina, 612
- foetulenta, 1076
- fragilis var. alpigenes, 1076
- — var. gilva, 557, 780
- — var. knauthii, 500
- — var. nivea, 311
- — forma viridilutea, 780
- fulvoochracea, 1076
- fuscorosea, 612
- fuscorubra, 212
- — var. olivovirens, 311
- galochroides, 905, 992
- gaminii, 212
- gelatinascens, 992
- gilvescens, 780
- globispora, 612
- gomezii, 992
- gracilipes, 905
- graveolens var. megacantha, 780
- grisea var. pictipes, 212, 213, 500
- griseascens, 363
- griseocephala, 1076
- guayarensis, 311
- heinemannii, 1076

- helios, 612
- heterochroa, 311
- heterophylla forma adusta, 264
- himalayana, 363
- hongoi, 993
- hydropica, 1076
- hygrophytica, 60
- immaculata var. mamillata, 993
- impolita, 264
- incrassata, 1076
- indica, 264
- inflata, 905
- ingens, 993
- innocua, 213
- integra var. pseudoolivascens, 500
- — forma fulvidula, 612
- — forma grisella, 612
- — forma purpurella, 612
- intricata, 905
- joannis, 612
- juniperina, 500
- — var. aurantio-purpurea, 500
- — var. pseudomaculata, 500
- — forma aurantiopurpurea, 844
- — forma pseudomaculata, 844
- kivuensis, 905
- krombholzii var. depallens, 612
- — forma alutaceomaculata, 612
- — forma bresadolae, 905
- — forma dissidens, 905
- — forma pantherina, 612
- lamprocystidiata, 993
- laricina var. flavida, 780
- laricino-affinis, 780
- laurocerasi var. fragrans, 500
- — var. fragrantissima, 612
- leguminosarum, 311
- leucospora, 612
- lilacea var. pseudolilacea, 311
- lilacinocrema, 905
- littoralis, 60
- livescens var. depauperata, 311
- lividirosea var. austropurpurea, 311
- ludoviciana, 993
- lutea var. maxima, 213
- luteoaurantia, 213
- luteomaculata, 993
- luteosekta, 612
- luteotacta subsp. intactior, 311
- — var. intactior, 311
- — var. semitalis, 613
- luteoviridans var. griseinoides, 905
- — var. rubroolivascens, 905
- macrocystis, 993
- maculata var. globispora, 613
- marronina, 60
- martinica, 60
- matoubensis, 60
- maximispora, 613
- meleagris, 905
- melitodes forma coloratipes, 613
- mephitica, 60
- metachromatica subsp. tarumaensis, 312
- minutula var. robusta, 264
- mitissima, 993
- monspeliensis, 844
- multicolor, 613
- munia, 1076
- mussooriensis, 363
- mustelina var. fulva, 613
- — var. iodiolens, 452
- nana var. alpina, 613
- nanella, 312
- neodiscopoda, 312
- nitida var. heterosperma, 613
- — forma ochraceoalba, 780
- — forma olivaceoalba, 905
- — forma subingrata, 613
- nuragica, 557
- obtusopunctata, 993
- occidentalis, 213, 363
- ochraceorivulosa, 993
- ochricompacta, 405
- ochrocephala, 993
- ochrospora, 452
- ochrostraminea, 60
- odorata var. rutilans, 557
- oinochroa, 905
- oleifera, 1076
- — var. levecqii, 1076
- pachycystis, 312
- pallidorimosa, 1076
- palumbina var. pictipes, 312
- parazurea var. ochrospora, 905
- parvopurpurea, 1076
- parvorosea, 1076
- parvulospora, 993
- pausiaca, 780
- pectinata var. subgrisea, 501
- pelargonica var. citrinovirens, 557
- pellucida, 993
- persicina, 780
- — var. intactior, 312
- — forma alba, 613
- phaeocephala, 993
- phlyctidospora, 613
- pluteoides, 993
- pluvialis, 312
- porphyrocephala, 993
- prinophila, 905, 993
- pruinata, 1076
- psammophila, 993
- pseudoaeruginea, 501
- pseudoaffinis, 452
- pseudocavipes, 613
- pseudoepitheliosa, 1076
- pseudoimpolita, 697
- pseudomelitodes, 613
- pseudopuellaris, 174
- pseudopurpurea, 1076
- pseudoromellii, 613
- pseudoruberrima, 905
- pseudostriatoviridis, 1076
- pseudovesca, 993
- puellaris var. abietina, 780
- pulchrisperma, 993
- purpurata, 312
- — var. ribida, 906
- — forma rubripes, 906
- purpureomutabilis, 993
- pyrenaica, 213
- — var. emeticicola, 213
- quercus-oleoides, 312
- retispora, 613

[*Russula*]

- *rhodomarginata*, 906, 993
- *risigallina*, 501, 557
- — var. *subcristulata*, 613
- — forma *bicolor*, 613
- — forma *chamaeleontina*, 906
- — forma *luteorosella*, 613
- — forma *montana*, 613
- — forma *roseipes*, 613
- *romellii* forma *alba*, 613
- *roseoalba*, 906
- *roseostriata*, 1076
- *roseovelata*, 1076
- *roseoviolacea*, 1076
- — var. *squamulosa*, 1076
- — forma *sublaevis*, 1076
- *saliceticola*, 264
- *salmonaeolutes*, 697
- *sanguinaria*, 1076
- *schaefferina*, 363
- *sejuncta*, 906
- *semililacea*, 993
- *singeriana*, 613
- *sororiicolor*, 312
- *speciosa*, 613
- *striatoviridis*, 1076
- *subalpina*, 264
- *subarctica*, 1076
- *subfistulosa*, 1076
- — var. *apsila*, 1076
- — forma *angustoaappendiculata*, 1076
- — forma *brevipilosa*, 1076
- *subintegra*, 613
- *sublevispora*, 264
- *subseriflua*, 993
- *subtorulosa*, 213
- *subviridescens*, 993
- *taeniospora*, 557
- *tenuipilosa*, 1076
- *testacea*, 906
- *tinctipes*, 613
- *tomentosa*, 906
- *torulosa* var. *luteovirens*, 613
- — forma *luteovirens*, 613
- *turci* var. *gilva*, 557, 780
- *tyrrhenica*, 405
- — forma *pseudotenella*, 557
- *variegatula*, 264
- *vassilievae*, 780
- *velenovskii* var. *cruentata*, 312
- *velutina*, 906
- *verna*, 312
- *versicolor* var. *intensior*, 312
- *vesca* var. *major*, 501
- — forma *major*, 906
- *veternosa* var. *duriuscula*, 613
- — forma *subdulcis*, 906
- *vinosobrunnea* var. *paraolivacea*, 780
- *virentirubens* var. *rigida*, 906
- *viridirubrolimbata*, 312
- *viridrobusta*, 993
- *viroviolacea*, 614
- *viscida* var. *chlorantha*, 614
- *viscidula*, 906
- *xerampelina* var. *amoenipes*, 780
- — var. *murina*, 312
- — var. *pseudomelliolens*, 906

- *yaenerdensis*, 1077
- Rutstroemia allantospora*, 844
- Saccardaea ciliata*, 363
- Saccharomyces joannae*, 557
- *krusei*, 697
- *placentae*, 174
- *rouxii* var. *raffinosi*, 138
- *terrestris*, 94
- Saccoblastia alba*, 264
- *contorta*, 264
- Saccobolus chenocopicus*, 1077
- *diffusus*, 557
- *groenlandicus*, 844
- *humidicola*, 557
- *ovibovinus*, 1077
- *verrucisporus* var. *longisporus*, 557
- *versicolor* var. *kasauliensis*, 557
- Saccomorpha hyporhoda*, 557
- *icmalea*, 557
- *oligotropha*, 557
- *uliginosa*, 405
- Sagediopsis aquatica*, 1077
- *barbara*, 1077
- *campsteriana*, 1077
- SAGENIDIOPSIS, 697
- *merrotsii*, 697
- Sagenoma ryukyuense*, 363 ('ryukyuensis')
- Sagenomella ryukyuensis*, 363
- SAITOA, 60
- *japonica*, 60
- SAITOEELLA, 780
- *complicata*, 780
- Santessonia hereroensis*, 906
- *lagunebergii*, 363
- *sorediata*, 364
- Saprolegnia bhargavae*, 614 ('bhargavii')
- SARBHOYOMYCES, 174
- *biguttulatus*, 174
- Sarcinella asiatica*, 364
- *colbrookiae*, 94
- *copallina*, 364
- *diospyri*, 175
- *glycosmidis*, 94
- *gorakhpurensis*, 94
- *indica*, 781
- *jabalpurensis*, 175
- *quadrata*, 364
- *quercina*, 698
- *vernoniae*, 364
- SARCINOMYCES, 364
- *inkin*, 364
- *phaeomuriformis*, 698
- SARCINULELLA, 265
- *banksiae*, 265
- Sarcodon calvatus*, 405
- — var. *odoratus*, 405
- *cyaneus*, 405
- *dissimulans*, 364
- *excentricus*, 452
- *harrisonii*, 452
- *lanuginosus*, 405
- *piperatus*, 405
- *rimosus*, 405
- *subfelleus*, 405
- *subincarnatus*, 405
- *ustalis*, 405
- Sarcographina glyphiza*, 100

- Sarcophoma deccanii*, 265
Sarcopodium macalpinei, 94
— *vanillae*, 94
Sarcoporia salmonicolor, 698
Sarcoscypha dudleyi, 364
— *jurana*, 364
— *macaronesica*, 364
Sarcostroma arbuti, 501
— *cadicola*, 501
— *consocium*, 501 ('consocia')
— *daviesiae*, 501
— *dilophospora*, 501 ('dilophospora')
— *foliicola*, 501
— *grevilleae*, 501
— *hakeae*, 501
— *hollosii*, 501
— *kennedyae*, 501
— *mariae*, 501
— *parasiticum*, 501 ('parasitica')
— *sublunatum*, 501 ('sublunata')
Sarcoxydon sinensis, 94
Sarophorum palmicola, 557
Sarrameana tasmanica, 781
Satchmopsis australiensis, 614
— *saciformis*, 698
Savoryella paucispora, 175
SAWADAEA, 452, 501 ('Sawadaia')
— *aceris*, 452 ('Sawadaia')
— *aesculi*, 24
— *bomiensis*, 24, 452
— *esculi*, 452
— *polyfida*, 24, 452
— *var. japonica*, 452 ('Sawadaia')
Scabropeziza echinophora, 557
('Scabropezia')
SCALENOMYCES, 452
— *endogaeus*, 452
Scedosporium inflatum, 405
Scenidium asperum, 312
— *bicolor*, 614
— *hydroides*, 312 ('hydnoideum')
— *pobeginii*, 312
— *zambesianum*, 312
Schadonia fecunda, 32
— *subobscurata*, 312
Schaereria endocyanea, 32
— *fabispora*, 614
— *fuscocinerea*, 557
— *pissodes*, 557
— *tenebrosa*, 32
— *var. sorediata*, 405
— *xerophila*, 1077
Schiffnerula alphonitiae, 781
— *anisophylleae*, 781
— *camelliae*, 781
— *craterispermii*, 781
— *crypteroniae*, 781
— *cryptolepidis*, 781
— *doryphorae*, 781
— *hansfordii*, 364
— *hendrickxii*, 781
— *inversa*, 781
— *leemingii*, 781
— *palicoureae*, 781
— *psychotriacae*, 781
— *radicans*, 781
— *ramnicola*, 781
— *salaciae*, 364
— *stellata*, 781
— *theissenii*, 781
— *ugandensis*, 781
— *ziziphi*, 781
Schismatomma abietinum var. *farinosum*, 312
— *var. fennicum*, 312
— *var. opegraphoides*, 312
— *ceylanicum*, 452
— *cretaceum*, 364
— *hafellneri*, 1077
— *monstruosum*, 557
— *pitardii*, 1077 ('pitardi')
— *quercicola*, 993
— *rappii*, 781 ('rappi')
— *redianta*, 452
— *ricasolii*, 1077
— *umbrinum*, 906
Schistophoron variabile, 213
SCHISTOPLACA, 698
— *alveolaris*, 698
— *argopholis*, 698
Schizoblastosporion chiloense, 405
('chiloensis')
Schizochytrium mangrovei, 844
— *minutum*, 94
— *octosporum*, 781
SCHIZODISCUS, 844
— *afroalpinus*, 844
Schizoplasmodiopsis amoeboides, 175
— *variabilis*, 452
Schizopora apacheriensis, 781
— *flavipora*, 452
— *nothofagi*, 781
— *radula*, 312
— *roseotrigens*, 364
— *trichiliae*, 60
— *versipora*, 698
Schizosaccharomyces japonicus, 405
— *octosporus* var. *glactosi*, 138
Schizostoma coffeanum, 94
Schizothecium fimbriatum, 993
Schizothyrioma stilbocarpaceae, 61
Schizothyrium dispersum, 557
— *ilicis-integrae*, 24
Schizotrichella cissampeli, 213
('cissampelosa')
Schizoxylon hemisphaericum, 265
Schroeteria banatica, 175
— *poeltii*, 312
Schwanniomyces occidentalis var. *persoonii*, 405
Scindalma robiniae, 781
Scirrhia struthiopteris, 781
SCLEROCRANA, 698
— *atra*, 698
Sclerocystis cunninghamia, 845
— *indica*, 61
— *liquidambaris*, 1077
— *pakistanica*, 24
— *taiwanensis*, 1077
Scleroderma echinosporites, 213
— *hakkodense*, 557
— *paradoxum*, 175
— *sapidum*, 24
SCLEROGONE, 1077

[SCLEROGONE]

- eucalypti, 1077
- Sclerophoma semenospora*, 24
 - xenomeria, 24
- Sclerophora amabilis*, 406
 - coniotheca, 698
 - nivea, 406
 - peronella, 406
 - sanguinea, 406
- Scleropycnis piceana*, 614
- Sclerostagonospora donacis*, 614
 - sessilis, 614
- Sclerotinia antarctica*, 698
 - asari, 312
 - atrostipitata, 845
 - camelliae forma macrospora, 614
 - himalayensis, 364
 - sulcata, 501
 - verrucispora, 993
- Sclerotium narcissi*, 1077
 - rolfii var. delphinii, 906
- Scolecobasidiella tropicalis*, 557
- Scolecobasidium alabamense*, 453
 - amazonense, 698
 - cylindrosporum, 175
 - trichoides, 557
 - tropicum, 312
- Scolecosporella varians*, 1077
- Scolecosporiella bernardiana*, 364
 - mastigospora, 24
 - strebli, 698
- Scoliosporium gallurae*, 698
 - umbrinum var. compactum, 406
 - — var. corticola, 406 ('corticolum')
 - — var. marinum, 213
- Scoliolegnia centrica*, 364
- Scopinella gallicola*, 138
- Scoptria discreta*, 453
- Scopulariopsis maduramycosis*, 557
 - musae, 698
 - proteophila, 265
 - tardifaciens, 265
 - yunnanensis, 501
- SCOPULOIDES, 24
 - rimosa, 175
 - septocystidiata, 175
- Scorias tanakae*, 364
- Scorpiosporium rangiferinum*, 175
- Scutellinia ahmadii*, 364 ('ahmadi')
 - alleghensis, 1077
 - alnea, 906
 - arenosa, 906
 - ascoboloides, 453
 - barlae forma aurantiaca, 265
 - — forma paludicola, 265
 - beatricis, 406
 - coccinea, 906
 - crucipila, 364
 - fimetaria, 453
 - fujianensis, 906
 - furcatopila, 364
 - gelatinosa, 364
 - ischnotricha, 906
 - legaliae, 265
 - megalosphaera, 94
 - mirabilis, 312
 - phymatodea, 364 ('phymatodeus')

- pseudoumbrarum var. kurilensis, 175
- rotundisperma, 265
- scutellata var. discreta, 175
 - — var. indica, 453
 - — var. macrosculpturata, 175
 - — forma latispota, 906
- trechisperma, 265
 - — forma macropilifera, 265
 - — forma micropilifera, 265
 - — forma nigromarginata, 265
- trechispora var. macracantha, 265
 - — var. peniculospora, 265
 - — forma brachyacantha, 906
- vitreola, 175

SCUTELLOSPORA, 614

- alborosea, 614
- arenicola, 1077
- aurigloba, 614
- biornata, 1077
- calospora, 614
- coralloidea, 614
- dipapillosa, 614
- dipurpureus, 906
- erythroa, 614
- fulgida, 614
- gilmorei, 614
- gregaria, 614
- heterogama, 614
- minuta, 614
- nigra, 614
- pellucida, 614
- persica, 614
- reticulata, 614
- savannicola, 614
- scutata, 1077
- tricalypta, 614
- verrucosa, 614
- weresubiae, 614

Scutigera brasiliensis, 312

SCUTISPORUS, 501

- brunneus, 501

SCUTOBELONIUM, 406

- amorilens, 406
- Scutomollisia clavata*, 614
 - contraria, 406
 - fimbriomarginata, 24
 - integromarginata, 25
 - lanceata, 615
 - microspora, 615
 - morvernensis, 406
 - pallide-ochracea, 406
 - papillata, 1077
 - russea, 993

SCUTOSCYPHA, 25

- fagi, 25

Scutula cladoniicola, 1077

- pleiospora, 993

Scyphospora hysterina, 313

Scytalidium dimidiatum, 1077

- fulvum, 364
- hepiali, 781
- indonesiacum, 175
- japonicum, 501
- tectonae, 1077
- vaccinii, 1077

Scytinopogon chartaceus, 906

Scytinostroma africanogalactinum, 781

- ahmadii, 781
- aluta, 364
- corneri, 781
- crispulum, 698
- cuadisporum, 781
- decidens, 698
- eurasiaticogalactinum, 781
- intextum, 781
- — var. magnisporum, 781
- jacksonii, 138
- mediterraneense, 781
- microspermum, 781
- neogalactinum, 781
- ochroleucum var. luteum, 906
- parvisporum, 781
- protrusum, 906
- — subsp. septentrionale, 906
- pseudopraestans, 906
- pulverulentum, 781
- renisporum, 782
- verruculosum, 782
- Scytinostromella cerina*, 25
- fallax, 94
- Sebacina enodulosa*, 615
- fuscata, 993
- penetrans, 782
- septocystidiata, 615
- Seimatosporium alneum*, 557
- berberidicola, 557
- cylindrosporum, 175
- eucalypti, 175
- ficophilum, 782 ('*Seimatosporum*')
- hypericinum, 94
- laurinum, 94
- piceae, 501
- pleurochaetum, 94
- rhododendri, 313
- robillardoides, 94
- saksenaense, 94 ('*saksenaensis*')
- samuelii, 782
- senegalense, 94
- Seiridium canariense*, 615
- cupressi, 265
- venetum, 1077
- SEIROPHORA**, 364
- magara, 364
- Selenophoma aristidae*, 698
- asterina, 25
- boltoniae, 364
- homalodisci, 698
- lepidolophae, 175
- limonii, 25
- scrophulariae, 25
- tritici, 615
- Selenosporella aristata*, 845
- conglutinata, 501
- curvispora, 61
- Selinia africana*, 993
- SEMIFISSISPORA**, 175
- elongata, 175
- fusiformis, 175
- rotundata, 175
- SEMIMORULA**, 265
- liquescens, 265
- SEMIOMPHALINA**, 364
- leptoglossoides, 364
- SEMIPEUDOCERCOSPORA**, 265
- peristrophes-acuminatae, 265
- SENEGALOSPORITES**, 175
- costatus, 175
- taiwanensis, 175
- Sepedonium leotiarum*, 501
- Septobasidium coccidiophagum*, 265
- piperis, 265
- reinkingii, 265
- spiculolum, 265
- Septocylindrium eriocheir*, 175
- peristrophes, 175
- Septocyta rosarum*, 782
- Septofusidium variabile*, 993 ('*variabilis*')
- Septogloeum japonicum*, 364
- Septonema fragile*, 994 ('*fragilis*')
- verrucosum, 94 ('*verrucosa*')
- SEPTOPEZIZELLA**, 698
- oreadum, 698
- Septoria* subgen. *Phloeospora*, 782
- subgen. *Rhabdospora*, 782
- actaeae, 453
- alpina, 453
- arenariae, 453
- arigena, 782
- aureocorona, 782
- bresadolae, 453
- bubakii, 782
- bunkinae, 453
- canariensis, 698
- caricis-californiensis, 782
- cistina, 994
- cornicola var. *dahurica*, 782
- digerae, 175
- emaculata, 453
- eremopyri, 698
- everhartii, 453 ('*everhardtii*')
- goodeniicola, 994
- grampianensis, 782
- lamentana, 782
- laubertiana, 453
- lindquistii, 501 ('*linquistii*')
- lyciicola var. *longispora*, 453
- margaritae, 698
- nachitschevanica, 453
- paradisi, 994
- philadelphicola, 994
- prangi, 453
- pulcherrima, 265
- salsolae, 698
- septospora, 265
- setariicola, 138
- spraguei, 175
- steviae, 175
- tetrathecae, 994
- transcheliana, 453
- ufensis, 453
- vitis, 782
- Septoriella junci*, 25
- Septotinia populiperda*, 25
- Septotis populiperda*, 25
- Septotrichum populinum*, 453
- Sepultaria veselskyi*, 138
- Serenomyces californicus*, 994 ('*californica*')
- Sericeomyces sericatellus*, 61, 994
- SERVAZZIELLA**, 698
- longispora, 698
- Sesquicillium asymmetricum*, 994

- [*Sesquicillium*]
 — impariphiale, 994
 — pseudosetosum, 994
Setchelliogaster australiensis, 406
 — *fragilis*, 615
SETICYPHELLA, 313
 — *niveola*, 313
 — *punctoidea*, 313
 — *tenuispora*, 313
SETIGEROCLAVULA, 845
 — *ascendens*, 845
SETOCAMPANULA, 994
 — *taiwanensis*, 994
SETOERYSPHE, 406
 — *rogersiae*, 406
SETOGYROPORUS, 265
 — *verus*, 265
SETOMELANOMMA, 138
 ('*Setomelanoma*')
 — *holmii*, 138
Setoscypha lachnibrachya, 782
Setosphaeria glycinea, 698
 — *khartoumensis*, 138
 — *minor*, 558
SETOSPORELLA, 994
 — *mahmoudii*, 994
SETOSYNNEMA, 501
 — *isthmosporum*, 501
SETULIPES, 698
 — *androsaceus*, 698
 — *quercophilus*, 698
SEYCHELLOMYCES, 138
 — *hexagonus*, 138
SEYNESIOSPORA, 61
 — *iochromatis*, 61
Shearia fusa, 213
SHIMIZUOMYCES, 94
 — *kibianus*, 364 ('*kibiana*')
 — *paradoxus*, 94 ('*paradoxa*')
Shomea ciclobobii, 845
SHRUNGABEEJA, 138
 — *vadirajensis*, 138
Sibirina asterophora, 1077
 — *clavisedum*, 501
 — *corioloipsicola*, 698
 — *gamsii*, 25
 — *lutea*, 61
 — *nivea*, 782
 — *purpurea*, 25
 — — *var. asterophora*, 1077
Siemaszkoa fennica, 313
 — *pusillima*, 94
Sigmoidea aurantiaca, 175
 — *luteola*, 213
 — *marina*, 25
 — *praelonga*, 615
Simocybe albovelutina, 994
 — *alneti*, 994
 — *antarctica*, 61
 — *argillacea*, 25
 — — *forma bisporea*, 25
 — *austrorubi*, 61
 — *bruchii*, 699
 — *coniferarum*, 994
 — — *var. quercuum*, 994
 — *coniophora*, 139
 — *descendens*, 313
 — *disseminata*, 615
 — *drimidis*, 615
 — *fuscoconica*, 25
 — *gnapholopoda*, 558 ('*gnapholopus*')
 — *haustellaris*, 139, 364
 — — *forma effugiens*, 994
 — *laevigata*, 139, 453
 — — *var. maritima*, 313, 453
 — *luteomellea*, 61
 — *mutabilis*, 25
 — *nitellinoides*, 25
 — *obscura*, 364
 — *pallidissima*, 364
 — *panamensis*, 994
 — *phlebophora*, 61
 — *pruinata*, 61
 — *puberula*, 699
 — *quebecensis*, 1077
 — *reducta*, 139
 — *subfulva*, 25
 — *tabacina*, 61
 — *unica*, 61
Simuliomyces spica, 265
SINGERINA, 265
 — *indica*, 265
SINGEROCYBE, 845
 — *hydrogramma*, 845
 — *phaeophthalma*, 845
 — *viscida*, 845
SINODIDYMELLA, 501
 — *verrucosa*, 501
SINOSPHAERIA, 782
 — *bambusicola*, 782
 — *lasiacidis*, 994
SINOTERMITOMYCES, 94
 — *carnosus*, 94
 — *cavus*, 94
Siphula complanata, 313
 — *foliacea*, 313
 — *fragilis*, 615
 — *jamesii*, 845
Siphulastrum mamillatum, 313
Sirexipula montana, 25
Sirobasidium intermediae, 782
Sirococcus conigenus, 365
 — *piceae*, 501 ('*Sirococcum*')
Sirosporium indicum, 365
 — *morindinum*, 501
 — *palmicola*, 406
 — *rutacearum*, 501
 — *suttonii*, 61
Sirothecium antiquum, 406
 — *minimum*, 406
Sirothyriella pinastri, 94
SIROTREMA, 558
 — *parvula*, 558
 — *pusilla*, 558
 — *translucens*, 558
Sistotrema adnatum, 406
 — *athelioides*, 406
 — *biggsiae*, 406
 — *binucleosporum*, 406
 — *citriforme*, 699
 — *efibulatum*, 365
 — *farinaceum*, 406
 — *hamatum*, 175
 — *hispanicum*, 845 ('*hispanica*')

- intermedium, 265
- octosporum, 365
- populicola, 782
- porulosum, 406
- pteriphilum, 502
- quadrisporum, 845
- resinicystidium, 61
- suballantosporum, 61
- SISTOTREMELLA**, 365
 - hauerslevii, 365
 - perpusilla, 365
- Skeletocutis albocrema**, 213
 - australis, 906
 - azorica, 175, 213
 - carneogrisea, 213
 - jelicii, 139
 - kuehneri, 213
 - lilacina, 365
 - nivea var. diluta, 265
 - niveicolor, 453
 - novaezelandiae, 782
 - ochroalba, 558
 - odora, 406
 - papyracea, 213
 - perennis, 615
 - porterosensis, 213
 - roseola, 845 ('roseolus')
 - subsphaerospora, 213
- SKVORTZOVIA**, 615
 - furfurella, 615
- SKYATHEA**, 502, 615
 - hederæ, 502, 615
- SKYTTEA**, 61
 - acrocordiae, 558
 - buelliae, 61
 - cruciata, 61
 - elachistophora, 61
 - fusispora, 61
 - gregaria, 61
 - hawksworthii, 558
 - lesdainii, 994
 - lettaui, 265
 - nitschkei, 61
 - refractiva, 845
 - spinosa, 266
 - tephromelarum, 907
 - thallophila, 61
 - viridis, 266
- SKYTTELLA**, 907
 - mulleri, 907
- SLIMACOMYCES**, 558
 - monospora, 558
- Smardaea protea**, 558
 - purpurea, 615
- Smeringomyces chaetophilus**, 453
 - lingulatus, 453
- Smithiomyces lanosofarinus**, 907
 - ('lanosofarinosa')
- Smittium alpinum**, 365
 - cellaspora, 213
 - coloradense, 782
 - dimorphum, 313
 - gigasporum, 365 ('gigasporus')
 - longisporum, 213
 - morbosum, 94
 - ouselii, 365 ('ouslei')
 - pennelli, 365
- perforatum, 782
- tipulidarum, 782
- Solenia cinerea**, 782
- Solenopsis cesatii forma liparina**, 558
 - olivacea, 139
 - subsp. olbiensis, 406
- Solorinella nigrescens**, 453
- Solosyptodiella palmicola**, 25
 - phyllostachydis, 313
- SONDERHENIA**, 845
 - eucalypticola, 845
 - eucalyptorum, 845
- Sopagraha elegans**, 453
- Sorataea arayatisensis**, 25
 - cerasi, 365
 - holwayi, 365
 - nephroidea, 25
 - ostryoderridis, 25
 - padi, 365
 - periodica, 25
 - pruni-persicae, 365
- Sordaria elongatispora**, 558
 - garhwalensis, 313
 - islandica, 1077
 - oblectans, 615
 - tenerifae, 1077
- SOROCHYTRIUM**, 502
 - milnesiophthora, 502
- Sorosporium apparaoi**, 266
 - dianthi-superbi, 502
 - marinum, 365 ('marina')
 - mohgaoense, 175
 - penuriasorus, 907
 - stypeioclaoe, 94
- SOROSPORONITES**, 406
 - parasiticus, 406
- Sowerbyella angustispora**, 845
 - bauerana, 406
 - brevispora, 406
 - crassisculpturata, 453
 - densireticulata, 453
 - kaushalii, 699
 - pallida, 502
 - parvispora, 699
 - polaripustulata, 453
 - reguisii, 502
 - rhenana, 699
- SPADICESPORIUM**, 213
 - acrosporium, 213
 - acrosporium-majus, 213
 - bifurcatum, 213
 - bifurcatum-majus, 213
 - copiosum, 213
 - persistens, 213
 - ramosum, 213
- Spadicoides aspera**, 175
 - bicolores, 994
 - carpatica, 266
 - catenulata, 176
 - constricta, 176
 - cubensis, 266
 - penatium, 266
 - sphaerosperma, 213 ('sphaerospermum')
 - subramaniani, 454
 - tropicalis, 615
 - verrucosa, 558
- SPARSITUBUS**, 61

[SPARSITUBUS]

- nelumbiformis, 61
- Spathularia bifurcata*, 176
- Spegazzinia xanthorrhoeae*, 845
- Spegazzinites indicus*, 266 ('indious')
- Speiropsis aquatica*, 782
- *belauensis*, 454
- *ixorae*, 907, 994
- *scopiformis*, 782
- Spermospora taiwanensis*, 313
- Sphecelotheca almorae*, 94 ('almoras')
- *andropteri*, 25
- *elyonuri-candidi*, 994 ('elyonuri-candidii')
- *furcata* var. *congoensis*, 25
- *himalensis*, 994
- *hyparrheniae*, 25
- — *forma major*, 25
- *paranensis*, 994
- *platensis*, 994
- *polygoni-persicariae*, 502
- *rhei*, 994
- *suddiana*, 406
- *trachypogonis*, 25
- *tricholaenae* var. *congoensis*, 25
- *zundelii*, 994
- Sphaerangium pruni*, 454
- Sphaerella andromedae*, 558 ('Spaerella')
- *vitis*, 782
- Sphaerellothecium abditum*, 1077
- *contextum*, 1077
- Sphaeria atro-inquinans*, 25
- *cephalodiorum*, 907
- *coryneoides*, 25
- *homioispora*, 25
- *multifera*, 25
- *subclypeata*, 25
- *ventosa*, 907
- *vomitaria*, 25
- *zizaniicola*, 25 ('zizaniaeicola')
- Sphaeridium cubense*, 454
- *pilosum*, 502
- SPHAEROBASIDIOSCYPHA**, 313
- *citrispora*, 313
- *oberwinkleri*, 313
- Sphaerobasidium bisporum*, 995
- SPHAEROCORDYCEPS**, 95
- *helopis*, 266
- *palustris*, 95
- *ussuriensis*, 95
- Sphaerodes beatonii*, 176
- *compressa*, 176
- *fimicola*, 176
- *manginii*, 95
- *micropertusa*, 502
- *moreaui*, 95
- *ornata*, 95
- *perplexa*, 176
- *retispora*, 176
- — *var. inferior*, 176
- Sphaerodothis arxii*, 995
- Sphaerographium avenaceum*, 783
- SPHAEROMONAS**, 699
- *communis*, 699
- *maxima*, 699
- *minima*, 699
- Sphaeronaema bommeri*, 502, 558

- *pernambucense*, 95 ('Sphaeronema pernambucensis')
- *spiniforme*, 502 ('Sphaeronema spinaeforme')
- Sphaeropezia oxycocci*, 699
- Sphaerophorus coomerensis*, 313, 699
- *dodgei*, 313
- *imshaugii*, 313
- *kinabaluensis*, 313, 699
- *macrocarpus*, 313
- *melanocarpus* subsp. *hawaiiensis*, 313
- *microsporus*, 313
- *murrayi*, 139, 313 ('murrayii')
- *notatus*, 213
- *patagonicus*, 313
- Sphaerophragmium annulatipes*, 365
- *longicorne*, 213
- Sphaeropsis galii*, 139
- *ixorae-parviflorae*, 214
- *nebelina*, 783
- *sapinea*, 25
- *teucarii*, 139
- *vochysiae*, 845
- Sphaerosporium equinum*, 558
- Sphaerostilbella aureonitens*, 502
- *novae-zelandiae*, 502
- Sphaerotheca alpina* forma *macrospora*, 558
- *aphanis*, 214
- — *var. hyalina*, 558
- — *var. physocarp*, 365
- *astilbicola*, 558
- *astragali* var. *phaseoli*, 139
- *callicarpae*, 365
- *caricae-papayae*, 502
- *collomiae*, 558
- *crotonis*, 365
- *elsholtziae*, 139
- *euphorbiae-hirtae*, 502
- *filipendulae*, 139
- *fuliginea*, 454
- — *var. galinsogae*, 615
- — *var. sibirica*, 558
- — *forma asteris*, 176
- — *forma cinerariae*, 176
- — *forma cyclochaenae*, 25
- — *forma helianthi*, 176
- *hibiscicola*, 139
- *intermedia*, 558
- *malloti*, 139
- *mors-uvae* var. *astilbicola*, 139
- *papaveris*, 406
- *parietariae*, 558
- *phaseoli*, 558
- *pseudofusca*, 558
- *rosae*, 139
- *shepherdiae*, 558
- *sparsa*, 558
- *veronicae*, 176
- *violae*, 558
- *voandzeiae*, 558
- Sphaerotilus fluitans*, 454
- Sphaerulina antarctica*, 25
- *blyttii*, 61
- *polygonorum*, 266
- Sphaleromyces rhinoceralis*, 454
- Spilocaea amelanchieris*, 266
- *proteae*, 95

- Spilomela ascaridiella*, 25
Spilopodia ranunculi, 406
SPILOPODIELLA, 1078
 — *arxii*, 1078
SPIROGYROMYCES, 139
 — *vermicola*, 139
Spiromastix grisea, 845
Spiropes caribensis, 365
 — *limoniformis*, 783
Spirosphaera verruculosa, 615
SPIROTREMESPORITES, 95
 — *ecuatorialis*, 95
 — *multiplex*, 95
 — *simplex*, 95
SPIZELLOMYCES, 61
 — *acuminatus*, 406
 — *dolichospermus*, 406
 — *knepii*, 406
 — *lactosolyticus*, 406
 — *palustris*, 406
 — *plurigibbosus*, 406
 — *pseudodichotomus*, 406
 — *punctatus*, 61 ('*punctatum*')
Splanchonema britzelmayrianum, 454
 ('britzelmayriana')
 — *clandestinum*, 214
 — *hicoria*, 214
 — *kalakadense*, 995
 — *loricatum*, 214
 — *melantherum*, 214
 — *platani*, 214
 — *scoriadeum*, 214
 — *sporadicum*, 214
 — *superans*, 176
Spondylocladiella indica, 95
SPONGIASCLEROTES, 313
 — *funginus*, 313
Spongipellis caseosus, 365
 — *leoninus*, 454
 — *malicola*, 406
Spongiporus balsameus, 25
 — *caesius*, 25
 — *cerifluus*, 25
 — *fragilis*, 26
 — *guttulatus*, 26
 — *hibernicus*, 176
 — *lateralis*, 365
 — *leucomalleus*, 26
 — *lowei*, 26
 — *luteocaesius*, 26
 — *simanii*, 26
 — *stipticus*, 26
 — *subvermisporus*, 365
 — *tephroleucus*, 26
 — *undosus*, 26
SPOONEROMYCES, 1078
 — *helveticus*, 1078
 — *laeticolor*, 1078
Sporendocladia bactrospora, 783
 — *foiiicola*, 783
 — *fumosa*, 783
 — *ivoriensis*, 783
 — *truncata*, 783
SPORIDESMIELLA, 214
 — *angustobasilaris*, 615
 — *brachysporioides*, 313
 — *caribensis*, 995
 — *claviformis*, 214
 — *coronata*, 214
 — *cuneiformis*, 214
 — *garciniae*, 454
 — *hyalosperma*, 214
 — — *var. novae-zelandiae*, 214
 — *longissima*, 214
 — *parva*, 214
 — — *var. palauensis*, 454
SPORIDESMINA, 995
 — *malabarica*, 995
SPORIDESMIOPSIS, 995
 — *malabarica*, 995
Sporidesmium asperatum, 365
 — *bambusinum*, 95 ('*bambusina*')
 — *bifasciatum*, 699
 — *britannicum*, 615
 — *casuarinae*, 699
 — *clarkii*, 139
 — *corrugatescens*, 907
 — *cubense*, 454 ('*cubensis*')
 — *cymbispermum*, 314
 — *dennisii*, 266
 — *dissolvens*, 558
 — *doliiforme*, 139
 — *ensiforme*, 176
 — *eucalypticola*, 907
 — *filiattenuatum*, 314
 — *heterocateniforme*, 699
 — *hourniense*, 26
 — *ilicinum*, 266
 — *laxisporum*, 502 ('*laxusporum*')
 — *nigroascus*, 1078
 — *omahutaense*, 454
 — *ontariense*, 314
 — *polymorphum*, 615
 — *ponapense*, 139
 — *pseudobambusae*, 95
 — *pseudolmediae*, 365
 — *taiwanense*, 314
 — *tropicale var. cubense*, 558
 — *turcomanicum*, 95
Sporidiobolus pararoseus, 314
 — *ruineniae*, 314 ('*ruinenii*')
 — *salmonicolor*, 314
Sporisorium aegypticum, 907
 — *andropogonis*, 454
 — *andropogonis-aciculati*, 314
 — *anthraxone*, 1078 ('*arthraxonis*')
 — *barcinonense*, 783
 — *bursum*, 845
 — *catharticum*, 995
 — *cenchri*, 454
 — *chrysopogonis*, 314
 — *consanguineum*, 845
 — *cruentum*, 454
 — *destruens*, 454
 — *erianthi*, 454
 — *formosanum*, 365
 — *foveolati*, 907
 — *guaraniticum*, 995
 — *holci-sorghii*, 454
 — *montaniense*, 454 ('*montaniensis*')
 — *neglectum*, 454
 — *ophiuri*, 699
 — *overeemii*, 26
 — *paspali-thunbergii*, 699

[Sporisorium]

- pollinae, 314
- puellare, 783
- pulverulentum, 454
- rhynchelytri, 907
- sacchari, 454
- schweinfurthianum, 365
- transissum, 314 ('transissum')
- tricholaenae, 907
- tumefaciens, 314

Sporobolomyces elongatus, 266

- falcatus, 845
- foliicola, 266
- griseoflavus, 783
- holsaticus, 314
- inositophilus, 699
- intermedius, 783
- kluyveri-nielii, 699
- miscanthi, 783
- nagoensis, 783
- oryzicola, 783
- pararoseus, 314
- photographus var. alborubescens, 407
- — var. odoratus, 407
- phyllo-matis, 845
- pollaccii, 407
- rubicundulus, 407
- salmonicolor var. salmoneus, 407
- sasicola, 783
- shibatanus, 407
- subroseus, 783
- weijmanii, 783
- yamatoanus, 907
- yuccicola, 845

Sporocadus acerinus, 502 ('acerinum')

- banksiae, 95
- berckmansii, 502
- carpophilus, 95
- cassiopes, 502
- compactus, 95
- daci-cus, 502 ('daci-cum')
- glandigenus, 502 ('glandigena')
- macrospermus, 502 ('macrospermum')
- missionus, 502 ('missionum')
- pestalozzioides, 502
- pezioides, 502
- platani, 95
- rhododendri, 502
- trimerus, 95 ('trimerum')
- vaccinii, 502

Sporocarpion cognatum, 266 ('cognatus')

- leismanii, 365

Sporonema diamandidis, 61

Sporopachydermia quercuum, 176

Sporophiala cookei, 176

- indica, 176

Sporopodium flavescens, 845

Sporormia millingtoniae, 699

- nepalensis, 176

Sporormiella clavispora, 139

- hexamera, 502

— sorghophila, 615

— sultanii, 502 ('Sporormiella')

SPORORMINULA, 699

- tenerifae, 699

Sporoschismopsis caribensis, 214

Sporothrix catenata, 139

— cylindrospora, 95

— echinospora, 783

— flocculosa, 845

— nivea, 615

— phellini, 783

— ranii, 139

— rugulosa, 845

— subannulata, 699

Sporotrichum formosanum, 95

- versisporum, 365

SQUAMACIDIA, 995

- janeirensis, 995

- — var. endococcinea, 995

Squamanita basii, 845

- cettoiana, 907

— squarrulosa, 845

— umbilicata, 846

Squamarina cartilaginea, 32

- — var. pseudocrassa, 32

— — forma iberica, 559

— concrescens subsp. craven-sis, 559

— poeltii, 454

Stachybotryna splendida, 699

Stachybotrys globosa, 176

- guttulisporea, 176

— havanensis, 907

— mangiferae, 176

— ramosa, 615

— ruwenzoriensis, 454

— sphaerospora, 26

— verrucisporea, 454

— xanthosomae, 907

STACHYCOREMIUM, 502

- parvulum, 502

Stachyli-dium bicolor var. caespitosum, 783

- cubense, 559

Stachylina lotica, 365

- magna, 783

— manicata, 365

— minuta, 366

— nana, 366

— pedifer, 314

— penetralis, 366

— prolifica, 783

— reflexa, 846

STAGNICOLA, 559

- perplexa, 559

Stagonospora avenae, 214 ('avena')

- — forma specialis triticea, 214

— clandestina, 502

— coffeae, 95

— coffeicola, 95

— delegatensis, 366

— elaeagni, 502

— euonymicola, 26

— heteroderae, 699

— koschkelovae, 615 ('koschkeloviae')

— phragmitis, 454

— phyllostachydis, 783 ('Stagnospora')

— pulcherrima, 783

— septorioides, 783 ('Stagnospora')

Stagonosporopsis curtisii, 139

Staheliella nivea, 559

STANGLOMYCES, 699

- taxophilus, 699 ('taxophila')

STANHUGHESIA, 995

- carniolica, 995

— linnaeae, 995

— lycopodii, 995

STAPHLOSPORONITES, 139

— allomorphus, 139

— conoideus, 139

— discitypicus, 214

— elsikii, 266

— neyvelienseis, 366

— ovalis, 139

— subcircularis, 366

— tristatosus, 139

Staurothele lesdainiana, 559

— monicae, 454

— terricola, 699

Stecchericum subgen. Steccoporus, 995

— subgen. Wrightoporia, 995

— dimidiatum, 995

— gyroporum, 995

— iobaphum, 995

— isabellinum, 995

— ochraceocroceum, 995

— — var. hydnoideis, 995

— ramosum, 995

— solomonense, 995

— trametoides, 995

— trimiticum, 995

Steccherinum adustum, 503

— alaskense, 26

— albo-fibrillosum, 846

— bourdotii, 846

— cirrhatum, 454

— cremeoalbum, 366

— galeritum var. consolidatum, 699

— — var. hericioides, 699

— hydneum, 559

— lusitanicum, 139

— meridiochraceum, 846

— pseudochraceum, 846

— queletii, 846

— subochraceum, 559

— tenue, 95

— vagum, 95

STEGONSPORIOPSIS, 95

— cenangioides, 95

Stegonsporium bubakianum, 783

— ('Steganosporium')

— phragmitis, 26 ('Steganosporium')

— polycystis, 95 ('Steganosporium')

— salsolae, 699 ('Steganosporium')

— tranzschelii, 783 ('Steganosporium')

Stegopeziza dumeti, 95

— quercea, 95

Steinera polymorpha, 266

— radiata, 266

— — subsp. aucklandica, 266

— sorediata, 266

STELLOMYCES, 699

— suidafricanus, 699

STELLOSPORA, 366

— appendiculellae, 366

STEMONARIA, 407, 454

— fuscoides, 454

— gracilis, 454

— irregularis, 407, 454

— laxa, 454

— longa, 407, 454

— minuta, 700

— nannengae, 407, 455

— pilosa, 455

— reticulospora, 455

— rufipes, 455

Stemonitis aequalis var. microspora, 314

— emotoi, 455

— graciliformis, 455

— laxifila, 995

— rhizoideipes, 455

Stemonitopsis curiosa, 314

— hyperopta var. landewaldii, 407

— irregularis, 95

— suksdorfii, 95

— typhina var. similis, 700

— typhoides, 95

Stemphylium alabamensis, 139

Stemphylium alfalfae, 615

— drummondii, 314

— gracilariae, 995

— herbarum, 615

Stenella aeglicola, 214

— africana, 214

— agavicola, 995 ('agaveicola')

— alyxiae, 995

— anomoconis, 314

— australiensis, 907

— bougainvilleae, 214

— canavaliae-roseae, 366

— canthii, 214

— capparidicola, 214

— capparidis, 95

— caryotae, 26

— cassiae, 26, 95

— cedrelae, 214

— citri-grisea, 366

— coffeae, 214

— constricta, 214

— cubensis, 503

— cynanchi, 214

— davillae, 615

— dianellae, 1078

— dioscoreicola, 214

— doliiformis, 314 ('doliiformia')

— elaeodendri, 95

— embeliae, 139, 995

— ficina, 176

— gahniae, 214

— garugae, 214

— gorakhpurensis, 314

— gynoxidicola, 214

— kydiae, 783

— moghaniae, 783

— myxa, 214

— novae-zelandiae, 455

— oroxylicola, 214

— palmicola, 455

— rhododendri, 700

— scleriae, 214

— smilacis, 26

— stephaniae, 214

— taiwanensis, 700

— triseptata, 314

— uniformis, 214

— variabilis, 314

— vermiculata, 215

— xeromphigena, 215

STENELLOPSIS, 26

[STENELLOPSIS]

- magnoliae, 26
- Stenocarpella maydis*, 26
- STENOCLADIELLA**, 783
- neglecta, 784
- Stenocybe bartlettii*, 700
- Stephanascus farinosus*, 455
- flocculosus, 846
- rugulosus, 846
- STEPHANOCYCLOS**, 314
- henssenianus, 314
- Stephanopus coerulea*, 176
- trachyphyloeus, 616
- vilchensis, 907
- Stephanospora flava*, 455
- STEPHEMBRUNERIA**, 996
- elegans, 996
- Stereocaulon* ser. *Alpina*, 784
- ser. *Paschalia*, 784
- ser. *Tomentosa*, 784
- alishanum, 784
- azulense, 616 ('azulensis')
- canescens, 100
- crustatum, 616
- flabellatum, 407
- globisorum, 559
- leucophaeopsis, 503
- saxatile var. *evolutoides*, 266
- — var. *serpens*, 266
- tornense, 503 ('tornensis')
- vesuvianum var. *obscuresorediatum*, 616
- Stereopsis humphreyi*, 366
- Stereosphaeria perfidiosa*, 559
- Stereum antarcticum*, 907
- armeniacum, 996
- magellanicum, 700
- pseudorimosum, 996
- Sterigmatomyces fuzhouensis*, 215
- tursiopsis, 407
- wingfieldii, 784
- STERIGMATOSPORIDIUM**, 215
- polymorphum, 215
- STHUGHESIA**, 700
- juniperi, 700
- Stichoclavaria afflata*, 907
- mucida, 907
- vernalis, 907
- Sticta babingtonii*, 314
- caliginosa, 314
- martinii, 314
- praetextata, 266
- squamata, 314
- sublimbata, 314
- Stictis asteliae*, 314
- clavata, 314
- collospermi, 314
- cordylines, 314 ('cordylinae')
- dealbata, 314
- inconstans, 314*
- laciniata, 314
- lanuginicincta, 784
- lata, 314
- paucula, 315
- ramuligera var. *minor*, 315
- stellata subsp. *intermedia*, 366
- subiculata, 315
- tortilis, 315

- trinervia, 315
- STIGMATEACITES**, 616
- polymorphus, 616
- simplex, 616
- Stigmatolemma hyalinum*, 996
- porioides, 996 ('poroides')
- Stigmatomyces asteiae*, 61, 176
- athyroglossae, 61
- autriquei, 215
- axystae, 315
- bottnicus, 315
- chthonicus, 315
- dictaetae, 315
- geomyzae, 61
- hackmanii, 315
- inconstans, 907
- ligabuei, 907
- macalpinei, 700
- manicatae, 315
- mantis, 315
- matilei, 559
- rampinii, 907
- setacerae, 315
- subterraneus, 315
- tethidis, 907
- Stigmidium atryneae*, 215
- conspurcans, 1078
- frigidum, 1078
- fuscatae, 907
- glebarum, 700
- hageniae, 907
- icmadophilae, 407
- joergensenii, 996
- psorae, 407
- solorinarium, 266 ('solorinaria')
- tabacinae, 1078
- Stigmina asperulata*, 366
- bahraichiae, 907
- bauhinae, 908, 996
- earlei, 315
- eucalypticola, 908
- hansfordii, 908
- inconspicua, 908
- longispora var. *stilboidea*, 908
- proteae, 908
- theae, 315
- tubakii, 61
- zilleri, 700
- Stigmochora chloroxyli*, 559 ('Stigmodhora')
- variegata, 784
- STILBECHRYSOMYXA**, 407
- himalensis, 407 ('himalense')
- stilbae, 407
- succinea, 407
- Stilbella aciculosa*, 503
- albocitrina, 503
- albominuta, 503
- aleuriata, 503
- annulata, 503
- aterrima, 503
- bambusae, 503
- buquetii, 139
- — var. *formicarum*, 139
- burmensis, 139
- byssisedum, 503 ('byssiseda')
- candidula, 503
- clavispora, 503

- clavulata, 503
- dolichoderinarum, 139
- emericellopsis, 503
- flavipes, 503
- fusca, 503
- kervillei, 315
- minutissima, 503
- sebacea, 503
- stercicola, 503
- Stilbellula indica*, 26
- STILBITES**, 407
 - succini, 407
- Stilbodendron cervinum*, 559
- Stilbophoma iliensis*, 700
 - inaequalis, 26
- Stilbospora meridionalis*, 1078
- STILBOTULASNELLA**, 215
 - conidiophora, 215
- Stilbum clavulatum*, 503
 - succini, 407
- STIPITOAETE**, 503
 - damicornis, 503
 - reniformis, 503
- Stirtonia alboverruca*, 908
 - macrocarpa, 908
 - ramosa, 908
 - santessonii, 908
- Stomatogene lycopodii*, 996
- Stomiopeltis strobilicola*, 407
- Strangospora deplanata*, 503, 559, 908
- Strattonia dissimilis*, 503
 - mesopotamica, 315
- STRIADIPORITES**, 175
 - boletelloides, 315 ('Stradioporites')
 - reticulatus, 176
 - taiwanensis, 176
- STRIADYADOSPORITES**, 96
 - constrictus, 96
 - elongatus, 96
- STRIATASCLEROTES**, 315
 - cicatricosus, 315
- STRICKERIA**, 784
 - amelanchieris, 784 ('Strickera')
 - ampullacea, 784
 - amygdaloides, 784
 - anceps, 784
 - antarctica, 784
 - arthonioides, 784 ('Strickera')
 - aspera, 700, 784, 908 ('Strickera')
 - azaleae, 784 ('Strickera')
 - bauhiniicola, 784 ('bauhinicola')
 - bovei, 784 ('Strickera')
 - brevirostris, 784
 - buxi, 784 ('Strickera')
 - catalinae, 784 ('Strickera')
 - cervariensis, 784, 908 ('Strickera')
 - chevalieri, 784
 - circumclusa, 784
 - clavispora, 784 ('Strickera')
 - commutata, 784 ('Strickera')
 - confluens, 784 ('Strickera')
 - crossata, 784 ('Strickera')
 - crotonodes, 785 ('Strickera')
 - decaisnella, 785 ('Strickera')
 - deflectens, 785
 - disseminata, 785 ('Strickera')
 - dura, 785
 - emili, 785 ('Strickera')
 - endophloea, 785 ('Strickera')
 - eucalypti, 785 ('Strickera')
 - florentina, 785 ('Strickera')
 - floresiana, 785
 - fuegiana, 785 ('Strickera')
 - fulgurata, 700, 785, 908 ('Strickera')
 - gelmiana, 785 ('Strickera')
 - gregaria, 785 ('Strickera')
 - helenae, 700, 785, 908 ('Strickera')
 - helichrysi, 785
 - hispida, 785
 - insecure, 785 ('Strickera')
 - interstitialis, 785 ('Strickera')
 - inverecunda, 785 ('Strickera')
 - jungermannicola, 785 ('Strickera')
 - kansensis, 785 ('Strickera')
 - kelseyi, 700
 - kochii, 785
 - longispora, 908
 - macrosperma, 785
 - macrothelis, 785
 - mamodes, 785 ('Strickera')
 - megastega, 785, 908 ('Strickera')
 - melanconiodes, 785 ('Strickera')
 - mesascium, 786
 - minima, 786 ('Strickera')
 - montana, 786 ('Strickera')
 - moriformis, 786
 - morthieri, 786 ('Strickera')
 - muricata, 786 ('Strickera')
 - mutabilis, 786
 - mycogena, 786 ('Strickera')
 - nautica, 786 ('Strickera')
 - negundinis, 700
 - nigrobrunnea, 786 ('Strickera')
 - nitida, 786 ('Strickera')
 - nitidula, 786
 - nubilosa, 786 ('Strickera')
 - nucis, 786
 - obducens, 786
 - obliqua, 786
 - obtusa, 786
 - ohioensis, 786 ('Strickera')
 - oleicola, 786
 - olenjensis, 786 ('Strickera')
 - oxystoma, 700, 786, 908
 - oxystomodes, 786 ('Strickera')
 - oxythela, 786
 - papillosa, 786 ('Strickera')
 - parasitica, 786 ('Strickera')
 - patellaris, 700, 786, 908 ('Strickera')
 - pezizoides, 786
 - phellogena, 786 ('Strickera')
 - phragmites, 786
 - pilosella, 787
 - pirei, 787, 908 ('Strickera')
 - piriopora, 787 ('Strickera')
 - planiuscula, 787 ('Strickera')
 - plantaginea, 787 ('Strickera')
 - pomiformis, 700
 - populina, 700
 - princeps, 787 ('Strickera')
 - propendula, 787
 - pruniformis, 700, 787, 908
 - pygmaea, 787 ('Strickera')
 - rabenhorstii, 787

[STRICKERIA]

- rhamnii, 787 ('Strickera')
- rhypodes, 787 ('Strickera')
- rosmarini, 787 ('Strickera')
- rostrata, 700, 787, 908 ('Strickera')
- sarmenticia, 787
- seminuda, 787
- spectabilis, 787
- subocculta, 787 ('Strickera')
- sylvana, 787
- taphrina, 787
- tenacella, 700, 787, 908 ('Strickera')
- tingens, 700, 908
- traticola, 787
- tuberculata, 787 ('Strickera')
- umbonata, 787 ('Strickera')
- upsallatensis, 700
- vaga, 787
- variabilis, 787 ('Strickera')
- vetusta, 787
- vilis, 788
- vinosa, 788 ('Strickera')
- vitalbae, 788 ('Strickera')
- wainioi, 788 ('Strickera')
- woronowiana, 908
- xerophila, 788

STRIDIPOROSPORITES, 215

- asper, 215
- bistriatus, 215
- dolium, 215
- inflexus, 215
- multistriatus, 215
- retistriatus, 215

Strigula affinis, 33, 66

- americana, 66
- glabra, 66
- jamesii, 33
- phaea, 66
- stigmatella, 33
- — var. alpestris, 33
- submuriformis, 788
- sychnogonioides, 788
- taylorii, 33
- viridiseda, 66
- wilsonii, 788

Strobilomyces alpinus, 503, 559

- dryophilus, 559
- giganteus, 503, 559
- glabellus, 503
- latirimosus, 503
- pauper, 315
- seminudus, 266
- strobilaceus var. mexicanus, 176
- — var. zapotecorum, 176
- subnudus, 503
- velutinus, 503

Strobilurus trullisatus var. montezumae, 1078**STROMATELLA, 996**

- bermudana, 996

STROMATOSTILBELLA, 96**Strongwellsea oehrensiana, 407****Stropharia coprophila, 315**

- — forma etiolata, 315
- — forma subetiolata, 315
- halophila, 908
- hornemannii, 96
- johnsoniana, 455

- pseudocyanea, 407

- — forma virginea, 616

- semiglobata var. stercoraria, 266, 455

- viloriana, 996

STROPHOLOMA, 996

- aurantiacum, 996
- rubrococcineum, 996
- squamosa, 996 ('squamosus')

Stuartella suttonii, 315**STYLASPERGILLUS, 215**

- laxus, 215

Stylopage anomala, 266

- apsheronica, 96

Stypella variabilis, 366**SUBICULARIUM, 996**

- reticulatum, 996

SUBRAMANIOMYCES, 61

- fusisaprophyticus, 140
- indicus, 61
- navicularis, 61
- ventricosus, 455 ('ventricosa')

SUBRAMANIULA, 455

- irregularis, 559

- thielavioides, 455

Subulicium minus, 366

- rallum, 140

Subulicystidium allantosporum, 908

- cochleum, 26

- perlongisporum, 908

Subulispora africana, 455

- argentina, 788
- cylindrospora, 455
- elegantissima, 455
- gracilis, 503
- longirostrata, 788
- minima, 140
- variabilis, 503

SUGIYAMAEMYCES, 996

- oroussetii, 996

Suillosporium amygdalisporum, 616**Suillus aeruginascens var. nueschii, 616**

- americanus var. reticulipes, 366
- bresadolae, 455
- furfuraceus, 96
- gloeous, 1078
- laricinus var. bresadolae, 616
- neoalbidipes, 366
- salmonicolor, 266
- thibetanus, 61
- variegatus forma rubescens, 996
- viscidus var. bresadolae, 908

Sulcaria isidiifera, 616**SULCISPORA, 996**

- pleurospora, 996

Suttoniella ixorae, 61**SUTTONINA, 366**

- guatemaltica, 366

Svrcekomyces pallidus, 96**SWAMPOMYCES, 700**

- armeniacus, 701

Sydowia semenospora, 909**Sydowiella dryadis var. macrospora, 1078**

- juncina, 366

SYMBIOTAPHRINA, 26

- buchneri, 26
- kochii, 26, 61

Symphyosirinia chaerophylli, 1078

- heraclei, 215
- Symphytocarpus syncarpus*, 788
- Symplectromyces lapponicus*, 315
- rarus, 315
- Sympodiella foliicola*, 559
- roystoneae, 559
- SYMPODIOCLADIUM**, 175
- frondosum, 176
- Sympodiophora polyporicola*, 96
- viridigrisea, 846
- Synalissa mattogrossensis*, 66
- Syncarpella congesta*, 996
- heliopsidis, 996
- occidentalis, 996
- sulcata, 996
- tetonensis, 996
- Syncephalastrum alma-ataense*, 315
- monosporum, 909
- — var. cristatum, 909
- — var. pluriproliferum, 909
- Syncephalis heteriformis*, 701
- hypogena, 504
- leadbeateri, 266
- naumovii, 1078
- SYNCHRONOBLASTIA**, 846
- crypta, 846
- Synchytrium asteracanthae*, 846
- smithiae, 266
- tephrosiae, 846
- urginiae, 266 ('urginiae')
- SYNNEMATOMYCES**, 139
- capitatus, 140 ('capitata')
- SYNNEMELLISIA**, 909
- hyalospora, 909
- SYSPASTOSPORA**, 175
- boninensis, 504
- parasitica, 176
- Syzygospora effibulata*, 559
- marasmoidea, 559
- mycetophila, 559
- norvegica, 559
- pallida, 559
- solida, 559
- sorana, 1078
- subsolida, 559
- tumefaciens, 559
- SZCZAWINSKIA**, 407
- tsugae, 407
- TABANOMYCES**, 26
- milkoi, 26
- Taeniella grandis*, 455
- Taeniolella americana*, 177
- aquatilis, 504 ('aquatile')
- boppi, 366
- christiansenii, 1078
- chrysothricis, 1078
- pertusariicola, 1078
- robusta, 455
- trapeliopses, 1078
- Taeniolina deightonii*, 96
- scripta, 96
- Taeniospora descalsii*, 788
- gracilis var. enecta, 788
- nasifera, 846
- Talaromyces derxii*, 846
- gossypii, 26
- malagensis, 366
- mimosinus, 26
- ohiensis, 26
- panasenkoi, 26
- ryukyuensis, 788 ('ryukyensis')
- thermocitrinus, 455 ('thermocitrium')
- viridis, 788 ('viride')
- Tandonella oleariae*, 701
- Tapellaria corticola*, 701
- saxicola, 909
- schindleri, 701
- Tapesia brachycarpa*, 788
- flavescens, 701
- fusca var. microspora, 788
- fuscohyalina, 26
- rivularis, 701
- yallundae, 909
- Taphrina fagicola*, 266
- nepalensis, 177
- TAPHROPHILA**, 909
- cornu-capreoli, 909
- Tarichium acaricola*, 616 ('acaricolum')
- azygosporicum, 909
- distinctum, 909
- fumosonigrum, 616
- hyalinum, 909
- monokaryoticum, 909
- obtusoangulatum, 616
- pusillum, 616
- rhagonycharum, 315
- sphaericum, 616
- subglobosum, 616
- subpunctulatum, 315
- tatricum, 616
- tenuiparietatum, 616
- tenuisculpturatum, 616
- uropodinae, 455 ('uropodinis')
- verruculosum, 909
- Tarzettia cupularis*, 140
- insignis, 215
- jafneospora, 701
- velata, 140
- TAVARESIELLA**, 96
- hebrei, 96
- Tectella operculata* var. *latispora*, 701
- Teichosporella lonicerina*, 788
- Telamonina alnea*, 455
- badiovestita, 455
- bavarica, 455
- multicolor, 455
- pilatii, 455
- pulchella, 455
- pulchripes, 455
- sertipes, 455
- TELMENOCORA**, 701
- abortiva, 701
- Telimenopsis fagarae*, 62
- Teloschistes expallens*, 616
- flavicans var. *costaricensis*, 366
- pulvinaris, 909
- Tephrocye albofloccosa*, 366
- ellisii, 909
- ferruginella, 407
- putida, 504
- putidella, 504
- Tephromela aglaea*, 504
- americana, 407
- arafurensis, 1078

- [Tephromela]
 — armeniaca, 504
 — atra, 315
 — — var. calcarea, 559
 — — var. corticola, 701
 — eatonii, 407 ('eatoni')
 — grumosa, 559
 — muscicola, 909
 — pertusarioides, 559
 — testaceoatra, 504
 — tropica, 909
 — velloziae, 407
 Tephrophana baeosperma, 701
 — boudieri, 701
 — platypoda, 701
 Teratosperma litchi, 26
 — microspora, 456
 — oligocladum, 26
 Teratosphaeria dispersa, 266
 Terfezia lutescens, 701
 — pallida, 701
 — sinuosa, 701
 Termitaria longiphialidis, 177
 — macrospora, 177
 — rhombicarpa, 177
 TERMITARIOPSIS, 62
 — cavernosa, 62
 Termitomyces albiceps, 504
 — cylindricus, 504
 — longiradicatus, 266 ('longiradicata')
 — macrocarpus, 559
 — poonensis, 267
 — quilonensis, 267 ('quilonesis')
 — titanicus, 62
 TETRABRACHIUM, 701
 — elegans, 701
 Tetracladium apiense, 96
 — breve, 1078
 — furcatum, 215
 — palmatum, 1078
 TETRAGONIOMYCES, 96
 — uliginosus, 96
 Tetrandromyces arcuatus, 456
 — bottegoi, 456
 — pallescens, 456
 — terminalis, 456
 Tetraploa abortiva, 788
 — javanica, 996
 TETRAPHYGOS, 701
 — aequatorialis, 701
 — alba, 701
 — atrocyanea, 701
 — austrochilensis, 701
 — dendrophora, 701
 — diplocystis, 701
 — goniospora, 701
 — nigripes, 701
 — olivaceonigra, 701
 — peullensis, 701
 — reducta, 701
 — simulans, 701
 — stipitata, 701
 — subcinerea, 701
 — subdendrophora, 701
 Thalassoascus cystoseirae, 140
 — lessoniae, 140
 THALASSOGENA, 788
 — sphaerica, 788
 THAMNOGALLA, 26
 — crombiei, 26
 Thamnolia subuliformis forma minor, 702
 — vermicularis forma qomolangmana, 702
 Thanatephorus pennatus, 702
 THAPTOSPORA, 616
 — atrobrunnea, 616
 Thaxteriella eugeniae, 702
 — garugae, 909 ('garugii')
 — silentvalliensis, 26
 Thaxteriellopsis bambusicola, 315
 — eucalypti, 788 ('eucalyptii')
 THAXTERINA, 846
 — multispora, 846
 Thaxteriola acariphila, 788
 Thaxterogaster archeuretus, 140
 — brunneus, 407
 — cabrinii, 366
 — campbellae, 407
 — dibaphoides, 616
 — levisporus, 408
 — luteocarnosus, 366 ('luteocarnosum')
 — redactus, 408
 — squamatus, 140
 — thiersii, 909
 THAXTEROSPORIUM, 616, 701
 — turbinatum, 616, 702
 Thecaphora africana, 177
 — androsacina, 215
 — denticulata, 215
 — heliopsidis, 215
 — hennenii, 215 ('hennenea')
 — melampodii, 215
 — neomexicana, 215
 — oberwinkleri, 846
 — solani, 909
 — sphaerophysae, 996
 — viciae-amoenae, 366
 THECAPHORELLA, 846
 — antherarum, 846
 Thecotheus africanus, 702
 — himalayensis, 96
 — perplexans, 702
 — phycophilus, 140
 Thedgonia pulvinata, 996
 Thelebolus caninus, 96
 Thelenella antarctica, 177
 — fernandeziana, 788
 — fusispora, 788
 — harrisii, 788
 — hassei, 788
 — inductula, 788
 — justii, 504
 — kerguelena, 788
 — luridella, 788
 — marginata, 788
 — sampaiana, 504
 — sordidula, 788
 — weberi, 789
 Thelephora cinerea var. ficophila, 789
 — ganbajun, 617
 Theleporus ajovalliensis, 215
 Thelignya groenlandica, 1078
 — lignyota, 1078
 Thelocarpon cyaneum, 1078
 Thelotrema africanum, 33

— aggregatum, 33
 — alboannuliforme, 909
 — annuloelevatum, 909
 — armellense, 702
 — astroideum, 33
 — berkeleyanum, 846
 — brasilianum, 315 ('brasiliana')
 — clandestinum, 315 ('Thelotroma')
 — coccineum, 33
 — confertum, 909
 — dilatatum, 33
 — dissultum, 100
 — dissutum, 33
 — esslingerii, 33
 — fissuratum, 1078
 — guptei, 617
 — hawaiiense, 33
 — hypoprotocetraricum, 33
 — imperfectum, 100
 — isidioides, 33
 — kalakkadense, 909
 — kalarensis, 617
 — kamatii, 33
 — khasianum, 33
 — lepademersum, 909
 — leprieurii, 33
 — leprocarpoides, 100
 — magnificum, 33
 — mirabile, 33
 — neei, 33
 — neohians, 66
 — neomasonhalei, 702
 — nurelium, 100
 — phlyctidioides, 33
 — pidurutalagalum, 100
 — polythecium, 617
 — pseudoexanthismocarpum, 33
 — pseudoschizostomum, 33
 — pulvereodiscum, 100
 — refertum, 33
 — rockii, 33
 — scabiomarginatum, 100
 — stellatum, 33
 — subexpallescens, 702
 — subhiatum, 33
 — subkeralense, 909
 — subpatens, 100
 — turgidulum, 33
 — verrucorugosum, 909
 — verruculosum, 1078
 — waasii, 100
 Thermoascus aegyptiacus, 315
 — aurantiacus var. levisporus, 408
 — isatschenkoi, 456
 THERMOPHYMATOSPORA, 617
 — fibuligera, 617
 Therrya piceae, 26
 — pseudotsugae, 27
 — tsugae, 27
 Thielavia achromatica, 177
 — emodensis, 177
 — expansa, 177
 — submacrospora, 408
 — tortuosa, 140
 Thielaviopsis abuensis, 140
 THINDIOMYCES, 267
 — epiphyllus, 267

THIRUMALACHARIA, 96
 — curcumae, 96
 Thozetella cubensis, 617
 — effusa, 267
 — havanensis, 366
 Thraustochytrium benthicola, 27
 Thuemenidium arenarium, 177
 THUJACORTICIUM, 789
 — mirabile, 789
 Thyrea confusa, 1078
 — divergens, 560
 — otaviana, 702
 — pachyphylla, 1079
 — — var. laxa, 1079
 — rotundata, 456
 Thyridium chrysomallum, 997
 Thyrinula eucalypti, 789
 Thyronectria hyperantarctica, 62
 — odinae, 27
 Thyrostromella corni, 846 ('cornii')
 Thysanophora asymmetrica, 910
 Thysanothecium scutellatum, 315
 Tiarosporella phaseolina, 96
 TIAROSPORELLIVORA, 177
 — caricina, 177
 Tilachlidiopsis catenulata, 177
 TILAKIDIUM, 789
 — indicum, 789
 Tilletia atacamensis, 997
 — boliviensis, 504
 — boutelouae, 910
 — fusca var. bromi-tectorum, 997
 — — var. guyotiana, 997
 — georfischeri, 997
 — ixophori, 910
 — macrotuberculata, 910
 — milii, 504
 — milii-vernalis, 504
 — nanifica, 456
 — obscura-reticulata, 910
 — sabauidae, 267
 — togwateei, 846 ('togwatii')
 — trachypogonis, 910
 — tritici var. controversa, 910
 — — var. laevis, 910
 — tuberculata, 910
 TITAEELLA, 504
 — capnophila, 504
 TITAEOPSIS, 408
 — ugandae, 408
 Tolypocladium balanoides, 267
 — extinguens, 366
 — lignicola, 366
 — microsporum, 267
 — niveum, 267
 — nubicola, 267
 — parasiticum, 27
 — sinense, 617, 846 ('sinensis')
 — trigonosporum, 140
 — tundrense, 267
 Tomasellia americana, 66
 — californica, 789
 — eschweileri, 66
 — lactea, 27, 66
 — sparsella, 789
 Tomentella ellisii, 140
 — lapidum, 366

- [Tomentella]
 — stiposa, 366
TOMENTELLAGO, 789
 — aeruginascens, 789
Tomentellastrum badium, 177
Tomentellopsis bresadoliana, 140
TOMPETCHIA, 617
 — webberi, 617
TOPELIA, 408
 — aperiens, 408
 — brittonii, 789
 — californica, 408
 — heterospora, 408
 — rosea, 408
TORNABEA, 66
 — atlantica, 66
 — — var. *intricata*, 560
 — ephebea, 66
 — scutellifera, 408
TORNABENIOPSIS, 66
 — atlantica, 66
 — ephebea, 66
Torrendiella clelandii, 702
 — eucalypti, 702
 — madsenii, 702
Torrubia barnesii, 617
Torrubiella albuglobosa, 215
 — aurantia, 215
 — colombiana, 215
 — corniformis, 215
 — ellipsoidea, 215
 — farinacea, 215
 — flavoviridis, 267
 — formicarum, 997
 — formosana, 216
 — fusiformis, 177
 — globosa, 216
 — globosoides, 216
 — globosostipitata, 216
 — hirsutellae, 267
 — inegoensis, 216
 — iriomoteana, 216
 — longissima, 216
 — mammillata, 216
 — minuta, 216
 — minutissima, 216
 — miyagiana, 216
 — neofusiformis, 216
 — oblonga, 216
 — ooaniensis, 216
 — pallida, 216
 — pruinosa, 27
 — pseudogibellulae, 997
 — pulchra, 789
 — ratticaudata, 789
 — rhynchotica, 267
 — rokkiana, 216
 — rosea, 216
 — ryogamimontana, 216
 — ryukyuensis, 216
 — sphaerospora, 997
 — superficialis, 216
Torula globulifera, 408
 — heteromorpha, 408, 456
Torulomyces macrosporus, 702
Torulopsis beihaiensis, 140
 — candida var. *nitratophila*, 456
 — dattila var. *rohrbachensis*, 560
 ('rohrbachense')
 — deparaffina, 27
 — ethanolitolerans, 408
 — — var. *minor*, 408
 — methanodomerqii, 315
 — methanosorbosa, 315
 — pulcherrima forma *acolorata*, 560
 — rongensis, 140
TOXOSPORIELLA, 504
 — bactrodesmiioides, 504
Toxosporiopsis macrosperma, 1079
TRABROOKSIA, 27
 — applanata, 27
Trabutia pithecellobii, 997 ('pithecolobii')
Trachyspora keniensis, 216
Trailia coffeae, 96
Trametella gallica, 702
Trametes armeniaca, 366
 — bresadolae, 910
 — consors, 997
 — ectypus, 789
 — ellipsospora, 702
 — griseodurus, 456
 — junipericola, 366
 — manilaensis, 456
 — maxima, 456
 — multicolor, 177
 — ochracea, 789
 — pocas, 367
 — radiato-rugosus, 910
 — sinensis, 1079
 — spraguei, 62
 — subectypus, 789
 — unguliformis, 456
 — versicolor, 702
 — — forma *antarctica*, 702 ('antarcticus')
TRANSEPTAESPORITES, 316
 — allomorphous, 316
 — irregularis, 316
 — ovalis, 316
 — symmetricus, 316
 — tristratosus, 316
Tranzschelia discolor forma *specialis*
 — domesticae, 560
 — — forma *specialis dulcis*, 560
 — — forma *specialis persicae*, 560
Trapelia chiodectonoides, 789
 — corticola, 408
 — granulosa, 789
 — percrenata, 789
 — placodioides, 408
 — viridescens, 789
 — wallrothii, 789
TRAPELIOPSIS, 33
 — aeneofusca, 408
 — colensoi, 33
 — congregans, 997
 — flexuosa, 408
 — gelatinosa, 408
 — glaucolepidea, 33
 — granulosa, 316
 — hainanensis, 140
 — haumanii, 33
 — percrenata, 33
 — pseudogranulosa, 408
 — subconcolor, 140

- viridescens, 408
- wallrothii, 33
- TRAQUAIRIA**, 408
- ornata, 267 ('ornatus')
- williamsonii, 267
- Trechispora calcicola**, 316
- cohaerens, 140
- dimitica, 62
- farinacea forma elevata, 617
- kavinioides, 617
- sphaerocystis, 216
- sulphurea, 910
- variseptata, 216
- TREMATOPHORA**, 456
- radiata, 456
- Trematosphaerella bambusae**, 62
- eriobotryae, 62
- Trematosphaeria alhagi**, 702
- calligoni, 702
- cariosa, 456
- chandrapurensis, 177
- confusa, 456
- lignatilis, 504
- mammiformis, 456
- pachycarpa, 997
- salsolae, 702
- striataspora, 910
- tamaricis, 702
- vindelicorum forma aurea, 910
- — forma hyalina, 910
- wegeliniana, 910
- Tremella coppinsii**, 846
- effusa, 702
- hainanensis, 216
- lichenicola, 560
- lloydii-candida, 267
- longibasidia, 997
- mangensis, 216
- menglunensis, 408
- nipponica, 267
- penetrans, 316
- riobrancensis, 216
- samoensis, 617
- TREMELLACANTHA**, 62
- sclerodontia, 62
- TREMELLINA**, 617
- pyrenophila, 617
- Tremellodendropsis inflata**, 702
- lurida, 702
- semivestita, 702 ('semivestitum')
- Tremelloscypha gelatinosa**, 177
- TREMELLOSTEREUM**, 617
- dichroum, 617
- Tremolecia glauca**, 33
- Tretospora indica**, 560
- quaternata, 367
- TRETOVULARIA**, 367
- villiana, 367
- Treubimyces funtumiae**, 267
- pacificus, 267
- roseosporus, 267
- TRIACUTUS**, 139
- subcuticularis, 140
- Triadelphia alabamensis**, 216
- australiensis, 1079
- diversa, 997
- hungarica, 789
- romanica, 216
- stilboidea, 367
- uniseptata, 267
- Triangularia karachiensis**, 27
- matsushimae, 910
- ovina, 96
- pilifera, 910
- tanzaniensis, 1079
- tardifaciens, 96
- TRICELLAESPORONITES**, 139
- semicircularis, 140
- triangularis, 140
- Tricellula botryosa**, 177
- curvata, 1079
- taiwanensis, 702
- TRICEROMYCES**, 96
- balazucii, 96
- biformis, 617
- bullatus, 617
- hebri, 617
- hydrometrae, 617
- poissonii, 617
- Trichaptum aculeifer**, 702
- agglutinatum, 702
- — var. permixtum, 702
- basifusum, 702
- biforme var. fuscum, 702
- — var. microsporum, 703
- — var. pusillum, 703
- ceraceicutis, 703
- — var. subochraceum, 703
- durum, 703
- — var. commune, 703
- — var. latiporum, 703
- favoloides, 703
- hollii, 408
- jackiae, 703
- lacunosum, 703
- strigosum, 703
- suberosum, 703
- tawa, 703
- Tricharia aulaxinoides**, 846
- brevopilosa, 846
- cubana, 367
- cuneata, 997
- demoulinii, 367
- elegans, 367
- fumosa, 846
- hyalina, 846
- lancicarpa, 846
- longispora, 846
- novoguineensis, 367
- santessoniana, 846
- subplana, 846
- testacea, 847
- umbrosa, 847
- vezdae, 66
- Tricharina ascophanoides**, 504
- bisetosa, 62
- fibrillosa, 504
- groenlandica, 504
- hiemalis, 504
- japonica, 504
- mariae, 140
- mikolae, 408
- pallidisetosa, 62
- praecox var. cretea, 504

- var. *intermedia*, 504
- *striispora*, 504
- *velenovskyi*, 140
- Trichia brevicapillata*, 267
- *brunnea*, 140
- *fernbankensis*, 408
- *floripara*, 140
- *heteroelaterum*, 1079
- *microspora*, 1079
- *sordida*, 367
- *subretispora*, 62 ('*subretisporum*')
- Trichobolus vanbrummelenii*, 847
- Trichocladia hedysari*, 560
- *sophorae*, 96
- *swainsonae*, 96 ('*swainsoniae*')
- Trichocladium angelicum*, 1079
- *basicola*, 62
- *constrictum*, 140, 504
- *cubense*, 617 ('*cubensis*')
- *diversicoloratum*, 27
- *elegans*, 617
- *indicum*, 703
- *lignicola*, 140, 504 ('*lignicola*')
- *macrosporum*, 96
- *taiwanense*, 316
- *variosporum*, 177
- Trichoconis echinophila*, 504 ('*echinophilum*')
- *lichenicola*, 27
- Trichoderma* sect. *Saturnisporum*, 703
- *atroviride*, 367
- *citrinoviride*, 367
- *ghanense*, 703
- *inhamatum*, 367
- *virens*, 617
- Trichodiscus pinicola*, 27
- Trichodiscula ulicicola*, 27
- Trichoglossum leucosporum*, 910
- Tricholoma* subgen. *Tricholosporum*, 997
- sect. *Onychina*, 617
- sect. *Parafucata*, 617
- *albatum*, 408
- *albidum*, 408
- *alboconicum*, 316
- *argenteum*, 1079
- *arvense* var. *discolor*, 617, 789
- *atrodiscus*, 1079 ('*atrodiscum*')
- *atrosquamosum* var. *parvispora*, 910
- *baeospermum*, 703
- *basirubens*, 847
- *batschii* var. *minor*, 408
- *ceriniceps*, 267
- *cifuentesii*, 560
- *constrictum*, 316
- *cystidiosum*, 177, 560 ('*cystidiosa*')
- *dulciolens*, 910
- *elaecodes*, 703
- *fallax*, 560
- *filamentosum*, 847, 997
- *focale* var. *pseudocaligatum*, 408
- *fracticum*, 456
- *fucatum* var. *subglobisporum*, 504
- *fuegianum*, 560
- *fulvimarginatum*, 617
- *fusipes*, 789, 997
- *goniospermum* forma *tetragonosporum*, 997
- *insigne*, 1079
- *joachimii*, 505, 617
- *magnivelare*, 408
- *manzanitae*, 316
- *marquettense*, 617
- *moseri*, 997
- *myomyces*, 316
- var. *argyraceum*, 316
- var. *triste*, 316
- forma *argentatum*, 910
- *nauseosum*, 910
- *nodulosporum*, 316
- *olivaceobrunneum*, 617
- *pardinum* var. *filamentosum*, 316
- *portentosum* var. *boutevillei*, 408
- *prasinochysum*, 910
- *psammopus* forma *bisporum*, 408
- *pseudonictitans*, 367
- *pullum*, 1079
- *putidum*, 505
- *rauli*, 910
- *roseoacervum*, 367
- *saponaceum* var. *cnista*, 316
- var. *luteovirens*, 617
- var. *napipes*, 316
- var. *pseudocnista*, 409
- var. *virens*, 618
- forma *sacchariosum*, 910
- *sculpturatum* var. *nanospora*, 505
- forma *meleagroides*, 910
- *sejunctoides*, 789
- *singeri*, 62, 177, 367
- *spermaticum* forma *umbonatum*, 267
- *subaureum*, 618
- *subfusipes*, 997
- *sulfureum* var. *hemisulfureum*, 847, 1079
- *titans*, 62
- *tridentinum* var. *cedretorum*, 409
- *umbonatum*, 456
- *ustale* var. *rufo-aurantiacum*, 409
- *ustaloides* var. *aurantioides*, 618, 789
- *vinaceogriseum*, 789
- TRICHOLOMELLA, 27
- *constrictum*, 27
- *leucocephalum*, 27
- Tricholomopsis atrogrisea*, 267
- *decora* forma *longispora*, 267
- *elatipes*, 997
- *lignifracta*, 618
- *nigra*, 560
- *rutilans* var. *splendidissima*, 847
- var. *variegata*, 409, 456, 505
- *shulanensis*, 997
- *tricholomatoides*, 997
- *valdiviana*, 910 ('*valdivianus*')
- Tricholosporum atroviolaceum*, 216
- *goniospermum*, 216
- *porphyrophyllum*, 216
- *pseudosordidum*, 216
- TRICHOMARIS, 139
- *invadens*, 140
- Trichometasphaeria dianthi*, 316
- Trichomonascus rutilus*, 790
- Trichonectria albidopilosa*, 997
- *erythroxylofiliae*, 997
- *horrida*, 997
- *hyalocristata*, 910
- *oubanguiensis*, 96

- rectipila, 997
- Trichopeziza albotestacea* var. *agrostina*, 1079
- *leucophaea*, 703
- Trichopezizella heteropilosa*, 216
- *himalayensis*, 505
- *macrochaeta*, 703
- *paradoxa*, 216
- *vaasmae*, 505
- Trichophaea arctica*, 96
- *contradicta*, 27
- *cupulata*, 62
- *fuscoatra* var. *punctata*, 96
- *geoporoides*, 456
- *gregaria* forma *laevispora*, 96
- *hybrida*, 910
- *narkandensis*, 62
- *pallidibrunnea*, 1079
- *paraphysincrustedata*, 790
- *radhanagarensis*, 456
- *tumidosa*, 62
- *woolhopeia*, 1079
- Trichophyton kanei*, 703
- *mariatii*, 96 ('*mariatti*')
- *raubitschekii*, 96
- *sarkisovii*, 316
- *tonsurans* subvar. *perforans*, 316
- Trichoscyphella gallica* var. *robusta*, 409, 456
- Trichosphaerella tuberculata*, 316
- Trichosphaeria ferenotabilis*, 997
- Trichosporiella flavificans*, 456
- *multisporum*, 790
- *ornithopoda*, 140
- *paludigena*, 456
- *sporotrichoides*, 27
- Trichosporon adeninovorans*, 409
- *beemeri*, 96
- *dendriticum*, 618
- *sporotrichoides*, 140
- Trichosporonoides australiensis*, 1079 ('*australiense*')
- *nigrescens*, 140
- Trichothecium campaniforme*, 27
- *excentricum*, 141
- *microvermisporum*, 703
- Trichothyria cetrariicola*, 27
- *nigro-annulata* var. *papillosa*, 910
- *tracyi*, 618
- Trichurus dendrocephalus*, 456
- TRICLADIELLA**, 409
- *pluvialis*, 409
- TRICLADIOMYCES**, 505
- *geniculatus*, 847
- *malaysianus*, 505 ('*malaysianum*')
- TRICLADIOPSIS**, 177
- *flagelliformis*, 177
- *foliosa*, 177
- TRICLADIOSPORA**, 790
- *brunnea*, 790
- *longissima*, 790
- *stricta*, 790
- Tricladium aciculum*, 456
- *angustum*, 618
- *biappendiculatum*, 790
- *curvisporum*, 216
- *fallax*, 367
- *fuscum*, 456
- *procerum*, 847
- *robustum*, 367
- Tridentaria fertilis*, 997
- TRIFURCOSPORA**, 790
- *irregularis*, 790 ('*Trifurcospra*')
- Triglyphium alabamense*, 141
- Trimmatostroma agarwalii*, 790
- *bifarium*, 267
- *platense*, 97
- *saksenae*, 316 ('*saksenii*')
- *undulatum*, 560
- TRIMORPHOMYCES**, 409
- *papilionaceus*, 409
- Trinacrium parvisporum*, 703
- *robustum*, 998
- TRIPARTICALCAR**, 62
- *arcticum*, 62
- Triphragmiopsis laricina*, 62 ('*laricinum*')
- Triphragmium vassilievae*, 62
- Triplosporium lecanii*, 409
- TRIPORICELLAESPORITES**, 216
- *elongatus*, 217
- *multicellulus*, 217
- *triangulus*, 217
- TRIPORISPORONITES**, 141
- *ovalis*, 141
- Tripospermum chiayiense*, 316
- *infalcatum*, 409 ('*inflacatum*')
- *variabile*, 27
- Triramulispora deficiens*, 316
- Triscelophorus konajensis*, 790
- *ponapensis*, 141
- TRISCELOSPORIUM**, 703
- *verrucosum*, 703
- Trochila ilicina*, 618, 998
- Trochophora fasciculata*, 618 ('*fasciculatum*')
- TROGLOBIOMYCES**, 27
- *guignardii*, 27
- Tromera aurellae*, 66
- TROMEROPSIS**, 97
- *microtheca*, 97
- Truncatella excelsa*, 1079
- *pestalozzoides*, 1079
- *pitospora*, 267
- *vitalbae*, 1079
- *wangikarii*, 27, 97
- Truncospora ochroleuca* var. *brevispora*, 998
- Tryblidaria fenestrata*, 618
- *sarcostemmatidis*, 217 ('*sarcostemmae*')
- Tryblidiopsis arendholzii*, 367
- Trypethelium buckii*, 560
- *floridanum*, 560
- *neogalbinaeum*, 560
- *nitidiusculum*, 560
- *thelotremoides*, 560
- *tuberculosum*, 560
- *violascens*, 560
- TRYSSGLOBULUS**, 618
- *aspergilloides*, 618
- Tubaria* sect. *Palidosporae*, 618
- *hookeri*, 618
- *ovoidospora*, 409
- *pentstemonis* var. *phragmocystidiosa*, 316 ('*phragmocystidiosa*')
- *praestans*, 703, 910
- *romagnesiana*, 267
- *rufo-fulva*, 316

- Tuber blotii*, 618
 — — var. *uncinatum*, 618
 — *himalayense*, 910
 — *regianum*, 703
 — *taiyuanense*, 505
Tubercularia aurantiaca, 505
 — *australiensis*, 505
 — *berolinensis*, 998
 — *grayana*, 505
 — *harpostipitata*, 505
 — *hoheriae*, 998
 — *lateritia*, 505
 — *mori*, 790
 — *paeonicola*, 1079 ('*paeonicola*')
 — *smaragdina*, 505
Tubeufia aciculospora, 27
 — *albo-ostiolata*, 703
 — *alpina*, 1079
 — *clintonii*, 62
 — *ovatum*, 703
 — *pezizula*, 62
 — *roraimensis*, 560
 — *scopula*, 62
 — *vermicularispora*, 367
 — *yasudae*, 367
Tubifera dictyoderma, 456
 — *dimorphotheca*, 141
Tubosaeta alveolata, 847
 — *brunneosetosa* var. *retipes*, 847
 — *heterosetosa*, 847
Tubulicium capitatum, 267
 — *vermiculare*, 618
 — *vermiferum* subsp. *raphidosporum*, 618
Tubulicrinis cinctoides, 97
 — *confusus*, 560
 — *evenii*, 560
 — *flabelliradiatus*, 560 ('*flabelliradiata*')
 — *gloeocystidiatus*, 618
 — *ovalisporus*, 97
 — *pseudoborealis*, 847
 — *strangulatus*, 560
 — *subfusiformis*, 456
Tuburcinia atragenes, 505
 — *calamagrostis*, 505
 — *rigida*, 505
 — *roivainenii*, 505
 — *subnuda*, 505
 — *tessellata*, 505
Tuckermannopsis americana, 790
 — *aurescens*, 790
 — *canadensis*, 790
 — *chlorophylla*, 790
 — *fendleri*, 790
 — *gilva*, 141
 — *halei*, 141
 — *juniperina*, 790
 — *merrillii*, 790
 — *microphyllica*, 141
 — *oakesiana*, 790
 — *orbata*, 141
 — *pallidula*, 790
 — *pinastri*, 790
 — *platyphylla*, 790
 — *platyphylloides*, 141
 — *saepincola*, 790 ('*sepincola*')
 — *ulophylloides*, 141
 — *viridis*, 790
Tulasnella bourdotii, 217
 — *cremea*, 217
 — *danica*, 790
 — *intrusa*, 1079
 — *irregularis*, 62
 — *subglobospora*, 316
Tulostoma subgen. *Lacerostoma*, 910
 — sect. *Dubiostoma*, 911
 — sect. *Exasperata*, 911
 — sect. *Granulosae*, 911
 — sect. *Hyphales*, 911
 — sect. *Lacerata*, 911
 — sect. *Meristostoma*, 911
 — sect. *Rickiana*, 911
 — ser. *Fimbriata*, 911
 — ser. *Tubulares*, 911
 — *brumale* var. *longipes*, 911
 — — var. *pallidum*, 911
 — *clathrosporum*, 703
 — *costatum*, 27
 — *delbustoi*, 911
 — *dennisii*, 911
 — *exasperatosporum*, 267
 — *exasperatum* var. *ridleyi*, 911
 — *fimbriatum* var. *campestre*, 27
 — — var. *egranulosum*, 911
 — — var. *heterosporum*, 911
 — — var. *punctatum*, 911
 — — var. *tuberculatum*, 911
 — — forma *fibrillosum*, 911
 — *giganteum*, 911
 — *gracilipes*, 911
 — *innermongolicum*, 97
 — *nanum*, 911
 — *portoricense*, 911 ('*portorricense*')
 — *reticulatum*, 27
 — *sinense*, 911
 — *thiersii*, 703
 — *utahense*, 911
 — *variisporum*, 560
 — *volvulatum* var. *obesum*, 911
 — *yulinense*, 505
TUMULARIA, 790
 — *aquatica*, 790
 — *tuberculata*, 790
Turgidosculum complicatulum, 27
Tylophoron crassiusculum, 217
 — *gibsonii*, 703
Tylopilus sect. *Africanus*, 618
 — sect. *Arenarii*, 703
 — sect. *Novaezelandianus*, 618
 — subsect. *Umbrosi*, 618
 — *acutesquamosus*, 316
 — *albofarinaceus*, 62
 — *areolatus*, 316
 — *argillaceus*, 505
 — *atrobrunneus*, 27
 — *brunneus*, 27
 — *castaneiceps*, 505
 — *fumosipes* var. *glabripes*, 27
 — *funerarius*, 97
 — *griseocarpus*, 998
 — *guanacastensis*, 316
 — *hondurensis*, 316
 — *indecisus* var. *subpunctipes*, 177
 — *montanus*, 998
 — *nebulosus*, 27

- *neofelleus* forma *olivaceus*, 560
- *nicaraguensis*, 317
- *niger*, 27
- *obscurus*, 911
- *pachycephalus*, 317
- *pacificus*, 27
- *porphyrosporus* var. *olivaceobrunneus*, 27
- — var. *sordidus*, 27
- *potamogeton* var. *aquarius*, 317
- — var. *mitis*, 998
- *punctatofumosus*, 62
- *roseolus*, 62
- *sanctaerosae*, 317
- *sinicus*, 62
- *snellii*, 267
- *velatus*, 62
- *virens*, 62

TYLOTHALLIA, 141

- *biformigera*, 141
- *pahiensis*, 317
- Tympanopsis punicae*, 267
- Typhula hyalina*, 409
- *luttrellii*, 62
- *mycophaga*, 217
- *pteridicola*, 62
- *pungens*, 62
- *subhyalina*, 409, 505
- *thindii*, 62
- Typhulochaeta alangii*, 27
- *couchii*, 367

Tyromyces affixus, 998

- *albovinaceus*, 998
- — var. *intentior*, 998
- *amygdalinus*, 457
- *amyloideus*, 998
- *armeniacus*, 268
- *atroalbus*, 847
- *aurantilaetus*, 998
- *bambusicola*, 998
- *brunneimontanus*, 998
- *caesioflavus*, 217, 367
- *campylus*, 367
- *canadensis*, 367
- *cinnamomeiporus*, 998
- *coeruleivirens*, 998
- *corniculatus*, 998
- *corticicola*, 998
- *cretaceitextus*, 998
- *dacrydii*, 998
- *descendens*, 998
- *dianthicolor*, 998
- — var. *omninoinctus*, 998
- *diffuens*, 998
- *dissectus*, 97
- *eberhardtii*, 367
- *fagraeae*, 998
- *favulus*, 998
- *fissiliformis*, 847
- *floccosus*, 62 ('*floccosa*')
- *galactinus*, 790
- *hispidulinanus*, 998
- *hyalinus*, 62
- *hypocitrinus*, 367
- *hypolateritius*, 62
- *imbricatus*, 268
- *inodermatus*, 998
- *interponens*, 998

- *irpiceus*, 998
- *lacteus* var. *stramineus*, 998
- *languidus*, 998
- *levis*, 998
- *lineatus*, 367
- *malayanus*, 998
- *marianii*, 911
- *mediocris*, 998
- *miniatus*, 457
- *miser*, 998
- *mollicaseus*, 998
- *montanus*, 999
- *multipapillatus*, 999
- *negligendus*, 999
- *nemorosus*, 999
- *ochraceivinosus*, 999
- *oncospermatis*, 999
- *ostreiformis* var. *latiporus*, 999
- — var. *microsporus*, 999
- — var. *pertrimiticus*, 999
- *permacilentus*, 999
- *perpusillus*, 999
- *perskeletalis*, 999
- *praeguttulatus*, 457
- *pulviniformis*, 999
- *pusillicaesius*, 999
- *raduloides*, 62
- *rhodomelon*, 999
- *roseipileus*, 999
- *rubrifuscescens*, 999
- *rufipendens*, 999
- *rufipileatus*, 999
- *rufipusillus*, 999
- *scorteus*, 999
- *semisupinus* var. *cystidiatus*, 999
- *setiger*, 457
- *singeri*, 703
- *singularis*, 999
- *squamulosus*, 911
- *stenomitis*, 999
- *subcaesius* forma *minor*, 367
- *subcartilagineus*, 409
- *subfragilis*, 999
- *subfribrillosus*, 999
- *subgiganteus*, 367
- *sublamellatus*, 999
- *subradiatus*, 999
- *subroseiporus*, 999
- *subrubescentis*, 999
- *subtrimiticus*, 999
- — var. *aurantitingens*, 999
- *sulfureiceps*, 999
- *tephrus*, 367
- *tibeticus*, 268
- *tristaniae*, 999
- *unicolor*, 999
- *venatus*, 409
- *wakefieldiae*, 911
- *xanthochrous*, 999
- *xuchilensis*, 457
- Ugola praticola*, 367
- Ulocladium cucurbitae*, 177
- *manihoticola*, 141 ('*manihoticolum*')
 - ULOCORYPHUS, 177
 - *mastigophorus*, 177
- Umbelopsis fusiformis*, 560
- *nana*, 268

[Umbelopsis]

- ovata, 560
- roseonana, 268
- swartii, 618
- vinacea, 268
- westeae, 618

Umbilicaria subgen. Omphalodiscus, 911

- africana, 560
- crustulosa subsp. punctata, 33
- dendrophora, 1079
- freyi, 999
- hirsuta subsp. papyria, 33
- — var. vuoxaënsis, 317
- jingralensis, 177
- pseudocinerascens, 911
- rufidula, 703
- soralifera, 560
- umbilicarioides, 560
- virginis var. lecanocarpoides, 911

Uncigera polysperma, 317

Uncinia pallidopilosa, 141

UNCINIELLA, 561

Uncinocarpus uncinatus, 505

Uncinula adunca var. regularis, 217

- — var. salicisgracilistylae, 217 ('salicisgracilistylae')
- afrormosiae, 217
- alangii, 317
- aleuritis, 703
- aspera var. sparsichaeta, 999
- buckleyae, 505
- delavayi var. nodulsa, 62
- embeliae, 1079
- euscaphidis, 791
- evodiae, 141
- heringeriana, 703
- himalayensis, 704
- hydrangeae, 409, 505
- idesiae, 791
- kusanoi var. aphananthes, 217
- — var. zelkowae, 217
- kydiae-calcinae, 1079
- ljubarskii var. aduncoides, 505
- longispora var. minor, 141
- maackiae, 141
- matsunamiana, 506
- necator var. ampelopsidis, 268
- oleosa var. zhengii, 268
- populi, 457
- tenuitunicata, 141
- togashiana, 217
- — var. rigida, 457
- udaipurensis var. praeterita, 704
- variabilis, 141
- viburni, 506
- wuyiensis, 457

Uncinuliella australiana, 217

- flexuosa, 141
- liquidambaris, 506
- pistaciae, 791
- simulans var. tandae, 457

Uncinulites artuziae, 999

Underwoodia fuegiana var. cabrinii, 368

Unguicularia aconiti, 847

- equiseti, 506
- hamatopilosa, 618
- iridis, 847

— longipilosa, 27

— pygmaea, 506

— verna, 1079

Unguiculariopsis acerina, 847

- adirondacensis, 847
- australiensis, 847
- cribriformis, 1079
- dimorpha, 847
- godroniicola, 847
- hamatopilosa, 847
- ilicincola var. australiensis, 704
- lettaui, 1079
- livida, 847
- parasitica, 847
- ravenelii, 704
- — subsp. hamata, 847
- refractiva, 1080
- rehmii, 847
- robergei, 847
- — subsp. coelomyceticola, 847
- thallophila, 847

Unguicullella subgen. Hyalacrotis, 791

- fagina, 141
- foliicola, 999
- jamaicensis, 999

Urceolella amphipila, 704

- appressipila, 618
- conspicua, 704
- equiseti, 704
- hamulata, 28
- pani, 847

UREDINOPHILA, 704

- erinacea, 704
- tropicalis, 704

Uredo agrostidis-myrianthae, 1080

- beringiana, 506
- calamagrostidis-emodensis, 1080
- caricis-confertae, 368
- cassiae, 704
- collinae, 847
- cyrtococci, 63
- dalbergiae-latifoliae, 618
- deformis, 791
- desmondii-ramosissimi, 506
- digitariae-violascentis, 63 ('digitariae-violascens')
- elymandrae, 847
- eragrostidiphila, 847
- eragrostidis-capensis, 847
- euphorbiae, 561
- festucae-parviglumae, 63
- formosana, 63
- fuirenac-strictae, 368
- holboelliiicola, 618
- hypoëstis-verticillaris, 618
- iridis-ruthenicae, 317
- isoglossae, 618
- juelii, 317
- kabaleensis, 317
- kabanyoloensis, 368
- leersiae, 847
- leucadicola, 618
- mannanurensis, 704
- marisci, 177
- microstegii, 63
- miscanthi-floriduli, 63
- montis-elgonensis, 368

- morvernensis, 317
- newtoniae, 848
- ochnae, 704
- oplismeni-undulatifolii, 63
- pertyae, 141
- piptanthus, 177
- polygoni-runcinati, 618
- prodigiosa, 317
- pseudocystopteridis, 28
- pterygospora, 618
- rhododendri, 28 ('rhododendronis')
- spinulosa, 217
- sporoboli-pyramidalidis, 317
- synuri, 63
- thuemenii, 368 ('theumenii')
- trichopterygis-dregeanae, 848
- vulcani, 911
- xanthostemonis, 317
- zilleri, 368 ('zillerii')
- Urnula groenlandica, 97
- Urocystis agropyri-campestris, 561
- agropyri-juncei, 561
- behboudii, 457
- ceratocephali, 911
- corsica, 177
- helvetica, 911
- herteriana, 911
- hierochloae, 457
- juncophila, 368
- oblonga, 561
- phaceliae, 317
- primulae, 457
- radicola, 848
- ranunculi-aucheri, 317
- ulmariae, 457
- Uromyces africanus, 409
- albidus, 791 ('albidum')
- allii-monanthi, 457
- appendiculatus var. crassitunicatus, 1000
- ascotela, 409
- beticola, 791
- chaetobromi, 848
- clignyoides, 848
- crepidis-fraasii, 704
- didymae, 791
- dipcadi, 368
- dobremezii, 704
- eragrostidicola, 848
- eulophiae, 368
- fedtschenkoi, 791
- geranii var. kabatianus, 217
- habrochloae, 848
- himalaicus, 1000
- hyderabadensis, 791
- hydrocotylicola, 619
- hyparrheniae, 317
- hyparrheniicola, 848
- langtangensis, 704
- longipedicellaris, 619
- mongolicus, 911
- obesus, 704
- orobi-tuberosi, 506
- pentaschistidis, 848
- polygoni-aviculariae, 506
- sasaensis, 619 ('sasaënsis')
- scillarum forma specialis pancratii, 791
- sydowii, 506
- traucensis, 791
- visci, 368
- Usnea acanthella, 457
- antiqua, 561
- austro-indica, 791
- filipendula var. capillaris, 561
- fischeri, 791
- fragilescens var. mollis, 704
- ghattensis, 791
- glaucescens var. glauca, 561
- inflata var. cornuta, 561
- lecanorica, 317
- mekista, 457
- michauxii, 791
- nepalensis, 791
- nilgirica, 791
- norkettii, 791
- patagonica, 457
- perpusilla, 457
- pictoides, 791
- plicata var. decora, 561
- — var. foveata, 561
- — var. pendulina, 561
- — var. prostrata, 561
- — var. rugulosa, 561
- — var. scrobiculata, 561
- pseudocapillaris, 457
- pseudojaponica, 791
- rigida var. faginea, 561
- — var. hapalotera, 561
- — var. protea, 561
- rigidula, 457
- scabrata var. cembricola, 561
- stigmatoides, 791
- strigosa subsp. major, 791
- — subsp. rubiginea, 791
- subantarctica, 457
- subcapillaris, 457
- torrefacta subsp. subtorrida, 33
- wasmuthii forma negativa, 317
- wirthii, 457
- Ustacystis gei, 561
- Ustilago aeluropidis, 457
- anthoxanthi, 506
- arabidis-alpinae, 506
- arenariae-bryophyllae, 317
- aristidarius, 912
- beckeropsis, 28 ('beckeropsidis')
- bicolor, 1000
- bullata var. bonariensis, 1000
- calamagrostidis, 506
- cardamines, 506
- catherinae, 28
- cephalariae, 317
- chubutensis, 1000
- constantineanui, 457
- convertere-sexualis, 912
- cortaderiae var. araucana, 1000
- deccanii, 177
- fueguina, 1000
- gageae, 457
- gausсенii, 912
- hypodytes forma congoensis, 28
- — forma sporoboli, 28
- ixiolirii, 912
- ixophori, 912
- jamalaineni, 506

[Ustilago]

- kairamoi, 506
- merxmuelleana, 141
- nannfeldtii, 506
- opiziicola, 912
- perrara, 848
- phragmites, 1000 ('phagmites')
- pueblaensis, 912
- rwandensis, 368
- spadicea, 457, 561
- tragica, 457
- tragi-racemosi, 561
- triseti, 506
- tucumanensis, 1000
- turcomanica, 791, 848 ('Ustilago')
- Utharomyces epallocaulus, 28
- UYUCAMYCES, 409
- parasiticus, 409
- Valsa ambiens subsp. leucostomoides, 457
- assimilis, 619
- eucalypticola, 791
- holodiscina, 791
- iranica, 317
- macrospora, 506
- octospora, 1000
- Valsaria ficophila, 791
- petrakii, 561
- reticulata, 28
- sphaerophora, 1000
- striispora, 97
- Valsella acerina, 619
- coffeae, 97
- jasminicola, 1000
- multispora, 791
- Valseutypella khandalensis, 141
- multicollis, 561
- Vanderbylia borneensis, 704
- peninsularis, 704
- subincarnata, 704
- VANRIJA, 141
- aquatica, 141
- bogoriensis, 141
- curvata, 141
- diffuens, 141
- frigida, 141
- fujisanensis, 141
- gelida, 141
- humicola, 141
- ingensiosa, 141
- nivalis, 141
- philyla, 141
- scottii, 141
- VANTERPOOLIA, 178
- tsugae, 178
- Vararia alticola, 409
- ambigua, 97
- amphithallica, 97
- borealis, 217
- callichroa, 912
- cinnamomea, 409
- cremea, 97
- cremeovellanea, 178
- hauerslevii, 1080
- malaysiana, 409
- mediospora, 97
- — var. makokouensis, 97
- minidichophysa var. amygdalispora, 704

- parmastoi, 409
- perplexa, 97
- pirispora, 704
- racemosa subsp. lapponica, 561
- roseocarnea, 457
- rosulenta, 619
- rugosipora, 97
- sigmatospora, 704
- thujae, 142
- VARGAMYCES, 28
- aquaticus, 28
- Varicosporina prolifera, 704
- Varicosporium scoparium, 1000
- Vascellum cingulatum, 848
- cuzcoense, 848
- delicatum, 848
- hyalinum, 848
- pampeanum, 848
- Velomycena phaltanensis, 268
- VELOPORPHYRELLUS, 409
- pantoleucus, 409
- VELUTIPILA, 791
- poeltii, 791
- VENTROGRAPHIUM, 619
- nervicola, 619 ('nervicolum')
- Venturia antherici var. gentianae, 561
- glacialis, 792
- iridicola, 1080
- liriodendri, 792
- lycopodii, 142
- maculosa, 619
- moreletii, 619
- populi-albae, 619
- ribis, 561
- tremulae var. grandidentatae, 457
- — var. populi-albae, 457
- uliginosi, 792
- variisetosa, 792
- viennotii var. levispora, 457
- VENTURIOCISTELLA, 28
- venturioides, 28
- VERALUCIA, 217
- brasiliensis, 217
- Vermiculariopsiella immersa var. ramosa, 268
- Vermispora fusarina, 1000
- obclavata, 561
- VERMISPORIUM, 317
- acutum, 317
- biseptatum, 317
- brevicentrum, 317
- obtusum, 317
- orbiculare, 317
- walkeri, 317
- Veronaea coprophila, 97
- elliptica, 63
- gorakhpurensis, 142
- oblongispora, 178
- smilacis, 142
- tectonae, 142
- Verpa formosana, 317
- VERRUCALVUS, 458
- flavofaciens, 458
- Verrucaria aranensis, 792
- aspiciliicola, 368
- cinereorufa var. clauzadei, 561
- conductrix, 1000
- cribbii, 912

— *hladuniana*, 912
 — *hochstetteri* var. *arnoldii*, 561
 — — var. *mastoidea*, 561
 — — var. *obtecta*, 561
 — — var. *rosiformis*, 561 ('*rosaeformis*')
 — *ionaspicarpa*, 562 ('*ionaspicarpum*')
 — *knowlesiae*, 792
 — *lecideoides* var. *fraudulosa*, 562
 — *limborioides*, 562
 — *poeltiana*, 409
 — *simplex*, 848
 — *submacrostoma*, 178
 — *tristis* forma *albida*, 178
 — *zamenhofiana*, 562
Verrucariomyces *griseorubentis*, 100
 — *mortarii*, 100
 — *nigrescentis*, 100
Verrucispora *brideliae*, 619
 — *smilacis*, 217
Verrucospora *flavofusca*, 178
VERSIOMYCES, 1000
 — *cahuchucosus*, 1000
Verticicladiella *alacris*, 28
 — *truncata*, 268
 — *wagneri* var. *ponderosa*, 562
Verticillium *antillanum*, 792
 — *balanoides*, 178
 — *biguttatum*, 178
 — *chlamydosporium* var. *catenulatum*, 848
 — *coccosporum*, 848
 — *coronatum*, 1000
 — *deflectans*, 506
 — *fungicola* var. *aleophilum*, 178
 — — var. *flavidum*, 178
 — *gonioides*, 506, 848
 — *kubanicum*, 619
 — *obovatum*, 506
 — *piscis*, 142
 — *saksenae*, 97 ('*saksenii*')
 — *sphaerosporum* var. *bispora*, 97
 — *suchlasporium*, 848
 — — var. *catenatum*, 848
 — *villosum*, 506 ('*villosus*')
VESICULARIA, 142
 — *marina*, 142
Vesiculomyces *chelidonium*, 409
 ('*chelidonium*')
 — *epitheloides*, 268
 — *humilis*, 409
 — *lactescens*, 410
 — *leucoxanthus*, 410
 — *luridus*, 410
 — *radiosus*, 912
 — *sulcatus*, 410
 — *wakullus*, 506
Vestergrenia *ixorae*, 912
 — *pandani*, 410
Vezeada *acicularis*, 619
 — *obscura*, 142
Vialaea *bambusae*, 792 ('*Vialaca*')
Vibrissea *albofusca*, 317
 — *leucocephala*, 63
Viegasia *costaricensis* var. *effusa*, 704
VIENNOTIDIA, 178 ('*Viennotidea*')
 — *fimicola*, 178 ('*Viennotidea*')
 — *humicola*, 178 ('*Viennotidea*')
 — *raphani*, 178 ('*Viennotidea*')

— *spermosphaerici*, 178
Virgariella *caribensis*, 562
 — *ovoidea*, 142
Vizella *amazonica*, 704
 — *xanthorrhoeae*, 506
VLADRACULA, 562
 — *annuliformis*, 562
Volutella *pini-caribaeae*, 97
 — *salmonis*, 562
Volvariella subgen. *Macrospora*, 912
 — sect. *Majores*, 912
 — *apalotricha*, 562
 — *arenaria*, 1000
 — *brumalis*, 792
 — *delicatula*, 317
 — *glandiformis*, 562
 — *gloiocephala*, 562, 912, 1000
 — *macrospora*, 1000
 — *murinella*, 848, 1000
 — — forma *brevispora*, 619
 — *psammophila*, 1000
 — *pusilla* var. *taylori*, 619
 — *rondoniensis*, 1000
 — *speciosa* forma *gloiocephala*, 848
 — *subxerophytica*, 1000
 — *woodrowiana*, 317
VOLVOAMANITA, 506
 — *austro-olivacea*, 368
 — *caesarea*, 506
Vonarxia *vagans*, 562
Vouauxiella *pithospora*, 28
Vouauxiomyces *ramalinae*, 97
 — *santessonii*, 97
Vuilleminia *coryli*, 1001
 — *macrospora*, 792
WAKEFIELDIOMYCES, 97
 — *peltatus*, 97 ('*peltata*')
WALTOMYCES, 562
 — *lipofer*, 562
WALZIA, 458
 — *racemosa*, 458
Warcupia *terrestris* var. *minuta*, 619
Wardomycopsis *humicola*, 410
WARKALLISPORONITES, 410
 — *denticulatus*, 410
WAWEA, 410
 — *fruticulosa*, 410
Wawelia *octospora*, 268
WEDDELLOMYCES, 619
 — *epicallopismus*, 619 ('*epicallopismum*')
 — *geographicola*, 1080
 — *macrospora*, 1080
 — *periphericus*, 1080 ('*peripherica*')
 — *tartaricola*, 1080
WEHMEYERA, 1001
 — *acerina*, 1001
Wentiomycetes *alpivagus*, 1080
 — *inconspicuus*, 63
 — *lichenicola*, 28
 — *molarifer*, 912
 — *peltigericola*, 28
Werneromyces *rabatensis*, 97
WESTEA, 912
 — *banksiae*, 912
Westerdykella *cylindrispora*, 97
Wettsteinina *arctica*, 619
 — *barriae*, 619 ('*barrae*')

[Wettsteinina]

- bupleuri, 619
- candida, 619
- douglasii, 619
- duplex, 619
- junci, 619
- kashmirensis, 619
- kobresiae, 619
- lacustris, 1001
- luzulae, 619
- magnifica, 619
- marina, 1001
- oreophila, 619
- phyllodiorum, 410
- polygonorum, 28
- salicicola, 1080
- savilei, 619
- triseptata, 458
- victorialis, 620
- waltraudiae, 912 ('waltraudae')
- WEUFIA, 458
- tewoldei, 458
- WIELANDOMYCES, 912
- robustus, 912
- Wiesneriomyces conjunctosporus, 848
- laurinus, 368
- WILCOXINA, 507
- alaskana, 507
- mikolae, 507
- — var. tetraspora, 507
- rehmii, 507
- sequoia, 912
- Williopsis beijerinckii, 318
- mrakii, 318
- pratensis, 28
- sargentensis, 912
- suaveolens, 562
- Winterella albofusca, 704
- alnicola, 704
- aurantiaca, 704
- — subsp. valsooides, 704
- confusa, 704
- hypodermia, 1001
- wehmeyeriana, 704
- Winteria lichenoides forma subalpina, 912
- WOESSIA, 620
- fusarioides, 620
- WOLFIPORIA, 368
- cartilaginea, 620
- cocos, 368
- dilatohypha, 368
- extensa, 410
- sulphurea, 410
- Woronina leptolegniae, 178
- raii, 1080
- Wrightoporia brunneo-ochracea, 458
- cinnamomea, 178
- cremea, 704
- cylindrospora, 178
- dimidiata, 620
- flava, 620
- gillesii, 620
- iobapha, 368 ('iobaphus')
- ochrocrocea, 620
- perplexa, 1080
- pouzarrii, 620
- ramosa, 620

- subadusta, 792
- subrutilans, 178
- tropicalis, 63
- Wuestneia sect. Sordida, 1001
- acericola, 1001
- beltsவில்ensis, 1001
- compta, 1001
- farinosa, 1001
- fusca, 1001
- guajavae, 1001
- hypodermia, 912
- paucispora, 1001
- punctistoma, 1001
- tetraspora, 1001
- xanthostroma, 1001
- — var. dearnessii, 1001
- Wynnea macrospora, 792
- sinensis, 792
- Xanasmatella albida, 792
- Xanthochrous capucinus, 458
- fruticum, 458
- gilvicolor, 458
- nilgheriensis, 458
- Xanthoconium affine var. reticulatum, 792
- chattoogaense, 792 ('chattoogaensis')
- montaltoense, 792 ('montaltoensis')
- montanum, 792
- XANTHOMACULINA, 507
- convoluta, 507
- frondosa, 507
- hottentotta, 507
- Xanthoparmelia acrita, 620
- adlerae, 705 ('adleri')
- affinis, 792
- africana, 620
- afrolavicola, 1001
- aggregata, 318
- albomaculata, 458
- alectoronica, 458
- alexandrensis, 620
- aliphatica, 620
- alternata, 620
- amableana, 912
- amplexula, 620
- amplexuloides, 1001
- angustiphylla, 912
- antleriformis, 620
- applicata, 792
- arapilensis, 410
- areolata, 705
- argentinensis, 705
- aurifera, 620
- ausiana, 1001
- australasica, 100
- austroamericana, 458
- austrocapensis, 792
- ballingalliana, 705
- barbatica, 178
- barbellata, 368
- barclyensis, 620
- beatricea, 705
- bellatula, 620
- bibax, 912
- bicontinens, 705
- blackdownensis, 705
- boonahensis, 912
- botryoides, 1080

- brevilobata, 705
- bungendorensis, 620
- calida, 705
- californica, 368
- callifolioides, 848
- calvinia, 620
- capensis, 620
- catarinae, 1001
- cedrus-montana, 318
- centralis, 620
- ceresensis, 620
- ceresina, 912
- cirrhomedullosa, 1001
- claviculata, 1080
- clivorum, 912
- colensoica, 912
- coloradoensis, 912
- competitiva, 620
- concomitans, 620
- condaminensis, 705
- coneruptens, 1001
- congesta, 620
- conjuncta, 1001
- consociata, 620
- constipata, 620
- contrasta, 705
- convexula, 912
- coreana, 913
- coriacea, 705
- cotopaxiensis, 705
- crassilobata, 620
- crateriformis, 620
- cravenii, 620
- cylindriloba, 318
- darlingensis, 705
- dayiana, 620
- dentata, 318
- desertorum, 913
- diacida, 620
- diffractaica, 705
- digitiformis, 410
- dissitifolia, 620
- donneri, 621
- dubitata, 621
- duplicata, 621
- durietzii, 792
- dysprosa, 318
- effigurata, 621
- eilifii, 621
- elaeodes, 621
- elixii, 410
- endochromatica, 621
- endochrysea, 913
- enteroxantha, 621
- epigaea, 621
- equalis, 621
- erosa, 621
- eruptens, 705
- esterhuyseniae, 621
- everardensis, 621
- evernica, 621
- exemplaris, 621
- exillima, 621
- exornata, 318
- exuviata, 368
- farinosa, 705
- felkaensis, 913
- ferraroiانا, 705
- ferruma, 621
- filsonii, 621
- flavescentireagens, 100
- flindersiana, 621
- fucina, 318
- fumigata, 705
- geesterani, 913
- gerhardii, 913
- glareosa, 621
- globisidiosa, 621
- globulifera, 368
- glomerulata, 705
- gongylodes, 621
- granulata, 1001
- gyrophorica, 621
- harrisii, 1001
- hedbergii, 318
- heinarii, 913 ('heinari')
- hirosakiensis, 1080
- hybrida, 621
- hybridiza, 705
- hypomelaenoides, 621
- ianthina, 318, 621
- idahoensis, 1001
- imbricata, 1001
- immutata, 621
- incerta, 621
- inconspicua, 705
- incrustata, 621
- indumenica, 621
- inflata, 1001
- iniquita, 621
- interrupta, 705
- inuncta, 913
- isidiascens, 368
- isidiigera, 621
- isidiosa, 621
- kalbii, 368
- karamojae, 705
- karoo, 318
- karooensis, 621
- keralensis, 458
- khomasiana, 1001
- kiboensis, 705
- kotisephola, 1001
- krogiae, 913
- laciniata, 705
- lagunebergensis, 621
- latilobata, 705
- lavicola, 913
- laxchalybaeizans, 705
- laxencrustans, 621
- lecanoracea, 621
- leonora, 913
- lesothoensis, 621
- leucostigma, 318
- lipochlorochroa, 1001
- lividica, 621
- lobulifera, 621
- louisii, 621
- ludritziana, 1001
- luminosa, 368
- lynii, 913
- mannumensis, 622
- mapholanengensis, 1001
- maricopensis, 562

[Xanthoparmelia]

- marroninipuncta, 913
- maxima, 1001
- mbabanensis, 792
- meruensis, 705
- metaclystoides, 622
- metastrigosa, 368
- microlobulata, 792
- minuta, 622
- mollis, 622
- montanensis, 368
- monticola, 913
- mougeotina, 100
- multipartita, 368
- namakwa, 622
- namaquensis, 622
- nana, 705
- nashii, 622
- natalensis, 705
- naudesnekia, 792
- nebulosa, 622
- neochlorochroa, 792
- neocongruens, 368
- neoconspersa, 913
- neopropagulifera, 792
- neoreptans, 705
- neorimalis, 562
- neosynestia, 622
- neotaractica, 368
- neotasmanica, 622
- neotinctina, 622
- neotumidosa, 792
- neoweberi, 705
- neowyomingica, 1001
- nigraoleosa, 848
- nonreagens, 705
- norchlorochroa, 792
- norcolorata, 1001
- norconvoluta, 622
- norhypopsila, 792
- norlobaronica, 1001
- norpraeagnans, 913
- norpumila, 622
- norwalteri, 1001
- nuwarensis, 622
- oblisata, 913
- obscurata, 792
- ochropulchra, 622
- oleosa, 562
- olifantensis, 622
- olivetorica, 622
- oribensis, 622
- orientalis, 1001
- pachyclada, 705
- pantherina, 705
- paradoxa, 705
- parvoclystoides, 913
- parvoincerta, 622
- perrugosa, 705
- pertinax, 622
- peruviansis, 458
- phillipsiana, 622
- planilobata, 913
- praegnans, 622
- probarebellata, 622
- prodomokosii, 848
- protodysprosa, 705
- protolusitana, 1001
- protoquintaria, 1001
- proximata, 705
- pseudoamphixantha, 622
- pseudocongensis, 792
- pseudohungarica, 913
- pseudohypoleia, 622
- psornorstictica, 1001
- psoromica, 792
- pumila, 622
- punctulata, 913
- pustulifera, 622
- pustuliza, 622
- pustulosorediata, 1001
- putsoa, 792
- refringens, 368
- remanens, 622
- reptans, 622
- rogersii, 622
- rubromedulla, 622
- rubropustulata, 705
- rugulosa, 792
- rupestris, 622
- salamphixantha, 1001
- saleruptens, 1001
- salkiboensis, 1001
- saniensis, 622
- schmidtii, 368
- segregata, 913
- serusiauxii, 622
- shebaiensis, 705
- simulans, 622
- skyrinifera, 622
- somloënsis, 622
- spargenosa, 623
- spargens, 913
- sprinbokensis, 1001
- stenophylloides, 792
- stenosporonica, 623
- streimannii, 623
- stuartensis, 705
- subamplexuloides, 1001
- subbullata, 1001
- subcolorata, 623
- subconvoluta, 1001
- subcrustacea, 368
- subcrustosa, 623
- subdiffuens, 792
- sublaevis, 913
- subluminosa, 1002
- submougeotii, 1002
- subnigra, 623
- subochracea, 623
- subpallida, 705
- subpigmentosa, 368
- subplittii, 792
- subruginosa, 623
- subsorediata, 792
- substenophylloides, 1002
- succedans, 623
- sulcifera, 368
- surrogata, 623
- swartbergensis, 705
- tablensis, 623
- tegeta, 623
- tenacea, 792
- tenuiloba, 792

- *terrestris*, 623
- *terricola*, 623
- *thamnolica*, 623
- *tinctina* var. *xizangensis*, 318
- *togashii*, 1002
- *tolucensis*, 792
- *toninioides*, 623
- *transvaalensis*, 623
- *treurensis*, 623
- *tsekensis*, 1002
- *tuberculiformis*, 1080
- *tumidosa*, 623
- *umtamvuna*, 705
- *unctula*, 913
- *ustulata*, 623
- *vendensis*, 705
- *verdonii*, 623
- *verruciformis*, 623
- *vicaria*, 623
- *victoriana*, 705
- *villamilianus*, 705 ('*villamiliana*')
- *viridis*, 623
- *walteri*, 318
- *wesselsii*, 623
- *willisii*, 623
- *wisangerensis*, 705
- *wrightiana*, 705
- *xanthomelaena*, 793
- *xanthomelanoides*, 913
- *xanthosorediata*, 623
- *xerophila*, 623
- *xizangensis*, 913
- *yowaensis*, 705
- *zonata*, 705
- XANTHOPSORA**, 33, 410
- *texana*, 33
- XANTHOPSORELLA**, 410
- *llimonae*, 706
- *texana*, 410
- Xanthoria elegans* subsp. *compacta*, 562
- — subsp. *orbicularis*, 562
- *fallax* var. *subsorediosa*, 623
- *ligulata*, 318
- *parietina* subsp. *calcicola*, 562
- — subsp. *ectanea*, 562
- Xenasma abietis*, 97
- *parvisporum*, 178
- Xenasmatella californica*, 268
- *gaspesica*, 268
- *romellii*, 268
- XENOKYLINDRIA**, 318
- *ciliata*, 706
- *obovata*, 368
- *prolifera*, 318
- XENOLECIA**, 410
- *spadicomma*, 410
- Xenomeris saccifolii*, 913
- Xenosperma hexagonosporum*, 1080
- *murrillii*, 706
- *pravum*, 1002
- Xenosporium cubense*, 793
- *intermedium*, 97
- Xerocomus amazonicus* var. *obscuratus*, 318
- *astraeicolopsis*, 142
- *bicolor*, 793
- *caeruleonigrescens*, 268
- *campinaranae*, 318
- *carnosus*, 706, 1002
- *chapinii*, 318
- *cheoi*, 63
- *coccolobae*, 268
- *communis*, 458
- *cuneipes*, 268
- *delphinus*, 318
- *dryophilus*, 706
- *ferrugineus*, 458, 623
- *globuliger*, 318
- *guadelupae*, 268
- *ichnusanus*, 410
- *inundabilis*, 318
- *leguei*, 458
- *leonis*, 458, 623
- *nigropunctatus*, 63
- *pasuus*, 458
- *phaeocephalus*, 318
- *pseudoboletinus* var. *pini-caribaeae*, 318
- *pseudostrobilomyces*, 63
- *punctilifer*, 63
- *puniceus*, 63
- *roseoalbidus*, 706
- *rugosellus*, 63
- *scrobiculatus*, 318
- *subpaludosus*, 63
- *subtomentosus* forma *squarrosus*, 268
- *sylvestris*, 562
- *xanthus*, 1002
- *yunnanensis*, 63
- XEROCONIUM**, 97
- *boreale*, 97
- XEROMEDULLA**, 793
- *leptospora*, 793
- *quercicola*, 1080
- *tomentulosa*, 793
- Xeromphalina* subgen. *Heimiomyces*, 706
- sect. *Mutabiles*, 793
- *campanelloides*, 793
- *cauticinalis* subsp. *pubescentipes*, 793
- *cirris*, 793
- *disseminata*, 97
- *javanica*, 28
- *leonina*, 28
- *melizea*, 28
- *nubium*, 793
- *parvibulbosa*, 793
- *podocarp*, 28
- *testacea*, 28
- *tropicalis*, 1002
- *yungensis*, 1002
- XEROTREMA**, 142
- *megalospora*, 142
- Xerula americana*, 142
- *furfuracea*, 793
- *hongoi*, 623
- *japonica*, 410
- — var. *ahmadii*, 410
- — var. *colensoi*, 410
- *kuehneri*, 507
- *longipes* var. *fusca*, 97
- *macracantha*, 562
- *megalospora*, 793
- *melanotricha*, 28
- *nigra*, 63
- — var. *renati*, 98
- *pu dens* var. *fusca*, 217

[Xerula]

- *radicata* var. *africana*, 410
- — var. *alba*, 318
- — var. *australis*, 410
- — var. *bispora*, 793
- — var. *hygrophoroides*, 217
- — var. *rufescens*, 318
- — var. *superbiens*, 368
- *raphanipes*, 368
- *rubrobrunnescens*, 793
- *rugosoceps*, 793
- *steffenii*, 562
- *xeruloides*, 98
- Xerulina myochroa*, 562
- XIAMBOLA**, 142
 - *mirabilis*, 142
- Xylaria alata*, 1002
 - *amphithele*, 1002
 - *angulosa*, 706
 - *arbuscula* var. *plenofissura*, 848
 - *asperata*, 793
 - *boergesenii*, 793
 - *citrispora*, 369
 - *claviceps*, 1002
 - *cupressoides*, 369
 - *dennisii*, 410
 - *formosana*, 848
 - *galandii*, 369
 - *griseo-olivacea*, 793
 - *guazumae*, 1002
 - *himalayensis*, 410
 - *hypsipoda* var. *microspora*, 706
 - *jolyana*, 369
 - *kretzschmarioidea*, 793
 - *longipes* var. *tropica*, 1002
 - *luteostromata* var. *macrospora*, 706
 - *magniannulata*, 1002
 - *mornandii*, 369
 - *musooriensis*, 178
 - *nodulosa* var. *microspora*, 793
 - *platypoda* var. *microspora*, 793
 - — var. *patouillardii*, 793
 - *plumbea*, 793
 - *ponapeana*, 318
 - *psamathos*, 178
 - *pterula*, 369
 - *punjabensis*, 178
 - *scabriclavula*, 1002
 - *scopiformis*, 178
 - *squamulosa*, 1002
 - *theissenii* var. *macrospora*, 706
 - *thindii*, 268
 - *uniapiculata*, 1002
 - *wellingtonensis*, 706
 - *wulaiensis*, 848
- XYLASCLEROTES**, 318
 - *brassertii*, 318 ('brasserti')
- XYLOCHIA**, 268
 - *stegosporioides*, 268
- Xylocladium claviforme*, 178
- XYLOCOREMIUM**, 410
 - *flabelliforme*, 410
- Xylographa perminuta*, 268
- Xylohypha bantiana*, 562
 - *bowdichiae*, 98
 - *emmonsii*, 849
 - *ortmansiae*, 63

- Xylopezia biseptata*, 562
 - *excellens*, 562
 - *hemisphaerica*, 562
 - *inclusa*, 562
- YAMADAZYMA**, 1080
 - *acaciae*, 1080
 - *besseyi*, 1080
 - *castillae*, 1080
 - *farinosum*, 1080 ('farinosa')
 - *guilliermondii*, 1080
 - *haplophilum*, 1080 ('halophila')
 - *inositovora*, 1080
 - *medium*, 1080 ('media')
 - *mexicanum*, 1080 ('mexicana')
 - *nakazawae*, 1080
 - *ohmeri*, 1080
 - *philogaea*, 1081
 - *scolyti*, 1081
 - *segobiense*, 1081 ('segobiensis')
 - *spartinae*, 1081
 - *stipite*, 1081 ('stipitis')
- YARROWIA**, 318
 - *lipolytica*, 318
- YBOTROMYCES**, 623
 - Ypsilonidium anomalum*, 63
 - Yuccamyces cubensis*, 706
 - *luteus*, 706 ('lutea')
 - *pilosus*, 706 ('pilosa')
- Zahlbrucknerella marionensis*, 507
- Zakatoshia erikssonii*, 623
- Zalerion longispinalis*, 458
 - *sachidanandii*, 98
- ZAMENHOFIA**, 563
 - *coralloidea*, 562
 - *hibernica*, 562
 - *stoechadiana*, 507, 562
- Zanclospora mystica*, 268
- Zelleromyces daucus*, 410
 - *striatus*, 410
- ZELOPELTA**, 369
 - *thrinacrospora*, 369
- ZERCOSPORIDIUM**, 28
 - *incrassatum*, 28
- ZETESIMOMYCES**, 913
 - *setibicolor*, 913
- ZEUCTOMORPHA**, 369
 - *arecae*, 369
- Zeugandromyces orientalis*, 458
 - *stilici*, 458
- ZEUS**, 624
 - *olympius*, 624
- Zodiomyces odae*, 1002
- Zoopthora anglica*, 1002
 - *anhuiensis*, 1002
 - *canadensis*, 28
 - *crassitunicata*, 98
 - *elateridiphaga*, 63
 - *lanceolata*, 98
 - *neoaphidis*, 98
 - *nouryi*, 98
 - *orientalis*, 98
 - *petchii*, 142 ('petchi')
- Zopfia caricis-firmae*, 1081
- Zopfiella karachiensis*, 913
 - *macrospora*, 369
 - *ovina*, 913
 - *tardifaciens*, 913

- udagawae, 369
- ZOSTERODISCUS, 411
- lygomma, 411
- russellii, 411
- ZUNDELIOMYCES, 793
- polygoni, 793
- ZWACKHIOMYCES, 1081
- berengerianus, 1081
- dispersus, 1081
- immersae, 1081
- martinatianus, 1081
- Zygnemomyces pendulatus, 142
- ZYGOASCUS, 563
- hellenicus, 562
- Zygodesmus albus, 458
- Zygofabospora aestuarii, 793
- delphensis, 793
- dobzhanskii, 793
- drosophilae, 793
- lactis, 793
- lodderae, 794 ('lodderi')
- phaseolospora, 794
- thermotolerans, 794
- waltii, 794 ('Sygofabospora')
- wickerhamii, 794
- Zygopichia sake, 624
- Zygopolaris borealis, 411
- Zygorhynchus amphibiorum, 268
- bacilliformis, 268
- indicus, 268
- Zygosaccharomyces ashbyi, 794 ('ashbyii')
- sake var. α , 624
- Zygosporium tuberculatum, 1002
- ZYGOZYMA, 706
- oligophaga, 706
- ZYXIPHORA, 179
- gorakhpurensis, 179

INDEX OF SPECIFIC AND INFRASPECIFIC EPITHETS

- abaceti, subsp., *Laboulbenia anoplogeni*, 486
 abacopteridicola, *Pseudocercospora*, 58
 abbayesii, subsp., *Cladina rangiferina*, 282
 additum, *Sphaerellothecium*, 1077
 abeliae, *Erysiphe*, 12
 abelmoschi, *Euoidium*, 960 ('abelmosci')
 aberrans, *Coronellaria*, 952
 —, *Hebeloma*, 163
 —, *Inocybe*, 886
 —, *Krombholziella*, 435
 —, *Nimbomollisia*, 254
 —, *Pseudocercospora*, 692
 —, var., *Cladina stellaris*, 581
 —, var., *Inocybe lacera*, 246
 —, var., *Psathyrella obtusata*, 777
 abhorrens, *Micromphale*, 545
 abietella-sibirica, *Guignardia*, 669
 abieticola, *Ditiola*, 238
 —, *Grandinia*, 199
 —, *Kneiffiella*, 126
 abietina, *Arcyria*, 419
 —, *Bryoria*, 743
 —, *Euantennaria*, 161
 —, *Hohenbuehelia*, 15
 —, *Reisneria*, 696
 — var. *balsamea*, *Gremmeniella*, 963
 —, var., *Hygrocybe psittacina*, 1057
 —, var., *Russula cavipes*, 611
 —, var., *Russula puellaris*, 780
 abietinum, *Leptographium*, 437
 — var. *farinosum*, *Schismatomma*, 312
 — var. *fennicum*, *Schismatomma*, 312
 — var. *opegraphoides*, *Schismatomma*, 312
 abietinus, *Cortinarius*, 582
 abietis, *Phyllosticta*, 1067
 —, *Plowrightia*, 1068 ('*Plowrightia*')
 —, *Rasutoria*, 696
 —, *Xenasma*, 97
 —, forma *specialis*, *Phacidium infestans*, 982
 abietum, *Russula*, 311
 abigianense, *Craspedodidymum*, 8
 abiocarpum, *Ophiostoma*, 600
 abjecta, *Conocybe*, 527
 abnorme, *Herpobasidium*, 433
 —, *Lachnum*, 349 ('abnormis')
 abnormis, *Cellulasclerotes*, 281
 —, *Dictyochaeta*, 385
 —, *Leptogleniella*, 764
 abnormispora, *Inocybe*, 835
 abonnis, *Halosarphaea*, 482
 aboriginum, *Paraporpidia*, 1065
 abortiva, *Gnomoniella*, 291
 —, *Telimenochora*, 701
 —, *Tetraploa*, 788
 abramovii, *Cordana*, 233
 abri, *Physalospora*, 689 ('abruissae')
 —, *Pseudocercospora*, 692
 abruptibulbosa, *Conocybe*, 115
 abruptus, *Gymnopilus*, 391
 —, *Monoporisporites*, 129
 absarokensis, *Cortinarius*, 829
 abscondita, *Eutypa*, 756
 —, *Ramularia*, 990
 absinthii var. *artemisiae-maritimae*, *Puccinia*, 136
 — var. *dracunculina*, *Puccinia*, 136
 — var. *minor*, *Puccinia*, 136
 absinthiicola, *Pirottaea*, 606
 abstinens, *Dekkera*, 531
 abuense, *Berkleasium*, 111
 —, *Cylindrocarpon*, 80
 —, *Helicosporium*, 124
 abuensis, *Monodictys*, 545
 —, *Thielaviopsis*, 140
 abundans, *Embellisia*, 238
 abutilonis, *Cytospora*, 956 ('abutili')
 abutyracea, *Melanoleuca*, 439
 abyssicola, *Arundinula*, 740
 acaciae, *Colletogloeum*, 527
 —, *Corynespora*, 384
 —, *Discosporium*, 288
 —, *Endoraecium*, 339
 —, *Erysiphe*, 756
 —, *Jubispora*, 540
 —, *Microsphaera*, 129
 —, *Pestalotiopsis*, 57
 —, *Pseudocercospora*, 92
 —, *Yamadazyma*, 1080
 —, *Septogloeum* see *Jubispora acaciae*
 —, forma, *Erysiphe martii*, 756
 acaciae-confusae, *Pseudocercospora*, 1069
 acaciicola, *Colletogloeum*, 527
 acadiensis, *Resinomycena*, 94
 acaenae, *Gnomonia*, 49
 acalyphae, *Erysiphe*, 160
 acalyphicola, *Pseudocercospora*, 58
 ('acalyphigena')
 acanthacearum var. *macrospora*, *Cercospora*, 113
 acanthella, *Usnea*, 457
 acanthi, *Pseudocercospora*, 692
 acanthicola, *Phaeoramularia*, 688
 acanthodes, *Bryoria*, 743
 —, *Paradiacheopsis*, 548
 acanthophora, *Cordierites*, 662
 acanthophylli, *Camarosporium*, 658
 acanthophysa, *Platyglea*, 606
 acanthophysata, *Hymenochaete*, 84
 acanthospora forma *albida*, *Boudiera*, 469
 acapsuligena, *Candida*, 112, 871
 acaricola, *Tarichium*, 616 ('acaricolum')
 acaridis, *Neozygites*, 493
 acariphila, *Thaxteriola*, 788
 acarius, var., *Hymenoscyphus epiphyllus*, 484
 acarosporoides, *Catapyrenium*, 658
 acaulis, *Pulveroboletus*, 263
 accedens, *Mycobilimbia*, 1063
 —, *Roccellina*, 310
 —, var., *Cortinarius uliginobtus*, 118
 accumbens, *Discina*, 586
 —, *Gyromitra*, 590
 accuratum, *Paratrachaptum*, 685
 acer, *Leucocoprinus*, 891
 acerba, *Clitocybe*, 155
 aceri, var., *Eutypa lata*, 756
 acericola, *Cirrenalia*, 950
 —, *Hamatocanthoscypha*, 590

- , *Mycovellosiella*, 895
- , *Phaeoramularia*, 258
- , *Wuestneia*, 1001
- acerina*, *Apiognomonina*, 278
- , *Dactylaria*, 286
- , *Diplodina*, 10
- , *Kirschsteiniethelia*, 486
- , *Microthelia*, 440
- , *Unguiculariopsis*, 847
- , *Valsella*, 619
- , *Wehmeyera*, 1001
- var. *castelnaudariensis*, *Mycocentrospora*, 167
- acerinum* var. *macrosporum*, *Corticium* see *Corticium macrosporus*
- acerinus*, *Sporocadus*, 502 ('*acerinum*')
- aceris*, *Anthasthoopa*, 278
- , *Microsphaera*, 167
- , *Mycopappus*, 442
- , *Oncopodium*, 979
- , *Phyllactinia*, 899
- , *Sawadaea*, 452 ('*Sawadaia*')
- acerosa*, *Arrhenia*, 330 ('*acerosus*')
- , *Hirsutella*, 292
- , *Omphalina*, 131
- acerosus*, *Phaeotellus*, 898
- var. *latisporus*, *Phaeotellus*, 898
- var. *tenellus*, *Phaeotellus*, 898
- acervatum*, *Nodulisporium*, 493
- acetabuli*, *Abrothallus*, 941, 1041
- acetabulum*, *Pleurosticta*, 899
- acetolens*, *Russula*, 1075
- acetosus*, *Cortinarius*, 750
- achnatheri-inebriantis*, *Puccinia*, 451
- achristotera* var. *juniperina*, *Lecidella*, 677
- achromatica*, *Endophragmiella*, 1054
- , *Thielavia*, 177
- achyranthis*, *Godronia*, 481
- , *Plasmopara*, 306 ('*achyranthis*')
- achyrocephalus*, *Cortinarius*, 1048
- achyrophori*, *Aecidium*, 226
- acicola*, *Phyllosticta*, 1067
- , *Pratella*, 988
- , forma, *Marasmius bulliardii*, 766
- aciculare*, *Dissoconium*, 288
- , *Leptodontidium*, 543
- acicularis*, *Vezdaea*, 619
- acicularum*, *Fuscoscypha*, 669
- aciculispora*, *Merostictis*, 767
- acilocystis*, *Russula*, 405
- aciculosa*, *Stilbella*, 503
- aciculospora*, *Hohenbuehelia*, 538
- , *Tubeufia*, 27
- aciculum*, *Tricladium*, 456
- aciserratus*, *Cortinarius*, 874
- acocksii*, *Bovista*, 947
- acolorata*, forma, *Torulopsis pulcherrima*, 560
- acolumnaris*, *Aspergillus*, 74
- , var., *Aspergillus fumigatus* see *Aspergillus acolumnaris*
- aconiti*, *Aivenia*, 1041
- , *Lachnum*, 836
- , *Unguicularia*, 847
- aconiti-phragmitincolae*, *Aecidium*, 41
- aconquijense*, *Pseudolyophyllum*, 1071 ('*aconquijensis*')
- accontextus*, *Phellinus*, 357
- acori*, *Mycovellosiella*, 130
- acoricola*, *Dictyothyrium*, 10
- acre*, *Galerina*, 49
- acristata*, *Emericella*, 158
- acrita*, *Xanthoparmelia*, 620
- acriuscula*, *Russula*, 905
- acrocordiae*, *Skyttea*, 558
- acrocordioides*, *Plagiocarpa*, 899
- acromelalga*, *Neoclitocybe*, 682
- acronychiae*, *Amazonia*, 1042
- acrophaeum*, *Pleurotremata*, 552
- acroscyphoides*, *Pertusaria*, 549
- acrosporum*, *Spadicesporium*, 213
- acrosporum-majus*, *Spadicesporium*, 213
- acrostichi*, *Massarina*, 1062
- , *Phomatosporella*, 774
- acrotrycha*, *Parmelia*, 131
- acrotrychum*, *Parmotremata*, 604
- actaeae*, *Septoria*, 453
- , *Septoria* see *Septoria bunkinae*
- actinidiicola*, *Pseudocercospora*, 989 ('*Pseudocercospora actinidicola*')
- actinodaphnis*, *Amazonia*, 1042
- actinostemmatidis*, *Erysiphe*, 240 ('*actinostemmae*')
- , *Pseudocercospora*, 1069 ('*actinostemmae*')
- actinostemonis*, *Periconiella*, 841
- acuformis*, var., *Pseudocercospora* *herpotrichoides*, 93
- aculeata*, *Melzerodontia*, 55
- aculeatispora*, *Corditubera*, 233
- aculeatosporella*, *Octavianina*, 168, 443
- aculeatum*, *Lachnum*, 349
- subsp. *hispidum*, *Coelocaulon*, 29
- forma *sorediatum*, *Coelocaulon*, 29
- aculeatus*, *Cerinomyces*, 659
- , var., *Aspergillus japonicus*, 3
- aculeifer*, *Hirschioporus*, 346
- , *Trichaptum*, 702
- aculeifera*, *Echinoporia*, 754
- , *Echinoporia*, 339
- aculeolatus*, *Dicellaesporites*, 119
- acuminata*, *Flabelliospora*, 161
- , *Russula*, 905
- , forma, *Morchella costata*, 490
- acuminatum*, *Entoloma*, 46
- , var., *Fusarium gibbosum*, 832
- acuminatus*, *Diporicellaesporites*, 120
- , *Spizellomyces*, 406
- acunae*, *Meliola*, 973 ('*acunai*')
- acuta*, *Chardonella*, 114
- , *Rhodotorula*, 904
- , var., *Lasallia xizangensis*, 296
- acutalis*, *Pyrenula*, 902
- acutatum* forma *specialis chromogenum*, *Colletotrichum*, 334
- acuteecystidiata*, forma, *Mycena neuhoffii*, 491
- acutesquamosus*, *Tylophylus*, 316
- acutembonato*, var., *Macrolepiota gracilentata*, 766
- acutibulbus*, *Cortinarius*, 193
- acutipes*, *Lyophyllum*, 297
- acutisetia*, *Capronia*, 579
- acutispissipes*, *Cortinarius*, 116
- acutoaltus*, *Cortinarius*, 193

acutoconica var. *cuspidata*, *Hygrocybe*, 482
 — *forma japonica*, *Hygrocybe*, 244
acutoconicus *forma japonicus*, *Hygrophorus*, 245
acutomamosus, *Cortinarius*, 874
acutopunicea, *Godfrinia*, 537
acutorum, *Cortinarius*, 874
acutoumbonata, *forma*, *Collybia distorta*, 951
acutovelatus, *Cortinarius*, 874
acutum, *Diadema*, 956 ('*acuta*')
 —, *Vermisporium*, 317
acutus, *Dimorphomyces*, 478
acuum, *Cistella*, 6
acyaneus, var., *Cortinarius glaucopus*, 425, 475
acystidiata, *forma*, *Russula amoena*, 500
 —, var., *Echinochaete brachypora*, 386
acystidiosus, var., *Lactarius uvidus*, 53
adaequata var. *rhodiola*, *Inocybe*, 761
adalberti, *Cortinarius*, 8
 — var. *turritus*, *Cortinarius*, 8
adalbertii, *Entoloma*, 666 ('*Adalberti*')
adamantinus, *Pyropolyporus*, 451
adami-borosi, *Catapryrenium*, 658
addamasceus, *Cortinarius*, 235
adenantherae, *Bitrimonospora*, 827
adeninovorans, *Trichosporon*, 409
adenocalymmatidis, *Gloeosporium*, 123
 ('*adenocalymmae*')
adenophorae, *Erysiphe*, 160
 —, *Golovinomyces*, 884
adenostemmatis, *Asterina*, 741
 ('*adenostemmae*')
adenostylidis, *Pirottaea*, 606
adfocalis, *Cortinarius*, 952
adglutinata *forma pyrithrocardia*,
Hyperphyscia, 245
adhaerens, *Infundibura*, 85
 —, *Karoowia*, 967
 —, *Neolentinus*, 493
 —, *Panus*, 131
 —, *Phellinus*, 399
adianti, *Chaetothyriopsis*, 1046
adianticola, *Cladosporium*, 661
 ('*adianticolum*')
 —, *Phoma*, 306
adirondacensis, *Unguiculariopsis*, 847
adisianus, *Gyrodon*, 963
 —, *Marasmius*, 971
adjarica, *Neozygites*, 19
adjuncti, *Ophiostoma*, 600
adlerae, *Xanthoparmelia*, 705 ('*adleri*')
adligans, *Karoowia*, 967
 —, *Parmelia*, 840
admirabilis, *Laboulbenia*, 594, 763
admixa, *Megalospora*, 488
admontensis, *Phomatospora*, 1067
admotus, *Cortinarius*, 116
adnata, *Coccocarpia*, 232
 —, *Micarea*, 299
 —, *Perenniporia*, 981
adnatifolius, var., *Hydropus campinaranae*, 243
adnatum, *Sistotrema*, 406
adnatus, *Rigidoporus*, 696
adplanata, *Parmelia*, 685

—, *Parmelia* see *Pseudoparmelia*
endochromatica
adrianii, *Massariosphaeria*, 973
ascendens, *Mycena*, 130
 — var. *rickiana*, *Mycena*, 491
adspersa, *Canoparmelia*, 578
adpersum subsp. *australe*, *Calicium*, 332
 — subsp. *himalayense*, *Calicium*, 1045
 ('*himalayensis*')
adstringens, var., *Clitocybe gibba*, 1046
adulterina *forma reidii*, *Cystolepiota*, 119
adunca var. *regularis*, *Uncinula*, 217
 — var. *salicigracilistylae*, *Uncinula*, 217
 ('*salici-gracilistylae*')
aduncoides, var., *Uncinula ljubarskii*, 505
adusta, *Anthostomella*, 574
 —, *Lepiota*, 86
 —, *Lepiotula*, 54
 —, *Paraparmelia*, 602
 —, *Parmelia*, 494
 — var. *sabulosa*, *Russula*, 611
 —, *forma*, *Russula heterophylla*, 264
adustiterricola, *Clitocybe*, 232
adustorimosus, *Cortinarius*, 874
 —, subsp., *Cortinarius impennis*, 117
adustulum, *Mycorrhaphium*, 976
adustum, *Steccherinum*, 503
advena, *Hysteronaevia*, 347
adversaria, *Pseudohalonectria*, 989
adzukicola, *forma specialis*, *Fusarium*
oxysporum, 961
 —, *forma specialis*, *Phytophthora vignae*, 606
aechmantherae, *Albugo*, 377
aegerita, *Agrocybe*, 466
aegiranus, *Globosasclerotes*, 290 ('*agiranus*')
aeglicola, *Stenella*, 214
aegyptiacum, *Lasiobolidium*, 969
aegyptiacus, *Paecilomyces*, 303
 —, *Thermoascus*, 315
aegypticum, *Sporisorium*, 907
aeluropodis, *Coniothyrium*, 662
 —, *Phaeosphaeria*, 495
 —, *Ustilago*, 457
aemula, *Diatrype*, 752
aenea, *Nemania*, 442
 —, *Ramaria*, 609
aeneofusca, *Trapeliopsis*, 408
aeneum var. *aureoluteum*, *Hypoxylon*, 540
aeneus, *Diploschistes*, 958
aenigmaticus, *Legeriomyces*, 296
aeolotera, *Amygdalaria*, 739
 —, *Porpidia*, 402
aequalipes, *Cortinarius*, 874
aequalis, *Inocybe*, 886
 — var. *microspora*, *Stemonitis*, 314
aequatoria, *Naematoloma*, 55
aequatorialis, *Pterospora*, 361
 —, *Tetrapyrgos*, 701
aequatoriensis, *Dietelia*, 120
aequatus, *Cortinarius*, 527
aequilatera, *Ardhachandra*, 654
aequivoca, *Phoma*, 605 ('*aequivocum*')
aerospora, *Ascochyta*, 110
 —, *Didymella*, 120
aeruginascens, *Tomentella*, 789
 — var. *nueschii*, *Suillus*, 616

- aeruginea, *Lecidella*, 127
 aerugineus, var., *Boletus scaber*, 946
 —, var., *Boletus thallassinus*, 947
 aeruginosa, *Lachnellula*, 126
 —, *Pholiotina*, 400
 —, *Pratella*, 988
 —, forma, *Ramaria zippelii*, 137
 aeruginosum var. *macrosporum*, *Hypoxylon*, 434
 aeruginosus, forma, *Cortinarius infractus*, 528
 aesculi, *Bisporella*, 229 ('aescula')
 —, *Diplodina*, 10
 —, *Lanzia*, 487
 —, *Sawadaea*, 24
 aesculicola, *Leptodothiorella*, 351
 aestiva, *Pseudocercospora*, 92
 aestivalis, *Bryoscyphus*, 871
 —, *Helvella*, 201
 — var. *perverrucispora*, *Bovista*, 947
 — var. *veneris*, *Agaricus*, 466
 —, var., *Octospora roxheimii*, 771
 aestuarii, *Rhizophydium*, 362
 —, *Zygothecium*, 793
 aethalodes, *Daedalea*, 585
 aethionematis, *Pseudoperonospora*, 93
 aethiopica, *Beltraniella*, 420
 —, *Dwayabeeja*, 429
 aethiopicum, *Penicillium*, 1066
 aethiops, *Kirschsteiniethelia*, 486
 aëridis, *Ascochyta*, 42 ('aeridesae')
 affine, *Hebeloma*, 342
 — var. *reticulatum*, *Xanthoconium*, 792
 affinis, *Armillariella*, 943
 —, *Copelandia*, 78
 —, *Echinoplaca*, 831
 —, *Laccaria*, 295
 —, *Peltopsis*, 56
 —, *Phaeomarasmium*, 21
 —, *Pterygiopsis*, 65
 —, *Strigula*, 33, 66
 —, *Xanthoparmelia*, 792
 — var. *anglica*, *Laccaria*, 295
 — var. *carbonicola*, *Laccaria*, 594
 — var. *indica*, *Meliola*, 893
 — var. *microspora*, *Badhamia*, 521
 — var. *ochrosquamulosa*, *Laccaria*, 763
 — var. *sardoa*, *Laccaria*, 436
 — var. *subalpina*, *Laccaria*, 1059
 — var. *tatrensis*, *Laccaria*, 1059
 — var. *viridilactis*, *Lactarius*, 51
 — forma *macrocystidiata*, *Laccaria*, 889
 affixus, *Tyromyces*, 998
 afflata, *Stichoclavaria*, 907
 affricata, *Omphalina*, 56
 afghanica, *Buellia*, 744
 —, *Rinodina*, 697
 afgoiensis, *Pseudocercospora*, 360
 afibulata, *Phlebiopsis*, 496
 afibulatus, var., *Gyroporus castaneus*, 14
 —, var., *Gyroporus heterosporus*, 14
 afilamentosa, *Gymnascella*, 481
 africana, *Astrosphaeriella*, 575
 —, *Balanioopsis*, 420
 —, *Chaconia*, 422
 —, *Chaetosphaeria*, 77
 —, *Chalara*, 333
 —, *Chryseidea*, 77
 —, *Columnocystis*, 283
 —, *Conocybe*, 115
 —, *Daedalea*, 45
 —, *Endophragmiella*, 197
 —, *Gibberella*, 83
 —, *Gonatobotrys*, 390
 —, *Leptosphaeria*, 86
 —, *Metasphaeria*, 87
 —, *Ophionectria*, 89
 —, *Parasympodiella*, 256
 —, *Penicillium*, 549
 —, *Persiciospora*, 841
 —, *Podaxis*, 987
 —, *Pseudallescheria*, 173 ('africanum')
 —, *Pyxine*, 695
 —, *Selinia*, 993
 —, *Stenella*, 214
 —, *Subulisporea*, 455
 —, *Thecaphora*, 177
 —, *Umbilicaria*, 560
 —, *Xanthoparmelia*, 620
 —, *Gonatobotrys* see *Gonatobotrys*
 pyriformis
 —, subsp., *Dirina approximata*, 287
 —, subsp., *Dirina paradoxa*, 532
 —, var., *Neocosmospora vasinfecta*, 354
 —, var., *Oudemansiella radicata*, 601
 —, var., *Xerula radicata*, 410
 africanogalactinum, *Scytinostroma*, 781
 africanum, *Amylocorticium*, 227
 —, *Cetrariastrum*, 113
 —, *Everniastrum*, 533
 —, *Helotium*, 200
 —, *Prosthecium*, 92
 —, *Thelotrema*, 33
 —, *Chiodecton* see *Dirina approximata*
 subsp. *africana*
 africanus, *Coelomomyces*, 526
 —, *Dicellaesporites*, 286
 —, *Hymenoscyphus*, 392
 —, *Oligoporus*, 840
 —, *Thecotheus*, 702
 —, *Uromyces*, 409
 afroalpina, *Arcyria*, 110
 —, *Coniaticula*, 283
 —, *Maronea*, 972
 afroalpinus, *Schizodiscus*, 844
 afrodelicata, *Russula*, 1075 ('afrodelica')
 afrolavicola, *Xanthoparmelia*, 1001
 afromontana, *Anzia*, 574
 —, *Porpidia*, 842
 afronigricans, *Russula*, 992
 afrorevoluta, *Hypotrachyna*, 673
 —, *Parmelinopsis*, 686
 afrormosiae, *Uncinula*, 217
 afrosulphureus, *Marasmius*, 395
 agamalis, *Parmelia*, 980
 agardhiana, *Caloplaca*, 522
 agardhii var. *arenaria*, *Inocybe*, 294
 agaricicola, *Barya*, 1044
 agaricoides, *Nyctalis*, 1064
 agarwalii, *Cytospora*, 286
 —, *Gliocladium*, 13
 —, *Trimmatostroma*, 790

- agasthiensis, Ocellularia, 896
 agathidii, Euphoriomyces, 430
 agathidis, Lophodermium, 250
 agathosmus, Cortinarius, 1048
 —, forma, Cortinarius crassus, 876
 agaves, Laetisaria, 203 ('agavei')
 —, Psathyrella, 497
 —, Cucurbitaria see Pleospora agavicola
 agavicola, Meliola, 767
 —, Pleospora, 359
 —, Stenella, 995 ('agaveicola')
 ageratinae, Entyloma, 832
 agglomeratus, Palaeomyces, 207
 ('agglomerata')
 agglutinospora, Mesophellia, 252
 agglutinata, Ramariopsis, 844
 —, Relicina, 609
 agglutinatum, Hebeloma, 342
 —, Trichaptum, 702
 — var. permixtum, Trichaptum, 702
 aggregata, Endothiella, 339
 —, Lithoglypha, 836
 —, Parmelia, 399
 —, Xanthoparmelia, 318
 — var. ovispora, Clitocybe, 232
 — var. sphaerospora, Clitocybe, 232
 aggregatum, Glomus, 162
 —, Hebeloma, 342
 —, Thelotrema, 33
 aggregatus, Globosomyces, 49
 — var. spitsbergensis, Dipodascus, 238
 aglaea, Tephromela, 504
 agloea, Fayodia, 13
 —, Mycena, 975
 agminalis, Phaeosphaeria, 495
 agnetis, Cortinarius, 1048
 agoseridis, Puccinia, 93
 agrestis, Candida, 281
 agropyri, var., Claviceps purpurea, 282
 agropyri-campestri, Urocystis, 561
 agropyri-juncei, Urocystis, 561
 agrostidis-myrianthae, Uredo, 1080
 agrostina, var., Trichopeziza albotestacea,
 1079
 agumbensis, Hygroaster, 244 ('agumbense')
 —, Meliola, 893
 ahmadii, Acanthophysium, 465
 —, Perenniporia, 257
 —, Poria, 402
 —, Scutellinia, 364 ('ahmadi')
 —, Scytinostroma, 781
 —, var., Oudemansiella japonica, 601
 —, var., Xerula japonica, 410
 ahtii, Cladonia, 950
 —, Lecanora, 542
 aianthina, var., Lepista sordida, 16
 ailanthi, Meliola, 767 ('ailanthii')
 —, Oidium, 255, 355 ('ailanthii')
 —, Peroneutypella, 687 ('ailanthii')
 ainoae, Ophiostoma, 547
 ainsliaeae-acerifoliae, Puccinia, 451
 aipolia subsp. phaea, Physcia, 551
 — forma angustata, Physcia, 306
 ajelloi, Cladophialophora, 77
 ajovalliensis, Theleporus, 215
 akaii, Cochliobolus, 748
 —, Curvularia, 476
 —, Pseudocochliobolus, 498
 akaiiensis, Cochliobolus, 748
 —, Curvularia, 751
 akebiae, Puccinia, 23
 akoyolii, Dicellaesporites, 957
 alabamense, Scolecobasidium, 453
 —, Triglyphium, 141
 alabamensis, Paraparmelia, 602
 —, Pithomyces, 259
 —, Stemphyliomma, 139
 —, Triadelphia, 216
 alabastrites, Micarea, 166
 alachuana, Ceriporia, 113
 —, Conocybe, 115
 —, Limacella, 250
 alachuanus var. amarissimus, Lactarius, 51
 alacre, Leptographium, 488 ('alacris')
 alacris, Verticicladiella, 28
 aladior, var., Inocybe fastigiata, 348
 alaiensis var. spitzbergensis, Lecidella, 543
 alangii, Cercospora, 113
 —, Pseudocercospora, 1069
 —, Typhulochaeta, 27
 —, Uncinula, 317
 alaskana, Arthrobotrys, 468
 —, Wilcoxina, 507
 alaskense, Steccherinum, 26
 alata, Nectria, 976
 —, Xylaria, 1002
 alatafica, Incrupila, 202
 alba, Apiocamarops, 574
 —, Ceratocystiopsis, 75
 —, Chaunopycnis, 44, 155
 —, Cordyceps, 234
 —, Dacryoma, 879
 —, Lecidella, 127
 —, Micropsalliota, 299
 —, Minksia, 894
 —, Mollisia, 1062
 —, Pterospora, 361
 —, Saccoblastia, 264
 —, Tetrapyrgos, 701
 — var. lactis, Bullera, 155
 —, Omphalina see Clitocybe velenovskyi
 —, forma, Amanita fulva, 572
 —, forma, Amanita spissa, 1042
 —, forma, Amanita virosa, 573
 —, forma, Amanitopsis fulva, 942
 —, forma, Amanitopsis vaginata, 573
 —, forma, Melanoleuca heterocystidiosa, 439
 —, forma, Morchella esculenta, 769
 —, forma, Mycena meliigena, 598
 —, forma, Mycena pura, 253
 —, forma, Russula persicina, 613
 —, forma, Russula romellii, 613
 —, var., Amanita bulbosa, 825
 —, var., Amanita caesarea, 825
 —, var., Amanita spissa, 1042
 —, var., Amanita vaginata, 572, 826
 —, var., Amanita venenosa, 826
 —, var., Gibellula clavulifera, 758
 —, var., Hamigera avellanea, 292
 —, var., Oudemansiella radicata, 601
 —, var., Pratella campestris, 1068
 —, var., Xerula radicata, 318

- albae, Phoma, 400
 albata, Cryptothecia, 530
 albatum, Tricholoma, 408
 —, Tricholoma see Tricholoma albidum
 albella, Krombholziella, 202
 albellum, Entoloma, 666
 albellus, Hygroaster, 964
 —, Pleurotus, 259
 albertensis, Aspergillus, 419
 —, Petromyces, 445
 albertii, Agaricus, 867
 albertinii, Inonotus, 762
 albescens, Arthothelium, 110
 —, Crepidotus, 425
 —, Griphosphaerella, 83
 —, Megalospora, 251
 —, Monographella, 88
 —, Paratrachophaea, 897
 — var. bandolensis, Lecanora, 542
 — var. subflotlowiana, Pertusaria, 399
 —, forma, Cortinarius cookeianus, 875
 —, subsp., Diploschistes scruposus, 532
 —, var., Cortinarius delibutus, 1049
 —, var., Fuscidea kochiana, 123
 albicans, Lecanora, 487
 —, Polyporus, 448
 —, Rinodina, 363
 —, forma, Auricularia auricula, 74
 albiceps, Leucoporus, 351
 —, Marasmiellus, 298
 —, Termitomyces, 504
 —, forma, Boletus felleus, 522
 albicolor, Helotium, 200
 albida, Calycellina, 421
 —, Gigaspora, 162
 —, Lactocollybia, 676
 —, Lambertella, 164
 —, Lanzia, 127
 —, Myxocephala, 1063
 —, Nectria, 254
 —, Perenniporia, 208
 —, Podabrella, 987
 —, Poria, 402
 —, Xanasmata, 792
 —, forma, Amanita pantherina, 572
 —, forma, Boudiera acanthospora, 469
 —, forma, Inocybe arenicola, 348
 —, forma, Pithya cupressina, 448
 —, forma, Verrucaria tristis, 178
 —, subsp., Protoblastenia siebenhaariana, 553
 albidicinerella, Lecidella, 127
 albidifolia, forma, Hygrocybe konradii, 886
 albidior, var., Ramaria magnipes, 903
 albidoides, Antrodia, 467
 albidolutea, Cistella, 472
 albidomurinus, Marasmius, 971
 albidoperonatus, Agaricus, 2
 albidopilosa, Nectria, 493
 —, Trichonectria, 997
 albidopora, Parmentaria, 841
 albidula, Fayodia, 241
 —, Myrionora, 839
 —, Omphalia see Helotium californiense
 albidulum, Lachnum, 594
 —, Myriotrema, 30
 albidum, Aphanobasidium, 1043
 —, Glomus, 83, 1056 ('albidus')
 —, Polymeridium, 553
 —, Tricholoma, 408
 albidus, Monascus, 252
 —, Pleurotus, 359
 —, Uromyces, 791 ('albidum')
 — subsp. europaeus, Cortinarius, 424
 — var. glaber, Monascus, 252
 albifavolus, Panellus, 684
 albifolia, Hygrocybe, 163
 —, Melanoleuca, 837
 albilabra subsp. deceptoria, Psora, 555
 albilamellatus, var., Marasmius
 rubromarginatus, 972
 albimontana, Capronia, 579
 albinea, subsp., Physcia stellaris, 552
 albinellus, Hygrophorus, 433
 albipes, var., Lactarius fuliginosus, 16
 albiporus, var., Loweporus fuscopurpureus,
 970
 albiscedum, Anisomeridium, 739
 al bivellus, Lactarius, 51
 albisiae, Alternaria, 41 ('albizziae')
 —, Cercoseptoria, 43 ('albizziae')
 —, Gloeosporium, 242 ('albizziae')
 alboannuliforme, Thelotrema, 909
 alboargillascens, Agaricus, 466
 albobadia, Dendrophora, 664
 albobrunnea, Piloporia, 401
 alboacrescens, Porpidia, 402
 — var. polycarpiza, Porpidia, 1068
 albocarneus var. glutinoviens, Lactarius, 541
 albocarnis, Diatrype, 956
 albociliatum var. eciliatum, Leptochidium,
 204
 albocincta, Nemanja, 397
 —, Octospora, 771
 albocinctum, Myriotrema, 99
 albocinnamomea, Perenniporia, 981
 ('Perenniporis')
 albocitrina, Stilbella, 503
 albocitrinum, Lachnum, 675
 albocitrinus, Hapalopilus, 49
 albocolossum, Hebeloma, 590
 alboconicum, Tricholoma, 316
 albocoremium, var., Penicillium hirsutum,
 1066
 albocrema, Skeletocutis, 213
 albocrenulata, Hemiphiliota, 50
 albocrenulatum, Entoloma, 46
 albocyaneus forma incurvus, Cortinarius, 528
 — forma umbonatopileus, Cortinarius, 874
 albofarinaceus, Tylopilus, 62
 albofibrillosa, Inocybe, 593
 albofibrillosa, Phlebia, 357
 albofimbriata, Psilocybe, 694
 albofimbriatus, Cortinarius, 874
 —, forma, Cortinarius uraceus, 195
 alboflavescentulus, var., Marasmius
 pseudocupressiformis, 972
 albofloccosa, Amanita, 226
 —, Russula, 1075
 —, Tephrocybe, 366
 albofragrans, Clitocybe, 115, 282
 albofulta, Nectriopsis, 977
 albofusca, Vibrissea, 317

- , *Winterella*, 704
albogilva, *Cystolepiota*, 955
alboblobosa, *Torrubiella*, 215
albo-griseolum, *Gerronema*, 962
alboidopallens, forma, *Lactarius blennius*, 542
albolanaripes, *Floccularia*, 668
albolens, forma, *Cortinarius rigidus*, 117
albolilascens, *Cortinarius*, 874
albolinitum, *Phyllobathelium*, 775
albolivida, *Calathella*, 281
albomaculans, *Phomatospora*, 258
—, *Phomatosporella*, 259
albomaculata, *Ocellularia*, 99
—, *Xanthoparmelia*, 458
albomaculatus, *Cortinarius*, 474, 874
albomarginata, *Acarospora*, 187
— var. *pallida*, *Fomitopsis*, 960
— var. *polita*, *Fomitopsis*, 960
— var. *subvillosa*, *Fomitopsis*, 960
—, forma, *Anaptychia szechuanensis*, 278
albomarginatum, *Ganoderma*, 1055
('albmarginitum')
albomellea, *Auriculariopsis*, 870
albominuta, *Stilbella*, 503
albomycelinus, subsp., *Phylloporus rhodoxanthus*, 400
albonigra, *Licea*, 394
albonigrum, *Mycocalicium*, 207
albonuda, *Micropsalliota*, 894
alboperithecata, *Cordyceps*, 193
alboperonata, *Inocybe*, 886
albopileatum, *Lachnum*, 594
albopruinosus, *Pulveroboletus*, 902
albopubescens, *Hydropus*, 243
albpulverulenta, *Amanita*, 41
albopunctata, *Flammulaster*, 340
—, *Phaeosphaeria*, 983
alboradicans, *Conocybe*, 232
alborosea, *Gigaspora*, 123, 341
—, *Peziza*, 57
—, *Scutellospora*, 614
alborubescens, *Macrolepiota*, 544
—, var., *Sporobolomyces photographus*, 407
alboscabra, *Physarina*, 551
albospissa, *Russula*, 992
albosporus, *Cerinomyces*, 580
albostramineum, *Hypochnicium*, 484
albostramineus, *Byssomerulius*, 744
—, *Meruliopsis*, 129
alboostygius, *Rigidoporus*, 452
albosulcatum, *Entoloma*, 46
albotestacea var. *agrostina*, *Trichopeziza*, 1079
albotomentosa, *Alnicola*, 518
—, *Naucoria*, 354
albotomentosum, *Entoloma*, 959
albovariegatus, *Cortinarius*, 8
albovelata, *Inocybe*, 392
albovelutina, *Simocybe*, 994
albovelutipes, *Inocybe*, 50
alboverruca, *Laurera*, 836
—, *Stirtonia*, 908
albovinaceus, *Tyromyces*, 998
— var. *intentior*, *Tyromyces*, 998
albovirens, *Pyxine*, 843
alboviridis, *Proliferodiscus*, 691
alboviscida, *Inocybe*, 886
albo-areolata, *Russula*, 24
albo-atra, *Lanzia*, 86
albo-fibrillosum, *Steccherinum*, 846
albo-fusca, *Cubasina*, 584
albo-globospora, *Clavaria*, 828
albo-ochraceus, var., *Lactarius subvernalis*, 53
albo-ostiolata, *Tubeufia*, 703
albula var. *vocontia*, *Lecanora*, 542
albulae, *Leptosphaerulina*, 249
album, *Pulvinotrichum*, 212
— var. *paralion*, *Cylindrodendrum*, 955
—, var., *Diderma carneum*, 120
—, var., *Lasiobelonium parksii*, 54
—, var., *Penicillium novae-caledoniae*, 89
albus, *Zygodesmus*, 458
—, *Lactarius* see *Lactarius angustifolius*
—, forma, *Acervus epispertius*, 1041
—, var., *Agaricus augustus*, 377
—, var., *Boletus aurantiacus*, 190 ('alba')
—, var., *Boletus scaber*, 946
—, var., *Pluteus atricapillus*, 496
—, var., *Pluteus umbrosus*, 497
alcalina var. *inodora*, *Mycena*, 396
— forma *alba*, *Mycena* see *Mycena eburnea*
alcalireagens, *Mollisia*, 680
alcalophila, *Exophiala*, 198
alcalophilus, *Phaeococcomyces*, 209
alchemillae, *Anthostomella*, 41
—, *Joerstadia*, 202
alchorneae-rugosae, *Aecidium*, 277
albicornaria, *Lichenosticta*, 17
alcidis, *Panaeolus*, 356, 399, 897, 1065
—, *Peziza*, 604
alcornii, *Avetia*, 468
aldabrensis, *Paulia*, 65
alectoralicum, *Cetrariastrum*, 113
—, *Everniastrum*, 533
alectoronica, *Xanthoparmelia*, 458
aleophilum, var., *Verticillium fungicola*, 178
aleurella, *Cryptothecia*, 530
aleuriata, *Stilbella*, 503
aleuriatus var. *reticulatus*, *Pluteolus*, 259
aleurina, *Cryptothecia*, 530
aleuriodor, *Cortinarius*, 116
aleuriolens, *Cortinarius*, 193
aleurites, *Imshaugia*, 435
aleuritica, *Arctoparmelia*, 467
aleuritis, *Nectria*, 397 ('aleuritidia')
—, *Ucinula*, 703
—, forma *specialis*, *Fusarium oxysporum*, 161 ('aleuritidis')
aleurocarpa, *Cryptothecia*, 530
aleurodes, *Cryptothecia*, 530
—, *Lachnum*, 594
aleuroides, *Psoromidium*, 309
alexandrensis, *Xanthoparmelia*, 620
alexandri, *Aspicilia*, 331
alfalfae, *Pleospora*, 606
—, *Stemphylium*, 615
algeriensis, *Pratella*, 988
algicola, *Papularia*, 89
algida, *Hohenbuehelia*, 293
—, *Mycosphaerella*, 770

- alhagi, *Microsphaera*, 167
 —, *Rosellinia*, 697
 —, *Trematosphaeria*, 702
 —, *Erysiphe* see *Erysiphe bremeri*
 alhagis, var., *Pleospora spartii*, 776
 alicantinum, *Penicillium*, 56
 aliena, *Aspicilia*, 110
 —, *Joerstadia*, 202
 alienata, *Dermocybe*, 879
 —, *Grandinia*, 199
 —, *Kneiffiella*, 126
 alienospora, *Inocybe*, 886
 aliphatica, *Xanthoparmelia*, 620
 aliphaticus, *Oropogon*, 979
 aliquantum, *Entoloma*, 46
 alishanum, *Stereocaulon*, 784
 alismaceus, *Hymenoscyphus*, 483
 alium, *Entoloma*, 46
 alkalivirens, *Coniochaeta*, 749
 allanii, *Pseudocyphellaria*, 211
 allantoidea, *Dactylospora*, 1053
 allantospora, *Endoxylina*, 197
 —, *Lanzia*, 676
 —, *Phlebiella*, 688
 —, *Rutstroemia*, 844
 allantosporum, *Brevicellicium*, 43
 —, *Subulicystidium*, 908
 —, var., *Crocicreas nigrofusum*, 118
 alleghensis, *Scutellinia*, 1077
 allemandae, *Pseudocercospora*, 58
 ('allamendae')
 alleppeyensis, *Pluricellaesporites*, 401
 alliciens, *Hygrocybe*, 539
 alligatoris, *Agaricus*, 737 ('aligatoris')
 allii, *Ascochyta*, 740
 —, *Cladosporium*, 334
 —, *Hypoderma*, 966
 —, *Penicillium*, 981
 —, var., *Penicillium hirsutum*, 1066
 allii-cepae, *Ascochyta*, 468
 —, *Mycosphaerella*, 546
 allii-monanthi, *Uromyces*, 457
 allii-porri, *Heterosporium*, 84
 alliodoratissimus, *Marasmius*, 892
 allisoniensis, *Miniancora*, 974
 allochrom, *Entoloma*, 159
 allomorphous, *Transeptaesporites*, 316
 allomorphus, *Multicellaesporites*, 129
 —, *Staphlosporites*, 139
 allophyli, *Pseudocercospora*, 692
 allophylicola, *Pseudocercospora*, 692
 allophylina, *Pseudocercospora*, 1069
 allosericellum, *Entoloma*, 959
 allospermum, *Entoloma*, 479
 alluticolor, var., *Cortinarius subpurpurascens*, 584
 allutoides, *Cortinarius*, 528
 allutus var. *luteus*, *Cortinarius*, 874
 — var. *xanthus*, *Cortinarius*, 424
 alma-ataense, *Syncephalastrum*, 315
 albornii, *Caloplaca*, 657
 —, *Rinodina*, 363
 almerensis, *Psathyrella*, 448
 almorae, *Sphacelotheca*, 94 ('almoras')
 almorensis, *Buellia*, 190
 alnea, *Byssosphaeria*, 332
 —, *Hydrocybe*, 539
 —, *Inocybe*, 50
 —, *Scutellinia*, 906
 —, *Telamonia*, 455
 alneti, *Simocybe*, 994
 alnetora, *Arrhenia*, 330
 alnetorum, *Entoloma*, 832
 —, *Naematoloma*, 55
 alneum, *Asteroma*, 4
 —, *Seimatosporium*, 557
 alni, *Deightonella*, 337
 —, *Mycena*, 769
 —, *Mycopappus*, 442
 —, *Ochroporus*, 398
 —, *Pichia*, 358
 —, var., *Corticium odoratum* see
Scytinostroma eurasiaticogalactinum
 —, var., *Stereum odoratum* see
Scytinostroma eurasiaticogalactinum
 —, forma, *Phellinus igniarius*, 898
 —, var., *Corticium odoratum*, 750
 —, var., *Hohenbuehelia constans*, 671
 —, var., *Mycena niveipes*, 1062
 alnicola, *Amanita*, 654
 —, *Clitocybe*, 473
 —, *Mytilodiscus*, 354
 —, *Pholiota*, 305
 —, *Winterella*, 704
 — var. *piceae*, *Flammula*, 430
 — var. *pitkinensis*, *Lactarius*, 51
 — var. *pungens*, *Lactarius*, 51
 —, var., *Entoloma largentii*, 587
 alnicrispae, *Russula*, 1075
 alniella, *Calycina*, 470
 alnifolium, *Lachnum*, 594
 alnijorullensis, *Russula*, 697
 alniphila, *Pholiota*, 447
 alnobetulae, *Cortinarius*, 1048
 —, *Entoloma*, 81
 alnophilus, *Cortinarius*, 193, 474
 allocasiae, *Cercospora*, 1046
 —, *Phyllosticta*, 58
 —, *Pleurotus*, 135
 aloidis, *Phoma*, 774
 alopochoa, *Lepiotula*, 54
 alpestre, *Byssothecium*, 948 ('alpestris')
 —, *Physarum*, 551
 alpestris, *Calocybe*, 577
 —, *Endococcus*, 238
 —, *Micropeltopsis*, 1062
 —, *Phaeosphaeria*, 1067
 —, *Psilocybe*, 990
 —, var., *Inocybe fastigiata*, 593
 —, var., *Strigula stigmatella*, 33
 alphitochrous, *Hymenagaricus*, 163
 — var. *pegleri*, *Hymenagaricus*, 483
 alphitoides var. *chenii*, *Microsphaera*, 205
 alphitoniae, *Schiffnerula*, 781
 alphitophora var. *distincta*, *Mycena*, 975
 — var. *globispora*, *Mycena*, 975
 alpicola, *Entoloma*, 81
 — forma minor, *Entoloma*, 959
 alpicolae, *Karschia*, 1059
 alpigena, *Massariosphaeria*, 892
 alpigenes, *Astrosporina*, 655
 —, var., *Russula fragilis*, 1076

- alpinum, var., *Entoloma poliopis*, 1055
 alpina, *Albotricha*, 653
 —, *Amyloporiella*, 378
 —, *Antennulariella*, 654
 —, *Antrodia*, 418
 —, *Arthrorhaphis*, 28
 —, *Bellemerea*, 379
 —, *Collybia*, 661
 —, *Cyathicula*, 236
 —, *Galerina*, 123
 —, *Hypogymnia*, 592
 —, *Leptosphaerulina*, 249
 —, *Massarina*, 166
 —, *Phaeosphaeria*, 446
 —, *Septoria*, 453
 —, *Tubeufia*, 1079
 — forma *macrospora*, *Sphaerotheca*, 558
 — forma *pachymera*, *Poria*, 360
 ('pachymeres')
 —, forma, *Physconia muscigena*, 689
 —, var., *Inocybe lanuginosa*, 967
 —, var., *Porpodia speirea*, 553
 —, var., *Protoblastenia siebenhaariana*, 553
 —, var., *Russula nana*, 613
 alpinicola, *Hebeloma*, 342
 alpinum, *Crocicreas*, 78
 —, *Haematomma*, 537
 —, *Hypoderma*, 85
 —, *Smittium*, 365
 alpinus, *Camarophyllus*, 380, 871
 —, *Phaeosporobolus*, 1067
 —, *Pseudogymnoascus*, 262
 —, *Strobilomyces*, 503, 559
 — var. *mitis*, *Lactarius*, 51
 alpivaga, *Halecania*, 759
 alpivagus, *Wentomyces*, 1080
 alstoniae, *Arnaudiella*, 42
 —, *Cercospora*, 746
 —, *Pseudocercospora*, 989
 altaica, *Conocybe*, 115
 altaicum, *Lachnum*, 541, 594
 alternantherae, *Pseudocercospora*, 211
 alternantherae-nodiflorae, *Pseudocercospora*, 1069
 alternarioides, *Corynespora*, 878
 alternata, *Russula*, 311
 —, *Xanthoparmelia*, 620
 althaeicola, *Cercospora*, 282
 althaeigena, *Cercospora*, 282
 althoffiae, *Inocybe*, 50, 164
 alticola, *Vararia*, 409
 altissimus, *Phaeostalagmus*, 170
 altoandina, *Pholiotina*, 985
 altocedronensis, *Phellinus*, 446
 altomellitus, *Cortinarius*, 424
 altus, *Hydropus*, 243
 aluta, *Scytinostroma*, 364
 alutacea, *Kneiffiella*, 126
 —, *Lindtneria*, 596
 —, *Ramariopsis*, 844
 — var. *carpogena*, *Rhodocybe*, 138
 — forma *olivacea*, *Russula*, 264
 — forma *roseola*, *Russula*, 264
 —, var., *Amanita rubescens*, 826
 alutaceomaculata, forma, *Russula krombholzii*, 612
 alutaceotincta, *Clitocybe*, 473
 alutaceovergens, var., *Amanita vaginata*, 572
 alutaceo-siccescens, *Clavulina*, 829
 alutaceum, *Hydnum* see *Grandinia stenospora*
 alutaceus, *Panellus*, 684
 alutae, *Entoloma*, 46
 alutaria, *Grandinia*, 199
 —, *Kneiffiella*, 126
 alvarensis, var., *Cetraria tilesii*, 113
 alvearialis, *Schistoplaca*, 698
 alveolata, *Heimiella*, 1057
 —, *Tubosaeta*, 847
 alveolatus, *Austroboletus*, 74
 alwisii, *Hygrocybe*, 539
 alyxiae, *Stenella*, 995
 amabile, *Gerronema*, 49
 amabilis, *Coniocybe*, 192
 —, *Menegazzia*, 597
 —, *Sclerophora*, 406
 amableana, *Xanthoparmelia*, 912
 amadelphum, *Micromphale*, 352
 ('amadelphus')
 amagiensis, *Myelochroa*, 681
 amaniense, *Parmotrema*, 256
 amanitae, *Agaricus*, 571
 —, *Collybia*, 582, 873
 amara, *Postia*, 553
 — var. *szataelae*, *Pertusaria*, 549 ('szatalai')
 —, var., *Collybia distorta*, 283
 —, var., *Pholiota spumosa*, 400
 amaranthi, *Entyloma*, 48
 amaranthicola, *Cercoseptoria*, 76
 amaranthii, *Gastrospium*, 962
 amarellum, *Hebeloma*, 342
 amarescens subsp. *exhalans*, *Cortinarius*, 528
 amarissimus, var., *Lactarius alachuanus*, 51
 amariusculum, *Lyophyllum*, 204
 amarus, var., *Entoloma sericellum* see *Entoloma allosericellum*
 —, forma, *Hydnum repandum*, 1057
 amarus, *Oligoporus*, 443
 amaryllicicola, *Cercospora*, 6 ('amaryllicola')
 amaura, *Psathyrella*, 554
 amazonense, *Botryohypoxylon*, 522
 —, *Cladobotryum*, 114
 —, *Dicranidion*, 120
 —, *Helicodendron*, 292
 —, *Scolecobasidium*, 698
 —, var., *Asterinema caseariae*, 279
 amazonensis, *Aspergillus*, 520
 —, *Collybia*, 951
 —, *Hansfordiopenitopsis*, 538
 —, *Lactarius*, 295
 —, *Marvalia*, 395
 —, *Merismella*, 545
 amazonica, *Camillea*, 948
 —, *Canoparmelia*, 578
 —, *Conocybe*, 952
 —, *Cystolepiota*, 955
 —, *Hemimycena*, 964
 —, *Hohenbuehelia*, 964
 —, *Janauaria*, 674
 —, *Mycena*, 253
 —, *Vizella*, 704
 — var. *neoamazonica*, *Cordyceps*, 156

- amazonicus, Cortinari, 284
 —, Flabellomyces, 198
 —, Paxillus, 897
 —, Pluteus, 987
 —, Rigidoporus, 696
 — var. obscuratus, Xerocomus, 318
 amazoniensis, Hygrocybe, 965
 —, Inocybe, 294
 —, Marasmiellus, 971
 amazonum, Cryptothelium, 530
 ambiens, Eutypella, 756
 — subsp. leucostomoides, Valsa, 457
 ambigua, Anomoporia, 654
 —, Apostrostreria, 227
 —, Cercophora, 43
 —, Conocybe, 115
 —, Foraminella, 161
 —, Galera, 241
 —, Lanzia, 127
 —, Odontiopsis, 600
 —, Ramaria, 843
 —, Vararia, 97
 —, var., Pleospora penicillus, 259
 ambiguum, Anisomeridium, 739
 —, Hypholoma, 347
 ambiguus, Panellus, 684
 ambisexualis, var., Achlya bisexualis, 277
 ambisporum, Glomus, 431
 ambrosiae, Dipodascus, 586
 —, Hormoascus, 672
 ambrosiae-trifidae, forma specialis, Puccinia
 xanthii, 93 ('ambrosia-trifidae')
 ambrosioidis, Phoma, 306
 ambrosium, Entoloma, 11
 amelanchieris, Spilocaea, 266
 —, Strickeria, 784 ('Strickera')
 amenti, Crocicreas, 78
 ameobigenius, Premycomyces, 308
 americana, Aleurina, 518
 —, Antrodiella, 330
 —, Auricularia, 655
 —, Clypeosphaeria, 951
 —, Erynia, 12
 —, Erysiphe, 240
 —, Furia, 960
 —, Gloeodontia, 834
 —, Hansenula, 342
 —, Krombholziella, 202
 —, Microsphaera, 167
 —, Oudemansiella, 601, 684, 897
 —, Phoma, 258
 —, Pichia, 358
 —, Pleosphaerulina, 776
 —, Ramaria, 137
 —, Strigula, 66
 —, Taeniolella, 177
 —, Tephromela, 407
 —, Tomasellia, 66
 —, Tuckermannopsis, 790
 —, Xerula, 142
 — var. orientalis, Ramaria, 1072
 —, subsp., Clitocybe vermicularis, 156
 —, subsp., Peniophora malenconii, 687
 —, var., Oudemansiella longipes, 398
 —, var., Psilocybe liniformans, 59
 —, var., Ramaria distinctissima, 843
 americanum, Cetrariastrum, 113
 —, Everniastrum, 533
 —, Hericium, 346
 —, Mycocalicium, 681
 —, Poculum, 359
 —, Repetobasidium, 93
 — var. bisporum, Repetobasidium, 610
 americanus, Clavariadelphus, 873
 —, Coprinus, 527
 —, Flaviporus, 389
 —, Golovinomyces, 884
 —, Lamelloporus, 676
 —, Oropogon, 979
 — var. reticulipes, Suillus, 366
 —, var., Hypomyces papulasporae, 485
 —, var., Lactarius hyssiginus, 52
 —, var., Marasmiellus paspali, 837
 amerosporum, Endostelium, 387
 — var. medium, Endostelium, 387
 — var. minus, Endostelium, 387
 amethysteae, Peronospora, 841
 amethysteo-occidentalis, Laccaria, 349
 amethysteus, var., Cantharellus cibarius, 745,
 949
 amethystina, Inocybe, 761
 —, Pratella, 988
 —, var., Psalliota sylvatica, 988
 amianthinum var. longisporum, Cystoderma,
 237
 amici forma bispora, Amanita, 572
 amicum, Entoloma, 755
 amicosus, Agaricus, 867
 amicta, Appendichordella, 654
 —, Haligena, 14
 amidevorans, Candida, 658
 amigochrous, Cortinari, 1048
 aminoaliphatica, Amanita, 467
 aminophilum, Hebeloma, 670
 ammannii, Gnomoniella, 291
 ammodendri, Camarosporium, 658
 —, Phoma, 689
 ammophila, Rhodocybe, 451
 — forma ecaudata, Psathyrella, 900
 — forma marginata, Psathyrella, 900
 —, Psalliota see Agaricus menieri
 ammophilae, Amarenomyces, 151
 —, Coprinus, 874
 —, Micropeltopsis, 974
 —, var., Cyathicula stipae, 285
 amnicola, Russula, 311
 amoeboida, Schizoplasmodiopsis, 175
 amoena, Deigloria, 45
 — forma acystidiata, Russula, 500
 — forma viridis, Russula, 611
 amoenicolor forma olivacea, Russula, 611
 amoenipes, var., Russula xerampelina, 780
 amoenolens, Inocybe, 886
 amoiense, Amauroderma, 277 ('amoienis')
 amomi, Pseudocercospora, 692
 amophilus, var., Gyroporus castaneus, 963
 amorilens, Scutobelonium, 406
 amorpha, Beauveria, 190
 amorphophallica, Ascochyta, 740
 amorphoporcata, Gelasinospora, 13
 amorphus, Notothyrites, 88
 ampelina, Phylloporia, 306

ampelopsidis, var., *Uncinula necator*, 268
 amphibalaustius, *Cortinarius*, 235
 amphibia, *Flabellospora*, 161
 amphibiorum, *Zygorhynchus*, 268
 amphibolum, *Fuscoderma*, 961
 —, *Leioderma*, 596
 amphicarpaceae, *Erysiphe*, 160
 amphicis, *Laboulbenia*, 763
 amphigena, *Puiggarina*, 901
 amphilibii, *Puiggarina*, 901 ('*amphilophii*')
 amphilmas, *Charomyces*, 580
 amphipila, *Urceolella*, 704
 amphisticta, *Pseudocyphellaria*, 608
 amphithallica, *Vararia*, 97
 amphithele, *Xylaria*, 1002
 ampla, *Byssolophis*, 577
 —, var., *Amanita spissa*, 1042
 amplexa, *Flavoparmelia*, 535
 amplexula, *Xanthoparmelia*, 620
 amplexuloides, *Xanthoparmelia*, 1001
 amplisporum, *Entoloma*, 46
 ampullacea, *Cordyceps*, 234
 —, *Strickeria*, 784
 —, forma, *Inocybe nitidiuscula*, 888
 ampullaceocystidiata, *Inocybe*, 485
 ampulliformis, *Hypocrea*, 966
 —, *Isthmolongispora*, 294
 amstelodamensis, forma, *Psathyrella*
 olympiana, 449
 amycelica, *Oospora*, 600
 amycelicum, *Geotrichum*, 589
 amygdalariae, *Dactylospora*, 1053
 amygdali, *Phomopsis*, 985
 —, forma, *Phyllactinia salmonii*, 400
 amygdalina, *Inocybe*, 887
 amygdalinum, *Entoloma*, 755
 amygdalinus, *Tyromyces*, 457
 amygdalispota, *Dendrothele*, 752
 —, var., *Vararia minidichophysa*, 704
 amygdalispotum, *Chaetomium*, 114
 —, *Suillosporium*, 616
 amygdaloides, *Strickeria*, 784
 amygdalosporum, *Lyophyllum*, 679
 amygdalosporus, *Crepidotus*, 663
 —, *Dochmiopus*, 666
 —, *Marasmius*, 892
 amyloentrinoidea, *Perenniporia*, 773
 amylohypha, *Perenniporia*, 357
 —, *Poria*, 402
 amyloideoexcipulata, *Pezizella*, 169
 amyloideopilosa, *Hyaloscypha*, 243
 amyloideus, *Tyromyces*, 998
 amylolentus, *Cryptococcus*, 79, 118
 amylophila, *Pichia*, 22
 amylosporum, *Campylothecium*, 64
 amylosporus, *Boletus*, 576
 —, *Leucoagaricus*, 128
 anacardii, *Pseudocercospora*, 136
 anacardiicola, *Auriculoscypha*, 468
 analogum, *Gloeohypochnicium*, 589
 anamalaiense, *Myriotrema*, 30
 anamalaiensis, *Cryptothecia*, 119
 —, *Parmentaria*, 981 ('*anamalaiense*')
 anamalayensis, *Podospora*, 987
 ananearum, *Cephalosporium* see
 Engyodontium arachnophilum

ananus var. *crassotunicatus*, *Boletellus*, 280
 — var. *minor*, *Boletellus*, 280
 anaphalidis, *Ramularia*, 990
 anastomosus, *Marasmiellus*, 679
 anaticula, *Rhizoctonia*, 779
 anatina var. *xanthochlora*, *Russula*, 264, 452
 anatinum, *Entoloma*, 666, 881, 1054
 anatrachidis, *Laboulbenia*, 968
 anceps, *Strickeria*, 784
 anchietana, *Mycena*, 491
 anchusae, var., *Erysiphe asperifoliorum*, 122
 —, var., *Erysiphe cynoglossi*, 198
 ancilis, *Gyromitra*, 391
 ancudensis, *Candida*, 380
 andamanensis, *Pleurotheliopsis*, 691
 —, *Porina*, 691
 andamanica, *Opegrapha*, 772
 —, *Parmentaria*, 604
 —, *Pyrenula*, 778
 andamanicum, *Cryptothelium*, 878
 —, *Myriotrema*, 30
 andegavensis, *Lepiota*, 248
 andense, *Cetrariastrum*, 98, 113, 155
 —, *Everniastrum*, 98, 533
 andersenii, *Drechslera*, 478
 andersonii, *Dothidotthia*, 666
 andicola, *Dimeromyces*, 428
 andina, *Arnaudiiella*, 575
 —, *Chardoniiella*, 114
 —, *Erysiphe*, 198
 —, *Periconiella*, 133
 —, *Queletia*, 1072
 — var. *crystalliniformis*, *Phoma*, 774
 andinopatagonica, *Cordana*, 8
 —, var., *Agrocycbe procera*, 377
 andinopatagonicus, *Phellinus*, 446
 andinum, *Leccinum*, 890
 andinus, *Phellinus*, 209 ('*andina*')
 andjasmorensis, *Rinodina*, 363
 ('*andjasmorensis*')
 andrachnidis, *Phoma*, 689
 andreaeae, forma *specialis*, *Bryonora*
 curvescens, 280
 andrianae, *Entoloma*, 339, 479
 andromedae, *Extrawettsteinina*, 668
 —, *Mycosphaerella*, 546
 —, *Protoventuria*, 1068
 —, *Sphaerella*, 558 ('*Sphaerella*')
 —, *Sphaerella* see *Mycosphaerella*
 andromedae
 —, forma, *Exobasidium vaccinii*, 832
 andropogonis, *Sporisorium*, 454
 andropogonis-aciculati, *Sporisorium*, 314
 andropteri, *Sphacelotheca*, 25
 androsaceus, *Setulipes*, 698
 androsacina, *Thecaphora*, 215
 anemarrhenae, *Aecidium*, 151
 anemones, *Coleosporium*, 951
 anfractoides, *Cortinarius*, 528, 750, 874
 angardiana, *Lepraria*, 351
 angardianum, *Leproloma*, 890
 angelesiense, *Hebeloma*, 342
 angelicae var. *athamanthae*, *Puccinia*, 211
 angelicum, *Trichocladium*, 1079
 anglica, *Arthonia*, 943
 —, *Chaetosphaeria*, 282

- , *Erynia*, 480
- , *Laccaria*, 541
- , *Zoophthora*, 1002
- , var., *Laccaria affinis*, 295
- anglicum*, *Lamproderma*, 164
- angolense*, *Anthracotheicum*, 868
- , *Cetrariastrum*, 113
- , *Everniastrum*, 533
- angolensis*, *Blumenavia*, 42
- , *Peyritsiella*, 445
- , *Phaeoramularia*, 605
- anguillosporus*, *Cryptodiscus*, 119
- anguioides*, *Pseudocercospora*, 93
- , var., *Fusarium avenaceum*, 832
- angularis*, *Bahusutrabeeja*, 521
- , *Leptolegniella*, 764 ('angulare')
- , var., *Pyropolyporus pusillus*, 451
- angulata*, *Anguillospora*, 418
- , *Mycocentrospora*, 301, 681
- angulatopora*, *Antrodia*, 654
- angulato-squamulosa*, *Inocybe*, 540, 593
- angulisporea*, *Apiosordaria*, 869
- angulopora*, *Fibroporia*, 289
- , *Postia*, 553
- anguloporus*, *Oligoporus*, 443, 771
- angulosa*, *Xylaria*, 706
- angulosporum*, *Paraulocladium*, 603
- angusta*, *Corollospora*, 749
- , *Pichia*, 358
- , *Pseudallescheria*, 173 ('angustum')
- , *Hansenula* see *Pichia angusta*
- angustata*, *Pestalotia*, 90
- var. *moniliformis*, *Pannoparmelia*, 602 ('moniliforme')
- , forma, *Physcia aipolia*, 306
- , var., *Physconia pulverulenta*, 986
- angustatus*, *Nematoclonus*, 547
- angusticeps*, *Agrocybe*, 109
- var. *ovoideo-brunnea*, *Morchella*, 769
- angustifolia*, *Clitocybe*, 155
- , *Inocybe*, 887
- , subsp., *Physcia stellaris*, 552
- angustifolium*, *Hebeloma*, 342, 431, 432
- , *Hebeloma* see *Hebeloma smithii*
- angustifolius*, *Cuphophyllus*, 426, 663
- , *Lactarius*, 51
- angustiloba*, subsp., *Physcia stellaris*, 552
- angustivoidea*, *Alternaria*, 467
- angustiphylia*, *Xanthoparmelia*, 912
- , forma, *Parmelia taractica*, 981
- angustipleurocystidiata*, *Psilocybe*, 262
- angustiporcatum*, *Eupenicillium*, 289
- , *Penicillium*, 304
- angustispermus*, *Hydropus*, 243
- angustispora*, *Coniochaeta*, 115
- , *Diheterospora*, 428
- , *Hemimycena*, 243
- , *Protoventuria*, 1068
- , *Rhodocybe*, 992
- , *Russula*, 557
- , *Sowerbyella*, 845
- angustisporum*, *Ceratobasidium*, 43
- , *Helotium*, 200
- angustisporus*, *Hymenoscyphus*, 834
- angustissimum*, *Pseudodolyophyllum*, 1072
- angustoappendiculata*, forma, *Russula subfistulosa*, 1076
- angustobasilaris*, *Sporidesmiella*, 615
- angustum*, *Helotium*, 200
- , *Tricladium*, 618
- angustus*, *Koralionastes*, 762
- anhuiense*, *Lophodermium*, 891
- anhuiensis*, *Erynia*, 533
- , *Zoophthora*, 1002
- anisa*, *Hygrocybe*, 539
- anisata*, *Ramaria*, 212
- , var., *Ramaria cystidiophora*, 843
- anisomelicola*, *Pseudocercospora*, 1069
- anisophylleae*, *Schiffnerula*, 781
- anisospora*, *Diporicellaesporites*, 287
- , *Eriosphaeria*, 82
- , *Nectriella*, 977
- anitae*, *Cladonia*, 155
- anxielloides*, *Isia*, 164
- anka*, *Monascus*, 252
- var. *rubellus*, *Monascus*, 252
- anklesvarensis*, *Foveodiporites*, 390
- annellosynnema*, *Acrostroma*, 737
- annexa*, *Paraparmelia*, 602
- annonacea*, *Cercoseptoria*, 746 ('anonacea')
- annonacearum*, *Passalora*, 897, 981 ('anonacearum')
- annonae-squamosae*, *Pseudocercospora*, 1069
- annosum* var. *indicum*, *Heterobasidium*, 124
- var. *microsporum*, *Heterobasidium*, 964
- annulata*, *Aspicilia*, 741
- , *Embellisia*, 532
- , *Mycosphaerella*, 546
- , *Phaeosphaeria*, 983
- , *Stilbella*, 503
- var. *limbaluensis*, *Russula*, 1075
- var. *tshopoensis*, *Russula*, 1075
- , forma, *Psathyrella pennata*, 449
- annulatipes*, *Sphaerophragmium*, 365
- annulatoangustifolius*, *Lactarius*, 968
- annulatus*, *Coccomyces*, 7
- , *Cortinarius*, 874
- , *Panaeolus*, 303
- , *Pluricellaesporites*, 359 ('annulatus')
- var. *wuyishanensis*, *Cyathus*, 955
- annulicaudata*, *Phyllosticta*, 1067
- annulifer*, *Lactarius*, 296
- annuliformis*, *Vladracula*, 562
- annulisporum*, *Didymium*, 957
- annullata*, *Cordyceps*, 193
- annuloelevatum*, *Thelotrema*, 909
- annulorosea*, forma, *Amplariella rubescens*, 574
- annulosulfurea*, var., *Amanita rubescens*, 826
- anodonta*, *Mycowinteria*, 546
- anoetoporus*, *Dichomitus*, 337
- anogeissi*, *Acanthophiobolus*, 571
- , *Asterina*, 521 ('anogeissusii')
- anoistum*, *Campylothelium*, 112
- anomaea*, *Cladonia*, 29
- var. *cladomorpha*, *Cladonia*, 525
- var. *gracilior*, *Cladonia*, 525
- var. *hololepis*, *Cladonia*, 525
- var. *phyllophora*, *Cladonia*, 525
- var. *scyphifera*, *Cladonia*, 525
- var. *squamulifera*, *Cladonia*, 525

— var. *subacuta*, *Cladonia*, 525
 — var. *subuliformis*, *Cladonia*, 525
anomala, *Asterina*, 379
 —, *Dekkera*, 337
 —, *Didymella*, 586
 —, *Oidospora*, 1064
 —, *Paradendryphiopsis*, 256
 —, *Pichia*, 358
 —, *Pseudocyphellaria*, 608
 —, *Stylopage*, 266
 —, subsp., *Ochrolechia parella*, 547
anomalochrascens, *Cortinarius*, 582
anomaloidea, *Lecidella*, 30
anomalum, *Ypsilonidium*, 63
 — var. *juniperi*, *Ascocorticium*, 153
anomalus, *Botryohypochnus*, 229
 —, *Hirschioporus*, 433
 —, *Nannfeldtiomyces*, 168
 — var. *cervisipes*, *Cortinarius*, 750
 — var. *microsporus*, *Marasmius*, 766
 —, *Marasmius* see *Collybia fasciata*
anombrophila, *Arthonia*, 943
anomoconis, *Stenella*, 314
anomologa, *Limacella*, 544
anonacea, *Mycomicrothelia*, 492
anonyma, *Pithyella*, 690
anoplogenii subsp. *abaceti*, *Laboulbenia*, 486
anoptella, *Polyblastiopsis*, 171
anosyana, *Laboulbenia*, 126
ansata, *Marisolaris*, 972
ansatus, *Kyphomyces*, 436
anseris, *Aspicilia*, 110
antarctica, *Austrolechia*, 379
 —, *Candida*, 281
 —, *Chalara*, 1046
 —, *Didymella*, 45
 —, *Diplonaevia*, 428
 —, *Endochaetophora*, 881
 —, *Lanzia*, 54
 —, *Mycosphaerella*, 397
 —, *Nectria*, 976
 —, *Palaeofibula*, 980 ('*Palaeofibulus*')
 —, *Sclerotinia*, 698
 —, *Simocybe*, 61
 —, *Sphaerulina*, 25
 —, *Strickeria*, 784
 —, *Thelenella*, 177
 —, forma, *Trametes versicolor*, 702
 ('*antarcticus*')
 —, var., *Cistella polytrichi*, 872
antarctica, *Diderma*, 1054
antarcticum, *Acrodontium*, 1041
 —, *Stereum*, 907
 —, var., *Leptoglossum lobatum*, 1060
 ('*antarctica*')
 —, var., *Leptoglossum retirugum*, 351, 437
antarcticus, *Lindquistomyces*, 250
 —, forma, *Coriolus versicolor*, 384
antennariae, *Entyloma*, 479
antennata, *Heliscina*, 50
antennatuloidea, *Annelodentomyces*, 418
 ('*antennatuloidus*')
anteneri, *Puccinia*, 555
anethiae, *Galerina*, 49
antherarum, *Thecaphorella*, 846
antherici var. *gentianae*, *Venturia*, 561

anthidepas, *Hydropus*, 243
anthophilum, var., *Fusarium sporotrichiella*, 833
anthostomoides, *Montagnula*, 440
 —, *Mycocyptospora*, 681
anthoxanthi, *Ustilago*, 506
anthracina var. *semicrema*, *Russula*, 905
anthracinellum, *Entoloma*, 387
anthracinum, *Entoloma*, 81
anthracinus forma *mutans*, *Cortinarius*, 384
anthracobia, *Pulvinula*, 173
anthracophila, *Conocybe*, 233
 —, *Hypocomyce*, 29
anthracophilum, *Lyophyllum*, 891
anthraspis, *Pseudocyphellaria*, 608
anthraxone, *Sporisorium*, 1078 ('*arthraxonis*')
anthriscicola, *Puccinia*, 498
anthurii, *Pestalotiopsis*, 1066
antibioticum, *Leptographium*, 437
antidesmatis, *Pseudocercospora*, 692
antigoni, *Phomopsis*, 170 ('*antigononii*')
antigononis, *Oidium*, 207 ('*antigononii*')
antillana, *Anungitea*, 574
 —, *Dictyochaeta*, 957
 —, *Inocybe*, 246
 —, *Pseudolachnea*, 694
antillanae, *Candida*, 380
antillani, *Monodictys*, 490
antillanum, *Camposporium*, 471
 —, *Cladosporium*, 661
 —, *Verticillium*, 792
antillanus, *Camarophyllum*, 229
antillarum, *Coccomyces*, 7
 —, *Ramariopsis*, 844
antillensis, *Parmotremopsis*, 686
 —, *Pichia*, 358
antipoda, *Clitocybe*, 115
antiqua, *Usnea*, 561
antiquum, *Sirothecium*, 406
antleriformis, *Parmelia*, 131
 —, *Xanthoparmelia*, 620
antrea, *Myelorrhiza*, 599
anuliferum, *Philobryon*, 774
anziana, *Ramaria*, 843
aokii, *Boletus*, 379
aotearoa, *Flagelloscypha*, 290
 —, *Phyllisciella*, 400
apacheriensis, *Hyphodontia*, 539
 —, *Schizopora*, 781
apalosclera, *Armillaria*, 189, 330
 ('*apalosclerus*')
apalotricha, *Volvariella*, 562
apalum var. *beatonii*, *Lachnum*, 675
apatetica, var., *Arthonia exilis*, 279
aperiens, *Topelia*, 408
aphana, *Catillaria*, 949
aphananthes, var., *Uncinula kusanoi*, 217
aphanis, *Sphaerotheca*, 214
 — var. *hyalina*, *Sphaerotheca*, 558
 — var. *physocarpis*, *Sphaerotheca*, 365
aphanodictyon, *Neottiella*, 254
aphidis, *Erynia*, 121
aphthosae, *Graphium*, 1056
aphyllanthidis, *Discochora*, 586
apiahynus, *Phellinus*, 688
apicale, *Helminthosporium*, 538, 591

- apicalis, Pithyella, 690
 apiculata, Batkoa, 945
 —, Dictyochaeta, 957
 —, Perrotia, 687
 —, Pestalotia, 169
 —, Pestalotiopsis, 841 ('apiculatus')
 —, Rhinocladia, 24
 —, var., Lulworthia medusa, 250
 apiculatum, Entoloma, 81
 apiculatus, Conidiobolus, 8
 apiculospora, Bagnisiella, 469
 apiense, Tetracadium, 96
 apilongissima, Ocostaspora, 302
 apioides, Helminthosporium, 391, 432
 apios, Cercospora, 949
 apiospora, Anisogramma, 574
 —, Indurata, 674
 —, Kamatella, 16
 apiosporicola, Pringsheimia, 92
 apis, Labyrinthula, 164
 — var. galacta, Candida, 381
 apitectum, Echinostelium, 46
 aploderi, Cantharomyces, 281
 apochitonis, Puccinia, 843
 apocynacearum, Plectopycnis, 552
 —, Pseudocercospora, 777
 apocyni, Guignardia, 669
 apogama, var., Mycena mauretana, 769
 apomorphus, Cortinari, 952 ('amorphus')
 — var. lintrisorus, Cortinari, 952
 apoina, forma, Dirina massiliensis, 880
 apophlaea, Mycosphaerella, 88
 —, Polystigma, 92
 aporata, Agrocybe, 517
 aporea, Hymenobolus, 1057
 aporos, Pholiotina, 58
 aporpum, var., Entoloma dissimile, 429
 ('aporpus')
 aporpus, var., Hydropus fluvialis, 244
 aporusae var. cylindrica, Asterina, 741
 aposcenum, Dermoloma, 956
 appalachensis, Punctelia, 173
 —, var., Lecanora cinereofusca, 394
 appalachianensis, Cercophora, 746
 apparaoi, Sorosporium, 266
 appendicula, Acaulospora, 377
 appendiculata, Aquadiscula, 419
 —, Clypeoporthella, 232
 —, Cordyceps, 234
 —, Diplocradiella, 665
 —, Galera, 241
 —, Monostichella, 598
 —, Pholiotina, 551
 —, Psathyrella, 448
 —, Pyrenopeziza, 309 ('appendiculatum')
 appendiculatum, Entoloma, 46
 —, Linocarpon, 970
 appendiculatus, Dicellaesporites, 120, 158
 —, Diphymyces, 428
 —, Kyphomyces, 436
 — var. crassitunicatus, Uromyces, 1000
 appendiculellae, Stellospora, 366
 applanata, Clitocybe, 748
 —, Leptoperidia, 764
 —, Parmelia, 685
 —, Trabrooksia, 27
 applanatipes, Marasmius, 488
 applanatum, Fuscoderma, 961
 —, Leioderma, 677
 applanatus, Meripilus, 395
 applicata, Hohenbuehelia, 538
 —, Xanthoparmelia, 792
 applicatum, var., Geopetalum striatulum, 536
 apposita, Mycomicrothelia, 492
 appressipila, Urceolella, 618
 approximata subsp. africana, Dirina, 287
 — subsp. hioramii, Dirina, 287
 — forma sorediata, Dirina, 287
 —, subsp., Dirina paradoxa, 532
 aprica, Parmelia, 131
 apricum, Parmotrema, 256
 aprile, Hebeloma, 342
 aprinus, Cortinari, 1048
 apsheronica, Stylopaga, 96
 apsila, var., Russula subfistulosa, 1076
 aptata, Canoparmelia, 578
 aptecohaerens, Cortinari, 235
 apteropteridis, Arthonia, 869
 aquarius, var., Tylopilus potamogeton, 317
 aquaspora, Rhinocladia, 263
 aquatica, Entomophthora, 11
 —, Erynia, 12, 82
 —, Phaeotrichoconis, 688 ('aquaticus')
 —, Pseudorobillarda, 173
 —, Sagediopsis, 1077
 —, Speiropsis, 782
 —, Tumularia, 790
 —, Vanrija, 141
 aquaticum, Cyliodrocarpon, 752
 —, Quadricladium, 990
 aquaticus, Cryptococcus, 878
 —, Dacrymyces, 337
 —, Obiectodiscus, 19
 —, Vargamyces, 28
 aquatilis, Autoicomyces, 420
 —, Pachyella, 56
 —, Taeniolella, 504 ('aquatile')
 aquensis, Caloplaca, 380
 aquila, Pyrenula, 65
 aquilegiae var. ranunculi, Erysiphe, 160
 aquilina, var., Lecanora psarophana, 542
 aquizonatus, Lactarius, 393
 aquosa, var., Collybia dryophila, 748
 aquosus, var., Hydropus subcartilagineus, 244
 arabica, Peccania, 1065
 arabidicola, Ramularia, 93 ('arabicola')
 arabis, Erysiphe, 160
 —, Golovinomyces, 884
 arabis-alpinae, Ustilago, 506
 arabiensis, Diploschistes, 532
 aracearum, Anthostomella, 151
 arachidicola, Didymella, 531
 arachispora, Amphinema, 73
 arachnicola, Clathroconium, 192
 arachnoidea, Rimbachia, 362
 — subsp. bisporea, Rimbachia, 362
 arachnoides, Entoloma, 666
 arachnoideum, Mniopetalum, 680
 ('arachnoidea')
 —, Placynthium, 401
 arachnoideus, Claudopus, 661
 arachnophilum, Engyodontium, 288

- arafurensis, Tephromela, 1078
 aragonense, Penicillium, 89
 araguensis, Hygrotrama, 966, 1057
 araliacearum, Oidium, 494
 araliae, Colletotrichum, 115
 aranaea, Paraparmelia, 840
 aranea forma monilipila, Arachnopeziza, 74
 araneorum, Beauveria, 827
 —, Engyodontium, 288
 — var. sinense, Aphanocladium, 378
 aranensis, Verrucaria, 792
 araneosolvatus, Cortinarius, 1048
 araneosum, Entoloma, 11, 479
 araneosus, Monascus, 252
 aranetae, Pseudocercospora, 58
 arapilensis, Parmelia, 303
 —, Xanthoparmelia, 410
 aratus, Nigroporus, 442
 araucana, var., Ustilago cortaderiae, 1000
 araucariae, Heterobasidion, 834
 —, Microthelia, 300
 —, Ophiostoma, 355
 araucarianus, Boletus, 870
 araujae, Mycena, 253
 arayatensis, Sorataea, 25
 arbitraria, Fomitopsis, 960
 arborata, Blastocladiella, 945
 arborei, Pestalotiopsis, 133 ('arboreae')
 arborensis, Glomus, 536
 arbuscula, Blastobotrys, 420
 — subsp. beringiana, Cladonia, 155
 — subsp. mitis, Cladonia, 747
 — subsp. squarrosa, Cladonia, 747
 — subsp. stictica, Cladonia, 873
 — var. plenofissura, Xylaria, 848
 arbusculus, Phaeostalagmus, 170
 arbustus var. quercetorum, Hygrophorus, 433
 arbuti, Sarcostroma, 501
 arbuticola, Micromphale, 488
 —, Phaeotellus, 898, 1067
 —, Pleurotus, 899 ('arbuticolus')
 arbutifolius, Cocomyces, 7
 arcana, Paraparmelia, 602
 arcellaneus, Coelomomyces, 526
 arceuthobii, Caliciopsis, 577
 archaeofistulosa, Russula, 1075
 archeri, Clathrus, 44
 —, Phomopsis, 21
 archeuretus, Thaxterogaster, 140
 arctespora, Corynespora, 751
 —, Parascutellinia, 897
 arctica, Amanita, 825
 —, Asordaria, 741
 —, Aspicilia, 228
 —, Callorina, 191
 —, Cistella, 6
 —, Fayodia, 882, 883
 —, Galerina, 162
 —, Hyalopeziza, 482
 —, Omphalina, 255
 —, Penella, 357
 —, Trichophaea, 96
 —, Wettsteinina, 619
 arcticum, Cyindrosporium, 80
 —, Cystoderma, 385
 —, Triparticalcar, 62
 arcticus, Agaricus, 867
 —, Lathraeodiscus, 890
 arctii, Hemimycena, 391
 arctoa, subsp., Lecanora rupicola, 969
 arctoalpinum, subsp., Microthyrium
 microscopicum, 1062
 arctostaphyli, Cryptocline, 426
 —, Domingoella, 532
 arctothecae, Entyloma, 289 ('arctotheca')
 arcuata, Cladonia, 114
 —, Paranectriella, 685
 arcuatum, Harposporium, 14
 arcuatus, Hydrophilomyces, 293
 —, Tetrandromyces, 456
 arcularioides, Polyporus, 448
 arcularius forma grisea, Polyporellus, 899
 ardesiaca, Pseudocyphellaria, 261
 ardesiacus, Hydropus, 243
 ardisiicola, Pseudocercospora, 777
 ardosiacae, Clavaria, 828
 —, Phlebiella, 688
 —, Rhodocybe, 696
 ardosiaeicolor, Hymenagaricus, 483
 — var. rufidulus, Hymenagaricus, 483
 arecae, Antipodium, 2 ('arecae')
 —, Eutypella, 756
 —, Ocellularia, 31
 —, Pleurophragmium, 691
 —, Zeuctomorpha, 369
 aremorius, Cortinarius, 874, 1048
 arenacea, Mycocybele, 397
 arenacola, Inocybe, 50, 164
 arenaria, Beauveria, 469
 —, Phaeosphaeria, 983
 —, Volvariella, 1000
 —, var., Inocybe agardhii, 294
 arenariae, Septoria, 453
 arenariae-bryophyllae, Ustilago, 317
 arenarium, Thuemenidium, 177
 arenarius, var., Boletus edulis, 379
 arenata, Phanerochaete, 550
 arendholzii, Trybliopsis, 367
 arengae, Brachysporiella, 229
 arenicola, Cercophora, 43
 —, Inocybe, 246
 —, Krombholziella, 202
 —, Scutellospora, 1077
 — var. mediterranea, Inocybe, 761
 — forma albida, Inocybe, 348
 arenivagum, Micromphale, 352 ('arenivagus')
 arenosa, Geopora, 198
 —, Scutellinia, 906
 arenosum, Hebeloma, 590 ('arenosa')
 areolata, Krombholziella, 202
 —, Octospora, 56
 —, Parmelia, 1065
 —, Perichaena, 133
 —, Russula, 992
 —, Xanthoparmelia, 705
 areolatrubra, Coniochaeta, 749
 areolatum, Nephroma, 683
 areolatus, Lactarius, 51
 —, Tylopilus, 316
 arescens, Exobasidium, 122
 argentata, forma, Inocybe rimosae, 888

—, var., *Amanita vaginata*, 572
argentatum, forma, *Tricholoma myomyces*, 910
argentea, *Amanitopsis*, 868
—, *Cladina*, 581
—, *Gyalideopsis*, 834
—, *Macbrideola*, 298
—, *Ramaria*, 137
— var. *supravolvata*, *Amanita*, 417
—, var., *Amanita mairei*, 418
argenteocrinitus, *Cortinarius*, 335
argenteopileatus, *Cortinarius*, 474
argenteum, *Tricholoma*, 1079
argenteus, *Aspergillus*, 42 ('*argentum*')
—, var., *Boletus thalassinus*, 947
argentina, *Aleurina*, 518
—, *Lepiota*, 890
—, *Phlebia*, 688
—, *Subulispota*, 788
—, forma, *Amanita inaurata*, 825
argentinensis, *Hymenopsis*, 15
—, *Kyphomyces*, 436
—, *Peyritschiella*, 445
—, *Xanthoparmelia*, 705
argentinus, *Clathrus*, 472
argentostriapetes, *Cortinarius*, 193
argentum-silvae, *Cortinarius*, 1048
argillacea, *Clitocybe*, 473
—, *Simocybe*, 25
— forma *bispora*, *Simocybe*, 25
argillaceifolius, *Lactarius*, 51
— var. *dissimilis*, *Lactarius*, 51
— var. *megacarpus*, *Lactarius*, 51
argillaceum, var., *Fusarium solani*, 833
argillaceus, *Tylopilus*, 505
arginophaea, *Micropsalliota*, 18
argopholis, *Schistoplaca*, 698
arguta, *Grandinia*, 199
—, *Kneiffiella*, 126
argutus subsp. *fraudulosus*, *Cortinarius*, 1048
— var. *fraudulosus*, *Cortinarius*, 582
argyphaea, var., *Physconia pulverulacea*, 552
argyracea var. *albata*, *Gyrophila* see
Tricholoma albidum
argyraceum, var., *Tricholoma myomyces*, 316
argyreiae, *Microcyclus*, 55
—, *Phaeoisariopsis*, 209
argyropellis, *Leptonia*, 249
arhizinos, *Psiloparmelia*, 990
ariaefoliae, *Phloeosporella*, 21
arida, *Paraparmelia*, 602
— var. *suffocata*, *Coniophora*, 156
arietinus, *Lichen*, 297
arigena, *Septoria*, 782
arimensis, *Peyritschiella*, 445
aripoana, *Alboleptonia*, 226
aristata, *Cryptophiale*, 426
—, *Dictyochoeta*, 957
—, *Kionochaeta*, 486
—, *Selenosporella*, 845
aristidae, *Coniothyrium*, 662
—, *Selenophoma*, 698
aristidarius, *Ustilago*, 912
aristolochiacearum, forma *specialis*, *Oidiopsis*
taurica, 896, 978

aristolochiae, *Aplosporella*, 42
('Haplosporella aristolochae')
—, *Coleosporium*, 44
—, *Microsphaera*, 87
arizonica, *Pertusaria*, 65
—, *Protoventuria*, 1068
arizonicum, *Cronartium*, 336
armandii, *Psilocybe*, 23
armellense, *Thelotrema*, 702
armeniaca, *Armiliariella*, 1043
—, *Bullera*, 280
—, *Grifola*, 963
—, *Ramaria*, 903
—, *Rhodotorula*, 264
—, *Tephromela*, 504
—, *Trametes*, 366
—, forma, *Inocybe whitei*, 762
armeniaceus, *Cortinarius*, 875
armeniaceum, *Stereum*, 996
armeniaceus, *Swampomyces*, 701
—, *Tyromyces*, 268
armeniascus, *Pleurotus*, 135
armillariae, *Dipodascus*, 338
armillata, var., *Lepiota clypeolarioides*, 1060
armillatus forma *luteo-ornatus*, *Cortinarius*, 193
armorica, var., *Ramalina cuspidata*, 555
armoricana, *Corollospora*, 952
arnaudii, *Cercosperma*, 230
—, *Laboulbenia*, 541
—, *Mirandina*, 545
arnoldiae, *Phomopsis*, 21
arnoldii, *Meliola*, 973
—, subsp., *Caloplaca saxicola*, 523
—, var., *Verrucaria hochstetteri*, 561
— forma *pallidescens*, *Parmelia* see *Parmelia*
subpallidescens
arnstadtense, *Plagiostoma*, 306
arollanum, *Pleuroceras*, 307
aromatica, *Pleuroflammula*, 606
— var. *olivascens*, *Clitocybe*, 155
aroostookensis, *Lactarius*, 51
arorae, *Agaricus*, 417
arquata, *Karoowia*, 967
—, *Parmelia*, 840
arranensis, *Endophragmiella*, 339
arrhizus var. *delemar*, *Rhizopus*, 362, 451
— var. *rouxii*, *Rhizopus*, 362, 451
arsenei, *Cetrariastrum*, 113
—, *Everniastrum*, 533
arsenjevii, *Coelomomyces*, 115
artabotrydicola, *Macrophoma*, 54
('artabotrycola')
arteagum, *Parmotrema*, 168
artemisiae, *Coniothyrium*, 662
—, *Golovinomyces*, 884
—, *Othia*, 684
— var. *microspora*, *Psathyrella*, 448
—, forma, *Mollisia brevispila*, 768
artemisiae-afrae, *Puccinia*, 608
artemisiae-annuae, *Bremiella*, 190
—, *Paraperonospora*, 1065
artemisiae-biennis, *Paraperonospora*, 1065
artemisiae-maritimae, var., *Puccinia absinthii*
136

- artemisiella, *Puccinia* see *Puccinia absinthii*
 var. *minor*
 artesiana, *Russula*, 363
 artheniensis, *Cristinia*, 426
 arthonioides, *Strickeria*, 784 ('Strickera')
 arthrocytis, *Inocybe*, 887
 arthrosporoides, var., *Fusarium roseum*, 162
 arthurii, *Puccinosira*, 137 ('arthurii')
 articulatum, *Cladoconidium*, 581
 articulatella, *Ramaria*, 137
 artocarpi, *Pseudohansfordia*, 694
 —, var., *Fusarium merismoides*, 961
 artocreas, *Cystidiodontia*, 236
 artuziae, *Uncinulites*, 999
 arundica, *Dactylaria*, 237
 arundicum, *Heteroconium*, 124
 arundinacea, *Massarina*, 439
 arundinariae, *Annelophora*, 278
 ('arundinaria')
 —, *Coccostroma*, 423
 —, *Diatrype*, 752
 —, *Discocurtisia*, 238
 —, *Hirudinaria*, 759
 —, *Morenoina*, 18
 arundinis, *Microsphaeropsis*, 18
 arvalis, *Clitocybe*, 473
 —, *Laetisaria*, 54
 arvensis, *Pratella*, 1068
 —, *Psalliota*, 988
 — var. *exquisitus*, *Agaricus*, 941 ('exquisita')
 — subsp. *macrosporus*, *Psalliota* see *Agaricus albertii*
 arvernense var. *discolor*, *Tricholoma*, 617, 789
 arvernensis, *Pyxidiophora*, 23
 arvidssonii, *Everniastrum*, 533
 —, *Pseudocyphellaria*, 901
 arvigenum, *Entoloma*, 46
 arxii, *Chaetomidium*, 43
 —, *Coniochaeta*, 952
 —, *Cristaspora*, 384
 —, *Didymosphaeria*, 958
 —, *Gymnoascus*, 963
 —, *Leucosphaerina*, 970
 —, *Neocosmospora*, 1063
 —, *Sphaerodothis*, 995
 —, *Spilopodiella*, 1078
 asahimontanus, *Gloeomucro*, 13
 ('asahimontanum')
 asahinae, *Anthracotheicum*, 109
 asari, *Cerotelium*, 333
 —, *Sclerotinia*, 312
 asbolodes, *Fuscidea*, 390
 ascaridiella, *Pleospilis*, 259
 —, *Spilomela*, 25
 ascarioides, *Psathyrella*, 22
 ascendens, *Setigeroclavula*, 845
 aschersoniana, *Gloeotinia*, 481
 ascidioides, *Ocellularia*, 99
 asciiforme, *Phaeocalicium*, 687
 asclepiadeum, *Pampolysporium*, 303
 asclepiadis, *Leptosphaeria*, 438
 ascoboloides, *Octospora*, 56
 —, *Pulvinula*, 361
 —, *Scutellinia*, 453
 ascodedicata, *Pleospora*, 1068
 ascophanoides, *Ascorhizoctonia*, 1043
 —, *Tricharina*, 504
 ascosporus, *Endomyces*, 587
 ascotela, *Uromyces*, 409
 asebiae, *Exobasidium*, 12
 aselli, *Asellaria*, 331
 asema, *Pseudolyophyllum*, 403, 843
 —, forma, *Collybia butyracea*, 748
 —, var., *Collybia butyracea*, 78, 748, 951
 asemiformis, *Marasmius*, 971
 asemus, *Marasmius*, 971
 aseptata, *Endophragmiella*, 532
 —, *Hemicorynespora*, 671
 aseptatum, *Geoglossum*, 390 ('aseptatum')
 asgardensis, *Cryptococcus*, 195
 ashbyi, *Zygosaccharomyces*, 794 ('ashbyii')
 ashtonii, *Phyllosticta*, 1067
 asiae-orientalis var. *fanjingensis*, *Lasallia*, 204
 — forma *major*, *Lasallia*, 296 ('maior')
 asiatica, *Davisomycella*, 830
 —, *Ocellularia*, 31
 —, *Phaeoramularia*, 841
 —, *Poria*, 360
 —, *Ramaria*, 903
 —, *Sarcinella*, 364
 —, var., *Microsphaera berberidis*, 252
 —, var., *Ramaria violaceibrunnea*, 556
 asiaticum, *Gastrosporium*, 536
 —, *Lachnum*, 486
 —, *Melampsoridium*, 251
 asiaticus, *Eucantharomyces*, 198
 asilaris, *Parmelia*, 772
 asiminae, *Miuraea*, 252
 asocialis, var., *Cryptococcus vishniacii*, 196
 asparagi, *Discochora*, 586
 asparagina, *Ascochyta*, 655
 aspellum, *Gloeocystidiellum*, 589
 aspenensis, *Cortinarius*, 284, 528
 aspenicola, var., *Hebeloma mesophaeum*, 343
 asper, *Stridiporosporites*, 215
 aspera, *Chalara*, 333
 —, *Cladonia*, 383
 —, *Corioliopsis*, 424
 —, *Cystolepiota*, 584
 —, *Dothidotthia*, 958
 —, *Eutypella*, 756
 —, *Kneiffiella*, 126
 —, *Nodotia*, 600
 —, *Papulaspora*, 444
 —, *Spadicoides*, 175
 —, *Strickeria*, 700, 784, 908 ('Strickera')
 — var. *fusca*, *Amanita*, 825
 — var. *olivacea*, *Amanita*, 825
 — var. *sparsichaeta*, *Uncinula*, 999
 — forma *lactella*, *Amanita*, 41
 asperata, *Radiigera*, 555
 —, *Rinodina*, 904
 —, *Xylaria*, 793
 asperatum, *Sporidesmium*, 365
 aspergilloides, *Tryssglobulus*, 618
 asperifoliorum var. *anchusae*, *Erysiphe*, 122
 asperior, *Ramsbottomia*, 499
 — var. *macracantha*, *Ciliaria*, 231
 —, var., *Circinella minor*, 382
 —, var., *Mucor umbellatus*, 396
 asperispora, *Cristelloporia*, 45

asperospora, var., *Ramaria flavobrunnescens*, 843
 asperotrichum, *Pseudohelotium*, 262
 asperrima, *Leptoperidia*, 764
 asperrimus, subsp., *Cortinarius dilutus*, 194
 aspersa, *Rinodina*, 556
 asperula, *Aleurina*, 518
 —, *Cyanohypha*, 157
 —, *Melastiza*, 87
 —, var., *Lepiota echinella*, 248
 asperulata, *Stigmina*, 366
 asperulatus, var., *Geomyces pannorum*, 13
 asperulina, *Phacidiella*, 20
 asperum, *Basidiendron*, 228
 —, *Scenidium*, 312
 asphagnis, var., *Cortinarius uliginobtus*, 118
 aspicillae, *Verrucaria* see *Verrucaria*
 aspicillicola
 aspicillicola, *Dactylospora*, 1053
 —, *Verrucaria*, 368
 aspicilioidea, *Aspicilia*, 331
 aspidicola, *Lachnum*, 594
 aspidophora, *Rhizoplaca*, 451
 aspidota, *Bullatina*, 657
 —, *Calenia*, 332
 aspiidae, *Aecidium*, 571
 asprata, *Cyptotrama*, 9
 asprellum, *Entoloma*, 11
 assamensis, *Graphis*, 200
 —, *Hyphomucor*, 592
 assamica, *Dictyochaeta*, 880
 assamiense, *Anthracotheceum*, 151
 assentiens, *Carbonea*, 524
 assimilata, *Micarea*, 299
 assimilis, *Carbonea*, 745
 —, *Valsa*, 619
 assimilatum, *Entoloma*, 46
 associata, *Geltingia*, 1055
 astaci, *Ramularia*, 174
 asteiae, *Stigmatomyces*, 61, 176
 asteliae, *Lophodermium*, 1061
 —, *Stictis*, 314
 astellata, *Emericella*, 158
 astenalis, *Clematomyces*, 423
 asteracanthae, *Synchytrium*, 846
 asterina, *Selenophoma*, 25
 asterinacearum, *Dimerium*, 586
 asterineum, *Mycocarpon*, 976
 asterinoides, *Chaetothyria*, 659
 asteris, forma, *Sphaerotheca fuliginea*, 176
 asterisci-maritimi, *Entyloma*, 882
 asteroides, *Monilia*, 837
 asterophora, *Ascosphaera*, 153
 —, *Mycena*, 253
 —, *Sibirina*, 1077
 — forma major, *Nyctalis*, 301
 —, var., *Sibirina purpurea*, 1077
 asteropus, *Amanita*, 329
 —, var., *Amanita porphyria*, 572, 654, 868
 asterosperma var. *mutabilis*, *Octavianina*, 168, 443
 asterospora, *Austroclitocybe*, 331
 —, *Monodictys*, 440
 —, *Omphalina*, 355
 — forma fusca, *Omphalia*, 255

asteroxyli, *Palaeomyces*, 207
 astictina, *Pseudocyphellaria*, 608
 astilbicola, *Sphaerotheca*, 558
 —, var., *Sphaerotheca mors-uvae*, 139
 astraeiclopsis, *Xerocomus*, 142
 astragali, *Guignardia*, 669
 —, *Pirottaea*, 606
 —, *Pseudocercospora*, 900
 —, *Puiggarrina*, 901
 — var. *phaseoli*, *Sphaerotheca*, 139
 astragalina, *Pholiota*, 305
 —, *Phoma*, 133
 astrantiae, *Cylindrosporium*, 285
 —, *Fabraea*, 668
 astricta, *Paraparmelia*, 602
 —, *Parmelia*, 399
 astridiana, *Pyxine*, 695
 astroidea, *Eutypa*, 756
 —, *Pyrenula*, 902
 —, forma, *Arthonia tumidula*, 279
 astroideum, *Thelotrema*, 33
 astronii, *Puiggarrina*, 901
 asturianum, *Penicillium*, 89
 asymmetrica, *Diheterospora*, 428
 —, *Isthmolongispora*, 674
 —, *Thysanophora*, 910
 asymmetricum, *Sesquicillium*, 994
 asymmetricus, *Dicellaesporites*, 286
 ('asymmetricus')
 —, *Inapertisporites*, 294 ('asymmetricus')
 asystasiae, *Pseudocercospora*, 58
 asyuensis, *Cordyceps*, 78
 atacamensis, *Tilletia*, 997
 atalantica, var., *Meliola tenella*, 893
 atanagildae, *Chloridium*, 333
 atenuipilus, *Cistella*, 581
 ater, *Cryptococcus*, 385
 —, *Panaeolus*, 548
 aterrima, *Heppia*, 886
 —, *Stilbella*, 503
 atewensis, *Cordyceps*, 234
 —, *Hirsutella*, 243
 athallina, *Kiliasia*, 393
 —, var., *Caloplaca tenuatula*, 523
 —, var., *Muellerella pygmaea*, 1062
 athamanthae, var., *Puccinia angelicae*, 211
 atheciellus, *Aspergillus*, 520
 athelioides, *Sistotrema*, 406
 athrocarpa, *Amygdalaria*, 518
 —, *Immersaria*, 1058
 —, *Porpidia*, 497
 athrotaxis, *Gelineostroma*, 758 ('athrotaxi')
 athyroglossae, *Stigmatomyces*, 61
 atkinsoniana, subsp., *Galerina vittiformis*, 241
 atkinsonii, *Conocybe*, 115
 —, *Ganoderma*, 13
 —, *Ramaria*, 404
 atlantica, *Candida*, 381
 —, *Fusidea*, 122
 —, *Mycomicrothelia*, 492
 —, *Polyblastia*, 100
 —, *Tornabea*, 66
 —, *Tornabeniopsis*, 66
 — var. *intricata*, *Tornabea*, 560
 —, var., *Ramalina cuspidata*, 555
 atomarioides, *Catillaria*, 112

- atra, *Articulospora*, 151
 —, *Caloplaca*, 470
 —, *Cistella*, 192
 —, *Sclerocrana*, 698
 —, *Tephromela*, 315
 — var. *calcareae*, *Tephromela*, 559
 — var. *corticola*, *Tephromela*, 701
 — forma *reticulata*, *Opegrapha*, 302
 — forma *rimosa*, *Opegrapha*, 302
 — forma *stenocarpa*, *Opegrapha*, 302
atrages, *Tuburcinia*, 505
atramentosus, *Hygrophorus*, 433
atranorinus, *Oropogon*, 131
atraxididus, *Cucurbitaria*, 663
 —, *Leptosphaeria*, 677
 —, *Phoma*, 689
 —, *Ramularia*, 990
 —, var., *Cucurbitaria transcaspica*, 751
atrata, *Boletopsis*, 153
 —, *Lepiota*, 86
 —, *Mycena*, 300
 — var. *brunnea*, *Orphniospora*, 32
atricapilla, *Licea*, 297
atricapillus, *Pluteus*, 259, 496
 — var. *albus*, *Pluteus*, 496
 — var. *brasiliensis*, *Pluteus*, 359
 — var. *tucumanensis*, *Pluteus*, 359, 842
atrichi, *Neottiella*, 896
atrimum, *Didymium*, 10
atrides, *Entoloma*, 532
atrigilva, *Rhodocybe*, 138
atripes, *Melanoleuca*, 837
 —, var., *Marasmius pseudocupressiformis*, 972
atriseda, *Protoparmelia*, 776
atroalbus, *Tyromyces*, 847
atroapicula, *Acrodictys*, 151
atroavellanea, *Mycena*, 300
atrobadius, *Lactarius*, 51
atrobarbatica, *Neofuscelia*, 771
 —, *Parmelia*, 99
atrobrunnea, *Clitocybe*, 473
 —, *Thaptozpora*, 616
 —, var., *Macrolepiota mastoidea*, 544
atrobunneum, *Dermoloma*, 585
 —, *Hebeloma*, 1056
 —, var., *Hebeloma oregonense*, 344
atrobunneus, *Tylopilus*, 27
atrocaerulea, *Hydrocybe*, 539
 — var. *dendrocystis*, *Hohenbuehelia*, 15
 — var. *grisea*, *Hohenbuehelia*, 538
atrocapnodes, *Paraparmelia*, 602
atrocinerea var. *fatiscens*, *Rinodina*, 556
atrocoeruleum, *Entoloma*, 755
atrocyanea, *Tetrapyrgos*, 701
atrodiscus, *Tricholoma*, 1079 ('*atrodiscum*')
atrofiliformis, *Pseudocercospora*, 136
atrofulva, *Clitocybe*, 155
atrofusca, *Brodoa*, 656
atrofuscata, *Cenangiolopsis*, 281 ('*atro-fuscus*')
atrofuscus, *Cortinarius*, 335
atrogaleatum, forma, *Entoloma myrmecophilum*, 479
 —, var., *Entoloma myrmecophilum*, 82
atroglaucia, *Russula*, 138
atrogrisea, *Tricholomopsis*, 267
atrogriseum, *Gliomastix*, 589
atrolaminata, *Psathyrella*, 136
atrolazulinus, *Cortinarius*, 662
atrolucida, *Hohenbuehelia*, 346
atromarginatum, *Entoloma*, 11, 532
 ('*atromarinatum*')
atromarginatus, *Pluteus*, 496
 —, var., *Pluteus cervinus*, 497
atronivea, *Carbonea*, 281
atropellitum, *Entoloma*, 755
atropruinosis, *Hydropus*, 243
atropuncta, *Camarophyllopsis*, 523
atropurpurea, *Catinaria*, 113 ('*atripurpurea*')
 —, *Micropsalidia*, 894
 —, *Nemania*, 397
 —, *Sphaeria* see *Nemania atropurpurea*
atropurpureum var. *brevistipitatum*, *Hypoxylon*, 540
atroroseum, *Hypoxylon*, 125
atrorubicans subsp. *australis*, *Megalospora*, 251
 — subsp. *sendaiensis*, *Megalospora*, 251
atrosericeum, *Entoloma*, 81
atrosquamosa, *Hygrocybe*, 244
atrosquamosum var. *parvispora*, *Tricholoma*, 910
atrostipitata, *Krombholziella*, 202
 —, *Sclerotinia*, 845
atrostipitatus, *Boletus*, 871
atrostriata, *Physcia*, 606
atroumbrina, *Fuscidea*, 123, 290
 ('*atriumbrina*')
atrovinosa, *Russula*, 992
atroviolacea, forma, *Russula cyanoxantha*, 264
atroviolaceum, *Trichosporum*, 216
atroviolaceus, *Cortinarius*, 662
atroviride, *Trichoderma*, 367
atroviridis, *Clitocybe*, 155
 —, *Collybia*, 661
atroviscosa, var., *Mycena epipterygia*, 975
atro-inquinans, *Puiggarrina*, 901
 —, *Sphaeria*, 25
atro-olivacea, *Capnobotrys*, 112
atro-olivaceus, *Lactarius*, 51
atrum, *Amauroderma*, 227
 —, *Lophodermium*, 1061
 —, forma, *Lyophyllum plexipes*, 597
atrynea, var., *Lecanora cenisia*, 542
atryneae, *Stigmidium*, 215
attenuata, *Dactylaria*, 664
 —, *Massariothea*, 439
attenuatum, *Lachnum*, 349
attenuatus, *Diporicellaesporites*, 238
 —, *Multicellaesporites*, 129
atypicus, *Pouzaromyces*, 58
aubariana, *Ocellularia*, 31
aubarianoides, *Ocellularia*, 1064
aucklandica, *Menegazzia*, 299
 —, subsp., *Steinera radiata*, 266
aucubae, *Phomatospora*, 357
aucupariae forma *microspora*, *Cryptosporium*, 385
 —, var., *Podosphaera clandestina*, 360
audisioi, *Aphanandromyces*, 151
audreae, *Lepiota*, 127

- augusta, *Pratella*, 1068
 augustus var. *albus*, *Agaricus*, 377
 — var. *perrarus*, *Agaricus*, 329
 aulacomniophila, *Rickenella*, 452
 aulaxina, *Favolaschia*, 430
 aulaxinoides, *Tricharia*, 846
 aulica, *Maravalia*, 395
 aulicae, *Entomophaga*, 388
 aurantia, *Alboleptonia*, 868
 —, *Cordyceps*, 78
 —, *Hygrocybe*, 965
 —, *Torrubiella*, 215
 — var. *macrospora*, *Clavaria*, 7
 —, var., *Amanita caesarea*, 825
 aurantiaca, *Baryella*, 870
 —, *Botrydina*, 827
 —, *Bullera*, 380
 —, *Fellhanera*, 534
 —, *Flabellophora*, 668
 —, *Hemimycena*, 163
 —, *Laurera*, 836
 —, *Macentina*, 488
 —, *Mollisinopsis*, 490
 —, *Pholiota*, 898
 —, *Phytoconis*, 775
 —, *Russula*, 264
 —, *Sigmoidea*, 175
 —, *Tubercularia*, 505
 —, *Winterella*, 704
 — subsp. *valsoides*, *Winterella*, 704
 —, forma, *Scutellinia barlae*, 265
 aurantiacoides, *Cortinarius*, 335
 aurantiacorubra, *Cheilymenia*, 114
 ('*Cheylimenia*')
 aurantiacum, *Entoloma*, 587
 —, *Hypholoma*, 245, 392
 —, *Naematoloma*, 682
 —, *Stropholoma*, 996
 — var. *macrosporum*, *Hydnellum*, 591
 aurantiacus, *Chalciporus*, 77
 —, *Cortinarius*, 45, 335
 —, *Monascus*, 206
 —, *Pyrofomes*, 451
 — var. *albus*, *Boletus*, 190 ('*alba*')
 — var. *levisporus*, *Thermoascus*, 408
 —, *Ptychogaster* see *Sporotrichum versisporum*
 —, *Cortinarius* see *Cortinarius aurantiacoides*
 —, var., *Boletus scaber*, 946
 —, var., *Rigidoporus micromegas*, 697
 aurantibrunneus, *Polyporus*, 401
 aurantiella, *Dermocybe*, 879
 aurantiellum, *Hebeloma*, 342
 aurantifolii, *Didymosphaeria*, 46
 aurantiicola, *Corallomyces*, 1047
 aurantilaetus, *Tyromyces*, 998
 aurantimaculatus, var., *Heteroporus zonatus*, 671
 aurantiobasis, *Dermocybe*, 879
 aurantiobrunnea, *Clavulinopsis*, 423
 aurantiobrunneus, *Gymnopilus*, 590
 aurantioflammiferum, *Penicillium*, 56
 aurantioflava, var., *Russula flavobrunnea*, 1076
 aurantiofloccosa, *Russula*, 1075
 aurantiofulva, forma, *Amanita vaginata*, 572
 aurantiofulvus, *Lactarius*, 541
 aurantiogriseum var. *melanoconidium*, *Penicillium*, 1066
 — var. *neoechinulatum*, *Penicillium*, 687
 — var. *polonicum*, *Penicillium*, 1066
 — var. *viridicatum*, *Penicillium*, 1066
 aurantioides, var., *Tricholoma ustaloides*, 618, 789
 aurantiolutescens, *Hygrophorus*, 483
 — var. *parapersistens*, *Hygrocybe*, 965
 — var. *subconica*, *Hygrocybe*, 965
 — forma *psudoconica*, *Hygrocybe* see *Hygrocybe aurantiolutescens* var. *subconica*
 aurantiummarginata, *Russula*, 992
 aurantiopurpurea, forma, *Russula cuprea*, 612
 —, forma, *Russula juniperina*, 844
 aurantioroseum, *Corticium*, 527
 aurantiorubra, forma, *Hygrocybe subglobispora*, 483
 aurantiosplendens, *Godfrinia*, 537
 aurantiospora, *Didymostilbe*, 477
 aurantiovelata, *Amanita*, 151
 aurantioviscida, *Hygrocybe*, 244
 aurantio-olivacea, *Ramariopsis*, 844
 aurantio-purpurea, var., *Russula juniperina*, 500
 aurantipes, *Diachea*, 286
 —, *Entoloma*, 46
 aurantiporus, var., *Flabellophora obovata*, 668
 aurantitogens, var., *Tyromyces subtrimiticus*, 999
 aurantius var. *microspora*, *Hypomyces*, 593
 aurata, *Laurera*, 542
 —, *Ocellularia*, 31
 —, *Phaeotrichoconis*, 90
 —, *Phanerochaete*, 550
 —, var., *Inocybe mixtilis*, 674
 auratior, *Cortinarius*, 952
 aurea, *Astrosporina*, 655
 —, *Ceratocystis*, 76
 —, *Dicyma*, 81
 —, *Erysiphe*, 82
 —, *Paliphora*, 494
 —, *Phyllosticta*, 134
 — var. *axantha*, *Russula*, 611
 —, forma, *Trematosphaeria vindelicorum*, 910
 —, var., *Ramaria flava*, 263
 aureicystidiata, *Rhodocybe*, 138
 aureifer, *Cortinarius*, 952
 aureifolia var. *hesperia*, *Dermocybe*, 879
 aurelianaensis, *Lichen*, 297
 aurella var. *heidelbergensis*, *Candelariella*, 6
 — forma *heidelbergensis*, *Candelariella*, 112
 aurellae, *Tromera*, 66
 aureobrunneus, *Phellinus*, 400
 aureocorona, *Septoria*, 782
 aureocrassa, *Puccinia*, 843
 aureocrinitus, *Pouzaromyces*, 260
 aureofactus, *Panellus*, 89
 aureoflava, *Hiatulopsis*, 964
 aureofloccosus, *Leucocoprinus*, 128, 678, 891
 aureofulvus, *Rigidoporus*, 779
 aureola, *Cystolepiota*, 427

- , *Letrouitia*, 165
 —, *Russula*, 1075
aureolum, *Cystoderma*, 830 ('aureola')
aureoluteum, var., *Hypoxylon aeneum*, 540
aureoluteus, *Aspergillus*, 520
aureomarginatus, *Cortinarius*, 335
aureonitens, *Sphaerostilbella*, 502
aureonodum, var., *Physarum cinereum*, 775
aureorhiza, *Ramaria*, 843
aureosimilis, *Phaeomarasmius*, 57
aureovillosus, *Pleurotus*, 135
aurescens, *Tuckermannopsis*, 790
aureum, *Arthrinium*, 3
 —, *Eustilbum*, 756
 —, *Leptographium*, 437, 677
 —, *Ophiostoma*, 601
 — var. *luteolum*, *Dictyostelium*, 120
aureus, *Dasyscyphus*, 585
auricilis, *Cortinarius*, 474
auricolor, *Cistellina*, 7
auricomella, *Inocybe*, 887
auricula forma albicans, *Auricularia*, 74
 — *forma mollissima*, *Auricularia*, 74
auriculariae, *Rhodotorula*, 904
aurifera, *Xanthoparmelia*, 620
aurifilia, *Dendrostilbella*, 237
aurifilum, *Gliocladium*, 480
auriforme, *Collema*, 384
aurigloba, *Scutellospora*, 614
aurilicis, *Cortinarius*, 582
 —, subsp., *Cortinarius mussivus*, 1050
auriolla, *Lactarius*, 393
auriporus, var., *Gloeoporus croceopallens*, 962
auriscalpium, *Hohenbuehelia*, 201
aurobisporum, *Aphanobasidium*, 942
 ('*Aphanobasidium*')
aurora, *Lepiota*, 86
 —, *Phlebiella*, 841
 —, *Polyporus*, 607
 — var. *heteroderma*, *Russula*, 905
 — var. *inodorata*, *Inocybe*, 246
 — *forma pulposa*, *Russula*, 905
aurulenta, *Hypotrachyna*, 673
 —, *Myelochroa*, 681
ausablensis, *Lactarius*, 51
ausiana, *Xanthoparmelia*, 1001
austera, *Fuscidea*, 29
austerodioides, var., *Hypogymnia*
 subsp., *sodes*, 64
australasica, *Parmelia*, 208
 —, *Xanthoparmelia*, 100
 —, subsp., *Diploicia canescens*, 880
australe, *Bactridium*, 1044
 —, *Cystostereum*, 237
 —, *Glomus*, 341
 —, *Haematostereum*, 670
 —, *Herpobasidium*, 391
 —, *Hyphopolynema*, 392
 —, *Lachnum*, 675 ('australis')
 —, *Odonticum*, 88
 —, *Podohydangium*, 401
 —, *Pseudolyophyllum*, 403 ('australis')
 — var. *lasiopoda*, *Lachnum*, 675
 —, subsp., *Calicium adpersum*, 332
australiana, *Gymnohydnotrya*, 885
 —, *Uncinuliella*, 217
 —, var., *Ramaria xanthosperma*, 1073
australica, *Hypogymnia*, 1058
australiense, *Dictyosporium*, 427
 —, *Lachnum*, 675
 —, *Plectronidium*, 606
australiensis, *Bipolaris*, 75
 —, *Bulbothrix*, 470
 —, *Cochliobolus*, 232
 —, *Codinaea*, 77
 —, *Cortinarius*, 157
 —, *Dactylifera*, 585
 —, *Dimelaena*, 386
 —, *Megalospora*, 251
 —, *Nectria*, 493
 —, *Peyritsiella*, 445
 —, *Pleotrichiella*, 401
 —, *Pseudocochliobolus*, 93
 —, *Satchmopsis*, 614
 —, *Setchelliogaster*, 406
 —, *Stenella*, 907
 —, *Triadelphia*, 1079
 —, *Trichosporonoides*, 1079 ('australiense')
 —, *Tubercularia*, 505
 —, *Unguiculariopsis*, 847
 —, var., *Unguiculariopsis ilicincola*, 704
australis, *Achroomyces*, 225
 —, *Bipolaris*, 190
 —, *Capnobotrys*, 112
 —, *Chalara*, 659
 —, *Conocybe*, 115
 —, *Coronasclerotes*, 284
 —, *Dactylospora*, 1053
 —, *Dimorphotricha*, 665
 —, *Flagelloscypha*, 290
 —, *Goplana*, 199
 —, *Hypocenomyce*, 347
 —, *Hypomyces*, 1058
 —, *Idiocercus*, 761
 —, *Ionomidotis*, 835
 —, *Lanzia*, 676
 —, *Marasmius*, 679
 —, *Metschnikowia*, 488
 —, *Phaeopyxis*, 1067
 —, *Phanerochaete*, 57
 —, *Pluteus*, 842, 987
 —, *Rimularia*, 1074
 —, *Skeletocutis*, 906
 — var. *bambusae*, *Lisea*, 438
 —, subsp., *Megalospora atrorubicans*, 251
 —, subsp., *Ramalina inflata*, 695
 —, var., *Bolbitius reticulatus*, 421
 —, var., *Coelomomyces iliensis*, 526
 —, var., *Oudemansiella radicata*, 601
 —, var., *Pluteolus reticulatus*, 606
 —, var., *Ramaria decurrens*, 137
 —, var., *Xerula radicata*, 410
austriacus, var., *Pluteus exilis*, 987
austroamericana, *Brigantiaea*, 280
 —, *Canoparmelia*, 578
 —, *Ochrolechia*, 398
 —, *Xanthoparmelia*, 458
austroanatium var. *defibulatum*, *Entoloma*,
 429 ('defibulatus')
austrobryus, *Hymenoscyphus*, 50
austrocapensis, *Xanthoparmelia*, 792
austrocetrata, *Rimelia*, 1073

- austrocetratum, Parmotrema, 841
 austrochilensis, Pterospora, 361
 —, Tetrapyrgos, 701
 austroclavicolor subsp. macrosporus,
 Cortinarius, 875
 austrofilaris, Conocybe, 115
 austrofilipes, Mycena, 300
 austrofriesii, Coprinus, 78
 austroindica, Parmelia, 981
 —, Phaeographina, 258 ('Phaeographine')
 —, Pyxine, 212
 austroindicum, Lopadium, 128
 austromontana, Bryoria, 280
 —, Russula, 992
 austropolygramma, Mycena, 396
 austropulchella forma macalpineiana,
 Amanita, 2 ('macalpiniana')
 austropurpurea, var., Russula lividirosea, 311
 austrorubi, Simocybe, 61
 austroshetlandica, Porpidia, 402
 austrosinense, Amauroderma, 330
 austro-americana, Nectria, 976
 austro-indica, Usnea, 791
 austro-olivacea, Volvoamanita, 368
 autochthonoides, var., Flammulaster
 carpophilus, 588
 autriquei, Stigmatomyces, 215
 autumnalis, Agrocybe, 466
 —, Massariosphaeria, 251
 —, var., Inocybe queletii, 348
 avelanus, var., Boletus luridus, 946
 avellanea, Clitocybe, 473
 —, Fomitopsis, 883
 —, Krombholziella, 593
 —, Micropsalliota, 299
 —, Phanerochaete, 90
 —, Ramariopsis, 844
 — var. alba, Hamigera, 292
 —, var., Clavulina vinaceocervina, 829
 avellaneifolia, Clitocybe, 473
 avellaneo-inversa, Ramariopsis, 844
 avellaneo-melleum, Lachnum, 594
 ('avellaneo-mellea')
 avellaneo-vertex, Ramaria, 843
 avenacea var. citrinomarginata, Mycena, 253
 — var. contraria, Mycena, 253
 avenaceum, Sphaerographium, 783
 — var. anguioides, Fusarium, 832
 — forma fabalis, Fusarium, 241
 — forma fabarum, Fusarium, 241
 avenae, Stagonospora, 214 ('avena')
 — forma specialis triticea, Stagonospora, 214
 avenaria forma specialis triticea,
 Phaeosphaeria, 983
 averrhoae, Phoma, 258 ('averrhoiae')
 avesiculata, Calonectria, 948
 avesticulatum var. microspora,
 Cylindrocladium, 337
 avicenniae, Adomia, 417
 —, Bathyascus, 74
 —, Didymella, 477
 —, Phytophthora, 358 ('avicennae')
 —, Pleospora, 776
 avicularis, Pseudocercospora, 360
 avilanus, Inopilus, 247
 avium, Lecanora, 394
 awajiensis, Pyrenula, 174 ('Pyenula')
 awamori, var., Aspergillus niger, 3
 awasthii, Arthothelium, 110
 —, Bottaria, 871
 —, Cryptothecia, 530 ('awasthi')
 axantha, var., Russula aurea, 611
 axanthus, var., Cantharellus lutescens see
 Cantharellus lutescens forma schizocroicis
 axicola forma peribebuyensis, Cintractia, 6
 axystae, Stigmatomyces, 315
 ayeri, Inocybe, 674
 azadirachtae, Euoidium, 960
 —, var., Cercospora subsessilis, 76
 ('azadirachtii')
 azadirachticola, Massarina, 166
 azaleae, Microsphaera, 167
 —, Strickeria, 784 ('Strickera')
 azalearum, Rhodocybe, 138
 azerbaïdzhanaica, Arthrobotrys, 468
 azerbaïdzhanicus, Coelomomyces, 526
 azlanii, Clavariopsis, 661
 azorica, Cladina, 383
 —, Skeletocutis, 175, 213
 —, subsp., Lachnellula pittospori, 85
 azulense, Stereocaulon, 616 ('azulensis')
 azureocaninus, Cortinarius, 875
 azureoides, Peziza, 208
 azureostipes, Entoloma, 46
 azureoviride, Entoloma, 238
 azureus, forma, Coriolus versicolor, 384
 azygosporicum, Tarichium, 909
 azygosporus, Rhizopus, 362
 baarnensis, Discosia, 197
 baatanensis, Montagnula, 252
 babajaninae, Ramularia, 990
 babayanii, Phyllactinia, 400
 babingtonii, Sticta, 314
 baboquivariensis, Lindtneria, 544
 bacarum, Rhodotorula, 904
 bacidae, Opegrapha, 979
 bacidiospora, Arthonia, 943
 bacilliferum, Monascostroma, 206
 ('bacillifera')
 bacilliformis, Janetia, 16
 —, Zygorhynchus, 268
 bacilligera, Pseudocercospora, 1069
 bacillisporum, Ophiostoma, 355
 bacillum, Leprieuria, 969
 backusii, Apiosordaria, 869
 bactridioides, Nectriopsis, 977
 bactrodesmiodes, Toxosporiella, 504
 bactrospora, Sporendocladia, 783
 bactrosporum, Crocicreas, 118
 baculorubrense, Hyphoderma, 347
 badhamii, Leucoagaricus, 128, 543
 — var. erubescens, Leucoagaricus, 128
 badhyzensis, Psathyrella, 211
 badia, Agrocybe, 518
 —, Amanita, 417
 —, Collybia, 232
 —, Galactinia, 1055
 —, Oudemansiella, 601
 —, Podospora, 842
 —, Protoparmelia, 403
 —, Psathyrella, 777
 —, Roccellina, 310

- var. *cinereobadia*, *Protoparmelia*, 553
- , var., *Amanita vaginata*, 572, 1042
- , var., *Helvella cupuliformis*, 885
- badiodorsum*, var., *Entoloma largentii*, 587
- badioferruginea*, *Clitocybe*, 473
- badioflammescens*, *Cortinarius*, 235
- badiofusca* subsp. *badiorubra*, *Acarospora*, 187
- badiofuscoides*, *Peziza*, 57
- badioides*, *Peziza*, 57
- badiola*, *Protoparmelia*, 403
- badiolateritia*, *Alnicola*, 518
- , *Naucoria*, 354
- badiopallescens*, *Lactarius*, 51
- badiophylla*, *Psathyrella*, 260, 449, 554
- var. *microspora*, *Psathyrella*, 449
- var. *neglecta*, *Psathyrella*, 449, 554
- badiorostris*, *Pyxidiophora*, 23
- badiorubra*, subsp., *Acarospora badiofusca*, 187
- badiovestita*, *Telamonia*, 455
- badipus*, *Galerina*, 883
- badium*, *Belonidium*, 945
- , *Tomentellastrum*, 177
- badius*, *Diploschistes*, 1054
- , *Hypomyces*, 966
- var. *glutinosus*, *Boletus*, 946
- baemma*, *Lecania*, 30
- baeosperma*, *Collybia*, 661
- , *Tephrophana*, 701
- baeospermum*, *Lyophyllum*, 679
- , *Tricholoma*, 703
- baeospermus*, *Leucopaxillus*, 678
- baeosporoides*, *Marasmiellus*, 971
- baeosporum*, *Entoloma*, 755
- baerii*, *Laboulbenia*, 541
- baetica*, *Laboulbenia*, 203
- bagdogrensis*, *Pseudocercospora*, 692
- bahianum*, *Myriotrema*, 30
- bahiensis*, var., *Hydropus phylogenus*, 244
- bahraichiae*, *Stigmina*, 907
- bahusiensis*, var., *Orphniospora moriopsis*, 548
- baileyi*, *Anthostomella*, 41
- bainemensis*, *Pyxidiophora*, 23
- bainieri*, *Circinomucor*, 231
- bakeri*, *Leucocoprinus*, 297, 970
- bakoensis*, *Ocellularia*, 1064
- balaenae*, *Ceriporiopsis*, 524
- balakrishnanii*, *Meliola*, 352
- , *Phyllachora*, 985
- balanina*, *Porina*, 553
- balanoides*, *Tolypocladium*, 267
- , *Verticillium*, 178
- balansae*, *Puiggarina*, 901
- balaramii*, *Lophodermium*, 544
- balazucii*, *Triceromyces*, 96
- balcanica*, *Monilia*, 837
- balchaschensis*, *Agaricus*, 1041
- baldensis*, *Bagliettoa*, 111
- , *Pleospora*, 259
- baldingeriae*, *Ramularia*, 991
- baldrensis*, *Cryptococcus*, 195
- balearica*, *Lecanora*, 127
- baliensis*, *Dimorphomyces*, 478
- , *Laboulbenia*, 486
- baliospermi*, *Phomopsis*, 21
- ballingalliana*, *Xanthoparmelia*, 705
- ballingallii*, *Paraparmelia*, 840
- balloui*, *Rubinoboletus*, 311
- var. *fuscatus*, *Rubinoboletus*, 311
- var. *luteoporus*, *Rubinoboletus*, 311
- balnei-ursi*, *Massarina*, 597
- balsamea*, *Postia*, 171
- , var., *Gremmeniella abietina*, 963
- balsameus*, *Oligoporus*, 443
- , *Spongiporus*, 25
- balsamicola*, *Apostrasseria*, 378
- , *Phacidium*, 258
- balsamiferae*, *Marssonina*, 352
- balsaminacearum*, forma *specialis*, *Oidiopsis taurica*, 896, 978
- balsaminae*, *Euoidium*, 960
- balsaminicola*, *Cercoseptoria*, 43
- balteatoalbus*, *Cortinarius*, 528, 662
- , forma, *Cortinarius crassus*, 335, 876
- , var., *Cortinarius crassus*, 1049
- balteatocumatilis* var. *laetus*, *Cortinarius*, 424
- balteatoscauroides*, *Cortinarius*, 875
- baltimorensis*, *Flavoparmelia*, 535
- bambusae*, *Apiospora*, 278
- , *Chaetantromycopsis*, 580
- , *Clasterosporium*, 7
- , *Crocicreas*, 663
- , *Cytosporella*, 752 ('*Cystosporella*')
- , *Galerina*, 883
- , *Hypoxylon*, 760
- , *Koenia*, 762
- , *Korchaloma*, 349
- , *Lasiostictella*, 595
- , *Leptosphaerella*, 765
- , *Miyakeomyces*, 768
- , *Mycosphaerella*, 770
- , *Niptera*, 683
- , *Parachnopeziza*, 356
- , *Phialea*, 133
- , *Phillipsiella*, 551
- , *Poculum*, 92
- , *Pseudocercospora*, 607
- , *Pseudonectria*, 1072
- , *Pseudospiropes*, 93
- , *Ramichloridium*, 310
- , *Rousoëlla*, 311
- , *Stilbella*, 503
- , *Trematosphaerella*, 62
- , *Vialaea*, 792 ('*Vialaca*')
- var. *phyllotachydis*, *Mycosphaerella*, 770 ('*phyllotachydis*')
- , var., *Lisea australis*, 438
- bambusarum*, *Panellus*, 684
- bambusicola*, *Crocicreas*, 118
- , *Cylindrocarpon*, 664
- , *Dualomyces*, 666 ('*bambusicola*')
- , *Fusarium*, 757
- , *Grammothele*, 342
- , *Hadrotrichum*, 1056
- , *Irpicomycetes*, 16
- , *Leuliiisia*, 438 ('*Leuiisia*')
- , *Marasmiellus*, 352
- , *Microsalliota*, 894
- , *Sinosphaeria*, 782
- , *Thaxteriellopsis*, 315

- , *Tyromyces*, 998
bambusifavolus, *Panellus*, 684
bambusinum, *Sporidesmium*, 95
('bambusina')
bananisporus, *Pteridomyces*, 608
banatica, *Schroeteria*, 175
banderillensis var. *paulensis*, *Psilocybe*, 361
bandolensis, var., *Lecanora albescens*, 542
bangii, *Cladonia*, 581
bangkokanum, *Chaetomium*, 230
banksiae, *Coccidiella*, 873
—, *Episphaerella*, 882
—, *Lineostroma*, 891
—, *Plectosphaera*, 899
—, *Sarcinulella*, 265
—, *Sporocadus*, 95
—, *Westea*, 912
banksiae-integrifoliae, *Phoma*, 496
banlaensis, *Exidiopsis*, 389
bannonii, *Curvularia*, 878
bantiana, *Xylomypha*, 562
baphiae, *Pseudocercospora*, 136
baphicacanthi, *Pseudocercospora*, 989
barahonae, *Peziza*, 1066
baraliana, *Lepiota*, 488
baranowii, *Rhizopla*, 174
barbara, *Sagediopsis*, 1077
barbata, *Hyaloscypha*, 482
—, *Protounguicularia*, 900
— forma *resinacea*, *Protounguicularia*, 900
barbatica, *Xanthoparmelia*, 178
barbaticus, *Oropogon*, 979
barbatulus, var., *Hygrophorus penarius*, 966
barbatus, *Cortinarius*, 1048
barba-jovis, *Grandinia*, 199
barbellata, *Parmelia*, 208
—, *Xanthoparmelia*, 368
barbifera, *Heterodermia*, 98, 243
barcinonense, *Sporisorium*, 783
barclyensis, *Xanthoparmelia*, 620
barda, *Parmelia*, 685
barkeri, *Pichia*, 690
barlae var. *marthae*, *Russula*, 212
— var. *pseudomelliolens*, *Russula*, 905
— forma *aurantiaca*, *Scutellinia*, 265
— forma *paludicola*, *Scutellinia*, 265
barnesii, *Torrubia*, 617
barrerae, *Psilocybe*, 173
barriae, *Bricookea*, 948 ('barrae')
—, *Gibbera*, 49
—, *Leptosphaeria*, 438
—, *Wettsteinina*, 619 ('barrae')
barringtoniae, *Phaeoramularia*, 258
—, *Phomopsis*, 306
—, *Pseudocercospora*, 360 ('barringtoniae')
barringtoniae-angustangulae, *Cercosporidium*, 746
barroense, *Myriotrema*, 30
barrowsii, *Hebeloma*, 342
—, *Lactarius*, 52
bartholomaei, *Biscogniauxia*, 870
—, *Nummularia*, 771
bartlettii, *Enterographa*, 339
—, *Megalospora*, 251
—, *Pseudocyphellaria*, 498
—, *Stenocybe*, 700
—, subsp., *Diploschistes muscorum*, 753
basellae, *Pseudocercospora*, 989
basiacuminatum, *Crocicreas*, 118
basicola, *Trichocladium*, 62
basicrassa, *Cionothrix*, 114
basicyaneus, subsp., *Cortinarius*
subduracinus, 530
basifusum, *Trichaptum*, 702
basii, *Psathyrella*, 449
—, *Squamanita*, 845
basilewskyi, *Rhachomyces*, 174
basililaceus, *Cortinarius*, 335
basiminuta, *Cirrenalia*, 747
basirobusta, *Ramaria*, 843
basiroseus, *Cortinarius*, 335
basirubens, *Tricholoma*, 847
basiturgida, *Russula*, 1075
basutoensis, *Paraparmelia*, 602
bataillei, *Cortinarius*, 284
batatas, *Depazea* see *Phomopsis ipomoeae*-
batatas
batmanensis, *Phytophthora*, 358
bathomphalus, *Marasmius*, 971
batkoi, *Conidiobolus*, 8
—, *Entomophaga*, 882
batrisi, *Cryptandromyces*, 426
batrisoceni, *Cryptandromyces*, 426
batschii var. *minor*, *Tricholoma*, 408
battarae, *Amanita*, 518
battarrae, forma, *Amanita vaginata*, 572,
1042 ('battarae')
—, var., *Amanita vaginata*, 572 ('battarae')
bauerana, *Sowerbyella*, 406
bauhiniae, *Marasmiellus*, 971
—, *Oidium*, 443
—, *Stigmina*, 908, 996
—, var., *Meliola caesalpiniae*, 680
bauhiniae-variegatae, *Cercospora*, 191
bauhiniicola, *Cercoseptoria*, 76
—, *Maravalia*, 395
—, *Strickeria*, 784 ('bauhinicola')
baumeri, *Mycena*, 491
baumgartneri, var., *Gasparrinia biatorina*,
962
bavarica, *Keissleriella*, 85
—, *Telamonia*, 455
bavaricum, var., *Entoloma testaceum*, 756
bavaticus, *Cortinarius*, 284
bawanglingense, *Ganoderma*, 758
bayeri, *Cortinarius*, 1048
beatonii, *Sphaerodes*, 176
—, var., *Lachnum apalum*, 675
beatricea, *Xanthoparmelia*, 705
beatricis, *Scutellinia*, 406
beaumarisii, *Phyllosticta*, 605
beckeri, *Amanitopsis*, 868, 1042
beckeropsis, *Ustilago*, 28 ('beckeropsidis')
beumeri, *Trichosporon*, 96
begoniae, *Erysiphe*, 82
—, forma *specialis*, *Phytophthora cryptogea*,
210
behboudii, *Urocystis*, 457
beihaiensis, *Torulopsis*, 140
beijerinckii, *Williopsis*, 318
beijingensis, *Candida*, 381
—, var., *Paecilomyces fumosoroseus*, 303

- beillei, *Amanita*, 418, 572
 belanense, *Lasiobelonium*, 54
 belangeriana, *Roccella*, 138
 belauensis, *Speiropsis*, 454
 belgaumense, *Helminthosporium*, 964
 belizensis, var., *Fistulinella conica*, 289
 bellatula, *Parmelia*, 208
 —, *Xanthoparmelia*, 620
 bellemerei, *Caloplaca*, 229
 belleri, *Cortinarius*, 284, 582
 —, var., *Cuphophyllus grossulus*, 1052
 bellii, *Calvatia*, 1045
 bellulus, *Coprinus*, 829
 —, *Diporicellaesporites*, 197
 bellus, *Lacrimasporonites*, 349
 —, *Multicellaesporites*, 206
 —, *Polycellaesporonites*, 360
 bellynckii, *Cercosporidium*, 191
 —, *Mycovellosiella*, 167
 belonidioides, *Lachnum*, 486 ('*Lachum*')
 belonuchi, *Peyritschia*, 445
 beltsvillensis, *Wuestneia*, 1001
 benedarensis, var., *Acarospora smaragdula*, 188
 beneolens, var., *Cortinarius calochrous*, 194
 bengalense, *Anthracotheicum*, 330
 bengalensis, *Kretzschmaria*, 541
 —, *Opegrapha*, 772
 —, *Retidiporites*, 404
 beniensis, *Hydropus*, 243
 —, *Phlebopus*, 209, 305
 benincasae, forma specialis, *Fusarium oxysporum*, 535
 benkertii, *Marcelleina*, 766
 bennettii, *Aspicilia*, 228
 bennyi, *Rhopalomyces*, 1073
 benthicola, *Thraustochytrium*, 27
 bentotensis, *Halosarpheia*, 163
 berberidicola, *Asteromassaria*, 420
 —, *Seimatosporium*, 557
 berberidis, *Bioconiosporium*, 521
 —, *Erysiphe*, 289
 —, *Ramularia*, 991
 — var. *asiatica*, *Microsphaera*, 252
 — var. *dimorpha*, *Microsphaera*, 129 ('*dimorpha*')
 berberidis-vulgaris, *Pseudocercospora*, 261 ('*berberisvulgarae*')
 berchtesgadensis, *Corticirama*, 952
 berckmansii, *Sporocadus*, 502
 berengeriana, *Mycobilimbia*, 770
 — forma specialis persicae, *Botryosphaeria*, 421
 — forma specialis piricola, *Botryosphaeria*, 421
 berengerianus, *Zwackhiomyces*, 1081
 bergeronii, var., *Cortinarius cedretorum*, 1048
 berggrenii, *Lachnum*, 675
 —, *Lanzia*, 676
 — var. *metrosideri*, *Lanzia*, 676
 berghsonii, *Cladonia*, 114
 beringiana, *Uredo*, 506
 —, subsp., *Cladina arbuscula*, 155
 berkeleyana, *Hygrocybe*, 346, 433 ('*berkeleyanus*')
 berkeleyanum, *Acremonium*, 151
 —, *Thelotrema*, 846
 berkeleyanus, *Camarophyllus*, 380, 421
 berkeleyi, *Cuphophyllus*, 426, 663
 —, *Hygrocybe*, 433
 —, *Hygrophorus*, 293
 —, *Poria*, 402
 — var. *dimidiata*, *Bondarzewia*, 379
 — var. *skeletigera*, *Bondarzewia*, 379
 — var. *villosior*, *Bondarzewia*, 379
 — forma bispora, *Cuphophyllus*, 426, 663
 —, *Hygrophorus* see *Hygrocybe ortonii*
 bermudana, *Stromatella*, 996
 bermudensis, *Diatrype*, 752
 bernardiana, *Scolecosporiella*, 364
 bernardii, *Pratella*, 988
 —, *Psalliota*, 988 ('*bernardi*')
 bernhardii, *Psathyrella*, 777
 bernicis, *Panaeolus*, 980 ('*bernicii*')
 berolinensis, *Psathyrella*, 58
 —, *Tubercularia*, 998
 beronii, *Rhachomyces*, 24
 bertae, *Candida*, 381
 — var. *chiloensis*, *Candida*, 381
 bertaultii, *Amanita*, 418
 berteriana var. *himalaica*, *Pyxine*, 212
 berthetiana, *Peziza*, 445
 bertii, *Acanthophysium*, 465
 bertillonii, *Lactarius*, 16
 beschidica, *Pseudoclitocybe*, 22
 besseyi, *Lepiota*, 543, 677
 —, *Pestalotiopsis*, 445 ('*besseyii*')
 —, *Yamadazyma*, 1080
 betae, *Bremia*, 470
 — forma specialis portulacae, *Polymyxa*, 691
 betaniae, *Parmotrema*, 495
 bethaliensis, *Monilia*, 837
 bethelii, *Didymosphaeria*, 386 ('*betheli*')
 —, *Didymosphaerites*, 386
 bethlehemicum, *Gerronema*, 962
 beticola, *Uromyces*, 791
 bettiniae, *Lepiota*, 204
 betula, *Austroboletus*, 74
 —, *Heimiella*, 1057
 betulae, *Blastospora*, 75
 —, var., *Lactarius pubescens*, 53
 betulae-pubescentis, *Gnomonia*, 290
 betularum, *Hyaloscypha*, 163
 —, forma, *Lactarius blumii*, 164
 —, var., *Lactarius pubescens*, 487
 betuletorum, *Cortinarius*, 528
 betulicola, *Dencoeliopsis*, 830
 —, *Merostictis*, 488
 betulina, *Pyrenopeziza*, 902
 —, var., *Opegrapha herbarum*, 302
 bharatense, *Chlorophyllum*, 231
 bharatensis, *Amanita*, 226
 bhardwaji, *Psilodiporites*, 403
 bhargavae, *Saprolegnia*, 614 ('*bhargavii*')
 bhawanii, *Drechslera*, 81 ('*bhawani*')
 bhutanicum, *Pezoloma*, 897, 982
 bianca, forma, *Clitocybe nebularis*, 873
 biannulata, *Octospora*, 56
 biappendiculatum, *Tricladium*, 790
 biasperspora, *Collaria*, 156
 biatorina subsp. *gyalolechioides*, *Caloplaca*, 522

- var. *baumgartneri*, *Gasparrinia*, 962
- biatorinoides*, subsp., *Caloplaca saxicola*, 523
- bibax*, *Parmelia*, 548
- , *Xanthoparmelia*, 912
- biberi*, *Agaricus*, 377
- bibrachiata*, *Alatosessilispora*, 377
- bibula*, *Phyllopsora*, 134
- bicellulare*, var., *Microglomus paxillus*, 299
- bicellularis*, *Polyschema*, 171
- bichroma*, *Lepiota*, 86
- biciliata*, *Epigloea*, 388
- bicineta*, *Atelocauda*, 331
- var. *sorediata*, *Lecania*, 676
- var. *sorediata*, *Lecanora*, 969
- , subsp., *Farnoldia jurana*, 534
- , subsp., *Melanolecia jurana*, 545
- , var., *Lecanora rupicola*, 542
- , var., *Melanolecia jurana*, 129
- bickhamensis*, *Crepidotus*, 336
- , *Lepiota*, 350
- bicolor*, *Boletochaete*, 656
- , *Capitotricha*, 471
- , *Chlorovibrissea*, 950
- , *Corioloropsis*, 424
- , *Crocicreas*, 78
- , *Dendrodontia*, 9
- , *Diplococcium*, 237
- , *Entoloma*, 46
- , *Hygrophoropsis*, 483
- , *Hygrotrama*, 245
- , *Hypobryon*, 293
- , *Lachnella*, 1059
- , *Mimeomyces*, 440
- , *Oropogon*, 979
- , *Peyritschiella*, 445
- , *Pholiota*, 305
- , *Prospodium*, 607
- , *Ramariopsis*, 844
- , *Scenidium*, 614
- , *Ustilago*, 1000
- , *Xerocomus*, 793
- var. *caespitosum*, *Stachylidium*, 783
- var. *subbicolor*, *Alectoria*, 188
- forma *pumilus*, *Cortinaris*, 194
- , forma, *Cladina confusa*, 383
- , forma, *Clavulina cristata*, 748
- , forma, *Russula risigallina*, 613
- , var., *Clavulina cristata*, 748 ('bicolor')
- bicoloratum*, *Hebeloma*, 342
- var. *coloradense*, *Hebeloma*, 342
- bicolores*, *Spadicoides*, 994
- biconica*, *Eudarluka*, 533
- biconicosporum*, *Lyophyllum*, 297
- bicontinens*, *Xanthoparmelia*, 705
- bicorne*, *Entoloma*, 387
- bicornis*, *Kyphomyces*, 436
- , *Peniophora*, 357
- bicuspidatus*, *Phellinus*, 446
- bidentata* var. *major*, *Meliola*, 973
- bidentatus*, *Diphymyces*, 428
- bidiscendus*, *Cortinaris*, 424
- bifarum*, *Trimmatostroma*, 267
- bifasciatum*, *Sporidesmium*, 699
- bifera*, *Letroitia*, 249
- bifida*, *Peyritschiella*, 445
- biforis*, *Pleiomorpha*, 22
- biformatum*, *Bactrodesmium*, 280
- biforme* var. *fuscatum*, *Trichaptum*, 702
- var. *microsporum*, *Trichaptum*, 703
- var. *pusillum*, *Trichaptum*, 703
- biformigera*, *Tylothallia*, 141
- biformis*, *Lecanora*, 542
- , *Peyritschiella*, 445
- , *Triceromyces*, 617
- bifurcata*, *Spathularia*, 176
- bifurcatum*, *Spadicesporium*, 213
- , var., *Hebeloma mesophaeum*, 344
- bifurcatum-majus*, *Spadicesporium*, 213
- bifurcatus*, *Gymnoascus*, 83
- bifusispora*, *Cordyceps*, 193
- bigelowii*, var., *Puccinia caricina*, 136
- bigeminatus*, *Multicellaesporites*, 129
- biggsiae*, *Sistotrema*, 406
- bignoniacearum*, *Pseudocercospora*, 777
- bignoniae*, *Ascochyta*, 3
- biguttatum*, *Verticillium*, 178
- biguttulatus*, *Sarbhoyomyces*, 174
- bijubata*, *Etheiophora*, 959
- billingsii*, *Cetrariastrum*, 113
- , *Everniastrum*, 533
- biloculare*, *Polymeridium*, 553
- bimberiensis*, *Cladonia*, 472
- bimucronatus*, *Diporites*, 287
- bimundalis*, *Pichia*, 358
- var. *chlamydospora*, *Candida*, 421
- bimuratum*, *Mycocarpon*, 253 ('bimuratus')
- binata*, var., *Cordyceps lloydii*, 284
- binucleosporum*, *Sistotrema*, 406
- biocellata* var. *salviae*, *Erysiphe*, 588
- biocellatus*, *Golovinomyces*, 884
- biogilva*, *Corioloropsis*, 424
- biondii*, *Laboulbenia*, 51
- biophila*, *Dicyma*, 81
- biornata*, *Scutellospora*, 1077
- var. *manausensis*, *Mycena*, 253
- bipapillata*, *Nemania*, 397
- bipapillatus*, *Penicillifer*, 981
- biparasitica*, *Parancoelia*, 840
- bipartitus*, *Coccomyces*, 7
- bipellis*, *Entoloma*, 387 ('bipelle')
- bipes*, *Nephrochytrium*, 301
- biphylli*, *Hesperomyces*, 482
- biplanata*, *Anixiopsis*, 574
- bipolaris*, *Nimbospora*, 442
- biporatum*, *Chaetomium*, 659
- biporosa*, *Camarops*, 657
- , *Puccinia*, 901
- birnbaumii* var. *salvadorianus*, *Leucocoprinus*, 678
- bischofiae*, *Pseudocercospora*, 692, 1069
- biseptata*, *Acumispora*, 2
- , *Atractilina*, 576
- , *Corynesporopsis*, 830
- , *Dendryphiopsis*, 237
- , *Edmundsonia*, 754
- , *Xylopezia*, 562
- var. *orientalis*, *Brachydesmiella*, 522
- bisepatum*, *Vernisporium*, 317
- bisetosa*, *Cheilymenia*, 472
- , *Tricharina*, 62
- bisetosum*, *Crocicreas*, 118
- , *Myrothecium*, 301

- bisetula, *Cryptascoma*, 751
 bisexualis var. ambisexualis, *Achlya*, 277
 biskeletalis, *Polyporus*, 401
 bispapillata, *Anthostomella*, 942
 bispora, *Achlya*, 517
 —, *Chamonixia*, 1046
 —, *Copelandia*, 44
 —, *Dendrothele*, 237
 —, *Echinoplaca*, 831
 —, *Pichia*, 358
 —, *Platyglœa*, 776
 —, forma, *Agrocybe pediades*, 226
 —, forma, *Amanita amici*, 572
 —, forma, *Clavulinopsis laeticolor*, 873, 951
 —, forma, *Cuphophyllus berkeleyi*, 426, 663
 —, forma, *Galerina vittiformis*, 241
 —, forma, *Inocybe hirtella*, 1058
 —, forma, *Inocybe langei*, 761
 —, forma, *Marasmius omphaliiformis*, 395
 ('bisporique')
 —, forma, *Mycenella salicina*, 492
 —, forma, *Simocybe argillacea*, 25
 —, subsp., *Rimbachia arachnoidea*, 362
 —, var., *Amanita submembranacea*, 738
 —, var., *Campanella simulans*, 871
 —, var., *Christiansenia mycetophila*, 660
 —, var., *Clavulinopsis fusiformis*, 282
 —, var., *Cystoderma simulatum*, 157
 —, var., *Galerina yungicola*, 290
 —, var., *Galeropsis desertorum*, 1055
 —, var., *Inocybe hirtella*, 761
 —, var., *Mycena delectabilis*, 769
 —, var., *Psathyrella typhae*, 450
 —, var., *Verticillium sphaerosporum*, 97
 —, var., *Xerula radicata*, 793
 bisporalis, *Culicinomyces*, 663
 bisporicum, forma, *Leptoglossum*
griseopallidum, 1060 ('bisporica')
 bisporidii, *Cystofilobasidium*, 385
 ('bisporidiis')
 bisporiger, forma, *Cuphophyllus*
cereopallidus, 955
 —, var., *Hydropus subcartilagineus*, 244
 bisporigera, *Micromphale*, 768
 —, forma, *Inocybe descissa*, 246
 —, var., *Inocybe fuscidula*, 761
 bisporigerum, *Entoloma*, 46, 159
 ('bisporiger')
 —, forma, *Entoloma chalybaeum*, 387
 bisporum, *Acanthophysium*, 465
 —, *Echinostelium*, 158
 —, *Sphaerobasidium*, 995
 —, forma, *Tricholoma psammopus*, 408
 —, var., *Piloderma lanatum*, 91
 —, var., *Repetobasidium americanum*, 610
 bisporus, *Botryohypochnus*, 577
 —, *Hydropus*, 243
 —, *Leocarpus*, 1060
 —, *Pteridomyces*, 843
 — var. *perrubescens*, *Agaricus*, 41
 — forma *microspora*, *Agaricus*, 188
 —, forma, *Hymenogaster hessei*, 434
 —, var., *Agaricus subfloccosus*, 738
 bissei, *Granmamyces*, 885
 —, *Meliola*, 973
 bistortae var. *vivipari*, *Puccinia*, 136
 bistriatus, *Stridiporosporites*, 215
 bitorquis, *Pratella*, 988
 —, *Psalliota*, 988
 — var. *validus*, *Agaricus*, 329
 bivela, *Inocybe*, 887, 1058
 biveloïdes var. *caesioviolascens*, *Cortinarius*,
 116
 — var. *micronotus*, *Cortinarius*, 116
 — var. *microsporus*, *Cortinarius*, 116
 — var. *oblongisporus*, *Cortinarius*, 116
 — var. *ovatisporus*, *Cortinarius*, 116
 — var. *uncinatus*, *Cortinarius*, 116
 — var. *valdemammosus*, *Cortinarius*, 116
 — forma *castaneorum*, *Cortinarius*, 116
 — forma *uncifolius*, *Cortinarius*, 116
 ('uncifolia')
 bivestia, *Groenhiella*, 291
 bizzozzeriana, *Clavulinopsis*, 472
 blackdownensis, *Xanthoparmelia*, 705
 blackwoodiae, *Phyllosticta*, 1067
 blakesleeani var. *verticillata*,
Cunninghamella, 80
 blakesleeanus, *Mycocladus*, 442
 ('blakesleeanus')
 blanchardii, *Endomyces*, 831 ('blanchardi')
 —, *Monilia*, 837 ('blanchardi')
 blanchetianum, *Parmotrema*, 773
 blandfordii, *Entoloma*, 666
 blandulus var. *cohaerens*, *Cortinarius*, 194
 blandum, *Entoloma*, 46
 blanquillo, *Puiggarina*, 901
 blastomyces, *Achroomyces*, 225
 blechnophilum, *Lachnum*, 675
 blennius forma *alboidopallens*, *Lactarius*, 542
 — forma *virescens*, *Lactarius*, 247
 blepharidis, *Meliola*, 488
 blepharospora, *Etheiophora*, 959
 blotii, *Tuber*, 618
 — var. *uncinatum*, *Tuber*, 618
 blumeae, *Asterina*, 741
 blumeae-balsamiferae, *Pseudocercospora*,
 1069
 blumiana, *Russula*, 611
 blumii, *Russula*, 611
 — forma *betularum*, *Lactarius*, 164
 blunckii, *Entomophthora*, 46
 —, *Erynia*, 12
 —, *Pandora*, 980
 blyttii, *Sphaerulina*, 61
 boccanum, *Catapyrenium*, 1045
 bodinii, *Montoyella*, 839 ('bodini')
 bodmanii, *Heterochaete*, 671
 boedijnii, *Cordierites*, 829
 boehmeriae, *Pseudocercospora*, 1069
 boergesenii, *Xylaria*, 793
 boertmannii, *Lepiota*, 86
 bogoriensis, *Micropsalliota*, 300
 —, *Rhodotorula*, 138
 —, *Vanrija*, 141
 bohaniensis, *Endophragmiella*, 881
 bohemia, *Bloxamia*, 111
 —, *Macrolepiota*, 438, 439, 892
 —, *Psilocybe*, 262
 — var. *pallida*, *Ptychoverpa*, 136
 —, var., *Macrolepiota rachodes*, 892
 bohemicum, *Coelocaulon*, 526

- bohussii, *Agaricus*, 151, 226
 —, *Leucoagaricus*, 128
 boidinii, *Hymenochaete*, 1057
 boisseletii, *Agaricus*, 737
 bokyoensis, *Cordyceps*, 284
 bolanderi, *Cladidium*, 950
 bolbitioides, *Cortinarius*, 335
 bolcana, subsp., *Lecanora muralis*, 542
 boldoae, *Mycovellosiella*, 354
 boletelloides, *Striadiporites*, 315
 ('*Stradiporites*')
 boletiformis, *Peltula*, 686
 boletinoides forma olivascens, *Paxillus*, 604
 ('*olivascens*')
 boletiphagus, *Hypomyces*, 966
 bolivarensis, *Maravalia*, 395
 boliviana, *Cladina*, 383
 bolivianus, *Oropogon*, 979
 boliviensis, *Tilletia*, 504
 bolleana, *Pseudocercospora*, 360
 bolleanum, *Cercosporidium*, 191
 bolleyi, *Idriella*, 85
 bolliana, *Punctelia*, 173
 boltoniae, *Macrophoma*, 395
 —, *Phoma*, 400
 —, *Phyllosticta*, 605
 —, *Selenophoma*, 364
 boltonii, *Galactinia*, 1055
 —, *Inocybe*, 835 ('*boltoni*')
 — subsp. *giacomii*, *Inocybe*, 835
 — var. *ionipes*, *Inocybe*, 835
 bomba var. *macrospora*, *Phylacia*, 985
 bombacina, *Pseudocercospora*, 692
 bombacis, *Cercospora*, 1046
 bombycinum, *Entoloma*, 46
 bombycinus, *Inopilus*, 247
 bomiensis, *Sawadaea*, 24, 452
 bommeri, *Sphaeronaema*, 502, 558
 bonaerense, *Cylindrocarpon*, 830
 bonae-spei, *Caloplaca*, 380
 bonaërensis, *Macrolepiota*, 352
 bonahawensis var. *tomentosa*, *Lambertella*,
 203 ('*tomentosus*')
 bonariensis, *Parmelinopsis*, 773
 —, var., *Ustilago bullata*, 1000
 bonarii, *Janetia*, 295
 bondarzewiae, *Candida*, 381
 bongardii var. *pisciodora*, *Inocybe*, 761
 bongardiodor, *Cortinarius*, 528
 bonii, var., *Peziza pseudoammophila*, 209
 boninense, *Porpoloma*, 58
 boninensis, *Cainia*, 5
 —, *Campanella*, 112
 —, *Chaetospermopsis*, 6
 —, *Neocosmospora*, 1063
 —, *Syspastospora*, 504
 —, var., *Armatella litseae*, 3
 —, var., *Crepidotus roseus*, 236
 —, var., *Hygrocybe hypohaemacta*, 245
 —, var., *Hygrophorus hypohaemactus*, 50
 —, var., *Meliola livistonae*, 18
 boonahensis, *Xanthoparmelia*, 912
 boothii, *Nectria*, 19
 boppi, *Taeniolella*, 366
 boraginacearum, forma *specialis*, *Oidiopsis*
taurica, 896, 978
 borbonica, *Hymenochaete*, 673
 bordonii, *Laboulbenia*, 541
 boreale, *Fuscolachnum*, 961 ('*borealis*')
 —, *Lasiobelonium*, 54
 —, *Lophiotrema*, 597, 1061
 —, *Pythium*, 451 ('*borealis*')
 —, *Xeroconium*, 97
 —, var., *Psoroma tenue*, 136 ('*borealis*')
 borealis, *Apiognomonina*, 278
 —, *Armillaria*, 151
 —, *Calocybe*, 657, 744
 —, *Cladonia*, 950
 —, *Clavaria*, 472
 —, *Clitocybe*, 232, 473
 —, *Coelomomyces*, 526
 —, *Cuphophyllus*, 426, 663
 —, *Lentomita*, 764
 —, *Mazzantia*, 299
 —, *Octospora*, 771
 —, *Oxyporus*, 444
 —, *Phaeosphaeria*, 983
 —, *Phlebiella*, 688
 —, *Phloeosporella*, 400
 —, *Pollaccia*, 987
 —, *Pyricularia*, 499 ('*boreale*')
 —, *Vararia*, 217
 —, *Zygopolaris*, 411
 — var. *giganteus*, *Coelomomyces*, 526
 — forma *salmoneus*, *Cuphophyllus*, 426, 663
 —, var., *Lactarius circellatus*, 52
 borellii, *Arthroderma*, 519
 boreoroseum, *Corticium*, 284
 borgenii, *Entoloma*, 387
 borgensis, *Psathyrella*, 777
 borhidii, *Macentina*, 971
 borivilensis, *Hygrocybe*, 965
 borneense, *Aporpium*, 42
 —, var., *Amauroderma malesianum*, 227
 —, var., *Ganoderma pfeifferi*, 242
 borneensis, *Albatrellus*, 941
 —, *Aphelariopsis*, 151
 —, *Dioicomyces*, 665
 —, *Paraphelaria*, 19
 —, *Phanerochaete*, 57
 —, *Vanderbylia*, 704
 —, var., *Oxyporus populinus*, 684
 —, var., *Perenniporia oviformis*, 982
 borneoensis, *Rickia*, 264
 bornmuelleriana, *Ramularia*, 991
 borraginaceus, *Hymenoscyphus*, 483
 borrii, *Lauderlindsaya*, 1059
 —, *Porina*, 32
 —, *Punctelia*, 173
 — var. *subrudecta*, *Parmelia*, 399
 borrerina, *Punctelia*, 173
 boryana, *Pseudocyphellaria*, 498
 boryi var. *squarrosa*, *Anaptychia*, 109
 — var. *squarrosa*, *Heterodermia*, 671
 — forma *circinalis*, *Heterodermia*, 671
 — forma *sorediosa*, *Heterodermia*, 671
 bosei, *Epitheleopsis*, 959
 bosensis, *Areolospira*, 3
 botryoides, *Botrydina*, 827
 —, *Glomus*, 341
 —, *Micarea*, 30
 —, *Xanthoparmelia*, 1080

- botryosa, *Monascella*, 598
 —, *Tricellula*, 177
 botryosum, *Diderma*, 531
 botryosus, *Aleurobotrys*, 466
 botrytis forma *musicolor*, *Ramaria*, 212
 (*'musaecolor'*)
 botrytoides var. *microspora*, *Ramaria*, 1072
 bottegoi, *Tetrandromyces*, 456
 bottnicum, *Pleuroceras*, 307
 bottnicus, *Stigmatomyces*, 315
 botuliforme, *Harposporium*, 242
 botulispora, *Dictyochaeta*, 957
 —, *Massariothea*, 17
 boudieri, *Arachnoscypha*, 42 (*'boudierii'*)
 —, *Collybia*, 661
 —, *Lyophyllum*, 679
 —, *Morrisographium*, 441
 —, *Peziza*, 208
 —, *Tephrophana*, 701
 — var. *pseudoarquatius*, *Cortinarius*, 875
 bougainvilleae, *Comoclathris*, 829
 —, *Cytospora*, 956 (*'bougainvillae'*)
 —, *Stenella*, 214
 bougeanica, var., *Cladonia humilis*, 951
 boukokoensis, *Ophioceras*, 89
 boulderense, *Hebeloma*, 342
 boulderensis forma *pallidulus*, *Cortinarius*, 194
 boulyi, *Caloplaca*, 191
 bourdotii, *Aphanobasidium*, 1043
 —, *Steccherinum*, 846
 —, *Tulasnella*, 217
 bouteillei, *Fellhanera*, 534
 boutelouae, *Tilletia*, 910
 boutevillei, var., *Tricholoma portentosum*, 408
 bouvardiae, forma *specialis*, *Fusarium oxysporum*, 883
 bouvetii, *Buellia*, 577
 bovei, *Strickeria*, 784 (*'Strickera'*)
 bovina, *Mariaella*, 679
 bovis, *Orpinomyces*, 799
 bowdichiae, *Xylohypha*, 98
 boydii, *Pseudallescheria*, 173
 bracei, *Amyloporus*, 418
 brachiatum, *Leptographium*, 437
 brachyacantha, forma, *Scutellinia trechispora*, 906
 brachycarpa, *Tapesia*, 788
 brachypoda, *Chaenotheca*, 659
 brachypora, *Echinochaete*, 386
 — var. *acystidiata*, *Echinochaete*, 386
 — var. *laticystidiata*, *Echinochaete*, 386
 — var. *submegaloportia*, *Echinochaete*, 386
 brachyspathulata, *Phragmospathula*, 91
 brachyspermus, *Pulveroboletus*, 263
 —, var., *Cortinarius paleiferus*, 830
 brachyspora, *Melanoleuca*, 545
 brachysporioides, *Sporidesmiella*, 313
 brachysporus, *Marasmius*, 971
 brachystegiensis, var., *Russula brunneorigida*, 905
 brahminae, *Erynia*, 12
 —, *Pandora*, 980
 branchialis, *Ramularia*, 174
 brantophilus, *Ascobolus*, 1043
 brasilianum, *Camarosporium*, 75
 —, *Thelotrema*, 315 (*'brasiliana'*)
 brasiliense, *Ischnoderma*, 967
 —, *Lachnum*, 349
 —, *Phialoarthrobotryum*, 90
 brasiliensis, *Cristelloporia*, 955
 —, *Kalbiana*, 889
 —, *Lactarius*, 296
 —, *Macrolepiota*, 766
 —, *Phaeocollybia*, 687
 —, *Phlebopus*, 305
 —, *Polyporus*, 401
 —, *Scutigera*, 312
 —, *Veralucia*, 217
 — var. *macroporus*, *Polyporus*, 401
 —, var., *Pluteus atricapillus*, 359
 brassertii, *Xylasclerotes*, 318 (*'brasserti'*)
 brassicae, *Heterosporium*, 84
 brassicolens, *Cortinarius*, 78
 —, *Entoloma*, 81
 brattiae, *Caloplaca*, 1045
 brattii, *Rinodina*, 405
 braunii, *Leveillula*, 765
 —, *Oidium*, 443
 braziliensis, *Chaconia*, 333
 brdensis, *Amicodisca*, 574
 breckonii, *Amanita*, 188
 brefeldianum, *Dictyostelium*, 287, 338
 bremeri, *Erysiphe*, 198
 bresadolae, *Diplonaevia*, 338, 386
 —, *Leucocoprinus*, 488
 —, *Septoria*, 453
 —, *Suillus*, 455
 —, *Trametes*, 910
 — var. *microspora*, *Mucronella*, 441
 —, forma, *Russula krombolzii*, 905
 —, var., *Cortinarius dibaphus*, 424
 —, var., *Cortinarius helvolus*, 1050
 —, var., *Cortinarius livor*, 384, 877
 —, var., *Cortinarius vibratilis*, 1052
 —, var., *Suillus laricinus*, 616
 —, var., *Suillus viscidus*, 908
 bresadolana, *Melanoleuca*, 893
 bresadoliana, *Clitocybe*, 582
 —, *Galerina*, 290
 —, *Inocybe*, 246
 —, *Tomentellopsis*, 140
 — var. *dryadum*, *Clitocybe*, 582
 bresinskyanus, *Boletus*, 871
 breve, *Tetracladium*, 1078
 brevicapillata, *Trichia*, 267
 brevicapitata, *Protounguicularia*, 554
 brevicaulis, *Chalara*, 192 (*'brevicaule'*)
 brevicentrum, *Vermisporium*, 317
 brevicolle, *Ophiostoma*, 355 (*'brevicolla'*)
 brevicona, var., *Nectria haematococca*, 207
 brevicostatispora, *Pulparia*, 23
 brevicystis, *Inocybe*, 761
 —, var., *Psathyrella fulvescens*, 449
 brevidens, *Hyphodontia*, 347
 brevilibata, *Xanthoparmelia*, 705
 brevinnucleata, *Entomophthora*, 388, 429
 brevipes, *Chaenothecopsis*, 659
 —, *Flabellophora*, 668
 —, *Inocybe*, 1058
 —, *Pholiota*, 985

- , var., *Micropsalliota campestris*, 894
brevipilosa, *Tricharia*, 846
—, forma, *Russula subfistulosa*, 1076
brevipilosum, *Lachnum*, 486
brevipilum, *Lachnum*, 487
brevirama, *Laterispora*, 165
breviramosum, *Cladospodium*, 828
breviramosus, *Paecilomyces*, 19
breviramus, *Leucocoprinus*, 351
brevirostris, *Strickeria*, 784
brevis, *Opegrapha*, 772
—, *Russula*, 780
— var. *rohrbachensis*, *Kloeckera*, 541
('rohrbachense')
breviseptata, *Alternaria*, 467
brevisetia, *Grandinia*, 199
—, *Kneiffiella*, 126
brevisetula, *Dictyochaeta*, 957
brevisetulosus, *Coprinus*, 233
brevispila forma *artemisiae*, *Mollisia*, 768
brevispina, *Acanthostigmella*, 225
brevispora, *Gelasinospora*, 962
—, *Godfrinia*, 537
—, *Lachnum*, 594
—, *Melanoleuca*, 545
—, *Meliola*, 680
—, *Phaeosphaeria*, 983
—, *Phlebia*, 133
—, *Sowerbyella*, 406
—, *Hemimycena* see *Helotium africanum*
—, forma, *Volvariella murinella*, 619
—, var., *Hygrocybe nigrescens*, 245
—, var., *Truncospora ochroleuca*, 998
brevisporum, *Lachnum*, 675
brevisporus, *Dasyscyphus*, 9
—, *Kendrickomyces*, 435
—, *Nematoctonus*, 547
—, forma, *Cortinarius cyanites*, 194
—, var., *Cortinarius cyanites*, 424
—, var., *Cortinarius latus*, 425
—, var., *Inonotus dryadeus*, 126
—, var., *Pleurotus eugrammus*, 135
brevissimum, *Achaetomium*, 2, 377
('brevisemum')
brevistipitatum, var., *Hypoxylon atropurpureum*, 540
brevistylispora, *Phomopsis*, 1067
—, var., *Diaporthe melonis*, 1054
breviuscula, var., *Phyllospora parvifolia*, 986
brevi-compactum var. *magnum*, *Penicillium*, 169
bridei, *Octospora*, 771
bridelliae, *Mycovellosiella*, 301
—, *Verrucispora*, 619
bridellicola, *Pseudocercospora*, 211
bridgeri, *Aspergillus*, 153
brigantina, *Opegrapha*, 494
brigrantum subsp. *hispanica*, *Lasallia*, 30
brightonensis, *Leptosphaeria*, 438
brignolii, *Laboulbenia*, 541
britannica, *Chaetendophragma*, 77
—, *Isthmotricladia*, 164
—, *Menispora*, 440
—, *Phaeotrichosphaeria*, 305
—, *Rosellinia*, 1074
britannicum, *Circinotrichum*, 114
—, *Leptogium*, 249
—, *Sporidesmium*, 615
britannica, var., *Parmelia revoluta*, 65
britannus, var., *Cortinarius sebaceus*, 954, 1051
brittonii, *Topelia*, 789
britzelmayrianum, *Splanchnonema*, 454
('britzelmayriana')
brizae, *Phaeosphaeria*, 983
broadwayi var. *indica*, *Agrocybe*, 277
bromigena, *Pseudoseptoria*, 23
bromi-tectorum, var., *Tilletia fusca*, 997
bronchialis, *Endomyces*, 831
—, *Monilia*, 837
brongniartii, *Cordyceps*, 952
brooksii, *Arcyria*, 42 ('brooksea')
—, *Echinostelium*, 46
broomeana, *Nectriopsis*, 168
broomei, *Ramaria*, 137
broomeiana, *Camillea*, 948
—, *Collybia*, 283
broscomae, *Laboulbenia*, 486
broussonetiae, *Mycovellosiella*, 976
—, *Pseudocercospora*, 1069
brownlieae, *Paraparmelia*, 840 ('brownliei')
brownorum, *Hirsutella*, 15
bruceae, *Pseudocercospora*, 1069
bruchetii, *Hebeloma*, 538
bruchii, *Phlebopus*, 209
—, *Simocybe*, 699
bruckenthaliae, *Lembosia*, 764
brumale var. *longipes*, *Tulostoma*, 911
— var. *pallidum*, *Tulostoma*, 911
brumalis, *Volvariella*, 792
— var. *nanus*, *Polyporus*, 171
brunnea, *Arcyria*, 519
—, *Galera*, 241
—, *Glaphyriopsis*, 589
—, *Melanoleuca*, 767
—, *Trichia*, 140
—, *Tricladiospora*, 790
— forma *specialis* *trepidae*, *Marssonina*, 352
—, forma, *Cortinarius mucifluoides*, 529
—, var., *Erysiphe epimedii*, 82
—, var., *Orphniospora atrata*, 32
—, var., *Orphniospora moriopsis*, 168
brunneicontusa, *Ramaria*, 990
brunneifavulus, *Panellus*, 684
brunneiflavus, *Buglossoporus*, 379
brunneimontanus, *Tyromyces*, 998
brunneipes, *Panus*, 131
—, *Ramaria*, 1072
brunneipurpureum, *Ischnoderma*, 967
brunneoalba, *Russula*, 363, 992
brunneoannulata, *Russula*, 1075
brunneobadia, *Krombholzella*, 435
brunneocephala, *Clitocybe*, 155
brunneocinerea, *Clavulina*, 829
brunneoonculus, *Amanita*, 151
brunneoderma, *Russula*, 992
brunneodiscum, *Hebeloma*, 342
brunneofloccosa, *Russula*, 1075
brunneola, *Agrocybe*, 2, 109
—, *Collybia*, 283
—, *Conocybe*, 115
—, *Micropsalliota*, 18

- , var., *Acarospora molybdina*, 187
 —, var., *Mycena epipterygia*, 975
brunneoleuca, *Datronia*, 752
brunneolilacinus, *Leucoagaricus*, 54
brunneolum, *Lophodermium*, 1061
brunneolus, *Marasmius*, 544
brunneomaculans, *Mycosphaerella*, 397
brunneomaculatum, *Hebeloma*, 342
brunneomaculatus, *Panellus*, 684
brunneopunctata, *Erysiphe*, 340
brunneopunctatus, *Golovinomyces*, 884
brunneoradiatus, *Pluteus*, 691
brunneorigida, *Russula*, 905
 — var. *brachystegiensis*, *Russula*, 905
brunneoruber, *Phlebotopos*, 209, 305
brunneosetosa var. *retipes*, *Tubosaeta*, 847
brunneosperma, *Pseudodescolea*, 450
 — var. *cortinata*, *Micropsalliota*, 18
brunneostoloniferum, *Penicillium*, 169
brunneostriata, *Nectria*, 976
brunneotomentosus, *Paxillus*, 495
brunneoumbonatus, *Hydropus*, 243
brunneovelatus, *Cortinarius*, 335
brunneovillosa, *Inocybe*, 540
 ('*brunneovillosus*')
brunneviolacea var. *cristatispora*, *Russula*, 611
brunneovulvus forma *everniiformis*, *Cortinarius*, 875
brunneo-capitata, *Pyxidiophora*, 555
brunneo-ochracea, *Wrightoporia*, 458
brunneo-uniseriatus var. *nanus*, *Aspergillus*, 3
brunnescens, *Hydropus*, 243
 —, *Leucocoprinus*, 250
 —, *Resinomycena*, 94
 —, var., *Amauroderma perplexum*, 227
 —, var., *Laetiporus discolor*, 393
brunneum, *Dictyostelium*, 196
 ('*Dictyostelium*')
 —, *Entoloma* see *Entoloma petchii*
brunneus, *Achroomyces*, 225
 —, *Bolbitius*, 111
 —, *Gastroboletus*, 962
 —, *Hygrophorus*, 433
 —, *Inopilus*, 540
 —, *Microporellus*, 680
 —, *Moellerodiscus*, 353, 396 ('*Mollerdiscus brunius*')
 —, *Scutisporus*, 501
 —, *Thaxterogaster*, 407
 —, *Tylophilus*, 27
 —, var., *Boletus scaber*, 946
bryi, *Bryostroma*, 190
bryogena, *Galerina*, 883
bryogenus, *Neopaxillus*, 600
bryontheae, *Rhizocarpon*, 499
bryophila, *Rimbachia*, 363
 — var. *caesia*, *Mycenella*, 492
bryophilii, *Diploschistomyces*, 98
bryopsea, var., *Mycena pelliculosa*, 441
bryorum, *Entoloma*, 881
bubaci, var., *Gyromitra esculenta*, 481
bubakianum, *Steganosporium*, 783
 ('*Steganosporium*')
bubakii, *Septoria*, 782
bubalina, *Clitocybe*, 155
 —, *Phanerochaete*, 550
bubalinum, *Haematomma*, 482
bubalinus, *Lactarius*, 52
buccinulus, *Camarophyllus*, 229
bucekii, *Placopyrenium*, 690
buchenaviae var. *terminaliae*, *Meliola*, 352
buchneri, *Symbiotaphrina*, 26
buckii, *Trypethelium*, 560
buckleyae, *Uncinula*, 505
buddleiae, *Pseudocercospora*, 1069
buddlejae, *Oidium*, 443
buelliae, *Skyttea*, 61
buelliastrum, *Lecidella*, 1060
buettneri var. *glauca*, *Phyllospora*, 986
 — var. *munda*, *Phyllospora*, 986
buffonii, *Candida*, 229
 —, *Rhodotorula*, 992, 1073
bugnicourtii, *Fusarium*, 757
buismaniae, *Pythium*, 137
buissonii, *Hymenoscyphus*, 483
bukkensis, *Endophragmiella*, 754
bulbiger, *Cortinarius*, 284
bulbipes, *Leucocoprinus*, 678
bulbispora, forma, *Ramariopsis laeticolor*, 844
bulbobasidiata, *Ramaria*, 499
bulbolatens, *Cortinarius*, 583
 —, subsp., *Cortinarius caesiocortinatus*, 1048
bulbophorus, *Cheiromyces*, 282
bulbopodius, forma, *Cortinarius mussivus*, 750
bulbosa, *Armillaria*, 227, 378
 —, *Bulbouncinula*, 5
 —, *Chalara*, 333
 —, *Clavatospora*, 525
 —, *Helvella*, 391
 —, *Licea*, 678
 —, *Microsphaera*, 768
 — var. *alba*, *Amanita*, 825
 — var. *citrina*, *Amanita*, 825
 — var. *olivacea*, *Amanita*, 825
 — var. *virescens*, *Amanita*, 825
bulbosissima, var., *Inocybe rimosa*, 888
bulbosostipitata, var., *Mycena rubromarginata*, 442
bulbosovolvatus, *Cortinarius*, 528
bulbostylidis, *Dermatosorus*, 664
bulbosum, *Dictyosporium*, 957
 —, *Hebeloma*, 342, 432
bulbulipes, *Cortinarius*, 952
bulgaricus, var., *Cluyveromyces marxianus*, 51
bulgarioides, *Ciboria*, 472
bullata, *Erynia*, 12, 121
 —, *Pandora*, 980
 —, *Phloeospora*, 21
 — var. *bonariensis*, *Ustilago*, 1000
bullatum, var., *Fusarium gibbosum*, 832
bullatus, *Fusticeps*, 49
 —, *Rhizidiomyces*, 138
 —, *Triceromyces*, 617
bulliardii var. *minor*, *Nummularia*, 771
 — forma *acicola*, *Marasmius*, 766
 — forma *decoratus*, *Cortinarius*, 875
 ('*decorata*')
 —, var., *Daedaleopsis confragosa*, 119

- bulundari, *Clelandia*, 192
 —, *Mycoclelandia*, 397
 bundarus, *Cortinarius*, 1048
 bungendorensis, *Parmelia*, 131
 —, *Xanthoparmelia*, 620
 buniadis, *Mollisia*, 1062
 bunkinae, *Septoria*, 453
 bunkiniana, *Erysiphe*, 82
 bupleuri, *Wettsteinina*, 619
 buquetii, *Stilbella*, 139
 — var. *formicarum*, *Stilbella*, 139
 burchellii, *Corioloropsis*, 749 ('burchelli')
 burgessii, *Monilia*, 837 ('burgessi')
 burgessii, *Endomyces*, 831 ('burgessi')
 burkillii, *Marasmius*, 298
 —, *Microporellus*, 680
 — var. *discolor*, *Microporellus*, 680
 — var. *griseiporus*, *Microporellus*, 680
 — var. *rufescens*, *Microporellus*, 680
 burmensis, *Stilbella*, 139
 burnhamii, var., *Ramaria subdecurrens*, 137
 ('burnhami')
 bursiformis, *Conchomyces*, 156
 ('bursaeformis')
 bursum, *Sporisorium*, 845
 burtii, *Basidioidendron*, 228
 bururiensis, *Russula*, 905
 buteae, *Cochliobolus*, 582
 —, *Diatrype*, 477
 —, *Hypocrea*, 347
 —, *Otthia*, 601
 —, *Phoma*, 400 ('Phomal')
 —, *Pseudocercospora*, 92
 butleri, *Parmelia*, 32
 —, *Relicina*, 609
 butyracea var. *asema*, *Collybia*, 78, 748, 951
 — var. *ushuaiensis*, *Collybia*, 334
 — forma *asema*, *Collybia*, 748
 buxea, *Aleuria*, 1041
 buxi, *Fellhanera*, 534
 —, *Strickeria*, 784 ('Strickera')
 buxicola, *Acanthophysium*, 465
 —, *Marasmius*, 766 ('buxicolus')
 —, *Microthyria*, 55
 buxoides, *Peziza*, 57
 byliana, *Pseudocercospora*, 58
 byrrhini, *Aporomyces*, 942
 byssaceus, *Oropogon*, 979
 byssincola, *Leptosphaeria*, 596
 byssinula, *Lecanora*, 296
 byssisedum, *Stilbella*, 503 ('byssiseda')
 —, *Stilbum* see *Crinula byssogena*
 byssogena, *Crinula*, 475
 byssogenum, *Stilbum* see *Crinula byssogena*
 byssomorpha, *Auriculora*, 870
 byssotecta, *Nectriopsis*, 977
 cabreræ, *Clitocybe*, 1046
 cabrinii, *Thaxterogaster*, 366
 —, var., *Underwoodia fuegiana*, 368
 cacaina, *Phanerochaete*, 550
 calaliae, var., *Crocicreas cyathodeum*, 79
 cacao, *Phlebia*, 90
 caccabus, *Entoloma*, 46, 159
 caccinae, *Aecidium*, 737
 cacheutensis, *Inapertisporites*, 294
 —, *Microsporionites*, 167
 cacti, *Coniothyrium*, 8 ('cactii')
 cactivora, *Bipolaris*, 228
 cacuminum, *Fuscidea*, 162
 —, *Poeltinula*, 552
 cadicola, *Sarcostroma*, 501
 caduca, *Albotricha*, 653
 —, *Blastocladia*, 945
 —, *Cericiosporopsis*, 828
 caelivicina, var., *Cephalophysis leucospila*,
 471
 caeonshanensis, *Lasallia*, 204
 —, var., *Lasallia daliensis*, 890
 ('caeonshanensis')
 caeruleocapitata, *Leptonia*, 249
 caeruleoflocculosum, *Entoloma*, 479
 caeruleoniger, *Proliferodiscus*, 691
 caeruleonigrescens, *Xerocomus*, 268
 caeruleopolitum, *Entoloma*, 387
 caeruleopulvinum, *Catapyrenium*, 658
 caeruleoviolaceus, *Leucocoprinus*, 1061
 caeruleus, *Lyophyllum*, 204
 —, *Penicillium*, 304
 — var. *depallens*, *Cortinarius*, 424
 — var. *ombrophila*, *Psilocybe*, 262
 — forma *decipiens*, *Cortinarius*, 875, 1048
 caeruleum, *Entoloma*, 159
 —, var., *Fusarium solani*, 833 ('coeruleum')
 caeruleus, *Hygrophorus*, 392
 caesalpiniacearum, *Oidium*, 494
 caesalpiniae, *Camarosporium*, 658
 —, *Cercoseptoria*, 191
 —, *Domingoella*, 10
 —, *Lecanidion*, 165
 —, *Phaeoisariopsis*, 209
 —, *Pseudocercospora*, 989
 — var. *bauhiniae*, *Meliola*, 680
 caesarea, *Volvoamanita*, 506
 — var. *alba*, *Amanita*, 825
 — var. *aurantia*, *Amanita*, 825
 — var. *caesareoides*, *Amanita*, 868
 ('caesaroides')
 — var. *lutea*, *Amanita*, 825
 — var. *rubra*, *Amanita*, 825
 caesareoides, var., *Amanita caesarea*, 868
 ('caesaroides')
 caesariata, *Phaeotrichosphaeria*, 605
 caesia, *Campanella*, 75
 —, *Prillieuxia*, 553
 —, *Pyrenocollema*, 778
 — var. *caesiella*, *Physcia*, 551
 —, var., *Mycenella bryophila*, 492
 caesiella, *Metamelanea*, 1062
 —, var., *Physcia caesia*, 551
 caesiellus, *Polyporus*, 607
 caesiipes, forma, *Cortinarius georgioides*, 528
 caesioalbescens, var., *Fuscidea mollis*, 123,
 536 ('caesioalbescens')
 caesiocarnea, *Acanthothecis*, 151
 caesiocinctum, *Entoloma*, 159
 caesiocinctus, *Cortinarius*, 1048
 caesiocinerea, *Lecidella*, 127
 — var. *subdepressa*, *Aspicilia*, 378
 caesiocoeruleum, *Entoloma*, 46
 caesiocortinatus subsp. *bulbolatens*,
Cortinarius, 1048
 caesiocyanus var. *juranus*, *Cortinarius*, 528

- caesioflavus, *Tyromyces*, 217, 367
 caesionigrellus, *Cortinarius*, 117
 caesiopruinosa, *Aspicilia*, 741
 —, *Menegazzia*, 598
 caesiovergens, var., *Cortinarius rapaceus*, 195
 caesioviolascens, var., *Cortinarius biveloides*, 116
 caesio-albidus, forma, *Cortinarius cumatilis*, 876
 caesius, *Camarophyllus*, 524
 —, *Oligoporus*, 443
 —, *Spongiporus*, 25
 — var. *rhenanus*, *Leptoporus*, 891
 —, forma, *Cortinarius tabularis*, 878 ('caesia')
 caespitella, *Ramalina*, 555
 caespitipes, *Agaricus*, 151
 caespitosa, *Chaenothecopsis*, 6
 —, *Idriella*, 164
 —, *Psathyrella*, 900, 1069
 —, forma, *Lepista flaccida*, 543
 —, forma, *Mycena chlorantha*, 546
 —, forma, *Psathyrella olympiana*, 449
 caespitosum, *Deltosperma*, 830
 —, *Dinemasporium*, 10 ('caespitosa')
 —, *Leptogium*, 836
 —, var., *Stachylidium bicolor*, 783
 caespitosus, *Botryomyces*, 155
 —, *Clavariadelphus*, 873
 —, *Hydropus*, 243
 —, *Lactarius*, 52
 —, *Oropogon*, 979
 cafferensis, *Almbornia*, 109
 caffra, *Gibbera*, 341
 cafiana, *Peyritschella*, 445
 caguanese, *Clathroconium*, 873
 cahirensis, *Plagiostoma*, 986 ('cahirensis')
 cahuchucosus, *Versomyces*, 1000
 cailletii, *Lamprospora*, 763
 cainii, *Ophiostoma*, 601
 —, *Rhytidospora*, 310
 cajani, *Acremonium*, 571
 —, *Fusicoccum*, 536
 —, *Phoma*, 133
 cajanicola, *Pseudocercospora*, 692
 cajetani, *Arthroderma*, 519
 calamagrostidis, *Orphanocoela*, 1064
 —, *Ustilago*, 506
 calamagrostidis-emodensis, *Uredo*, 1080
 calamagrostis, *Tubercinia*, 505
 calami, *Ascochyta*, 740
 —, var., *Phaeocystostroma sacchari*, 21
 calaminare, *Entoloma*, 387
 calamistrata forma *gracilis*, *Inocybe*, 246
 calathea, *Microthyriolum*, 55
 calathicola, *Crocicreas*, 79
 calathinoides, forma, *Clitopilus omphaliiformis*, 283 ('omphaliiformis')
 calathus, *Lepista*, 16
 calcarata, *Lepiota*, 86
 —, *Lepiotula*, 54
 —, *Polytrophora*, 402
 calcaratus, *Clematomyces*, 423
 calcarea, *Gymnascella*, 481
 —, *Lichenothelia*, 678
 —, *Porpidia*, 987
 — var. *dobrogensis*, *Aspicilia*, 29
 —, var., *Tephromela atra*, 559
 calcarum, *Hygrocybe*, 539
 calcicola, *Cystolepiota*, 752
 —, *Lepiota*, 86
 —, *Lulworthia*, 971
 —, *Trechispora*, 316
 —, subsp., *Xanthoria parietina*, 562
 calciphila, *Hygrocybe*, 482
 —, *Pseudohygrocybe*, 842
 — var. *microspora*, *Hygrocybe*, 965
 calcitrapa, *Hyphoderma*, 347
 calcitrapae var. *cardui-pygnocephali*, *Puccinia*, 136
 — var. *fennica*, *Puccinia*, 136
 calderi, *Phaeosphaeria*, 983
 caledonica, *Beauveria*, 742
 caledoniensis, *Ocellularia*, 31
 calhouniae, *Marasmius*, 971
 calicioides, *Caloplaca*, 578
 —, *Mycocalicium*, 397
 caliculata, *Ceratosporella*, 113
 calicutensis, *Hymenagaricus*, 346
 calida, *Xanthoparmelia*, 705
 californica, *Bipolaris*, 4 ('californicum')
 —, *Clavulinopsis*, 473
 —, *Combea*, 749
 —, *Dermocybe*, 879
 —, *Erysiphe*, 340
 —, *Gnomonia*, 290
 —, *Hubbsia*, 759
 —, *Lecanora*, 394
 —, *Pertusaria*, 65
 —, *Phlebiella*, 688
 —, *Psora*, 778
 —, *Tomasellia*, 789
 —, *Topelia*, 408
 —, *Xanthoparmelia*, 368
 —, *Xenasmattella*, 268
 californicus, *Golovinomyces*, 884
 —, *Hydropus*, 964
 —, *Marasmiellus*, 971
 —, *Serenomyces*, 994 ('californica')
 —, var., *Hygrophorus discoideus*, 433
 —, var., *Marasmiellus ramealis*, 679
 californiense, *Helotium*, 200
 californiensis, *Clitocybe*, 473
 —, *Lactarius*, 52
 —, *Omphaliopsis* see *Helotium californiense*
 caliginosa, *Menegazzia*, 299
 —, *Pycnothelia*, 778
 —, *Sticta*, 314
 caliginosum, *Entoloma*, 755
 caliginosus, *Polyporus*, 607
 callianthum, *Elateraecium*, 288
 callicarpae, *Anthostomella*, 378
 —, *Pseudocercospora*, 989
 —, *Sphaerotheca*, 365
 callichroa, *Flavoparmelia*, 535
 —, *Lopacidia*, 394
 —, *Vararia*, 912
 callichroma, *Dawsophila*, 119
 callichroum, *Entoloma*, 238
 callifolioides, *Xanthoparmelia*, 848
 calligoni, *Coniochaeta*, 115
 —, *Trematosphaeria*, 702

- callimorphus, Phellinus, 57
 calliphorae, Erynina, 12
 —, Pandora, 980
 callitriches, Entyloma, 479 ('callitrichis')
 callopetalus, var., Cortinarius flavovirens, 528, 1049
 callorioides, Bisporella, 153
 callosum, Glomus, 884
 callunae, Herpotrichiella, 834
 calocerum, Lepidostroma, 394
 calochroa, Dicephalospora, 665
 calochrous var. beneolens, Cortinarius, 194
 — var. caroli, Cortinarius, 474
 — var. coniferarum, Cortinarius, 424, 474 ('coniferarus')
 — forma caroli, Cortinarius, 424
 calocyboides, Rhodocybe, 610
 calongei, Cerocorticium, 471
 —, Dasyscyphella, 337
 —, Psilocybe, 777
 calophylli, Corynespora, 530
 caloplacae, Phoma, 91
 calopteni, Entomophaga, 959
 calospora, Aleurina, 518
 —, Astrosporina, 111
 —, Cuphocybe, 584
 —, Inocybella, 16, 85
 —, Moravecchia, 681
 —, Octospora, 56
 —, Scutellospora, 614
 — forma pectinata, Inocybe, 50
 calosporum, Lachnum, 349
 calthae, Aivenia, 1041
 calvatus, Sarcodon, 405
 — var. odoratus, Sarcodon, 405
 calvescens, Armillaria, 943
 —, Coprinus, 283
 —, Leptosphaeria, 249
 —, Myriotrema, 30
 calvinia, Xanthoparmelia, 620
 calvinii, Hebeloma, 432 ('calvini')
 calycellinoides, Bisporella, 190
 calycioides, Brunnipila, 470
 calyciospora, Didymosphaeria, 477
 calyculiformis, Brunnipila, 470
 calyculus, Ciboria, 114
 calypso, Rhachomyces, 556
 calyptophaeus, Cortinarius, 384
 calyptrata, Discicistella, 753
 —, var., Galerina cerina, 241
 calyptriformis, Godfrinia, 537 ('calyptraeformis')
 — forma nivea, Hygrocybe, 965 ('calyptraeformis')
 calystegiae, var., Erysiphe convolvuli, 122
 calyx, Lentinus, 248
 camagueyensis, Corynespora, 475
 —, Mercadomyces, 974 ('camagueyense')
 camarophyllus, Hygrophorus, 966
 — forma melliolens, Hygrophorus, 966
 cambari, Didymaria, 158
 cambodginiensis, Copelandia, 44
 camelliae, Agaricodochium, 73
 —, Colpoma, 423
 —, Cylindrocladiella, 196
 —, Mycencentrospora, 301
 —, Nectria, 207
 —, Schiffernerula, 781
 — forma macrospora, Sclerotinia, 614
 —, forma specialis, Glomerella cingulata, 883
 camelliicola, Lophodermium, 204
 camerounensis, Chaetosphaerites, 282
 —, Dicellaesporites, 286
 camerunensis, Armillariella, 654
 campanelloides, Xeromphalina, 793
 campaniforme, Trichothecium, 27
 campanisporum, Cladobotryum, 747 ('Gladobotryum')
 campanula, Peziza see Calathella ellisii
 campanulacearum, Meliola, 767
 campanulae, Cercospora, 191
 campanulata, Echinoplaca, 831
 —, Heliscina, 50
 campanulatostriatum, forma, Cortinarius uliginobtusum, 118 ('campanulato-striata')
 campanulatus, Arxiomyces, 467, 468
 —, Dicellaesporites, 337
 campanuliformis, Allophylaria, 1041
 —, Cyathicula, 285
 campanuloides, Panaeolus, 131
 campanumoeae, Pseudocercospora, 1069
 campbellae, Thaxterogaster, 407
 campbellii, Daleomyces, 196
 campestre, var., Tulostoma fimbriatum, 27
 campestris, Aspergillus, 153
 —, Macrolepiota, 352
 —, Pratella, 988
 —, Psalliota, 988
 —, Ramaria, 137
 —, Russula, 264
 — subsp. dolomitica, Lecanora, 350
 — var. alba, Pratella, 1068
 — var. hortensis, Agaricus see Agaricus cookeianus
 — var. lutescens, Pratella, 988
 — var. praticola, Pratella, 1068
 — var. sylvicola, Pratella, 988
 — var. sylvicola, Psalliota, 988
 — var. vaporaria, Pratella, 988
 — var. villatica, Pratella, 988
 — var. xanthodermatoides, Agaricus, 277
 — forma ferruginascens, Agaricus, 41
 —, Psalliota see Agaricus moellerianus
 campestroides, Micropsalliota, 894
 — var. brevipes, Micropsalliota, 894
 camphoratus subsp. lutescens, Cortinarius, 117
 campinaranae, Cortinarius, 284
 —, Hohenbuehelia, 964
 —, Hydropus, 243
 —, Hygrocybe, 965
 —, Marasmius, 971
 —, Xerocomus, 318
 — var. adnatifolius, Hydropus, 243
 — var. scrobiculata, Fistulinella, 289
 campinensis, Lactarius, 542
 campi-silii, Cercosporidium, 191
 campnospermae, Idriella, 435
 campoi, Ramaria, 137
 campsteriana, Sagediopsis, 1077
 camptophylla, var., Mycena speirea, 599
 camptophyllus, var., Cortinarius olidus, 1051

- camptoros, *Cortinarius*, 235
 camptothecae, *Pseudocercospora*, 777
 campyla, *Postia*, 900
 campylospora, *Megalospora*, 251
 campylus, *Tyromyces*, 367
 camurus forma iliceti, *Cortinarius*, 875
 cana, *Phanerochaete*, 550
 canadense, *Repetobasidium*, 93
 canadensis, *Aphanoascus*, 467
 —, *Dictyoporthe*, 237
 —, *Erynia*, 121
 —, *Fibulotaeniella*, 832
 —, *Handkea*, 963
 —, *Lactarius*, 247
 —, *Phaeosphaeria*, 983
 —, *Pichia*, 358
 —, *Polyporus*, 360
 —, *Tuckermannopsis*, 790
 —, *Tyromyces*, 367
 —, *Zoopthora*, 28
 —, *Lactarius* see *Lactarius neotabidus*
 —, var., *Lactarius scrobiculatus*, 53
 canaliculata, *Punctelia*, 173
 canara, *Ocellularia*, 896
 canarensis, *Phaeographina*, 99
 canaria, *Dermocybe*, 879
 canariana, *Ocellularia*, 683
 canariense, *Cerocorticium*, 333 ('canariensis')
 —, *Seiridium*, 615
 canariensis, *Epithele*, 882
 —, *Fulgensia*, 161
 —, *Melaspilea*, 166
 —, *Pestalotia*, 90
 —, *Septoria*, 698
 —, subsp., *Moellerodiscus iodotings*, 206
 canavaliae, *Pseudocercospora*, 360
 canavaliae-gladiatae, *Cercospora*, 333
 ('canavali-gladiatae')
 canavaliae-roseae, *Stenella*, 366
 canavaliigena, *Pseudocercospora*, 360
 cancellatus, *Lichen*, 297
 cancrinellum, *Entoloma*, 387
 cancrinum, *Entoloma*, 81
 candelabroides, *Dendrosporium*, 585
 ('candelabroide')
 candelabrus, *Artomyces*, 151
 candelaris, *Chrysothrix*, 98
 candicans, var., *Penicillium claviforme*, 169
 — subsp. *praticola*, *Clitocybe* see *Clitocybe murrilliana*
 candida, *Cyanodermella*, 157
 —, *Dactylella*, 476
 —, *Gigaspora*, 123
 —, *Isariella*, 967
 —, *Wettsteinina*, 619
 — var. *nitratophila*, *Torulopsis*, 456
 —, *Tremella* see *Tremella lloydii-candida*
 candidatus, *Coprinus*, 829
 candidecarnosus, subsp., *Cortinarius fulgens*, 583
 candidissima, *Mycena*, 300
 candidissimus, *Nothopanus*, 355
 candidula, *Stilbella*, 503
 candidum, *Gerronema*, 962
 —, *Helotium*, 200
 —, *Lachnum*, 675
 —, *Lyophyllum*, 298
 —, *Roccellinastrum*, 264
 — var. *d-arabinosum*, *Geotrichum*, 962
 — var. *thermoideum*, *Geotrichum*, 198
 candidus, *Endomyces*, 831
 —, *Marasmiellus*, 250
 canephorae, *Coniothyrium*, 78
 —, *Didymosphaeria*, 81
 —, *Macrophoma*, 87
 —, *Mycosphaerella*, 88
 —, *Phomatospira*, 91
 canescens, *Amanita*, 151
 —, *Hygrocybe*, 760
 —, *Janetia*, 889
 —, *Protuberata*, 607
 —, *Ramaria*, 499
 —, *Stereocaulon*, 100
 — subsp. *australasica*, *Diploicia*, 880
 canescentipes, *Lyophyllum*, 298
 canfieldii, *Corticium*, 284
 cangyanshanensis, *Hymenogaster*, 483
 canina, *Fimaria*, 340
 caninoides, *Cortinarius*, 194, 528
 —, *Hydrotelamonia*, 539
 — var. *confertifolius*, *Cortinarius*, 117, 528, 875
 — var. *umbonatogriseascens*, *Cortinarius*, 528, 875 ('umbrinogriseascens')
 caninorugosus, var., *Cortinarius saugeti*, 877
 caninus, *Telebolus*, 96
 — var. *inflatus*, *Cortinarius*, 875
 — forma *saugetii*, *Cortinarius*, 875
 canis var. *distortum*, *Microsporium*, 300
 cannabina, *Microdiplodia*, 488
 cannabinum, *Cylindrosporium*, 285
 cannae, *Ascochyta*, 42
 —, *Cercospora*, 381, 471
 cannae-indicae, *Phoma*, 774
 kannanorensis, *Dyadosporonites*, 386
 canobrunnescens, *Entoloma*, 46
 canoruber, *Hymenagaricus*, 346
 canosericeum, *Entoloma*, 159
 canoumbrina, *Phyllopsora*, 986
 cantabrica, *Laboulbenia*, 486
 canterae, *Lagenidium*, 203 ('canterii')
 cantharella, *Pseudohygrocybe*, 842
 ('cantharellus')
 cantharelloides, *Cordyceps*, 423
 cantharelloideum, *Ganoderma*, 1055
 cantharellus forma *sphagnicola*, *Hygrocybe*, 244
 canthii, *Stenella*, 214
 canthiicola, *Gloeosporidina*, 13
 canthiifolia, *Placodiopodia*, 690
 canum, *Entoloma*, 587
 caoi, *Monilia*, 838
 capense, *Ganoderma*, 431
 capensis, *Eutypella*, 756
 —, *Peltula*, 686
 —, *Roccellina*, 310
 —, *Xanthoparmelia*, 620
 caperata, *Clitocybe*, 155
 —, *Datronia*, 427
 —, *Flavoparmelia*, 535
 caperatus, *Cortinarius*, 953
 —, var., *Cortinarius claroturmalis*, 953, 1048

- capicola, *Parmelia*, 840
 capillacea, *Ceriosporopsis*, 113
 capillaceus, *Lichen*, 297
 capillaris, *Fungites*, 390
 —, *Ophiognomonia*, 303
 —, var., *Usnea filipendula*, 561
 capillifer, *Paleoarctia*, 303, 684
 capillosum, *Pythium*, 695
 — var. *helicoides*, *Pythium*, 779
 capillosus, *Cortinarius*, 117
 capitata, *Annella*, 109
 —, *Chardonella*, 114
 —, *Dextrinocystis*, 880
 —, *Licea*, 166
 —, subsp., *Ramalina polymorpha*, 556
 capitatocystidiosa, var., *Inocybe fraudans*, 1058
 capitatocystis, *Psathyrella*, 777
 capitatum, *Cystofilobasidium*, 385
 —, *Dictyostelium*, 287
 —, *Incrucipulum*, 485
 —, *Lachnum*, 487
 —, *Pulvinotrichum*, 1072
 —, *Tubulicium*, 267
 capitatus, *Blastoschizomyces*, 420
 —, *Dipodascus*, 586
 —, *Gymnopilus*, 670
 —, *Pteridomyces*, 608
 —, *Synnematomyces*, 140 ('capitata')
 capitellata var. *squamatica*, *Cladonia*, 581
 capitulata, *Blastobotrys*, 420
 capnoides, *Paraparmelia*, 602
 —, *Parmelia*, 494
 — var. *pusillum*, *Naematoloma*, 599
 capnophila, *Janetia*, 295
 —, *Titaeella*, 504
 capparidicola, *Stenella*, 214
 capparidis, *Aecidium*, 737
 —, *Didymella*, 957
 —, *Mycosphaerella*, 681
 —, *Pleomassaria*, 690
 —, *Stenella*, 95
 cappelli, *Agaricus*, 417
 cappellianus, *Agaricus*, 737
 capreae, *Hymenoscyphus*, 483
 caprifoliacearum, *Microsphaera*, 167
 —, *Phaeoisariopsis*, 773
 capsellae, *Cercoseptoria*, 230
 capsici, *Diaporthe*, 119
 —, *Didymostilbe*, 477
 —, *Peronospora*, 90
 capsicum, *Phomopsis*, 209
 capsularis, *Multicellaesporites*, 129
 capsulata, *Carbonea*, 658
 —, *Pichia*, 358
 capsulatum, *Histoplasma*, 759
 — var. *farminosum*, *Histoplasma*, 482, 671
 captiosa, *Mycomicrothelia*, 492
 capucina, *Astrosporina*, 4
 —, *Phylloporia*, 170
 —, *Ramaria*, 137
 capucinus, *Xanthochrous*, 458
 caput-medusae var. *depauperata*, *Psathyrella*, 260
 carabidicola, *Cordyceps*, 44 ('carabidiicola')
 caradocensis, *Hypocenyomyce*, 29
 caraganae, *Diachorella*, 9
 —, *Endothia*, 587
 —, *Endothiella*, 81
 —, *Polystigma*, 136
 caraganicola, *Petrakomyces*, 90
 carassensis, *Hyperphyscia*, 592
 carbonacea, *Nemania*, 397
 —, *Pseudocercospora*, 900
 carbonaceum, *Hypoxylon*, 540
 carbonaria, *Antrodia*, 278
 —, *Faerberia*, 122
 —, *Griseoporia*, 342
 —, *Octospora*, 56
 —, *Pholiota*, 305
 carbonarium, *Gloeophyllum*, 341
 —, *Prothyrium*, 260
 carbonarius, *Lentinus*, 350
 carbonica, *Antrodia*, 330
 —, *Helicomicina*, 84
 carbonicola, *Entoloma*, 159
 —, forma, *Catinella olivacea*, 155
 —, var., *Laccaria affinis*, 594
 carbonis, *Brachysporiella*, 947 ('carbonii')
 —, *Physalidium*, 605
 carbonum, *Drechslera*, 339
 cardamines, *Rhombiella*, 500
 —, *Ustilago*, 506
 cardiasporus, *Coprinus*, 527
 cardinalis, *Dermocybe*, 879
 cardui-pygnocephali, var., *Puccinia calcitrapae*, 136
 carelica, *Laboulbenia*, 295
 careyae, *Pseudocercospora*, 989
 caribaea, *Canoparmelia*, 578
 —, *Cladonia*, 951
 —, *Leptonia*, 249
 —, *Nolanea*, 255
 caribaeus, *Agaricus*, 226
 —, *Chalciporus*, 231
 —, *Coprinus*, 233
 caribense, *Berkleasmium*, 331
 —, *Canalisporium*, 949
 —, *Ceratopodium*, 746
 —, *Cladobotryum*, 581
 —, *Nematogonum*, 493 ('caribensis')
 caribensis, *Chalara*, 192
 —, *Piricauda*, 359
 —, *Spiropes*, 365
 —, *Sporidesmiella*, 995
 —, *Sporoschismopsis*, 214
 —, *Virgariella*, 562
 caricae-papayae, *Phoma*, 58
 —, *Sphaerotheca*, 502
 caricicola, *Guignardia*, 669
 —, *Phaeosphaeria*, 446
 —, *Pholiotina*, 985
 —, var., *Ascochyta teretiuscula*, 740
 caricina, *Deightonella*, 337
 —, *Tiarosporellivora*, 177
 — var. *bigelowii*, *Puccinia*, 136
 — var. *caricis-strictae*, *Puccinia*, 136
 cariciophila, *Mycena*, 19
 cariciophila, *Farysia*, 960
 caricis, *Cistella*, 6
 —, *Diplonaevia*, 338
 —, *Gaeumannomyces*, 13

- , *Hansfordia*, 538
 —, *Nimbya*, 1064
 —, *Phaeosphaeria*, 446
 —, *Pyricularia*, 93
caricis-brizoidis, *Naeviopsis*, 167
caricis-californiensis, *Septoria*, 782
caricis-confertae, *Uredo*, 368
caricis-fediae, *Puccinia*, 694
caricis-firmae, *Phaeosphaeria*, 983
 —, *Zopfia*, 1081
caricis-flabellatae, *Puccinia*, 694
caricis-hebridensis, *Ascochyta*, 740
caricis-lingii, *Puccinia*, 901
caricis-podogynae, *Puccinia*, 694
caricis-ripariae, *Ascochyta*, 740
caricis-stipatae, *Puccinia*, 695
caricis-strictae, var., *Puccinia caricina*, 136
caricola, *Puccinia*, 1072
carinatus, *Kyphomyces*, 436
carinthiaca, *Leptosphaerulina*, 249
 —, var., *Conocybe neoantipus*, 749
carinthiacum, *Anisomeridium*, 739
cariosa, *Trematosphaeria*, 456
 —, var., *Amanita spissa*, 738, 1042
cariosilignicola, *Candida*, 5
carissae, *Hemidothia*, 14
 —, *Microdiplodia*, 166
 —, *Pseudocercospora*, 22
 — var. *spinari*, *Meliola*, 973
carletonii, *Ramularia*, 991 ('*carletoni*')
carlinae, *Mycovellosiella*, 167
carlottae, *Rhodocybe*, 556
 — var. *vinacea*, *Rhodocybe*, 556
carlottiana, *Porpidia*, 987
carmesina var. *humilis*, *Russula*, 1075
 — var. *parasitica*, *Russula*, 1075
carmichaelii, *Chrysosporium*, 6
carminascens, *Lactarius*, 52
carminipes, *Cortinarius*, 750
carnea, *Calocybe*, 578
 —, *Enterographa*, 754
 —, *Fellhanera*, 534
 —, *Pseudobalsamia*, 692
carnegiea, *Ceriporiopsis*, 422
carneipes, *Lactocollybia*, 676
carneobrunneola, *Arthopyrenia*, 869
carneogrisea, *Skeletocutis*, 213
carneogriseum, *Entoloma*, 755
carneogriseus, *Camarophyllus*, 75
carneola, *Calocybe*, 578
 —, *Junghuhnia*, 435
carneonivea, *Anzina*, 278
 — var. *tetraspora*, *Anzina*, 467
carneopallida, *Bacidia*, 827
 — var. *macrospora*, *Pertusaria*, 549
carneopruinata, *Canoparmelia*, 578
carneosanguinea forma *violacea*,
Parascutellinia, 494
carneo-albida, *Bacidia*, 870
carneum, *Cylindrocarpon*, 336
 —, *Diderma*, 120
 —, *Entoloma*, 587
 — var. *album*, *Diderma*, 120
 —, var., *Penicillium roqueforti*, 1066
carneus, *Achroomyces*, 225
 —, *Moellerodiscus*, 353, 396 ('*Mollerdiscus*')
carniolica, *Phaeopyxis*, 1067
 —, *Stanhughesia*, 995
carnosa, *Hyaloscypha*, 672
carnosula, *Discocistella*, 478
carnosum, *Isosoma*, 967
 —, *Membranicium*, 545
carnosus, *Sinotermitomyces*, 94
 —, *Xerocomus*, 706, 1002
caroli, forma, *Cortinarius calochrous*, 424
 —, var., *Cortinarius calochrous*, 474
carolinense, *Crustoderma*, 336
carolinensis, *Arualis*, 3
caroliniana, *Canoparmelia*, 578
 —, *Entomophaga*, 882
 —, *Erynia*, 12
 —, *Eryniopsis*, 389
carolinianus, *Achroomyces*, 225
 —, *Coelomomyces*, 526
carotae, *Pseudocercosporidium*, 498
carpathicum, subsp., *Rhizocarpon*
intermediellum, 556
carpatica, *Bryoria*, 155, 743
 —, *Lepiota*, 394
 —, *Spadicoides*, 266
carpaticum, *Chloridium*, 747
carpensis, *Corynecystis*, 475
carpentariae, *Pseudocercospora*, 777
carpenteri, *Crociocreas*, 195
carpentieri, *Conidiobolus*, 8
carphosperma, forma, *Cytospora*
leucosperma, 157
carpinamicus, *Cortinarius*, 953
carpineae, *Gnomoniella*, 291
carpineti, *Dermocybe*, 385, 879
carpini, *Asteroma*, 4
 —, *Hygrophorus*, 50
 —, *Krombholziella*, 435, 594
 — var. *tenella*, *Russula*, 905
 —, var., *Boletus scaber*, 421
 —, var., *Hygrophorus lindtneri*, 966
 —, var., *Hymenoscyphus fructigenus*, 484
carpinicola, *Hymenoscyphus*, 124
 ('*carpinicolus*')
 —, *Podospora*, 552
carpinum, var., *Cladosporium caryigenum*,
 155
carpogena, var., *Rhodocybe alutacea*, 138
carpophilus, *Sporocadus*, 95
 — var. *autochtonoides*, *Flammulaster*, 588
 — var. *rhombosporus*, *Flammulaster*, 535
 — var. *subincarnatus*, *Flammulaster*, 535
carrii, *Gloeoporus*, 962 ('*carri*')
cartilaginea, *Squamarina*, 32
 —, *Wolfiporia*, 620
 — var. *pseudocrassa*, *Squamarina*, 32
 — forma *iberica*, *Squamarina*, 559
cartilagineus, *Rigidoporus*, 24
cartilaginosum, *Polycoccum*, 497
cartos, *Dicellaesporites*, 196
carvi, *Ascochyta*, 228
caryae, *Asteroma*, 4
 —, *Microsphaera*, 167
 —, *Ophiovalsa*, 207
caryigena, *Pseudocercospora*, 361
caryigenum, *Cladosporium*, 155
 — var. *carpinum*, *Cladosporium*, 155

- caryophylli, Phellinus, 57
 —, Pyropolyporus, 451
 caryopsicola, Lanzia, 54
 caryopsidum, Curvularia, 427
 caryotae, Stenella, 26
 caryoticola, Ascochyta, 740
 casca, Psathyrella, 449
 cascadenis, Dermocybe, 879
 —, Lactarius, 52
 —, Marasmius, 892
 caseariae, Cercoseptoria, 746
 —, Digitosarcinella, 386
 —, Periconiella, 20
 —, Questieriella, 404
 — var. amazonense, Asterinema, 279
 caseosus, Spongipellis, 365
 casimiri, Astrosporina, 4, 655
 caspica, Phlebia, 58
 cassandrae, Protoventuria, 1068
 cassiae, Ascochyta, 3
 —, Phaeoisariopsis, 258
 —, Phyllactinia, 689
 —, Pseudoperonospora, 93
 —, Stenella, 26, 95
 —, Uredo, 704
 cassiae-alatae, Pseudocercospora, 58
 cassiae-diphyllae, Pseudocercospora, 899
 cassiae-occidentalis, Pseudocercospora, 92
 cassiae-surathensis, Cladosporium, 114
 cassiatorae, Cercospora, 524
 cassiicola, Botryosphaeria, 5 ('cassiaeicola')
 —, Discella, 46
 cassiigena, Pseudocercospora, 58
 cassiopes, Sporocadus, 502
 castanea, Bryonora, 280
 —, Galactinia, 1055
 —, Inocybe, 761
 —, Menegazzia, 299
 castaneae, Ramularia, 991
 castaneorum, forma, Cortinarius biveloides, 116
 castaneiceps, Mucilopilus, 894
 —, Tylopilus, 505
 castaneicola, Coniella, 8
 —, Lachnum, 595
 —, Macrophoma, 17
 castanella, Rozites, 174
 — var. subhyperella, Psilocybe, 262
 castaneocinerea, Hypocenyomyce, 347
 castaneodisca, Dermocybe, 879
 castaneoduracinus, Cortinarius, 194
 castaneolens, Cortinarius, 194
 castaneomarginata, Mycena, 975
 castaneopallens, Cortinarius, 117
 castaneostipitata, Mycena, 975
 castaneum, var., Hebeloma mesophaeum, 344
 castaneus, Loweporus, 970
 —, Nigrofomes, 442
 —, Nigroporus, 600
 — var. afibulatus, Gyroporus, 14
 — var. amophilus, Gyroporus, 963
 — var. grandis, Loweporus, 970
 — var. nigrescens, Cortinarius, 953
 castanopsidis, Dothidella, 831 ('castanopsii')
 castanopsis, Coccomyces, 7 ('castanopsidis')
 castellae, Penicillium, 549
 castellanii, Endodermophyton, 831
 —, Exophiala, 340
 castellonense, Penicillium, 89
 castelnaudariensis, var., Mycocentrospora
 acerina, 167
 castillae, Cercospora, 1046 ('castillosae')
 —, Yamadazyma, 1080
 castillejae, Leptosphaeria, 438
 castilloi, Hypholoma, 50
 castrans, Erynia, 12
 castrensis, Candida, 381
 —, Leptosphaeria, 438
 casuarinae, Dothidasteroma, 881
 —, Helicomyces, 432
 —, Inocybe, 50, 164
 —, Sporidesmium, 699
 —, forma, Mycena neuhoffii, 491
 catalaunica, Picardella, 986
 catalaunicum, Entoloma, 159
 catalaunicus, Cortinarius, 1048
 calinae, Corethromyces, 424
 —, Myriangium, 770 ('Myrangium')
 —, Strickeria, 784 ('Strikeria')
 catalinariae forma sorediata, Dirina, 287
 catalinensis, Nectria, 771
 catalpae, Erysiphe, 389
 catananchis, Entyloma, 882
 catapastum, Polymeridium, 553
 catappae, Apiognomonina, 278
 —, Pseudocercospora, 1069
 catarinae, Parmotrema, 495
 —, Xanthoparmelia, 1001
 catawbiense, Cetrariastrum, 113
 —, Everniastrum, 533
 catenata, Anthopsis, 151
 —, Conoplea, 582
 —, Sporothrix, 139
 catenatum, var., Verticillium suchlasporium, 848
 catenatus, Pluricellaesporites, 401
 cateniannulatus, Paecilomyces, 89, 168
 cateniobliquus, Paecilomyces, 89, 168
 catenulata, Chaetopsisina, 422
 —, Kionocephala, 541
 —, Spadicoides, 176
 —, Tilachliopsis, 177
 —, var., Humicola lanuginosa, 672
 catenulatum, Diplococcium, 478
 ('Diplococcium')
 —, var., Verticillium chlamydosporium, 848
 catervaria, Pholiota, 305
 catervatus, Rigidoporus, 696
 catharanthi, Cercospora, 113
 catharanthicola, Ophiobolus, 89
 catharinae, Bryoria, 743
 catharinae, Octospora, 771
 catharticum, Sporisorium, 995
 catherinae, Ustilago, 28
 caucaensis, Russula, 992
 caucasica, Boudiera, 112
 —, Erysiphe, 480
 —, Hymenochaete, 592
 —, Phanerochaete, 550 ('Phanerochaete')
 —, subsp., Peniophora quercina, 687
 —, var., Phanerochaete crenea, 550
 causicum, Gylaelectidium, 242

- caucasicus, Boletus, 576
 caudata, Belonia, 228
 —, Brachydesmiella, 522
 caulescens, subsp., Lecanora swartzii, 969
 caulicola, Erysiphe, 198
 —, Polystigma, 497
 —, Pyxidiophora, 23
 cauliculatus, Cryptandromyces, 426
 caulivora, forma specialis, Diaporthe
 phaseolorum, 337
 —, forma specialis, Phomopsis phaseoli, 357
 caulocystidiata, Galerina, 241
 caulophylli, Diplonaevia, 338
 cauquenensis, Cortinarius, 875
 cauquensis, Kernia, 349
 caussei, Oudemansiella, 601
 cauticinalis subsp. pubescentipes,
 Xeromphalina, 793
 cavaeae, Ochraceospora, 600
 caveatum, Dictyostelium, 237, 665
 cavernosa, Termitariopsis, 62
 cavernulosa, Megasperoporia, 205
 caviariformis, Microascus, 767
 cavicola, Lecanora, 127
 — var. zonata, Lecanora, 127
 — forma squamulosa, Lecanora, 127
 cavifera, Badhamiopsis, 827
 cavipes, Boletus, 946
 —, Melanoleuca, 837
 — var. abietina, Russula, 611
 — var. murinialbus, Hydropus, 243
 cavipoides, Boletinus, 153
 cavus, Sinotermitomyces, 94
 cazenoviae, Lasiobelonium, 54
 cazzae, Bagliettoa, 111
 ceanothi, Discosiospora, 958
 —, Microsphaera, 205
 —, Pseudocercospora, 1069
 ceanothina, Jattaeta, 435
 cecidii, Gloeosporidina, 13
 ceciliae, Amanita, 277
 cecropiae, Cyphellocalathus, 80
 —, Puiggarina, 901
 cedrelae, Cercoseptoria, 191
 —, Stenella, 214
 cedretorum, Entoloma, 159
 — subsp. elegantissimus, Cortinarius, 1048
 — var. bergeronii, Cortinarius, 1048
 — forma xanthus, Cortinarius, 1048
 —, forma, Cortinarius purpurascens, 583,
 877
 —, var., Tricholoma tridentinum, 409
 cedri, Ploioderma, 776
 cedricola, Hymenoscyphus, 15
 cedriolens, Hydrocybe, 539
 —, Naucoria, 599
 —, Russula, 557
 cedriphilus, var., Cortinarius petroselinus,
 195 ('cedriphila')
 cedrus-montana, Parmelia, 399
 —, Xanthoparmelia, 318
 cejpai, Microscypha, 488
 celastri, Helicogermisliata, 242
 —, Microsphaera, 87
 —, Phoma, 306
 — subsp. ovalis, Ramalina, 695
 celata, Cladonia, 334
 —, Clitocybe, 77
 —, Phaeosphaeria, 983
 celatus, Coelomomyces, 526
 celerrima, Ascosphaera, 740
 cellaris, Agaricus, 941
 cellaspora, Smittium, 213
 cellobiosa, Pichia, 22
 cellulata, Russula, 992
 cellulosa, Puccinia, 23
 cellulosaedestruens, Citromyces, 423
 celtidis, Dothidotthia, 958
 —, Physalospora, 134
 cembrae, var., Brunchorstia pinea, 75
 —, var., Curreya pithyophila, 336
 —, var., Leptostroma pinorum, 17
 cembricola, var., Usnea scabrata, 561
 cembrina, Arthopyrenia, 28
 cenangioides, Stegosporeopsis, 95
 cenchri, Sporisorium, 454
 centisia var. atrynea, Lecanora, 542
 — var. soredians, Lecanora, 296
 — var. transcendens, Lecanora, 64
 cenospilus, Marasmius, 298
 centaureae, forma specialis, Bremia lactucae,
 470
 centaureae-scabiosae, Ramularia, 903
 centellae, Puccinia, 23
 centellae-asiaticae, Puccinia, 309
 centrafricana, Leptosphaeria, 86
 centralis, Xanthoparmelia, 620
 centrica, Scoliolegnia, 364
 centrifuga, Arctoparmelia, 467
 centroamericana, var., Russula delica, 992
 centroamericanus, Marasmius, 971
 —, Phylloporus, 400
 centrolobicola, Haplosporella, 759
 centrosematicola, Pseudocercospora, 59
 centuncula, Ramicola, 990 ('centunculus')
 cepaestipes var. hiatuloides, Leucocoprinus,
 678
 — var. rorulentus, Leucocoprinus, 54
 — forma macrosporus, Leucocoprinus, 891
 cepestipes forma pseudobulbosa, Armillaria,
 279
 cephalariae, Puccinia, 451
 —, Ustilago, 317
 cephalocereana, var., Pichia kluyveri, 775
 cephalocystis, var., Pluteus hispidulus, 497
 cephalodioides, Phacopsis, 897
 cephalodiorum, Cercidospora, 1046
 —, Sphaeria, 907
 cephalosporii, Nectriopsis, 977
 cephalosporioides, var., Colletotrichum
 gloeosporioides, 334
 cephalotricha, Hemimycena, 671
 cephalotrichum, Helotium, 200
 cephalus, Inapertisporites, 347 ('cephala')
 ceracea, Hymenelia, 124
 —, Pseudohygrocybe, 842
 — var. vitellinoides, Hygrocybe, 760
 — forma rubella, Hygrocybe, 760
 ceraceicutis, Trichaptum, 703
 — var. subochraceum, Trichaptum, 703
 ceraceus, Cerinomyces, 155
 ceranata, Eutypella, 756

- cerasi, *Fusicladium*, 757
 —, *Sorataea*, 365
 —, var., *Fusarium microcera*, 832
cerasiferae, forma *specialis*, *Blumeriella prunophorae*, 576
cerasphora, *Astrosporina*, 576
cerastiorum, *Fabraea*, 668
ceratinophila, *Byssosonygena*, 744
 ('*ceratinophia*')
ceratocephali, *Urocystis*, 911
ceratoniae, *Pestalotiopsis*, 1066
ceratophora forma *minor*, *Cytospora*, 385
ceratopus, *Entoloma*, 46
ceratospora, *Pestalotia*, 90
cercidicola, var., *Hypoxylon rubiginosum*; 540
cercidis, *Erysiphe*, 289
cereale, *Ceratobasidium*, 281
cerealis, *Ceratorhiza*, 659
 — var. *piceinus*, *Leucopaxillus*, 488
 — var. *subhirtus*, *Leucopaxillus*, 488
cerebriforme, *Glomus*, 536
cerebriformis, *Beverwykella*, 742
 —, *Peccania*, 356
 —, *Psora*, 100
 —, *Roccellina*, 310
 — forma *sorediata*, *Roccellina*, 310
cerebrina, *Poeltinula*, 401
 — subsp. *parvocalicola*, *Poeltinula*, 552
 —, forma, *Opegrapha lichenoides*, 302
cereceophylla, *Clitocybe*, 473
cereiceps, *Clitocybe*, 155
cereopallidus, *Cuphophyllus*, 426, 663
 — forma *bisporiger*, *Cuphophyllus*, 955
ceresensis, *Parmelia*, 840
 —, *Xanthoparmelia*, 620
ceresina, *Xanthoparmelia*, 912
ceretanicus, *Keratinomyces*, 349
ceriferoides, *Pholiota*, 898
ceriflua, *Postia*, 171
cerifluus, *Oligoporus*, 443
 —, *Spongiporus*, 25
cerina, *Calocybe*, 578
 —, *Neodasyscypha*, 682
 —, *Scytinostromella*, 25
 — var. *calyptrata*, *Galerina*, 241
 —, *Galeria* see *Galerina bresadoliana*
 —, var., *Inocybe rimosa*, 1058
cerinelloides, *Caloplaca*, 657
ceriniceps, *Tricholoma*, 267
cerinosora, var., *Caloplaca jemtlandica*, 744
cernohorskyana, *Aspicilia*, 29
cernohorskyi, *Anema*, 1042
cernua, *Psathyrella*, 449, 554
 —, var., *Clitocybe gibba*, 473
cerodes, *Naucoria*, 493
ceroplasta, *Miltidea*, 396
cerrusata, *Ceriporiopsis*, 872
cerussata, *Paraparmelia*, 602
 —, *Parmelia*, 494
 — var. *pithyophila*, *Clitocybe*, 232
cerussatum, *Acanthophysium*, 465
 —, *Entoloma*, 238
cervariensis, *Strickeria*, 784, 908 ('*Strickera*')
cervicornis subsp. *pulvinata*, *Cladonia*, 231
 — subsp. *verticillata*, *Cladonia*, 29
 ('*verticilata*')
 — forma *epiphylla*, *Cladonia*, 525
cervina, *Antrodia*, 227
 — var. *conspersa*, *Acarospora*, 187
 — forma *depauperata*, *Acarospora*, 187
 — forma *percaena*, *Acarospora*, 187
 — forma *sarcogynoides*, *Acarospora*, 187
cervinicola, var., *Lecidea promiscua*, 543
cervinicolor, *Collybia*, 232
 —, *Cortinarius*, 117
cervinogilvum, *Flavodon*, 668 ('*cervinogilvus*')
cervinoidea, *Hymenochaete*, 673
cervinoporphyreus, *Cortinarius*, 194
cervinula, *Alectoria*, 188
cervinum, *Stilbodendron*, 559
cervinus, *Pluteus*, 497
 — var. *atromarginatus*, *Pluteus*, 497
 — var. *umbrosus*, *Pluteus*, 259
cervisipis, var., *Cortinarius anomalus*, 750
cesatii var. *sphaerosporus*, *Crepidotus*, 955
 — forma *liparina*, *Solenopsora*, 558
cespitosus, *Heimiomyces*, 14
cetrariicola, *Lichenopeltella*, 970
 —, *Trichothyria*, 27
cetrata, *Rimelia*, 1073
cetratum var. *testaceum*, *Entoloma*, 238
cettoi, *Clavaria*, 582
 —, *Ramaria*, 310
cettoiana, *Squamanita*, 907
ceylanicum, *Schismatomma*, 452
ceylonensis, *Parmentaria*, 981 ('*ceylonense*')
 —, *Phaeographina*, 99
 —, *Pleurotheliopsis*, 691
chacoensis, *Calopadia*, 657
chaerophylli, *Symphyosirinia*, 1078
 — var. *osmorhizae*, *Puccinia*, 137
 — var. *retifera*, *Puccinia*, 137
chaetobromi, *Uromyces*, 848
chaetomium, *Passalora*, 257
chaetophilus, *Smeringomyces*, 453
chaetophorus, *Acanthophiobolus*, 417
chaetopsinae, *Nectria*, 442
chaetopsinae-catenulatae, *Nectria*, 442
chaetopsinae-penicillatae, *Nectria*, 442
chaetopsinae-polyblastiae, *Nectria*, 442
chaffiniana, *Lecanora*, 890
chalaroides, *Chaetosphaeria*, 382
chalceum var. *latiporum*, *Ganoderma*, 242
 — var. *lobulatum*, *Ganoderma*, 242
 — var. *pleiotrichum*, *Ganoderma*, 242
chalcophila, var., *Acarospora nitrophila*, 187
chalmersii, *Endomyces*, 831 ('*chalmersi*')
 —, *Monilia*, 838 ('*chalmersi*')
chalybaea, *Krombholziella*, 202
 —, forma, *Caloplaca variabilis*, 523
chalybaeum, *Entoloma*, 11, 159
 — var. *lazulinum*, *Entoloma*, 387
 — forma *bisporigerum*, *Entoloma*, 387
chalybaeus, *Paxillus*, 19
chalybea, *Roccellina*, 310
chalybeia var. *chloropoliza*, *Catillaria*, 112
chalybeioides, *Clauroxia*, 828
 —, *Pseudolecidea*, 450
chalybeum, *Penicillium*, 444
chalybs, *Entoloma*, 46
chamaecyparidis, *Morenoina*, 18
chamaecyparissi, *Massarina*, 128

- chamaedaphnes, Gloeosporidiella, 83
 chamaeleon, Cortinarius, 1048
 —, Lyophyllum, 298
 chamaeleontina, Cistellina, 1046
 — var. maxima, Russula, 780
 —, forma, Russula risigallina, 906
 chamaesalicis, Cortinarius, 583
 chamaesyces, Pseudocercospora, 692
 chambalensis, Polyschema, 260
 chamissoana, Pseudocercospora, 1069
 chandleri, Mycerema, 681
 chandrapurensis, Ostreola, 168
 —, Trematosphaeria, 177
 changaica, Aspicilia, 153
 changbainensis, Lactarius, 393
 changbai-pini, Cyindrosporium, 285
 changpaishanensis, Cordyceps, 78
 chaparralum, Erythricium, 198
 chapinii, Xerocomus, 318
 chapmaniae, Hebeloma, 343 ('chapmanae')
 chapmanii, Leptogorgia, 394
 —, var., Coelomomyces stegomyiae, 527
 ('chapmani')
 chaquensis, Phellinus, 400
 chardiniae, forma, Leveillula compositarum, 87
 chardoniana var. magnispora, Asteridiella, 655
 charistera, Calocybe, 522
 charnwoodensis, Gorgoniceps, 14
 chartaceum, Scytinopogon, 906
 chartarum, Leptosphaerulina, 543
 chattonii, Ellobiopsis, 1054 ('chattoni')
 chattoogaense, Xanthoconium, 792
 ('chattoogaensis')
 chattopadhyayi, Drechslera, 429
 chaunorhiza, Pachymetra, 897
 cheelii, Chaetocalathus, 950
 cheilanthi, Cercospora, 333 ('Cerospora cheilanthi')
 cheilocystidiata, Hygrocybe, 965
 cheiroidea, Ceratosporella, 746
 chelidonioides, var., Lactarius chelidonium, 52 ('cheilidonioides')
 chelidonium var. chelidonioides, Lactarius, 52 ('cheilidonioides')
 chelidonium, Vesiculomyces, 409
 ('chelidonium')
 chelone, Entoloma, 755
 chelones, Golovinomyces, 884
 chengdensis, Gautieria, 390
 chenhaiense, Ganoderma, 961
 chenii, var., Microsphaera alphitoides, 205
 chenocopricus, Saccobolus, 1077
 chenopodii-ambrosioides, Pseudocercospora, 1069
 cheoi, Xerocomus, 63
 chermesina, Buellia, 744
 chesneyae, Ramularia, 991
 chestersii, Nemanja, 397
 — var. microsporum, Hypoxylon, 434
 chevalleri, Strickeria, 784
 chevassutii, Cortinarius, 194 ('chevassuti')
 chiayiense, Cyindrocarpon, 427
 —, Tripospermum, 316
 chichibuensis, Cordyceps, 44, 234
 chichiense, Cyindrocarpon, 427
 chilena, Roccellina, 310
 chilense, Botryobasidium, 43
 chilensis, Agaricus, 867
 —, Hertella, 433
 —, Paxillus, 897
 —, Peyritschella, 445
 —, Phlyctis, 898
 —, Pyrenula, 902
 —, var., Flammulaster speireoides, 430
 chilitidis, Dimeromyces, 428
 chiloense, Schizoblastosporion, 405
 ('chiloensis')
 chiloensis, var., Candida bertae, 381
 chimaera, Gyrothrix, 84
 chinense, Parmotrema, 495
 chinensis, Helvella, 482
 —, Nysopsora, 56
 —, var., Rhizopus microsporus, 362
 chiocetonioides, Dimerella, 880
 —, Trapelia, 789
 chionea, Pseudocercospora, 1069
 chionoderma, Entoloma, 81
 chionophila, Galerina, 669
 chiriquiensis, Hydropus, 244
 —, Ocellularia, 31
 chisosum, Acremonium, 571
 chiversii, Chaetomium, 524
 chlamydospora, Leptodiscella, 437
 —, var., Candida bimundalis, 421
 chlamydosporium, Cyindrocarpon, 476
 — var. catenulatum, Verticillium, 848
 chlamydosporum, Helicoma, 759
 —, Helicoon, 49
 —, var., Cladosporium trichoides, 231, 747
 chlapowskii, Conidiobolus, 874
 chlaronae, Lecanoromyces, 99
 chlarotera subsp. meridionalis, Lecanora, 542
 chloantha, Physcia, 552
 chloophilus, Hymenoscyphus, 50
 chlorantha forma caespitosa, Mycena, 546
 —, var., Russula viscida, 614
 chloranthi, Erysiphe, 240
 chloranthoides, Mycena, 441
 chlorea, Pseudoparmelia, 694
 chloridis, Bipolaris, 228
 chlorina, Chrysothrix, 98
 chlorinigenus, Hypomyces, 966
 chlorinodorus, Hydropus, 244
 chlorinus, Gloeomucro, 13
 chlorocystis, Copelandia, 44
 —, Panaeolus, 897
 chlorogali, Mycosphaerella, 770 ('chlorogalli')
 —, Pleospora, 776 ('chlorogalli')
 chlorogloea, Nectria, 895
 chloroides var. glutinosa, Russula, 611
 —, var., Hygrocybe conica, 433, 482
 chlorophaeum, Diplotomma, 586
 chlorophana, Godfrinia, 537
 chlorophylla, Tuckermannopsis, 790
 chlorophyllum, Entoloma, 11
 chloropolium, Entoloma, 755, 832, 881
 ('chloropolius')
 chloropoliza, var., Catillaria chalybeia, 112
 chlorosplenoides, Poculum, 135
 chlorospora, Austrogautieria, 468

- chlorosticta, *Micarea*, 767
 chloroxantha, *Mycena*, 253
 chloroxyli, *Stigmochora*, 559 ('*Stigmodhora*')
 chochrjakovii, *Coniothyrium*, 952
 —, *Leptosphaeria*, 765
 choerospondiadis, *Coleosporium*, 283
 ('choerospondiatidis')
 chondricola, *Pythium*, 499
 chondrocephalum, *Lyophyllum*, 298
 chondrodermum, *Hypholoma*, 246
 chondrodes, *Clauzadea*, 525
 chondrospora, *Inocybe*, 50
 chonemorphae, *Phaeoisariopsis*, 357
 chopraiana, *Marcelleina*, 205
 chordulata, *Lindtneria*, 596
 chordulatus, *Botryohypochnus*, 75
 chorisodontii, *Epibryon*, 48 ('chorisodontiae')
 chosunensis, *Monoicomyces*, 769
 chowdhryi, *Colligerites*, 78
 christae, *Pertusaria*, 773
 christiansenii, *Hobsonia*, 538, 591
 —, *Lasiosphaeropsis*, 1059
 —, *Phlebiella*, 688
 —, *Taeniolella*, 1078
 chromacea, *Botrydina*, 827
 —, *Phytoconis*, 775
 chromataphilus, *Cortinarius*, 953
 chromatica, *Poria*, 360
 chromogenum, forma *specialis*,
Colletotrichum acutatum, 334
 chromospermus, *Lactarius*, 164
 chrozophorae, *Leveilla*, 351
 chrysantha forma *sorediifera*, *Asahinea*, 153
 chrysanthemii, forma *specialis*, *Phoma*
tracheiphila, 496
 chrysanthemii-coronarii, *Bremiella*, 190
 —, *Paraperonospora*, 1065
 chrysaspis, var., *Hygrophorus discoxanthus*,
 966, 1057
 chryseides, *Aspergillus*, 520
 chrysentera, *Calocybe*, 578
 chrysenteron var. *chrysenteron-roseus*,
Boletus, 946
 — var. *graveolens*, *Boletus*, 577
 chrysenteron-roseus, var., *Boletus*
chrysenteron, 946
 chryseus, *Phellinus*, 57
 chrysimyces, *Gymnopilus*, 292
 chrysobalanacearum, *Meliola*, 680
 chrysocephala, *Inocybe*, 887
 chrysocephalus, *Harmoniella*, 84
 chrysocystidiata, *Agrocybe*, 377
 —, *Heterochaete*, 1057
 —, *Pholiota*, 689
 chrysocystidiophora, var., *Pholiota spumosa*
 see *Pholiota chrysocystidiata*
 chrysodetoides, var., *Leproloma diffusum*,
 891
 chrysogenum var. *dipodomyis*, *Penicillium*,
 687
 — var. *fulvescens*, *Penicillium*, 169
 chrysogramma, *Nectria*, 976
 chrysoleuca, *Amanita*, 226
 chrysolita, *Dermocybe*, 879
 chrysoloma, *Porodaedalea*, 402
 chrysomallum, *Thyridium*, 997
 chrysophaeus forma *gracillimus*, *Pluteus*, 259
 ('gracillima')
 chrysophthalma, *Chrysothrix*, 98
 chrysophthalmae, *Minutophoma*, 88
 chrysophylla, *Chrysomphalina*, 192
 chrysophyllus, *Chrysobostrychodes*, 472
 chrysopogonis, *Sporisorium*, 314
 chrysorrhizus, *Pleurotus*, 135
 chrysosplenii, forma, *Erysiphe communis* see
Erysiphe krumbholzii
 chrysosporus, *Hymenagaricus*, 346
 chrysosticta, *Brigantiaea*, 155
 chrysostigmum var. *versicolor*, *Psilachnum*,
 694
 chrysothricis, *Taeniolella*, 1078
 chryso-olivascens, *Peziza*, 57
 chthonicus, *Stigmatomyces*, 315
 chubutensis, *Ustilago*, 1000
 chudei, *Komposcypa*, 968
 chungii, *Huilia*, 293
 —, *Porpidia*, 402
 chusqueae, *Lachnum*, 349
 cibarius var. *amethysteus*, *Cantharellus*, 745,
 949
 — var. *pallidus*, *Cantharellus*, 579
 ciborium, *Ciborinia*, 472
 cibotii, *Phyllachora*, 134
 cicadettae, *Massospora*, 87
 cicatricata, *Russula*, 780
 cicatricosus, *Striatasclerotes*, 315
 cicerbitae, var., *Erysiphe mayorii*, 340
 cichoracearum var. *fischeri*, *Erysiphe*, 122
 — var. *latispora*, *Erysiphe*, 240
 — var. *magnicellulata*, *Erysiphe*, 122
 — var. *plantaginis*, *Erysiphe*, 122
 — var. *poonaensis*, *Erysiphe*, 240
 — var. *transvaalensis*, *Erysiphe*, 240
 — forma *cnici*, *Erysiphe*, 389 ('*cnicii*')
 — forma *xeranthemi*, *Erysiphe*, 389
 cichoracearum, *Golovinomyces*, 884
 cichoriacearum, *Comoclathris*, 1047
 cichorii, forma *specialis*, *Puccinia hieracii*, 59
 ciculobii, *Shomea*, 845
 cicognanii, *Boletus*, 469
 cicutae, *Protomyces*, 92
 cieglerii, *Penicillium*, 549
 ciervensis, *Octospora*, 896
 ciferrii, *Pichia*, 358
 cifuentesii, *Tricholoma*, 560
 cigroensis, *Octavianina*, 207
 ciliare, *Incrucipulum*, 485
 ciliaris subsp. *mamillata*, *Anaptychia*, 28
 — var. *halei*, *Cetraria*, 333
 ciliata, *Bensingtonia*, 521
 —, *Hyalosphaera*, 672
 —, *Neoclitocybe*, 978
 —, *Russula*, 780
 —, *Saccardaea*, 363
 —, *Xenokylindria*, 706
 — var. *concrustans*, *Phaeophyscia*, 550
 — var. *subcapillaris*, *Neuropogon*, 600
 — forma *tenuis*, *Cladina*, 383
 ciliatmarginatus, *Marasmius*, 892
 ciliatus, *Marasmius*, 250
 ciliomaris, *Capronia*, 579
 cinninata var. *major*, *Inocybe*, 967

cinninatula, *Halosarpheia*, 123
cincta, *Podoporia*, 552
 — var. *flavocirrus*, *Cytospora*, 286
 ('*flavocirris*')
cinctoides, *Tubulicrinis*, 97
cinctula, forma, *Agrocybe pediades*, 1041
cinctum, *Diadema*, 956 ('*cincta*')
cincturata, *Hysteronaevia*, 347
cineracea, *Grandinia*, 199
 —, *Kneiffiella*, 126
cineraceus, *Cortinarius*, 335, 528
cinerariae, forma, *Sphaerotheca fuliginea*,
 176
cinerascens, *Canoparmelia*, 578
 —, *Gloeocorticium*, 536
 —, *Placidiopsis*, 448
 — var. *riparius*, *Leucoagaricus*, 488
cinerea, *Bankera*, 870
 —, *Chaenotheca*, 64
 —, *Clavulina*, 747
 —, *Lecanosticta*, 350
 —, *Roccellina*, 310
 —, *Solenia*, 782
 — var. *ficophila*, *Thelephora*, 789
 — forma *sorediosa*, *Roccellina*, 310
 — forma *subcristata*, *Clavulina*, 748
 — forma *sublilascens*, *Clavulina*, 748
 —, forma, *Amanita vaginata*, 572
 —, forma, *Cladina subtenuis*, 383
 —, var., *Amanita spissa*, 826
 —, var., *Amanita vaginata*, 826
cinereifolia var. *maritima*, *Melanoleuca*, 545
cinerella, *Hygrocybe*, 760
 — var. *citrinorelecta*, *Mollisia*, 768
cinerellus, *Cuphophyllus*, 426, 663
cinereoatra, *Huilia*, 29
 —, *Porpidia*, 402
 — var. *percontigua*, *Porpodia*, 553
 — var. *platycarpoides*, *Porpodia*, 553
cinereobadia, var., *Protoparmelia badia*, 553
cinereobrunneolus, *Cortinarius*, 194
cinereocarpa, *Ramaria*, 609
cinereofolium, *Entoloma*, 587
cinereofusca, *Cystolepiota*, 286
 — var. *appalachensis*, *Lecanora*, 394
cinereofuscescens, *Endopyrenium*, 159
cinereoglaucescens, *Myriotrema*, 30
cinereolilacina, forma, *Leucoagaricus*
leucothites, 488
cinereorufa var. *clauzadei*, *Verrucaria*, 561
cinereorufescens, *Bellemerea*, 379
cinereostipes, *Hebeloma*, 343
cinereovillosa, var., *Clitocybe trulliformis*, 44
 ('*trullaeformis*')
cinereoviolascens, *Cortinarius*, 750
cinereo-opacum, var., *Entoloma sericeum*, 11
cinereum, *Myriotrema*, 30
 — var. *aureonodum*, *Physarum*, 775
cinereus, *Cuphophyllus*, 426, 475, 476, 663
 —, *Ochroporus*, 600
 —, *Oropogon*, 979
 — var. *fagorum*, *Lactarius*, 52
 —, var., *Ochroporus ignarius*, 547
cingens, *Physopella*, 171
cingulata, *Inocybe*, 50, 164
 — forma *specialis* *camelliae*, *Glomerella*, 883

— forma *specialis* *phaeseoli*, *Glomerella*, 536
cingulatipes, *Inocybe*, 887
cingulatum, *Diderma*, 120
 —, *Vascellum*, 848
cingulatus, *Coriolus*, 116
 —, *Multicellaesporites*, 206
cinnabarina, *Russula*, 557
 — forma *stromaticola*, *Nectria*, 771
cinnabarinum var. *claricolor*, *Cystoderma*,
 337
cinnabarinus var. *osorninus*, *Pycnoporus*, 902
cinnae, *Phaeosphaeria*, 983
cinnamomea, *Ascosphaera*, 740
 —, *Chaetomella*, 382
 —, *Corollospora*, 527
 —, *Krombholziella*, 202
 —, *Lazulinospora*, 86
 —, *Malbranchea*, 352
 —, *Vararia*, 409
 —, *Wrightoporia*, 178
cinnamomeiporus, *Tyromyces*, 998
cinnamomeobadius var. *meridionalis*,
Cortinarius, 750
cinnamomeofulva, *Dermocybe*, 956
cinnamomeofulvus, *Cortinarius*, 875
cinnamomeopallida, *Micropsalliota*, 300
cinnamomeotinctus, *Coprinus*, 874
cinnamomeo-lutescens, *Cortinarius*, 875
cinnamomeum, *Chaetomium*, 43
 —, *Phragmidium*, 22
cinnamomeus, *Pithomyces*, 359
 —, var., *Boletus scaber*, 946
cinnamomi, *Amazonia*, 868
 —, *Erysiphe*, 882
 —, *Microsphaera*, 205
 —, *Oidium*, 494
 —, *Pseudocercospora*, 1069
cinnamomicolor, var., *Russula cuprea*, 500
cinnamomipes, *Clavulinopsis*, 473
cinnamomi-japonici, *Oidium*, 494
cintractiae-fischeri, *Crotalaria*, 475
cicroensis, *Lepiota*, 296
circellatus var. *borealis*, *Lactarius*, 52
circinalis, *Heterodermia*, 98
 —, forma, *Heterodermia boryi*, 671
circinans, *Cortinarius*, 117, 528
 —, *Poitrasia*, 307
circinata, *Diplonaevia*, 338
circinatum, *Amerosporium*, 189 ('*circinata*')
 —, *Helicorhoidium*, 432
circinatus, *Inonotus*, 435
circinelloides, *Circinomucor*, 231
 — var. *mandshuricus*, *Mucor*, 396
circulare, *Helotium*, 346
circularis, *Inapertisporonites*, 125
circumborealis, *Lecanora*, 394
circumclusa, *Strickeria*, 784
circumnigrata forma *sorediosa*, *Lecidea*, 127
circumplexa, *Couchia*, 157
circumscissa, *Pseudocercospora*, 1069
circumscissile, *Didymium*, 287
 ('*circumscissile*')
circumspecta, *Bacidia*, 280
circumvelatus, *Cortinarius*, 45
cirrata, *Botryodontia*, 577
 —, *Candelabrochaete*, 524

- cirrhata, *Arthrospis*, 330
 cirrhatum, *Cetrariastrum*, 114
 —, *Everniastrum*, 533
 —, *Steccherinum*, 454
 cirrhomedullosa, *Xanthoparmelia*, 1001
 cirrhosus, *Neolentinus*, 493
 cirris, *Xeromphalina*, 793
 cirrochroa subsp. *fulva*, *Caloplaca*, 522
 circicola, *Macrosporium*, 679
 circii, forma *specialis*, *Bremia lactucae*, 470
 circii-eriphori, *Ramularia*, 991
 cismonica, *Loxospora*, 766
 cissampeli, *Bagnisiella*, 4 ('*cissampelae*')
 —, *Schizotrichella*, 213 ('*cissampelosa*')
 cissi, *Achroomyces*, 225
 —, *Haplosporella*, 590 ('*cissiae*')
 cissi-japonicae, *Cercoseptoria*, 230
 cistina, *Septoria*, 994
 cistoadelpha, *Russula*, 174
 — forma *pseudounicolor*, *Russula*, 612
 cistophila, *Clitocybe*, 473
 cistophilum, *Entoloma*, 159
 cistophilus, *Cortinarius*, 1048
 —, var., *Hygrophorus pseudodiscoideus*, 886
 cistorum, var., *Melanoleuca heterocystidiosa*, 439
 citelliana, var., *Mycocandida pinoyisimilis*, 599
 citharexyli, *Puiggarina*, 902
 citocyaneus, *Cortinarius*, 235
 citrea, *Antrodiella*, 330
 citreovirens, *Penicillium*, 169
 citri, *Cryptosporiopsis*, 1052
 citrica, *Candida*, 332
 citricola, *Glomus*, 390 ('*citricolum*')
 citrifolius, forma, *Leucoagaricus melanotrichus*, 970
 citriforme, *Hypoxylon*, 760
 —, *Sistotrema*, 699
 citriformis, *Pyrenula*, 902
 citrifragrans, *Boletus*, 280
 citrina, *Clavulinopsis*, 473
 —, *Favolaschia*, 198
 —, *Godfrinia*, 537
 —, *Pestalotiopsis*, 549
 — var. *gracilis*, *Amanita*, 868
 — var. *gracilis*, *Amanitina*, 573
 — var. *rufescens*, *Russula*, 557
 — var. *soropelta*, *Caloplaca*, 744
 — forma *glabra*, *Amanitina*, 573
 —, var., *Amanita bulbosa*, 825
 —, var., *Godfrinia intermedia*, 537
 citrinella, *Antrodiella*, 278
 citrinellus, *Flaviporus*, 389
 —, *Leucocoprinus*, 678
 citrinobrunneum, var., *Entoloma incanum*, 239
 citrinofulvescens, *Cortinarius*, 384, 875
 citrinomarginata, var., *Mycena avenacea*, 253
 citrinopileatus, var., *Pleurotus cornucopiae*, 899
 citrinorelecta, var., *Mollisia cinerella*, 768
 citrinovirens, *Camarophyllus*, 281
 —, *Cortinarius*, 750
 —, *Godfrinia*, 537
 —, var., *Russula pelargonica*, 557
 citrinoviride, *Trichoderma*, 367
 citrinula, *Rodwayella*, 500, 610
 citrinum, *Chaetomium*, 114
 —, *Gerronema*, 242
 —, *Mycorrhaphium*, 976
 —, var., *Rhizocarpon disporum*, 556
 citrinus, *Bolbitius*, 111
 —, *Gymnoascus*, 590
 —, forma, *Boletus hortensis*, 946
 citriocephala, *Chaenotheca*, 382
 citrispora, *Epithele*, 240
 —, *Sphaerobasidiioscypha*, 313
 —, *Xylaria*, 369
 citri-aurantii, *Galactomyces*, 883
 —, *Geotrichum*, 883
 citri-grisea, *Stenella*, 366
 citrophylla, forma, *Inocybe paludinella*, 51
 citrophylloides, *Lepiota*, 248
 citrullina, *Puccinia*, 555
 cladii, *Didymopilella*, 287, 586
 —, *Phaeoscypha*, 357
 —, var., *Dasyscyphus imbecillis*, 45
 cladii-marisci, *Hyaloscypha*, 672
 cladomorpha, var., *Cladonia anomaea*, 525
 cladoniae, *Abrothallus*, 941, 1041
 —, *Polycoccum*, 776
 cladoniicola, *Scutula*, 1077
 cladophora, *Pseudocercospora*, 1069
 cladosporioides, *Mycocentrospora*, 301
 clandestina, *Brunnipsila*, 470
 —, *Phytophthora*, 447
 —, *Stagonospora*, 502
 — var. *aucupariae*, *Podosphaera*, 360
 clandestinum, *Entoloma*, 11
 —, *Myriotrema*, 30
 —, *Splanchnonema*, 214
 —, *Thelotrema*, 315 ('*Thelotroma*')
 clara, *Beltraniella*, 228
 clariana, *Russula*, 500
 claricolor var. *foeticolor*, *Cortinarius*, 1048
 — var. *immissus*, *Cortinarius*, 424, 474 ('*imissus*')
 — var. *larouei*, *Cortinarius*, 953
 — var. *pertinens*, *Cortinarius*, 1048
 — var. *siparius*, *Cortinarius*, 1048
 — var. *tumalis*, *Cortinarius*, 424, 474
 —, var., *Cystoderma cinnabarinum*, 337
 —, var., *Cystoderma terreii*, 337
 —, var., *Inocybe eutheles*, 348
 clarkii, *Hadrospora*, 963
 —, *Leptosphaeria*, 17
 —, *Licea*, 166
 —, *Morenoina*, 18
 —, *Psidiumbipiospora*, 309
 —, *Sporidesmium*, 139
 clarobaltoides, *Cortinarius*, 953
 claroideum, *Glomus*, 162
 claroplaniusculus, *Cortinarius*, 235
 clarotumalis, *Cortinarius*, 750
 — var. *caperatus*, *Cortinarius*, 953, 1048
 — var. *velutisectus*, *Cortinarius*, 953
 clarus, var., *Gloeoporus subochraceus*, 962
 clathrosporum, *Tulostoma*, 703
 claudopus, *Rhodocybe*, 138
 clausenae, *Pseudocercospora*, 1069
 clausenii, *Dekkera*, 427

- clauzadei, *Rinodina*, 363
 —, var., *Verrucaria cinereorufa*, 561
clavarium, *Diplococcium*, 237
clavata, *Bipolaris*, 190
 —, *Cordyceps*, 78
 —, *Costantinella*, 78
 —, *Kylindria*, 295
 —, *Massariosphaeria*, 973
 —, *Mycena*, 546
 —, *Neottiosporina*, 19
 —, *Psilocybe*, 262 ('clavatum')
 —, *Riessiella*, 500
 —, *Scutomollisia*, 614
 —, *Stictis*, 314
clavatispora, *Fusichalara*, 341
clavatum, *Geotrichum*, 589
clavatus, *Cocomyces*, 525
claviceps, *Xylaria*, 1002
claviculata, *Dasyscyphella*, 477
 —, *Xanthoparmelia*, 1080
claviforme, *Xylocladium*, 178
 — var. *candicans*, *Penicillium*, 169
 — var. *olivicolor*, *Penicillium*, 169
claviformis, *Arthopyrenia*, 467
 ('clavaeformis')
 —, *Sporidesmiella*, 214
claviger, *Inocybe*, 126
clavigera, *Ceratocystis*, 76
 —, *Graphiocladiella*, 83 ('clavigerum')
clavigerum, *Lachnum*, 487
 —, *Ophiostoma*, 601
clavipes forma *specialis cupressi*,
 Gymnosporangium, 200
clavisedum, *Sibirina*, 501
clavisporea, *Arnoldia*, 3
 —, *Chaetomastia*, 950
 —, *Mariannaea*, 767
 —, *Phaeosphaeria*, 605
 —, *Sporormiella*, 139
 —, *Stilbella*, 503
 —, *Strickeria*, 784 ('Strickera')
clavisorum, *Lachnum*, 1059
clavisorus, *Arnoldiomyces*, 42
 —, *Pithomyces*, 776
clavistipes, *Entoloma*, 46
clavodectus, *Didymium*, 10
clavulata, *Dictyochoeta*, 385
 —, *Stilbella*, 503
clavulatum, *Stilbum*, 503
clavulifera, *Hysteronaevia*, 347
 —, *Micarea*, 30
 —, *Psilolechia*, 309
 — var. *alba*, *Gibellula*, 758
clavuliferum, *Parmotrema*, 604
clavuligera, *Clavulinopsis*, 473
 —, *Omphalina*, 355
clavuligeroides, *Alnicola*, 518
 —, *Naucoria*, 354
clavuligerum, *Gloeocystidiellum*, 162
 —, *Hebeloma*, 885 ('clavuligera')
clavus, *Coronasclerotes*, 284
cleefii, *Parmelina*, 99
cleistocarpa, *Hiemsia*, 591
cleistogenis, forma, *Erysiphe graminis*, 160
clelandii, *Alpova*, 417
 —, *Austrogautieria*, 468
 —, *Gautieria*, 480
 —, *Melanoleuca*, 439
 —, *Poria*, 402
 —, *Russula*, 697
 —, *Torrendiella*, 702
 — var. *subrosea*, *Perenniporia*, 981
clematidis, *Karstenia*, 16
 —, *Phaeoisariopsis*, 687
clemensiae, *Microperellus*, 440
cleomis, *Leveillula*, 970
clerodendri, *Phomopsis*, 306
clerodendricola, *Asteridiella*, 1043
clerodendri-serrati, *Aecidium*, 571
clethrae, *Gnomonia*, 290
 —, *Microsphaera*, 205
clidemiae, *Microsphaeropsis*, 18
 —, forma *specialis*, *Colletotrichum gloeosporioides*, 582
clignyioides, *Uromyces*, 848
clintoniae-udensis var. *tibetica*, *Puccinia*, 23
clintonii, *Tubeufia*, 62
clitocyboides, *Entoloma*, 238
 —, forma, *Melanoleuca parisianorum*, 973
clivalis, var., *Hygrocybe fornicata*, 965
clivensis, *Diaplella*, 286
 —, *Kalmusia*, 674
clivinae, *Dixomyces*, 429
 —, *Ormomyces*, 303, 443
clivorum, *Parmelia*, 399
 —, *Xanthoparmelia*, 912
clusiae, *Lophodermium*, 1061
 —, *Pseudofusidium*, 498
clusiicola, *Perisporiopsis*, 357
clypeata, *Paxina*, 56
clypeatum var. *defibulatum*, *Entoloma*, 81
 — forma *hybridum*, *Entoloma*, 81
 — forma *pallidogriseum*, *Entoloma*, 81
 — forma *xanthophyllum*, *Entoloma*, 81
clypeatus, *Filoboletus*, 289
clypeolaria forma *foetens*, *Lepiota*, 677
clypeolarioides var. *armillata*, *Lepiota*, 1060
cnaphocystis, *Mycena*, 975
cnici, forma, *Erysiphe cichoracearum*, 389
 ('cnicii')
cnista, var., *Tricholoma saponaceum*, 316
coacta, *Clitocybe*, 473
coaetanea, var., *Puccinia punctata*, 212
coalescens, *Lophodermium*, 679
 —, *Penicillium*, 357
coccidiocapitata, *Cordyceps*, 193
coccidioperithecata, *Cordyceps*, 193
coccidiophagum, *Septobasidium*, 265
coccifera, *Macroallantina*, 679
coccinea, *Buellia*, 827
 —, *Pseudohygrocybe*, 842
 —, *Scutellinia*, 906
 — var. *umbonata*, *Hygrocybe*, 539
 —, var., *Arthonia tumidula*, 279
coccineobasalis, var., *Macrolepiota mastoidea*, 128
coccineocrenata, *Pseudohygrocybe*, 842
 — var. *sphagnophila*, *Hygrocybe*, 482
coccineum, *Thelotrema*, 33
coccineus, *Molliardiomyces*, 353 ('coccinea')
cocciniae, *Globuliroseum*, 481, 536
coccodes, *Megalospora*, 251

- subsp. *nigricans*, *Megalospora*, 251
- coccolobae*, *Clasterosporium*, 423
- , *Puiggarina*, 902
- , *Xerocomus*, 268
- coccolobica*, var., *Russula cremeolilacina*, 311
- coccolobii*, *Cryphonectria*, 663
- , *Endothiella*, 754
- coccorum*, *Pleurodesmospora*, 58, 171
- coccosporum*, *Verticillium*, 848
- cochinense*, *Circinotrichum*, 950 ('*cochinensis*')
- cochleariformis*, *Albatrellus*, 738
- cochleatum*, *Leptogium*, 249
- cochleum*, *Subulicystidium*, 26
- cochlidiicola*, *Cordyceps*, 78
- cocles*, *Entoloma*, 82
- cocoës*, *Leiosphaerella*, 677
- cocoës-australis*, *Ascochyta*, 740
- cocoës* var. *pallida*, *Pyxine*, 695
- var. *prominula*, *Pyxine*, 137
- cocoicola*, *Ellisiodothis*, 959
- , *Phyllosticta*, 358
- cocos*, *Wolfiporia*, 368
- cocosensis*, *Marasmiellus*, 971
- cocosiolens*, *Lactarius*, 436 ('*Lacterius*')
- codiaecicola*, *Dothiorella*, 121
- codicum*, *Hymenoscyphus*, 483
- codiicola*, *Pontogeneia*, 22
- codonius*, *Cortinarius*, 875
- codonoides*, *Cortinarius*, 235
- coelestinum*, *Entoloma*, 11
- coelestium*, *Inocybe*, 485
- coelomyceticola*, subsp., *Unguiculariopsis robergei*, 847
- coelostomalis*, *Chaetarthriomyces*, 422
- coenobiticum*, *Omega*, 896
- coenophialum*, *Acremonium*, 188
- coenosa*, *Aphanopsis*, 378
- coerulea*, *Stephanopus*, 176
- var. *saccardoi*, *Absidia*, 417
- coeruleivirens*, *Tyromyces*, 998
- coeruleolutescens*, *Cortinarius*, 335
- coeruleorubella*, *Lecania*, 764
- coeruleoviride*, *Entoloma*, 46
- coeruleo-ochrascens*, *Cortinarius*, 953
- coerulescens*, *Pseudocyphellaria*, 65
- coeruleum*, var., *Fusarium tumidum* see *Fusarium bugnicourtii*
- coeruleus*, var., *Aspergillus fumigatus*, 419
- coffaeae*, *Anthostoma*, 73
- , *Bombardia*, 75
- , *Botryosphaeria*, 75
- , *Chaetosphaeria*, 77
- , *Codinaea*, 334
- , *Coleroa*, 77
- , *Cytospora*, 80
- , *Dendrophoma*, 80
- , *Diaporthe*, 80
- , *Dictyochaeta*, 957
- , *Didymosphaeria*, 21
- , *Eutypa*, 82
- , *Eutypella*, 83
- , *Gibberella*, 83
- , *Guignardia*, 123
- , *Megalonectria*, 87
- , *Melomastia*, 87
- , *Nectria*, 88
- , *Ophioceras*, 89
- , *Peroneutypa*, 89
- , *Phomatospora*, 91
- , *Pseudomorfea*, 136
- , *Stagonospora*, 95
- , *Stenella*, 214
- , *Trailia*, 96
- , *Valsella*, 97
- coffaeae-libericae*, *Phyllosticta*, 134
- coffaeana*, *Bipolaris*, 420
- coffeanum*, *Coniothyrium*, 78
- , *Schizostoma*, 94
- coffea*, *Krombholziella*, 202
- , *Russula*, 311
- coffeicida*, *Anthostomella*, 73 ('*coffeaicida*')
- coffeicola*, *Anthostomella*, 73
- , *Aplosporella*, 73 ('*Haplosporella*')
- , *Bombardia*, 75
- , *Cryptovalsa*, 79
- , *Didymella*, 81
- , *Eutypa*, 82
- , *Fracchiaca*, 83
- , *Metasphaeria*, 87
- , *Phomatospora*, 91
- , *Pseudonectria*, 93
- , *Stagonospora*, 95
- coffeigena*, *Physalospora*, 91
- coffeiphila*, *Phoma*, 91
- cogitatum*, *Entoloma*, 46
- cognata* var. *nauseosa*, *Melanoleuca*, 837
- cognatum*, *Sporocarpion*, 266 ('*cognatus*')
- cognatus*, *Corioliopsis*, 335
- , *Mollicarpus*, 353
- cohabitans*, *Arthonia*, 943
- cohaerens*, *Trechispora*, 140
- var. *microsporum*, *Hypoxylon*, 50
- var. *tenuior*, *Hypoxylon*, 593
- , var., *Cortinarius blandulus*, 194
- coigue*, *Cortinarius*, 875
- coilicosa*, *Meliola*, 352
- coimbatorica*, *Puccinia*, 555
- coipomensis*, *Candida*, 381
- cokeri* forma *roseotincta*, *Amanita*, 418
- , var., *Lactarius subvernalis*, 53
- cokerianum*, *Naematoloma*, 55 ('*cokeriana*')
- colbrookiae*, *Sarcinella*, 94
- colchica*, *Porina*, 260
- colchici-autumnalis*, *Aecidium*, 151
- colchicum*, *Cylindrocarpon*, 476
- , *Gylaelectidium*, 242
- colebrookiae*, *Bagnisiella*, 153
- colemanniannus*, *Cuphophyllus*, 426, 663
- colensoi*, *Artomyces*, 151
- , *Trapeliopsis*, 33
- , var., *Oudemansiella japonica*, 601
- , var., *Xerula japonica*, 410
- colensoica*, *Hypotrachyna*, 673
- , *Paraparmelia*, 602
- , *Parmelia*, 1065
- , *Xanthoparmelia*, 912
- coleopterorum*, *Erynia*, 121
- colibor*, *Oropogon*, 979
- collabens* var. *meridionalis*, *Junghuhnia*, 889
- collangustus*, *Cortinarius*, 117

- collantesis, *Endocalyx*, 532
 collapsa, *Herpotrichiella*, 591, 1057
 collariatus, *Rozites*, 611
 colliculosa, *Hymenochaete*, 592
 —, *Lenzites*, 596
 colliculosum, *Echinostelium*, 10
 collinae, *Uredo*, 847
 colliquensis, *Lepiota*, 890
 collodisculae, *Acanthodochium*, 653
 collomia, *Sphaerotheca*, 558
 collorioides, *Pseudonectria*, 1072
 collospermi, *Stictis*, 314
 collo-cygni, *Ramularia*, 779
 collybiiformis, *Lepista*, 969
 collybioides, *Pegleromyces*, 89
 colobanthi, *Laetinaevia*, 890
 colocasiae, *Bipolaris*, 228
 —, *Cladosporium*, 873
 —, *Drechslera*, 10 ('colocaseae')
 —, *Neojohnstonia*, 301
 colocasiae-esculentae, *Ascochyta*, 740
 colombiana, *Aphelariopsis*, 151
 —, *Entrophospora*, 388
 —, *Punctelia*, 451
 —, *Rozites*, 779
 —, *Torrubiella*, 215
 colombiensis, *Blastocladiella*, 521
 coloradense, *Smittium*, 782
 —, var., *Hebeloma bicoloratum*, 342
 coloradensis, *Lecidea*, 764
 coloradoensis, *Xanthoparmelia*, 912
 colorans, var., *Ramalina fastigiata*, 695
 coloratipes, *Krombholziella*, 594
 —, forma, *Russula melitodes*, 613
 colossa, *Corollospora*, 749
 colossus, *Megatracheloma*, 439 ('colossus')
 columnaris, *Psorotichia*, 361
 columbariensis, *Paraparmelia*, 840
 columbiana, *Calathella*, 281
 —, *Catillaria*, 64
 —, *Gyromitra*, 590
 —, *Incrustocalyptrata*, 294
 columbiense, *Cetrariastrum*, 114
 —, *Everniastrum*, 533
 columbiensis, *Phyllachora*, 985
 columbinum, *Entoloma*, 46
 columellata, *Laurera*, 836
 —, *Pyrenula*, 990
 columellatum, *Physarum*, 689
 columnare, var., *Eurotium repens*, 340
 ('columnaris')
 columnaris, *Pseudocercospora*, 59
 —, var., *Aspergillus flavus*, 870
 comasii, *Odontodictyospora*, 443
 comata, *Nereiospora*, 301
 comatus forma *sphaerocephalus*, *Coprinus*,
 233 ('sphaerocephala')
 combretacearum, *Pseudocercospora*, 692
 combreti, *Eutypella*, 756
 —, *Lecanidion*, 165 ('combretii')
 —, *Pseudocercospora*, 900, 989 ('combretii')
 — var. *cylindrica*, *Asterina*, 741
 commensurata, *Rimelia*, 1074
 commune, var., *Trichaptum durum*, 703
 communis, *Caecomycetes*, 948
 —, *Diporisorites*, 197
 —, *Endomyces*, 831
 —, *Piromonas*, 690
 —, *Piromyces*, 986
 —, *Sphaeromonas*, 699
 —, *Xerocomus*, 458
 — forma *gueldenstaedtii*, *Erysiphe*, 160
 — forma *chrysosplenii*, *Erysiphe* see *Erysiphe*
krumbholzii
 — forma *thesii*, *Erysiphe* see *Erysiphe*
santalacearum
 commutabilis, var., *Inocybe eutheles*, 348
 ('Inobybe')
 commutata, *Strickeria*, 784 ('Strickera')
 comosa, *Eutypella*, 756
 —, *Heteroderma*, 292
 compacta, *Neta*, 493
 —, *Perenniporia*, 357
 —, *Poria*, 402
 —, subsp., *Xanthoria elegans*, 562
 compactilis, *Multicellaesporites*, 206
 compactior, forma, *Hypogymnia lugubris*,
 392
 —, var., *Hypogymnia lugubris*, 64
 compactum, *Catapyrenium*, 332
 —, forma, *Fusarium roseum*, 833
 —, var., *Scleriosporium umbrinum*, 406
 compactus, *Bolbitius*, 870
 —, *Dixomyces*, 288, 429
 —, *Sporocadus*, 95
 —, var., *Lactarius pallidus*, 16
 compatibilis, *Aspergillus*, 520
 competitiva, *Xanthoparmelia*, 620
 complanata, *Bryorella*, 112
 —, *Miriquidica*, 768
 —, *Siphula*, 313
 completus, *Hypomyces*, 966
 complex, *Gonatobotrys*, 123
 complicata, *Junghuhnia*, 348
 —, *Saitoella*, 780
 —, forma, *Polysporina simplex*, 899
 —, forma, *Polysporina sinensis*, 171
 complicatula, *Kohlmeyera*, 16
 complicatulum, *Turgidosculum*, 27
 complicatum, *Crocicreas*, 79
 composita, *Aspicilia*, 379
 compositarum, *Massariosphaeria*, 439
 — forma *chardiniae*, *Leveillula*, 87
 — forma *onopordi*, *Leveillula*, 204
 compositum, *Glutinisporidium*, 14
 —, *Mycoporum*, 770
 compressa, *Russula*, 992
 —, *Sphaerodes*, 176
 compressipes, *Clitocybula*, 44
 compta, *Wuestneia*, 1001
 comptopsis, *Hyphodontia*, 84
 comptus, *Hydopus*, 760
 punctum, *Myriotrema*, 30
 comtula, *Pratella*, 988
 —, *Psalliota*, 988 ('comtulus')
 comtulus, var., *Agaricus rusiophyllus*, 466
 comtus, *Gliocladium*, 480
 concatervans, *Pyrenula*, 66
 concavosericeum, *Entoloma*, 46
 concavus, *Lentinus*, 127
 concentrica, *Ceratocystiopsis*, 76
 —, *Lepteutypa*, 86

—, Ocellularia, 600
 —, Phlebia, 496
 —, Phyllachora, 605
 —, Plectophomella, 135
 concentricum, Ischnoderma, 967
 concentricus, Pirex, 496
 conchata, Campanella, 75
 —, Porodaedalea, 402
 conchatus, Ostracodermis, 303
 concinerascens subsp. cravensis, Caloplaca, 522
 concinna, Coleroa, 1047
 concinnula, Astrosporina, 655
 — forma subconcinnula, Inocybe, 887
 concolor, Coccomyces, 7
 —, forma, Arthonia tumida, 279
 —, var., Ramaria formosa, 212
 concolora, Russula, 905
 concomitans, Xanthoparmelia, 620
 concrescens, Canoparmelia, 578
 — subsp. cravensis, Squamarina, 559
 concretum, Myriotrema, 30
 con crustans, var., Phaeophyscia ciliata, 550
 condaminensis, Xanthoparmelia, 705
 condensa, Psathyrella, 308
 condensata, Pseudocyphellaria, 65
 —, var., Ramaria stricta, 499
 condensatus, var., Heteroporus sublacunosus, 671
 conductrix, Plagiostoma, 986
 —, Verrucaria, 1000
 condyloides, Paraparmelia, 602
 coneae, Agrogaster, 518
 coneruptens, Xanthoparmelia, 1001
 conferendum, Entoloma, 11
 — var. obscurior, Entoloma, 755
 — var. pusillum, Entoloma, 11
 — var. rickenii, Entoloma, 755
 — forma subrugosum, Entoloma, 755
 conferta, Ramularia, 991
 —, forma, Opegrapha herbarum, 302
 confertifolius, Hydropus, 244
 —, var., Cortinarius caninoides, 117, 528, 875
 —, var., Hydropus subcartilagineus, 293
 confertula, Fistulariella, 668
 —, Ramalina, 66
 confertum, Arthothelium, 519
 —, Lachnum, 675
 —, Penicillium, 1066
 —, Thelotrema, 909
 —, var., Penicillium glandicola, 687
 configuratum, Myriotrema, 30
 confirmata, var., Ramalina subfraxinea, 696
 confirmatus, Cortinarius, 235
 confluens, Bisporella, 469
 —, Cantharellus, 5
 —, Cerocorticium, 113
 —, Decaisnella, 585
 —, Gyalideopsis, 834
 —, Gymnascella, 481
 —, Mycomicrothelia, 492
 —, Strickeria, 784 ('Strickera')
 confoederata, Pyrenula, 902
 conformata, Ciboria, 155
 conformis, Ocellularia, 31

—, Roccellina, 310
 confragosa var. bulliardii, Daedaleopsis, 119
 — var. rubescens, Daedaleopsis, 119
 confundens, Polyporus, 607
 confusa, Cladina, 114
 —, Cribraria, 285
 —, Macbrideola, 298
 —, Menegazzia, 598
 —, Mycomicrothelia, 492
 —, Ocellularia, 31
 —, Phaeophyscia, 305
 —, Phyllopsora, 134
 —, Thyrea, 1078
 —, Trematosphaeria, 456
 —, Winterella, 704
 — forma bicolor, Cladina, 383
 confusum, Cladosporium, 282
 confusus, Multicellaesporites, 353
 —, Tubulicrinis, 560
 congesta, Cladonia, 581
 —, Fellhanera, 534
 —, Syncarpella, 996
 —, Xanthoparmelia, 620
 congestum, Myriotrema, 30
 conglobata, Candida, 229
 —, Dichomera, 1054
 conglomerata, Entomophaga, 882
 —, Psorinia, 32
 — var. nigrescens, Caloplaca, 229
 conglomeratus, Conidiobolus, 8
 —, Metus, 767
 conglutinata, Relicina, 609
 —, Selenosporella, 501
 congoana var. djongoensis, Russula, 905
 congoensis, forma, Ustilago hypodytes, 28
 —, var., Cintractia limitata, 6
 —, var., Sphacelotheca furcata, 25
 —, var., Sphacelotheca tricholaenae, 25
 congolensis, var., Gyroporus microsporus, 14
 congregans, Phyllopsora, 306
 —, Trapeliopsis, 997
 congregata, Arcyriatella, 943
 —, Dactylaria, 476
 congregatum, Amauroderma, 227
 congrex, Aleuria, 73
 conica, Erynia, 12
 —, Fistulina, 289
 —, Fistulinella, 83
 —, Rhodocybe, 992
 — var. belizensis, Fistulinella, 289
 — var. chloroides, Hygrocybe, 433, 482
 — var. conicopalustris, Hygrocybe, 592
 — var. deliciosa, Morchella, 974
 — var. peradenyca, Hygrocybe, 539
 — var. reticulata, Fistulinella, 289
 ('reticulatus')
 — forma pseudoconica, Hygrocybe, 483
 conicocollis, Ceratocystiopsis, 76
 conicoalba, Inocybe, 50, 164
 conicocampanulatus, Cortinarius, 875
 conicola, Dasyscyphella, 830
 —, Phaeohelotium, 495 ('conincola')
 conicopalustris, var., Hygrocybe riparia, 965
 conicopalustris, Hygrocybe, 483
 —, Hygrophorus, 483
 —, var., Hygrocybe conica, 592

- conicopapyracea, *Morchella*, 490
 conicopurpuratus, var., *Cortinarius*
 petroselinus, 195 ('conicopurpurata')
 conicum, *Helicorhoidium*, 1057
 —, *Protosporangium*, 607
 —, *Repetobasidium*, 93
 conicus, *Hydropus*, 293
 —, *Multicellaesporites*, 206
 conidiifera, forma, *Catacauma dalbergiicola*,
 872
 conidiophora, *Microcollybia*, 87
 —, *Stilbotulasnella*, 215
 coniferarum, *Agrocybe*, 653
 —, *Hebeloma*, 343
 —, *Massarina*, 597
 —, *Phacidium*, 258
 —, *Simocybe*, 994
 — var. *quercuum*, *Simocybe*, 994
 —, var., *Cortinarius calochrous*, 424, 474
 ('coniferarus')
 —, var., *Cortinarius multiformis*, 425, 475
 ('coniferarus')
 —, var., *Cortinarius salor*, 475
 —, var., *Dermoloma intermedium*, 585
 —, var., *Lepiota forquignonii*, 127
 coniferophila, *Clitocybe*, 155
 conigenus, *Sirococcus*, 365
 coniophaea, *Chaenotheca*, 382
 —, *Sclerophora*, 698
 coniophora, *Simocybe*, 139
 coniospora, *Drechmeria*, 429
 coniothyrium, *Diaplella*, 586
 conissans, *Pholiota*, 551
 coniuncta, *Phaeocollybia*, 90
 conjuncta, *Alternaria*, 467
 —, *Xanthoparmelia*, 1001
 conjunctipes var. *odora*, *Ramaria*, 263
 — forma *raveneliana*, *Ramaria*, 404
 conjunctosporus, *Wiesneriomyces*, 848
 conlabrosa, *Parmelia*, 32
 —, *Parmelina*, 604
 connaricarpa, *Calosphaeria*, 948
 connatum var. *revolutum*, *Lyophyllum*, 250
 connivens, *Calvatia*, 1045
 conocephali, *Bryoscyphus*, 332
 conocephalum, *Lyophyllum*, 166
 conoidea, *Asordaria*, 741
 —, *Cladonia*, 29
 —, *Embellisia*, 238
 conoideospermum, *Lyophyllum*, 298
 conoideus, *Polyadosporites*, 307
 —, *Staphlosporites*, 139
 conopilea var. *subatrata*, *Psathyra*, 308
 conopilus, *Psathyrella*, 449
 conorum, *Calycina*, 470
 —, *Cistella*, 6
 —, *Cystopezizella*, 237
 —, *Pleospora*, 135
 conostoma, *Nemania*, 397
 conothelena, *Mycomicrothelia*, 492
 conranensis, *Paraparmelia*, 602
 —, *Parmelia*, 99
 consanguineum, *Sporisorium*, 845
 consentiens, *Amygdalaria*, 109, 519
 —, *Huilia*, 29
 — var. *japonica*, *Amygdalaria*, 519
 conservandi, *Penicillium*, 304
 consobrina, *Ceriporiopsis*, 872
 —, *Eutypa*, 756
 consobrinus, *Hymenoscyphus*, 483, 484
 consocians, *Pertusaria*, 65
 consociata, *Parmelia*, 131
 —, *Pseudocercospora*, 1070
 —, *Xanthoparmelia*, 620
 consocium, *Sarcostroma*, 501 ('consocia')
 consolidatum, var., *Steccherinum galeritum*,
 699
 consors, *Canomaculina*, 658
 —, *Parmotrema*, 256
 —, *Polystictus*, 448
 —, *Trametes*, 997
 consortionis, *Cryptococcus*, 385
 conspecta, *Bryorella*, 112
 conspersa subsp. *tinctina*, *Parmelia*, 548
 — var. *subdiffuens*, *Parmelia* see
 Xanthoparmelia subdiffuens
 —, var., *Acarospora cervina*, 187
 conspicua, *Cladina*, 581
 —, *Urceolella*, 704
 conspicuocystidiosum, *Entoloma*, 238
 conspicuum, *Hyphoradulum*, 592
 conspicuus, *Diporisorites*, 386 ('conspicua')
 —, *Multicellaesporites*, 206
 —, var., *Marasmius pseudocupressiformis*,
 972
 conspurcans, *Stigmidium*, 1078
 conspurcata, *Melanoleuca*, 545
 conspurcatosorediosa, *Lecidella*, 1060
 constans, *Hohenbuehelia*, 671
 —, *Lactarius*, 52
 — var. *alni*, *Hohenbuehelia*, 671
 —, forma, *Lactarius vietus*, 247
 constantimontium, *Punctelia*, 309
 constantineanui, *Ustilago*, 457
 constipans, *Edrudia*, 64
 constipata, *Xanthoparmelia*, 620
 constricta, *Amanita*, 188
 —, *Calocybe*, 578
 —, *Dactylaria*, 585
 —, *Endophragmiella*, 197
 —, *Gloniopsis*, 342
 —, *Phalangispora*, 170
 —, *Spadicoides*, 176
 —, *Stenella*, 214
 — var. *gallopava*, *Dactylaria*, 664
 constrictella, *Lichenochora*, 970
 constrictospora, *Hygrocybe*, 483
 —, *Pseudohygrocybe*, 842
 constrictum, *Calicium*, 191
 —, *Diplococcium*, 478
 —, *Trichocladium*, 140, 504
 —, *Tricholoma*, 316
 —, *Tricholomella*, 27
 — subsp. *richardii*, *Rhizocarpon*, 556
 constrictus, *Dyadosporites*, 81
 —, *Striadyadosporites*, 96
 constringens, *Arthrobotrys*, 330
 contendens, *Polymeridium*, 65
 contextum, *Sphaerellothecium*, 1077
 contigua, *Aspicilia*, 468
 continua, *Amygdalaria*, 739
 contorta, *Macrotyphula*, 766

- , *Saccoblastia*, 264
- subsp. *hoffmanniana*, *Aspicilia*, 944
- , *Parmelia* see *Parmelia submontana*
- , var., *Macrotiophula fistulosa*, 488, 544
- contortae*, *Lecanidiella*, 595
- contortus*, *Autoicomyces*, 420
- , *Conicomycetes*, 423
- , *Hymenoscyphus*, 346
- contracta*, *Melanoleuca*, 837
- contractirostris*, *Leveillula*, 970
- contractus*, *Cortinarius*, 528
- contradicta*, *Trichophaea*, 27
- contraponenda*, *Porpidia*, 402
- contraria*, *Collybia*, 334
- , *Poria*, 402
- , *Scutomollisia*, 406
- , forma, *Mycena olivaceomarginata*, 598
- , var., *Mycena avenacea*, 253
- contrarius*, *Marasmius* see *Collybia contraria*
- contrasta*, *Xanthoparmelia*, 705
- controversa*, var., *Tilletia tritici*, 910
- contui*, *Amanita*, 1042
- , *Cortinarius*, 750
- contulmensis*, *Cortinarius*, 875
- , *Mycena*, 894
- , *Paxillus*, 897
- contumescens*, *Catapyrenium*, 1045
- contusifolium*, *Cystoderma*, 237
- convallariae*, *Botrytis*, 871
- , *Didymella*, 586
- convallariae-diagraphidis*, *Puccinia* see *Puccinia sessilis* forma *specialis*
- convallariae-digraphidis*
- convallariae-digraphidis*, forma *specialis*, *Puccinia sessilis*, 901
- conveniens*, *Cortinarius*, 1049
- convertere-sexualis*, *Ustilago*, 912
- convexa*, *Lichenothelia*, 678
- , *Pterygiopsis*, 450
- , forma, *Galera tenera*, 241
- , var., *Psilocybe hoogshagenii*, 262
- convexula*, *Xanthoparmelia*, 912
- , var., *Pyxine petricola*, 695
- convivalis*, *Panus*, 131
- convoluta*, *Xanthomaculina*, 507
- , subsp., *Cladonia foliacea*, 525
- convolutum*, *Parmotrema*, 841
- convolvuli*, *Leptosphaerulina*, 677
- , *Phomopsis*, 898 ('convolutus')
- , *Pseudotaeniolina*, 555
- var. *calystegiae*, *Erysiphe*, 122
- var. *dichotoma*, *Erysiphe*, 82
- conyzae*, *Pseudocercospora*, 1070
- cookei*, *Austroboletus*, 4
- , *Phaeosphaeria*, 983
- , *Sporophiala*, 176
- var. *kuthanii*, *Inocybe*, 761
- , var., *Agaricus porphyrizon*, 571
- , var., *Collybia tuberosa*, 748
- cookeianus*, *Agaricus*, 517
- , *Cortinarius*, 875
- forma *albescens*, *Cortinarius*, 875
- cookiella*, *Nannizzia*, 254
- cookiellum*, *Arthroderma*, 519
- cooksoniae*, *Psilodiporites*, 403
- coomerensis*, *Sphaerophorus*, 313, 699
- coonsii*, *Phoma*, 447
- cooperi*, *Parmotrema*, 356
- coorgiana*, *Parmelia*, 131
- coorgianum*, *Lopadium*, 128
- copaifera*, *Diorchidium*, 338
- copallina*, *Sarcinella*, 364
- copiosa-cystidiata*, *Clavulina*, 829
- copiosum*, *Spadicesporium*, 213
- coppinsii*, *Tremella*, 846
- coprobia*, var., *Psathyra semivestita*, 308
- coprobium*, *Penicillium*, 1066
- copromyzae*, *Fanniomyces*, 289
- coprophila*, *Onychophora*, 302
- , *Stropharia*, 315
- , *Veronaea*, 97
- var. *exigua*, *Pholiotina*, 985
- forma *etiolata*, *Stropharia*, 315
- forma *subetiolata*, *Stropharia*, 315
- coprophilum*, *Dacryobasidium*, 158
- , *Gerronema*, 341 ('coprophila')
- , *Penicillium*, 549
- copropori*, *Kyphomyces*, 436
- coprosmae*, *Ceriporiopsis*, 747
- , *Chondrostereum*, 472
- coquandii*, *Peziza*, 604 ('coquandi')
- coracina*, *Lanzia*, 86
- , *Mycena*, 769
- coracodiza*, *Pterygiopsis*, 1072
- coralcolor*, *Ramaria*, 263
- corallina*, *Bryonora*, 280
- , *Letrouitia*, 249
- var. *glaucella*, *Phyllopsora*, 986
- var. *ochroxantha*, *Phyllopsora*, 986
- var. *phaeobysina*, *Phyllopsora*, 986
- var. *santensis*, *Phyllopsora*, 986
- corallinus*, *Chalciporus*, 231
- , *Marchandiomyces*, 1061
- coralloidea*, *Letrouitia*, 249
- , *Scutellospora*, 614
- , *Zamenhofia*, 562
- coralloides*, *Cladosporium*, 661
- , *Clavulina*, 748
- , *Lichen*, 297
- , forma, *Hyphodontia quercina*, 50
- corallophora*, var., *Lobaria exornata*, 438
- corallorhizae*, *Phaeosphaeria*, 605
- corbettii*, *Pseudocyphellaria*, 777
- corchori*, *Ascochyta*, 228
- corchoricola*, *Phomopsis*, 58
- corcontica*, *Ciliolarina*, 581
- , *Galerina*, 341
- cordae*, *Rhodophyllus*, 264
- cordalina* var. *erinaceomorpha*, *Inocybe*, 485
- cordanophora*, *Porosphaerella*, 260
- cordiae*, *Nectriopsis*, 977
- , *Phaeoramularia*, 170
- , *Pseudocercospora*, 92
- cordicola*, *Cercoseptoria*, 191
- , *Mycovellosiella*, 976
- , *Pseudocercospora*, 59
- cordipes*, *Cortinarius*, 528
- cordispora*, *Psathyrella*, 308
- cordovaensis*, *Lactarius*, 52
- cordubense*, *Penicillium*, 89
- cordylines*, *Leptosphaerella*, 765
- , *Leptosphaeria*, 765

- , *Phanerochaete*, 496, 550
 —, *Stictis*, 314 ('*cordylinae*')
coreana, *Xanthoparmelia*, 913
coriacea, *Peltula*, 549
 —, *Pseudocyphellaria*, 65
 —, *Xanthoparmelia*, 705
coriaceum, *Fibricium*, 48
coriariae, *Pseudocercospora*, 1070
coriariicola, *Erysiphe*, 82
corioloripicola, *Sibirina*, 698
cornalinus, *Austroboletus*, 74
corneipes, *Mythicomyces*, 546
cornelii, *Marasmius*, 766
corneri, *Entoloma*, 46
 —, *Hydropus*, 244
 —, *Inocybe*, 887
 —, *Scytinostroma*, 781
corneum, *Crustoderma*, 336
corni, *Mycosphaerella*, 839 ('*cornii*')
 —, *Phyllactinia*, 899
 —, *Podosphaera*, 171
 —, *Thyrostromella*, 846 ('*cornii*')
cornicola, *Pseudocercospora*, 1070
 — var. *dahurica*, *Septoria*, 782
corniculata, *Acrodictys*, 417
 —, *Cladonia*, 383
 —, *Dendrothele*, 477
 —, *Nannizzia*, 168
 — var. *simplex*, *Ramariopsis*, 24
corniculatum, *Arthroderma*, 519
 —, *Helicocephalum*, 964
corniculatus, *Tyromyces*, 998
corniformis, *Torrubiella*, 215
cornina, *Romellia*, 452
cornucopiae var. *citrinopileatus*, *Pleurotus*, 899
cornui, *Peziza*, 169
cornuta, *Dwayaangam*, 158
 —, *Gyrothrix*, 537
 —, *Puccinosira*, 990
 — subsp. *groenlandica*, *Cladonia*, 64
 —, var., *Usnea inflata*, 561
cornuvioides, *Calonema*, 380
cornu-capreoli, *Taphrophila*, 909
coromandelica, *Poeltiaria*, 1068
coronata, *Blastocladia*, 945
 —, *Capronia*, 579
 —, *Cercophora*, 5
 —, *Cilioplea*, 282
 —, *Henicospora*, 50
 —, *Klasterskyia*, 889
 —, *Lanspora*, 595
 —, *Psathyrella*, 554
 —, *Pseudolachnea*, 23
 —, *Sporidesmiella*, 214
 — var. *epigejos*, *Puccinia*, 361
coronatum, *Crociaceas*, 79
 —, *Verticillium*, 1000
 — forma *pseudolimbium*, *Geastrum*, 242
corralensis, *Poeltiaria*, 401
 —, *Porpidia*, 842
correae, *Berkleasmius*, 870
 —, *Lachnum*, 675
 —, *Pseudocercospora*, 692
correicola, *Pseudocercospora*, 842
corrosa, *Protothelenella*, 497
corrosum, *Gloeocystidiellum*, 481
corrugata, *Peziza*, 841
corrugatescens, *Sporidesmium*, 907
corrugativa, *Canoparmelia*, 578
corrugatum, *Hebeloma*, 343
 —, *Lyophyllum*, 298
corrugens, *Entoloma*, 46
corrugis forma *gracilis*, *Psathyrella*, 777
 —, var., *Psathyra gracilis*, 260, 308
corrugum, *Cylindrobasidium*, 157
corsica, *Krombholziella*, 594
 —, *Urocystis*, 177
corsico-amethystinus, subsp., *Cortinarius*
 xanthophyllus, 878
corsicum, var., *Leccinum crocipodium*, 16
cortaderiae var. *araucana*, *Ustilago*, 1000
corticale, *Lasiobolium*, 54
corticalis, *Psathyrella*, 449
 —, *Pseudaeigeria*, 92
corticata, *Ditremis*, 831
 —, *Pyrenula*, 902
corticicola, *Loweoporus*, 970
 —, *Parmastomyces*, 980
 —, *Proprioscypha*, 692
 —, *Tyromyces*, 998
corticigenus, *Marasmiellus*, 544
corticis, *Marasmiellus*, 892
corticola, *Aulaxina*, 827
 —, *Badimia*, 655
 —, *Capillatasporea*, 949
 —, *Cercosporula*, 524
 —, *Coccodinium*, 661
 —, *Endophragmiella*, 121
 —, *Erinellina*, 430
 —, *Gyalectidium*, 98
 —, *Kentingia*, 968
 —, *Lachnum*, 595
 —, *Monilia*, 440
 —, *Myriophacidium*, 19
 —, *Peltula*, 687
 —, *Pustulipora*, 212
 —, *Ramaraomyces*, 1072
 —, *Tapellaria*, 701
 —, *Trapelia*, 408
 —, var., *Scoliciosporum umbrinum*, 406
 ('corticulum')
 —, var., *Tephromela atra*, 701
cortinata, *Micropsalliota*, 894
 —, *Pholiota*, 985
 —, var., *Micropsalliota brunneosperma*, 18
cortinatus, forma, *Cortinarius cristallinus*, 876
coruscans, *Phragmaspidium*, 58
corvinum, *Entoloma*, 159
coryli, *Anguillospora*, 418
 —, *Asteroma*, 4
 —, *Cryptosporiopsis*, 9
 —, *Cylindrosporella*, 80
 —, *Cylindrosporium*, 285
 —, *Piggotia*, 22
 —, *Vuilleminia*, 1001
 —, *Microsphaera* see *Microsphaera variabilis*
 —, var., *Hymenoscyphus fructigenus*, 484
corymbata, *Phanerochaete*, 550
corymbatus, *Ceraceomyces*, 471
corymbiferus, *Mycocladius*, 442

- coryneliae, *Didymosphaeria*, 477
 coryneoides, *Sphaeria*, 25
 corynephora, *Mycena*, 300
 corynephorum, *Hexacladium*, 243
 —, *Penicillium*, 444
 corynocarpi, *Botryosphaeria*, 947
 corynophorum, *Echinostelium*, 46
 corynospora, *Peristomialis*, 982
 corynostomoides, *Eutypella*, 756
 cosmicola, *Pseudocercospora*, 692
 cossus var. *quercetorum*, *Hygrophorus*, 1057
 —, var., *Limacium eburneum*, 297
 costaricana, *Nematostoma*, 771
 costaricense, *Gerronema*, 962
 —, *Myriotrema*, 30
 costaricensis, *Autoicomyces*, 420
 —, *Cercophora*, 43
 —, *Clavulinopsis*, 473
 —, *Lactarius*, 296
 —, *Marasmius*, 972
 —, *Mycena*, 300
 —, *Russula*, 311
 — var. *effusa*, *Viegasia*, 704
 —, var., *Teloschistes flavicans*, 366
 costata, *Austrogautieria*, 468
 —, *Olla*, 683
 — forma *acuminata*, *Morchella*, 490
 — forma *teratologique*, *Morchella*, 490
 —, var., *Morchella elata*, 396
 costatum, *Tulostoma*, 27
 costatus, *Akenomyces*, 329
 —, *Cyathus*, 476
 —, *Senegalosporites*, 175
 — var. *enigmaticus*, *Akenomyces*, 329
 costeroana, *Mycovellosiella*, 895
 costi, *Phaeosariopsis*, 399 ('*costusae*')
 costii, *Mycosphaerella*, 88
 costina, *Bipolaris*, 420
 cotini, *Microsphaera*, 768
 —, *Pseudocercospora*, 692
 cotoneasteris, *Pseudocercospora*, 692
 cotoneastri, *Pseudovalsa*, 136
 cotoneipes, *Cortinarius*, 875
 cotopaxiana, *Cordyceps*, 156
 cotopaxiensis, *Xanthoparmelia*, 705
 couchii, *Coelomomyces*, 7
 —, *Typhulochaeta*, 367
 coulterae, *Ramaria*, 903
 coxheadii, *Lepiota*, 350 ('*coxheadi*')
 coyan, *Porpoloma*, 900
 crabbii, *Fusiformisporites*, 198
 crambes, *Cercospora*, 76
 cramesina, *Dermocybe*, 879
 craspedoconidica, *Effetia*, 339
 craspedum, *Epibryon*, 198
 crassa, *Amyloporiella*, 378
 —, *Chrysonilia*, 155
 —, *Lulworthia*, 438
 —, *Ocellularia*, 31
 —, *Peltularia*, 357
 —, *Phanerochaete*, 550
 —, *Placidopsis*, 552
 —, *Pseudocyphellaria*, 308
 — forma *sonchi*, *Cercospora*, 422
 —, var., *Lindra thalassiae*, 488
 crassata, *Myelochroa*, 681
 —, *Parmelia*, 685
 crassicaule, *Dictyostelium*, 428
 crassicolle, *Didymium*, 158
 crassicystidiata, *Inocybe*, 246
 crassifolius, *Cortinarius*, 583
 —, var., *Cortinarius uraceus*, 584
 crassihyphae, *Aspergillus*, 419 ('*crassihyphis*')
 crassilobata, *Xanthoparmelia*, 620
 crassipella, *Badhamia*, 153
 crassipes, *Colloderma*, 283
 —, *Gyrodont*, 292
 —, *Lepidoderma*, 677
 —, *Micarea*, 299
 —, var., *Boletus subtomentosus*, 947
 —, var., *Hebeloma mesophaeum*, 1056
 —, var., *Morchella esculenta*, 396
 —, var., *Morchella rotunda*, 491
 crassipila, *Cistella*, 6
 crassisculpturata, *Sowerbyella*, 453
 crassiseptum, *Dicellaesporites*, 237
 —, *Didymoporisporonites*, 287 ('*crassisepta*')
 crassispora, *Multicellaesporites*, 300
 —, var., *Macrophoma monsterae*, 166
 ('*crassaspora*')
 crassistriata, *Coprobia*, 662
 crassitunicata, *Erynia*, 121
 —, *Zoophthora*, 98
 —, var., *Erysiphe sambuci*, 12
 crassitunicatus, var., *Uromyces appendiculatus*, 1000
 crassiuscula, *Cladonia*, 581
 —, *Ramularia*, 903
 crassiusculum, *Tylophoron*, 217
 crassivaginata, *Ceratocystiopsis*, 76
 crassivaginatam, *Leptographium*, 437
 —, *Ophiostoma*, 601
 crassocephali, *Puccinia*, 608
 crassomarginata, *Hysterostegiella*, 1058
 crassorum, *Cortinarius*, 876, 953
 crassotunicatus, var., *Boletellus ananus*, 280
 crassum, *Metacapnodium*, 129
 crassus var. *balteatoalbus*, *Cortinarius*, 1049
 — forma *agathosmus*, *Cortinarius*, 876
 — forma *balteatoalbus*, *Cortinarius*, 335, 876
 — forma *subcrassus*, *Cortinarius*, 335, 528
 crastophila, *Phoma*, 133
 crataegensis, *Endomycopsella*, 288
 crataegi, *Boletus*, 946
 craterellum, *Myriotrema*, 1063
 crateriformis, *Xanthoparmelia*, 620
 craterispermi, *Questieriella*, 362
 —, *Schiffnerula*, 781
 cratophora, *Gelasinospora*, 962
 cratoxylicola, *Asteridiella*, 944
 ('*cratoxylonicola*')
 cravenii, *Xanthoparmelia*, 620
 cravensis, subsp., *Caloplaca concinerascens*, 522
 —, subsp., *Squamarina concrescens*, 559
 creatonoti, *Erynia*, 12, 121
 —, *Furia*, 960
 crebrostriatum, *Ganoderma*, 290
 crec'hqueraultii, *Octospora*, 56
 —, *Ramsbottomia*, 499
 cremanthodii, *Puccinia*, 1072
 cremea, *Ceriporiopsis*, 580

- , *Tulasnella*, 217
 —, *Vararia*, 97
 —, *Wrightoporia*, 704
 — var. *caucasica*, *Phanerochaete*, 550
 — var. *microspora*, *Phanerochaete*, 550
cremeoalbum, *Steccherinum*, 366
cremeoflavus, *Aspergillus*, 520
cremeoglobosus, *Cortinarius*, 876
cremeoisabellinum, *Hypochnicium*, 84
cremeolaniger, *Cortinarius*, 335
cremeolilacina, *Russula*, 60
 — var. *coccobibicola*, *Russula*, 311
cremeopallens, *Entoloma*, 46
cremeospora, *Melanoleuca*, 973
cremeovelatum, forma, *Hebeloma*
 mesophaeum, 432
 —, var., *Hebeloma mesophaeum*, 432
cremeovellanea, *Vararia*, 178
cremeo-albidum, *Laeticorticium*, 349
cremeo-albus, *Gloeoporus*, 962
cremeo-ochracea, *Phanerochaete*, 774
 ('Phanerochaete')
cremeo-ochraceus, *Ceraceomyces*, 230
cremeum, *Crocicreas*, 236 ('cremea')
cremeus, *Bolbitius*, 111
cremicolor, *Aleurodiscus*, 151
 —, *Ramariopsis*, 844
cremoricolor, *Cerocorticium*, 382
 —, var., *Crinipellis zonata*, 955
cremorinus, *Polyporus*, 607
crenata, *Dacryopinax*, 664
 —, *Klasterksya*, 889
 —, *Phaeosphaeria*, 983
 —, *Pyxidiophora*, 310
crenularia, *Caloplaca*, 380
crenulata, *Ceratocystiopsis*, 76
 —, *Clitocybe*, 473
 —, *Pannaria*, 256
 —, forma, *Aspicilia radiosa*, 944
crenulatus, *Hymenoscyphus*, 484
crepidis, forma *specialis*, *Bremia lactucae*,
 470
crepidis-fraasii, *Uromyces*, 704
crepidophora, *Mycosphaerella*, 976
crepuscolare, *Minimidochium*, 894
crepusculata, *Lepiota*, 86
crescens, var., *Emmonsia parva*, 10
crespoeae, *Coelocaulon*, 156
cretacea, *Dendrotrichoscypha*, 477
 —, *Dirina*, 287
 —, *Phlebia*, 90
 —, *Postia*, 900
 —, *Pratella*, 1068
 —, *Psalliotia*, 988 ('cretaceus')
cretaceitextus, *Tyromyces*, 998
cretaceum, *Nothocostereum*, 355
 —, *Schismatomma*, 364
cretaceus, *Cortinarius*, 583
 —, subsp., *Diploschistes scruposus*, 532
cretata, *Russula*, 557, 905
cretea, *Ascorhizoctonia*, 419
 —, var., *Tricharina praecox*, 504
cretica, *Rinodina*, 363
 —, var., *Puccinia phaeopappi*, 695
cribbii, *Verrucaria*, 912
cribellifera, *Gonohymenia*, 64
cribrarioides, *Lindbladia*, 488
cribriformis, *Unguiculariopsis*, 1079
cribrosus, *Diderma*, 531
crichtonii, *Cystangium*, 476
crini, *Phomopsis*, 551
crinipellis, *Phaeopholiota*, 688
crinipelloides, *Entoloma*, 666
crispa, *Bryoria*, 743 ('crispa')
 —, *Gautieria*, 341
 —, *Remispora*, 137
 — var. *grisea*, *Bryoria*, 743
 —, var., *Laccaria laccata*, 890
crispans, *Ramalina*, 695
crispata, forma, *Cladina rangiferina*, 660
crispatula, *Peltula*, 1065
crispatum, *Helotium*, 200
crispatus, *Ceraceomyces*, 872
 —, *Molliardiomyces*, 490
crispellum, *Psoroma*, 608
crispula, *Microsphaera*, 205
crispuliforme, *Helotium*, 200
crispulum, *Scytinostroma*, 698
crispus, *Pseudocraterellus*, 608
cristalliferum, *Achaetomium*, 41
cristallinus forma *cortinatus*, *Cortinarius*, 876
cristata, *Clavulina*, 748
 —, *Nereiospora*, 301
 — var. *bicolor*, *Clavulina*, 748 ('bicolor')
 — var. *exannulata*, *Lepiota*, 127
 — var. *felinoides*, *Lepiota*, 127
 — var. *pallidior*, *Lepiota*, 127
 — var. *viridispora*, *Lepiota*, 596
 — var. *zealandica*, *Clavulina*, 829
 — forma *bicolor*, *Clavulina*, 748
 — forma *subcinerea*, *Clavulina*, 748
cristatellum, *Anthracotheicum*, 109
cristatispora, var., *Russula brunneoviolacea*,
 611
cristatospora, *Ramaria*, 137
cristatulus, *Leucocoprinus*, 678 ('cristatula')
cristatum, *Camposporidium*, 828
 —, var., *Syncephalastrum monosporum*, 909
cristatus, *Artomyces*, 151
cristobalense, *Entoloma*, 46
crocata, *Hyperphyscia*, 484
 —, *Mollisia*, 768
crocatum, *Arthroderma*, 870
crocatulus, *Rigidoporus*, 362
crocea, *Amanita*, 329
 —, *Bullera*, 280
 —, *Clavulinopsis*, 473
 —, *Godfrinia*, 537
 — var. *subnudipes*, *Amanita*, 329
croceae, *Protothelenella*, 776
croceoconia, *Dermocybe*, 385
croceocristallinus, *Cortinarius*, 876
croceofurfuraceus, *Cortinarius*, 876
croceolimbata, *Dermocybe*, 477
croceolutea, *Hygrocybe*, 245
croceopallens var. *auriporus*, *Gloeoporus*, 962
croceopora, *Ocellularia*, 99
croceotinctus, *Hydrocybe*, 433
croceum, *Entoloma*, 46
 —, *Piloderma*, 91
 — forma *olivaceum*, *Piloderma*, 91
croceus, *Cortinarius*, 284, 489, 583

- var. *iodolens*, *Cortinarius*, 750
- croci*, forma *specialis*, *Fusarium oxysporum*, 1055
- crocifolia*, var., *Inocybe flocculosa*, 761
- crociopodia* var. *luteoporus*, *Krombholziella*, 435
- crociopodium* var. *corsicum*, *Leccinum*, 16
- var. *lepidum*, *Leccinum*, 969
- crocostipidosa*, *Krombholziella*, 594
- crocostipidosum*, *Leccinum*, 127
- croesicum*, *Lophodermium*, 1061
- crombiei*, *Thamnogalla*, 26
- crookwellense*, *Fusarium*, 198
- crossata*, *Strickeria*, 784 ('Strickera')
- crosslandii*, *Lasiobelonium*, 676
- crossopterygis*, *Pseudocercospora*, 308
- crotalariicola*, *Pseudocercospora*, 59
- crotonicola*, *Leptodothiella*, 128
- crotonis*, *Alternaria*, 2
- , *Asteridiella*, 1043
- , *Bipolaris*, 420
- , *Sphaerotheca*, 365
- crotonodes*, *Strickeria*, 785 ('Strickera')
- crovani* forma *magnihyphosa*, *Lamprospora*
see *Lamprospora tortulae-ruralis*
- crozalsiana*, *Canoparmelia*, 579
- crozalsii*, *Petractis*, 549
- crubensis*, *Gymnopaxillus*, 1056
- crucelliger*, *Fibulomyces*, 757
- cruchetiana* var. *hyalina*, *Erysiphe*, 160
- , var., *Erysiphe pisi*, 122
- cruciata*, *Coniochaeta*, 749
- , *Descalsia*, 956
- , *Skyttea*, 61
- cruciferarum* subsp. *inornata*, *Puccinia*, 309
- crucipila*, *Scutellinia*, 364
- cruciseptata*, *Monodictys*, 300
- cruenta*, *Hygrocybe*, 245
- , *Pseudohygrocybe*, 842
- cruentata*, *Pyrenula*, 778
- , var., *Russula velenovskyi*, 312
- cruentatum*, *Entoloma*, 387
- cruentum*, *Sporisorium*, 454
- crustacea*, *Bipolaris*, 190
- , forma, *Cordyceps superficialis*, 44
- crustatum*, *Stereocaulon*, 616
- crustosa*, *Entomophthora*, 12
- , *Erynia*, 121
- , *Furia*, 961
- , *Kneiffiella*, 126
- , var., *Polysporina simplex*, 171
- crustosum*, *Catapyrenium*, 828
- , *Endopyrenium*, 159
- , var., *Penicillium solitum*, 1066
- crustulata*, *Porpidia*, 402
- crustuliniforme* var. *longicaudum*, *Hebeloma*, 432
- var. *tiliae*, *Hebeloma*, 759
- forma *sphagnophilum*, *Hebeloma* see *Hebeloma calvinii*
- crustulinus* var. *latisporus*, *Cerinomyces*, 580
- crustulosa* subsp. *punctata*, *Umbilicaria*, 33
- crustulosae*, *Phacopsis*, 133
- crypta*, *Synchronoblastia*, 846
- cryptacanthum*, *Gloeocystidiellum*, 758
- crypteroniae*, *Schiffnerula*, 781
- cryptica*, *Aphanomyces*, 419
- crypticum*, *Favostroma*, 289
- cryptocallimon*, *Hyphoderma*, 592
- cryptocaricola*, *Collybia*, 873
- cryptocarpa*, *Fellhanera*, 960
- , *Orbilis*, 683
- cryptocaryae*, *Asterina*, 944
- cryptocellula*, *Apiocamarops*, 869
- cryptochlora*, *Parmelinopsis*, 686
- cryptochlorophaea*, *Canoparmelia*, 579
- cryptocroceum*, *Calicium*, 191
- cryptogea* forma *specialis begoniae*,
Phytophthora, 210
- cryptolepidis*, *Capnodium*, 43 ('*Caphodium cryptolepiae*')
- , *Schiffnerula*, 781
- cryptomeriae*, *Physalacria*, 134
- cryptostegiae*, *Maravalia*, 395
- cryptotaeniae*, *Plasmopara*, 606
- cryptotheciae*, *Arthonia*, 943
- cryptotrema*, *Ocellularia*, 302
- cryptum*, *Eupenicillium*, 533
- , *Penicillium*, 549
- crystallicola*, *Pseudoparmelia*, 308
- crystallifera*, *Allophylaria*, 2
- , *Athelopsis*, 189, 742
- , *Catillaria*, 422
- , *Eremastrella*, 29
- crystalligenum*, var., *Rhizocarpon superficiale*, 556
- crystalligerus*, *Cocomyces*, 7
- crystallina*, *Lambertella*, 203
- crystalliniformis*, var., *Phoma andina*, 774
- crystallinus* var. *hyalosporus*, *Pilobolus*, 1067
- var. *kleinii*, *Pilobolus*, 1067
- crystallophora*, var., *Hysteropezizella diminuens*, 761
- ctenolepidis*, *Puccinia*, 498
- cuadisporum*, *Scytinostroma*, 781
- cubana*, *Paulia*, 548
- , *Porina*, 360
- , *Pyrenula*, 902
- , *Tricharia*, 367
- cubanum*, *Pyrgillocarpon*, 404
- cubense*, *Chloridium*, 192
- , *Cladosporium*, 661
- , *Dendryphon*, 664
- , *Helminthosporium*, 671
- , *Leptodontidium*, 969
- , *Sphaeridium*, 454
- , *Sporidesmium*, 454 ('*cubensis*')
- , *Stachylidium*, 559
- , *Trichocladium*, 617 ('*cubensis*')
- , *Xenosporium*, 793
- , var., *Chloridium phaeosporum*, 660
- , var., *Sporidesmium tropicale*, 558
- cubensis*, *Ancoraspora*, 188, 330
- , *Antennatula*, 942
- , *Catenularia*, 191
- , *Chaetopsis*, 472
- , *Chaetosphaeria*, 192
- , *Cheiromyces*, 660
- , *Corynespora*, 336
- , *Cryphonectria*, 8
- , *Dactylaria*, 956
- , *Daedalea*, 158

- , *Didymostilbe*, 532
 —, *Dwayabeeja*, 81
 —, *Gyrothrix*, 670
 —, *Idriella*, 593
 —, *Janetia*, 674
 —, *Mahabalella*, 439
 —, *Melanocephala*, 767
 —, *Oncopodiella*, 547
 —, *Piricauda*, 359
 —, *Pseudospiropes*, 555
 —, *Spadicoides*, 266
 —, *Stenella*, 503
 —, *Thozetella*, 617
 —, *Yuccamyces*, 706
 —, var., *Acrodictys elaeidis*, 225
 —, var., *Annellophora phoenicis*, 739
 —, var., *Diplospora longispora*, 665
 —, var., *Oramasia hirsuta*, 601
cubicularius, *Cellulasclerotes*, 281
cubitense, *Cladobotryum*, 747
cuboidea, *Cordyceps*, 78
cucullata, *Cryptophiale*, 663 ('*Cryptophiale*')
 —, *Mycena*, 441
cucullatum, *Entoloma*, 755, 881
 —, *Helotium*, 200
 —, *Ophiostoma*, 547
 —, var., *Cylindrobasidium evolvens*, 336
cucullatus, *Cortinarius* see *Cortinarius cucullifer*
 —, var., *Polyporus miquellii*, 402
cucullifer, *Cortinarius*, 45
cucumerina, *Monographella*, 396
cucumerinum, *Pythium*, 404
cucumeris, *Gabarnaudia*, 589
cucumis var. *latifolia*, *Macrocyttidia*, 250
cucumispora, *Cordyceps*, 193
 — var. *dolichoderi*, *Cordyceps*, 193
cucurbitacearum, *Erysiphe*, 160
 —, forma *specialis*, *Fusarium oxysporum*, 757
cucurbitae, *Ramularia*, 991
 —, *Ulocladium*, 177
 —, forma *specialis*, *Colletotrichum gloeosporioides*, 7
cucurbitaria, *Dremuspora*, 288
cucurbitula, *Polyblastia*, 842
 —, *Nectria* see *Nectria neomacrospora*
culbersoniae, *Cryptothecia*, 119
 ('*culbersonae*')
culicis, var., *Coelomomyces iliensis*, 384
culmicola, *Crocicreas*, 79
 —, *Gloiocephala*, 963
 —, *Hohenbuehelia*, 15, 964
culmigena, *Chaenothecopsis*, 950
 —, *Mycena*, 546
culmigenus, *Limonomyces*, 204
culmorum, *Phaeosphaeria*, 446
cumatilis var. *haasii*, *Cortinarius*, 424
 — var. *robustum*, *Cortinarius*, 424
 — forma *caesio-albidus*, *Cortinarius*, 876
cumbriense, *Helicodendron*, 292
cumingii, *Coltricia*, 423
cumminsiana, *Erysiphe*, 240
 —, *Pucciniosira*, 137
cumminsianus, *Golovinomyces*, 884
cumminsii, *Amylocorticium*, 942
 —, *Melampsora*, 395
cumulodentata, *Phanerochaete*, 550
cuneata, *Hamatocanthoscypha*, 482
 —, *Tricharia*, 997
cuneifolium, *Dermoloma*, 585
cuneiformis, *Sporidesmiella*, 214
 — var. *minor*, *Catenularia*, 230
cuneipes, *Xerocomus*, 268
cuniculicola, *Agaricus*, 867
cunninghamia, *Sclerocystis*, 845
cunninghamiicola, *Bartalinia*, 827
cuprea var. *cinnamomicolor*, *Russula*, 500
 — var. *juniperina*, *Russula*, 612
 — forma *aurantiopurpurea*, *Russula*, 612
 — forma *pseudomaculata*, *Russula*, 612
cupreicolor, *Clavaria*, 828
cupreorosea, *Fomitopsis*, 535
cupreo-atra, *Bellemera*, 379
cupressi, *Seiridium*, 265
 —, forma *specialis*, *Diplodia pinea*, 753
 —, forma *specialis*, *Gymnosporangium clavipes*, 200
cupressoides, *Agaricus*, 571
cupressina forma *albida*, *Pithya*, 448
cupressini, *Coccomyces*, 525 ('*cupressinum*')
cupressinus, *Molliardimyces*, 353
 ('*cupressina*')
cupressoides, *Xylaria*, 369
cuprigena, var., *Ophioparma ventosa*, 772
cupro-brunnea, *Lepiota*, 890
cupro-brunneus, *Leucoagaricus*, 1060
cupularis, *Ramalina*, 66
 —, *Tarsetta*, 140
cupularum, *Hyaloscypha*, 591
cupulata, *Johansonia*, 674
 —, *Nectriopsis*, 977
 —, *Trichophaea*, 62
cupuliformis, *Cyathipodia*, 157, 752
 —, *Monoporisporites*, 129
 — var. *badia*, *Helvella*, 885
cupulincola, *Cystopezizella*, 584
curalii, var., *Lulworthia kniepii*, 488
curanilahuensis, *Agaricus*, 867
 —, *Cortinarius*, 876
curculionidicola, *Laboulbenia*, 763
curcuma, *Thirumalacharia*, 96
curiosa, *Stemonitopsis*, 314
curiosus, *Cryptococcus*, 878
curranii var. *dimiticum*, *Ganoderma*, 242
curreyana forma *latispora*, *Myriosclerotinia*, 492
curreyi, *Arthonia*, 943
curta, *Conocybe*, 116
 —, var., *Microsphaera extensa*, 205
curtata, *Parmelia*, 131
curtipes, *Entoloma*, 46
 —, var., *Camarophyllus virgineus*, 657
curtipilum, *Lachnum*, 675, 968
curtsii, *Pseudomerulius*, 608
 —, *Stagonosporopsis*, 139
 —, var., *Lactarius salmoneus*, 53
curtum, *Diadema*, 956 ('*curta*')
 —, *Platystomum*, 1068
curtus, forma, *Cortinarius glandicolor*, 194
curvata, *Colispora*, 951
 —, *Micarea*, 299

- , *Tricellula*, 1079
- , *Vanrija*, 141
- curvatum*, *Apiotrichum*, 110
- , *Bactrodesmium*, 420
- , *Cylindrotrichum*, 45
- , *Exserohilum*, 389
- , *Phialemonium*, 305
- curvatus*, *Cryptococcus*, 79, 118
- , *Diphymyces*, 428
- , *Diporisporites*, 386
- , *Multicellaesporites*, 353
- curvescens*, *Bryonora*, 280
- forma *specialis andreaeae*, *Bryonora*, 280
- forma *specialis grimmiae*, *Bryonora*, 280
- curviclavata*, *Dactylaria*, 286
- curvicolla*, *Jattaea*, 435
- curviformis*, *Aspergillus*, 3
- curvispora*, *Bipolaris*, 742
- , *Drechslera*, 158
- , *Eutypella*, 756
- , *Grandinia*, 199
- , *Kneiffiella*, 126
- , *Mycovellosiella*, 976
- , *Podosphaera*, 401
- , *Selenosporella*, 61
- curvisporum*, *Tricladium*, 216
- curvula*, *Anthracoidea*, 278
- curvularioides*, *Nakataea*, 771
- , *Phaeodactylium*, 21
- cuscutae*, forma *specialis*, *Colletotrichum gloeosporioides*, 527
- cuspidans*, forma, *Arthonia tumidula*, 279
- cuspidata* var. *armorica*, *Ramalina*, 555
- var. *atlantica*, *Ramalina*, 555
- var. *stenoclada*, *Ramalina*, 555
- var., *Hygrocybe acutoconica*, 482
- , var., *Hygrocybe persistens*, 592
- , var., *Mycena sanguinolenta*, 895
- , var., *Nolanea juncea*, 494
- cuspidatae*, *Phyllosticta*, 358
- cuspidatipilosa*, *Mycena*, 839
- cuspidifer*, *Rhodophyllus*, 499
- cuspidifera*, *Nolanea*, 494
- cuspidiferum*, *Entoloma*, 11, 479
- ('cuspidifer')
- custersiana*, *Dekkera*, 531
- cutanea*, *Monilia*, 838
- cutefractus*, *Leucopaxillus*, 297
- cuteruptus*, *Cortinarius*, 117
- cutifracta*, forma, *Pholiota praecox*, 496
- cutifractum*, *Entoloma*, 238
- cuyabensis*, *Pyrenula*, 902
- cuzcoense*, *Vascellum*, 848
- cyanea*, *Bacidia*, 379
- , *Nolanea*, 355
- , *Phoma*, 91
- cyaneus*, *Sarcodon*, 405
- cyaneoviridescens*, *Entoloma*, 159
- cyanescens*, *Cerinosterus*, 746
- , *Phialophora*, 357
- var. *sulfureus*, *Gyropus*, 758
- cyaneum*, *Thelocarpon*, 1078
- cyanites* var. *brevisporus*, *Cortinarius*, 424
- forma *brevisporus*, *Cortinarius*, 194
- forma *pseudocyanites*, *Cortinarius*, 194
- cyanobasalis*, *Cortinarius*, 528, 876
- cyanobrunnescens*, *Omphalina*, 494
- cianocephala*, *Calocybe*, 229
- , forma, *Ramaria grandis*, 137
- cianocephalus*, *Basidopus*, 576
- cyanochlorus*, forma, *Cortinarius herpeticus*, 475
- cyanofibrillosa*, *Psilocybe*, 59
- cyanolens*, *Clitocybe*, 384
- cyanophylla*, *Omphalina*, 600
- cyanophyllum*, var., *Cortinarius fulvo-ochrascens*, 876
- cyanosyringea*, *Mycena*, 300
- cyanotropha*, var., *Bryonora rhypariza*, 743
- cyanoxantha* forma *atroviolacea*, *Russula*, 264
- cyanulum*, *Entoloma*, 387, 755
- cyanulus*, *Rhodophyllus*, 264
- cyatheae*, *Ptechetelium*, 403
- cyatheicola*, *Pleurotus*, 135 ('*cyatheicolus*')
- cyathella*, *Omphalina*, 398
- cyathiformis*, *Alboleptonia*, 226
- , *Lentinus*, 1060
- forma *plumbeus*, *Lentinus*, 248
- , var., *Pleurotus djamor*, 135
- cyathoides* var. *japonica*, *Fuscidea*, 162
- var. *orientalis*, *Fuscidea*, 162
- var. *suborientalis*, *Fuscidea*, 162
- cyathoideum*, *Crociocreas*, 79
- var. *cacaliae*, *Crociocreas*, 79
- var. *olympianum*, *Crociocreas*, 79
- var. *pteridicola*, *Crociocreas*, 79
- cybistacis*, *Pseudocercospora*, 1070
- cycadicola*, *Ascochyta*, 740
- cycadis*, *Leptosphaeria*, 54
- , *Pestalotiopsis*, 1066
- cyclisca*, *Camillea*, 948
- cyclobalanopsis* var. *globopodia*, *Meliola*, 973
- cyclochaenae*, forma, *Sphaerotheca fuliginea*, 25
- cyclopis*, *Callimastix*, 657
- cyclopium* var. *echinulatum*, *Penicillium*, 304
- cyclospora*, *Russula*, 1075
- cyclospora* var. *geitleri*, *Protoblastenia*, 553
- cygnea*, var., *Amanita vaginata*, 572
- cylindraca*, *Conocybe*, 233
- cylindrata*, *Pseudocercospora*, 900
- cylindriatus*, *Cortinarius*, 235
- cylindrica*, *Bipolaris*, 190
- , *Corynesporopsis*, 1052
- , *Neottiosporina*, 442
- , *Riessiella*, 500
- , var., *Asterina aporusae*, 741
- , var., *Asterina combreti*, 741
- cylindricus*, *Termitomyces*, 504
- cylindriloba*, *Xanthoparmelia*, 318
- cylindrispora*, *Westerdykella*, 97
- cylindroclavata*, *Henicospora*, 50
- cylindrocystis*, *Hymenagaricus*, 346
- cylindrophora*, *Cryptothele*, 64
- cylindrospermum*, *Dischloridium*, 665
- cylindrospora*, *Beauveria*, 469
- , *Chaetopsis*, 282
- , *Dictyochaeta*, 957
- , *Diheterospora*, 428
- , *Gibberella*, 83

- , *Leptosphaeria*, 86
- , *Leveillula*, 87
- , *Sporothrix*, 95
- , *Subulispora*, 455
- , *Wrightoporia*, 178
- cylindrospora*, *Metarhizium*, 598
(*'cylindrospae'*)
- cylindrosporium*, *Scolecobasidium*, 175
- , *Seimatosporium*, 175
- *forma pseudoradicatum*, *Hebeloma*, 885
- cylindrosporus*, *Nematoctonus*, 547
- , *Phellinus*, 688
- , *Polycephalomyces*, 135
- , *Pseudoclathrus*, 22
- cymatomera*, *Preussia*, 448
- cymbidii*, *Haplosporella*, 963
- cymbiformis*, *Dactylaria*, 9 (*'cymbiformia'*)
- cymbiformispora*, *Coniochaeta*, 952
- cymbionoides*, *Crucellisporiopsis*, 236
- cymbispermum*, *Sporidesmium*, 314
- cymbispora*, *Micropsalliota*, 300
- cymbopogonis*, *Arthrobotryum*, 74
- cymmartinii*, *Drechslera*, 10
- cynaea*, *Allescheriella*, 941
- cynanchi*, *Cylindrosporium*, 285
- , *Stenella*, 214
- cynodontis*, *Bipolaris*, 4
- cynoglossi*, *Erysiphe*, 198
- , *Golovinomyces*, 884
- *var. anchusae*, *Erysiphe*, 198
- cynometrae*, *Pseudocercospora*, 692
- cyperi*, *Clasterosphaeria*, 383
- , *Guignardia*, 391
- , *Phaeoramularia*, 90
- , *var.*, *Dactylaria higginsii*, 385
- cyperina*, *Phaeosphaeria*, 983
- cyperi-cristati*, *Puccinia*, 361
- cyperi-ochracei*, *Ascochyta*, 740
- cyphelliformis*, *Hohenbuehelia*, 482, 591
(*'cyphellaeformis'*)
- cyphelloides*, *Helotium*, 200
- , *Hemimycena*, 163
- , *Lachnum*, 349
- cyphochlaenae*, *Puccinia*, 93
- cypripedii*, *Cryptocline*, 878
- cyrillacearum*, *Meliola*, 973
- cyrtellinoides*, *Lecanomyces*, 99
(*'cyrtellinoids'*)
- cyrtococci*, *Uredo*, 63
- cyrtomatis*, *Laboulbenia*, 51
- cystidiata*, *Hygrocybe*, 592
- , *Luellia*, 766
- cystidiatus*, *Gloeoporus*, 669
- , *Hydropus*, 539
- , *Intextomyces*, 762
- , *var.*, *Tyromyces semisupinus*, 999
- cystidifer*, *Cortinarius*, 474
- cystidioides*, *Rigidoporus*, 696
- cystidiophora* *var. anisata*, *Ramaria*, 843
- cystidiophorus*, *Inopilus*, 247
- cystidioretinosa*, *Lepiota*, 890
- cystidiosa*, *Cystolepiota*, 119
- , *Micropsalliota*, 167
- cystidiosum*, *Tricholoma*, 177, 560
(*'cystidiosa'*)
- , *Tricholoma* *see Tricholoma cifuentesii*
- cystidiosus*, *Hydropus*, 964
- , *Phlebobus*, 209
- cystophorae*, *Massarina*, 17
- cystophorioides* *var. septentrionalis*, *Lepiota*, 248
- cystophoroides* *var. septentrionalis*, *Lepiota*, 296
- cystoseirae*, *Haloguignardia*, 84
- , *Thalassoascus*, 140
- cytisi*, *Arnaudiella*, 42
- , *Discosphaeria*, 338
- , *Microthyria*, 55
- , *Pseudocercospora*, 901
- daamsii*, *Clitopilus*, 283
- , *Gerronema*, 198
- dacicus*, *Sporocadus*, 502 (*'dacicum'*)
- dacusae*, *Erynina*, 289
- , *Pandora*, 980
- dacrydii*, *Tyromyces*, 998
- dacryocarpa*, *Nectria*, 895
- dactylelloides*, *Mirandina*, 18
- dactyliferum*, *Myriotrema*, 30
- , *var.*, *Hyphoderma puberis*, 84
(*'dactylifera'*)
- dactylina*, *Lasiosphaeria*, 763
- dactyliza* *forma serpens*, *Heterodermia*, 124
- dactyloctenii*, *Bipolaris*, 190
- , *Cochliobolus*, 192
- dactyloides*, *Neolentinus*, 493
- daedalea*, *Placidiopsis*, 135 (*'daedaleum'*)
- , *Pyxine*, 609
- daedaleum*, *Catapyrenium*, 524
- daedaliformis*, *Amyloporus*, 739
- , *Antrodia*, 42
- , *Phellinus*, 400
- daguense*, *Gerronema*, 962
- dahlia*, *Parmelia*, 131, 208
- , *Relicinopsis*, 610
- dahurica*, *var.*, *Microsphaera friesii*, 252
- , *var.*, *Microsphaera menispermii*, 440
- , *var.*, *Septoria cornicola*, 782
- daiqingshanense*, *Ganoderma*, 961
- daisenense*, *Podostroma*, 776
- dalbergiae*, *Cercoseptoria*, 76
- , *Physalospora*, 775
- dalbergiae-latifoliae*, *Uredo*, 618
- dalbergiicola* *forma conidiifera*, *Catacauma*, 872
- dalgeri*, *Helvella*, 538
- dalhousianum*, *Lachnum*, 349
- daliensis*, *Lasallia*, 204
- , *Otidea*, 1064
- *var. caeongshanensis*, *Lasallia*, 890
(*'caeongshanensis'*)
- dalmatica*, *var.*, *Caloplaca velana*, 523
- dalmaticum*, *Camarosporium*, 5 (*'dalmatica'*)
- damascenus*, *Cortinarius*, 235
- damaziana*, *Hypotrachyna*, 673
- , *Parmelinopsis*, 686
- damicornis*, *Stipitochaete*, 503
- dancoi*, *Phialophora*, 1067 (*'dancoii'*)
- danertii*, *Meliola*, 973
- dangeardii*, *Penicillium*, 20
- danica*, *Dermocybe*, 879
- , *Lautitia*, 350
- , *Tulasnella*, 790

- danicum, Hebeloma, 671
 danicus, Cortinarius, 284
 dankaliensis, Gymnascella, 481
 —, Gymnoascus, 590
 danthoniae, Puccinia, 211
 daphnes, Asteromassaria, 420
 daphniphylli, Cercospora, 191
 —, Pseudocercospora, 692
 darjeelingense, Lachnum, 595
 darjeelingensis, Armillariella, 655
 —, Elaphomyces, 197
 —, Phlebiopsis, 605
 darkeri, Leptosphaeria, 438
 darlingensis, Xanthoparmelia, 705
 darrowii, Flavopunctelia, 340 ('darrowi')
 —, Punctelia, 173
 darwinii, Hirsutella, 201
 dasguptae, Dactylella, 476 ('dasguptaii')
 dasiphorae, Lachnum, 595
 dattila var. rohrbachensis, Torulopsis, 560
 ('rohrbachense')
 daturae, Cytospora, 9
 dauci, Dothiorella, 429
 daucus, Zelleromyces, 410
 daucipes, Ramaria, 609
 dauliporpus, Marasmius, 972
 daunasii, Lecanora, 394
 davalliana, Diplonaevia, 586
 davidsonii, Ophiostoma, 547
 daviesiae, Sarcostroma, 501
 davillae, Stenella, 615
 dayaoshanense, Amauroderma, 574
 dayiana, Parmelia, 303
 —, Xanthoparmelia, 620
 dealbata, Ramariopsis, 404
 —, Stictis, 314
 — subsp. sudorifica, Clitocybe, 156
 — var. minor, Clitocybe, 192
 — var. paludosa, Clitocybe, 282
 dearnessii, Leptosphaeria, 438
 —, Phacidium, 258
 —, var., Wuestneia xanthostroma, 1001
 debile, Lamproderma, 164
 debilis, Pouzaromyces, 58
 decaisnella, Strickeria, 785 ('Strickera')
 decapitatus, Melanotus, 973
 deccanii, Sarcophoma, 265
 —, Ustilago, 177
 decembris, Melanoleuca, 545
 deceptiva, Camillea, 948
 —, Clitocybe, 156
 —, Flabellophora, 668
 —, Galeropsis, 1055
 —, Gastrocybe, 83
 deceptivissimus, Cortinarius, 335
 — forma duracinoides, Cortinarius, 335
 — forma pseudoprivignoides, Cortinarius, 336
 deceptor, Mycena, 769
 deceptor, subsp., Psora albilabra, 555
 deceptor, Myriotrema, 30
 decidens, Scytinostroma, 698
 decincta, Fuscidea, 390
 decipiens, Achroomyces, 225
 —, Astrosporina, 4
 —, Datronia, 879
 —, Geotrichum, 341
 —, Gigaspora, 390
 —, Habrostictis, 670
 —, Hydropus, 244
 —, Marasmius, 439
 —, Mycomicrothelia, 895
 —, Pleurotus, 135
 —, Russula, 500, 612
 — subsp. rickenianus, Cortinarius, 1049
 — var. hoffmannii, Cortinarius, 876
 — var. vermiculata, Russula, 905
 — var. mundula, Inocybe see Astrosporina mundula
 —, forma, Cortinarius caerulescens, 875, 1048
 decipientoides, Cortinarius, 876
 — var. taxocystis, Inocybe see Astrosporina taxocystis
 declinata, Macbrideola, 836
 —, Russula, 1075
 decolor, Ramaria, 404
 —, var., Phaeophyscia endococcina, 550
 decolorans, Merismatium, 1062
 —, forma, Cladina densissima, 383
 —, forma, Cladina portentosa, 383
 decolorata, Naucoria, 354
 —, Pleuroflammula, 359
 decora, Mycena, 598
 — forma longispora, Tricholomopsis, 267
 —, var., Usnea plicata, 561
 decoratus, forma, Cortinarius bulliardii, 875 ('decorata')
 decorosa, Floccularia, 757
 decorticans, Peltula, 841
 decorticata, Diatype, 752
 —, Lojkania, 351
 decorticatium, Myriotrema, 99
 decrospora, var., Puccinia substriata, 609
 decurrata, Perenniporia, 981
 decurrens, Ramaria, 137
 — var. australis, Ramaria, 137
 decurrentifolius, forma, Cortinarius delibutus, 1049
 decurtatus, Cortinarius, 953
 decussata, forma, Arthonia endlicheri, 279
 defibulata, Macrotyphula, 836
 — forma pallida, Macrotyphula, 837
 defibulatum, var., Entoloma austroanatium, 429 ('defibulatus')
 —, var., Entoloma clypeatum, 81
 —, var., Entoloma nitens, 429 ('defibulatus')
 defibulatus, Rigidoporus, 696
 deficiens, Triramulispora, 316
 deflectans, Verticillium, 506
 deflectens, Comoclathris, 1047
 —, Parmelia, 132
 —, Parmotrema, 604
 —, Phanerochaete, 774
 —, Strickeria, 785
 deflexa, Cistella, 6
 deflexum, Lachnum, 595
 deformans, Candida, 421
 —, Insolibasidium, 393
 —, Olpidiopsis, 207
 deformis, Ascochyta, 655

- , Ocellularia, 1064
- , Uredo, 791
- degeliana, Rinodina, 264
- degelianum, Parmotrema, 257
- degelii, Chaenotheca, 230
- , Myelochroa, 681
- , Pseudocyphellaria, 261
- degeneri, Dimerella, 64
- deightonii, Cladosporiella, 1046
- , Koordersiella, 762
- , Pseudocercospora, 22
- , Taeniolina, 96
- delaë, Meliola, 973
- delaporteï, Cortinarius, 876
- delasotae, Hohenbuehelia, 964
- delastrii, Agaricus, 867
- delavayi var. nodulsa, Uncinula, 62
- delbustoi, Tulostoma, 911
- delectabilis var. bisporea, Mycena, 769
 - var. paucicystidiata, Hemimycena, 243
- , Agaricus see Helotium leucophaeum
- delectans, Atractiella, 189
- delegatensis, Mycosphaerella, 354
- , Stagonospora, 366
- delemar, var., Rhizopus arrhizus, 362, 451
- delhiana, Candida, 332 ('dehlana')
- delhianum, Leptoxypium, 351 ('dehlianum')
- delhiense, Glomus, 290
- deliberatum, Lyophyllum, 438
- delibutus var. albescens, Cortinarius, 1049
 - forma decurrentifolius, Cortinarius, 1049
 - forma megalosporus, Cortinarius, 1049
 - forma ochroleucus, Cortinarius, 1049
 - forma suratus, Cortinarius, 1049
- delica, Mycena, 975
- var. centroamericana, Russula, 992
- delicata, Acaulospora, 517
- , Alecatoria, 188
- , Bacidia, 29
- , Coniella, 8
- delicatellum, Helotium, 200
- delicatellus, Agaricus see Helotium delicatellum
- delicatula, Dictyotrichiella, 158
 - , Grammothele, 49
 - , Volvariella, 317
- delicatum, Vascellum, 848
- delicatus, Capsicumyces, 5
 - , Pluricellaesporites, 210
- deliciosa, Morchella, 490
 - , var., Morchella conica, 974
- deliciosus var. deterrimus, Lactarius, 52
 - var. olivaceosordidus, Lactarius, 52
- delicius, Marasmiellus, 544
- delisea, Pseudocyphellaria, 65
- delisei, var., Parmelia pulla, 548
- delonicis, Pseudocercospora, 59
- delorenzoi, Callorites, 380
- delphacis, Erynia, 82
 - , Pandora, 980
- delphensis, Zygoabospora, 793
- delphinii, var., Sclerotium rolfsii, 906
- delphinus, Xerocomus, 318
- delpiniana, Erynia, 82
- deltoides, Podospora, 987
- deltoidis, forma specialis, Melampsora medusae, 893 ('deltoidae')
- deludens, Chaenotheca, 659
- delutula, Absconditella, 28
- delvisoi, Mycena, 55
- dematioides, Phaeosclera, 90
- dematium forma specialis truncatum, Colletotrichum, 474
- dematum, Capnodium, 871
- demersa, Diomedella, 386
 - , Lecanora, 1060
- demethylbarbatica, Relicina, 609
- demethylmicrophyllanicum, Parmotrema, 686
- deminuta, Dactylospora, 1053
 - , Fistulariella, 668
 - , Ramalina, 66
- demissella, Rickenella, 212
- demissum, Lecidoma, 127
- demoulinii, Loflammia, 544
 - , Tricharia, 367
- dendriothamnoides, Dendroscocaulon, 286
- dendritica, Lichenothelia, 678
 - , Nothotrasseria, 255
 - var. propagulifera, Heterodermia, 124
- dendriticum, Penicillium, 20
 - , Trichosporon, 618
- dendrobii, Phomopsis, 985
 - , Propolis, 553
- dendrobii-nobilis, Mycosphaerella, 354
- dendrocalami, Hypocrea, 347
 - ('dendrocalamae')
 - , Metasphaeria, 680 ('dendrocalamae')
- dendrocephalus, Trichurus, 456
- dendroctoni, Entomocorticium, 588
- dendrocystis, Mycena, 598
 - , var., Hohenbuehelia atrocaerulea, 15
- dendrohyphidia, Perenniporia, 841
- dendroidea, Dictyochaeta, 753
- dendroides, Arthrobotrys, 419
 - , Cladina, 383
- dendroideum, Acanthophysium, 465
- dendroideus, Aleurodiscus, 277
 - , Pseudogymnoascus, 262
- dendrophora, Pterospora, 361
 - , Tetrapyrgos, 701
 - , Umbilicaria, 1079
- dendrophthoeae, Oidium, 255
- dendrophthoë, Acrosporium, 225
 - ('dendrophthoeae')
- dendrotrophicola, Meliola, 973
- denegans, Myelochroa, 681
- dengii, Entonaema, 82
- denigrata, Physciella, 552
- denigratus, Blasticomyces, 656
- denisonii, Nanoscypha, 442
- dennisiana, Camarophyllopsis, 523
 - , Leptosphaeria, 969
 - , Phaeosphaeria, 446
- dennisii, Chalaria, 525
 - , Inopilus, 247
 - , Pluteus, 987
 - , Sporidesmium, 266
 - , Tulostoma, 911
 - , Xylaria, 410
- dennysensis, Psathyrella, 777
- denseconnatus, Cortinarius, 235

- densifolia, *Lepista*, 350
 —, *Pleurocollybia*, 690
 —, *Rhodocybe*, 904
 densifolius, *Leucoagaricus*, 249, 438
 densireticulata, *Sowerbyella*, 453
 densisquamosum, *Entoloma*, 46
 densissima, *Cladina*, 383
 —, *Russula*, 60
 — forma decolorans, *Cladina*, 383
 densissimum, *Geniculosporium*, 341
 densizonatum, *Ganoderma*, 589
 densus, *Phellinus*, 446
 —, *Plenotrichaius*, 552
 dentata, *Emericella*, 159
 —, *Fimaria*, 389
 —, *Xanthoparmelia*, 318
 dentatomarginata, *Conocybe*, 116
 —, *Pholiotina*, 551
 dentalatus, *Coelomomyces*, 526
 denticulata, *Acaulospora*, 737
 —, *Botryodontia*, 577
 —, *Flammulaster*, 340
 —, *Lepiota*, 437
 —, *Mystrosporiella*, 19
 —, *Thecaphora*, 215
 denticulatus, *Dyadosporonites*, 386
 —, *Hymenoscyphus*, 484
 —, *Warkallisporonites*, 410
 dentifera, *Peristomialis*, 982
 deodarum, *Hymenoscyphus*, 15
 depallens, *Porotenus*, 360
 —, var., *Cortinarius caerulescens*, 424
 —, var., *Russula krombholzii*, 612
 deparaffina, *Torulopsis*, 27
 depauperata, *Arachnopeziza*, 826
 —, *Filobasidiella*, 289
 —, forma, *Acarospora cervina*, 187
 —, var., *Psathyrella caput-medusae*, 260
 —, var., *Russula livescens*, 311
 depauperatus, var., *Pluteus flammipes*, 307
 ('depauperata')
 depilata, *Mycena*, 975
 depilatum, *Leccinum*, 890
 depilatus, *Boletus*, 469
 deplanata, *Strangospora*, 503, 559, 908
 —, forma, *Opegrapha vermicellifera*, 302
 deplanatus, *Mimeomyces*, 440
 depokensis forma persicina, *Ramariopsis*, 844
 depressa, *Ocellularia*, 31
 depressus, *Golovinomyces*, 884
 —, *Lactarius*, 52
 deprimens, *Pyrenula*, 309
 derasmoi, *Pseudopezizites*, 403
 derbschii, *Inocybe*, 392
 dermagnitus, *Cortinarius*, 117
 dermo-unguis, *Chaetophoma*, 525
 deroleptus, *Cortinarius*, 235
 derxii, *Bullera*, 744
 —, *Penicillium*, 841
 —, *Talaromyces*, 846
 descalsii, *Taeniospora*, 788
 descendens, *Simocybe*, 313
 —, *Tyromyces*, 998
 deschampsiae, *Entyloma*, 479
 —, *Psilocistella*, 901
 descissa forma bisporigera, *Inocybe*, 246
 — var. *macrospora*, *Inocybe* see *Inocybe*
 abnormispora
 deserticola, *Candida*, 421
 —, *Glomus*, 341
 —, *Pichia*, 448
 desertorum, *Camarosporium*, 871
 —, *Dextrinosporium*, 286
 —, *Gymnoascus*, 590
 —, *Heterodermia*, 391
 —, *Hymenoscyphus*, 484
 —, *Pseudallescheria*, 173
 —, *Xanthoparmelia*, 913
 — var. *bispora*, *Galeropsis*, 1055
 —, forma, *Parmelia taractica*, 132
 deseynesiana, *Cyptotrama*, 9
 desfontainii, *Pseudocyphellaria*, 498
 desidiosum, subsp., *Calicium victorianum*, 657
 desjardinii, *Arcangeliiella*, 419
 desmanthi, *Phaeoisariopsis*, 258
 —, var., *Microsphaera trifolii*, 353
 desmodes, *Multicellaesporites*, 206
 ('Milticellaesporites')
 desmodii, *Bagnisiella*, 469
 —, *Erysiphe*, 430
 —, *Phyllactinia*, 22
 desmodiicola, *Mycovellosiella*, 492
 desmodii-salicifolii, *Pseudocercospora*, 693
 desmondii-ramosissimi, *Uredo*, 506
 desquamans, *Leptotrema*, 64
 —, *Myriotrema*, 30
 destructans, *Rhizocarpon*, 1073
 — forma *specialis* *panacis*, *Cylindrocarpon*, 427
 destructiva, *Isariopsis*, 889
 destructor, *Poroptyche*, 691
 destruens, *Conidiobolus*, 192
 —, *Gnomoniella*, 758
 —, *Hemipholiota*, 50
 —, *Hyphomyces*, 886
 —, *Pythium*, 695
 —, *Sporisorium*, 454
 deterrimus, var., *Lactarius deliciosus*, 52
 detrita, *Poria*, 402
 detriticola, *Galerina*, 341
 detritus, *Perenniporia*, 56
 deusta, *Melanoleuca*, 439
 —, *Miriquidica*, 768
 deutziae, *Microsphaera*, 167
 deuvei, *Laboulbenia*, 393, 675
 devexirostris, *Kyphomyces*, 436
 devians, *Pseudopiptoporus*, 59
 deviata, *Diachea*, 531
 devonicus, *Melanosphaerites*, 252
 devriesii, *Cladosporium*, 383
 devroeyi, *Gymnascella*, 481
 —, *Gymnoascus*, 590
 dextrinoidespora, *Chamaeota*, 747
 dextrinospora, *Mollisia*, 18
 deyeuxiae-scabrescentis, *Puccinia*, 23
 dhanyae, *Dimorphomyces*, 428
 diabasicum, subsp., *Rhizocarpon*
 geographicum, 32
 diabolicus var. *inflatabulbus*, *Cortinarius*, 235
 — var. *memoriae*, *Cortinarius*, 235
 — var. *peraltus*, *Cortinarius*, 235

- forma subinens, Cortinari, 235
- diacapsis, Diploschistes, 753
- subsp. interpediens, Diploschistes, 958
- subsp. neutrophilus, Diploschistes, 958 ('neutrophila')
- subsp. sculus, Diploschistes, 958
- diacida, Parmelia, 840
- , Xanthoparmelia, 620
- diadema, Amphinema, 518
- diamandidis, Sporone, 61
- diamantanus, Agaricus, 226
- diamarta, Bellemerea, 379
- dianellae, Stenella, 1078
- dianthi, Trichometasphaeria, 316
- dianthicolor, Tyromyces, 998
- var. omninotinctus, Tyromyces, 998
- dianthi-superbi, Sorosporium, 502
- dianthorum, Microbotryum, 893
- dioluoshanense, Ganoderma, 589
- diapensiae, Dothidotia, 958
- diaphana, Clitocybe, 473
- , Phlebia, 551
- diaphanum, Exarmidium, 430
- , Glomus, 390
- diaphora forma signata, Opegrapha, 302
- forma tigrina, Opegrapha, 302
- diasmospermus, Cortinari, 117
- diathrausta, Rosellinia, 557
- dibaphoides, Thaxterogaster, 616
- dibaphus var. bresadolae, Cortinari, 424
- var. nemorosus, Cortinari, 528
- dibbenii, Opegrapha, 398
- dibelonetis, Phaulomyces, 446
- dicalycis, Hyponectria, 125
- , Leiosphaerella, 127
- dichaetae, Stigmatomyces, 315
- dichanthiicola, Peronosclerospora, 444
- dichotoma, Dwayaangam, 478
- , var., Erysiphe convolvuli, 82
- dichotomum, Collema, 384
- dichotomus, Artomyces, 151
- , Kochiomyces, 51 ('dichotomum')
- , Panellus, 684
- var. pinnatus, Panellus, 684
- dichroa, Calathella, 281
- dichrocephalae, Pseudocercospora, 1070
- dichrospora, Herminia, 50
- dichroum, Tremellostereum, 617
- dichrous, Cortinari, 336
- , Hygrophorus, 245
- diclipterae, Pseudocercospora, 693
- dicolor, Clitocybe, 232
- dicranellae, Lamprospora, 763
- dicrani, Bryoscyphus, 332
- , Psathyrella, 449
- , var., Psathyrella fulvescens, 308
- dictydiola, Octospora, 56
- dictyoderma, Tubifera, 456
- dictyoides, Drechslera, 10
- dictyonema, Perichaena, 133
- dictyophora, Gelasinospora, 962
- , Lobaria, 297
- dictyopodium, Didymium, 532
- dictyorchiza, Anzia, 654
- dictyoseptatum, Helminthosporium, 14
- dictyospora, Grondigallia, 669
- , Nectria, 254
- , Peristomialis, 982
- , Phaeosaccardinula, 446
- , Ramonia, 696
- dictyosporum, Arthothelium, 944
- dictyosporus, Nagrajomyces, 354
- dictyosus, Pleosporonites, 307
- dictyotus, Austroboletus, 4
- var. kinabaluensis, Austroboletus, 4
- didactyla, Peltigera, 399
- diddensiae, Candida, 229
- didolotii, Ophiobolus, 89
- didyma, Blastocladia, 945
- didymae, Uromyces, 791
- didymospora, var., Ascocoma eucalypti, 575
- didymus, Didymoporisporonites, 287 ('didyma')
- , Dyadosporonites, 121
- , Multicellaesporites, 130
- dieffenbachiae, Phyllosticta, 210
- diervillae, Erysiphe, 240
- , Lasiobolium, 54
- diexipula, Lecidea, 1060
- differentialis, Multicellaesporites, 253
- diffissa, Phlebia, 90
- diffuens, Rhodotorula, 138, 310
- , Tyromyces, 998
- , Vanrija, 141
- , var., Laetiporus discolor, 393
- diffractaica, Flavoparmelia, 883
- , Rimelia, 1074
- , Xanthoparmelia, 705
- diffractaicus, Oropogon, 979
- diffusa, Pseudocercospora, 1070
- , Russula, 905
- var. fissurans, Russula, 905
- var. rotundispora, Russula, 1075
- forma elongata, Microsphaera, 352
- diffusum, Leproloma, 890
- var. chrysodetoides, Leproloma, 891
- diffusus, Saccobolus, 557
- digeriae, Septoria, 175
- digitalina, Ascochyta, 1043
- , Conocybe, 952
- digitariae-biformis, Puccinia, 403 ('digitaria-biformis')
- digitariae-violascens, Uredo, 63 ('digitariae-violascens')
- digitariicola, Puccinia, 695 ('digitariicola')
- digitata, Atelocauda, 331
- digitatus, Goosomyces, 885
- digitiformis, Parmelia, 303
- , Xanthoparmelia, 410
- digitipila, Hyalopeziza, 672
- dilatata, Acaulospora, 517
- dilatatum, Thelotrema, 33
- dilatohypha, Wolfiporia, 368
- dilcheri, Inapertisporites, 347
- , Meliolinites, 166 ('dilcherii')
- dillieniana forma muscicola, Lecanactis, 296
- dilleniicola, Asterostomella, 521
- dilophospora, Sarcostroma, 501 ('dilophosphora')
- diluta, var., Skeletocutis nivea, 265
- dilutus subsp. asperimus, Cortinari, 194
- dimerum, Microdochium, 395

- dimidiata, *Badimia*, 521
 —, *Wrightoporia*, 620
 —, var., *Bondarzewia berkeleyi*, 379
 dimidiatum, *Scytalidium*, 1077
 —, *Stecchericum*, 995
 diminuens var. *crystalophora*,
 Hysteropezizella, 761
 diminutiva, var., *Ramaria spinulosa*, 844
 diminutivus, var., *Lactarius indigo*, 52
 dimitica, *Heterochaete*, 201
 —, *Trechispora*, 62
 dimiticum, var., *Ganoderma curranii*, 242
 dimiticus, *Gloeoporus*, 962
 dimorpha, *Codinaea*, 115
 —, *Dictyochaeta*, 957
 —, *Hygrocybe*, 539
 —, *Microsphaera*, 252
 —, *Mycotorula*, 599
 —, *Unguiculariopsis*, 847
 —, var., *Microsphaera berberidis*, 129
 ('dimorpha')
 dimorphicum, *Glomus*, 536
 dimorphospora, *Melampsora*, 251
 dimorphosporum, *Disporotrichum*, 338
 —, *Helminthosporium*, 671
 —, *Phialemonium*, 305
 dimorphotheca, *Tubifera*, 141
 dimorphum, *Aphanocladium*, 519
 —, *Deltosperma*, 830
 —, *Smittium*, 313
 dimorphus, *Hermatomyces*, 538
 dimota, var., *Megaloblastenia marginiflexa*,
 251
 dinghuensis, *Mycena*, 598
 —, *Pholiota*, 496
 dingleyae, *Gomphus*, 431 ('dingleyi')
 —, *Hadrosporium*, 14
 —, *Metacapnodium*, 129
 —, *Proliferodiscus*, 691 ('dingleyi')
 —, *Rhinocladium*, 60
 dioicae var. *firma*, *Puccinia*, 137
 — var. *micropuncta*, *Puccinia*, 263
 — var. *opizii*, *Puccinia*, 211
 dionysae, *Cortinarius*, 1049
 dioscoreae, *Mycovellosiella*, 895
 —, *Cylindrosporium* see *Pseudocercospora*
 miyabei
 dioscoreicola, *Stenella*, 214
 diosma, *Mycena*, 167
 —, var., *Inocybe phaeodisca*, 393
 diosmoides, *Cortinarius*, 953
 diospyri, *Bovetia*, 190
 —, *Discosiella*, 121, 158, 197
 —, *Hypoxylon*, 760
 —, *Pestalotiopsis*, 1066
 —, *Sarcinella*, 175
 diospyri-erianthae, *Pseudocercospora*, 1070
 diospyri-morrisianae, *Pseudocercospora*, 1070
 dipapillosa, *Gigaspora*, 480
 —, *Scutellospora*, 614
 dipcadi, *Uromyces*, 368
 dipeltae, *Microsphaera*, 300
 diphasei, *Micropeziza*, 129
 diphodes, subsp., *Caloplaca variabilis*, 523
 dipigmentata, *Russula*, 992
 diplax, *Ladrococcus*, 595
 diplococca, *Lecania*, 676
 diplocystis, *Hemimycena*, 964
 —, *Pterospora*, 361
 —, *Tetrapyrgos*, 701
 diplodina, forma, *Ascochyta dipsaci*, 944
 —, forma, *Ascochyta rudbeckiae*, 944
 diplodinoides, *Phomopsis*, 774
 diplodioides, *Neotestudina*, 682
 diplophlyctidis, *Rozella*, 779
 diplotyia, *Nadvornikia*, 1063
 diplotypa, *Mycobilimbia*, 770
 dipodomyicola, var., *Penicillium*
 griseofulvum, 687
 dipodomys, var., *Penicillium chrysogenum*,
 687
 dipsaci forma *diplodina*, *Ascochyta*, 944
 dipterigena, *Erynia*, 12
 —, *Pandora*, 980
 dipterobia, *Hypocrea*, 540
 dipurpurens, *Scutellospora*, 906
 dirumpens, *Lecidella*, 127
 dischroipes, *Cortinarius*, 1049
 —, *Myxadium*, 895, 1063
 discicola, *Nectria*, 493
 —, *Nectriopsis*, 977
 disciformis, *Cintractia*, 472
 —, *Inapertisporonites*, 125
 — var. *major*, *Diatrype*, 9
 discipes, *Corioliopsis*, 424
 discissum, *Phaeotrema*, 133 ('discissa')
 discitypicus, *Multicellaesporites*, 206
 —, *Staphlosporonites*, 214
 discoidea, *Petrakina*, 495
 discoideocapitata, *Cordyceps*, 193
 discoideus, *Cyathus*, 9
 — var. *californicus*, *Hygrophorus*, 433
 discolomidinus, *Phaulomyces*, 446
 discolor, *Entoloma*, 47
 —, *Laetiporus*, 393
 — var. *brunnescens*, *Laetiporus*, 393
 — var. *diffuens*, *Laetiporus*, 393
 — var. *pallidus*, *Laetiporus*, 393
 — forma *specialis domesticae*, *Tranzschelia*,
 560
 — forma *specialis dulcis*, *Tranzschelia*, 560
 — forma *specialis persicae*, *Tranzschelia*, 560
 —, subsp., *Boletus luridiformis*, 743
 —, var., *Boletus queletii*, 577
 —, var., *Entoloma polioipus*, 479
 —, var., *Microporellus burkillii*, 680
 —, var., *Tricholoma arvense*, 617, 789
 discophila, *Nectria*, 493
 —, *Nectriopsis*, 977
 discophora, *Calonectria* see *Nectria*
 phaeodisca
 discophorum, *Entoloma*, 47
 discordans, subsp., *Parmelia omphalodes*, 356
 discordiabile, *Entoloma*, 47 ('discordiabilis')
 discostipitatus, *Cyathus*, 955
 discoxanthus var. *chrysaspis*, *Hygrophorus*,
 966, 1057
 — forma *fageticola*, *Hygrophorus*, 1057
 discrepans, *Merismatium*, 1062
 —, forma, *Opegrapha vermicellifera*, 302
 discreta, *Neurospora*, 600
 —, *Scoptria*, 453

—, var., *Scutellinia scutellata*, 175
discretus, *Hymenoscyphus*, 484
disjecta, *Miriquidica*, 768
disjoncta, *Paleocatenaria*, 303, 684
disjuncta, *Megalospora*, 488
disjungenda, *Diomedella*, 386
—, *Lecanora*, 1060
dispar, *Archeplax*, 574
—, *Candelabrochaete*, 524
disparile, *Entoloma*, 47
dispermum, *Entoloma*, 755
dispersa, *Cryptothecia*, 878
—, *Pocsia*, 210
—, *Puiggarina*, 902
—, *Teratosphaeria*, 266
dispersellum, *Crocicreas*, 79
dispersum, *Pseudeurotium*, 92 ('dispersa')
—, *Schizothyrium*, 557
dispersus, *Lactarius*, 52
—, *Zwackhiomyces*, 1081
disphaericus, *Dicellaesporites*, 120
disporum var. *citrinum*, *Rhizocarpon*, 556
—, var., *Crustoderma sabinicum*, 830
dissa, *Rinodina*, 405
dissecta, *Postia*, 900
—, *Ramalina*, 903
dissectus, *Tyromyces*, 97
disseminata, *Lachnella*, 295
—, *Lepiota*, 86
—, *Simocybe*, 615
—, *Strickeria*, 785 ('Strickera')
—, *Xeromphalina*, 97
disseminatoides, *Coprinus*, 829
disseminatus, *Coprinellus*, 283 ('disseminata')
—, *Flammulaster*, 48
dissensio, *Cortinarius*, 424
dissepta, *Eutypella*, 756
dissidens, *Cortinarius*, 45
—, forma, *Russula krombholzii*, 905
dissiliens, *Boletellus*, 75
—, *Hebeloma*, 343
—, *Hydopus*, 244
dissimile var. *aporpum*, *Entoloma*, 429
('aporpus')
dissimilis, *Cryptothecia*, 878
—, *Pseudocyphellaria*, 65
—, *Strattonia*, 503
—, var., *Lactarius argillaceifolius*, 51
dissimulans, *Sarcodon*, 364
dissingii, *Helvella*, 834
dissipabilis, *Farnoldia*, 289
—, *Melanolecia*, 129
dissitifolia, *Xanthoparmelia*, 620
dissolvens, *Sporidesmium*, 558
dissultum, *Thelotrema*, 100
dissutum, *Thelotrema*, 33
distans, *Anisomeridium*, 739
— forma *longissima*, *Morchella*, 490
— forma *spathulata*, *Morchella*, 490
—, var., *Hebeloma pseudofastibile*, 344
distincta, *Asteromassaria*, 189
—, *Perrotia*, 1066
—, *Psiloparmelia*, 990
—, var., *Mycena alphitophora*, 975
distinctissima, *Ramaria*, 1072
— var. *americana*, *Ramaria*, 843

distinctum, *Melanomma*, 767 ('distincta')
—, *Mniopetalum*, 88
—, *Tarichium*, 909
distinguens, *Entoloma*, 47
distorta, *Physconia*, 401
— var. *amara*, *Collybia*, 283
— forma *acutoumbonata*, *Collybia*, 951
distortum, *Ophiostoma*, 355
—, var., *Microsporium canis*, 300
ditopa, *Gnomonia*, 291
ditrichi, *Lamprospora*, 763
divaricata, *Helicoma*, 591
divaricatae, var., *Puccinia fragilis*, 608
divaricatus, *Arctomyces*, 151
—, *Pithomyces*, 552
divergens, *Biscogniauxia*, 1044
—, *Bryocaulon*, 522
—, *Thyrea*, 560
— var. *macrospora*, *Biscogniauxia*, 1044
diversa, *Cladonia*, 660
—, *Exidiopsis*, 667
—, *Porpidia*, 987
—, *Triadelphia*, 997
diversicolor, *Hygrocybe*, 539
—, *Russula*, 60
diversicoloratum, *Trichocladium*, 27
diversum, *Chaetothyrium*, 580
diverticulata, *Melanoleuca*, 55
divertigastrea, *Drepanoconis*, 958
dividens, *Phaeographina*, 99
divisum, *Catapyrenium*, 1045
—, *Murciasporidium*, 18
divum, *Entoloma*, 47
djamor var. *cyathiformis*, *Pleurotus*, 135
— var. *fuscopruinosus*, *Pleurotus*, 135
— var. *fuscroseus*, *Pleurotus*, 135
— var. *roseus*, *Pleurotus*, 135'
— var. *terricola*, *Pleurotus*, 135 ('terricolus')
djongoensis, var., *Russula congoana*, 905
dlaminii, *Fusarium*, 480 ('dlamini')
dobremezii, *Uromyces*, 704
dobrogensis, var., *Aspicilia calcarea*, 29
dobrozakoviana, *Ramularia*, 991
dobzhanskii, *Dekkerymyces*, 1053
—, *Zygofabospora*, 793
—, var., *Kluyveromyces marxianus*, 51
dodartiae, *Guignardia*, 669
dodgei, *Penicillium*, 20
—, *Sphaerophorus*, 313
dodoneae, *Episphaerella*, 480
—, *Pseudocercospora*, 136
doiana, *Cordyceps*, 156
doidgei, *Biscogniauxia*, 1044
—, *Erysiphe*, 667
dolichi, *Pseudocercospora*, 136
dolichocaulis, *Arcangeliiella*, 151
dolichoderi, var., *Cordyceps cucumispora*, 193
—, var., *Cordyceps kniphofioides*, 193
—, var., *Hirsutella ovalispora*, 201
—, var., *Hirsutella stilbelliformis*, 201
dolichoderinarum, *Stilbella*, 139
dolichospermus, *Spizellomyces*, 406
dolichospora, *Peltigera*, 604
dolichovirga, *Arborispora*, 654
doliiforme, *Sporidesmium*, 139
doliiformis, *Stenella*, 314 ('doliiformia')

- dolium, *Diporicellaesporites*, 197
 —, *Stridiporosporites*, 215
 dolomitica, *Opegrapha*, 547
 —, subsp., *Lecanora campestris*, 350
 —, var., *Opegrapha saxicola*, 65
 dolomiticola, var., *Caloplaca velana*, 523
 dolophana, forma, *Acarospora macrospora*, 187
 dolosa, var., *Bacidia sabuletorum*, 63
 dolosellum, *Crocicreas*, 79
 — var. *tropicum*, *Crocicreas*, 118
 dolosum, *Entoloma*, 47
 dolosus, *Gloeoporus*, 962
 dombeyae, *Oidium*, 683
 domestica, *Entomophaga*, 882
 domesticae, forma *specialis*, *Tranzschelia discolor*, 560
 domicalis, *Eutypella*, 756
 domingensis, *Letroitia*, 165
 —, *Molliardiomyces*, 353
 dominicana, *Fellhanera*, 534
 dominicum, *Lyophyllum*, 250
 dominikii, *Glomus*, 834
 donacina, *Phaeosphaeria*, 983
 donacis, *Sclerostagonospora*, 614
 donadiniana, *Peziza*, 773
 donadinii, *Marcelleina*, 766
 —, var., *Cuphophyllum pratensis*, 1052
 dongyingensis, *Multicellaesporites*, 206
 donkii var. *echinosporum*, *Diderma*, 196
 donneri, *Xanthoparmelia*, 621
 dooksii, *Lophophacidium*, 394
 dopicola, *Exophiala*, 12
 dorata, *Puccinosira*, 137
 doryalidis, *Eutypella*, 756
 dorycnii, *Ascochyta*, 655
 doryphorae, *Schiffnerula*, 781
 dothideaspora, *Mycomicrothelia*, 492
 doualae, *Multicellaesporites*, 300
 douglasii, *Wettsteinia*, 619
 — var. *hoodii*, *Puccinia*, 608
 dovrensis, *Pilophorus*, 775
 downwardensis, *Hysterostegiella*, 294
 downingiae, *Doassansia*, 478
 dozyana, *Pseudocypbellaria*, 498
 dracaenae, *Discochora*, 586
 —, *Dothiorella*, 121
 dracaenicola, *Phyllosticta*, 210
 draconis, *Gloniella*, 537
 —, *Phoma*, 306
 dracophylli, *Meloderma*, 893
 —, *Propolis*, 553
 dracunculi, *Puccinia*, 695
 dracunculina, var., *Puccinia absinthii*, 136
 drechsleri, *Leptosphaeria*, 596
 —, *Pythium*, 903, 990 ('*Pithium*')
 dregeae, *Dendryphiella*, 879, 956
 drepanochaeta var. *insignis*, *Meliola*, 893
 drepanodes, subsp., *Rhizocarpon lecanorinum*, 556
 dreyfussii, *Chaetomium*, 524
 drimeia var. *pseudorhodopoda*, *Russula*, 612
 — forma *mellina*, *Russula*, 612
 — forma *viridis*, *Russula*, 612
 drimidis, *Simocybe*, 615
 drimydis, *Candida*, 381 ('*drymisii*')
 dringii, *Laterna*, 165
 drosodes, *Bisporella*, 111
 drosophilum, *Dekkeromyces*, 1053
 —, *Zygobaspora*, 793
 —, var., *Kluyveromyces marxianus*, 51
 drummondii, *Pleospora*, 307
 —, *Stemphylium*, 314
 dryadeus var. *brevisporus*, *Inonotus*, 126
 dryadicola, *Clitocybula*, 334
 —, *Hydropus*, 672
 —, *Lepiota*, 248
 dryadis, *Crocicreas*, 79
 —, *Grahamiella*, 83
 —, *Lentomita*, 764
 —, *Othia*, 1064
 —, *Paracainiella*, 256
 —, *Phaeosphaeria*, 1067 ('*dryadea*')
 — var. *macrospora*, *Sydowiella*, 1078
 —, var., *Naemacyclus lambertii*, 599
 dryadoides, *Pichia*, 358
 dryadum, var., *Clitocybe bresadoliana*, 582
 drylii, *Pseudosphaerita*, 554 ('*dryli*')
 dryocoetidis, *Leptographium*, 437
 —, *Ophiostoma*, 355
 dryophila, *Collybia*, 873
 —, *Inocutis*, 392
 —, *Obolarina*, 494
 —, *Russula*, 612
 — var. *aquosa*, *Collybia*, 748
 — var. *funicularis*, *Collybia*, 334
 — var. *xanthochroa*, *Collybia*, 582
 dryophilus, *Strobilomyces*, 559
 —, *Xerocomus*, 706
 dualis, *Chalara*, 192
 duartei, *Podosporium*, 401
 dubia, *Muscicola*, 491
 —, *Paraisaria*, 303
 —, *Peyritschia*, 445
 — var. *teretiuscula*, *Physcia*, 552
 dubitans, *Cetrariastrum*, 98
 dubitata, *Xanthoparmelia*, 621
 dubitskii, *Coelomomyces*, 526
 dubium, *Cercosporidium*, 191
 —, *Physarum*, 689
 dubius, *Hydropus*, 244
 ducale, *Entoloma*, 47
 ducheminii, *Agaricus*, 466, 737, 941
 duchesneae, *Frommeella*, 431
 ducleana, *Clitocybe*, 951
 ducleanus, *Pulveroboletus*, 309
 duckerae, *Coniella*, 749
 ductilum, *Dubiocarpon*, 339
 dudleyi, *Sarcoscypha*, 364
 duguetiae, *Dietelia*, 120
 dulcamara var. *squamosoannulata*, *Inocybe*, 967
 dulcamaroides, *Inocybe*, 887
 dulce, *Entoloma*, 47
 dulciaminis, *Candida*, 745
 —, *Rhodotorula*, 992, 1073
 dulciolens, *Tricholoma*, 910
 dulcis, forma *specialis*, *Tranzschelia discolor*, 560
 dulongjiangensis, *Gymnopilus*, 590
 dumbirensis, *Ciboria*, 872
 dumeti, *Hysterostegiella*, 294

- , *Stegopeziza*, 95
dumeticola, var., *Ramalina nervulosa*, 310
dumontii, *Anomoporia*, 654
—, *Hypoxylon*, 434
—, *Melanotus*, 973
—, *Mycena*, 975
—, *Nochascypha*, 301
dumorum, *Fuscolachnum*, 961
—, *Lachnum*, 541
dunalii, var., *Lentinus triginus*, 437
dunarum, *Psathyrella*, 449
dunense, *Entoloma*, 47
dunensis, *Amanita*, 277
—, *Panaeolus*, 303
—, *Psathyrella*, 449
— var. *paucicystidiosa*, *Inocybe*, 348
— forma *paucicystidiata*, *Inocybe*, 887
dunfordii, *Lactarius*, 52
dunicola, *Amanita*, 188
dustratosus, *Inonotus*, 762
duplex, *Wettsteinina*, 619
duplicans β *sublectum*, *Anthracotheicum* see
Polyblastiopsis muelleri
duplicarioides, *Cocomyces*, 7
duplicata, *Xanthoparmelia*, 621
duplicatum, *Leioderma*, 677
—, var., *Hebeloma mesophaeum*, 344
duplocingulatus, *Agaricus*, 2
duplmarginata, *Degelia*, 98
—, *Parmeliella*, 32
duportii, *Coltricia*, 335 ('*duporti*')
dura, *Ascocalvatia*, 575
—, *Montagnula*, 252
—, *Strickeria*, 785
duracinoides, forma, *Cortinarius*
decepvissimus, 335
duracinus var. *subvelatus*, *Cortinarius*, 1049
durangense, *Corticium*, 284
durangensis, *Macowanites*, 971
duranii, *Hypoxylon*, 434
durantonii, *Laboulbenia*, 541
durescens, *Fomitopsis*, 535
—, *Polyporus*, 360
duriaei, *Leveillula*, 351
durietzii, *Degelia*, 98
—, *Pseudocyphellaria*, 261
—, *Xanthoparmelia*, 792
durissimus, *Phellinus*, 21
duriuscula, var., *Russula veternosa*, 613
duriusculus, *Hymenoscyphus*, 484
— var. *niveus*, *Boletus*, 946
— var. *populinus*, *Boletus*, 946
durum, *Conchatium*, 1047
—, *Keratinophyton*, 486
—, *Trichaptum*, 703
— var. *commune*, *Trichaptum*, 703
— var. *latiporum*, *Trichaptum*, 703
durumae, *Parmelia*, 132
—, *Parmotrema*, 257
durus, *Crenasclerotes*, 285
—, *Polyporus*, 401
dwaasbergensis, *Parmelia*, 981
dyadospora, *Psidimobipiospora*, 309
dybowskii, *Aspergillus*, 520
dyerae, *Guignardia*, 123
—, *Phyllosticta*, 134
dysderci, *Batkoa*, 945
dysodes, *Collybia*, 334
dysprosa, *Parmelia*, 399
—, *Xanthoparmelia*, 318
dzieduszyckii, *Polycoccum*, 22
dzungaricum, *Melanomma*, 680
('dzungarica')
d-arabinosum, var., *Geotrichum candidum*,
962
ealaensis, *Pholiotina*, 985
earlei, *Hygrocybe*, 760
—, *Marasmiellus*, 766
—, *Stigmina*, 315
earoleucus, *Proliferodiscus*, 260
eatonii, *Tephromela*, 407 ('*eatoni*')
ebbelsii, *Balladynopsis*, 74
eberhardtii, *Penicillium*, 89 ('*eberhardti*')
—, *Tyromyces*, 367
eborina, *Calocybe*, 229
ebuli, *Orbilia*, 601
eburina, *Glyphopeltis*, 481
eburnea, *Amanita*, 1042
—, *Mycena*, 769
—, *Rogersella*, 24
eburneum, *Psilachnum*, 498
— var. *cossus*, *Limacium*, 297
eburneus, *Austroboletus*, 576
—, *Cortinarius*, 475
—, *Lactarius*, 85
— var. *ervinii*, *Lactarius*, 51
— var. *quercuum*, *Hygrophorus*, 483, 539
('quercorum')
ecaperata, *Canoparmelia*, 579
ecadata, forma, *Psathyrella ammophila*, 900
ecbolii, *Pseudocercospora*, 693
eccentrica, *Rhodocybe*, 904
eccentricus, *Harpellomyces*, 342
—, *Kutchiathyrites*, 85
eccilioides, forma, *Entoloma fernandae*, 11
ecdysantherae, *Pseudocercospora*, 92
echidna, *Echinomyces*, 754
echinata, *Aleurina*, 518
—, *Conocybe*, 952
—, *Phaeophyscia*, 170
—, *Pratella*, 1068
echinella var. *asperula*, *Lepiota*, 248
— var. *eriphora*, *Lepiota*, 248
echinochloae, *Exserohilum*, 389
— var. *microspora*, *Periconia*, 208
echinonivosa, *Clavaria*, 828
echinophila, *Lanzia*, 164
—, *Trichoconis*, 504 ('*echinophilum*')
echinophora, *Peziza*, 208
—, *Scabropeziza*, 557 ('*Scabropezia*')
echinopsis, *Erysiphe*, 160
—, *Golovinomyces*, 884
echinosimilis, *Inocybe*, 887
echinospora, *Coprinusella*, 8
—, *Erynia*, 12
—, *Hypocrea*, 85
—, *Nectria*, 88
—, *Octospora*, 771
—, *Pandora*, 980
—, *Sporothrix*, 783
echinosporites, *Scleroderma*, 213
echinosporum, *Penicillium*, 169

- , var., *Diderma donkii*, 196
echinosporus var. *graminis*, *Coprinus*, 233
echinovolvata, *Dictyophora*, 830, 880
echino-brevispora, *Clavaria*, 828
echino-olivacea, *Clavaria*, 828
echinulata, *Cheiromyceopsis*, 872
—, *Emericella*, 159
—, *Gymnohydnotrya*, 885
—, *Hemibeltrania*, 243
—, *Lichenothelia*, 678
—, *Mallochia*, 597
—, *Maravalia*, 395
—, *Nectria*, 88
— var. *elegans*, *Cunninghamella*, 285
— var. *indica*, *Cunninghamella*, 80
echinulatum, *Acrodontium*, 277
—, var., *Penicillium cyclopium*, 304
echinulifera, *Mollisia*, 894
echo, *Pterula*, 23
echuyaense, *Aecidium*, 571 ('*echuyaense*')
eciliatum, var., *Leptochidium albociliatum*, 204
ecliptae, *Puccinia*, 555
ecmocyna subsp. *intermedia*, *Cladonia*, 64
ecrustacea, var., *Lecidea lactea*, 543
ectanea, subsp., *Xanthoria parietina*, 562
ectypa, *Armillaria*, 869, 1043
ectypoides, *Clitocybula*, 44
—, *Omphalina*, 255
ectypus, *Trametes*, 789
ecuadorensis, *Isariopsis*, 889
ecuadoriensis, *Flavoparmelia*, 668
ecuatorialis, *Spirotremesporites*, 95
edouardii, *Kakabekia*, 295 ('*eduardi*')
eduliformis, var., *Cortinarius elegantior*, 424
edulis, *Agaricus*, 737
—, *Pratella*, 988
—, *Rickiella*, 696
— var. *arenarius*, *Boletus*, 379
edurum, *Hebeloma*, 538
effecta, *Pestalotiopsis*, 20
effibulata, *Syzygospora*, 559
effibulatus, *Carcinomyces*, 191
effigurata, *Xanthoparmelia*, 621
—, var., *Lecanora subradicosa*, 127
efflorens, var., *Lecanora rupicola*, 969
efflorescens, *Candelariella*, 421
—, *Metus*, 767
effocatum, *Lyophyllum*, 836
effugiens, forma, *Simocybe haustellaris*, 994
effusa, *Amanita*, 2
—, *Apiosordaria*, 227
—, *Geniculifera*, 480
—, *Nemania*, 397
—, *Nimbospora*, 168
—, *Thozetella*, 267
—, *Tremella*, 702
—, var., *Viegasia costaricensis*, 704
effusum var. *microsporum*, *Diderma*, 665
effibulata, *Epithele*, 240
—, *Grandinia*, 199
—, *Kneiffiella*, 126
effibulatum, *Laeticorticium*, 349
—, *Sistotrema*, 365
—, forma, *Athelicism stridii*, 468
efibulis, *Lepiota*, 86
egedeana, *Rinodina*, 1074
egena, forma, *Lecidella stigmataea*, 543
egenula, *Astrosporina*, 655
—, *Psathyrella*, 449
egmontiana, *Dermocybe*, 879
egonii, *Entoloma*, 587
egranulosum, var., *Tulostoma fimbriatum*, 911
egregia, *Mycena*, 975
egregis, *Collybia*, 334 ('*egregia*')
egregium, *Entoloma*, 47
egressa, *Entomophthora*, 160
ehrenbergii, var., *Microsphaera lonicerae*, 205
ehrendorferi, *Crepidotus*, 955
ehretiae, *Phloeospora*, 21
—, *Phyllachora*, 605
—, *Phyllactinia*, 775
eickeri, *Acrodictys*, 188 ('*eickerii*')
eildonensis, *Gymnomyces*, 391
eiliffii, *Xanthoparmelia*, 621
eisenackii, *Archecribraria*, 278, 654
eitenianus var. *obscurus*, *Hydropus*, 244
ekmanii, *Bacidia*, 331
elachista, *Micarea*, 299
elachistophora, *Skyttea*, 61
elachistophorus, *Rhymbocarpus*, 1073
elachistoteron, *Myriotrema*, 30
elacinulata, *Parmelia*, 132
elactinulatum, *Parmotrema*, 604
elaeagni, *Ceraceospora*, 381, 422
—, *Eutypella*, 122
—, *Leveillula*, 765
—, *Stagonospora*, 502
—, *Phomopsis* see *Phomopsis arnoldiae*
elaeagnicola, *Pseudocercospora*, 693
elaeidis, *Lepteutypa*, 86
—, *Pestalospaeria*, 445
—, *Pseudospiropes*, 498
— var. *cubensis*, *Acrodictys*, 225
elaeiza, *Halecania*, 759
elaeocarpi, *Nanoschema*, 19
— var. *ovalis*, *Asterina*, 741
elaeocarpi-tuberculati, *Aecidium*, 329
('elaeocarpi-tuberculatae')
elaeochroma var. *flavosorediata*, *Lecidella*, 543
— var. *soralifera*, *Lecidella*, 127, 543
elaeodendri, *Leptospora*, 596
—, *Stenella*, 95
elaeodes, *Collybia*, 661
—, *Parmelia*, 132
—, *Russula*, 311
—, *Tricholoma*, 703
—, *Xanthoparmelia*, 621
elaeophora, var., *Caloplaça lithophila*, 744
elaeophylla, *Phaeocollybia*, 687
classozoma, var., *Hohenbuehelia geogenia*, 672
elastica, *Ductifera*, 197
—, *Omphalina*, 355
elasticae, *Ophiognomonia*, 303
elasticum, *Lamproderma*, 1059
elata, *Micropsalliota*, 894
— var. *costata*, *Morchella*, 396
— var. *nigripes*, *Morchella*, 396
— var. *purpurascens*, *Morchella*, 396

- , subsp., *Lecidea marginata*, 543
- elatella*, *Agrocybe*, 1041
- elateridicola*, *Cordyceps*, 234
- elateridiphaga*, *Entomophthora*, 12
- , *Erynia*, 121
- , *Zoophthora*, 63
- elatina*, *Lanzia*, 487
- elatinus*, *Piptoporus*, 448
- elator*, *Laurera*, 296
- forma *mucifluoides*, *Cortinarius*, 528
- forma *trivialis*, *Cortinarius*, 528
- , subsp., *Cortinarius lividoochraceus*, 1050
- elatipes*, *Porotenus*, 360
- , *Tricholomopsis*, 997
- elatoides*, *Morchella*, 490
- var. *elegans*, *Morchella*, 490
- elatovelutipes*, *Morchella*, 490
- elatus*, *Boletellus*, 421
- electicus*, *Agaricus*, 737
- elegans*, *Acarospora*, 737
- , *Argopericonia*, 574
- , *Arthrobotrys*, 468
- , *Artolenzites*, 655, 740
- , *Badimia*, 521
- , *Blastobotrys*, 420
- , *Blastocladia*, 945
- , *Canalisporium*, 949
- , *Ceratopodium*, 422
- , *Coelomomyces*, 526
- , *Collaria*, 156
- , *Conocybe*, 283
- , *Cortinarius*, 953
- , *Cyrenella*, 80
- , *Didymoporisporonites*, 196
- , *Digitodesmium*, 120
- , *Diporisporites*, 197
- , *Holubovaniella*, 482
- , *Lasiostictis*, 296
- , *Lobatopedis*, 204
- , *Palaeocirrenalia*, 256
- , *Paradactylaria*, 980
- , *Phaeoannellomyces*, 445
- , *Phellinus*, 400
- , *Phragmocephala*, 496
- , *Piricaudiopsis*, 690
- , *Psathyrella*, 260
- , *Pyrenula*, 778
- , *Sopagraha*, 453
- , *Stephembruneria*, 996
- , *Tetrabrachium*, 701
- , *Tricharia*, 367
- , *Trichocladium*, 617
- subsp. *compacta*, *Xanthoria*, 562
- subsp. *orbicularis*, *Xanthoria*, 562
- var. *minor*, *Rhopalomyces*, 556
- var. *pallens*, *Collaria*, 384
- forma *subvitellina*, *Caloplaca*, 281
- , *Rhodophyllus* see *Rhodophyllus*
- elegantior*
- , *Corallomyces* see *Nectria mauritiicola*
- , forma, *Inocybe pusio*, 246
- , forma, *Parmelia taractica*, 132
- , var., *Cunninghamella echinulata*, 285
- , var., *Morchella elatoides*, 490
- elegantior*, *Amygdalaria*, 739
- , *Rhodophyllus*, 60
- subsp. *volvatus*, *Cortinarius*, 424
- var. *eduliformis*, *Cortinarius*, 424
- forma *volvatus*, *Cortinarius*, 424
- elegantissima*, *Chithramia*, 828
- , *Codinaea*, 156
- , *Hygrocybe*, 539
- , *Subulispora*, 455
- elegantissimus*, *Cortinarius*, 1049
- forma *volvaceus*, *Cortinarius*, 425
- ('volvacea')
- , subsp., *Cortinarius cedretorum*, 1048
- elegantula*, *Protoventuria*, 1068
- subsp. *infumata*, *Parmelia*, 548
- elephantopodis*, *Pseudocercospora*, 1070
- eleusines*, forma *specialis*, *Pyricularia grisea*, 555
- elevata*, *Aspicilia*, 110
- , forma, *Trechispora farinacea*, 617
- elevatum*, *Entoloma*, 47 ('elavatum')
- eliae* forma *exannulata*, *Amanitaria*, 573
- elisavetae*, *Catapyrenium*, 828
- , *Dermatocarpon*, 664
- elixii*, *Xanthoparmelia*, 410
- elliottii*, *Fellhanera*, 534
- ellipsoideale*, *Helminthosporium*, 391, 432
- ellipsoidea*, *Amepiospora*, 278
- , *Pseudallescheria*, 173 ('ellipsoideum')
- , *Rimbachia*, 363
- , *Torrubiella*, 215
- ellipsoideispora*, *Mycousteria*, 546
- ellipsoides*, *Psammopomopiospora*, 308
- ellipsoideum*, *Bactrodesmium*, 468
- , *Chaetomium*, 231
- ellipsoideus*, *Aspergillus*, 42
- , *Hypoxylonites*, 293
- , *Psilodiporites*, 309
- ellipsospora*, *Arthrobotrys*, 419
- , *Gymnohydnotrya*, 885
- , *Ovulariopsis*, 980
- , *Perenniporia*, 357
- , *Poria*, 402
- , *Protodontia*, 1068
- , *Trametes*, 702
- , forma, *Leptoporus wynnei* see *Tyromyces wakefieldiae*
- , forma, *Leptoporus wynnei*, 891
- ellipsosporum*, *Lachnum*, 675
- elliptica*, *Veronaea*, 63
- ellipticospora*, forma, *Amanita verna*, 573
- ellipticum*, *Molgosporidium*, 18
- , *Ramichloridium*, 310
- ellipticus*, *Dicellaesporites*, 80
- , *Inapertisporites*, 347
- , *Koralionastes*, 762
- , *Multicellaesporites*, 130
- ellisiana*, *Erynia*, 588
- , *Furia*, 961
- , *Perenniporia*, 444
- , *Poria*, 402
- ellisii*, *Bipolaris*, 228
- , *Calathella*, 281
- , *Cochliobolus*, 232
- , *Dothiora*, 587
- , *Kylindria*, 295
- , *Microsphaera*, 167
- , *Tephrocyebe*, 909

- , *Tomentella*, 140
 — var. *tofieldina*, *Nectria*, 976
ellisiorum, *Hyphopolynema*, 392
elongata, *Colispora*, 829
 —, *Perenniporia*, 133, 399
 —, *Phaeosphaeria*, 983
 —, *Phyllosticta*, 170
 —, *Semifissispora*, 175
 —, forma, *Microsphaera diffusa*, 352
 —, var., *Amanita vaginata*, 868
elongatipes, *Gymnopilus*, 590
elongatispora, *Sordaria*, 558
elongatisporum, *Lachnum*, 487
elongatoperitheciata, *Cordyceps*, 78
elongatostromata, *Cordyceps*, 234
elongatum, *Morosporium*, 396, 440
 — forma *phyllostachydis*, *Capnodium*, 745
elongatus, *Dicellaesporites*, 385
 —, *Fusiformisporites*, 390
 —, *Hirschioporus*, 433
 —, *Hypoxylonites*, 294
 —, *Inapertisporites*, 202
 —, *Multicellaesporites*, 130
 —, *Psilodiporites*, 403
 —, *Sporobolomyces*, 266
 —, *Striadadoysporites*, 96
 —, *Triporicellaesporites*, 217
elschani, *Hendersonula*, 964
elsholtzia, *Erysiphe*, 160
 —, *Peronospora*, 445
 —, *Plasmopara*, 306
 —, *Pseudoperonospora*, 403
 —, *Sphaerotheca*, 139
elsikii, *Multicellaesporites*, 975
 —, *Multicellaesporonites*, 88
 —, *Psidimbipiospora*, 309
 —, *Retihelicosporonites*, 404
 —, *Staphlosporonites*, 266
elymandrae, *Uredo*, 847
elymi, *Phaeosphaeria*, 983
elynae, *Diplonaevia*, 338
elyonuri-candidi, *Sphacelotheca*, 994
 ('*elyonuri-candidii*')
emaculata, *Septoria*, 453
emasculata, *Dietelia*, 120
embeliae, *Aplosporella*, 189 ('*Haplosporella*')
 —, *Stenella*, 139, 995
 —, *Uncinula*, 1079
embrapaensis, *Collybia*, 951
emergens, *Cryptothecia*, 530
 —, *Diplonaevia*, 338
 —, *Parathelium* see *Pyrenula erumpens*
emerichelopsis, *Stilbella*, 503
emerici, *Lachnum*, 487
emetica var. *multifurcata*, *Russula*, 612
 — var. *violacea*, *Russula*, 612
emeticicola, var., *Russula pyrenaica*, 213
emeticicolor forma *purpureoatra*, *Russula*, 612
emili, *Strickeria*, 785 ('*Strickera*')
emilii, *Aulographum*, 1043
 —, *Phaeosphaeria*, 983
eminens, *Myriotrema*, 30
emini, *Hirneola*, 243
emini, *Humphreya*, 50
emmonsii, *Penicillium*, 20
- , *Xylohypha*, 849
emodensis, *Coniochaeta*, 156
 —, *Thielavia*, 177
emondensis, *Puccinia*, 23
emotoi, *Stemonitis*, 455
empetri, *Guignardia*, 758
emplastra, *Phanerochaete*, 985
encaustis, *Laboulbenia*, 763
encephalarti, *Catillaria*, 29
 —, *Fellhanera*, 534
encoensis, *Pseudocyphellaria*, 901
endlicheri forma *decussata*, *Arthonia*, 279
endobrya, *Arthopyrenia*, 151
endocarpum, *Epibryon*, 48
endochorda, *Oudemansiella*, 548
endochromatica, *Parmelia*, 840
 —, *Pseudoparmelia*, 694
 —, *Xanthoparmelia*, 621
 —, *Pseudoparmelia* see *Xanthoparmelia krogiae*
endochrysea, *Xanthoparmelia*, 913
endococcina var. *decolor*, *Phaeophyscia*, 550
 — var. *khumbuensis*, *Phaeophyscia*, 133
endococcinea, var., *Squamacidia janeirensis*, 995
endococcinodes, *Phaeophyscia*, 133, 258
endocrocea, *Pyxine*, 695
endocyanea, *Micarea*, 767
 —, *Schaereria*, 32
endoferruginea, *Coccocarpia*, 232
endogaea, *Picardella*, 447
endogaeus, *Scalenomyces*, 452
endogena, *Olpidiopsis*, 547
endogranulosus, *Diporicellaesporites*, 120
endoleuca, var., *Micarea lignaria*, 299
endolutea, *Pyxine*, 695
endoparasitica, *Phialophora*, 209
endophaea, *Micropsalliota*, 894
endophloea, *Strickeria*, 785 ('*Strickera*')
endophytica, *Chaetosphaeria*, 155
endosporicum, *Guizhounema*, 391
endoxantha, *Cetraria*, 382
endoxanthoides, *Cetraria*, 382
enecta, var., *Taeniospora gracilis*, 788
engadinensis, *Nodulosphaeria*, 683, 1064
engadinum, *Entoloma*, 197
enigmaticus, var., *Akenomyces costatus*, 329
enkianthi, *Phyllactinia*, 447
enneapogonis, *Puccinia*, 211
enodis, *Cribraria*, 285
enodulosa, *Sebacina*, 615
enormis, *Cryptophiale*, 955
 —, *Polyadosporites*, 307 ('*Polyadosporonites*')
ensifforme, *Sporidesmium*, 176
enterica, *Monilia*, 838
entericus, *Endomyces*, 831
enterochroma, *Chloroscypha*, 231
enteroleuca var. *inflouescens*, *Phoma*, 447
 ('*inflouescens*')
enterolobii, *Puiggarina*, 902
enteromorphoides, *Hypogymnia*, 64
enteroxantha, *Xanthoparmelia*, 621
entolomoides, *Inopilus*, 247
entotheiochroa, *Myelochroa*, 682
eocaenicus, *Clasterosporites*, 383
eogranulata, *Russula*, 697, 992

- eomeconis, Albugo, 73
 eos, Grifola, 963
 epallocalus, Utharomyces, 28
 eparchi, Dimeromyces, 586, 753
 eperforata, Menegazzia, 299
 ephebea, Tornabea, 66
 —, Tornabeniopsis, 66
 ephedrae, Mycosphaerella, 681
 —, Phylloporia, 447
 ephemera, Pyrenophora, 263
 ephemeroderma, Ramaria, 1073
 ephemerus forma saturatus, Coprinus, 233
 ephippium, Oudemansiella, 601
 ephistemi, Phaulomyces, 446
 epia, Lactocollybia, 542
 epibioticum, Helotium, 200
 epibryon, Pertusaria, 445
 epibryum, Helotium, 200
 epicallopismus, Weddellomyces, 619
 ('epicallopismum')
 epicharis var. indica, Lepiota, 165
 epichloe, Nectriopsis, 977
 epichloë, Helotium, 200
 epichlorina, Buellia, 744
 epichnoa var. indica, Lentaria, 437
 epicymatica var. rubescens, Pharcidia, 57
 epigaea, Clitocybe, 473
 —, Xanthoparmelia, 621
 epigejos, var., Puccinia coronata, 361
 epileuca, Canoparmelia, 579
 epilobii, Dendrotrichoscypha, 477
 epimedii, Erysiphe, 82
 — var. brunnea, Erysiphe, 82
 epimelanostola, Didymella, 586
 epimilvina, Rinodina, 363
 epimyces, Microthyria, 55
 —, Nectriopsis, 977
 epimycota, Nectriopsis, 977
 epinectria, Nectriopsis, 977
 epipastus, Hymenagaricus, 346
 epiphloeodica, Clitocybe, 473
 epiphorellum, Coelocaulon, 526
 epiphylla, Belemnosporea, 111
 —, Lichenopeltella, 891
 —, Mycosphaerella, 130 ('epithylli')
 —, forma, Cladonia cervicornis, 525
 epiphyllodes, Hymenoscyphus, 15
 epiphyllum, Roccellinastrum, 264
 epiphyllus, Thidiomyces, 267
 — var. acarius, Hymenoscyphus, 484
 epipolia, Podabrella, 987
 epipterygia var. atrovirens, Mycena, 975
 — var. brunneola, Mycena, 975
 — var. fuscopurpurea, Mycena, 975
 — var. griseovirens, Mycena, 130
 — var. pelliculosa, Mycena, 130
 — var. sophia, Mycena, 441
 — var. splendidipes, Mycena, 975
 epirhododendron, Marasmius, 766
 epiroticum, Hysterangium, 540
 episema, Kiliasia, 393
 epispertus forma albus, Acervus, 1041
 episphaeria, Berlesiella, 656
 epitaphrum, Crociacra, 79
 epitaphrus, Dichomitrus, 337
 epitheliosa, Russula, 311
 epitheloides, Vesiculomyces, 268
 epitrichialis, Marasmiellus, 971
 epitrypa, Ocellularia, 31
 epixantha, forma, Inocybe nitidiuscula, 294
 —, var., Inocybe friesii, 887
 epixanthoides, Biatora, 1044
 epochnii, Anomalemma, 278
 epulotica var. macrocarpa, Ionaspis, 126
 equadoriensis, Cetrariastrum, 98
 equalis, Xanthoparmelia, 621
 equatoriense, Microthyriolum, 55
 equi, Caecomyces, 948
 —, Papulaspora, 980
 equina, Fimaria, 13
 equinum, Sphaerosporium, 558
 equiseti, Chaetomastia, 950
 —, Lanzia, 436
 —, Unguicularia, 506
 —, Urceolella, 704
 equisetinum, Psilachnum, 498
 equitis, Aspergillus, 520
 eragrostidicola, Uromyces, 848
 eragrostidiphila, Uredo, 847
 eragrostidis, Cercospora, 382 ('eragrostis')
 —, Cochliobolus, 748
 —, Pseudocochliobolus, 498
 eragrostidis-capensis, Uredo, 847
 eragrostiellae, Bipolaris, 742
 —, Drechslera, 10
 eranthemi, Corynespora, 8
 erecta, Fomitiporia, 389
 erectoides, Licea, 297
 erectus, Phellinus, 170
 —, Rigidoporus, 696
 eremaeum, Haematomma, 163
 eremophila, Candida, 745
 —, Leptosphaerella, 765
 —, Leptosphaeria, 765
 —, var., Pichia kluyveri, 775
 eremophilum, Didymium, 46
 eremophilus, Monascus, 768
 eremopyri, Septoria, 698
 erianthi, Sporisorium, 454
 ericae, Calycellina, 5
 —, Hymenoscyphus, 293
 —, Pseudoplectanina, 694
 ericetorum, Arthonia, 943
 —, Gelatinopsis, 1055
 —, Omphalina, 131
 —, Phytoconis, 775
 erici, Poronia, 842
 ericina, Phanerochaete, 90
 ericinum, Oidium, 771
 erigerontis, Aporellula, 574
 erigerontis-elongati, Puccinia, 23
 ('erigerontis-elongata')
 erikae, Pontogenia, 92
 erikssonii, Acrospermum, 1041
 —, Corticium, 193 ('eriksonii')
 —, Ophiosphaerella, 19
 —, Phaeosphaeria, 983
 —, Zakatoshia, 623
 erinacea, Erynina, 12
 —, Heterodermia, 759
 —, Uredinophila, 704
 erinaceomorpha, var., Inocybe cordalina, 485

- erinaceus, *Hymenagaricus*, 346
 —, *Phaeomarasmius*, 605
 —, *Pouzaromyces*, 260
 erinensis, *Hygrocybe*, 163
 eriobotryae, *Macrophoma*, 205
 —, *Pseudocercospora*, 1070
 —, *Trematosphaerella*, 62
 eriobotryicola, *Cercoseptoria*, 76
 eriocauli, *Moesziomyces*, 545
 eriocheir, *Septocylindrium*, 175
 eriocryptum, *Camarosporium*, 745
 erioderma, *Leucoagaricus*, 128
 eriolaenae, *Irenopsis*, 1059
 eriophora, var., *Lepiota echinella*, 248
 eriophori, *Nimbomollisia*, 254
 erlangshanensis, *Microsphaera*, 300
 erosa, *Gloeohoppia*, 199
 —, *Parmelia*, 303
 —, *Xanthoparmelia*, 621
 erratica, *Fenestella*, 588
 —, *Micarea*, 1062
 erraticus, *Hymenoscyphus*, 124, 347
 ershadii, *Marssonina*, 54
 erubescens, *Entoloma*, 47
 —, *Panellus*, 684
 —, *Parmotrema*, 257
 —, var., *Leucoagaricus badhamii*, 128
 erumpens, *Dendrophora*, 664
 —, *Hebeloma*, 964
 —, *Ocellularia*, 31
 —, *Physcia*, 606
 —, *Pyrenula*, 902
 eruptens, *Canoparmelia*, 579
 —, *Xanthoparmelia*, 705
 ervatamiae, *Meliola*, 893
 —, *Pseudocercospora*, 59
 ervinii, var., *Lactarius eburneus*, 51
 eryngii var. *ferulaginis*, *Pleurotus*, 1068
 — var. *tuoliensis*, *Pleurotus*, 776
 —, forma, *Levellula taurica* see *Levellula braunii*
 erysiphoides, *Euoidium*, 588, 960 ('*Euoidium*')
 erythospilota, *Inocybe*, 392
 erythra, *Gigaspora*, 341 ('*erythropha*')
 erythrinae, *Elsinoë*, 478
 erythrinella, *Nectriella*, 1063
 erythrinellus, *Cortinarius*, 876
 erythrinicola, *Dasyscyphus*, 45
 —, *Eutypella*, 756
 —, *Physalospora*, 22
 erythrinigena, *Cercoseptoria*, 76
 ('*erythrinigena*')
 erythrocardia, *Coccocarpia*, 232
 erythrocarpum, *Leioderma*, 677
 erythromellis, *Penicillium*, 20
 erythromyces, *Mycena*, 300
 erythropha, *Scutellospora*, 614
 erythropus, *Hymenoscyphus*, 124
 — var. *junquilleus*, *Boletus*, 469
 — var. *rubropileus*, *Boletus*, 332
 —, var., *Boletus luridus*, 577
 erythrospermoides, var., *Cladonia varians*, 660
 erythrospila, *Micropsalliota*, 545
 erythrostoma, *Hyphonectria*, 84
 erythroxyli, *Maravalia*, 352
 erythroxyliifoliae, *Trichonectria*, 997
 erythrinicola, *Lachnum*, 349
 eryuanensis, *Ramaria*, 1073
 escaulatus, *Marasmius*, 488
 eschscholtziae, *Crocicreas*, 79
 eschweileri, *Tomasella*, 66
 esculenta, *Clitocybula*, 951
 — var. *bubaci*, *Gyromitra*, 481
 — var. *crassipes*, *Morchella*, 396
 — var. *fulva*, *Gyromitra*, 481
 — var. *vulgaris*, *Morchella*, 974
 — forma *alba*, *Morchella*, 769
 —, var., *Morchella rotunda*, 491
 esculentus β *albus*, *Boletus* see *Boletus persoonii*
 esculi, *Sawadaea*, 452
 esheri, *Bactrodesmium*, 228
 eskuchei, *Gyalectidium*, 758
 esorediata, *Foraminella*, 431
 —, *Parmeliopsis*, 168
 espeletiae, *Hohenbuehelia*, 964
 espeletiarum, *Crocicreas*, 118 ('*espeletarum*')
 essettei, *Agaricus*, 151, 226
 esslingerii, *Thelotrema*, 33
 estcourtensis, *Puccinia*, 843
 esterhuyseniae, *Neofuscelia*, 547
 —, *Xanthoparmelia*, 621
 ethanolica, *Candida*, 112
 ethanolitolerans, *Torulopsis*, 408
 — var. *minor*, *Torulopsis*, 408
 etheridgensis, *Parmelia*, 132
 ethzedia, *Alternaria*, 467
 —, *Lewia*, 488
 etiolata, forma, *Stropharia coprophila*, 315
 etoshica, *Gonohymenia*, 669
 euaestheti, *Phaulomyces*, 446
 euborelliae, *Distolomyces*, 478
 eubradycelli, *Laboulbenia*, 486
 euaeruleus, *Cortinarius*, 1049
 eucalypti, *Anthostomella*, 942
 —, *Ascomoma*, 575
 —, *Blastacervulus*, 742
 —, *Civisubramaniana*, 581
 —, *Cytosphaera*, 196
 —, *Cytospora*, 752
 —, *Davisoniella*, 752
 —, *Dendryphiella*, 286
 —, *Dichomitus*, 477
 —, *Dictyoachaeta*, 957
 —, *Discosporium*, 288 ('*eucalyptii*')
 —, *Hyphoderma*, 835 ('*eucalyptii*')
 —, *Lachnellula*, 675
 —, *Lactarius*, 676
 —, *Macrohilum*, 766
 —, *Murogenella*, 253
 —, *Plectosphaera*, 92
 —, *Pleospora*, 899
 —, *Pseudocercospora*, 1070
 —, *Rehmiodothis*, 779
 —, *Sclerogone*, 1077
 —, *Seimatosporium*, 175
 —, *Strickeria*, 785 ('*Strickera*')
 —, *Thaxteriellopsis*, 788 ('*eucalyptii*')
 —, *Thyrinula*, 789
 —, *Torrendiella*, 702

- var. *didymospora*, *Ascomoma*, 575
- , *Murogenella* see *Coryneum gregoryi*
- eucalypticola*, *Catenophoropsis*, 828
- , *Lachnum*, 675
- , *Sonderhenia*, 845
- , *Sporidesmium*, 907
- , *Stigmina*, 908
- , *Valsa*, 791
- eucalyptina*, *Physalospora*, 775
- eucalyptium*, *Lyophyllum*, 891
- eucalyptorum*, *Galerina*, 883
- , *Pseudocercospora*, 989
- , *Sonderhenia*, 845
- eucommiae*, *Pseudocercospora*, 777
- eucryphiae*, *Apiotrichum*, 378
- eucripta*, *Harknessia*, 124
- eudermata*, *Dactylella*, 476
- eugeniae*, *Arbusculidium*, 189
- , *Discosporium*, 10
- , *Marasmiellus*, 971
- , *Neoarbuscula*, 301
- , *Pestalotiopsis*, 57, 1066
- , *Thaxteriella*, 702
- euglaucum*, *Eupenicillium*, 240
- eugrammus*, *Agaricus*, 867
- var. *brevisporus*, *Pleurotus*, 135
- var. *fuscovineus*, *Pleurotus*, 135
- var. *radicicola*, *Pleurotus*, 135
- (*'radicicolus'*)
- euhortensis*, forma, *Boletus hortensis*, 946
- eulissi*, *Peyritsiella*, 445
- eulividum*, *Entoloma*, 479
- eulophiae*, *Uredo*, 561
- , *Uromyces*, 368
- eumorpha*, *Ocellularia*, 31
- eumorphus*, var., *Pyrofomes tricolor*, 990
- eunomia* var. *fraxini*, *Cryptosphaeria*, 751
- euonymicola*, *Stagonospora*, 26
- eosma*, *Fomitopsis*, 960
- eupatorii*, *Asterina*, 741
- , *Meliola*, 973 (*'eupatoriae'*)
- eupatoriicola*, *Pseudocercospora*, 360
- eupatorii-formosani*, *Pseudocercospora*, 59
- eupatorii-odorati*, *Mycovellosiella*, 130
- , *Phaeoramularia*, 258
- euphorbiacearum*, *Asteridiella*, 655
- , forma *specialis*, *Oidiopsis taurica*, 896, 978
- euphorbiae*, *Alternaria*, 467, 518
- , *Anthostoma*, 519
- , *Bipolaris*, 945
- , *Candida*, 229
- , *Erysiphe*, 289
- , *Hymenoscyphus*, 484
- , *Passalora*, 257
- , *Phaeoramularia*, 258
- , *Pichia*, 259
- var. *euphorbiae-dulcis*, *Melampsora*, 205
- , *Erysiphe* see *Erysiphe reddyana*
- euphorbiae-dulcis*, var., *Melampsora euphorbiae*, 205
- euphorbiae-hirtae*, *Sphaerotheca*, 502
- euphorbiae-khandalensis*, *Phyllosticta*, 986
- euphorbiae-piluliferae*, *Pseudocercospora*, 211
- euphorbiae-verrucosae*, *Gnomoniella*, 291
- euphorbiana*, *Nectria*, 19
- euphorbiaphila*, *Pichia*, 358
- euphorbiicola*, *Alternaria*, 467
- , *Euoidium*, 960 (*'euphorbicola'*)
- euphorbiophila*, *Candida*, 191
- (*'euphorbiaphila'*)
- , *Hansenula*, 200 (*'euphorbiaphila'*)
- euphorea*, *Lecidella*, 30
- euphoriae*, *Aurificaria*, 331
- euphratica*, *Podospora*, 691
- euprasinus*, *Cortinarius*, 1049
- euprivignus*, *Cortinarius*, 1049
- forma *holophaea*, *Cortinarius*, 1049
- eupurpureus*, *Boletus*, 656
- eupyrena*, *Pestalotiopsis*, 1066
- eurasiaticogalactinum*, *Scytinostroma*, 781
- eureka*, *Alternaria*, 467
- , *Lewia*, 488
- euroflavescens*, *Hygrophorus*, 483
- europae*, *Chrysosporium*, 525
- europaea*, *Campanella*, 332
- , *Hyphodiscosia*, 84
- , var., *Microsphaera ornata*, 252
- europaeum*, var., *Diderma globosum*, 830
- europaeus*, *Camptomyces*, 75
- , *Histeridomyces*, 15
- , subsp., *Cortinarius albidus*, 424
- europheoides*, *Ophiostoma*, 548
- eurotiae*, *Camarosporium*, 658
- , *Coniothyrium*, 662
- eurychades*, *Ocellularia*, 1064
- eurysporus*, *Chaetocalathus*, 950
- euscaphidis*, *Uncinula*, 791
- euskadiensis*, *Rinodina*, 452
- euspora*, *Nanoscypha*, 130
- eustacei*, *Butlerella*, 5
- eustomoides*, *Phaeosphaeria*, 983
- eustriatulus*, *Cortinarius*, 528
- eustygium*, *Lyophyllum*, 204
- euteiches* forma *specialis phaseoli*, *Aphanomyces*, 151
- forma *specialis pisi*, *Aphanomyces*, 151
- eutelea*, *Antrodia*, 330
- eutepes*, *Diatrype*, 752
- eutheles* var. *clavicolor*, *Inocybe*, 348
- var. *commutabilis*, *Inocybe*, 348
- (*'Inocybe'*)
- var. *eutheloides*, *Inocybe*, 348
- var. *fusodeicystis*, *Inocybe*, 348
- var. *kuehneri*, *Inocybe*, 348 (*'Kühneri'*)
- var. *xanthodiscoides*, *Inocybe*, 348
- euthelia*, *Polyblastiopsis*, 776
- eutheloides*, var., *Inocybe eutheles*, 348
- evanescens*, *Exidiopsis*, 240
- evansii*, *Hypotrachyna*, 164
- forma *icterica*, *Cladina*, 383
- evenii*, *Tubulicrinis*, 560
- evensoniae*, *Hebeloma*, 343
- everardensis*, *Parmelia*, 304
- , *Xanthoparmelia*, 621
- everhartii*, *Pseudoseptoria*, 23
- , *Septoria*, 453 (*'everhardtii'*)
- everniastroides*, *Hypotrachyna*, 540
- evernica*, *Parmelia*, 981
- , *Parmeliopsis*, 841
- , *Xanthoparmelia*, 621
- everniiformis*, *Cortinarius*, 1049

- , forma, *Cortinarius brunneovulvus*, 875
evernius var. *fragrans*, *Cortinarius*, 384, 876
evidens, *Multicellaesporites*, 206
evodiae, *Phyllosticta*, 986
—, *Uncinula*, 141
evolutoides, var., *Stereocaulon saxatile*, 266
evolvens var. *cucullatum*, *Cylindrobasidium*, 336
evosmus, *Cortinarius*, 1049
exalbicans, *Psathyrella*, 172, 260, 449
—, forma, *Psathyrella spadiceogrisea*, 450
exalbidus, var., *Agaricus fiardii*, 226
exemplaris, *Xanthoparmelia*, 621
exannulata, *Conocybe*, 116
—, *Pholiotina*, 551
—, forma, *Amanita spissa*, 1042
—, forma, *Amanitaria eliae*, 573
—, forma, *Amanitaria pantherina*, 573
—, forma, *Amplariella rubescens*, 574
—, var., *Amanita junquillea*, 226
—, var., *Lepiota cristata*, 127
exarata, *Phaeosphaeria*, 983
exasperatosporum, *Tulostoma*, 267
exasperatum var. *ridleyi*, *Tulostoma*, 911
excavata, *Aspicilia*, 521
excedens, *Conocybe*, 233
excellens, *Xylopezia*, 562
excelsa, *Blastocladia*, 945
—, *Leptosphaeria*, 86
—, *Phoma*, 91
—, *Truncatella*, 1079
—, forma maxima, *Amanita*, 226
—, var., *Amanita spissa*, 277
excentrica, *Eccilia*, 881
—, *Galerina*, 883
—, *Kylindria*, 436
excentricum, *Cylindrotrichum*, 830
—, *Trichothecium*, 141
—, var. *porphyrocephalum*, *Entoloma*, 197
excentricus, *Hydropus*, 244
—, *Sarcodon*, 452
excentri-mexicanus, *Phellodon*, 447
('excentri-mexicana')
excipularis, *Aspicilia*, 110
excipulata, *Micarea*, 837
excipuliformis, *Handkea*, 963
excissa, *Metrodia*, 352
excoriata var. *rubescens*, *Macrolepiota*, 128
exedrus, *Dissitimurus*, 753
exhalans, subsp., *Cortinarius amarescens*, 528
exigua, *Diplonaevia*, 338
—, *Maravalia*, 395
—, *Mycromicrothelia*, 492
—, *Nectriella*, 301
—, *Nectriopsis*, 168
—, *Rimularia*, 1074
—, var. *heteromorpha*, *Phoma*, 985
—, var. *lilacis*, *Phoma*, 306
—, var., *Issatchenkia scutulata*, 294
—, var., *Pholiotina coprophila*, 985
exiguipora, *Inocybe*, 835
exiguum, *Dictyostelium*, 287, 338
exiguus, *Panellus*, 684
exile, *Myriotrema*, 30
—, var. *pyrospilum*, *Entoloma*, 479
exilior, var., *Cladonia rappii*, 231
exilis, *Clitocybe*, 951
—, *Peyritschella*, 445
—, *Phanerochaete*, 550
—, *Pluteus*, 987
—, var. *apatetica*, *Arthonia*, 279
—, var. *austriacus*, *Pluteus*, 987
—, var., *Inocybe rufuloides*, 762
exillima, *Parmelia*, 132
—, *Xanthoparmelia*, 621
eximia, *Auricularia*, 74
—, *Buelliella*, 1044
—, *Parmelia*, 603
—, forma *schizocostata*, *Morchella*, 490
eximioides, *Morchella*, 490
eximium, *Entoloma*, 82
—, *Leccinum*, 350
exochordiae, *Pseudocercospora*, 693
exogena, *Leptolegniella*, 764
exornata, *Flavoparmelia*, 535
—, *Lobaria*, 438
—, *Namakwa*, 839
—, *Parmelia*, 399
—, *Xanthoparmelia*, 318
—, var. *corallophora*, *Lobaria*, 438
exornatula, *Phaeophyscia*, 399
exorrhiza, *Astrosphaeriella*, 575
expallens, *Crustomyces*, 751
—, *Dentocorticium*, 879
—, *Laeticorticium*, 86
—, *Teloschistes*, 616
expallida, *Parmelinopsis*, 686
expansa, *Pseudocypbellaria*, 608
—, *Thielavia*, 177
expansum, *Exobasidium*, 122
expulsum, *Protostelium*, 92
exquisita, *Parmelia*, 685
exquisitus, var., *Agaricus arvensis*, 941
('exquisita')
exscissa var. *iris*, *Melanoleuca*, 837
exserta, *Chaenothecopsis*, 382 ('exsertum')
exsiliens, *Mollisia*, 680
expectata, *Roccellina*, 310
extendens, *Myriotrema*, 1063
extensa, *Macrohyporia*, 351
—, *Wolfiporia*, 410
—, var. *curta*, *Microsphaera*, 205
extensus, *Phellinus*, 447
extinguens, *Tolypocladium*, 366
extramundana, *Coniochaeta*, 115
extraordinarium, *Entoloma*, 47
extremiorientalis, *Krombholziella*, 202
extumescens, *Parorbiliopsis*, 604
exuta, *Ocellularia*, 99
exuviata, *Parmelia*, 208
—, *Xanthoparmelia*, 368
eyrei, *Lepiota*, 248
ezeizae, *Mycena*, 491
—, forma, *Pseudolyophyllum flexuosum*, 1072
fabae forma *specialis* *fabae*, *Ascochyta*, 575
—, forma *specialis* *lentis*, *Ascochyta*, 575
—, forma *specialis*, *Ascochyta fabae*, 575
fabalis, forma, *Fusarium avenaceum*, 241
fabarum, forma, *Fusarium avenaceum*, 241
fabianii, *Pichia*, 358
fabispora, *Schaereria*, 614
fabryi, var., *Debaryomyces hansenii*, 477

- fabularis*, *Beltraniopsis*, 576
facis, *Cordyceps*, 234 ('*Codyceps*')
faecalis, *Endomyces*, 831
faecilis, *Monilia*, 838
fagacearum, *Erysiphe*, 82 ('*fagacarum*')
fagariae, *Telimenopsis*, 62
fagariola, *Leptosphaerella*, 765
—, *Leptosphaeria*, 765
fageticola, *Russula*, 612
—, *forma*, *Hygrophorus discoxanthus*, 1057
—, *var.*, *Cortinarius herpeticus*, 425, 475
fagetorum, *Russula*, 612
—, *var.*, *Lactarius cinereus*, 52
fagi, *Collybia*, 748
—, *Marasmius*, 1061
—, *Pleomassaria*, 987
—, *Rhexoampullifera*, 174
—, *Scutocypha*, 25
fagicola, *Brunnipila*, 470
—, *Endophragmiella*, 81
—, *Lachnum*, 595 ('*fagicolum*')
—, *Pleuroflammula*, 606
—, *Polyscytalum*, 135
—, *Psathyrella*, 449
—, *Taphrina*, 266
—, *forma*, *Elaphomyces muricatus*, 881
—, *var.*, *Lactarius gerardii*, 52
fagifolii, *Myiocopron*, 55
fagina, *Calycellina*, 470
—, *Unguiculella*, 141
faginea, *Candelariella*, 1045
—, *var.*, *Usnea rigida*, 561
fagiseda, *Capitotricha*, 471
fagopyri, *Cercospora*, 471
—, *Ramularia*, 499
fagraeae, *Mycosphaerella*, 55
—, *Tyromyces*, 998
fahrendorffii, *Gnomonia*, 291
faisalabadensis, *Mucor*, 441
falcata, *Ceratocystiopsis*, 76
—, *Gloeosporidiella*, 83
—, *Idriella*, 164
—, *Pseudohalonectria*, 989
falcatispora, *Marasmius*, 892
falcatispora, *var.*, *Gyrothrix podosperma*, 670
falcatoides, *Cordyceps*, 44
falcato-sporifera, *Heterochaete*, 1057
falcatus, *Autoicomycetes*, 420
—, *Pseudospiropes*, 211
—, *Sporobolomyces*, 845
falklandica, *Roccellina*, 310
fallaceicolor, *Cortinarius*, 117 ('*fallacecolor*')
fallacia, *Endophragmiella*, 121
fallaciosa, *Dimerella*, 120
—, *Julella*, 762
fallaciosus, *Laeviomyces*, 1059
fallax, *Boletellus*, 280, 1044
—, *Cortinarius*, 117, 583
—, *Dermaticum*, 477
—, *Fayodia*, 340
—, *Hadrospora*, 963
—, *Lasioboloidium*, 296
—, *Piloderma*, 359
—, *Scytinostromella*, 94
—, *Tricholoma*, 560
—, *Tricladium*, 367
—, *var. subsorediosa*, *Xanthoria*, 623
—, *var.*, *Diploschistes ocellatus*, 665
—, *var.*, *Hebeloma marginatum*, 343
—, *var.*, *Lecidea pantherina*, 99
falsaria, *Pyrenula*, 902
falsarius, *Cortinarius*, 583
falsidica, *Mycena*, 598
famata *var. flareri*, *Candida*, 471
fanjingensis, *Boletellus*, 521
—, *var.*, *Lasallia asiae-orientalis*, 204
farcimosum, *var.*, *Histoplasma capsulatum*, 482, 671
farinacea, *Antrrodia*, 418
—, *Pseudoomphalina*, 694
—, *Torrubiella*, 215
—, *var. hypoprotocetraria*, *Ramalina*, 556
— *forma elevata*, *Trechispora*, 617
farinaceum, *Celidium*, 949
—, *Sistotrema*, 406
—, *var.*, *Entoloma largentii*, 587
farinasprellum, *Entoloma*, 238
farinosa, *Wuestneia*, 1001
—, *Xanthoparmelia*, 705
—, *var. mexicana*, *Amanita*, 418
—, *var. reagens*, *Aspicilia*, 379
farinosum, *Yamadazyma*, 1080 ('*farinosa*')
—, *var.*, *Schismatomma abietinum*, 312
farinosus, *Stephanosascus*, 455
farlowii, *Coccomyces*, 7
faroensis, *Lamprospora*, 763
fasciata, *Ceratocystiopsis*, 76
—, *Chaetendophragmia*, 471
—, *Collybia*, 334
—, *Endophragmiella*, 959
fasciatus, *Coelomomyces*, 526
—, *Marasmius* *see* *Collybia fasciata*
fasciculare *var. mitis*, *Hypholoma*, 50
—, *var. subviride*, *Hypholoma*, 347, 540
fascicularis, *Pratella*, 988
—, *Psilocybe*, 361
fasciculata, *Ramaria*, 263
—, *Trochophora*, 618 ('*fasciculatum*')
fasciculatostromata, *Cordyceps*, 193
fasciculatum, *Cylindrotrichum*, 385
—, *Dictyostelium*, 120
—, *Ramichloridium*, 556
fasciculatus, *Clavariadelphus*, 873
—, *Clitopilus*, 283
—, *Paxillus*, 168
fashamensis, *Puccinia*, 778
fastibile *forma ammophilum*, *Hebeloma* *see* *Hebeloma psammophilum*
fastidiosus, *Hymenoscyphus*, 124
fastigiata *var. aladiori*, *Inocybe*, 348
—, *var. alpestris*, *Inocybe*, 593
—, *var. colorans*, *Ramalina*, 695
fastigiatus, *Blasticomyces*, 420
fastuosa, *Dendrospora*, 9
faticens, *var.*, *Rinodina atrocinnerea*, 556
fatrensis, *Endophragmiella*, 532
fatshederae, *forma specialis*, *Fusarium oxysporum*, 241
fatsiae, *Meliola*, 18
fausta, *Parmelia*, 603
fautreyi, *Phaeosphaeria*, 983
favacea *subsp. nespiakii*, *Diatrypella*, 531

- favoloides, *Pleurotus*, 987
 —, *Trichaptum*, 703
 favreana, *Mycenella*, 681
 favrei, *Entoloma*, 197
 —, *Galerina*, 589
 —, *Gerronema*, 199
 —, *Hebeloma*, 432
 —, *Inocybe*, 593
 —, *Lactarius*, 203
 —, *Lepiota*, 248
 — var. *mundula*, *Inocybe*, 593
 — forma *pallidus*, *Cortinarius*, 829
 favulus, *Tyromyces*, 998
 februarina, *Psilocybe*, 990
 fecunda, *Schadonia*, 32
 fecundisporum, *Glomus*, 162
 fedtschenkoi, *Uromyces*, 791
 feeaeum, *Anisomeridium*, 63
 feijoae, *Pseudocercospora*, 900
 felina, *Beauveria*, 42
 —, *Gliomastix*, 83
 felinoides, *Lepiota*, 350, 437
 —, var., *Lepiota cristata*, 127
 felkaensis, *Xanthoparmelia*, 913
 fellea, *Alnicola*, 518
 —, *Armillaria*, 227
 felleicolor, *Cortinarius*, 953 ('felleaeicolor')
 —, var., *Cortinarius fraudulosus*, 1049
 felleum, *Hebeloma*, 343
 felleus forma *albiceps*, *Boletus*, 522
 — forma *plumbeoviolaceus*, *Boletus*, 522
 — forma *rubrobrunneus*, *Boletus*, 522
 fellneri, *Pseudombrophila*, 843
 femoralis, *Clitocybe*, 334
 femsioeensis, *Phlebia*, 90
 fendleri, *Tuckermannopsis*, 790
 fenestrata, *Tryblidaria*, 618
 fenestratum, *Kaleidosporium*, 85
 fenestratus, var., *Panus fulvus*, 131
 fengshanensis, *Pseudocercospora*, 308
 feniculum, var., *Pseudolyophyllum obsoletum*, 1072
 fennae, *Flammulina*, 290 ('*Flammulinae*')
 fennica, *Bryoria*, 743
 —, *Candida*, 230
 —, *Diachora*, 585
 —, *Laboulbenia*, 295
 —, *Siemaszkoa*, 313
 —, var., *Puccinia calcitrapae*, 136
 fennicum, *Phacidium*, 445
 —, var., *Schismatomma abietinum*, 312
 fennoscandicus, *Eucantharomyces*, 289
 fenzeliana, *Roestelia*, 60
 feraegula, *Cryptococcus*, 878
 ferax, *Flavoparmelia*, 535
 ferenotabilis, *Trichosphaeria*, 997
 ferganense, *Catapyrenium*, 828
 fergusii, *Perenniporia*, 773
 ferinsolitus, *Cortinarius*, 953
 fernandaeae forma *eccilioides*, *Entoloma*, 11
 fernandeziana, *Thelenella*, 788
 fernbankensis, *Trichia*, 408
 feroniae, *Colletogloeum*, 7
 ferox, *Antrodia*, 418
 ferraroiana, *Xanthoparmelia*, 705
 ferreum, *Amylostereum*, 330
 ferruginascens, forma, *Agaricus campestris*, 41
 ferruginea, *Aleurina*, 518
 —, *Azbukinia*, 1043
 —, *Brigantiaea*, 470 ('*ferrugineum*')
 —, *Chaillietia*, 1046
 —, *Cuphocybe*, 80
 —, *Perenniporia*, 981 ('*Perenniporis*')
 —, *Pertusaria*, 169
 — var. *hungarica*, *Caloplaca*, 523
 —, forma, *Cytospora leucostoma*, 157
 —, forma, *Polysporina simplex*, 553
 —, var., *Inocybe flocculosa*, 761
 ferrugineipes, *Cortinarius*, 876
 ferruginella, *Tephroclype*, 407
 ferrugineofuscum, *Phellinidium*, 399
 ferrugineomaculata, var., *Mycena galericulata*, 769
 ferrugineum, *Cladosporium*, 661
 ferrugineus, *Ascobolus*, 153
 —, *Xerocomus*, 458, 623
 ferruginicincta, *Ceriporia*, 43
 ferruginipes, *Polyporus*, 401
 ferruginosa, *Cordyceps*, 78
 —, *Fibulochlamys*, 960
 ferruma, *Xanthoparmelia*, 621
 fertilis, *Ceratosporella*, 422
 —, *Dictyochaeta*, 385
 —, *Tridentaria*, 997
 ferulaginis, var., *Pleurotus eryngii*, 1068
 festiva, *Parmelia*, 1065
 festivus, *Austroboletus*, 4
 festucae, *Morenoia*, 18
 — var. *muhlenbergiae*, *Phaeoseptoria*, 57
 festucae-parviglumae, *Uredo*, 63
 fetanensis, *Phaeosphaeria*, 983
 fiardii, *Agaricus*, 226
 —, *Marasmius*, 250
 — var. *exalbidus*, *Agaricus*, 226
 fibrillosa, *Calocybe*, 578
 —, *Krombholziella*, 202
 —, *Phlebiella*, 688
 —, *Tricharina*, 504
 —, forma, *Galerina unicolor*, 241
 fibrillosibrunnea, *Inocybe*, 674
 fibrilloseum, forma, *Tulostoma fimbriatum*, 911
 fibrillosus, *Leucocoprinus*, 891
 fibrillosa, *Lanzia*, 487
 fibrosus, *Achroomyces*, 225
 fibula var. *pores-adustus*, *Coriolus*, 45
 — var. *pores-adustus*, *Polystictus*, 448
 fibulata, forma, *Ramaria spinulosa*, 499
 fibulatum, *Ceratobasidium*, 282
 fibulatus, *Glutinoaggar*, 13
 —, var., *Marasmius straminipes*, 972
 fibuliger, *Boletellus*, 280
 fibuligera, *Thermophymatospora*, 617
 fibulosus, *Glomerulomyces*, 963
 fici, *Asteromella*, 827
 —, *Cercoseptoria*, 746 ('*Cercoseptora*')
 —, *Cryptosporiopsis*, 426
 —, *Fusicladium*, 13
 —, *Maravalia*, 395
 —, *Mycovellosiella*, 599
 —, *Ophiovalsa*, 207

- ficicola, *Leptodothiorella*, 128
 ficina, *Stenella*, 176
 fici-chartaceae, *Pseudocercospora*, 59
 fici-erectae, *Phakopsora*, 133
 fici-septicae, *Pseudocercospora*, 1070
 ficophila, *Diplodia*, 753
 —, *Discella*, 753
 —, *Phoma*, 774 ('*ficophilum*')
 —, *Valsaria*, 791
 — var. *sublibera*, *Diplodia*, 753
 — var. *zythia*, *Phoma*, 774
 —, var., *Thelephora cinerea*, 789
 ficophilum, *Gliostroma*, 758
 —, *Myxosporium*, 770
 —, *Seimatosporium*, 782 ('*Seimatosporum*')
 fidele, *Entoloma*, 47
 fijiensis, *Relicina*, 609
 filamentosa, *Blastocladia*, 945
 —, *Codinaea*, 156
 —, *Malbranchea*, 205
 —, *Phanerochaete*, 550
 —, *Rhodocollybia*, 696
 filamentosum, *Polysphondylium*, 136
 —, *Tricholoma*, 847, 997
 —, var., *Tricholoma pardinum*, 316
 filarius, *Kyphomyces*, 436
 filibrillosus, *Hymenoscyphus*, 1057
 filiattenuatum, *Sporidesmium*, 314
 filicaulis, *Ramalina*, 695
 filiceum, *Lachnum*, 675
 filicina, *Lachnella*, 541
 —, *Nochascypha*, 301
 —, *Phlebiella*, 688
 filicinus, *Hymenoscyphus*, 15
 filicis, *Mollisinopsis*, 353
 filicis-feminae, *Pseudocercospora*, 901
 filicis-marais, *Lanzia*, 165
 filicum, *Allophylaria*, 1041
 —, *Cyathicula*, 751
 filifera, *Epigloea*, 388
 filiforme, *Chrysosporium*, 155
 —, *Helotium*, 200
 filiformis, *Coccocarpia*, 232
 —, *Corollospora*, 749
 —, *Eomycetopsis*, 239
 —, *Macrotyphula*, 892
 —, *Nawawia*, 55
 —, *Phomopsis*, 447
 filipendula var. *capillaris*, *Usnea*, 561
 filipendulae, *Phloeospora*, 898
 —, *Sphaerotheca*, 139
 filispora, *Niptera*, 896, 1064
 —, *Pleurotrema*, 100
 filocystis, *Marasmiellus*, 205
 filopes, *Marasmiellus*, 54
 — var. *metata*, *Mycena*, 253
 filsonii, *Relicina*, 609
 —, *Rinodina*, 405
 —, *Xanthoparmelia*, 621
 filuloides, forma, *Laccaria pumila*, 1059
 fimbriata, *Encoelia*, 478
 —, *Morenoina*, 18
 —, *Olivea*, 355
 —, *Pseudocyphellaria*, 261
 —, *Pyxidiophora*, 174
 —, *Russula*, 780
 fimbriatella, *Junghuhnia*, 295
 fimbriatoides, *Pseudocyphellaria*, 261
 fimbriatum, *Acladium*, 465
 —, *Gloeocystidiellum*, 162
 —, *Lasiostemma*, 676
 —, *Schizothecium*, 993
 — var. *campestre*, *Tulostoma*, 27
 — var. *egranulosum*, *Tulostoma*, 911
 — var. *heterosporum*, *Tulostoma*, 911
 — var. *punctatum*, *Tulostoma*, 911
 — var. *tuberculatum*, *Tulostoma*, 911
 — forma *fibrillosum*, *Tulostoma*, 911
 fimbriatus, *Hydropus*, 244
 —, *Inonotus*, 435
 —, *Naemacyclus*, 301
 —, *Panaeolus*, 980
 —, *Phragmothyrites*, 91
 fimbriifer var. *singerianus*, *Dasyscyphus*, 9
 fimbriomarginata, *Scutomollisia*, 24
 fimetaria, *Conocybe*, 527
 —, *Scutellinia*, 453
 fimeti, *Pseudallescheria*, 173
 fimicola, *Ceratocystis*, 76
 —, *Sphaerodes*, 176
 —, *Viennotidia*, 178 ('*Viennotidea*')
 fingens, *Catapyrenium*, 1045
 finkii, *Lepraria*, 437, 488
 finlandia, *Phialophora*, 496
 finlandica, *Pichia*, 358
 firma, *Phlebia*, 90
 —, var., *Puccinia dioicae*, 137
 firmianae, *Erysiphe*, 160
 —, *Phomopsis*, 134
 firmicola, *Phaeosphaeria*, 1067
 fischeri, *Usnea*, 791
 —, var., *Erysiphe cichoracearum*, 122
 fischerianus, *Aspergillus*, 520
 fissa, *Arrhenia*, 330
 —, *Ocellularia*, 31
 fissile, *Dicranidion*, 385
 fissiliformis, *Antrodiella*, 739
 —, *Perenniporia*, 444
 —, *Tyromyces*, 847
 fissurans, var., *Russula diffusa*, 905
 fissuratum, *Thelotrema*, 1078
 fissuratus, *Oropogon*, 979
 fissurella, *Phaeotheca*, 90
 fissurinum, *Myriotrema*, 99
 fissuriseda, *Mycobilimbia*, 1063
 fistulata, *Concamerella*, 115
 fistulosa var. *contorta*, *Macrotyphula*, 488,
 544
 fistulosum, *Glomus*, 1056
 —, *Lyophyllum*, 298
 fitzroyae, *Chloroscypha*, 423
 flabellatum, *Stereocaulon*, 407
 flabellatus, *Dimorphomyces*, 586, 753
 —, *Ripartites*, 212
 flabelliforme, *Mniopetalum*, 545
 —, *Xylocoremium*, 410
 flabelliformis, *Cheiomycina*, 580
 —, *Laboulbenia*, 763
 flabelliradiata, *Granulocystis*, 481
 —, *Phanerochaete*, 90
 flabelliradiatus, *Tubulicrinis*, 560
 ('*flabelliradiata*')

- flaccida var. lobata, *Lepista*, 596
 — forma caespitosa, *Lepista*, 543
 —, var., *Amanita umbrinolutea*, 738
 flaccidifolia, *Parmelia*, 132
 flaccidifolium, *Parmotrema*, 604
 flaccidum, *Camarosporium*, 155
 —, *Hebeloma*, 343
 — forma specialis *siphonostegium*,
 Cronartium, 830
 flagellariae, *Pseudocercospora*, 1070
 flagellata, *Alatospora*, 41
 —, *Pocheina*, 307
 —, forma, *Inocybe pallidipes*, 246
 flagellatum, *Collema*, 527
 flagelliforme, *Circinotrichum*, 581
 flagelliformis, *Mirandina*, 680
 —, *Psathyrella*, 497
 —, *Tricladiopsis*, 177
 flammans, *Rigidoporus*, 696
 flammea, *Gloeocystidiopsis*, 199
 —, *Loflammia*, 544
 flammeola, *Amanita*, 41
 flammeum, *Gerronema*, 962
 flammipes var. *depauperatus*, *Pluteus*, 307
 ('depauperata')
 flammuloides, *Hebeloma*, 343
 —, *Pholiota*, 400, 898
 — var. *longiventriosopilis*, *Hebeloma*, 432
 flareri, *Blastodendron*, 576
 —, *Candida*, 421, 578
 —, var., *Candida famata*, 471
 flava, *Amyloporiella*, 378
 —, *Camarops*, 578
 —, *Flabellimycena*, 340
 —, *Mollisina*, 129
 —, *Mycolindtneria*, 895
 —, *Phaeocollybia*, 687
 —, *Stephanospora*, 455
 —, *Wrightoporia*, 620
 — var. *aurea*, *Ramaria*, 263
 — var. *varicata*, *Ramaria*, 609
 —, var., *Fuligo septica*, 883
 flavella, *Nectriopsis*, 977
 — var. *roseipes*, *Inocybe*, 761
 —, var., *Inocybe rimosa*, 1058
 flavelloides, *Buellia*, 190
 flaventior, *Flavopunctelia*, 340
 —, *Punctelia*, 173
 flavescens, *Agaricus*, 466
 —, *Caloplaca*, 332
 —, *Clavulinopsis*, 473
 —, *Crustoderma*, 157
 —, *Godfrinia*, 537
 —, *Leucocoprinus*, 128
 —, *Pratella*, 1068
 —, *Roccellinastrum*, 1074
 —, *Sporopodium*, 845
 —, *Tapesia*, 701
 —, *Psalliota* see *Agaricus pseudocretaceus*
 flavescens, *Xanthoparmelia*, 100
 flavescens, *Cortinari*, 528
 flavicans, *Coccocarpia*, 232
 —, *Dimerella*, 830
 —, *Phaeographis*, 170
 — var. *costaricensis*, *Teloschistes*, 366
 flavicingula, *Ramaria*, 990
 flavicunda, *Huilia*, 293
 —, *Porpidia*, 987
 flavida, *Daedaleopsis*, 337
 —, *Eiglera*, 387
 —, *Roccellina*, 310
 —, var., *Russula laricina*, 780
 flavidoalba, *Phlebiopsis*, 774
 flavidoatra, *Megaloblastenia*, 251
 flavidocana, *Lepiota*, 248
 flavidorufus, *Hymenagaricus*, 346
 flavidostipitatum, *Penicillium*, 399
 flavido-album, *Membranicium*, 545
 flavidula, *Letroitia*, 249
 flavidulum, *Lachnum*, 436
 flavidum, *Entoloma*, 47
 —, var., *Verticillium fungicola*, 178
 flavidus, *Clavariadelphus*, 873
 —, *Inonotus*, 348
 flavificans, *Trichosporiella*, 456
 flavifolium, *Hypholoma*, 1058
 flavigena, *Phoma*, 209
 flavilutea, *Ceriporiopsis*, 422
 flavipes, *Camarophyllus*, 380
 —, *Cuphophyllus*, 426, 663
 —, *Hygrocybe*, 346, 965
 —, *Pulveroboletus*, 93
 —, *Stilbella*, 503
 flavipora, *Schizopora*, 452
 flaviporus, *Flabellophora*, 668
 flavisiccans, *Russula*, 992
 flavispora, *Drechslera*, 754
 flavobrunnea, *Russula*, 1076
 — var. *aurantioflava*, *Russula*, 1076
 — var. *violaceotincta*, *Russula*, 1076
 flavobrunnescens, *Peziza*, 549
 — var. *asperospora*, *Ramaria*, 843
 flavobrunneus, *Heimiomyces*, 14
 flavocaerulescens, *Porpidia*, 403
 — var. *ochracea*, *Huilia*, 201
 flavocerinum, *Entoloma*, 47
 flavocirrus, var., *Cytospora cincta*, 286
 ('flavocirris')
 flavocitrina, *Russula*, 612
 flavocrocea, *Letroitia*, 165
 flavofaciens, *Verrucalvus*, 458
 flavofloccosa, *Amanita*, 418
 flavofusca, *Verrucospora*, 178
 flavogibbum, *Entoloma*, 47
 flavogriseus, *Coprinus*, 283
 flavoides, *Clavaria*, 582
 —, *Entoloma*, 587
 —, *Ramaria*, 137
 flavomedullosa, *Ocellularia*, 1064
 flavomerulinus, *Marasmius*, 87
 flavomicrospora, *Ramaria*, 499
 flavopurpurea, *Clavaria*, 828
 flavorhizum, *Hypholoma*, 673 ('flavorhiza')
 flavorubens, *Cistella*, 192 ('Citella')
 —, *Lecidea*, 677
 — var. *gracilis*, *Amanita*, 109
 flavorubescens subsp. *flavovirescens*,
 Caloplaca, 523
 — var. *suberythrella*, *Caloplaca*, 523
 — forma *microthelia*, *Caloplaca*, 948
 flavosaponaria, *Ramaria*, 499

- flavosorediata*, var., *Lecidella elaeochroma*, 543
flavostipitata, *Krombholziella*, 202
flavotinctum, *Entoloma*, 238
flavovirella, forma, *Candelariella vitellina*, 112
flavovirens var. *callopetalus*, *Cortinarius*, 528, 1049
flavovirescens, subsp., *Caloplaca*
flavorubescens, 523
flavoviride var. *minus*, *Metarhizium*, 598
flavoviridis, *Torrubiella*, 267
flavo-virens, *Myrothecium*, 599
flavum var. *robustum*, *Oncocladium*, 600
flavus, *Amylonotus*, 41
—, *Buglossoporus*, 379
—, *Gloeomucro*, 13 ('flava')
—, *Heteroporus*, 671
—, *Hirschioporus*, 433
—, *Polyporus*, 401
— subsp. *parasiticus*, *Aspergillus*, 575
— var. *columnaris*, *Aspergillus*, 870
— var. *orbicularis*, *Polyporus*, 402
— var. *oryzae*, *Aspergillus*, 575
— var. *sojae*, *Aspergillus*, 575
—, var., *Lactarius volemus*, 53
flectatus, *Dixomyces*, 288, 429
fleischhakii, *Diaporthe*, 286
flemingiae, *Cercosporidium*, 191
flexa, *Lichenella*, 543
flexella, *Ptychographa*, 32
flexiascus, *Cazia*, 949
flexibilis, *Cortinarius*, 235
flexipes, *Marasmius*, 679
flexipila, *Incrupilella*, 673
flexispora, *Everniicola*, 240
—, *Orbilina*, 683
flexum, *Mycocarpon*, 253 ('flexus')
flexuosa, *Bryoria*, 743
—, *Condylospora*, 874
—, *Lethariella*, 297
—, *Trapeliopsis*, 408
—, *Uncinuliella*, 141
—, var., *Ceratiomyxa fruticulosa*, 580
—, var., *Microsphaera lonicerae*, 205
flexuosum, *Ophiostoma*, 548
— forma *ezeizae*, *Pseudolyophyllum*, 1072
flichianum, *Dothistroma*, 121 ('flichiana')
flindersiana, *Parmelia*, 304
—, *Xanthoparmelia*, 621
floccipes, *Agaricus*, 466
—, *Agaricus* see *Agaricus moellerianus*
—, var., *Entoloma rhombisporum*, 755
floccoides, *Didymium*, 665
floccosa, *Grandinia*, 199
—, *Kneiffiella*, 126
floccosodontatum, *Entoloma*, 47
floccosum var. *macrosporum*, *Microstoma*, 55 ('floccosa' var. *macrospora*)
floccosus, *Epidermomyces*, 289
—, *Navisporus*, 55 ('floccosa')
—, *Tyromyces*, 62 ('floccosa')
flocculinus, *Hydropus*, 760
flocculosa, *Sporothrix*, 845
— var. *crocifolia*, *Inocybe*, 761
— var. *ferruginea*, *Inocybe*, 761
flocculosum, *Entoloma*, 832
flocculosus, *Stephanoascus*, 846
florentina, *Strickeria*, 785 ('Strickera')
floresiana, *Strickeria*, 785
floricola, *Candida*, 745
florida, forma, *Pleurotus ostreatus*, 899
— var. *intermedia*, *Usnea* see *Usnea michauxii*
floridana, *Neozygites*, 19
—, *Pertusaria*, 65
floridanum, *Trypethelium*, 560
floridanus, *Bolbitius*, 111
—, *Monascus*, 768
floridense, *Laeticorticium*, 349
floridensis var. *pudukadensis*, *Meliola*, 893
floridiana, *Lepiota*, 890
floridianum, *Helotium*, 200
floriformis, *Metatrachia*, 252, 440
—, *Oligoporus*, 443
—, *Postia*, 171
floripara, *Metatrachia*, 598
—, *Trichia*, 140
floriphila, *Arachnopeziza*, 942
florissantensis, *Geasterites*, 390
flosculosa, *Camillea*, 948
flosculus, *Marasmiellus*, 544
flos-nivium, *Peziza*, 208
flos-paludis, *Cortinarius*, 8
fluctuans, *Gyromitra*, 590
fluitans, *Naiadella*, 682
—, *Sphaerotilus*, 454
fluminensis, *Diacanthodes*, 956
fluorescens, *Myriotrema*, 99
fluryi forma *ochraceobrunneus*, *Cortinarius*, 953 ('ochraceobrunnea')
fluviale, *Rhodosporeidium*, 904
fluvialis, *Hydropus*, 244
— var. *aporpus*, *Hydropus*, 244
fluvatile, var., *Hebeloma mesophaeum*, 344
focale var. *pseudocaligatum*, *Tricholoma*, 408
focarilei, *Monoicomyces*, 129
focicola, *Pelloporus*, 357
foedans, *Pseudovalsaria*, 555
foeniculi, *Phomopsis*, 91
foersteri, *Megalospora*, 1062
foetens, *Camarophyllopsis*, 523
—, *Clitocybe*, 7
— var. *grassii*, *Amanita*, 518
—, forma, *Lepiota clypeolaria*, 677
foetenticolor, *Cortinarius*, 953, 1049
—, var., *Cortinarius claricolor*, 1048
foetida, *Ramaria*, 843
foetidae, *Anthracoidea*, 227
foetulenta, *Russula*, 1076
foetulentum, *Entoloma*, 11
foldatsii, *Inopilus*, 247
foliacea, *Dacryopinax*, 752
—, *Omphalina*, 979
—, *Siphula*, 313
— subsp. *convoluta*, *Cladonia*, 525
foligemmatus, *Cortinarius*, 194
foliicola, *Aivenia*, 1041
—, *Alysidiopsis*, 518
—, *Anisomeridium*, 868
—, *Botryosphaeria*, 827
—, *Calopadia*, 522

—, *Cladosporiella*, 951
 —, *Coccomyces*, 7
 —, *Dasyscyphus*, 45
 —, *Dictyosporium*, 337
 —, *Didymella*, 81
 —, *Eoaleurina*, 533
 —, *Flammulaster*, 48
 —, *Hymenoscyphus*, 124
 —, *Jafneadelphus*, 85 ('*foliicolus*')
 —, *Kazulia*, 435
 —, *Lasiosphaeria*, 763
 —, *Lophodermium*, 351
 —, *Myriotrema*, 30
 —, *Phialocephala*, 447
 —, *Pleurocatena*, 210
 —, *Pycnovellomyces*, 695
 —, *Sarcostroma*, 501
 —, *Sporendocladia*, 783
 —, *Sporobolomyces*, 266
 —, *Symptodiella*, 559
 —, *Unguiculella*, 999
foliolatum, *Nephroma*, 683
foliorum, *Rhodotorula*, 904
foliosa, *Tricladiopsis*, 177
follicystidiata, *Mycena*, 441, 546
fomentarius, *Pyropolyporus*, 451
fontana, *Peronospora*, 773
fonticola, *Psilocistella*, 262
fontium, *Leptosphaerulina*, 891
forcipata, *Galzinia*, 341
forficulae, *Distolomyces*, 428
—, *Erynia*, 588, 959
— var. *major*, *Empusa* see *Erynia ellisiana*
formicae, *Erynia*, 121
—, *Pandora*, 980
formicarium, *Cylindrocarpon*, 664
formicarum, *Hirsutella*, 759
—, *Torrubiella*, 997
—, var., *Stilbella buquetii*, 139
formicetorum, *Mimeomyces*, 440
formicola, *Dimorphomyces*, 428
formosa, *Clitocybe*, 473
—, *Ostreola*, 683
— var. *concolor*, *Ramaria*, 212
—, var., *Amanita muscaria*, 826
formosana, *Cheilocladosporium*, 6
—, *Cordyceps*, 156
—, *Fusariella*, 431
—, *Peyritschella*, 257
—, *Torrubiella*, 216
—, *Uredo*, 63
—, *Verpa*, 317
—, *Xylaria*, 848
—, forma, *Hypocrea rufa*, 434
formosanum, *Endophyllum*, 46
—, *Ganoderma*, 341
—, *Penicillium*, 1066
—, *Sporisorium*, 365
—, *Sporotrichum*, 95
formosanus, *Porophoromyces*, 260
—, *Porphyrellus*, 842
formosoides, *Entoloma*, 47
formosum, *Entoloma*, 479
—, *Linodochium*, 128
formosus, var., *Hygrophorus*
pseudodiscoideus, 966

fornica, *Macrolepiota*, 766
fornicata, *Neohygrocybe*, 547
— var. *clivalis*, *Hygrocybe*, 965
— var. *streptopus*, *Hygrocybe*, 483
forquignonii var. *coniferarum*, *Lepiota*, 127
forrestiae, *Pseudocercospora*, 1070
forsteroniae, *Puiggarina*, 902
forsythiae, *Oidium*, 168 ('*forsithiae*')
—, *Pseudocercospora*, 693
fortinii, *Phialocephala*, 496
fortoului, *Peziza*, 208
—, forma, *Peziza nunguis*, 209
—, var., *Peziza nunguis*, 57
fossarum, *Abseonditella*, 517
—, *Hymenoscyphus*, 484
fossulata, *Camillea*, 948
foveata, *Acaulospora*, 188
—, *Hypocnomyces*, 347
—, var., *Usnea plicata*, 561
foveolata, *Clitocybe*, 473
foveolati, *Sporisorium*, 907
fracticum, *Tricholoma*, 456
fractipes, *Abortiporus*, 517
—, *Loweomyces*, 166
fractuosum, *Phaeographis*, 133
fracturans, *Entoloma*, 47
fragaria, *Rhodotorula*, 904 ('*fragariae*')
fragariae, *Candida*, 281
—, *Ceratobasidium*, 746
—, *Ceratorhiza*, 659
fragicolor, *Phaeoglyphopus*, 90
—, *Pulveroboletus*, 695
fragile, *Everniastrum*, 98, 533
—, *Myriotrema*, 30
—, *Septonema*, 994 ('*fragilis*')
fragilescens var. *mollis*, *Usnea*, 704
fragilior, *Hydropus*, 244
fragilipes, *Entoloma*, 47
fragilis, *Ceratospheeria*, 580
—, *Clitocybe*, 473
—, *Dactylaria*, 476
—, *Dekkeromyces*, 1053
—, *Dicellaesporites*, 120
—, *Lactarius*, 52
—, *Oligoporus*, 443
—, *Postia*, 171
—, *Pterygosporopsis*, 309
—, *Setchelliogaster*, 615
—, *Siphula*, 615
—, *Spongiporus*, 26
— var. *alpigenes*, *Russula*, 1076
— var. *divaricatae*, *Puccinia*, 608
— var. *gilva*, *Russula*, 557, 780
— var. *knauthii*, *Russula*, 500
— var. *nivea*, *Russula*, 311
— var. *rubidus*, *Lactarius*, 52
— forma *viridilutea*, *Russula*, 780
—, var., *Bolbitius vitellinus*, 742
fragilissima, *Heterodermia*, 671
—, *Ramalina*, 310
fragilistratum, *Glomus*, 1056
fragillima, *Caloplaca*, 380
—, *Pseudocypbellaria*, 608
fragillimus, *Physisporus*, 552
fragillissima, *Coltricia*, 156
fragmentans, *Arbusculina*, 826

- fragmentarius, *Ophiobolus*, 772
 fragrans, *Antrodiella*, 519
 —, *Hebeloma*, 343
 —, *Leccinum*, 890
 —, *Phallus*, 495
 —, *Phellinidium*, 605
 — var. *intermedium*, *Hebeloma*, 343
 —, var., *Cortinarius evernii*, 384, 876
 —, var., *Lactarius neuhoffii*, 52
 —, var., *Russula laurocerasi*, 500
 fragrantissima, var., *Russula laurocerasi*, 612
 franchetii var. *lactella*, *Amanita*, 572
 —, var., *Amanita queletii*, 418
 franciscana, *Roccellina*, 138
 francke-grosmanii, *Ophiostoma*, 356
 franklinensis, *Phaeosphaeria*, 983
 fraterna, *Lepiota*, 86
 fratenum, *Poculum*, 58
 fratricida, *Rhizocarpon*, 696
 fraudans var. *capitatocystidiosa*, *Inocybe*, 1058
 — var. *incarnata*, *Inocybe*, 761
 fraudulosa, var., *Verrucaria lecideoides*, 562
 fraudulosoconnatus, *Cortinarius*, 1049
 fraudulentus var. *felleicolor*, *Cortinarius*, 1049
 — var. *radicosus*, *Cortinarius*, 45
 — var. *tenuifolius*, *Cortinarius*, 425
 —, subsp., *Cortinarius argutus*, 1048
 —, var., *Cortinarius argutus*, 582
 frauensteinii, *Drechslera*, 1054
 fraxinea, *Discula*, 831
 —, *Poria*, 402
 fraxineus, *Haploporus*, 292
 fraxini, *Gnomoniella*, 834
 —, *Macruropyxis*, 54
 —, *Microsphaera*, 167
 —, *Passalora*, 257
 —, var., *Cryptosphaeria eunomia*, 751
 fraxinicola, *Cyathicula*, 476
 fraxinopennsylvanica, *Calosphaeria*, 75
 fraxinophilum, *Conchatium*, 474, 662
 frederici, *Dimerella*, 64
 freindlingiae, *Pholiota*, 305
 fresenii, *Neozygites*, 19
 freycinetiae, *Puccinia*, 901
 freyi, *Umbilicaria*, 999
 —, var., *Acarospora impressula*, 187
 friabile, *Ischnoderma*, 967
 friabilis, *Gloeoporus*, 962
 frians, *Pulveroboletus*, 695
 friedmannii, *Cryptococcus*, 426
 friesii, *Hymenoscyphus*, 15, 124
 —, *Hypocenyomyce*, 29
 — var. *dahurica*, *Microsphaera*, 252
 — var. *epixantha*, *Inocybe*, 887
 frigida, *Dactylospora*, 476
 —, *Lecidella*, 543
 —, *Leptosphaeria*, 765 ('*frigidus*')
 —, *Mrakia*, 894
 —, *Vanrija*, 141
 frigidum, *Stigidium*, 1078
 frippii, *Peltigera*, 773
 fritillarii-pallidiflori, *Botryotinia*, 577
 fritilliforme, *Entoloma*, 666
 frondosa, *Xanthomaculina*, 507
 — var. *intybacea*, *Grifola*, 758
 frondosum, *Myriotrema*, 99
 —, *Sympodiocladium*, 176
 frontalis, *Neocallimastix*, 354
 frowardii, *Hypholoma*, 434
 —, *Nematoloma*, 599
 fruticicola, var., *Lachnum pulverulentum*, 836
 frutigenus var. *carpini*, *Hymenoscyphus*, 484
 — var. *coryli*, *Hymenoscyphus*, 484
 frullaniae, *Muellerella*, 491
 —, subsp., *Moelleropsis nebulosa*, 837
 frustratus, *Lactarius*, 52
 frustulosae, *Roselliniella*, 500
 —, *Rosellinula*, 904
 fruticans, *Aspergillus*, 520
 fruticetorum, *Acanthophysium*, 465
 fruticetum, *Briania*, 947
 fruticicola, *Austroboletus*, 74
 —, *Heimiella*, 1057
 fruticola, *Dothidotthia*, 958
 fruticosa, *Blastocladia*, 945
 fruticosus, *Plectosclerotes*, 306
 fruticulosa, *Wawea*, 410
 — var. *flexuosa*, *Ceratiomyxa*, 580
 — var. *porioides*, *Ceratiomyxa*, 580
 —, forma, *Cladonia glauca*, 525
 fruticulosum, *Psoroma*, 263
 fruticulosus, *Lichen*, 297
 fruticum, *Xanthochrous*, 458
 fucatum var. *subglobisporum*, *Tricholoma*, 504
 fucatus, *Hymenoscyphus*, 484
 fucicola, var., *Lulworthia medusa*, 250
 fucina, *Xanthoparmelia*, 318
 fuckelii, *Parascutellinia*, 444
 fudinga, *Pseudocercospora*, 1070
 fuegensis, *Ionaspis*, 1058
 fuegiana, *Albotricha*, 653
 —, *Strickeria*, 785 ('*Strickera*')
 — var. *cabrinii*, *Underwoodia*, 368
 —, subsp., *Cyathicula incertella*, 9
 fuegianum, *Poculum*, 135
 —, *Tricholoma*, 560
 fueguina, *Ustilago*, 1000
 fugiens, *Cistella*, 6
 —, *Peziza*, 773
 fuhreri, *Calostoma*, 523
 fuirenae, *Anthracoidea*, 868
 fuirenae-strictae, *Uredo*, 368
 fujianensis, *Boletellus*, 521
 —, *Scutellinia*, 906
 fujikuroi var. *intermedia*, *Gibberella*, 199
 — var. *moniliformis*, *Gibberella*, 199
 fujisanensis, *Phaeographis*, 170
 —, *Rhodotorula*, 94
 —, *Vanrija*, 141
 fukienensis, *Puccinia*, 309
 fukuii, *Pseudocercospora*, 1070
 fulgens subsp. *candidecarnosus*, *Cortinarius*, 583
 — var. *luteicystis*, *Gymnopilus*, 14
 fulgida, *Leptosphaeria*, 596
 —, *Scutellospora*, 614
 fulgurata, *Strickeria*, 700, 785, 908
 ('*Strickera*')
 fuliginea, *Belemnospora*, 945
 —, *Omphalina*, 772

- , *Sphaerotheca*, 454
- var. *galinsogae*, *Sphaerotheca*, 615
- var. *sibirica*, *Sphaerotheca*, 558
- forma *asteris*, *Sphaerotheca*, 176
- forma *cinerariae*, *Sphaerotheca*, 176
- forma *cyclochaenae*, *Sphaerotheca*, 25
- forma *helianthi*, *Sphaerotheca*, 176
- fuliginus*, var., *Boletus scaber*, 947
- fuliginosa*, *Lecanora*, 394
- , *Macrolepiota*, 128
- , *Melanelia*, 767
- , *Omphalina*, 302
- , subsp., *Melanelia glabrata*, 893
- , var., *Macrolepiota procera*, 892
- fuliginosus*, *Microporellus*, 680
- , *Monascus*, 252
- var. *albipes*, *Lactarius*, 16
- fuliguncta*, *Peridiothelia*, 495
- fulmineus*, *Chroogomphus*, 872
- , subsp., *Chroogomphus ochraceus*, 660
- , var., *Chroogomphus rutilus*, 581
- fulminoides*, *Cortinarius*, 528
- fulva*, *Acarospora*, 28
- , *Amanita*, 572, 868
- , *Coccocarpia*, 334
- , *Fuscidea*, 757
- , *Hygrocybe*, 293
- , *Mycovellosiella*, 253
- forma *alba*, *Amanita*, 572
- forma *alba*, *Amanitopsis*, 942
- , forma, *Caloplaca variabilis*, 523
- , subsp., *Caloplaca variochroa*, 522
- , var., *Amanita vaginata*, 826
- , var., *Amanita venenosa*, 826
- , var., *Gyromitra esculenta*, 481
- , var., *Russula mustelina*, 613
- fulvaurantius*, *Cortinarius*, 1049
- fulvella*, *Pyrenula*, 902
- var. *subolivacea*, *Lepiota*, 543
- forma *gracilis*, *Lepiota*, 248
- , var., *Inocybe scabella*, 674
- fulvescens*, *Boletopsis*, 946
- , *Psathyrella*, 172, 260
- var. *brevicystis*, *Psathyrella*, 449
- var. *dicrani*, *Psathyrella*, 308
- , var., *Penicillium chrysogenum*, 169
- fulvida*, *Discosphaerina*, 338
- fulvidula*, forma, *Russula integra*, 612
- fulvinarginatum*, *Tricholoma*, 617
- fulvipes*, *Inocybe*, 887
- fulviseda*, *Perenniporia*, 133, 687
- ('*Perenniporis*')
- fulvocinerea*, *Funalia*, 431
- fulvofuscum*, *Mycocalicium*, 681
- fulvo-isabellinus* subsp. *oreinus*, *Cortinarius*, 117, 1050 ('*oreina*')
- fulvolateritium*, *Cystoderma*, 337 ('*fulvo-lateritia*')
- fulvoleoninus*, *Cortinarius*, 1050
- fulvopallens*, *Omphalina*, 355
- fulvoumbrinus*, *Pyrofomes*, 451
- fulvo-ochrascens*, *Russula*, 1076
- var. *cyanophyllus*, *Cortinarius*, 876
- var. *macrosporus*, *Cortinarius*, 953
- var. *marginato-ochrascens*, *Cortinarius*, 953, 1050
- var. *ochrocinerascens*, *Cortinarius*, 953
- var. *smolandicus*, *Cortinarius*, 1050
- var. *umbrinus*, *Cortinarius*, 425
- fulvo-ochrascens* var. *subcaninicolor*, *Cortinarius*, 953
- fulvum*, *Arthroderma*, 519
- , *Basidioidendron*, 153
- , *Entoloma*, 238
- , *Scytalidium*, 364
- , *Anthracotheceum* see *Pyrenula neofulva*
- fulvus*, *Heimiomyces*, 14
- var. *fenestratus*, *Panus*, 131
- var. *glabrior*, *Panus*, 131
- var. *nudicollum*, *Panus*, 131
- var. *similis*, *Panus*, 131
- fumagineum*, *Gyrocera*, 481
- fumago*, *Leptoxypium*, 204
- fumarprotocetrarica*, *Paraparmelia*, 840
- fumarprotocetraricum*, *Parmotrema*, 495
- fumatopunctum*, *Entoloma*, 47
- fumescent*, *Lyophyllum*, 204
- fumida*, *Rhizopla*, 779
- fumigata*, *Paraparmelia*, 602
- , *Parmelia*, 494
- , *Rhizoctonia*, 779
- , *Xanthoparmelia*, 705
- fumigatus* var. *coeruleus*, *Aspergillus*, 419
- mutant *puniceus*, *Aspergillus*, 3
- ('*punicea*')
- var. *acolumnaris*, *Aspergillus* see *Aspergillus acolumnaris*
- fumosa*, *Armillaria*, 227
- , *Handkea*, 963
- , *Neozygites*, 19
- , *Peyritschella*, 445
- , *Phaeophyscia*, 305
- , *Pseudotomentella*, 262
- , *Sporendocladia*, 783
- , *Tricharia*, 846
- , var., *Mycena interrupta*, 300
- fumosifolia*, *Astrosporina*, 420
- , *Clitocybe*, 156
- fumosipes* var. *glabripes*, *Tylophilus*, 27
- fumosoides*, var., *Lactarius fumosus*, 52
- fumosonigrum*, *Tarichium*, 616
- fumosoroseus* var. *beijingensis*, *Paecilomyces*, 303
- fumosa*, *Mycomicrothelia*, 492
- fumosum*, *Geoglossum* see *Geoglossum hakelieri*
- fumosus*, *Polystictoides*, 691
- var. *fumosoides*, *Lactarius*, 52
- funerarius*, *Tylophilus*, 97
- fungicola*, *Diploospora*, 665
- , *Exidiopsis*, 240
- var. *aleophilum*, *Verticillium*, 178
- var. *flavidum*, *Verticillium*, 178
- funginus*, *Spongiasclerotes*, 313
- funicularis*, var., *Collybia dryophila*, 334
- funiculosa*, *Dicyma*, 338
- funiculosum*, *Cladosporium*, 661
- funkiae-albomarginatae*, *Phoma*, 774
- funkiae-sieboldianae*, *Ascochyta*, 740
- funtumiae*, *Treubiomyces*, 267
- furax*, *Caloplaca*, 281
- furcata*, *Echinopla*, 1054

- var. *congoensis*, *Sphacelotheca*, 25
- forma *pustarum*, *Cladonia*, 951
- furcatopila*, *Scutellinia*, 364
- furcatum*, *Podosporium*, 691
- , *Tetracladium*, 215
- furcifer* subsp. *subarcticus*, *Dichomyces*, 287
- furcifera*, *Peyritschella*, 445
- furfuracea*, *Boidinia*, 153
- , *Chaenotheca*, 382
- , *Clitocybe*, 661
- , *Rimbachia*, 363
- , *Xerula*, 793
- , var., *Oudemansiella radicata*, 601
- furfuraceo-velutinus*, *Phanerochaete*, 841
- furfuraceum*, *Mniopetalum*, 545
- furfuraceus*, *Suillus*, 96
- furfurea* var. *rufotacta*, *Inocybe*, 761
- furfurella*, *Skvortzovia*, 615
- furfurellum*, *Lyophyllum*, 298
- furfurellus*, *Coprinus*, 527
- furinus*, *Hymenoscyphus*, 484
- furva*, *Doassansiopsis*, 158
- furvella*, *Rimularia*, 779
- furvum*, *Crocicreas*, 79
- fusa*, *Shearia*, 213
- fusarina*, *Vermispora*, 1000
- fusarioides*, *Abropelta*, 465
- , *Ceuthospora*, 333
- , *Microdochium*, 440
- , *Mycocentrospora*, 681
- , *Woessia*, 620
- fusca*, *Calopadia*, 522
- , *Cirrenalia*, 472
- , *Corollospora*, 749
- , *Cryptosporella*, 119
- , *Dendrospora*, 9
- , *Destuntzia*, 477
- , *Harknessia*, 124
- , *Melanoleuca*, 439
- , *Mycobilimbia*, 770
- , *Psathyra*, 308
- , *Stilbella*, 503
- , *Wuestneia*, 1001
- var. *bromi-tectorum*, *Tilletia*, 997
- var. *guyotiana*, *Tilletia*, 997
- var. *microspora*, *Tapesia*, 788
- , forma, *Omphalia asterospora*, 255
- , subsp., *Megalospora pruinata*, 251
- , var., *Acarospora smaragdula*, 188
- , var., *Amanita aspera*, 825
- , var., *Amanita porphyria*, 826
- , var., *Arthonia lapidicola*, 279
- , var., *Oudemansiella longipes*, 398
- , var., *Oudemansiella pudens*, 601
- , var., *Xerula longipes*, 97
- , var., *Xerula pudens*, 217
- fuscata*, *Astrosporina*, 576
- , *Sebacina*, 993
- , forma, *Opegrapha rufescens*, 302
- fuscatae*, *Stigmidium*, 907
- fuscatula*, *Fellhanera*, 534
- fuscatum*, var., *Trichaptum biforme*, 702
- fuscatus*, *Panellus*, 684
- , var., *Rubinoboletus balloui*, 311
- fuscescens*, *Brunnipila*, 470
- , *Cryptococcus*, 426
- , *Cuphophyllus*, 426, 663
- , *Rinodina*, 363
- , forma, *Amanita vaginata*, 572
- , forma, *Cladina pycnoclada*, 383
- , forma, *Cladina skottsbergii*, 383
- , var., *Amanita vaginata*, 826
- , var., *Hygrocybe nivea*, 483
- , var., *Hygrocybe virginea*, 592
- fuscescentipes*, *Inocybe*, 887
- fuscidula*, *Bryoria*, 743
- , *Inocybe*, 246
- , *Nectriella*, 1063
- var. *bisporigera*, *Inocybe*, 761
- , *Inocybe* see *Inocybe bresadoliana*
- fusciculopallens*, *Cortinarius*, 117
- fusciculum*, *Lachnum*, 595
- fuscipes*, *Corethromyces*, 424
- fuscoalbus*, *Dennisomyces*, 956
- , *Hydropus*, 244
- fuscoastra* var. *nigra*, *Humicola*, 672
- fuscoatra* var. *punctata*, *Trichophaea*, 96
- fuscobrunnea*, *Encoelia*, 831
- fuscobrunneum*, *Dermoloma*, 119
- fuscobrunneus*, *Moellerodiscus*, 88
- fuscocinerea*, *Schaereria*, 557
- fuscoconica*, *Simocybe*, 25
- fuscocystidiata*, *Mycena*, 975
- fuscoflexipes*, *Cortinarius*, 829
- fuscogelatinosus*, *Clitopilus*, 525
- fuscogriseus*, *Hydropus*, 964
- , var., *Lactarius mucidus*, 52
- fuscohyalina*, *Tapesia*, 26
- fuscoides*, *Stemonaria*, 454
- fuscolamellata*, var., *Inocybe halophila*, 392
- , var., *Inocybe vulpinella*, 202, 294
- fuscolineata*, subsp., *Megalospora gompholoma*, 251
- fuscolutea*, *Brigantiaea*, 112 ('*fuscilutea*')
- fuscomaculans*, *Plenodomus*, 448
- fuscomarginata* var. *paludicola*, *Inocybe*, 348
- forma *leucolepis*, *Inocybe*, 887
- fuscomarginatum*, *Entoloma*, 47
- , var., *Entoloma mougeotii*, 755
- fuscomyelinus*, *Hydropus*, 244
- fusconigra*, *Clitocybe*, 473
- , *Mycena*, 894
- fusconigrescens* var. *oleosa*, *Bacidia*, 742
- fuscoolivacea*, *Amanita*, 1042
- fuscopallens* forma *subexpansus*, *Cortinarius*, 117
- fuscoperonata*, *Inocybe*, 50, 164
- fuscopruinosus*, var., *Pleurotus djamor*, 135
- fuscopurpurea*, var., *Mycena epipterygia*, 975
- , var., *Mycena pelliculosa*, 253
- fuscopurpureus*, *Loweoporus*, 54
- var. *albiporus*, *Loweoporus*, 970
- var. *latiporus*, *Loweoporus*, 970
- fuscorosea*, *Russula*, 612
- fuscroseus*, *Boletus*, 946
- , var., *Pleurotus djamor*, 135
- fuscoruber*, var., *Boletus pinophilus*, 743, 946
- fuscorubra*, *Barubria*, 521
- , *Russula*, 212
- var. *olivovirens*, *Russula*, 311
- fuscosora*, *Ramularia*, 991
- fuscospinulosa*, *Inocybe*, 50, 164

- fuscostipes, Hebeloma, 343
 fuscostratus, Leptosporomyces, 765
 fuscostriata, Amanita, 226
 fuscovelatus, Agaricus, 417
 fuscovineaceus, var., Pleurotus eugrammus, 135
 fuscovinosus, var., Hygrophorus persoonii, 163 ('fuscovinosa')
 fuscovirens, Collema, 384
 fusco-olivacea, Pyxidiophora, 23
 —, var., Amanita umbrinolutea, 942
 fusco-olivaceus, Lactarius, 52
 — var. graveolens, Lactarius, 52
 fuscum, Cerocorticium, 113
 —, Chalarodendron, 333
 —, Crocicreas, 79
 —, Entoloma, 47
 —, Lasiobelonium, 54
 —, Tricladium, 456
 fuscus, Circinomucor, 231
 fusicystis, Marasmiellus, 766
 fusifera, Dactylaria, 476
 fusiforme, Lycoperdon, 17
 fusiformis, Aniptodera, 942
 —, Apostrasseria, 227
 —, Ascosphaera, 740
 —, Blastocladia, 945
 —, Chaetosphaeria, 77
 —, Dicellaesporites, 120
 —, Diporicellaesporites, 238
 —, Diporisporites, 338
 —, Maravalia, 837
 —, Mirandina, 680
 —, Multicellaesporites, 130
 —, Phomopsis, 447
 —, Pluricellaesporites, 210
 —, Psiamspora, 309
 —, Retroconis, 992
 —, Semifissispora, 175
 —, Torrubella, 177
 —, Umbelopsis, 560
 — var. bispora, Clavulinopsis, 282
 fusimaculans, Phaeoramularia, 258
 fusipedoides, forma, Cortinarius redactus, 425 ('fusedoides')
 fusipes, Rozites, 174
 —, Tricholoma, 789, 997
 — var. rugosa, Collybia, 748
 —, var., Leucoagaricus gaugei, 543
 fusisaprophyticus, Subramaniomyces, 140
 fusispora, Alnicola, 941
 —, Arpinia, 869
 —, Capronia, 579
 —, Ciboria, 660
 —, Clavaria, 7
 —, Cornucopiella, 424
 —, Flagelloscypha, 48
 —, Keissleriella, 889
 —, Laurera, 836
 —, Nectria, 254
 —, Pyricularia, 404
 —, Skyttea, 61
 —, Thelenella, 788
 —, Chaetosphaeria see Chaetosphaeria
 fusiformis
 fusisporium, Morrisographium, 441
 fusisporum, Hebeloma, 124
 —, Repetobasidiellum, 93
 fusisporus, Austroboletus, 4
 —, Hysterogaster, 434
 fusodeicystis, var., Inocybe eutheles, 348
 fusoides, Pseudallescheria, 173 ('fusoideum')
 fusoides, Amepiospora, 278 ('fusoidis')
 —, Diporicellaesporites, 287
 fusus, Multicellaesporites, 300
 futronense, Apiotrichum, 378 ('futronensis')
 futronensis, Rhodotorula, 992, 1073
 fuxinensis, Microthyriacites, 598
 fuzhouensis, Sterigmatomyces, 215
 gabonense, Entoloma, 387 ('gabonensis')
 gabonicus, Aleurodiscus, 466
 gabrielis, Loflammia, 544
 gaditanum, Penicillium, 89
 gaeumanni, Phacidium, 258 ('gaeumanni')
 gageae, Ustilago, 457
 gahniae, Lachnum, 675
 —, Stenella, 214
 gaillardianum, Entyloma, 198
 galacta, var., Candida apis, 381
 galactina, Pyrenula, 902
 galactinum, Hyphoderma, 886
 galactinus, Tyromyces, 790
 galandii, Xylaria, 369
 galapagensis, Henningsia, 84
 —, Pholiota, 91
 galapagosensis, Cladina, 98
 galatellae, forma, Erysiphe moroczkovskii, 12
 galbina, Myelochroa, 682
 galbinea, Badimia, 521
 galeacampanulatus, Cortinarius, 1050
 galeiformis, Pichia, 775
 galeopsidis, Golovinomyces, 884
 galericulata var. ferrugineomaculata, Mycena, 769
 — forma patagonica, Mycena, 396
 galeriformis, Helvella, 885
 galeriniformis, Cortinarius, 284
 galerita, Halosphaeria, 14, 123
 galeritum var. consolidatum, Steccherinum, 699
 — var. hericioides, Steccherinum, 699
 galeoides, Psathyrella, 607
 galeopsidoides, Crinipellis, 955
 galli, Golovinomyces, 884
 —, Passalora, 257
 —, Sphaeropsis, 139
 — var. riedliana, Erysiphe, 240
 galindezii, Cladonia, 747
 galinsogae, var., Sphaerotheca fuliginea, 615
 galiorum, Pseudopleospora, 262
 — var. gnaphaliana, Leptosphaeria, 765
 gallaicum, Penicillium, 56
 gallairei, Cortinarius, 194
 gallectiae, Leptographium, 249, 394 ('gallaeciae')
 gallica, Armillaria, 654
 —, Corditubera, 233
 —, Perrotia, 687
 —, Trametella, 702
 — var. phyllocladi, Perrotia, 687
 — var. robusta, Trichoscyphella, 409, 456
 gallicola, Potebniamyces, 136

—, *Scopinella*, 138
gallicum, forma, *Crucibulum laeve*, 584
gallicus, *Cyathus*, 531
galligena, *Lichenochora*, 970
gallopava, *Ochroconis*, 255 ('gallopavum')
—, var., *Dactylaria constricta*, 664
gallowayi, *Ordovicimycetes*, 255
—, *Rinodina*, 310 ('gallowayii')
gallurae, *Scoliciosporum*, 698
galochroa, *Phlebiopsis*, 21
galochroides, *Russula*, 905, 992
galopus var. *mellea*, *Mycena*, 253
galphimicola, *Phyllosticta*, 358 ('*Phyllosticta galphimicola*')
galzinii, *Myxarium*, 253
gambosa, *Calocybe*, 578
gaminii, *Russula*, 212
gammae, *Erynia*, 667, 882
—, *Pandora*, 980
gampsospora, *Dactylella*, 476
gamsii, *Ochroconis*, 494
—, *Sibirina*, 25
gamundiae, *Dictyochaeta*, 665 ('*gamundii*')
—, *Rozites*, 611
ganbajun, *Thelephora*, 617
ganjae, *Phomopsis*, 306
ganymede, *Nectria*, 599
ganymedea, *Karoowia*, 967
—, *Parmelia*, 840
garcinae, *Sporidesmiella*, 454
gardeniae, *Phoma*, 209
gardneri, *Parmotrema*, 356
garhwalensis, *Erysiphe*, 667
—, *Meliola*, 299
—, *Pseudocercospora*, 498
—, *Raizadenia*, 174
—, *Sordaria*, 313
garibaldii, *Rhodophyllus*, 610
garlic, forma *specialis*, *Fusarium oxysporum*, 589
garmanii, *Pseudophacidium*, 59
garoana, *Graphis*, 200
—, *Ocellularia*, 31
garovaglii, *Miriquidica*, 768
garryae, *Janetia*, 295
garugae, *Phomopsis*, 209
—, *Stenella*, 214
—, *Thaxteriella*, 909 ('*garugii*')
garuhapensis, *Phellinus*, 400
garyae, *Catenophora*, 828
gaspesica, *Phlebiella*, 688
—, *Xenasmatella*, 268
gastrolobi, *Pestalotiopsis*, 1066
gattefossei, *Lecania*, 676
gaubae, *Lecanosticta*, 248
—, *Mycosphaerella*, 253
—, *Phaeosphaeria*, 983
gaudiosus, *Cortinarius*, 583
gauguei var. *fusipes*, *Leucoagaricus*, 543
gaultheriae, *Coccomyces*, 232
—, *Hypoderma*, 16
—, *Protoventuria*, 1068
gauntii, *Dictyosporium*, 427
gaurensis, *Dothiorella*, 288
gaussenii, *Microbotryum*, 893 ('*gaussenii*')
—, *Ustilago*, 912

gayana, *Calathella*, 281
—, *Degelia*, 98
— var. *microspora*, *Brachysporiella*, 656
gayi, *Cortinarius*, 583
gaylussaciae, *Monilia*, 894
—, *Monilinia*, 894
geckonalis, *Parmelia*, 981
gedanensis, *Acaulospora*, 825
gedarefense, *Exserohilum*, 241
('gedarefensis')
gedarefensis, *Drechslera*, 10
geesinkii, *Calonema*, 380, 421
geesterani, *Agaricus*, 517
—, *Rinodina*, 363 ('geesteranii')
—, *Xanthoparmelia*, 913
gei, *Ustacystis*, 561
geitleri, var., *Protoblastenia cyclospora*, 553
gei-reptantis, *Leptosphaerulina*, 249
gelasinoporoides, *Herpotrichia*, 84
gelatinascens, *Russula*, 992
gelatinomarginata, *Mycena*, 839
gelatinosa, *Crucellisporiopsis*, 236
('gelatinosus')
—, *Scutellinia*, 364
—, *Trapeliopsis*, 408
—, *Tremelloscypha*, 177
—, var., *Ramaria stuntzii*, 1073
gelatinosum, *Leptogium*, 394
gelida, *Mrakia*, 894
—, *Vanrija*, 141
— var. *neglecta*, *Placopsis*, 552
gelidae, *Arthonia*, 575
gelidarium, *Polycoccum*, 260 ('gelidaria')
gelmiana, *Strickeria*, 785 ('Strickera')
gemina, *Armillaria*, 943
—, *Inocybe*, 887
—, *Rhodocybe*, 779
geminata, *Laboulbenia*, 541
geminella, *Didymosphaeria*, 958
geminipara, *Pertusaria*, 604
geminum, *Lyophyllum*, 298
— var. *olens*, *Lyophyllum*, 298
gemmarum, *Calycina*, 470
gemma, *Amanita*, 825
— var. *junquillea*, *Amanita*, 572, 654
— var. *pallida*, *Amanita*, 825
— var. *toxica*, *Amanita*, 277
gemmiger, *Moellerodiscus*, 300
('gemmigerus')
gemmipara, *Monodictys*, 545
gemma, *Crocicreas*, 118
gemmulosa, *Parmelia*, 132
—, *Relicina*, 609
generosum, *Entoloma*, 47
generosus, *Boletus*, 871
geniculata, *Cordyceps*, 44
—, *Isthmolongispora*, 835
geniculatum, *Cladosporium*, 828
—, *Engyodontium*, 288
geniculatus, *Dipodascus*, 586
—, *Tricladomyces*, 847
geniculosporus, *Lophotrichus*, 544
genisticola, *Cilioplea*, 231
gennadii, *Clarkeinda*, 7
— var. *microsporus*, *Agaricus*, 466
gentianae, var., *Venturia antherici*, 561

- gentile, *Entoloma*, 47
 gentilis, *Maravalia*, 395
 gentingensis, *Ocellularia*, 1064
 genuina, var., *Amanita rubescens*, 826
 geochroum, *Nodulisporium*, 354
 geodes, *Beauveria*, 469
 geogenia, *Gyromitra*, 590 ('geogenius')
 — var. *elassozoma*, *Hohenbuehelia*, 672
 geogenius, *Discina*, 386 ('geogenia')
 —, *Nematoctonus*, 547
 geoglossi, *Gelatinopsis*, 1055
 geographicola, *Weddellomyces*, 1080
 geographicum subsp. *diabasicum*,
 Rhizocarpon, 32
 — subsp. *tinei*, *Rhizocarpon*, 404, 556
 geometralis, *Erynia*, 121
 geomyzae, *Stigmatomyces*, 61
 geophila, *Lecanora*, 595
 —, *Myxozyma*, 682
 geophilicola, *Chrysocelis*, 333
 geophilum, *Chrysosporium*, 1046
 —, *Placodium* see *Caloplaca raesaenii*
 geophilus, *Crepidotus*, 425
 geoporoides, *Trichophaea*, 456
 georfischeri, *Tilletia*, 997
 georgiae, *Chrysosporium*, 6 ('georgii')
 georgiana, *Paratomenticola*, 168
 georgii, *Calocybe*, 578
 —, *Marcelleina*, 766
 —, *Rickia*, 556
 georgina, *Clitocybe*, 384
 georginae, *Leucocoprinus*, 488, 891, 1061
 georgiolens, *Cortinarius*, 528
 — forma *caesiipes*, *Cortinarius*, 528
 geosporum, *Glomus*, 199
 geotropa var. *gigas*, *Clitocybe*, 282
 geotropus, *Rigidoporus*, 138
 geraniacearum, *Erysiphe*, 340
 geranii var. *kabatianus*, *Uromyces*, 217
 geranii-polyanthi, *Puccinia*, 608
 geraniodora var. *velifera*, *Inocybe*, 887
 geraniolens, *Alnicola*, 277
 —, var., *Cortinarius suberythrinus*, 878
 gerardii var. *fagicola*, *Lactarius*, 52
 — var. *subrubescens*, *Lactarius*, 52
 gerhardii, *Xanthoparmelia*, 913
 gerlachei, *Flavoparmelia*, 535
 gerriae, *Entoloma*, 82
 gerronematoides, *Entoloma*, 339
 gerundense, *Penicillium*, 56
 gessneri, *Phaeosphaeria*, 983
 ghanaensis, *Laboulbenia*, 541
 ghanense, *Trichoderma*, 703
 ghattensis, *Usnea*, 791
 ghindensis, *Pleiochaeta*, 307
 giacomii, *Astrosporina*, 655
 —, *Inocybe*, 835
 —, subsp., *Inocybe boltonii*, 835
 gibba var. *adstringens*, *Clitocybe*, 1046
 — var. *cernua*, *Clitocybe*, 473
 — var. *occidentalis*, *Clitocybe*, 473
 gibbosa, *Paulia*, 548
 gibbosula, *Astrosporina*, 576
 —, *Inocybe*, 887
 gibbosum var. *acuminatum*, *Fusarium*, 832
 — var. *bullatum*, *Fusarium*, 832
 —, var., *Fusarium roseum*, 162, 833
 gibbsiae forma *microspora*, *Clavaria* see
 Clavaria echino-olivacea
 gibsonii, *Mycosphaerella*, 354
 —, *Tylophoron*, 703
 gigacellularis, *Fennellomyces*, 430
 ('gigacellylaris')
 gigantea, *Batkoa*, 945
 —, *Condylospora*, 874
 —, *Entomophaga*, 882
 —, *Flabellocladia*, 430
 —, *Heppia*, 1057
 —, *Lautospora*, 1059
 —, *Lichenothelia*, 678
 —, *Melanconis*, 767
 —, *Mollisia*, 300
 —, *Ramaria*, 137
 — forma *tenuispora*, *Ramaria*, 843
 —, var., *Ramaria purpurissima*, 903
 giganteum, *Entoloma*, 666, 881
 —, *Exobasidium*, 198
 —, *Helminthosporium*, 391, 432
 —, *Tulostoma*, 911
 giganteus, *Cellulasclerotes*, 281
 —, *Colus*, 527
 —, *Conidiobolus*, 8
 —, *Diporicellaesporites*, 197
 —, *Gymnopilus*, 292
 —, *Panus*, 131
 —, *Strobilomyces*, 503, 559
 —, forma, *Gomphidius viscidus*, 242, 342
 —, var., *Coelomomyces borealis*, 526
 gigantesporum, *Crocicreas*, 118
 gigas, *Blastobotrys*, 420
 —, *Fuscophilis*, 668
 —, var., *Clitocybe geotropa*, 282
 gigaspermum, *Hebeloma*, 124
 gigaspora, *Botryoderma*, 280
 —, *Camillea*, 948
 —, *Leptosphaeria*, 86
 —, *Phaeosphaeria*, 983
 —, *Psilocybe*, 309
 gigasporum, *Astrothelium*, 521
 —, *Smittium*, 365 ('gigasporus')
 gigasporus, *Hydopus*, 244
 —, *Lactarius*, 296
 —, *Rhizopogon*, 362
 gilgiana, *Crossospora*, 118
 gillerforsii, *Euphoriomyces*, 430
 gillesianum, *Entoloma*, 387
 gillesii, *Entoloma*, 387
 —, *Heterochaete*, 292
 —, *Hymenochaete*, 163
 —, *Hypoxylon*, 202
 —, *Physalacria*, 447
 —, *Wrightoporia*, 620
 gillettiana, *Montagnula*, 252
 gillettii, *Cortinarius*, 117 ('Gilletti')
 gilmorei, *Scutellospora*, 614
 gilva, *Ascorhizoctonia*, 419
 —, *Logilvia*, 544
 —, *Tuckermannopsis*, 141
 — var. *tianschanica*, *Clitocybe*, 156
 —, var., *Russula fragilis*, 557, 780
 —, var., *Russula turci*, 557, 780
 gilvescens, *Cryptococcus*, 955

- , *Russula*, 780
gilvicolor, *Xanthochrous*, 458
gilvoides, *Inonotus*, 435
ginsbergeri, var., *Porina oleriana*, 553
giranensis, *Pseudocercospora*, 1070
gjaeri, *Gymnosporangium*, 670
glabellus, *Strobilomyces*, 503
glaber, forma, *Lactarius psammicola*, 53
—, var., *Monascus albidus*, 252
glabra, *Datronia*, 664
—, *Melanelia*, 767
—, *Nectria*, 254
—, *Pleurage*, 22
—, *Strigula*, 66
—, forma, *Amanitina citrina*, 573
—, forma, *Arthonia tumidula*, 279
—, var., *Hydronectria tethys*, 482
glabrans, subsp., *Parmelia pulla*, 548
glabrata subsp. *fuliginosa*, *Melanelia*, 893
glabratum, *Dictyonema*, 753
glabrescens, *Hebeloma*, 343
glabridiscus, *Leucoagaricus*, 596
glabrior, var., *Panus fulvus*, 131
glabripes, var., *Tylopilus fumosipes*, 27
glabriuscula, *Phyllopsora*, 134
glabrum, *Echinothecium*, 1054
—, *Leioderma*, 677
glacialis, *Hyalopeziza*, 201
—, *Venturia*, 792
—, subsp., *Parmelia omphalodes* see *Parmelia skultii*
—, subsp., *Parmelia omphalodes*, 495
glactosi, var., *Schizosaccharomyces octosporus*, 138
gladioli, *Curvularia*, 1053
gaesarius, *Geotrichites*, 431
glandicola, *Penicillium*, 549
— var. *confertum*, *Penicillium*, 687
— var. *glaucovenetum*, *Penicillium*, 1066
— var. *mononematosum*, *Penicillium*, 687
('mononematosus')
glandicolor forma *curtus*, *Cortinarius*, 194
glandiformis, *Volvariella*, 562
glandigenus, *Sporocadus*, 502 ('glandigena')
glandulina, *Phylacia*, 58
glaphurus, *Cortinarius*, 194, 235
glareosa, *Cintractia*, 472
—, *Clitocybe*, 384
—, *Parmelia*, 208
—, *Xanthoparmelia*, 621
glauca, *Arrhenia*, 740
—, *Paraporphidia*, 1065
—, *Tremolecia*, 33
— forma *fruticulosa*, *Cladonia*, 525
—, var., *Phyllopsora buettneri*, 986
—, var., *Usnea glaucescens*, 561
glauca, var., *Phyllopsora corallina*, 986
glaucescens, *Moellerodiscus*, 129
—, *Myriotrema*, 30
— var. *glauca*, *Usnea*, 561
—, var., *Lactarius hibernicus*, 52
—, var., *Lactarius peckii*, 53
—, var., *Lactarius piperatus*, 53
glaucespora, *Phoma*, 985
glaucoaffinis, *Aspergillus*, 520
glaucobasis, *Entoloma*, 479
glaucoacanum, *Repetobasidium*, 499
glaucoarpoides, *Parmotrema*, 257
glaucoflava, var., *Cladonia varians*, 660
glaucoflavens, *Lecidea*, 248
glaucolepidea, *Trapeliopsis*, 33
glaucolivida, *Cladonia*, 231
glaucolurida, *Pseudocypbellaria*, 608
glauconitens, *Dermoloma*, 585
glauconiveus, *Aspergillus*, 520
glaucopa, *Lecidella*, 394
glaucophaea, *Porpidia*, 403
glaucophaenum, *Myriotrema*, 30
glaucopora, *Poria*, 402
glaucopus, *Entoloma*, 47
— var. *acyaneus*, *Cortinarius*, 425, 475
— var. *olivaceus*, *Cortinarius*, 425
glaucovenetum, var., *Penicillium glandicola*, 1066
glaucovirescens, *Pyxine*, 779
glauco-aromatica, *Ramaria*, 137
glauco-punctata, *Paraphaeosphaeria*, 444
glauculum, *Myriotrema*, 30
glaucum var. *minor*, *Penicillium*, 444
glebarum, *Galerina*, 49
—, *Stigidium*, 700
glebosoverrucosa, *Phaeosphaeria*, 1067
gleditsiae, *Plagiosphaera*, 306 ('gleditschiae')
glenii, *Lanzia*, 836 ('gleni')
glioderma, *Armillaria*, 227
gliricidiensis, *Passalora*, 1065
glitra, *Nais*, 546
globiferum, *Glomus*, 536
— var. *microsporum*, *Anthracotheceum*, 418
—, var., *Catapyrenium lachneum*, 1045
globisidiosa, *Xanthoparmelia*, 621
globisorum, *Stereocaulon*, 559
globispora, *Clitocybula*, 334
—, *Kavinia*, 435
—, *Puiggarrina*, 902
—, *Russula*, 612
—, var., *Mycena alphetophora*, 975
—, var., *Russula maculata*, 613
globisporum, *Ceratobasidium*, 43
—, *Melanophyllum*, 87
globisporus, *Cortinarius*, 583
—, *Hymenagaricus*, 346, 483
—, *Phaeomarasmius*, 304
globocystis, *Micropsalliota*, 18
globoides, *Psammopomopiospora*, 308
globopodia, var., *Meliola cyclobalanopsina*, 973
globosa, *Ameopiospora*, 278
—, *Exserticlava*, 534
—, *Gibellula*, 199
—, *Peronosclerospora*, 399
—, *Reymanella*, 138
—, *Stachybotrys*, 176
—, *Torrubiella*, 216
— var. *minutissima*, *Blastocladia*, 331
globosisporus, *Cejpomyces*, 155
('globosporus')
globosivelata, *Psathyrella*, 554
globosoides, *Torrubiella*, 216
globosostipitata, *Gibellula*, 199
—, *Torrubiella*, 216
globospora, *Bullera*, 380

- globosum, *Arthrimum*, 279
 —, *Coleocarpon*, 334
 —, *Reticulosporidium*, 24
 — var. *europaeum*, *Diderma*, 830
 — var. *roseum*, *Diderma*, 665
 —, var., *Penicillium granulatum*, 1066
 globosus, *Aspergillus*, 3
 —, *Coccomyces*, 525
 —, *Inapertisporites*, 294
 —, *Kameshwaromyces*, 486
 globovosporus, var., *Cortinarius sericeus*, 195
 globulans, *Nephromopsis*, 130
 globulifera, *Lichenothelia*, 678
 —, *Torula*, 408
 —, *Xanthoparmelia*, 368
 globuliferum, *Entoloma*, 11 ('globulifer')
 globuliformis, *Cortinarius*, 528
 globuliger, *Xerocomus*, 318
 globulosa, *Bacidia*, 742
 —, *Mollisia*, 129
 globulosella, *Micarea*, 299
 globulosus, *Inapertisporites*, 202
 glochidionis, *Pseudocercospora*, 1070
 gloeocarpa, *Fistulinella*, 241
 gloeocystidiatus, *Panellus*, 685
 —, *Tubulicrinis*, 618
 gloeoderma, *Licea*, 54
 gloeodichophysata, *Heterochaete*, 201
 gloeoloma, *Mycena*, 975
 gloeospora, *Erynia*, 12
 —, *Lecanosticta*, 350
 —, *Massarina*, 597
 —, *Pandora*, 980
 gloeosporioides var. *cephalosporioides*,
Colletotrichum, 334
 — forma *specialis clidemiae*, *Colletotrichum*,
 582
 — forma *specialis cucurbitae*,
Colletotrichum, 7
 — forma *specialis cuscatae*, *Colletotrichum*,
 527
 gloeous, *Suillus*, 1078
 gloiocephala, *Volvariella*, 562, 912, 1000
 —, forma, *Volvariella speciosa*, 848
 gloiopeltidis, *Didymella*, 10
 glomelliferica, *Flavoparmelia*, 757
 glomerulata, *Xanthoparmelia*, 705
 glomerulatum, *Glomus*, 669
 gloriosa, *Parmelia*, 132
 gloriosum, *Parmotrema*, 604
 glucosophila, *Candida*, 745
 glucozyma, *Pichia*, 359
 glutinipes, *Gliophorus*, 833
 — var. *rubra*, *Hygrocybe*, 346
 glutinocothurnata, *Mycena*, 975
 glutinosa, *Helvella*, 886
 —, *Mollisia*, 768
 —, *Oudemansiella*, 979
 —, *Psilocybe*, 262
 —, var., *Russula chloroides*, 611
 glutinosus, *Panellus*, 685
 —, *Parmastomyces*, 980
 —, *Pluteus*, 987
 —, var., *Boletus badius*, 946
 glutinovirens, var., *Lactarius albocarneus*,
 541
 glyceriae, *Discocistella*, 478
 glyceriae-plicatae, *Phaeosphaeria*, 983
 glycinea, *Setosphaeria*, 698
 glycines, *Dactuliochaeta*, 879
 — var. *lespedezae*, *Erysiphe*, 430
 —, forma *specialis*, *Phytophthora*
megasperma, 171 ('glycinea')
 glycosmidis, *Bagnisiella*, 4 ('glycosmidiae')
 —, *Cercoseptoria*, 746
 —, *Cercospora*, 113
 —, *Lecanidion*, 165
 —, *Patellaria*, 168
 —, *Sarcinella*, 94
 glycosmus, *Inopilus*, 247
 glyphica, *Ocellularia*, 31
 glyphiza, *Sarcographina*, 100
 gmelinae, *Griphosphaeria*, 758
 —, *Guignardia*, 83
 —, *Phomopsis*, 774
 —, *Phyllosticta*, 91
 gmelinae-arboreae, *Mycovellosiella*, 599
 gnamptogenyos, var., *Hirsutella*
stilbelliformis, 201
 gnaphaliana, var., *Leptosphaeria galiorum*,
 765
 gnaphalodes, *Entoloma*, 47
 gnapholopoda, *Simocybe*, 558 ('gnapholopus')
 gnapholopus, *Agaricus*, 517
 gnirre, *Cortinarius*, 876
 gnophodes, *Entoloma*, 47
 godeffroyi, *Pseudocyphellaria*, 498
 godfrinioides, *Inocybe*, 887
 godroniicola, *Unguiculariopsis*, 847
 goianensis, *Koordersiella*, 85 ('Koordersiella')
 golaghatii, *Cercospora*, 43
 golovinii, *Leveillula*, 766
 —, *Microsphaera*, 129
 —, *Nectria*, 130
 gomezii, *Hebeloma*, 292
 —, *Hydropus*, 244
 —, *Hypochnicium*, 434
 —, *Laccaria*, 889
 —, *Lepiota*, 969
 —, *Marasmius*, 972
 —, *Mycena*, 975
 —, *Perenniporia*, 208
 —, *Poria*, 402
 —, *Russula*, 992
 gomphandrae, *Amazonia*, 868
 gomphidioides, *Phylloporus*, 551
 gompholoma, *Megalospora*, 251
 — subsp. *fuscolineata*, *Megalospora*, 251
 gomphrenae, *Nimbya*, 1064
 gongylodes, *Xanthoparmelia*, 621
 gonioides, *Verticillium*, 506, 848
 goniospermum, *Tricholoma*, 216
 — forma *tetragonosporum*, *Tricholoma*, 997
 goniospora, *Pterospora*, 361
 —, *Tetrapyrgos*, 701
 gonostegiae, *Mycovellosiella*, 976
 goodeniicola, *Septoria*, 994
 goodyerae-repentis, *Ceratorhiza*, 659
 goossensiae, var., *Macrolepiota gracilentia*,
 488
 gopalkrishnanii, *Asterina*, 741
 gorakhanathii, *Cercospora*, 659

- gorakhpurensis, *Ascochyta*, 3
 —, *Mycovellosiella*, 88
 —, *Phoma*, 306
 —, *Phomopsis*, 134
 —, *Sarcinella*, 94
 —, *Stenella*, 314
 —, *Veronaea*, 142
 —, *Zyziphora*, 179
gordoniae, *Phyllachora*, 605
gordonii, *Ciboria*, 472
 —, *Palaeomyces*, 207 ('*Gordoni*')
 — var. *major*, *Palaeomyces*, 207
 — forma *minor*, *Psathyra*, 308
gorteri, *Phyllactinia*, 841 ('*gorterii*')
gossypii, *Bagnisiella*, 4
 —, *Penicillium*, 20
 —, *Talaromyces*, 26
gossypina, *Bipolaris*, 420
gossypinus, *Lactarius*, 52
gotlandica, *Lamprospora*, 763
gotoana, *Pseudocercospora*, 693
gotoanum, *Cercosporidium*, 191
gouaniae, *Amazonia*, 1042
goundaensis, *Asordaria*, 741
gracilariae, *Pleospora*, 987
 —, *Stemphylium*, 995
gracile, *Ceratopodium*, 113
 —, *Cylindrocladium*, 157
 —, *Dictyostelium*, 287, 338
 —, *Lyophyllum*, 298
 —, *Rhopalostroma*, 452
 —, var., *Amauroderma perplexum*, 227
gracilenta, *Chaenotheca*, 659
 —, *Conocybe*, 749
 —, *Cybebe*, 385
 —, *Macrolepiota*, 488
 — var. *acuteumbonato*, *Macrolepiota*, 766
 — var. *goossensiae*, *Macrolepiota*, 488
graciliaffinis, *Austroboletus*, 742, 944
graciliformis, *Stemonitis*, 455
gracilior, *Amanita*, 151
 —, *Cortinarius*, 876
 — var. *meridionalis*, *Cortinarius*, 876
 —, var., *Cladonia anomaea*, 525
gracilipes, *Russula*, 905
 —, *Tulostoma*, 911
gracilis, *Acroconiella*, 867 ('*gracile*')
 —, *Austroboletus*, 4
 —, *Choanatiara*, 333
 —, *Corollospora*, 749
 —, *Erynia*, 12
 —, *Erysiphe*, 82
 —, *Holubovaniella*, 482
 —, *Hydropus*, 244
 —, *Hymenagaricus*, 346
 —, *Micropsalliota*, 18
 —, *Peyritsiella*, 445
 —, *Pluteus*, 259
 —, *Rhadinomyces*, 451
 —, *Stemonaria*, 454
 —, *Subulisporea*, 503
 — subsp. *nigripes*, *Cladonia*, 64
 — subsp. *tenerrima*, *Cladonia*, 64
 — subsp. *turbinata*, *Cladonia*, 64
 — subsp. *vulnerata*, *Cladonia*, 64
 — var. *corrugis*, *Psathyra*, 260, 308
 — var. *enecta*, *Taeniospora*, 788
 — var. *laevipes*, *Austroboletus*, 4
 — forma *major*, *Lepiota*, 248
 — forma *substerilis*, *Psathyra*, 308
 —, forma, *Aspidella solitaria*, 575
 —, forma, *Cetraria rassadinae*, 382
 —, forma, *Cortinarius hinnuleus*, 194
 —, forma, *Inocybe calamistrata*, 246
 —, forma, *Lepiota fulvella*, 248
 —, forma, *Lepiota haematosperma*, 248
 —, forma, *Psathyrella corrugis*, 777
 —, var., *Amanita citrina*, 868
 —, var., *Amanita flavorubens*, 109
 —, var., *Amanitina citrina*, 573
 —, var., *Hygrophorus nemoreus*, 966
gracillima, *Chaenotheca*, 382
 —, *Cordyceps*, 157
 —, forma, *Lacrymaria lacrymabunda*, 247
 —, forma, *Naucoria scolecina*, 254
gracillimus, forma, *Pluteus chrysophaeus*, 259
 ('*gracillima*')
graddonii, *Belonium*, 4
graminea, *Niptera*, 683
graminella, *Ramularia*, 991
gramineum, *Ceratobasidium*, 659
 —, *Leptoxypium*, 351 ('*graminium*')
 — var. *incertellum*, *Crocicreas*, 79
 —, var., *Crocicreas megalosporum*, 79
gramineus, *Cortinarius*, 235
graminicola, *Chalara*, 192
 —, *Cistella*, 6
 —, *Cortinarius*, 235 ('*graminicolus*')
 —, *Guignardia*, 670
 —, *Lactocollybia*, 969
 —, *Malbranchea*, 205
 —, *Phaeoramularia*, 357
 —, *Phialophora*, 21
 — var. *zonatum*, *Colletotrichum*, 77
 — forma *specialis sacchari*, *Colletotrichum*, 334
 — forma *specialis secalis*, *Colletotrichum*, 334
 — forma *specialis sorghi*, *Colletotrichum*, 334
 — forma *specialis zeae*, *Colletotrichum*, 334
graminis, *Daldinia*, 585
 — forma *cleistogenis*, *Erysiphe*, 160
 —, *Candida* see *Rhodotorula hordea*
 —, var., *Coprinus echinosporus*, 233
graminum, *Hymenoscyphus*, 484
 ('*graminium*')
 —, *Psilachnum*, 498
grammicosporopsis, *Nectria*, 895
grammopodia forma *macrocarpa*,
Melanoleuca, 837
grampianensis, *Septoria*, 782
granatense, *Penicillium*, 56
grande, *Phacidium*, 258 ('*grandis*')
grandicarpa, *Ceratocystis*, 872
grandidentatae, var., *Venturia tremulae*, 457
grandifoliae, *Leptographium*, 437
 —, *Ophiostoma*, 601
grandipes, *Ramaria*, 60
grandiporus, *Dyadosporonites*, 666
 —, *Microporellus*, 680
grandis, *Aigialus*, 466

- , *Luxuriomyces*, 971
- , *Ocellularia*, 31
- , *Otidea*, 1064
- , *Pseudocolus*, 261
- , *Taeniella*, 455
- forma *cyanoccephala*, *Ramaria*, 137
- , forma, *Ramaria zippelii*, 404
- , var., *Loweoporus castaneus*, 970
- grandispora*, *Leptophyma*, 677
- , *Lophiotrema*, 970
- , *Massariosphaeria*, 439
- grandisporus*, *Alpova*, 417
- , *Bathyascus*, 656
- , subsp., *Cortinarius saginus*, 195
- grandiuscula*, *Peridiothelia*, 495
- grandiusculus*, *Multicellaesporites*, 130
- grangei*, *Lepiota*, 248
- , *Lepiotula*, 54
- granifera*, *Huilia*, 293 ('*Huelia*')
- graniforme*, *Cliostomum*, 29
- granitophila*, *Melaspilea*, 973
- granulans*, *Megalospora*, 251
- granularis*, *Peziza*, 208
- granulata*, *Hyperphyscia*, 760
- , *Lecidella*, 764
- , *Xanthoparmelia*, 1001
- granulatum* var. *globosum*, *Penicillium*, 1066
- granulatus*, *Diporisorites*, 197
- , *Inapertisporites*, 202
- , *Multicellaesporites*, 206
- granuliferum*, *Entoloma*, 47 ('*granulifer*')
- granuliformis*, *Dicellaesporites*, 120
- granulosa*, *Alternaria*, 329
- , *Chrysothrix*, 872
- , *Cladonia*, 581
- , *Cyptotrama*, 9
- , *Hyphodontia*, 886
- , *Melanelia*, 767
- , *Pyrenopeziza*, 990
- , *Trapelia*, 789
- , *Trapeliopsis*, 316
- granulosellum*, *Psilachnum* see *Cistella hoehnelii*
- granulosiceps*, *Entoloma*, 47
- , *Inocybe*, 887
- granuloso-cinnabarinum*, *Cystoderma*, 878
- granulosum*, *Catapyrenium*, 658
- , *Lopadium*, 128
- , *Myriotrema*, 30
- granulosus*, *Inapertisporites*, 347
- , *Oropogon*, 979
- granvina*, *Ionaspis*, 1058
- graphidicola*, *Arthonia*, 943
- graptopsaltriae*, *Hirsutella*, 201
- grassii*, var., *Amanita foetens*, 518
- grata*, *Postia*, 1068
- gratiellae*, *Laboulbenia*, 675
- , *Rhachomyces*, 60
- gratissimum*, *Entoloma*, 47
- grauiana*, *Amanita*, 868
- graupianum*, var., *Leptostroma pinorum*, 87
- graveolens*, *Alboleptonia*, 868
- , *Inocybe*, 887
- , *Lepista*, 16, 350
- , *Pseudoomphalina*, 694
- var. *megacantha*, *Russula*, 780
- , forma, *Mycena sanguinolenta*, 598
- , var., *Boletus chrysenteron*, 577
- , var., *Lactarius fusco-olivaceus*, 52
- grayana*, *Tubercularia*, 505
- greeneana*, *Erysiphe*, 340
- greeneanus*, *Golovinomyces*, 884
- gregaria*, *Karstenia*, 593
- , *Paraparmelia*, 602
- , *Scutellospora*, 614
- , *Skyttea*, 61
- , *Strickeria*, 785 ('*Strickera*')
- forma *laevispora*, *Trichophaea*, 96
- gregarius*, *Rhymbocarpus*, 1073
- gregis*, *Hirsutella*, 292
- gregoriana*, *Myriosclerotinia*, 895
- gregoryi*, *Coryneum*, 475
- grenadensis*, *Biscogniauxia*, 1044
- var. *macrospora*, *Biscogniauxia*, 1044
- grenadinus*, *Kyphomyces*, 436
- gretae*, *Pseudocyphellaria*, 261
- grevilleae*, *Hypocrea*, 347
- , *Sarcostroma*, 501
- grevillei*, *Boletinus*, 331
- , *Cistella*, 6
- grewiae*, *Oidium*, 89
- , *Pseudocercospora*, 1070
- var. *longispora*, *Meliola*, 545
- griffithii*, *Cliostomum*, 29
- grimmiae*, forma *specialis*, *Bryonora curvescens*, 280
- grinsbergii*, *Rhodotorula*, 405 ('*grinsbersii*')
- grisea*, *Hohenbuehelia*, 50, 392
- , *Idriella*, 164
- , *Limacella*, 970
- , *Phragmoporthes*, 306
- , *Porpidia*, 987
- , *Spiromastix*, 845
- var. *hillmannii*, *Physconia*, 986
- var. *indica*, *Humicola*, 15
- var. *pictipes*, *Russula*, 212, 213, 500
- var. *pityrea*, *Physconia*, 986
- forma *specialis* *eleusines*, *Pyricularia*, 555
- forma *specialis* *oryzae*, *Pyricularia*, 555
- , forma, *Amanita vaginata*, 572
- , forma, *Polyporellus arcularius*, 899
- , var., *Bryoria crispa*, 743
- , var., *Hohenbuehelia atrocaerulea*, 538
- griseascens*, *Russula*, 363
- griseinoides*, var., *Russula luteoviridans*, 905
- griseiporus*, var., *Microporellus burkillii*, 680
- griselinae*, *Rogersella*, 500
- grisella*, *Phlebiella*, 688
- var. *luteolovelata*, *Amanita*, 2
- , forma, *Russula integra*, 612
- griseoalba*, *Psathyrella*, 497
- griseoargentata*, var., *Amanita submembranacea*, 572
- griseoatra*, *Miriquidica*, 768
- var. *leucophaea*, *Lecidea*, 64
- griseobrunnea*, *Ramaria*, 310
- griseocanescens*, *Hebeloma*, 343
- griseocanum*, *Hebeloma*, 343
- griseocarneus*, *Tylopilus*, 998
- griseocarpus*, *Cyathus*, 80
- griseocephala*, *Russula*, 1076
- griseocyaneum* var. *nudipes*, *Entoloma*, 666

- griseocyaneus*, *Circinomucor*, 231
griseodurus, *Trametes*, 456
griseoflavescens, *Phlebia*, 90
griseoflavus, *Sporobolomyces*, 783
griseofoetidus, *Coprinus*, 874
griseofulvum var. *dipodomycicola*, *Penicillium*, 687
griseofusca, *Armillaria*, 869, 1043
griseolavandulus, *Cortinarius*, 45
griseoluridus, *Pluteus*, 359
griseomellea, *Armillaria*, 228
griseopallida, *Arrhenia*, 943
—, *Calyptrata*, 523
—, *Hygrocybe*, 483
griseopallidum, *Leptoglossum*, 128, 1060
— forma *bisporicum*, *Leptoglossum*, 1060 ('*bisporica*')
griseopallidus, *Phaeotellus*, 305, 446
— var. *tetraspora*, *Phaeotellus*, 446
griseopus, forma, *Pluteus nanus*, 497
griseoradiata, *Mycena*, 975
griseoradiatella, *Mycena*, 975
griseorimosus, *Agaricus*, 226
griseorubellum, *Entoloma*, 11, 666
griseorubentis, *Verrucariomyces*, 100
griseorubidum, *Entoloma*, 387
griseosoralifera, *Rinodina*, 992
griseosticta, *Lepiota*, 165
griseovelatum, *Hebeloma*, 343
griseovinaceus, *Gomphidius*, 669
griseoviolacea, var., *Rhodocybe trachyospora*, 904
griseoviridis, var., *Mycena epipterygia*, 130
griseo-azureum, *Penicillium*, 169
griseo-olivacea, *Xylaria*, 793
griseum, *Helicosporium* see *Helicosporium murinum*
griseus, *Diacanthodes*, 956
—, *Leucoagaricus*, 17
—, *Rubinoletus*, 311
— var. *subglaber*, *Diacanthodes*, 956
—, var., *Agaricus xanthodermus*, 329
groegeri, *Psathyrella*, 554
groenhartii, *Rinodina*, 363
groenlandiae, *Geltingia*, 1055
groenlandica, *Amanita*, 825
—, *Ascorhizoctonia*, 419
—, *Thelignya*, 1078
—, *Tricharina*, 504
—, *Urnula*, 97
—, subsp., *Cladonia cornuta*, 64
groenlandicus, *Ascobolus*, 1043
—, *Saccobolus*, 844
grossa, *Megalaria*, 395
grossulus, *Camarophyllus*, 380
—, *Cuphophyllus*, 426, 663
— var. *belleri*, *Cuphophyllus*, 1052
grossum, *Clypeococcum*, 232
grossus, var., *Endocalyx melanoxanthus*, 339
grovei, *Diplococcium*, 478
—, *Pyxidiophora*, 23
gruberi, var., *Handkea utrififormis*, 963
grubyi, *Arthroderma*, 519
grummanii, *Epigloea*, 388
grumosa, *Ramalina*, 779
—, *Tephromela*, 559
grumulosa var. *monstrosa*, *Lecanactis*, 1060
grundii, *Ramaria*, 609
grylli, *Conidiobolus*, 8
guadelupae, *Xerocomus*, 268
guadelupensis, *Epithele*, 240
guadae, *Ellula*, 46
guajavae, *Wuestneia*, 1001
guamense, *Bactrodesmium*, 111
guamensis, *Oncopodiella*, 131
guanacastensis, *Hemimycena*, 964
—, *Lactarius*, 296
—, *Marasmius*, 972
—, *Tylopilus*, 316
guanchica, *Roccella*, 779
guandishanensis, *Cyathus*, 1053
guangdongensis, *Clitocybe*, 748
guangxiense, *Amauroderma*, 574
guanicensis, *Passalora*, 1065
guaporensis, *Hydropus*, 244
guaraniticum, *Sporisorium*, 995
guarapiensis, *Lentinula*, 350
—, *Nectriopsis*, 977
guatemalensis, *Molliardiomyces*, 353
—, *Morchella*, 490
guatemaltica, *Suttonina*, 366
guava, *Metacapnodium*, 129
guayarensis, *Russula*, 311
guazumae, *Xylaria*, 1002
gueldenstaedtia, forma, *Erysiphe communis*, 160
guianensis, *Cladonia*, 951
—, *Gloeomucro*, 13
—, *Maravalia*, 395
—, *Mycopepon*, 770
guignardii, *Hirsutella*, 292
—, *Troglobiomyces*, 27
guillemini, *Pseudocyphellaria*, 554
guillermundii, *Monilia*, 838 ('*guillermundi*')
guilliermondii, *Endomyces*, 831
('guilliermondii')
—, *Yamadazyma*, 1080
guinanense, *Ganoderma*, 589
guineensis, *Dicellaesporites*, 287
guizhouense, *Calostoma*, 421
—, *Ganoderma*, 758
—, *Metarhizium*, 598
guizhouensis, *Lambertella*, 676
gulabii, *Phomopsis*, 259 ('*gulabia*')
guldeniae, *Nannfeldtiella*, 88
gulmargense, *Lycoperdon*, 836
gummosa, *Pholiota*, 305
— var. *obscurifusca*, *Pholiota*, 605
gunniae, *Psilodiporites*, 403
gunnii, *Paecilomyces*, 494
guptei, *Thelotrema*, 617
guttatus var. *ilicinus*, *Cortinarius*, 528
('ilicina')
guttulaspora, *Diheterospora*, 428
guttulata, *Nectriella*, 977
—, *Phaeosphaeria*, 984
—, *Postia*, 171
guttulatum, *Alysidium*, 572
guttulatus, *Oligoporus*, 443
—, *Spongiporus*, 26
guttulifer, *Inocybe*, 887
— forma *inamoena*, *Inocybe*, 887

- guttulifera, Calycellina, 1045
 guttulisporea, Stachybotrys, 176
 guyana, Hirsutella, 15
 guyanensis, Hygrocybe, 965
 guyonianum, Camarosporium, 75
 guyotiana, var., Tilletia fusca, 997
 guzmanii, Amanita, 418 ('guzmanni')
 —, Cercospora, 6
 —, Entoloma, 587
 —, Melanoleuca, 395
 —, Neotremella, 19
 —, Psilocybe, 309
 gwyneddii, Hypoxylon, 293
 —, Nemanium, 397
 gyalectiformis, Lichingoldia, 596
 gyalolechioides, subsp., Caloplaca biatorina, 522
 gymnematis, Parapyricularia, 444
 —, Pseudocercospora, 92
 gymnocystis, Phylloporus, 986
 gymnopetali, Pseudocercospora, 1070
 gymnopilus, Inocybe, 887
 gymnopus, Cortinarius, 235
 gymnosporangii, Cyllindrocarpon, 236
 gymnosporiae, Eutypella, 756
 —, Clypeolella see Schiffnerula hansfordii
 gymnostemmatis, Chrysocelis, 44
 gynophila, Nematophthora, 19
 gynoxidicola, Stenella, 214
 gypsaceus subsp. interpediens, Diploschistes, 532
 — subsp. neutrophilus, Diploschistes, 532 ('neutrophila')
 — subsp. sculus, Diploschistes, 532
 —, subsp., Diploschistes scruposus, 958
 gypsea, Ramaria, 212
 gypsella, Mycena, 769
 gypsellum, Helotium, 200
 gypseum, Arthroderma, 519
 gyrocarpa, Polysporina, 171
 gyrophorarum, Endococcus, 754
 gyrophorica, Parmelia, 840
 —, Xanthoparmelia, 621
 gyrophoricus, Diploschistes, 1054
 gyroporum, Steccherium, 995
 haasii, Ditiola, 1054
 —, var., Cortinarius cumatilis, 424
 habenula, Hypotrachyna, 164
 habrochloae, Uromyces, 848
 hachijoense, Exobasidium, 480
 hachijoensis, Denticularia, 286
 hackmanii, Stigmatomyces, 315
 haddenii, Blumeriella, 870
 hadrianii forma minor, Phallus, 605
 hadrocystis, Conocybe, 116
 —, Pholiotina, 551
 haemaleum β haematops, Collema see Pyrenopsis haematina
 haematina, Pyrenopsis, 1072
 haematocephalus, Agaricus, 867
 haematocheloides, Cortinarius, 194
 haematococca var. brevicona, Nectria, 207
 — forma specialis piperis, Nectria, 682
 haematococcoides, Nectria, 254
 haematopus, Chaenothecopsis, 659
 haematosperma, Pratella, 1068
 — forma gracilis, Lepiota, 248
 haematospermum, Melanophyllum, 440, 489
 haemorrhoidaria, Pratella, 1068
 haeyrenii, Aspicilia, 110
 hafellneri, Capronia, 1045
 —, Schismatomma, 1077
 hafellneriana, Dactylospora, 337
 hageniae, Coleroa, 661
 —, Stigmidium, 907
 hagenii, Polyporasclerotes, 307 ('hageni')
 hagiwarae, Physarum, 689
 hahashimensis, Hygrocybe, 245
 haidensis, Amygdalaria, 739
 hainanense, Cymatoderma, 584
 hainanensis, Auricularia, 576
 —, Meliola, 973
 —, Trapeliopsis, 140
 —, Tremella, 216
 hainesii, Camillea, 948
 haizhouensis, Notothyrites, 600
 hakeae, Sarcostroma, 501
 hakelieri, Geoglossum, 290
 hakkodasanense, Corallodendron, 233
 hakkodense, Scleroderma, 557
 hakkodensis, Bacidia, 742
 haleana, Bulbothrix, 332
 halei, Cetrariastrum, 114
 —, Cladina, 581
 —, Everniastrum, 533
 —, Megalospora, 251
 —, Myriotrema, 30
 —, Oropogon, 979
 —, Tuckermannopsis, 141
 —, var., Cetraria ciliaris, 333
 halepensis, Bipolaris, 945 ('halepense')
 —, Metazythiopsis, 974
 halima, Phaeosphaeria, 984
 —, var., Lulworthia medusa, 250
 halimi, Duportella, 754
 halimodendri, Eutypella, 122
 —, Physalospora, 134
 halitidiformis, Gyalideopsis, 834
 hallettensis, Candelariella, 281
 hallstromii, Entoloma, 47
 halodes, Bipolaris, 5
 halodytes, Pyrenocollema, 778
 halonata, Grandinia, 199
 —, Kneiffiella, 126
 halonatum, Glomus, 13, 1056 ('halonatus')
 halophila, Basipetospora, 420
 —, Kontospora, 1059
 —, Pleospora, 401
 —, Rinodinella, 363
 —, Stropharia, 908
 — var. fuscocollata, Inocybe, 392
 —, var., Acarospora smaragdula, 188
 halophilus, var., Coelomomyces psorophorae, 526
 haloxyli, Coniophyrium, 662
 —, Crepidotus, 157 ('haloxyloni')
 hamadae, Achaetomium, 225
 —, Amanita, 418
 —, Chaetomium, 422
 hamanaensis, Atkinsiella, 279
 hamata, subsp., Unguiculariopsis ravenelii, 847

- hamatopilosa, Unguicularia, 618
 —, Unguiculariopsis, 847
 hamatum, Harpoglyphum, 482
 —, Sistotrema, 175
 hamatus, Nematoctonus, 547
 hammenii, Inapertisporites, 347
 —, Psilodiporites, 403
 hampshirensis, Pichia, 775
 hamulata, Hyalopeziza, 15
 —, Urceolella, 28
 hamulosa, Ramalina, 66
 hamusetulus, Inonotus, 348
 handelii, Pseudocercospora, 693
 hanffii, Lamprospora, 763
 hangzhouana, Pichia, 1067
 hanlinii, Dendrostilbella, 196
 hanseni, Pestalosphaeria, 90
 — var. fabryi, Debaryomyces, 477
 hansfordii, Pseudocercospora, 693
 —, Schiffnerula, 364
 —, Stigmina, 908
 hapalogaster, Arundinula, 419
 hapalotera, var., Usnea rigida, 561
 haplocarphae, Aecidium, 571
 haplophilum, Yamadazyma, 1080
 ('halophila')
 haplophragmatis, Mycovellosiella, 167
 ('haplophragmae')
 haplophylli, Oidiopsis, 600
 haplospora, Roselliniella, 500
 —, Rosellinula, 610
 hapsidophora, Gelasinospora, 962
 haptospora, Hirsutella, 538
 haptotyla, Dactylella, 476
 haraeana, Gnomoniella, 291
 hareae, Polyscytalum, 92
 hariolorum var. inodora, Collybia see
 Collybia kauffmanii
 harknessii, Dothiora, 121
 —, Pseudobalsamia, 692
 — var. stephanomeriae, Puccinia, 93
 harleyi, Phlebobus, 209
 harmalae, Phoma, 689
 harpago, Hymenochaete, 84
 harperi, Melanoleuca see Clitocybe
 brunneocephala
 harposporifera, Atricordyceps, 279
 harposporioides, Drechmeria, 429
 —, Meria, 205
 harpostipitata, Tubercularia, 505
 harrimanellae, var., Encoeliopsis rhododendri,
 46
 harrisii, Thelenella, 788
 —, Xanthoparmelia, 1001
 harrisonii, Galerina, 536
 —, Ramaria, 609
 —, Sarcodon, 452
 harteri, Monilia, 838
 hartigii, Fomitiporia, 389
 hartii, Myriotrema, 30
 harunganae, Pseudocercospora, 693
 hasegawae, Rhodotorula, 452
 hassei, Lecania, 595
 —, Thelenella, 788
 hastata, Grandinia, 199
 —, Kneiffiella, 126
 hastatum, Repetobasidium, 60
 hastatus, Cortinarius, 583
 hastiana, Laboulbenia, 295
 hastifer, Inonotus, 85
 hatakeyamanus, Corallofungus, 284
 hauerslevii, Hymenochaete, 84
 —, Sistotremella, 365
 —, Vararia, 1080
 haumanii, Trapeliopsis, 33
 haustellaris, Ramicola, 990
 —, Simocybe, 139, 364
 — forma effugiens, Simocybe, 994
 hauturuanum, Lophodermium, 1061
 havanense, Rhinocladium, 696
 havanensis, Beltraniella, 656
 —, Bisseomyces, 420
 —, Dactylaria, 956
 —, Endothiella, 754
 —, Pseudobeltrania, 607
 —, Stachybotrys, 907
 —, Thozetella, 366
 hawaiiense, Endoraecium, 339
 —, Gloeocoryneum, 242
 —, Leptomelanconium, 437
 —, Thelotrema, 33
 hawaiiensis, Bipolaris, 75, 742
 —, Lindra, 679
 —, Nadvornikia, 397 ('hawaiiensis')
 —, Pseudocochliobolus, 93
 —, Rhodocybe, 992
 —, Rimelia, 1074
 —, subsp., Sphaerophorus melanocarpus, 313
 hawkesii, Paecilomyces, 398
 hawksworthii, Ascotrichella, 826
 —, Skyttea, 558
 hayachinensis, Myelochroa, 682
 haynaldii, Bryoria, 743
 haysii, Orphella, 772
 haysomii, Flavoparmelia, 535
 haywardiana, Flavoparmelia, 883
 haywardiorum, Pseudocypbellaria, 777
 hebbalensis, Fumago, 48
 hebelomatiporus, Botryohypochnus, 155
 ('hebelomatoporus')
 hebelomoides, Collybia, 192
 —, Inocybe, 887
 hebes, Cortinarius, 8
 —, Entoloma, 159, 239
 —, forma, Fusarium oxysporum, 431
 ('hebae')
 —, forma specialis, Fusarium oxysporum,
 431
 hebri, Tavaresiella, 96
 —, Triceromyces, 617
 hebridense, Bactrodesmium, 521
 hedbergii, Xanthoparmelia, 318
 hederiae, Moellerodiscus, 206
 —, Skyathea, 502, 615
 —, var., Eutypa petrakii, 756
 hedgecockii, Cryocaligula, 751
 hedlundii, Micarea, 299
 hedychii, Durella, 288
 hedyotidis, Cercoseptoria, 6
 —, Cercospora, 76 ('hedyotis')
 hedysari, Microsphaera, 353
 —, Phloeosporella, 21

- , *Trichocladia*, 560
heidelbergensis, forma, *Candelariella aurella*, 112
 —, var., *Candelariella aurella*, 64
heimerlii, *Dactylospora*, 476
heimiana, *Inocybe*, 348
heimii, *Agaricus*, 517
 —, *Gloeocystidiopsis*, 199
 —, *Inocybe*, 348
 —, *Macrolepiota*, 128
heinarii, *Xanthoparmelia*, 913 ('*heinari*')
heinemannii, *Leucocoprinus*, 836
 —, *Russula*, 1076
helenae, *Strickeria*, 700, 785, 908 ('*Strickera*')
helgae, *Odonticum*, 547
helianthi, *Ascochyta*, 468
 —, *Diaporthe*, 119
 —, *Phaeoramularia*, 258
 —, *Phoma*, 496
 —, *Phomopsis*, 134
 —, forma, *Sphaerotheca fuliginea*, 176
helianthinificiens, *Alternaria*, 467
helica, *Pseudotorula*, 989
helichrysi, *Erysiphe*, 667
 —, *Leveillula*, 970
 —, *Plasmopara*, 776
 —, *Strickeria*, 785
helicoides, *Genistelloides*, 758
 —, var., *Pythium capillosum*, 779
helicoideum, *Chaetomium*, 6
 —, *Lasiobolidium*, 296
heliconiae, *Cercospora*, 333
 —, forma *specialis*, *Cylindrocladium spathiphylli*, 955
helicopis, *Lecania*, 542
helicospora, *Diplonaevia*, 428 ('*heliocospora*')
 —, *Goosiella*, 589
helicothrix, *Aspergillus*, 42
helicteretis, *Cercosporidium*, 382 ('*helicteri*')
heliocephalum, *Haplographium*, 538
heliopsisidis, *Syncarpella*, 996
 —, *Thecaphora*, 215
helios, *Crocicreas*, 79
 —, *Russula*, 612
 —, var. *parahelios*, *Crocicreas*, 118
heliotropii, forma *specialis*, *Fusarium oxysporum*, 668 ('*heliotropae*')
helisca, *Gloiocephala*, 536
hellenicus, *Zygoascus*, 562
helleriae, *Eccrinoides*, 339
helminthiae, *Ramularia*, 263
helminthobasis var. *novaezelandiae*, *Mycena*, 300
helminthocystis, *Marasmiellus*, 971
helminthosporioides, *Corynesporella*, 662
helmsii, *Flavoparmelia*, 535
 —, *Parmelia*, 208
helobia, *Pseudohygrocybe*, 842
 —, var., *Inocybe lacera*, 761
helodes, *Plerogone*, 552
helopis, *Sphaerocordyceps*, 266
helotioides, *Poculum*, 497
helsinkiensis, *Fuscidea*, 123
helvella, *Lyophyllum*, 298
helvellae, *Ceratocystis*, 76
helvelloides, *Plectania*, 690
helveoloides, *Lepiota*, 596
helvetica, *Cistella*, 950
 —, *Entomophthora*, 388, 429
 —, *Plagiosphaera*, 776
 —, *Rosellinia*, 1074
 —, *Urocystis*, 911
helveticum, *Chalazion*, 77
 — subsp. *sipeanum*, *Nephroma*, 600
helveticus, *Spooneromyces*, 1078
helviodor, *Cortinarius*, 425
helvolofirma, *Hygrocybe*, 245
helvolus var. *bresadolae*, *Cortinarius*, 1050
 — var. *maximus*, *Cortinarius*, 1050
 — var. *medius*, *Cortinarius*, 1050
hematochlora, *Phibalis*, 688
 — var. *microspora*, *Phibalis*, 688
hemibrunnea, *Anthostomella*, 942
 —, *Phyllosticta*, 1067
hemicrypta, *Octosporella*, 19
hemicysti, *Catenochytridium*, 659
hemidesmi, *Meliola*, 767 ('*hemidesmae*')
 —, *Pseudocercospora*, 693
hemigraphidis, *Corynespora*, 8
hemileuca, *Inocybe*, 887
hemipolia, *Bacidia*, 280
hemirubella, *Ramaria*, 556
hemisclera, *Cystolepiota*, 237
hemisphaerica, *Mycomicrothelia*, 492
 —, *Xylopezia*, 562
hemisphaericum, *Schizoxylon*, 265
hemispherica, *Buellia*, 190
hemisulfureum, var., *Tricholoma sulfureum*, 847, 1079
hemitrichialis, *Mycena*, 975
hemplingii, *Cryptococcus*, 195
hendecaphyllophorus, var., *Marasmius pseudocupressiformis*, 972
hendecaphyllus, *Marasmius*, 972
hendrickxii, *Schiffnerula*, 781
hengduanensis, *Hypogymnia*, 434
 — subsp. *kangdingensis*, *Hypogymnia*, 434
hennebergii, forma, *Aspergillus niger*, 3
hennebertii, *Chaetopsis*, 282
hennenii, *Thecaphora*, 215 ('*hennenea*')
henningsiana, *Lanzia*, 165, 890
henningsianum, *Poculum*, 497 ('*henningsiana*')
henningsii, *Mycosphaerella*, 442
 —, *Passalora*, 1065
henrici, *Cortinarius*, 45
 —, *Entoloma*, 239
 —, *Erynia*, 121
henricii, *Pichia*, 359
henryanus, *Cortinarius*, 583
henryi, *Amazonia*, 1042
hensseniae, *Diploschistes*, 478
 —, *Lecanora*, 595
 —, *Nephroma*, 683
hensseniana, *Caloplaca*, 1045
henssenianus, *Stephanocyclus*, 314
henssenii, *Lecanora*, 542
hepatica, *Confistulina*, 335
hepaticicola, *Macentina*, 205 ('*hepaticola*')
hepaticola, *Lopadium*, 488
hepaticus, *Ascophanus*, 1043

- , *Elasmomyces*, 387
 —, *Lentinus* see *Collybia himalaica*
hepiali, *Scytalidium*, 781
hepialidicola, *Cordyceps*, 234
heppii, *Gonohymenia*, 1056
heppioides, *Catapyrenium*, 658
heptamera, *Phaeosphaeria*, 984
heraclei, *Symphyosirinia*, 215
herbarum, *Guignardia*, 670
 —, *Lophiostoma*, 597
 —, *Stemphylium*, 615
 — var. *betulina*, *Opegrapha*, 302
 — forma *conferta*, *Opegrapha*, 302
hercules, *Coprinus*, 474, 874
herculeus forma *violascens*, *Cortinarius*, 953, 1050
herculoides, *Cortinarius*, 235
hercynica, var., *Porpidia macrocarpa*, 607
hercynicus, var., *Cortinarius violaceus*, 285
hereroensis, *Santessonia*, 906
hericioides, var., *Steccherinum galeritum*, 699
heringeriana, *Uncinula*, 703
herinii, forma, *Evernia prunastri*, 29
heritiera, *Buglossoporus*, 379
herpetica, forma, *Opegrapha rufescens*, 302
herpeticus var. *fageticola*, *Cortinarius*, 425, 475
 — forma *cyanochlorus*, *Cortinarius*, 475
herpotricha, *Calloriopsis*, 155
 —, *Ophiosphaerella*, 19
herpotrichioides, *Herpotrichia*, 201
herpotrichoides, *Ramulisporea*, 263
 — var. *acufomis*, *Pseudocercospora*, 93
herrerae, *Amanita*, 654
 —, *Helotium*, 200
herteliana, *Porpidia*, 987
herteriana, *Urocystis*, 911
herzogii, *Oropogon*, 979
hesleri, *Clitocybe*, 232
 —, *Cortinarius*, 284, 528
 —, *Hebeloma*, 343
hesperia, *Handkea*, 963
 —, var., *Dermocybe aureifolia*, 879
hessei forma *bisporus*, *Hymenogaster*, 434
 — forma *tetrasporus*, *Hymenogaster*, 434
hesuelica, var., *Nadsoniella nigra*, 770
hetairizans, *Pyrenidium*, 609
heteriformis, *Syncephalis*, 701
heterobaculata, *Perichaena*, 133
heterobasidiata, *Campanella*, 155
heterocateniforme, *Sporidesmium*, 699
heterochroa, *Hypotrachyna*, 485
 —, *Russula*, 311
heterochrominea, *Inocybe*, 246
heteroclita, *Hemiphiliota*, 591
heterocolor, *Puccinia*, 23 ('*heteroloris*')
heterocutis, *Entoloma*, 47
heterocystica, var., *Phytophthora palmivora*, 358, 899
heterocystidia, *Melanoleuca*, 352
heterocystidiosa var. *cistorum*, *Melanoleuca*, 439
 — forma *alba*, *Melanoleuca*, 439
heterocystis, *Inocybe*, 887
 —, *Micropsalliota*, 894
heteroderæ, *Chalara*, 382
 —, *Codinaea*, 156
 —, *Dictyochaeta*, 880, 957
 —, *Hirsutella*, 84
 —, *Stagonospora*, 699
heteroderma, var., *Russula aurora*, 905
heterodermus, *Boletus*, 946
heteroclaterum, *Trichia*, 1079
heterogama, *Scutellospora*, 614
heteroloba, *Parmelinopsis*, 686
heteroloma, *Melanotus*, 973
heteromalla, *Cercoseptoria*, 746
heteromelina, *Diplodia*, 753
 —, *Physalospora*, 775
heteromella, *Pseudocercospora*, 693
heteromorpha, *Pestalozzia*, 549
 —, *Torula*, 408, 456
 —, var., *Phoma exigua*, 985
heteromorphospora, *Phoma*, 21
heteromorphum, *Cystostereum*, 45
 —, *Penicillium*, 897
heteromorphus, *Crustomyces*, 584
heteropappi, *Ramularia*, 93
heteroparaphysa, forma, *Morchella purpurascens*, 491
heterophylla, *Hypogymnia*, 202
 — forma *adusta*, *Russula*, 264
heteropilosa, *Trichopezizella*, 216
heteropilum, *Chaetomium*, 77
heteropogonicola, *Exserohilum*, 389
heteropogonis, *Peronosclerospora*, 20 ('*heteropogoni*')
heteroschemos, *Nimbya*, 1064
heterosetosa, *Tubosaeta*, 847
heterosperma, var., *Russula nitida*, 613
heterospermum, *Camarosporium*, 75
heterospermus, *Austroboletus*, 279
heterospora, *Anungitea*, 227
 —, *Biatorella*, 228
 —, *Corynespora*, 45
 —, *Dictyosporites*, 287
 —, *Diplocradiella*, 958
 —, *Phaeosphaeria*, 446
 —, *Porina*, 65
 —, *Rhodocybe*, 138
 —, *Topelia*, 408
 —, forma, *Inocybe obscurioides* see *Inocybe amethystina*
 —, forma, *Inocybe lacera*, 835
 —, forma, *Inocybe obscurioides*, 348
heterosporangia, *Blastocladia*, 945
heterosporica, *Hohenbuehelia*, 84
heterosporoides, var., *Inocybe langei*, 246
heterosporum, *Glomus*, 431
 —, var., *Tulostoma fimbriatum*, 911
heterosporus var. *afibulatus*, *Gyroporus*, 14
heterostemmae, *Guignardia*, 963
heterostoma, *Camillea*, 948
 — var. *macrospora*, *Camillea*, 948
heterothallicus, *Corynascus*, 285
heterotrichum, *Chaetomidium*, 282
heterotropum, *Hypobryon*, 293
hetieriana, *Cystolepiota*, 476
 —, *Lepiota*, 488
heucherae, *Pestalotiopsis*, 773
heufferi, *Diplodia*, 753
heveae, *Bipolaris*, 576

- , *Libertella*, 17
heveanensis, var., *Cryptococcus magnus*, 79,
 118
hexagonoides, *Megasporoporia*, 205
hexagonosporum, *Chaetomium*, 192
—, *Xenosperma*, 1080
hexagonus, *Seychellomyces*, 138
hexamera, *Sporormiella*, 502
hexamerum, *Diadema*, 956 ('*hexamera*')
hexaphyllus, *Marasmius*, 972
hians, *Anthracotheций* see *Thelotrema*
neohians
hiascens, *Coprinus*, 233
hiatuloides, var., *Leucocoprinus cepaestipes*,
 678
hibbardae var. *glaucescens*, *Lactarius*, 52
hibernica, *Clavulinopsis*, 473
—, *Postia*, 171
—, *Zamenhofia*, 562
hibernicus, *Oligoporus*, 443
—, *Spongiporus*, 176
hibernus, *Genistelloides*, 83
hibisci, *Capnobotrys*, 422
—, *Rhizostilbella*, 499
—, var., *Coniella musaiaensis*, 8
hibiscicola, *Sphaerotheca*, 139
hibiscina, *Pseudocercospora*, 1070
hibisci-mutabilis, *Pseudocercospora*, 136
hicksii, *Parmotrema*, 548
hicatoria, *Splanchnonema*, 214
hiemale, *Cerocorticium*, 113
—, *Entoloma*, 479
—, var., *Entoloma saundersii*, 479
hiemalis, *Ascorhizoctonia*, 419
—, *Camarophyllopsis*, 523
—, *Phaeosphaeria*, 984
—, *Rhodophyllus*, 499
—, *Tricharina*, 504
— forma *luteus*, *Mucor*, 396
— forma *silvaticus*, *Mucor*, 396
hierachifolium, *Crocicreas*, 955
hieracii, *Pseudocercospora*, 901
— forma *specialis cichorii*, *Puccinia*, 59
—, forma *specialis*, *Bremia lactucae*, 470
hierochloae, *Urocystis*, 457
hieroglyphicum, *Lamproderma*, 204
hierrensis, *Ramalina*, 66
higginsii var. *cyperi*, *Dactylaria*, 385
highlandensis, *Lactarius*, 52
—, *Ramaria*, 843
hilare, *Entoloma*, 47
hilarianus, *Agaricus*, 867
hilaris, *Ramaria*, 1073
— var. *olympiana*, *Ramaria*, 843
hilarulum, *Entoloma*, 47
hilberovae, *Apioplagiostoma*, 942
hillii, *Megalospora*, 251
hillmannii, var., *Physconia grisea*, 986
himalaica, *Collybia*, 283
—, var., *Pyxine berteriana*, 212
—, var., *Ramaria rubella*, 499
himalaicus, *Uromyces*, 1000
himalayaensis, *Leotia*, 165
himalayana, *Paraaoria*, 602
—, *Psora*, 778
—, *Russula*, 363
himalayanum, *Aithaloderma*, 825
('himalayana')
—, *Nematostigma*, 839 ('himalayana')
himalayanus, *Lactarius*, 349 ('himalayana')
himalayense, *Caeoma*, 744 ('himalayensis')
—, *Lophodermium*, 544
—, *Lycoperdon*, 836
—, *Tuber*, 910
—, subsp., *Calicium adpersum*, 1045
('himalayensis')
himalayensis, *Cercophora*, 155
—, *Clavariadelphus*, 951
—, *Diatrype*, 956
—, *Discosphaerina*, 338
—, *Encoelia*, 339
—, *Hyaloscypha*, 482
—, *Hymenoscyphus*, 15
—, *Microsphaera*, 768
—, *Phlebiopsis*, 605
—, *Pyxine*, 212
—, *Ramaria*, 903
—, *Sclerotinia*, 364
—, *Thecotheus*, 96
—, *Trichopezizella*, 505
—, *Uncinula*, 704
—, *Xylaria*, 410
himalense, *Phragmidium*, 605
himalensis, *Sphacelotheca*, 994
—, *Stilbechrysomys*, 407 ('himalense')
hingstonii, *Laboulbenia*, 436
hinnulea, *Armillaria*, 228
—, *Inocybe*, 887
—, *Myceliophthora*, 253
—, *Mycocyclia*, 19
—, *Rhodotorula*, 904
hinnuleo-armillatus, *Cortinarius*, 953
hinnuleus, *Cryptococcus*, 236
— forma *gracilis*, *Cortinarius*, 194
— forma *minutalis*, *Cortinarius*, 194
— forma *radicatus*, *Cortinarius*, 194
— forma *subtypicus*, *Cortinarius*, 194
hinoana, *Anthostomella*, 378
hinoensis, *Candida*, 745
hioranii, subsp., *Dirina approximata*, 287
hippophaeicola, *Fomitiporia*, 389
hippophaes, *Epipolaeum*, 289
—, *Hymenoplectra*, 293, 592
hippophaes, *Antrodia*, 869
hirsanensis, forma, *Hygrocybe*
olivaceoviridis, 245
hiratae, *Erysiphe*, 160
hiratsukanum, *Phragmidium*, 899
hircosum, *Entoloma*, 47
hirosakiensis, *Xanthoparmelia*, 1080
hirotaniana, *Cordyceps*, 284
hirsuta, *Ciborinia*, 192
—, *Hemimycena*, 671
—, *Nectriopsis*, 977
— subsp. *papyria*, *Umbilicaria*, 33
— var. *cubensis*, *Oramasia*, 601
— var. *vuoxaensis*, *Umbilicaria*, 317
hirsutellae, *Torrubiella*, 267
hirsutum var. *albocoremium*, *Penicillium*,
 1066
— var. *alii*, *Penicillium*, 1066
— var. *hordei*, *Penicillium*, 1066

- var. *venetum*, *Penicillium*, 1066
- hirsutus*, var., *Chytriumyces macrooperculatus*, 114
- hirta*, *Ciliaria*, 1046
- , *Dendropleella*, 286
- hirtella* var. *bispora*, *Inocybe*, 761
- forma *bispora*, *Inocybe*, 1058
- hirtifructa*, *Parmelia*, 132
- , *Relicina*, 609
- hirtipes*, *Entoloma*, 11
- var. *obsoletum*, *Entoloma*, 239
- var. *sericoides*, *Entoloma*, 11
- hirtula*, *Montagnula*, 440
- hirtulus*, *Cyathus*, 955
- hirtuosa*, *Phaeophyscia*, 170
- hirtus*, *Fungites*, 390
- , *Jahnoporus*, 85
- hispalense*, *Penicillium*, 89
- hispanica*, *Faurelina*, 757
- , *Krombholziella*, 435
- , *Lamprospora*, 763
- , *Lasallia*, 890
- , *Leptosphaeria*, 765
- , *Pachycladina*, 1065
- , *Rhodocybe*, 904
- , subsp., *Lasallia brigantium*, 30
- hispanicum*, *Chaetomium*, 524
- , *Sistotrema*, 845 ('*hispanica*')
- hispida*, *Cystolepiota*, 119, 752
- , *Mycena*, 300
- , *Strickeria*, 785
- hispidifavolus*, *Panellus*, 685
- hispidulinanus*, *Tyromyces*, 998
- hispidulum*, *Entoloma*, 159
- , *Morrisographium*, 441
- hispidulus*, *Phaeomarasmius*, 57
- var. *cephalocystis*, *Pluteus*, 497
- hispidum*, subsp., *Coelocaulon aculeatum*, 29
- hispidus*, *Gloeoporus*, 962
- hissarica*, *Melampsora*, 767
- , *Octospora*, 255
- hissaricum*, *Lachnum*, 595
- hissaricus*, *Dasyscyphus*, 237
- histoplasmoides*, *Chaetomium*, 659
- hiugensis*, *Cordyceps*, 234
- hiulca*, *Phanerochaete*, 21
- hladuniana*, *Verrucaria*, 912
- hobsonii*, *Leucophellinus*, 765
- hochstetteri* var. *arnoldii*, *Verrucaria*, 561
- var. *mastoidea*, *Verrucaria*, 561
- var. *obtecta*, *Verrucaria*, 561
- var. *rosiformis*, *Verrucaria*, 561 ('*rosaeformis*')
- hoehnelii*, *Antrodiella*, 189
- , *Aphanostigme*, 227
- , *Cistella*, 872
- , *Conioscypha*, 283
- , *Flaviporus*, 389
- , *Nematospora*, 682
- hoffmanniana*, subsp., *Aspicilia contorta*, 944
- hoffmannii*, *Lecythophora*, 296
- , var., *Cortinarius decipiens*, 876
- hoheriae*, *Nectria*, 976
- , *Tubercularia*, 998
- hohnelii*, *Phellinus*, 57
- hoi*, *Glomus*, 431
- hokkaidoense*, *Hysterangium*, 540
- holboelliae*, *Aecidium*, 277
- holboellii*, *Uredo*, 618
- holci*, *Didymella*, 586
- , *Drechslera*, 754
- , *Entyloma*, 479
- holci-sorgii*, *Sporisorium*, 454
- hollandicus*, *Aspergillus*, 520
- hollii*, *Trichaptum*, 408
- hollosii*, *Sarcostroma*, 501
- holmiae*, *Microthyrium*, 1062
- holmii*, *Gibbera*, 1056
- , *Hysteropezizella*, 1058
- , *Leptosphaeria*, 765
- , *Setomelanomma*, 138
- holobrunnea*, *Mycovellosiella*, 130
- holocarpa* var. *vitellinaria*, *Caloplaca*, 523
- holocrocinus*, *Gymnopilus*, 670
- holodiscina*, *Valsa*, 791
- hologlauca*, *Cyclographina*, 385
- hololepis*, var., *Cladonia anomaea*, 525
- hololeuca*, *Hygrocybe*, 965
- holophaea*, *Elmerina*, 339
- , forma, *Cortinarius euprivignus*, 1049
- holophaeum*, forma, *Hebeloma mesophaeum*, 432
- holophlebia*, *Agrocybe*, 41
- holopus*, *Krombholziella*, 202
- holoschoeni*, *Hysteronaevia*, 347
- holovioleipes*, *Cortinarius*, 953
- holoxantha*, *Hygrocybe*, 592
- , *Inocybe*, 126
- holoxanthus*, *Cortinarius*, 8
- holsaticus*, *Sporobolomyces*, 314
- holstii*, *Pichia*, 359
- holwayi*, *Dietelia*, 120
- , *Sorataea*, 365
- homalanthi*, *Pseudocercospora*, 693
- homalisma*, *Pyrenula*, 309
- homalodisci*, *Selenophoma*, 698
- homalomorpha*, *Eiglera*, 532
- , *Hymenelia*, 124
- homalotae*, *Peyritsiella*, 445
- homalotropa*, *Bactrospora*, 1044
- hominis*, *Polycyrtella*, 776
- hommae*, *Erysiphe*, 160
- , *Microsphaera*, 205
- homoiospora*, *Sphaeria*, 25
- homomorpha*, *Bipolaris*, 5, 228 ('*homomorphus*')
- , *Drechslera*, 339
- homomorphum*, *Entoloma*, 667
- homomorphus*, *Cortinarius*, 1050
- homosetulosus*, var., *Coprinus marculentus*, 527
- homotoma*, *Rimelia*, 1074
- hondana*, *Gonohymenia*, 481 ('*hondoana*')
- hondensis*, *Rhodocybe*, 138
- hondurensis*, *Grammothele*, 431
- , *Tylopilus*, 316
- hongkongensis*, *Drechslera*, 238
- hongoi*, *Pluteus*, 987
- , *Russula*, 993
- , *Xerula*, 623
- honrubiae*, *Gorgomyces*, 963
- hoodii*, var., *Puccinia douglasii*, 608

- hooglandii, Lasiobelonium, 676
 hoogshagenii, Psilocybe, 262 ('Hoogshageni')
 — var. convexa, Psilocybe, 262
 hookeri, Pseudocyphellaria, 65
 —, Tubaria, 618
 horakii, Agaricus, 377
 —, Astrosporina, 331
 —, Collybia, 334
 —, Conocybe, 749
 —, Entoloma, 387
 —, Hohenbuehelia, 392
 —, Pseudomitula, 23
 —, Rhodocybe, 362, 451
 — var. microglossoidea, Pseudomitula, 23
 — var. terrestris, Astrosporina, 331
 horakomyces, Inocybe, 887
 horaninoviae, Guignardia, 670
 ('horaninowiae')
 hordea, Rhodotorula, 904
 hordei, var., Penicillium hirsutum, 1066
 hordeicola, Ramularia, 991
 horizontalis, Melanotus, 352
 horneae, Palaeomyces, 207
 hornemannii, Stropharia, 96
 horrescens, Hypotrachyna, 673
 —, Parmelinopsis, 686
 horrida, Calvatia, 1045
 —, Trichonectria, 997
 horridula, Podospora, 360
 horridulus, Marasmius, 679
 horridum, Nematothecium, 682
 horridus, Pouzaromyces, 58
 hortensis, Agaricus, 738
 —, Boletus, 946
 —, Leucoagaricus, 249
 — forma citrinus, Boletus, 946
 — forma euhortensis, Boletus, 946
 — forma lilacinus, Boletus, 946
 —, Ascochyta see Phoma funkiae-albomarginatae
 —, var., Macrolepiota rhacodes, 128
 horticola, Entoloma, 47
 horvathianum, Exobasidium, 122
 hospitans, var., Acarospora impressula, 187
 hottentotta, Fuscidea, 961
 —, Xanthomaculina, 507
 hourniense, Sporidesmium, 26
 houttuyniae, Pseudocercospora, 989
 ('houttuyulae')
 houttuyniicola, Cercospora, 949
 howardii, Paradiachea, 168
 howeana, Erysiphe, 160
 howickensis, Poeltiaria, 1068
 howsei, Peziza, 57, 257
 hualo, Cortinarius, 876
 huashanensis, Rhizoplaça, 451
 huayinensis, Erysiphe, 160
 hueiana, var., Phaeophyscia orbicularis, 550
 huempii, Candida, 381
 —, Cryptococcus, 955, 1052
 huerfanum, Acremonium, 653
 huggertii, Euphoriomyces, 533
 —, Rickia, 60 ('huggerti')
 hughesiana, Ramularia, 991
 hughesii, Botryosporium, 827
 —, Capnophialophora, 579
 —, Catenularia, 75
 —, Dictyochoeta, 957
 —, Phomopsis, 209
 huijsmaniana, Hebelomina, 671, 885
 huijsmanii, Conocybe, 283
 —, Entoloma, 387
 —, Inocybe, 761
 hujusmodi, Cortinarius, 235
 hultenii, subsp., Ochrolechia subplicans, 839
 humana, Asordaria, 741
 humberi, Erynia, 1055 ('humbersi')
 humboldtensis, Dermocybe, 879
 humboldtii, Aspicilia, 468
 humerata, Phaeosphaeria, 984
 humicola, Apiotrichum, 110
 —, Cryptococcus, 79, 118 ('humicolus')
 —, Diheterospora, 958
 —, Haptoglossa, 123
 —, Phytophthora, 447
 —, Vanrija, 141
 —, Viennotidia, 178 ('Viennotidea')
 —, Wardomycopsis, 410
 humidicola, Saccobolus, 557
 humidipes, Hydnum, 15
 humile, Megalocystidium, 166
 humilior, Hydropus, 244
 humilis, Anthracoidea, 278
 —, Astrosporina, 655
 —, Cladonia, 383
 —, Inocybe, 835
 —, Vesiculomyces, 409
 — var. bougeanica, Cladonia, 951
 — forma, Cladina rangiferina, 660
 —, var., Russula carmesina, 1075
 humillimum, Micromphale, 352
 ('humillimus')
 humphreyi, Stereopsis, 366
 hunana, Mycobilimbia, 770
 hunanense, Calostoma, 948
 hunanensis, Amanita, 109
 —, Calocera, 744
 —, Eutypella, 756
 huneckii, Geastrum, 83
 hungarica, Cistella, 6
 —, Pseudocercospora, 361
 —, Triadelphia, 789
 —, var., Caloplaca ferruginea, 523
 —, var., Handkea utrififormis, 963
 hungaricus, Gorgomyces, 481
 huntii, Leptographium, 437
 —, Ophiostoma, 356
 hunua, Antrodiella, 42
 hunuus, Flaviporus, 389
 hupehenis, Physcia, 306
 huronensis, Dermocybe, 879
 —, Phaeosphaeria, 984
 — var. olivacea, Dermocybe, 879
 —, var., Cortinarius palustris, 285
 hyacinthi, Phoma, 774
 hyacinthus, Pleurotus, 135
 hyalina, Acarosporina, 465
 —, Chalara, 333
 —, Delicatula, 531
 —, Glaphyriopsis, 589
 —, Tricharia, 846
 —, Typhula, 409

—, *Cyathicula* see *Poculum hyalinum*
 —, forma, *Amanita vaginata*, 572
 —, forma, *Trematosphaeria vindelicorum*, 910
 —, var., *Erysiphe cruchetiana*, 160
 —, var., *Sphaerotheca aphanis*, 558
hyalinescens, *Lecidea*, 248
hyalinospora, *Gymnascella*, 481
hyalinum, *Camposporium*, 43
 —, *Poculum*, 135
 —, *Stigmatolemma*, 996
 —, *Tarichium*, 909
 —, *Vascellum*, 848
hyalinus, *Tyromyces*, 62
hyalocristata, *Trichonectria*, 910
hyalodepas, *Alboleptonia*, 226
hyalodes, *Lepista*, 543
hyalofilispora, *Mycovellosiella*, 130
hyaloperidium, *Chaetomium*, 333
hyalopus, *Lachnum*, 675
hyalosperma, *Sporidesmiella*, 214
 — var. *novae-zelandiae*, *Sporidesmiella*, 214
hyalospora, *Arthrobotryum*, 378
 —, *Atelocauda*, 379
 —, *Mycocladus*, 442
 —, *Synnemellisia*, 909
hyalosporum, *Nodulisporium*, 88
 —, *Pyrenidium*, 1072
hyalosporus, var., *Pilobolus crystallinus*, 1067
hybocarpa, *Lecanora*, 394
hybrida, *Peyritschella*, 445
 —, *Rhizolecia*, 404
 —, *Trichophaea*, 910
 —, *Xanthoparmelia*, 621
hybridiza, *Xanthoparmelia*, 705
hybridum, *Dermoloma*, 337
 —, forma, *Entoloma clypeatum*, 81
hyderabadensis, *Puccinia*, 778 ('*Pucinia*')
 —, *Uromyces*, 791
hydneum, *Steccherinum*, 559
hydnicola, *Claussenomyces*, 661
hydnoides, *Scenidium*, 312 ('*hydnoideum*')
 —, var., *Steccherium ochraceoceum*, 995
hydnotheca, *Echinoporia*, 46 ('*hydnotheca*')
hydrangeae, *Uncinula*, 409, 505
hydrobii, *Eusynaptomyces*, 430
hydrocharis, *Aspicilia*, 655
hydrocotylicola, *Uromyces*, 619
hydrocybeoides, *Hebeloma*, 343
hydrocybiformis, *Inocybe*, 887
hydrogeton, *Hohenbuehelia*, 964
hydrogramma, *Singerocybe*, 845
hydrometrae, *Triceromyces*, 617
hydrophila, *Androdiella*, 330 ('*Androdiella*')
 —, *Belonopsis*, 576
 —, *Pleuromyces*, 691
 —, *Porpidia*, 403
 — forma *pratensis*, *Psathyrella*, 260
hydrophiloides, *Psathyrella*, 172
hydrophilum, *Cylindrocarpon*, 337
hydrophilus, *Flaviporus*, 13
hydrophoroides, *Hydropus*, 244
hydrophyllacearum, *Erysiphe*, 240
hydrophyllaceorum, *Golovinomyces*, 884
hydropica, *Russula*, 1076
hydropodoides, *Marasmius*, 972

—, *Mycena*, 975
hydrozonatus, *Cortinarius*, 117
hygrocyboides, *Crinipellis*, 955
 —, *Cuphophyllus*, 426, 663
 —, *Hygrocybe*, 760
hygrohypnophila, *Otospora*, 302
hygrophana, *Inocybe*, 126
hygrophila, *Calycellina*, 744
 —, *Chaenotheca*, 64
 —, *Galerina*, 241
 —, *Parmelia*, 256
 — forma *paucicystidiata*, *Galerina*, 241
hygrophoraccedens, *Cortinarius*, 384
hygrophoroides, *Caulorhiza*, 333
 —, *Cortinarius*, 384
 —, *Inocybe*, 485
 — var. *lavendulaceus*, *Lactarius*, 52
 — var. *odoratus*, *Lactarius*, 52
 — var. *rugatus*, *Lactarius*, 52
 —, var., *Oudemansiella radicata*, 602
 —, var., *Xerula radicata*, 217
hygrophytica, *Russula*, 60
hylaecicola, *Pluteus*, 987
hylomeci, *Erysiphe*, 882
hylophila, *Rhodotorula*, 904
hymeneliicola, *Lecidea*, 1060
hymeniophila, *Cistella*, 155
hymeniophylla, *Cistellina*, 747
hymenocardiae, *Pseudocercospora*, 693
hymenocephala, *Camarophyllospora*, 524
hymenocephalus, *Hydropus*, 433
hymenochaeticola, *Phaeotrichosphaeria*, 305
hymenocrateris, *Camarosporium*, 658
 ('*hymenocrateris*')
hymenogonia, var., *Polysporina simplex*, 900
hymenophylli, *Cistella*, 581
hymenopileus, *Agaricus*, 2
 —, *Hymenagaricus*, 163
hyoscyami, *Albugo*, 571
 —, *Erysiphe*, 160
 —, *Golovinomyces*, 884
hyparrheniae, *Sphacelotheca*, 25
 —, *Uromyces*, 317
 — forma *major*, *Sphacelotheca*, 25
hyparrheniicola, *Uromyces*, 848
hyparrheniophila, *Puccinia*, 843
hyperantarctica, *Thyronectria*, 62
hyperbiota, *Nectriopsis*, 977
hyperborea, *Diplonaevia*, 428
 —, *Rickia*, 60
hypericacearum, *Microsphaera*, 129
hyperici, *Microsphaera*, 87
hypericinum, *Seimatosporium*, 94
hyperopta, *Foraminella*, 161
 — var. *landewaldii*, *Stemonitopsis*, 407
hyperparasiticum, *Coniothyrium*, 44
hypertropicalis, *Psathyrella*, 842
hyperythrus, *Hydropus*, 244
hyphaenes, *Agaricostilbum*, 188
hyphenata, *Arthrocrustula*, 189
hyphodontia, *Odontiopsis*, 56
hyphopila, *Coprobria*, 335
hypnorum, *Mycobilimbia*, 770
hypoandrum, *Pythium*, 779
hypobrunneides, *Rigidoporus*, 697
hypobrunneus, *Rigidoporus*, 697

- hypocenomyceae, *Clypeococcum*, 7
hypocitrinus, *Tyromyces*, 367
hypoclista, forma, *Parmelia taractica*, 132, 548
hypoconstictica, *Paraparmelia*, 602
hypocrellicola, *Mycocitrus*, 1063
 —, *Nectriopsis*, 977
hypocreoides, *Endothia*, 1054
hypocrita, *Farnoldia*, 960
hypoderma, *Winterella*, 1001
 —, *Wuestneia*, 912
hypodytes forma *congoensis*, *Ustilago*, 28
 — forma *sporoboli*, *Ustilago*, 28
hypoëstis-verticillari, *Uredo*, 618
hypogaea, *Chaetomella*, 382
hypogena, *Syncephalis*, 504
hypogenum, *Exobasidium*, 122
hypoglaucoides, *Phaeographis*, 170
hypohaemacta var. *boninensis*, *Hygrocybe*, 245
hypohaemactus var. *boninensis*, *Hygrophorus*, 50
hypolateritius, *Tyromyces*, 62
hypoleucites, *Punctelia*, 173
hypolissus, *Marasmiellus*, 971
hypomelaenoides, *Xanthoparmelia*, 621
hypomiltum var. *microsporum*, *Hypoxylon*, 540
hypophaeus, *Agaricus*, 2
hypopolis, *Hydopus*, 244
hypoprotocetraria, var., *Ramalina farinacea*, 556
hypoprotocetraricum, *Thelotrema*, 33
hyporhoda, *Placynthiella*, 401
 —, *Saccomorpha*, 557
hypostroma, *Bisporella*, 229
hypothallosa, *Gorgoniceps*, 391
hypothamnolica, *Pertusaria*, 65
hypotheja, *Inocybe*, 887
 —, *Psora*, 403
hypotrypa, *Hypogymnia*, 125
hypoxantha, *Calocybe*, 871
 — var. *occidentalis*, *Calocybe*, 871
hypoxera, *Mycena*, 396
hypoxylon, *Immotthia*, 673
hypsipoda var. *microspora*, *Xylaria*, 706
hysginus var. *americanus*, *Lactarius*, 52
 — var. *subroseus*, *Lactarius*, 52
hysterina, *Scyphospora*, 313
hysterinum, *Rhytidhysterium*, 24
hysterioides, *Crocicreas*, 79
 —, *Graphyllum*, 669
hysterium, *Arthrimum*, 519
iaganicum, *Hypochniciellum*, 673
ianthina, *Micropsalliota*, 18
 —, *Xanthoparmelia*, 318, 621
 —, forma, *Mycena pura*, 1062
ianthinocystis, *Omphaliaster*, 131
ianthinofolia, *Inocybe*, 246
ianthinosquamosa, *Lepiota*, 248
ianthinum, *Entoloma*, 11, 159
iberica, *Cetraria*, 64
 —, *Gastrocybe*, 758
 —, *Rinodina*, 363
 —, *Cetraria*, 66
 —, forma, *Squamarina cartilaginea*, 559
ibrahimii, *Inapertisporites*, 966
ichnocarpi, *Phomopsis*, 774
 —, *Pseudocercospora*, 693
ichnusanus, *Xerocomus*, 410
icmadophilae, *Stigmidium*, 407
icmalea, *Placynthiella*, 401
 —, *Saccomorpha*, 557
icterica, forma, *Cladina evansii*, 383
icterina, *Rickenella*, 60 ('*icterinum*')
icterinoides, *Dermocybe*, 879
 —, *Mycena*, 975
icterinum, *Entoloma*, 11, 479
icterinus, *Pulveroboletus*, 1072
idahoense, *Hebeloma*, 343
idahoensis, *Dermocybe*, 879
 —, *Esslingeriana*, 122
 —, *Xanthoparmelia*, 1001
idamalayarensis, *Ophiobolus*, 979
idei, *Coleopuccinia*, 283
idesiae, *Uncinula*, 791
igapoensis, *Lactarius*, 542
 —, *Mycena*, 975
igniarii, *Bacidia*, 521
igniarius var. *cinereus*, *Ochroporus*, 547
 — var. *trivialis*, *Fomes*, 535
 — var. *trivialis*, *Ochroporus*, 547
 — forma *alni*, *Phellinus*, 898
ignipileata, *Hygrocybe*, 245
ignobile, *Lyophyllum*, 204
ignobilis, *Hemimycena*, 243
iguazuense, *Hyphoderma*, 539
iguazuensis, *Microporellus*, 598
ilerdanum, *Penicillium*, 56
ilexarbutus, *Cortinarius*, 528
ilexicola, *Aleurodiscus*, 825
ililia, *Phaeocystostroma*, 133
iliceti, forma, *Cortinarius camurus*, 875
ilicicola, *Marasmius*, 892
ilicifolium, *Crocicreas*, 955
ilicina, *Monochaetia*, 440
 —, *Parapleurotheciopsis*, 131
 —, *Trochila*, 618, 998
ilicincola, *Hyalopeziza*, 15
 — var. *australiensis*, *Unguiculariopsis*, 704
ilicinum, *Coniosporium*, 232
 —, *Lophodermium*, 297
 —, *Sporidesmium*, 266
ilicinus, var., *Cortinarius guttatus*, 528 ('*ilicina*')
ilicis, *Leiosphaerella*, 127
 —, *Periconiella*, 257
 —, var., *Lactarius mairei*, 968
ilicis-integrae, *Schizothyrium*, 24
ilicis-micrococcae, *Pseudocercospora*, 1070
iliensis, *Stilbophoma*, 700
 — var. *australis*, *Coelomomyces*, 526
 — var. *culicis*, *Coelomomyces*, 384
 — var. *indus*, *Coelomomyces*, 526
 — var. *irregularis*, *Coelomomyces*, 526
 — var. *omorii*, *Coelomomyces*, 334
 — var. *orientalis*, *Coelomomyces*, 334
 — var. *striatus*, *Coelomomyces*, 526
illiciicola, *Phellinus*, 447
illini, *Chaetopsina*, 747
illinoensis, *Codinaea*, 77
 —, *Dictyochaeta*, 957

illinorum, Marasmiellus, 971
 illita, Mosigia, 353
 —, Nemanja, 397
 illota, Plagiocarpa, 776
 illotum, Entoloma, 47
 illudens, Haematostereum, 670
 illustris, Hirsutella, 15
 ilmiana, Cymatellopsis, 531
 imagamiana, Cordyceps, 234
 imaii, Aleurina, 518
 imbecillis, Rhodophyllus, 610
 — var. cladii, Dasyscyphus, 45
 imbecillum, Catapyrenium, 1045
 imbellus, Gastrosuillus, 962
 imberbe, Phaeohelotium, 495
 imbricata, Exochalara, 389
 —, Inocybe, 887
 —, Peltula, 841
 —, Pirotaea, 606
 —, Xanthoparmelia, 1001
 —, forma, Physconia pulverulenta, 986
 —, forma, Placolecanora muralis, 986
 —, var., Funalia protea, 122
 imbricatae, Phyllosticta, 358
 imbricatoides, Cortinarius, 157, 953
 imbricatula, Pseudocyphellaria, 498
 imbricatum, Catapyrenium, 524
 imbricatus, Cortinellus, 45
 —, Lichen, 297
 —, Tyromyces, 268
 imitatum, Everniastrum, 533
 —, var., Hebeloma mesophaeum, 344
 immaculata, Psathyrella, 692
 — var. mamillata, Russula, 993
 —, subsp., Laboulbenia luxurians, 486
 immaculatum, Helotium, 200
 immaculipes, Inocybe, 887
 immarginato-coloratus, var., Cortinarius
 odorifer, 954, 1050 ('immarginato-
 colorata')
 immersa, Clauzadea, 383
 —, Diplonaevia, 586
 —, Erysiphe, 340
 —, Parmentaria, 686
 — var. ramosa, Vermiculariopsiella, 268
 —, var., Rinodina iodes, 363
 immersae, Zwackhiomyces, 1081
 immersum, Anthracothecium, 151
 —, Myriotrema, 30
 immersus, Golovinomyces, 884
 immigrans, Inocybe, 164
 immiscens, Myelochroa, 682
 immissus, var., Cortinarius claricolor, 424,
 474 ('imissus')
 immutabile, Hebeloma, 343
 immutabilis, Dasyscyphella, 337
 ('inmutabilis')
 —, Hydropus, 244
 immutata, Xanthoparmelia, 621
 impariphiale, Sesquicillium, 994
 impariphialis, Nectria, 976
 impatiens, Coprinellus, 283
 impatientis, Dietelia, 478
 impavida, Rimularia, 779
 impennis subsp. adustorimosus, Cortinarius,

— var. typicus, Cortinarius, 117 ('typica')
 imperatae, Gibberella, 290
 —, Mycovellosiella, 895
 imperconspicua, Hyalocrea, 672
 imperfectum, Thelotrema, 100
 imperforatus, Oropogon, 979
 imperialis, Biannularia, 469
 implexa, Inocybe, 761
 —, Psathyrella, 172, 260
 implexa, Bryoria, 743
 —, Leptospora, 17
 implexicola, Mycosphaerella, 976
 implicata, Diatrype, 752
 implicatum, Dictyostelium, 428
 implicatus, Phellodon, 605
 —, Plectosclerotes, 307
 impolita, Clitocybe, 156
 —, Fuscidea, 390
 —, Russula, 264
 impolitum, Ganoderma, 242
 —, Leccinum, 54
 imponens, Gloeophyllum, 431
 impressa, forma, Acarospora smaragdula, 188
 impressula, Peltula, 169, 208
 — var. freyi, Acarospora, 187
 — var. hospitans, Acarospora, 187
 — forma insolita, Acarospora, 187
 — forma tominiana, Acarospora, 867
 improvisa, Phialocybe, 305
 impudica, Psalliota see Agaricus reae
 impudicum, Lachnum, 487
 impudicus var. pseudoduplicatus, Phallus, 985
 imshaugii, Cladina, 383
 —, Lecanora, 394, 436
 —, Sphaerophorus, 313
 inacida, var., Ramalina pacifica, 310
 inactiva, Carbonea, 381
 —, Menegazzia, 598
 inaequalis, Roccellina, 310
 inaequale, Endopyrenium, 159
 —, Exserohilum, 389
 inaequalis, Acarella, 571
 —, Cordana, 233
 —, Didymoporisporonites, 120
 —, Dyadosporonites, 754
 —, Galerina, 883
 —, Mycomicrothelia, 130
 —, Ornasporonites, 398
 —, Rehmiodithis, 779
 —, Stilbophoma, 26
 —, var., Acarospora nitrophila, 187
 inaequilatera, Dactylaria, 286
 inaequiseptata, Parapleurotheciopsis, 131
 inaequiseptatum, Dischloridium, 665
 inaequisporus forma kaki, Mucor, 396
 inamoena, forma, Inocybe guttulifer, 887
 inamoenus, Cortinarius, 425
 inaurata, Amanita, 825
 — forma argentina, Amanita, 825
 incana, Daedalea, 337
 —, Ramalina, 779
 incanum var. citrinobrunneum, Entoloma,
 239
 incanus, Rhodophyllus, 610
 —, var., Lactarius quietus, 53
 incarnata, Phlebia, 400

—, var., *Amanita rubescens*, 826
 —, var., *Inocybe fraudans*, 761
incarnatobrunneum, *Lyophyllum*, 204
incarnatofocalis, *Cortinarius*, 953, 1050
incarnatofuscescens, *Entoloma*, 479
incarnatolilascens, *Cortinarius*, 117
incarnatozonatus, *Lactarius*, 52
incarnatum, *Hebeloma*, 432
incarnatum, *Gerronema*, 199
 —, var., *Entoloma mougeotii*, 388, 881
 ('*incarnatus*')
incarnatus, *Rigidoporus*, 697
incerta, *Pleospora*, 259
 —, *Xanthoparmelia*, 621
incertella subsp. *fuegiana*, *Cyathicula*, 9
incertellum, var., *Crocicreas gramineum*, 79
incertus, *Coronasclerotes*, 284
 —, *Pillulasclerotes*, 306
inclusa, *Phaeosphaeria*, 984
 —, *Xylopezia*, 562
inclusum, *Lophodermium*, 1061
incognita, *Inocybe*, 887
 —, *Ramaria*, 137
incolor, *Hygrocybe*, 245
incolorata, *Melanelia*, 767
incomis, *Clitocybe*, 473
incommiscibilis, *Mycenella*, 253
incongrua, *Ramaria*, 137
incongruum, *Entoloma*, 47
inconnexa var. *nesodes*, *Caloplaca*, 657
 —, subsp., *Caloplaca tenuatula*, 523
inconspicua, *Capronia*, 579
 —, *Collybia*, 951
 —, *Flabellophora*, 668
 —, *Lichenochora*, 970
 —, *Pseudocercospora*, 901
 —, *Stigmina*, 908
 —, *Xanthoparmelia*, 705
inconspicuum, *Asteroma*, 4
 —, *Coccidioidictyon*, 1046
 —, *Didymium*, 1054
inconspicuus, *Hymenoscyphus*, 15
 —, *Wentomyces*, 63
inconstans, *Stictis*, 314
 —, *Stigmatomyces*, 907
incrassata, *Russula*, 1076
incrassatum, *Chaetoderma*, 333
 —, *Zercosporidium*, 28
incrusta, *Grammothelopsis*, 431
incrustans, *Antrodiella*, 330
 —, *Gaeumannomyces*, 961
 —, *Phanerochaete*, 688
incrustata, *Cistella*, 6
 —, *Collybia*, 232
 —, *Xanthoparmelia*, 621
 —, var., *Coniophora puteana*, 156
incrustatum, *Laxitextum*, 86
incurva, *Arctoparmelia*, 467
incurvata, *Bipolaris*, 229, 576
incurvatum, *Arthroderma*, 519
 —, *Belonium*, 4
incurvatus, *Cryptandromyces*, 426
incurvus, *Diporisorites*, 197
 —, *Multicellaesporites*, 206
 —, *Rigidoporus*, 779
 —, forma, *Cortinarius albocyaneus*, 528

indecisum, *Hebeloma*, 343
indecisus var. *subpunctipes*, *Tylopilus*, 177
indecorus, *Crustomyces*, 584
indefessa, *Embellisia*, 238
indianum, *Lophodermium*, 87
indica, *Actinocymbe*, 825
 —, *Agaricochaete*, 2
 —, *Agrocybe*, 518
 —, *Awasthiella*, 63
 —, *Bagnisiella*, 379, 742
 —, *Bhargavaella*, 42
 —, *Boerlagellopsis*, 827
 —, *Buellia*, 190
 —, *Calvatiella*, 332 ('*indicum*')
 —, *Calyptronectria*, 112
 —, *Chlorenchocelia*, 828
 —, *Circinella*, 114
 —, *Cirrenalia*, 77
 —, *Comoclathris*, 874
 —, *Comoclathrix*, 749
 —, *Cookeina*, 335
 —, *Cordana*, 284
 —, *Corynesporopsis*, 236
 —, *Cunninghamella*, 79
 —, *Dendrostilbella*, 531
 —, *Diatrype*, 956
 —, *Discosiella*, 121, 158, 197
 —, *Dothiorella*, 288
 —, *Ellurema*, 587
 —, *Encoelia*, 387
 —, *Esdipatilia*, 122
 —, *Euryachora*, 667 ('*Eryachora*')
 —, *Eutypella*, 1055
 —, *Faurelina*, 161
 —, *Gibberella*, 162
 —, *Godronia*, 481 ('*Grodonia*')
 —, *Griphosphaeria*, 537
 —, *Hansfordia*, 14
 —, *Hemimycena*, 84
 —, *Heteropatella*, 538
 —, *Humicola*, 672, 964
 —, *Inocybe*, 348
 —, *Ketubakia*, 674
 —, *Lambertella*, 350
 —, *Laurera*, 763, 836
 —, *Lecythispora*, 488
 —, *Lepista*, 248
 —, *Macbrideola*, 87
 —, *Macrocyttidia*, 250
 —, *Microsphaera*, 680
 —, *Mollisina*, 252
 —, *Mollisinopsis*, 353
 —, *Monacrosporiella*, 206 ('*indicum*')
 —, *Monodictys*, 353, 490
 —, *Monostichella*, 18
 —, *Morrisiella*, 441
 —, *Myceliophthora*, 546
 —, *Mycena*, 253, 894, 975, 1062
 —, *Mycotypha*, 397
 —, *Mycovellosiella*, 207
 —, *Myelochroa*, 682
 —, *Neocosmospora*, 354
 —, *Neopericonia*, 254
 —, *Opegrapha*, 772
 —, *Oudemansiella*, 255
 —, *Paathramaya*, 356

- , *Panaeolina*, 256
- , *Parafulvia*, 256
- , *Paravalsa*, 1065
- , *Parmelia*, 132
- , *Parmentaria*, 981
- , *Passalora*, 133, 399
- , *Patellaria*, 168
- , *Patellariopsis*, 257
- , *Penzigia*, 444
- , *Phaeomycena*, 258
- , *Phaeotrichosphaeria*, 305
- , *Phibalis*, 688 ('indicus')
- , *Phomopsis*, 134, 899
- , *Piloporia*, 841
- , *Psathyrella*, 989
- , *Pseudocercospora*, 211, 693
- , *Pseudogliophragma*, 23
- , *Psilocybe*, 262
- , *Pycnidioarxiella*, 23
- , *Pyrenophoropsis*, 843
- , *Reticulosphaeria*, 174
- , *Russula*, 264
- , *Sarcinella*, 781
- , *Sclerocystis*, 61
- , *Singerina*, 265
- , *Spondylocladiella*, 95
- , *Sporophiala*, 176
- , *Stilbellula*, 26
- , *Tretospora*, 560
- var. *mori*, *Isariopsis*, 247 ('more')
- var., *Agrocybe broadwayi*, 277
- var., *Chaetosphaeropsis truncata*, 422
- var., *Cunninghamella echinulata*, 80
- var., *Humicola grisea*, 15
- var., *Irenopsis leae*, 1059
- var., *Lentaria kischinoi*, 437
- var., *Lepiota epicharis*, 165
- var., *Meliola affinis*, 893
- var., *Meliola mayapicola*, 893
- var., *Phaeographis platycarpa*, 170
- var., *Ramaria kisantuensis*, 24
- var., *Scutellinia scutellata*, 453
- indicum*, *Aristastoma*, 189
- , *Aureobasidium*, 521 ('Auriobasidium')
- , *Bactrodesmium*, 468
- , *Camarographium*, 578
- , *Chaetospermum*, 192
- , *Conotrema*, 874
- , *Coryneum*, 45
- , *Cylindrocarpon*, 337
- , *Endodermophyton*, 831
- , *Graphium*, 123
- , *Helicodendron*, 49
- , *Heteroconium*, 15
- , *Hysterographium*, 85
- , *Lachnum*, 349
- , *Lecanidion*, 165
- , *Leptogium*, 30
- , *Lithothelium*, 87, 544
- , *Lycoperdon*, 836
- , *Melanographium*, 166
- , *Minimidochium*, 55
- , *Phylliscum*, 899
- , *Pyrgillocarpon*, 404
- , *Rhytidhysterium*, 500
- , *Sirosporium*, 365
- , *Tilakidium*, 789
- , *Trichocladium*, 703
- , *Achaetomium* see *Achaetomium raii*
- , *Podoxyphium* see *Leptoxyphium delhianum*
- , var., *Arthrinium phaeospermum*, 42
- , var., *Heterobasidium annosum*, 124
- indicus*, *Agarwalomyces*, 738
- , *Cordierites*, 335
- , *Didymoporisporonites*, 338
- , *Foveoletisporonites*, 241
- , *Hydropus*, 964
- , *Ophioceras*, 979
- , *Panus*, 256
- , *Spegazzinites*, 266 ('indious')
- , *Subramaniomyces*, 61
- , *Zygorhynchus*, 268
- , var., *Mucor luteus*, 441
- , var., *Pyrofomes tricolor*, 990
- indigenus*, *Polyporus*, 171
- indigo* var. *diminutivus*, *Lactarius*, 52
- indigoferae*, *Massarina*, 439
- , *Microsphaera*, 894
- indistinctum*, *Chaetothyrium*, 44
- indoafra*, *Parmelia*, 132
- indohii*, *Laboulbenia*, 763 ('indohi')
- indonesiacum*, *Scytalidium*, 175
- indonesiae*, *Penicillium*, 20
- indotata*, *Dermocybe*, 879
- indo-yunnaniana*, *Ramaria*, 556
- inductula*, *Thelenella*, 788
- indumenica*, *Xanthoparmelia*, 621
- indumentum*, *Endocalyx*, 339
- induratus*, *Anthrodiella*, 330
- indus*, var., *Coelomomyces iliensis*, 526
- indutoides*, *Entoloma*, 387
- inedulis*, *Agaricus*, 2
- inegoensis*, *Torrubiella*, 216
- inermis*, *Dimerium*, 386 ('inermis')
- inexpectata*, *Ocellularia*, 1064
- inexpectatus*, *Cortinarius*, 1050
- infalcatum*, *Tripospermum*, 409 ('inflacatum')
- infausta*, *Parmelia*, 1065
- infecta*, *Peyritsiella*, 445
- infectoria*, *Alternaria*, 467
- , *Lewia*, 488
- infelix*, *Lepiota*, 86
- inferior*, var., *Sphaerodes retispora*, 176
- infestans*, *Cylindrocladiella*, 196
- forma *specialis abietis*, *Phacidium*, 982
- forma *specialis piceae*, *Phacidium*, 982
- inficetum*, *Entoloma*, 47
- infidus*, *Agaricus*, 151
- , *Phaeomarasmium*, 21
- , var., *Agaricus romagnesii*, 329
- inflata*, *Absidia*, 417
- , *Amyloflagellula*, 151
- , *Bacillispora*, 4
- , *Gonohymenia*, 64
- , *Menegazzia*, 299
- , *Poria*, 360
- , *Russula*, 905
- , *Tremellodendropsis*, 702
- , *Xanthoparmelia*, 1001
- subsp. *australis*, *Ramalina*, 695
- subsp. *perpusilla*, *Ramalina*, 695

- var. *cornuta*, *Usnea*, 561
- inflatobulbus*, var., *Cortinarius diabolicus*, 235
- inflatum*, *Berkleasmium*, 576
- , *Megalodochium*, 251
- , *Scedosporium*, 405
- inflatus*, *Cheiromyces*, 282
- , *Leucocoprinus*, 678
- , var., *Cortinarius caninus*, 875
- inflexa*, *Megalospora*, 251
- inflexibilis*, *Loweporus*, 54
- , *Perenniporia*, 981
- , *Poria*, 402
- inflexus*, *Stridiporosporites*, 215
- inflouescens*, var., *Phoma enteroleuca*, 447 ('*inflouescens*')
- informis*, *Pluricellaesporites*, 210
- , *Psathyrodon*, 172
- infractus* var. *obscurocyaneus*, *Cortinarius*, 425
- forma *aeruginosus*, *Cortinarius*, 528
- infrastemmatus*, *Cortinarius*, 876
- infula*, *Entoloma*, 11
- infumata*, *Inocybe*, 887
- , *Omphalina*, 979
- forma *nana*, *Clitocybe*, 232
- , subsp., *Parmelia elegantula*, 548
- infumatum*, *Gerronema*, 669
- infundibuliforme*, *Deltosperma*, 830 ('*infundibuliformis*')
- , *Entoloma*, 533
- infundibuliformis*, *Inopilus*, 540
- , *Neoclitocybe*, 682
- infusum*, *Haematomma*, 163
- ingae*, *Inocybe*, 246
- , *Nectria*, 254
- ingelheimensis*, *Raperia*, 556
- ingeniosa*, *Rhodotorula*, 138
- , *Vanrija*, 141
- ingens*, *Coronasclerotes*, 284
- , *Russula*, 993
- ingoldii*, *Pseudocercophora*, 692
- ingrata*, *Amanita*, 226
- , *Neohygrocybe*, 547
- inhamatum*, *Trichoderma*, 367
- inhaminensis*, *Canoparmelia*, 579
- inimicum*, *Rhizocarpon*, 362
- iniquita*, *Xanthoparmelia*, 621
- inkin*, *Sarcinomyces*, 364
- innatum*, *Polycoccum*, 497
- innermongolicum*, *Tulostoma*, 97
- innixus*, *Pulveroboletus*, 695
- innocua*, *Russula*, 213
- inocephalus*, *Inopilus*, 247
- inocybe*, *Postia*, 171
- inocybecystis*, *Pluteus*, 259
- inocybeoides*, *Conocybe*, 116
- inocybiforme*, *Entoloma*, 11 ('*inocybiformis*')
- , *Entoloma* see *Entoloma inopiliforme*
- inocyboides*, *Horakomyces*, 346
- inodermatus*, *Tyromyces*, 998
- inodora*, var., *Mycena alcalina*, 396
- , var., *Omphalina microsperma*, 225
- inodorata*, var., *Inocybe aurora*, 246
- inopiliforme*, *Entoloma*, 197
- inopinata*, *Amanita*, 738
- , *Diatrypella*, 586
- , *Mycena*, 546
- , *Phlebiella*, 688
- , *Pirottaea*, 606
- inopinatum*, *Fuscolachnum*, 961
- inopinatus*, *Dasyscyphus*, 119
- inops*, *Parmelia*, 981
- inornata*, *Canoparmelia*, 579
- subsp. *occidentalis*, *Clitocybe*, 156
- var. *occidentalis*, *Clitocybe*, 873
- , subsp., *Puccinia cruciferarum*, 309
- inositophilus*, *Sporobolomyces*, 699
- inositovora*, *Pichia*, 134
- , *Yamadazyma*, 1080
- inoxydabilis*, *Agaricus*, 2
- inquilina*, *Campanella*, 332
- inquinata*, *Podospora*, 448
- insculpta*, *Pseudocyphellaria*, 498
- insectivora*, *Koordersiella*, 762
- insecura*, *Strickeria*, 785 ('*Strickera*')
- insecurum*, *Entoloma*, 47
- insidiens*, *Arthonia*, 943
- insidiosum*, *Conferticium*, 44
- , *Entoloma*, 755
- , *Pythium*, 695
- insidiosus*, *Pluteus*, 497
- insigne*, *Hebeloma*, 343
- , *Myriotrema*, 30
- , *Platystomum*, 606
- , *Tricholoma*, 1079
- insignis*, *Compsomyces*, 423
- , *Esfandiaromyces*, 667
- , *Hypotarsetta*, 485
- , *Krombholziella*, 202
- , *Parmelia*, 603
- , *Peyritsiella*, 445
- , *Ramaria*, 137 ('*insigne*')
- , *Tarsetta*, 215
- var. *macrospora*, *Mycena*, 441
- , var., *Meliola drepanochaeta*, 893
- insignolens*, *Cortinarius*, 876
- , forma, *Cortinarius xanthophyllus*, 425, 751
- insimulata*, *Lepiota*, 86
- insipida*, *Karoowia*, 967
- , *Parmelia*, 603
- , var., *Hygrocybe reae*, 293
- insipidum*, var., *Hebeloma mesophaeum*, 344
- insipidus*, *Gliophorus*, 536, 833
- insititia*, forma, *Rhodocybe popinalis*, 904
- , var., *Rhodocybe popinalis*, 60
- insitiva*, *Arthonia*, 943
- insolens* var. *thermoidea*, *Humicola*, 124
- insolita*, *Cladonia*, 660
- , *Monilia*, 838
- , *Phanerochaete*, 90
- , *Phytophthora*, 91
- , forma, *Acarospora impressula*, 187
- insolitum*, *Diplococcium*, 237
- , *Entoloma*, 755
- insolitus*, *Cortinarius*, 117
- , *Endomyces*, 831
- inspersus*, *Proliferodiscus*, 260
- instrata*, *Miriquidia*, 768
- instratula*, *Clauzadeana*, 423
- insulana*, *Cercospora*, 872

—, *Dirina*, 287
 —, *Phoma*, 209
 — forma *sorediata*, *Dirina*, 287
insulare, *Pleuroceras*, 307
insularis, *Dennisiodiscus*, 664
 —, *Lecania*, 764
 —, *Rhachomyces*, 499
 —, *Rimularia*, 500
intacta, *Hyaloscypha*, 672
intactior, subsp., *Russula luteotacta*, 311
 —, var., *Russula luteotacta*, 311
 —, var., *Russula persicina*, 312
integerrimus, *Cortinarius*, 1050
integra, *Otidea*, 601
 — var. *pseudoolivascens*, *Russula*, 500
 — forma *fulvidula*, *Russula*, 612
 — forma *grisella*, *Russula*, 612
 — forma *purpurella*, *Russula*, 612
integromarginata, *Scutomollisia*, 25
intensior, var., *Russula versicolor*, 312
intensor, var., *Tyromyces albobinaceus*, 998
intentus, *Cortinarius*, 529
intercedens, *Mosigia*, 353
 —, *Pirottaea*, 606
interjectum, *Astrothelium*, 521
interlamellaris, *Gloeopeziza*, 834
interlatens, *Discothecium*, 428
 —, *Phaeosporis*, 985
interlectus, *Cortinarius*, 583
intermedia, *Ascorhizoctonia*, 419
 —, *Bullera*, 744
 —, *Codinaea*, 156
 —, *Dactylaria*, 9
 —, *Diheterospora*, 428
 —, *Doassansiopsis*, 158
 —, *Elachopeltis*, 532
 —, *Epigloea*, 388
 —, *Fracchiaca*, 241
 —, *Godfrinia*, 537
 —, *Haptoglossa*, 963
 —, *Lichenella*, 543
 —, *Lichenothelia*, 678
 —, *Loflamia*, 544
 —, *Phialophora*, 841
 —, *Pseudohygrocybe*, 842
 —, *Ramonia*, 263
 —, *Rosenscheldiella*, 844
 —, *Sphaerotheca*, 558
 — var. *citrina*, *Godfrinia*, 537
 — forma *chinokuenensis*, *Cordyceps*, 234
 —, forma, *Opegrapha niveoatra*, 302
 —, subsp., *Cladonia ecmocyna*, 64
 —, subsp., *Stictis stellata*, 366
 —, var., *Gibberella fujikuroi*, 199
 —, var., *Microsphaera trifolii*, 598
 —, var., *Tricharina praecox*, 504
intermediae, *Sirobasidium*, 782
intermediellum subsp. *carpathicum*,
Rhizocarpon, 556
intermedium, *Enerthenema*, 881
 —, *Hypholoma*, 246
 —, *Sistotrema*, 265
 —, *Xenosporium*, 97
 — var. *coniferarum*, *Dermoloma*, 585
 —, var., *Fusarium moniliforme*, 83
 —, var., *Hebeloma fragrans*, 343

—, var., *Lyophyllum semitale*, 892
intermedius, *Bolbitius*, 111
 —, *Mucor*, 441
 —, *Panellus*, 685
 —, *Sporobolomyces*, 783
 — var. *stenosporus*, *Panellus*, 685
 —, var., *Aspergillus niger*, 3
 —, var., *Clitopilus scyphoides*, 283
 —, var., *Marasmius pseudocupressiformis*,
 972
intermixta, *Lichenothelia*, 678
interna, *Caloplaça*, 657
 —, *Janetia*, 393
interpediens, subsp., *Diploschistes diacapsis*,
 958
 —, subsp., *Diploschistes gypsaceus*, 532
interponenda, *Ocellularia*, 31
interponens, *Tyromyces*, 998
interposita, *Ocellularia*, 31
 —, *Paraparmelia*, 602
 —, *Parmelia*, 495
interrupta, *Xanthoparmelia*, 705
 — var. *fumosa*, *Mycena*, 300
interstitialis, *Cucurbitaria*, 584
 —, *Strickeria*, 785 ('Strickera')
intertexta, *Flabellophora*, 668
 —, *Relicinopsis*, 610
intertextum, *Botryobasidium*, 112
intertrappea, *Diplodia*, 158
intertrappeana, *Palaeocytophaera*, 256
 —, *Palaeoleptosphaeria*, 256
intertrappeanum, *Rabenhorstinidium*, 263
 ('intertrappeum')
intertrappeus, *Ascochyites*, 228
 ('intertrappea')
 —, *Monodictyites*, 252 ('intertrappea')
intervenosa, *Melanoleuca*, 837
 —, *Mycena*, 975
intestinalis, *Endomyces*, 831
 —, *Monilia*, 838
intestiniformis, *Brodoa*, 656
intextum, *Scytinostroma*, 781
 — var. *magnisporum*, *Scytinostroma*, 781
intracolorata, *Kretzschmaria*, 674
intradices, *Glomus*, 163
intricata, *Lachnellula*, 675
 —, *Russula*, 905
 — var. *pallidistipitata*, *Inocybe*, 246
 —, var., *Tornabea atlantica*, 560
intricatum, *Clathrosporium*, 747
intrudens, *Miriquidica*, 768
intrusa, *Micarea*, 299
 —, *Tulasnella*, 1079
intus rubens, *Leccinum*, 165, 969
intutum, *Entoloma*, 47
intybacea, var., *Grifola frondosa*, 758
inuncta, *Parmelia*, 603
 —, *Psilocybe*, 361 ('inunctu')
 —, *Xanthoparmelia*, 913
inundabilis, *Marasmius*, 972
 —, *Xerocomus*, 318
inundata, *Galerina*, 241
 —, *Lecania*, 676
inurbanus, *Cortinarius*, 876
inusitatum, *Hyphoderma*, 392 ('insusitata')
inusitatus, *Microporellus*, 680

- var. *lateritius*, *Microporellus*, 680
- var. *latiporus*, *Microporellus*, 680
- var. *parvisporus*, *Microporellus*, 680
- var. *roseibrunneus*, *Microporellus*, 680
- inutile*, *Entoloma*, 11
- invadens*, *Arthonia*, 943
- , *Trichomaris*, 140
- inverecunda*, *Strickeria*, 785 ('*Strickera*')
- inversa*, *Hohenbuehelia*, 591
- , *Laboulbenia*, 393
- , *Schiffnerula*, 781
- investitum*, *Lyophyllum*, 298
- invisibilis*, *Delicatula*, 237
- , *Mycena*, 396
- invita*, *Myxomphalia*, 895, 1063
- involuta*, *Grandinia*, 199
- , *Inocybe*, 967
- , *Kneiffiella*, 126
- , *Psathyrella*, 172
- involutus* forma *subrubicundulus*, *Paxillus*, 168
- iobapha*, *Wrightoporia*, 368 ('*iobaphus*')
- iobaphum*, *Stecchericum*, 995
- iobaphus*, *Amyloporus*, 418
- iochromatis*, *Seynesiospora*, 61
- iocularis*, *Coprinus*, 829
- , *Elaphocephala*, 339
- iodactylus*, *Marasmius*, 972
- iodes* var. *immersa*, *Rinodina*, 363
- ioidolens*, var., *Russula mustelina*, 452
- iodocyaneus*, *Bisporella*, 469
- ioidolens*, forma, *Naematoloma subericaceum*, 599
- , var., *Cortinarius croceus*, 750
- iopulchra*, *Gonohymenia*, 1056
- iodotigens*, *Moellerodiscus*, 206
- subsp. *canariensis*, *Moellerodiscus*, 206
- ionaspicarpa*, *Verrucaria*, 562
- ('*ionaspicarpum*')
- ionides*, *Calocybe*, 578
- , *Inocybe*, 50, 164
- ionidicolor*, *Leucoagaricus*, 891
- ionipes*, var., *Inocybe boltonii*, 835
- , var., *Inocybe variabilissima*, 348
- ionocephala*, *Mycena*, 975
- ionoexcipula*, *Brigantiaea*, 948
- ionoexcipulum*, *Lopadium*, 128
- ionomidotica*, *Dermateopsis*, 752
- ionoviridis*, var., *Morchella purpurascens*, 491
- ipomoeae*, *Cercoseptoria*, 230
- , *Graphyllum*, 669
- , *Lecanidion*, 165
- , *Oidium*, 494
- , *Phoma*, 21
- ipomoeae-batatas*, *Phomopsis*, 210
- ipomoeae-purpureae*, *Pseudocercospora*, 59
- iranica*, *Melasmia*, 55
- , *Valsa*, 317
- irazuensis*, *Pholiota*, 985
- iridatus*, subsp., *Diploschistes scruposus*, 532
- iridescens*, *Collybia*, 283
- iridicola*, *Venturia*, 1080
- iridis*, *Aphanomyces*, 574
- , *Unguicularia*, 847
- iridis-pseudacori*, *Ascochyta*, 740
- iridis-ruthenicae*, *Uredo*, 317
- irina* var. *montana*, *Lepista*, 596
- irinoides*, *Lepista*, 16
- , var., *Lepista panaeolus*, 297
- iriomoteana*, *Cordyceps*, 193
- , *Dactylaria*, 664
- , *Torrubiella*, 216
- iriomotensis*, *Chitonomyces*, 950
- , *Graphis*, 163
- iris*, var., *Melanoleuca excissa*, 837
- , var., *Melanoleuca kuehneri*, 893
- irpiceus*, *Tyromyces*, 998
- irpicoides*, *Anomoporia*, 654
- , *Hyphodontia*, 245
- irregulare*, *Helicoma*, 345
- , *Lophodermium*, 1061
- irregularis*, *Aphanofalx*, 574
- , *Arbusculina*, 739
- , *Dactylaria*, 476
- , *Flabellospora*, 122
- , *Inapertisporonites*, 125
- , *Isariopsis*, 889 ('*irregulare*')
- , *Multicellaesporites*, 130
- , *Platypeltella*, 210
- , *Preussia*, 448
- , *Stemonaria*, 407, 454
- , *Stemonitopsis*, 95
- , *Subramaniula*, 559
- , *Transeptaesporites*, 316
- , *Trifurcospora*, 790 ('*Trifurcospra*')
- , *Tulasnella*, 62
- , forma, *Acarospora nitrophila*, 187
- , subvar., *Polyporus polychrous*, 607
- , var., *Coelomomyces iliensis*, 526
- irretitus*, *Cocomyces*, 7
- irritans*, *Agrocybe*, 377
- , var., *Lepiota olivaceo-mammosa*, 890
- irrorata*, *Armillaria*, 228
- , *Drosella*, 478
- irrubens*, *Nothoporpodia*, 397
- irrugans*, *Mycelochroa*, 681
- isabelicae*, *Corynesporopsis*, 662
- isabellae*, *Cortinarius*, 117
- isabellina*, *Cystidiodontia*, 531
- , *Mycena*, 300
- , *Perenniporia*, 357
- isabellinum*, *Stecchericum*, 995
- isabellinus*, *Micromucor*, 252
- , *Pseudogyrodon*, 308
- isatschenkoi*, *Thermoascus*, 456
- ischaemi*, *Curvularia*, 119
- ischnobela*, *Leptorhaphis*, 17
- ischnoides*, *Paraparmelia*, 602
- ischnotricha*, *Scutellinia*, 906
- isidiascens*, *Xanthoparmelia*, 368
- isidiata*, *Dimerella*, 338
- , *Hyperphyscia*, 760
- isidiatum*, var., *Nephroma plumbeum*, 771
- isidiifera*, *Ochrolechia*, 771
- , *Sulcaria*, 616
- isidiigera*, *Dimerella*, 958
- , *Xanthoparmelia*, 621
- isidioidea*, *Cetraria*, 382
- isidioides*, *Thelotrema*, 33
- isidiolenta*, *Pyxine*, 555
- isidiophora*, *Buellia*, 112
- isidiosa*, *Calopadia*, 657

—, Psorotichia, 694
 —, Xanthoparmelia, 621
 —, forma, Rinodina xanthophaea, 697
 isidiosella, Caloplaca, 744
 isidiosulo-soresdiosa, Buellia, 656
 isidiza, Catinaria, 230
 —, Megalospora, 128
 —, Psorella, 211
 islandica, Asordaria, 741
 —, Sordaria, 1077
 isoglossae, Uredo, 618
 isolonae, Aecidium, 825
 isonandrae, Olivea, 978
 isopterus, Dimeromyces, 478
 isortoqensis, Acarospora, 98
 isotomae, Phaeoramularia, 550
 israelensis, Entomophthora, 388
 isthmospora, Dactylaria, 752
 isthmosporum, Setosynnema, 501
 istriaca, Discochora, 586
 isua, Isuasphaera, 164
 iteae, Pseudocercospora, 1070
 itersoniliae, Rozella, 24
 ithacensis, Cordyceps, 474
 —, Erynia, 121
 —, Furia, 961
 itihummensis, Dendrothele, 477
 itoana, Microsphaera, 488
 ituriensis, Bacidia, 29
 iuliana, Parascutellinia, 131
 iuxtagenitus, Conidiobolus, 952
 ivoeensis, Psathyrella, 607
 ivoriensis, Kionochaeta, 486
 —, Phialocephala, 357
 —, Sporendocladia, 783
 ivoryi, Boletellus, 280
 —, Heimiella, 1057
 ixiolirii, Ustilago, 912
 ixophori, Tilletia, 910
 —, Ustilago, 912
 ixorae, Microsphaeropsis, 206
 —, Speirospora, 907, 994
 —, Suttoniella, 61
 —, Vestergrenia, 912
 ixorae-parviflorae, Sphaeropsis, 214
 ixoriana, Cercoseptoria, 43
 ixorica, Pseudocercospora, 59
 iyengarii, Coelomomyces, 526
 izonetae, Conocybe, 952
 —, Hohenbuehelia, 964
 —, Lepiota, 969
 —, Marasmius, 972
 izuensis, Microsphaera, 440
 jabalpurensis, Phyllostictina, 210
 —, Sarcinella, 175
 jacarandicola, Parmelia, 132
 —, Parmotrema, 257
 jackiae, Trichaptum, 703
 jacksonensis, Leptosphaeria, 438
 jacksonii, Amanita, 377
 —, Leptoporus, 891
 —, Leptosphaeria, 438
 —, Scytinostroma, 138
 jacobsii, Psilocybe, 262 ('jacobsi')
 jacquemontiicola, Phyllosticta, 358
 ('jacquimonticola')

jaczevskii, Ramularia, 991
 jaczewskii, Erynia, 121
 jadinii, Pichia, 359
 jafneospora, Tarzetta, 701
 jahnii, Pholiota, 551
 jaipurensis, Paathramaya, 444
 jamaicana, Byssosphaeria, 332
 jamaicense, Koorchaloma, 349
 jamaicensis, Apiosordaria, 227
 —, Fistulinella, 289
 —, Unguiculella, 999
 jamalainenii, Ustilago, 506
 jamesii, Parmelinopsis, 686
 —, Polycoccum, 497
 —, Pseudocyphellaria, 777
 —, Rinodina, 310
 —, Roccellina, 610
 —, Siphula, 845
 —, Strigula, 33
 janauariensis, Marasmius, 972
 —, Psathyrella, 989
 janeirensis, Phyllopsora, 134
 —, Squamacidia, 995
 — var. endococcinea, Squamacidia, 995
 janseana, Cercospora, 155
 jansenii, Entoloma, 755
 janssenii, Circinomucor, 231
 japonica, Balazucia, 42
 —, Catinula, 5
 —, Cirrenalia, 114
 —, Conioscypha, 232
 —, Cryptodiaportha, 9
 —, Dermatodothis, 337
 —, Endothiella, 754
 —, Galiella, 49
 —, Hasegawaea, 759
 —, Kloeckera, 164 ('Kloeckeria')
 —, Leptopeltis, 17
 —, Leptosphaeria, 765
 —, Lichinella, 679
 —, Majewska, 544, 766
 —, Oudemansiella, 601
 —, Persiciospora, 495
 —, Peyritschia, 445
 —, Phialophora, 496
 —, Pichia, 775
 —, Plagiosphaera, 259
 —, Resinomycena, 696
 —, Saitoa, 60
 —, Tricharina, 504
 —, Xerula, 410
 — var. ahmadii, Oudemansiella, 601
 — var. ahmadii, Xerula, 410
 — var. colensoi, Oudemansiella, 601
 — var. colensoi, Xerula, 410
 — var. versatilis, Hasegawaea, 759
 —, forma, Hygrocybe acutoconica, 244
 —, var., Amygdalaria consensiens, 519
 —, var., Erysiphe mayorii, 340
 —, var., Fuscidea cyathoides, 162
 —, var., Microsphaera pulchra, 205
 —, var., Sawadaea polyfida, 452 ('Sawadaia')
 japonicum, Anthracothecium, 110
 —, Cystoderma, 427
 —, Helicodendron, 671
 —, Hormodendrum, 1057 ('Hormodendron')

- , *Leptothyrium*, 765
- , *Scytalidium*, 501
- , *Septogloeum*, 364
- japonicus*, *Caudomyces*, 745
- , *Debaryomyces*, 585
- , *Dichomyces*, 45
- , *Leucoagaricus*, 543
- , *Lipomyces*, 970
- , *Parapolyporites*, 603 ('japonica')
- , *Penicillifer*, 444
- , *Schizosaccharomyces*, 405
- var. *aculeatus*, *Aspergillus*, 3
- , forma, *Boletus sinapicolor*, 43
- , forma, *Hygrophorus acutoconicus*, 245
- jardineae*, *Contractia*, 6
- jaruensis*, *Marasmius*, 892
- jasmini*, *Bagnisiella*, 4 ('jasminii')
- , *Dictyodothis*, 237 ('jasminae')
- , *Hyalocrea*, 243, 672
- , *Oidium*, 207 ('jasminii')
- jasminicola*, *Valsella*, 1000
- jatrophae*, *Calospora*, 5 ('jatropae')
- jatrophae-podagraceae*, *Phyllosticta*, 358
- jaunpurensis*, *Phoma*, 170
- , *Phomopsis*, 58
- javana*, *Peyritsiella*, 445
- javanica*, *Conocybe*, 952
- , *Erinellina*, 430
- , *Pseudocercospora*, 308
- , *Rhodotorula*, 138
- , *Tetraploa*, 996
- , *Xeromphalina*, 28
- javanicum*, *Lachnum*, 436
- var. *levitum*, *Eupenicillium*, 240
- var. *lineolatum*, *Eupenicillium*, 240
- var. *meloforme*, *Eupenicillium*, 240
- javanicus*, *Panus*, 131
- javorkae*, *Inocybe*, 485
- jawaharensis*, *Bagnisiella*, 655
- jawaharensis*, *Dictyodothis*, 830
- jayachandranii*, *Meliola*, 893
- jelicii*, *Skeletocutis*, 139
- jelineckii*, *Flavoparmelia*, 535
- jemtlandica* var. *cerinosa*, *Caloplaca*, 744
- jenjiana*, *Myelorrhiza*, 599
- jenkinsii*, *Pithyella*, 690
- jetelae*, *Pulparia*, 137
- jianfengensis*, *Exidiopsis*, 667
- jiangii*, *Calostoma*, 421
- jiangxiense*, *Amauroderma*, 739
- jingralesensis*, *Umbilicaria*, 177
- joachimii*, *Tricholoma*, 505, 617
- joannae*, *Saccharomyces*, 557
- joannis*, *Russula*, 612
- joergensenii*, *Stigmidium*, 996
- joguetii*, *Cortinarius*, 1050
- johannae*, *Inocybe*, 887
- johnsoniana*, *Stropharia*, 455
- johnsonii*, *Akanthomyces*, 868
- johnstonii*, *Balladynopsis*, 74
- , *Oligoporus*, 443
- , *Phaeoseptoria*, 209
- , *Postia*, 171
- johorensis*, *Panus*, 131
- jolyana*, *Xylaria*, 369
- var. *sahariensis*, *Phoma*, 306
- jonesii*, *Hirsutella*, 201
- jordanovii*, *Ramularia*, 779
- josserandii*, *Leucoagaricus*, 1061
- var. *rosabrunnea*, *Lepiota*, 890
- jovetae*, *Laboulbenia*, 541
- jubarinoides*, *Cortinarius*, 384, 876
- jubata*, *Bryoria*, 743
- jubilaei*, *Leucoagaricus*, 249
- , *Leucocoprinus*, 17
- jucunda*, *Hyponectria*, 1058
- jucundus*, *Cortinarius*, 1050
- judithae*, *Parmotrema*, 841
- juelianum*, *Exobasidium*, 122
- juelii*, *Uredo*, 317
- juglandis*, *Monodictys*, 974
- , *Mycosphaerella*, 354
- juglandis-nigrae*, *Microsphaera*, 205
- juistense*, *Anisomeridium*, 28
- jujensis*, *Punctelia*, 1072
- jujubae*, *Pseudocercospora*, 360
- jujuyensis*, var., *Marasmius polylepidis*, 972
- julianii*, *Hypoxylon*, 540
- juncea*, *Nolanea*, 494
- var. *cuspidata*, *Nolanea*, 494
- junceus* var. *cuspidatus*, *Agaricus* see *Entoloma cuspidiferum*
- junci*, *Septoriella*, 25
- , *Wettsteinina*, 619
- juncicola*, *Asperopilum*, 655 ('junciculum')
- , *Belonopsis*, 1044
- , *Calocybe*, 578
- , *Nimbya*, 1064
- juncina*, *Sydowiella*, 366
- juncinella*, *Phaeosphaeria*, 984
- juncinum*, *Lachnum*, 675
- junciseda*, *Diplonaevia*, 428
- juncophila*, *Phaeosphaeria*, 446
- , *Urocystis*, 368
- juncorum*, *Gloeotinia*, 481
- juneauense*, *Hebeloma*, 343
- jungermanniarum*, *Octosporella*, 19
- jungermannicola*, *Strickeria*, 785 ('Strickera')
- juniperi*, *Grandinia*, 199
- , *Kneiffiella*, 126
- , *Lanzia*, 487
- , *Lepista*, 764
- , *Limacinia*, 438
- , *Puccinia*, 173
- , *Sthughesia*, 700
- , var., *Ascocorticium anomalum*, 153
- junipericola*, *Peizizella*, 495
- , *Trametes*, 366
- juniperina*, *Calycellina*, 332
- , *Hysterostegiella*, 966
- , *Russula*, 500
- , *Tuckermannopsis*, 790
- var. *aurantio-purpurea*, *Russula*, 500
- var. *pseudomaculata*, *Russula*, 500
- forma *aurantiopurpurea*, *Russula*, 844
- forma *pseudomaculata*, *Russula*, 844
- , var., *Lecidella achristotria*, 677
- , var., *Russula cuprea*, 612
- juniperinum*, *Entoloma*, 533
- , *Gloeophyllum*, 431
- juniperinus*, *Ascocalyx*, 331
- junquillea*, *Ramariopsis*, 844

— var. *exannulata*, *Amanita*, 226
 —, var., *Amanita gemmata*, 572, 654
junquilleo-vertex, *Ramaria*, 844
junquilleus, var., *Boletus erythropus*, 469
jurana, *Farnoldia*, 289
 —, *Melanolecia*, 129
 —, *Sarcoscypha*, 364
 — subsp. *bicincta*, *Farnoldia*, 534
 — subsp. *bicincta*, *Melanolecia*, 545
 — var. *bicincta*, *Melanolecia*, 129
 — var. *muverani*, *Melanolecia*, 129
 — var. *rhodiola*, *Inocybe*, 435
juranus, var., *Cortinarius caesiocyaneus*, 528
 —, var., *Cortinarius mairei*, 529
jussiaeae-repentis, *Pseudocercospora*, 1070
justii, *Thelenella*, 504
juvenile, *Hermanniasporidium*, 14
juxtadibaphus, *Cortinarius*, 235
kabaleensis, *Uredo*, 317
kabansus, *Lactarius*, 52
kabanyoloensis, *Uredo*, 368
kabatianus, var., *Uromyces geranii*, 217
kabulensis, *Pleurotus*, 448
kabyliensis, *Peziza*, 495
kadsuricola, *Asteridiella*, 944
kahuziense, *Parmotrema*, 356
kaikawakae, *Lophodermium*, 1061
kairamoi, *Ustilago*, 506
kaisenikiana, *Parmelia*, 444
kaisenikianum, *Parmotrema*, 604
kajanensis, *Laboulbenia*, 295
kajiana, *Gnomoniella*, 291
kaki, forma, *Mucor inaequisporus*, 396
kalakadense, *Splanchnonema*, 995
kalakadensis, *Catenularia*, 949
 —, *Kumanasamuha*, 968
kalakkadense, *Thelotrema*, 909
kalalochensis, *Resinomycena*, 94
 —, subsp., *Resinomycena saccharifera*, 404
kalarensis, *Thelotrema*, 617
kalbii, *Gyalideopsis*, 292
 —, *Lecidea*, 394
 —, *Megalospora*, 251
 —, *Roselliniella*, 500
 —, *Rosellinula*, 779
 —, *Xanthoparmelia*, 368
kalchbrenneri, *Clitocybe*, 44
kalidii, *Coniothyrium*, 662
kallioi, *Entoloma*, 239
 —, *Peziza*, 604
kallioneus, *Marasmius*, 439
kalmiae, *Protoventuria*, 1068
kalopanacis, *Mundkurella*, 1062
kamahi, *Phellinus*, 774
kamatii, *Doassansia*, 158
 —, *Letendrea*, 54 ('*Letendrea*')
 —, *Parmelia*, 132
 —, *Phomatospora*, 21
 —, *Pleospora*, 171
 —, *Thelotrema*, 33
kamerunensis, *Inopilus*, 247
kamikotica, *Melampsora*, 251
kamtschatica, *Albotricha*, 466
kandleri, *Ramonia*, 263 ('*kandlerii*')
kanei, *Trichophyton*, 703

kangdingensis, subsp., *Hypogymnia*
hengduanensis, 434
kangrikarpoensis, *Puccinia*, 608
kaniksuensis, *Pseudotomentella*, 262
kankeshwarensis, *Mycosphaerella*, 599
kanneliyensis, *Ocellularia*, 99
kanoorii, *Dothiorella*, 46
kanouseae, *Hebeloma*, 343 ('*kanousiae*')
kansensis, *Cilioplea*, 231
 —, *Strickeria*, 785 ('*Strickera*')
kansuense, *Endopyrenium*, 159
kanzashiana, *Cordyceps*, 193
kaoliang, *Monascus*, 396
karachiensis, *Triangularia*, 27
 —, *Zopfiella*, 913
karamojae, *Xanthoparmelia*, 705
karatalicum, *Lasiobelonium*, 54
karelii, *Ramularia*, 991
kareliniae, *Guignardia*, 670
karii, *Multicellaesporites*, 354
karnatakensis, *Agrocybe*, 226
karoo, *Parmelia*, 399
 —, *Xanthoparmelia*, 318
karooensis, *Xanthoparmelia*, 621
karstenii, *Conferticium*, 44
 —, *Hypochnicium*, 246
 — var. *vaticanus*, *Hygrophorus*, 966
karwarrae, *Cryptosporella*, 955
 —, *Harknessia*, 964
kasauliensis, var., *Saccobolus versicolor*, 557
kashmirensis, *Pezizella*, 90
 —, *Phyllactinia*, 496
 —, *Wettsteinina*, 619
kashmiriensis, *Cortinarius*, 117
kaspense, *Cylindrocarpon*, 476
katerinae, *Banksiamyces*, 189
katongensis, *Pseudocercospora*, 59
katui, *Polyporus* see *Polyporus polychrous*
 forma *mesopodus*
katumotoi, *Armataella*, 869
 —, *Microsphaera*, 205
kauffmannii, *Collybia*, 335
 —, *Hebeloma*, 343
 —, *Lactarius*, 52
 —, *Neolentinus*, 493
 —, *Panus*, 131
 — var. *sitchensis*, *Lactarius*, 52
kaushalii, *Aleurina*, 653
 —, *Otideopsis*, 840, 897
 —, *Sowerbyella*, 699
kavinioides, *Trechispora*, 617
kawakamiensis, *Puccinia*, 361
kawakamii, *Phellinus*, 447
kefyr, *Candida*, 230
keitae, *Kylindria*, 675
kelleri, *Licea*, 297 ('*kellerii*')
kellermannii, *Puiggaria*, 902 ('*Kellermanni*')
kelloggense, *Hebeloma*, 343
kelseyi, *Strickeria*, 700
kemptoniae, *Hebeloma*, 343 ('*kemptonae*')
kemptonii, *Clitocybe*, 473
keniense, *Dischloridium*, 428
 —, var., *Dothistroma septospora*, 10
keniensis, *Chaetopsina*, 422
 —, *Joerstadia*, 202
 —, *Kionochaeta*, 486

- , *Trachyspora*, 216
kennedyae, *Sarcostroma*, 501
kenodactyli, *Rhachomyces*, 404
kenyense, *Cystostereum*, 584
—, *Dichostereum*, 80
—, *Gloeocystidiellum*, 589
kera, *Nectria*, 397
keralaensis, *Cucurbitariaceites*, 751
keralense, *Anthracotheceum*, 151
—, *Caeoma*, 380 ('*keralensis*')
keralensis, *Fusiformisporites*, 390
('Fusiformisporitse')
—, *Laurera*, 763
—, *Lyophyllopsis*, 250 ('*Lyophyllopsis keralensis*')
—, *Marasmiellus*, 250 ('*keralense*')
—, *Monoporisporites*, 396
—, *Ocellularia*, 99
—, *Palaeoamphisphaerella*, 256
—, *Parmentaria*, 686
—, *Phyllachora*, 986 ('*keralense*')
—, *Pleurotellus*, 259 ('*keralense*')
—, *Pyxine*, 212
—, *Xanthoparmelia*, 458
keratinophila, *Nowakowskiella*, 896
keruelena, *Thelenella*, 788
kermesina, *Mycena*, 681
—, forma, *Arthonia tumidula*, 279
kermesinus, *Hymenoscyphus*, 125
kerrii, *Cortinarius*, 284
kervillei, *Stilbella*, 315
keteleeriae, *Chrysomyxa*, 192
kevorkianii, *Maravalia*, 352
khandalensis, *Valseutypella*, 141
khartoumensis, *Setosphaeria*, 138
hasiana, *Pseudocercospora*, 777
hasianum, *Thelotrema*, 33
hasiensis, *Conocybe*, 116
khomasiana, *Xanthoparmelia*, 1001
khumbuensis, var., *Phaeophyscia endococcina*, 133
kibianus, *Shimizuomyces*, 364 ('*kibiana*')
kiboensis, *Xanthoparmelia*, 705
kieneri, *Lecidea*, 764
kigeliae, *Newinia*, 254
killiasii, *Bacidia*, 228
kimbroughii, *Pyxidiophora*, 555
kinabalensis, *Ocellularia*, 1064
kinabaluensis, *Flabellophora*, 668
—, *Heteroporus*, 671
—, *Panus*, 131
—, *Sphaerophorus*, 313, 699
—, var., *Austroboletus dictyotus*, 4
kirchneri, *Collybia*, 952
—, *Hirsutella*, 292
kisantuensis var. *indica*, *Ramaria*, 24
kisslingii, *Gnomonia*, 291
kitsiana, *Psathyrella*, 607
kitsii, *Entoloma*, 288
kivaczensis, *Cortinarius*, 157 ('*Cortinarius*')
kivuensis, *Hymenagaricus*, 346
—, *Russula*, 905
klebahnii, *Penicillium*, 20
kleinii, var., *Pilobolus crystallinus*, 1067
kloeckeri, *Penicillium*, 20
kluveri var. *cephalocoreana*, *Pichia*, 775
— var. *eremophila*, *Pichia*, 775
kluveri-nielii, *Sporobolomyces*, 699
knauthii, var., *Russula fragilis*, 500
knautiae, *Cystopezizella*, 476
knepii, *Spizellomyces*, 406
— var. *curalii*, *Lulworthia*, 488
knightii, *Megalospora*, 251
—, *Pseudocyphellaria*, 261
kniphofioides, *Cordyceps*, 193
— var. *dolichoderi*, *Cordyceps*, 193
— var. *monacidis*, *Cordyceps*, 193
— var. *ponerinarum*, *Cordyceps*, 193
knowlesiae, *Verrucaria*, 792
koae, *Atelocauda*, 331
—, forma *specialis*, *Fusarium oxysporum*, 48
koazei, *Diachea*, 752
kobayasianum, *Entoloma*, 533
kobayashii, *Cordyceps*, 749
—, *Hysteronaevia*, 347
kobilae, *Laboulbenia*, 486
kobresiae, *Wettsteinina*, 619
kochiana var. *albescens*, *Fuscidea*, 123
kochii, *Strickeria*, 785
—, *Symbiotaphrina*, 26, 61
kodaikanalensis, *Gnomonia*, 834
—, *Psathyrella*, 308
kodamae, *Pichia*, 259
koelerionensis, *Agaricus*, 2
koenigii, *Phloeospora*, 21
koerberi, *Chaenothecopsis*, 382
koflerae, *Pleurosticta*, 899
kofferi, *Peltula*, 549
kohyasanensis, *Neocordyceps*, 397
kohyasanus, *Dacrymyces*, 385
kokiensis, *Parmelia*, 304
kolesnikowii, *Cylindrocarpon*, 476
konajensis, *Triscelophorus*, 790
kondarensis, *Incrupila*, 202
kondoensis, *Erynia*, 289
—, *Pandora*, 980
koningsbergii, *Ganoderma*, 431
konnoana, *Cordyceps*, 44
konradii, *Hymenochaete*, 434
— forma *albidifolia*, *Hygrocybe*, 886
— forma *pseudopersistens*, *Hygrocybe*, 483
—, forma, *Cortinarius miniatopus*, 194
('konradi')
koorchalomagnatus, *Kananascus*, 348
koreana, *Cordyceps*, 78
koreanus, *Eucantharomyces*, 756
korhonenii, *Hygrophorus*, 539
korrae, *Ophiosphaerella*, 979
koschkelovae, *Pampolysporium*, 303
kosciuskoensis, *Hypogymnia*, 64
koschkelovae, *Stagonospora*, 615
('koschkelovae')
kotisephola, *Xanthoparmelia*, 1001
kranzii, *Orphanocoela*, 1064
kratochvilovae, *Rhodospodidium*, 992
kravtzevii, *Pleospora*, 690
kreisliana, *Meliola*, 974
krempii, *Psilodiporites*, 403
kretzschmarioidea, *Xylaria*, 793
krieglsteineri, *Clavaria*, 873
—, *Coprinus*, 874
—, *Crepidotus*, 830

- , *Melanoleuca*, 893
 krishna, *Peethasthabeeja*, 169
 kristiansenii, *Entoloma*, 755
 kristinssonii, *Peltigera*, 548
 krogiae, *Physcia*, 606
 —, *Xanthoparmelia*, 913
 krombholzii var. *depallens*, *Russula*, 612
 — forma *alutaceomaculata*, *Russula*, 612
 — forma *bresadolae*, *Russula*, 905
 — forma *dissidens*, *Russula*, 905
 — forma *pantherina*, *Russula*, 612
 krumbholzii, *Erysiphe*, 82
 krusei, *Endomyces*, 831
 —, *Monilia*, 838
 —, *Saccharomyces*, 697
 krylovianum, *Dermatocarpon*, 664
 —, *Endopyrenium*, 666
 kubanica, *Ceratocystis*, 471, 580, 872
 ('kubanicus')
 kubanicum, *Graphium*, 589
 —, *Ophiostoma*, 601
 —, *Verticillium*, 619
 kuduerense, *Leucostoma*, 970 ('kuduerensis')
 kuduerensis, *Cytophoma*, 956
 kuehneri, *Coprinus*, 829
 —, *Duportella*, 754
 —, *Melanoleuca*, 893
 —, *Skeletocutis*, 213
 —, *Xerula*, 507
 — var. *iris*, *Melanoleuca*, 893
 —, var., *Inocybe eutheles*, 348 ('Kühneri')
 kuehneriana, *Collybia*, 582, 873
 kuehnerianum, *Entoloma*, 479
 kuehnerianus, forma, *Lactarius luteolus*, 52
 kugitangi, *Ophiobolus*, 207
 —, *Pyrenophora*, 212
 kuhnerianus, var., *Agaricus macrosporus*, 151
 kjuensis, *Rhodophyllus*, 499
 kukkonenii, *Anthracoidea*, 826
 kukutae, *Phaeosphaeria*, 1067
 kulabica, *Puccinia*, 695
 kumamotoensis, *Dactylaria*, 119
 kumaonense, *Pseudophacidium*, 262
 kumaonicum, *Lachnum*, 487
 kumaonicus, *Dasyscyphus*, 80
 kumaunicum, *Lophodermium*, 204
 kuminovii, *Placidium*, 210
 kumouensis, *Melastiza*, 440
 kundaraensis, *Laurera*, 763
 kunmingense, *Ganoderma*, 961
 kunzei, *Clavulina*, 748
 —, *Clavulinopsis*, 473
 kurdica, *Nectria*, 254
 kurilensis, var., *Scutellinia pseudoumbrarum*,
 175
 kuringaiensis, *Cladonia*, 29
 kurokawae, *Cetraria*, 192
 kurosae, *Laboulbenia*, 763
 kurzii, *Pyrenula*, 778
 kusamae, *Dimeromyces*, 478
 kusanagiensis, *Cordyceps*, 234
 kusanoi, *Clathrus*, 44
 —, *Lenzites*, 437
 — var. *aphananthes*, *Uncinula*, 217
 — var. *zelkowae*, *Uncinula*, 217
 kutchensis, *Colligerites*, 78
 —, *Involutisporonites*, 85
 kuthanii, *Mycena*, 975
 —, *Pluteus*, 987
 —, var., *Inocybe cookei*, 761
 kwalense, *Parmotrema*, 257
 kwalensis, *Parmelia*, 132
 kwangjuensis, *Laboulbenia*, 763
 ('Laboulbenia')
 kwangsiensis, *Hymenogaster*, 50
 kyangjinensis, *Puccinia*, 990
 kydiae, *Pseudocercospora*, 900, 989
 —, *Stenella*, 783
 kydiae-calycinae, *Uncinula*, 1079
 kyrtosporus, *Omphaliaster*, 302
 laatokkaënsis, *Cryptothele*, 1052
 labacensis, *Pichia*, 401
 labessiana, *Peziza*, 57, 133
 labiatacearum, *Cercospora*, 76
 labiatarum, *Euoidium*, 960
 — forma *menthae*, *Erysiphe*, 667
 — forma *perovskiae*, *Leveillula*, 204
 — forma *plectranthri*, *Erysiphe* see *Erysiphe*
bunkiniana
 labiatus, *Monoicomyces*, 598
 labiorum-aurantiorum, *Hypoderma*, 760
 laboulbenioides, *Cryptandromyces*, 426
 labradorensis, *Pleuroceras*, 307
 labradorica, *Cladonia*, 114
 labradoricum, *Crocicreas*, 530
 —, *Fuscolachnum*, 961
 —, *Lachnum*, 541
 labrosa, *Parmelina*, 604
 laburni, *Pseudocercospora*, 693
 labyrinthiformis, *Microporellus*, 680
 laccarioides, *Gerronema*, 962
 laccata, *Hypogymnia*, 64
 — var. *crispa*, *Laccaria*, 890
 — var. *lutea*, *Laccaria*, 295
 — var. *pruinosis*, *Laccaria*, 675
 — var. *pseudobicolor*, *Laccaria*, 203
 laccatus, *Cortinarius*, 336
 lacera, *Ramalina*, 404
 — var. *aberrans*, *Inocybe*, 246
 — var. *helobia*, *Inocybe*, 761
 — var. *latispora*, *Inocybe*, 888
 — var. *maritima*, *Inocybe*, 348
 — var. *regularis*, *Inocybe*, 761
 — var. *rhacodes*, *Inocybe*, 761
 — forma *heterospora*, *Inocybe*, 835
 — forma *megaspora*, *Inocybe*, 887
 lacerata, *Aphelaria*, 519
 —, *Baeospora*, 4
 laceratula, subsp., *Caloplaca saxicola*, 523
 laceratus, *Hydopus*, 346
 lacertatum, *Fusarium*, 290 ('laceratum')
 lachneoides, *Flagelloscypha*, 290
 lachneum, *Catapyrenium*, 29
 — subsp. *rufescens*, *Catapyrenium*, 524
 — var. *globiferum*, *Catapyrenium*, 1045
 — var. *oleosum*, *Catapyrenium*, 1045
 lachnobrachya, *Calycellina*, 470
 —, *Setoscypha*, 782
 laciniata, *Stictis*, 314
 —, *Xanthoparmelia*, 705
 laciniosa, *Bacidia*, 111
 lacinulatum, *Catapyrenium*, 1045

- var. *latisporum*, *Catapyrenium*, 1045
- lacmus*, *Cuphophyllus*, 426, 476, 663
- lacrimans*, *Mycena*, 975
- lacrimiformis*, *Crumenulopsis*, 584
(‘*lacrimiformia*’)
- lacrymabunda* var. *velutina*, *Lacrymaria*, 247
- forma *gracillima*, *Lacrymaria*, 247
- lacrymosus*, *Didymoporisporonites*, 287
- lactarioides*, *Camarophyllus*, 75
- , *Hygrocybe*, 965
- lactea*, *Julella*, 593
- , *Tomasellia*, 27, 66
- var. *ecrustacea*, *Lecidea*, 543
- var. *naegelii*, *Julella*, 593
- var. *spilotica*, *Lecidea*, 543
- var. *tetraspora*, *Hemimycena*, 591
- var. *tetraspora*, *Mycena*, 769
- forma *lactella*, *Hemimycena*, 591
- forma *minor*, *Hemimycena*, 591
- forma *semiglobata*, *Galera*, 241
- forma *virginea*, *Psathyra*, 308
- , forma, *Amplariella valida*, 574
- , var., *Flammulina velutipes*, 290
- , var., *Lecidea lapicida*, 764
- lactella*, forma, *Amanita aspera*, 41
- , forma, *Hemimycena lactea*, 591
- , var., *Amanita franchetii*, 572
- lactescens*, *Gloiothele*, 758
- , *Vesiculomyces*, 410
- lactem*, *Glomus*, 13, 1056 (‘*lacteus*’)
- , var., *Hebeloma mesophaeum*, 1056
- lacteus*, *Endomyces*, 831
- , *Hirschioporus*, 433
- , *Oligoporus*, 443
- , *Pteridomyces*, 263
- var. *stramineus*, *Tyromyces*, 998
- , *Agaricus* see *Helotium delicatellum*
- lacticolor*, *Boidinia*, 576
- , *Endomyces*, 831
- , *Gloeocystidiellum*, 162
- lactis*, *Zygothabospora*, 793
- , var., *Bullera alba*, 155
- , var., *Fusarium moniliforme*, 833
- , var., *Kluyveromyces marxianus*, 51
- lactolutescens*, var., *Lactarius peckii*, 53
- lactosolyticus*, *Spizellomyces*, 406
- lactucae*, *Coniothyrium*, 662
- forma *specialis centaureae*, *Bremia*, 470
- forma *specialis cirsii*, *Bremia*, 470
- forma *specialis crepidis*, *Bremia*, 470
- forma *specialis hieracii*, *Bremia*, 470
- forma *specialis lapsanae*, *Bremia*, 470
- forma *specialis leontodi*, *Bremia*, 470
- forma *specialis picridis*, *Bremia*, 470
- forma *specialis senecionis*, *Bremia*, 470
- forma *specialis sonchi*, *Bremia*, 470
- forma *specialis taraxaci*, *Bremia*, 470
- , var., *Puccinia maculosa*, 137
- lactucae-radicis*, *Plasmopara*, 842
- lactucarum*, *Levellula*, 438
- lactucifolia*, *Peltigera*, 399
- lactuusus*, *Pleurotus*, 135
- lacunosa*, *Acaulospora*, 517
- lacunosum*, *Trichaptum*, 703
- lacunosus*, *Calceomyces*, 828
- , *Coelomomyces*, 526
- var. *madagascariensis*, *Coelomomyces*, 526
- lacus*, *Cortinarius*, 117
- lacussarmientei*, *Penicillium*, 604
- lacuster* var. *riparius*, *Hydopus*, 244
- lacustris*, *Hymenelia*, 124
- , *Karlingia*, 295
- , *Massarina*, 439
- , *Wettsteinina*, 1001
- laeta*, *Inocybe*, 967
- , *Micropsalliota*, 18
- var. *luteolaeta*, *Hygrocybe*, 965
- , var., *Ramaria rubricarnata*, 1073
- laeticolor*, *Corallomyces*, 1047
- , *Melastiza*, 893
- , *Spooneromyces*, 1078
- forma *bispora*, *Clavulinopsis*, 873, 951
- forma *bulbispora*, *Ramariopsis*, 844
- laetidisca*, *Nectria*, 254
- laetirubra*, *Octospora*, 56
- laetissima*, *Psilocybe*, 555
- laetus*, *Gliophorus*, 536
- , *Rigidoporus*, 779
- , *Rubinoboletus*, 311
- forma *pallidus*, *Gliophorus*, 833
- , var., *Cortinarius balteatocumatilis*, 424
- , var., *Lactarius luculentus*, 52
- laeve*, *Cylindrobasidium*, 336
- forma *gallicum*, *Crucibulum*, 584
- laeviceps*, *Limacella*, 54
- laeviformosoides*, *Ramaria*, 1073
- laevigata*, *Caleniopsis*, 657
- , *Ramicola*, 990
- , *Simocybe*, 139, 453
- var. *maritima*, *Simocybe*, 313, 453
- laevigatiformis*, *Diporicellaesporites*, 197
(‘*laevigataeformis*’)
- laevigatoides*, *Mycena*, 769, 839
- laevigatus*, *Inapertisporites*, 392
- , *Ochroporus*, 398
- laevipes*, var., *Austroboletus gracilis*, 4
- laevipodia*, *Asterina*, 655
- laevis*, *Chalara*, 333
- , *Chytriomyces*, 581
- , *Geomyces*, 962
- , *Hygrophoropsis*, 483
- , var., *Tilletia tritici*, 910
- laevispora*, *Acrophragmis*, 2
- , forma, *Trichophaea gregaria*, 96
- laevisporum*, *Collema*, 474
- , var., *Ganoderma subamboinense*, 198
- laeviusculum*, *Myriotrema*, 30
- lagarostrobi*, *Roccellinastrum*, 1074
- lagna*, *Penicillium*, 257
- lageniformis*, *Astrosphaeriella*, 575
- , *Mycena*, 301
- , *Neozygites*, 19
- lagenipilus*, *Cistella*, 334
- lagerheimianum*, *Entyloma*, 479
- lagerheimii*, *Lachnum*, 349
- lagerstroemiae*, *Achroomyces*, 225
- , *Ascochyta*, 468
- , *Coniosporium*, 78
- , *Macrophoma*, 166
- , *Ophiodothella*, 600
- lagunculariae*, *Puiggarrina*, 902
- lagunebergensis*, *Xanthoparmelia*, 621

lagunebergii, Santessonia, 363
 lahorensis, Mucor, 441
 lajeannei, Cortinarius, 529
 lakhanpalii, Physarum, 689
 lamaina, var., Bryonora rhyariza, 280
 lamaensis, Phellinus, 447
 lambertii var. dryadis, Naemacyclus, 599
 lambica, Candida, 230
 —, Dekkera, 531
 lambii, Placopsis, 776
 lambinonii, Parmotrema, 356
 lamentana, Septoria, 782
 lamii, Pirottaea, 606
 —, subsp., Megalospora pruinata, 251
 laminisorediata, Parmelia, 99
 lammiensis, Mycena, 546
 lamottei, Laboulbenia, 203
 lamoureae, Cortinarius, 583
 lamprocreas, Cortinarius, 194
 lamprocystidiata, Russula, 993
 lampyridarum, Eryniopsis, 389
 lamyi, Opegrapha, 1064
 lanariceps, Lachnum, 675
 lanaripes, Lanzia, 676
 lanata, Haglundia, 242
 —, Hyphodontia, 84
 lanatiechinatus, Resupinatus, 696
 lanatulus, Phaeomarasmium, 57
 lanatum, Dinemasporium, 958
 —, Piloderma, 91
 —, var. bisporum, Piloderma, 91
 lanatus, var., Boletus subtomentosus, 947
 lanceata, Isthmologispora, 295
 —, Scutomollisia, 615
 lanceolata, Erynia, 121
 —, Metulocyphella, 299
 —, Zoophthora, 98
 lanceolatum, Lasiobelonium, 54
 lanceolatus, Multicellaesporites, 206
 lancicarpa, Tricharia, 846
 landewaldii, var., Stemonitopsis hyperopta, 407
 landkammeri, Boletinus, 576
 landoltii, Ophiobolus, 600
 langei, Cortinarius, 529
 —, Entoloma, 387
 —, Lambertella, 1059
 —, Lepiota, 86
 —, var. heterosporoides, Inocybe, 246
 —, var. sylvaticoides, Agaricus, 151
 —, forma bispora, Inocybe, 761
 —, forma major, Inocybe, 246
 —, forma, Melanoleuca polioleuca, 837
 —, var., Cortinarius vibratilis, 1052
 —, var., Hygrocybe persistens, 760
 langeronii, Eremomyces, 882
 —, Pithoascina, 690
 langii, Ophiognomonia, 303
 langkawiensis, Daedalea, 664
 langloisii, Pestalotiopsis, 773
 langloisii, Plagiocarpa, 65
 langtangensis, Uromyces, 704
 languidus, Tyromyces, 998
 laniatus, Cortinarius, 235
 lanicum, Entoloma, 82
 lanigeroides, Cortinarius, 336

lanipes, Agaricus, 226
 lankaensis, Ocellularia, 99
 lanneae, Oidium, 683
 lanosofarinus, Smithiomyces, 907
 ('lanosofarinosa')
 lantanae, Eutypa, 340
 —, Lecanidion, 165
 —, Phomopsis, 22, 551
 lantanae-aculeatae, Pseudocercospora, 59
 lantanae-camarae, Cercospora, 113
 ('lantanae-camerae')
 lanuginicincta, Stictis, 784
 lanuginosa var. alpina, Inocybe, 967
 —, var. catenulata, Humicola, 672
 —, var. longicystis, Inocybe, 761
 lanuginosus, Sarcodon, 405
 lanyuensis, Pseudohansfordia, 694
 lanzonii, Dennisiomyces, 956
 —, Leucocoprinus, 970
 lapatayae, Penicillium, 444
 lapicida var. lactea, Lecidea, 764
 lapidicola var. fusca, Arthonia, 279
 —, var. macrocarpa, Arthonia, 279
 lapidum, Tomentella, 366
 laportae, Erysiphe, 240
 —, Golovinomyces, 884
 lapponica, Guignardia, 1056
 —, Ophioparma, 772
 —, Pholiota, 305
 —, Polysporina, 211
 —, subsp., Vararia racemosa, 561
 lapponicum, Acanthophysium, 465
 —, Entyloma, 479, 480
 lapponicus, Symplectromyces, 315
 lappulae, Diplodia, 665 ('lappullae')
 lapsanae, forma specialis, Bremia lactucae, 470
 laqueata, Oudemansiella, 443
 larbalestieri, Chromatochlamys, 472
 larense, Parmotrema, 257
 largentii, Entoloma, 587
 —, var. alnicola, Entoloma, 587
 —, var. badiodorsum, Entoloma, 587
 —, var. farinaceum, Entoloma, 587
 largispora, Omphalina, 600
 largiusculus, var., Cortinarius variegatus, 425
 largofulgens, Dermocybe, 879
 laricicola, Ceratocystis, 746
 laricina, Botryosphaeria, 743
 —, Cistella, 7
 —, Cryptovalsa, 751
 —, Peziza, 57
 —, Triphragmiopsis, 62 ('laricinum')
 —, var. flavida, Russula, 780
 —, Peziza see Peziza sublaricina
 laricino-affinis, Russula, 780
 laricinus, Gastrosuillus, 962
 —, Lactarius, 968
 —, var. bresadolae, Suillus, 616
 lari-marini, Leucosporidium, 970
 larouei, var., Cortinarius claricolor, 953
 larseniana, Phaeosphaeria, 984
 larvis, Ascosphaera, 870
 laserpitii, Pseudocercospora, 901
 lasiacidis, Endocreas, 959
 —, Nectria, 977

- , *Sinosphaeria*, 994
lasiochili, *Acompsomyces*, 417
lasioderma, *Dothidotthia*, 958
—, *Nectriopsis*, 977
lasiodermapsis, *Nectriopsis*, 977
lasiopoda, var., *Lachnum australe*, 675
lasiosiphonis, *Bagnisiella*, 469
—, *Lecanidion*, 165
lasiosphaeriae, *Krieglsteinera*, 889
lassenensis, *Leptosphaeria*, 969
lasseri, *Lambertella*, 86
lasseroides, *Inocybe*, 888
lata, *Stictis*, 314
— var. *aceri*, *Eutypa*, 756
latemarginata, *Ceriporiopsis*, 828
latens, *Pseudocercospora*, 1070
lateralis, *Oropogon*, 979
—, *Spongiporus*, 365
lateritia, *Galeropsis*, 1055
—, *Lentinula*, 350
—, *Micropsalliota*, 18
—, *Nectria*, 254
—, *Pratella*, 988
—, *Tubercularia*, 505
lateritiofocalis, *Cortinarius*, 953, 1050
lateritium var. *stilboides*, *Fusarium*, 832
—, var., *Hebeloma mesophaeum*, 344
lateritius, var., *Microporellus inusitatus*, 680
laterivecta, *Capnobotrys*, 112
lathyri, *Diachora*, 585
—, *Diachorella*, 9
—, var., *Microsphaera ludens*, 205
laticeps, *Lyophyllum*, 204
laticystidiata, var., *Echinochaete brachypora*, 386
laticystis, *Hymenagaricus*, 483
latifilum, *Lamproderma*, 296 ('*latifila*')
latifolia, *Physcia*, 552
—, var., *Macrocystidia cucumis*, 250
latifolium, *Hebeloma*, 124, 538
—, *Hebeloma* see *Hebeloma pallidoluctuosum*
latilobata, *Xanthoparmelia*, 705
latilobum, *Everniastrum*, 533
latipora, var., *Coriopsis strumosa*, 952
latiporum, var., *Amauroderma rugosum*, 227
—, var., *Ganoderma chaliceum*, 242
—, var., *Trichaptum durum*, 703
latiporus, *Flabellophora*, 668
—, *Phlebopus*, 209
—, var., *Gloeoporus subochraceus*, 962
—, var., *Loweporus fuscopurpureus*, 970
—, var., *Microporellus inusitatus*, 680
—, var., *Tyromyces ostreiformis*, 999
latirimosus, *Strobilomyces*, 503
latispermus, *Marasmiellus*, 971
latispora, *Arrhenia*, 740
—, *Hyalopeziza*, 201
—, *Lambertella*, 676
—, *Lanzia*, 350 ('*latiporus*')
—, *Lepiota*, 127
—, *Phaeocollybia*, 982
—, forma, *Myriosclerotinia curreyana*, 492
—, forma, *Scutellinia scutellata*, 906
—, var., *Bertia moriformis*, 420
—, var., *Calocybe leucocephala*, 744
—, var., *Erysiphe cichoracearum*, 240
—, var., *Inocybe lacera*, 888
—, var., *Ramaria versatilis*, 903
—, var., *Tectella operculata*, 701
latisporum, *Hebeloma*, 343
—, var., *Catapyrenium lacinulatum*, 1045
latisporus, var., *Cerinomyces crustulinus*, 580
—, var., *Phaeotellus acerosus*, 898
latissima, *Perenniporia*, 897
latitans, *Clypeophyalospora*, 77
—, *Grandinia*, 199
latitubulosus, *Austroboletus*, 74
latium, *Colletotrichum*, 748
latoclaricolor, *Cortinarius*, 953, 1050
latomellitus, *Cortinarius*, 528
lattesii, *Orchesellaria*, 398
latus var. *brevisporus*, *Cortinarius*, 425
latzelii, *Caloplaca*, 523
—, *Catapyrenium*, 1045
laubertiana, *Septoria*, 453
lauracearum, *Orthobellus*, 89
lauraceus, *Cocomyces*, 526
laureliae, *Candida*, 381
lauri, *Acrodictyopsis*, 277
—, *Ampulliferina*, 151
—, *Endophragmiella*, 159
—, *Hysterostegiella*, 294
—, *Laurobasidium*, 204
—, *Pseudomicrodochium*, 308
—, *Pyricularia*, 310
lauricola var. *phoebes*, *Kernella*, 295 ('*phoebae*')
laurinum, *Seimatosporium*, 94
laurinus, *Wiesneriomyces*, 368
laurisylvicola, *Phlebogaster*, 58
laurocerasi var. *fragrans*, *Russula*, 500
— var. *fragrantissima*, *Russula*, 612
lavagnei, *Rhachomyces*, 212
lavendulaceus, var., *Lactarius hygrophoroides*, 52
lavicola, *Xanthoparmelia*, 913
—, var., *Rinodina subglaucescens*, 363
lavrovii, *Puccinia*, 59
lawransamesii, *Chaetomium*, 77
lawsoniae, *Ovulariopsis*, 840
lawsoniana, forma, *Chloroscypha seaveri*, 231
laxa, *Dactylaria*, 956
—, *Hemibeltrania*, 591
—, *Redbia*, 451
—, *Stemonaria*, 454
—, var., *Thyrea pachyphylla*, 1079
laxchalybaeizans, *Xanthoparmelia*, 705
laxencrustans, *Xanthoparmelia*, 621
laxifila, *Stemonitis*, 995
laxisporum, *Sporidesmium*, 502 ('*laxusporum*')
laxorrhizus var. *ovalisporus*, *Mucor*, 974
laxula, *Aspicilia*, 575
laxum, *Lamproderma*, 54 ('*laxa*')
—, *Melanographium*, 166
laxus, *Plenotrichia*, 552
—, *Stylaspegilius*, 215
lazoni, *Pleurotus*, 92
lazulinum, *Entoloma*, 159, 832, 959 ('*lazulina*')
—, var., *Entoloma chalybaeum*, 387

- leadbeateri, *Syncephalis*, 266
 lebre, *Cortinarius*, 876
 lecanii, *Neozygites*, 682
 —, *Triplosporium*, 409
 lecanocarpoides, var., *Umbilicaria virginis*, 911
 lecanoraceae, *Paraparmelia*, 602
 —, *Xanthoparmelia*, 621
 lecanorae, *Lawalreea*, 1059
 lecanorella, *Calopadia*, 657
 lecanorica, *Usnea*, 317
 lecanoricola, *Lecidella*, 1060
 lecanorina, *Gyalidea*, 292
 —, *Halecania*, 759
 —, *Phoma*, 551
 lecanorinum subsp. *drepanodes*, *Rhizocarpon*, 556
 lecideina, *Gyalideopsis*, 834
 lecideoides var. *fraudulosa*, *Verrucaria*, 562
 lecideopsoidea, *Melaspilea*, 597
 lecoareri, *Laboulbenia*, 486
 lecomtei, *Panus*, 131
 lecythidacearum, *Marasmiellus*, 971
 —, *Mycena*, 975
 ledi, *Lachnum*, 595
 leae var. *indica*, *Irenopsis*, 1059
 leae-aecidiicola, *Cercospora*, 113 ('lecae aecidicola')
 leemingii, *Schiffnerula*, 781
 leersiae, *Bipolaris*, 5
 —, *Chaetosticta*, 333
 —, *Lasiostemma*, 350
 —, *Uredo*, 847
 legaliae, *Scutellinia*, 265
 leguei, *Xerocomus*, 458
 leguminacearum, *Diatrypella*, 531
 leguminicola, *Pseudolagarobasidium*, 498
 leguminosarum, *Ascochytopsis*, 3
 —, *Ascorhiza*, 520
 —, *Euoidium*, 960
 —, *Orthobellus*, 89
 —, *Russula*, 311
 —, forma *specialis*, *Oidiopsis taurica*, 896, 978
 lehmanii, *Penicillium*, 20
 leibnitziae, *Bremia*, 280
 leightonii, *Anthracotheicum*, 151
 —, *Melanotheca*, 973
 leigongshanensis, *Pseudoclathrus*, 777
 leiodea, *Cladina*, 383
 —, var., *Ramalina subfraxinea*, 696
 leiopus, *Cortinarius*, 117
 leiostomum, *Myriotrema*, 30
 leiphaemia, *Amphiportha*, 73
 —, *Melanconis*, 973
 leismanii, *Sporocarpon*, 365
 leleupidae, *Rhachomyces*, 174
 lemaneae, *Phaeospora*, 773
 lenis, *Diplomitoporus*, 428
 lenta, *Pholiota*, 305
 lentaginis, *Diaporthe*, 956
 lenticularae, *Physarum*, 689
 —, *Pteridiosperma*, 136 ('lenticularis')
 lenticularis forma *nigricans*, *Biatora*, 98
 lenticulospora, *Conocybe*, 116
 lentifrondosus, *Meripilus*, 893
 ('lentifrondosa')
 lentiger var. *minutus*, *Pilobolus*, 1068
 lentinelloides, *Clitocybe*, 156
 lentis, forma *specialis*, *Ascochyta fabae*, 575
 lentus, *Leucopaxillus*, 543
 leonensis, *Leiosphaerella*, 296
 leonina, *Cerrina*, 580
 —, *Xeromphalina*, 28
 leoninum, *Hyphoderma*, 245
 leoninus, *Spongipellis*, 454
 leonis, *Lactarius*, 393
 —, *Parmelia*, 132
 —, *Parmotrema*, 257
 —, *Rickia*, 60
 —, *Xerocomus*, 458, 623
 leonora, *Xanthoparmelia*, 913
 leontodi, forma *specialis*, *Bremia lactucae*, 470
 leonuri, *Peronospora*, 445
 leotiarum, *Sepedonium*, 501
 leotiiicola, *Hypomyces*, 485
 lepademersum, *Thelotrema*, 909
 lepida, *Dactylaria*, 9
 —, *Hygrocybe*, 592
 —, *Krombholziella*, 435, 594
 —, *Peyritsiella*, 445
 leptideus, *Neolentinus*, 493
 —, *Panus*, 131
 — forma *rufescens*, *Lentinus*, 677
 lepidii, *Albugo*, 41
 —, *Ascospora*, 655
 lepidissimum, *Entoloma*, 159, 387
 lepidolophae, *Amphisphaeria*, 109
 —, *Ophiobolus*, 168 ('*Ophiobolus*')
 —, *Rosellinia*, 138
 —, *Selenophoma*, 175
 lepidopellis, *Hygrocybe*, 245
 lepidophaga, *Mycobystrovia*, 301
 lepidophila, *Arthonia*, 943
 lepidophora, *Cladonia*, 383
 lepidopodes, var., *Boletus subtomentosus*, 947
 lepidospermatis, *Clypeopycnis*, 951
 lepidotella, *Psorinia*, 32
 lepidotus, *Lactarius*, 52
 lepidum, *Leccinum*, 437
 — subsp. *sardoum*, *Leccinum*, 437
 —, var., *Leccinum crocipodium*, 969
 lepidus, *Ascophanus*, 74
 —, *Corethromyces*, 424
 —, var., *Hygrophorus turundus* see *Hygrocybe lepida*
 lepiotiformis, *Pseudodescolea*, 59
 lepiotoides, *Inocybe*, 246
 lepiotosmus, *Entoloma*, 159
 lepisanthicola, *Phyllosticta*, 58
 leporina, *Conocybe*, 749, 952
 — var. *tetraspora*, *Conocybe*, 749
 lepriurii, *Thelotrema*, 33
 leprocarpoides, *Thelotrema*, 100
 leprocephala, *Cladonia*, 581
 leprolema, *Lecidea*, 595
 leproleptopus, *Cortinarius*, 876
 leprolyta, *Letrovitia*, 249
 leprosa, *Janetia*, 295
 —, *Memnoniella*, 597

- , *Phanerochaete*, 550
 —, *Psilolechia*, 608
leprosarx, *Lyophyllum*, 298
leprosum, *Coniothyrium*, 749
leptaleae, *Nectriella*, 397 ('*Netriella*')
leptaleus, *Multicellaesporites*, 206
leptocarpa, *Parapropidia*, 1065
leptocephala var. *minuta*, *Mycena*, 253
leptoclada, *Cladina*, 282
leptoclinoides, *Hafellia*, 759
leptoderma, *Ceriporia*, 43
 —, *Lecidella*, 543
leptodictya, *Lamprospora*, 86
leptogiella, *Porocyphus*, 100
leptoglossoides, *Semiomphalina*, 364
leptolegniae, *Woronina*, 178
leptomeleagris, *Agaricus*, 226
leptoplaca, *Eutypa*, 756
 —, *Karoowia*, 967
 —, *Parmelia*, 603
leptopus, *Entoloma*, 11
leptosa, *Harpella*, 14
leptosperma, *Ophiosphaerella*, 19
 —, *Paraperonospora*, 1065
 —, *Peronospora*, 773
leptospermarum, *Dermocybe*, 879
leptospermi, *Inocybe*, 888
 —, *Phlebia*, 496
leptospermum, *Thalloidima* see *Bacidia*
 laciniosa
leptosphaerulinoidea, *Pleospora*, 259
leptospora, *Conocybe*, 874
 —, *Xeromedulla*, 793
leptosporum, *Ophioceras*, 19
leptosporus, *Cortinarius*, 475
leptothyrioides, *Asteroma*, 4
leptotichum, *Glomus*, 163
lesdainiana, *Staurothele*, 559
lesdainii, *Lepraria*, 764
 —, *Skyttea*, 994
 —, subsp., *Acarospora smaragdula*, 188
lesothoensis, *Parmelia*, 840
 —, *Xanthoparmelia*, 621
lespedezae, *Diachora*, 585
 —, *Erysiphe*, 240
 —, *Lachnum*, 595
 —, var., *Erysiphe glycines*, 430
lessoniae, *Thalassoascus*, 140
lethalis, *Didymella*, 338
lethifera, var., *Pollaccia radiosa*, 448
lettaui, *Skyttea*, 265
 —, *Unguiculariopsis*, 1079
leucadendri, *Batcheloromyces*, 469
 —, *Helicosingula*, 432
leucadicola, *Uredo*, 618
leucadis, *Bagnisiella*, 469
leucaenae, *Cercospora*, 471, 524
 —, *Phomopsis*, 774
leucanthemi, *Protomyces*, 92
leucanthemi-kurilensis, *Puccinia*, 60
leucaspis, *Entoloma*, 47
leucina, *Ocellularia*, 31
leucobryophila, *Mycolindtneria*, 895
leucocarpa, *Peristomialis*, 982
leucocarpum, *Entoloma*, 82
leucocephala, *Calocybe*, 744
 —, *Melanomphalia*, 973
 —, *Vibrissea*, 63
 — var. *latispora*, *Calocybe*, 744
leucocephalum, *Tricholomella*, 27
 — var. *longipes*, *Craterium*, 955
leucochlorum, *Anisomeridium*, 739
leucochroma, forma, *Auricularia polytricha*, 74
leucocnemis, *Alnicola*, 572
leucococca, *Hypocenomyce*, 592
leucodiatreta, *Clitocybe*, 44
leucodontis, *Arthonia*, 943
leucogaea, var., *Lecanora rupicola*, 350
leucolepis, forma, *Inocybe fuscomarginata*, 887
leucoloma, *Inocybe*, 888
leucoluteolus, *Cortinarius*, 235
leucomallela, *Postia*, 172
leucomallellus, *Oligoporus*, 443
leucomallelus, *Spongiporus*, 26
leucomelaena, *Ocellularia*, 31
leucomycelinus, *Phylloporus*, 400
 —, *Pulveroboletus*, 309
leucopaxilloides, *Lepista*, 350
leucophaea, *Miriquidica*, 768
 —, *Paraparmelia*, 840
 —, *Trichopeziza*, 703
 —, var., *Lecidea griseoatra*, 64
leucophaeatus, *Cortinarius*, 425
leucophaeopsis, *Stereocaulon*, 503
leucophaeo-ilicis, *Hygrophorus*, 433
leucophaeum, *Helotium*, 200
 —, *Leccinum*, 165
leucophaeus, *Prunulus* see *Helotium*
 leucophaeum
leucophylla, *Cladonia*, 660
 —, *Gamundia*, 341
 —, *Melanoleuca*, 837
leucophylloides, *Melanoleuca*, 55
 — var. *pruinatipes*, *Melanoleuca*, 55
leucophyllus, *Marasmiellus*, 971
leucopus, *Conocybe*, 233
 —, var., *Conocybe striatipes*, 749
leucorhynchos, *Flagellospora*, 588
leucorrhodina, *Nectriopsis*, 977
leucosceptri, *Phloeosporella*, 21
leucosperma forma *carphosperina*, *Cytospora*, 157
 — forma *oxyacanthae*, *Cytospora*, 157
leucospermi, *Pestalospaeria*, 687
leucospila, *Cephalophysis*, 471
 — var. *caelivicina*, *Cephalophysis*, 471
leucospongia, *Oligoporus*, 443
 —, *Postia*, 172
leucospora, *Russula*, 612
leucosporum, *Amauroderma*, 227
 —, *Trichoglossum*, 910
leucostigma, *Parmelia*, 399
 —, *Xanthoparmelia*, 318
leucostoma, *Niveostoma*, 839
 — forma *ferruginea*, *Cytospora*, 157
leucostomoides, subsp., *Valsa ambiens*, 457
leucostroma, *Chromocrea*, 77
 —, *Diatrype*, 752
leucothelia, *Protothelenella*, 497
leucothites, *Leucoagaricus*, 488

— forma cinereolilacina, *Leucoagaricus*, 488
leucothoes, *Cylindrocladium*, 955
 ('*leucothoeae*')
 —, *Pseudocercospora*, 693
leucotyliza, *Myelochroa*, 682
leucoxantha, *Brigantiaea*, 155
leucoxanthus, *Vesiculomyces*, 410
levata, *Puccinia*, 173
leve, var., *Gerronema postii*, 883 ('*levis*')
levectii, var., *Russula oleifera*, 1076
leviculum, *Entoloma*, 47
levis, *Bryoria*, 470
 —, *Dicellaesporites*, 120
 —, *Hydropus*, 244
 —, *Roestelia*, 60
 —, *Tyromyces*, 998
levispora, *Corditubera*, 233
 —, var., *Venturia viennotii*, 457
levisporus, *Thaxterogaster*, 408
 —, var., *Thermoascus aurantiacus*, 408
levistriata, *Amanita*, 826
levitum, var., *Eupenicillium javanicum*, 240
lianaicola, *Parvobasidium*, 495 ('*lianaicola*')
liangshanensis, *Cordyceps*, 157
liaoningensis, *Diporicellaesporites*, 197
liberale, *Entoloma*, 47
liberatas, *Periconiella*, 208
libocedri, *Coccomyces*, 526
libyae, *Fomites*, 290
licatensis, *Phaeosphaeria*, 984
lichenale, *Arthothelium*, 575 ('*lichenalis*')
lichenicola, *Cercidospora*, 746
 —, *Nectriella*, 1063
 —, *Rhynchomeliola*, 405
 —, *Tremella*, 560
 —, *Trichoconis*, 27
 —, *Wentomyces*, 28
lichenoides, *Crustodiopodina*, 751
 — forma cerebrina, *Opegrapha*, 302
 — forma subalpina, *Winteria*, 912
lichenopsis, *Requienella*, 556
lichenum, *Bispora*, 1044
 —, *Plectocarpon*, 359
licmophora, *Flabellophora*, 668
 — var. *subsessilis*, *Flabellophora*, 668
lidii, *Cintractia*, 472
liebmanni, *Flaviporus*, 13
 — var. *subglobisporus*, *Flaviporus*, 13
liebmannii, *Antridiella*, 42
ligabuei, *Stigmatomyces*, 907
lignaria var. *endoleuca*, *Micarea*, 299
lignatilis, *Agaricus*, 653
 —, *Nothopanus*, 600
 —, *Ossicaulis*, 494
 —, *Psathyrella*, 989
 —, *Trematosphaeria*, 504
ligniariella, *Arthonia*, 943
lignicola, *Absconditella*, 517
 —, *Arthrographis*, 279
 —, *Boletellus*, 827 ('*lignicolus*')
 —, *Boletinus*, 5 ('*lignicolus*')
 —, *Carmichaelia*, 112
 —, *Ciboria*, 382
 —, *Cirrenalia*, 114
 —, *Cystolepiota*, 45
 —, *Digitatispora*, 586

—, *Entoloma*, 881
 —, *Gonimochaete*, 431
 —, *Hyaloscypha*, 243
 —, *Kuehneromyces*, 436, 594
 —, *Pholiota*, 1067
 —, *Polyschema*, 607
 —, *Rickenella*, 405
 —, *Roigiella*, 363
 —, *Tolypocladium*, 366
 —, *Trichocladium*, 140, 504 ('*lignincola*')
 —, var., *Pezizella pulvinata*, 773
lignicolor, *Alpova*, 417
lignifracta, *Tricholomopsis*, 618
ligniseda, *Ciliolarina*, 155
lignitum, *Morosporium*, 396, 441
lignoarenaria, *Lulworthia*, 351
lignomaris, *Didymosphaeria*, 586
lignophila, *Candida*, 332
 —, *Rhodotorula*, 992, 1073
lignoputridum, *Entoloma*, 47
lignorum, *Chrysosporium*, 525
lignyota, *Thelignya*, 1078
lignytus var. *marginatus*, *Lactarius*, 52
 — var. *nigroviolascens*, *Lactarius*, 52
ligulata, *Hypotrachyna*, 164
 —, *Xanthoria*, 318
ligulatus, *Panellus*, 303
ligustica, *Glyphopeltis*, 758
ligustri, *Corynespora*, 384
 —, *Hymenoscyphus*, 484
 —, *Microsphaera* see *Microsphaera*
katumotoi
ligustrina, *Cercoseptoria*, 76
ligustrinae, *Asterina*, 741
lilacea, *Lepiotula*, 16
 — var. *pallida*, *Lepiota*, 1060
 — var. *pseudolilacea*, *Russula*, 311
 —, var., *Lepista sordida*, 16
lilaceilentus, *Pleurotus*, 135
lilaceus, *Oxyporus*, 684
lilacina, *Skeletocutis*, 365
 —, var., *Lepista nuda*, 764
lilacinella, *Hygrocybe*, 965
lilacinicolor, *Omphalina*, 19
lilacinoalba, *Peziza*, 57
lilacinocrema, *Russula*, 905
lilacinogranulosus, *Leucocoprinus*, 970
 — var. *subglobisporus*, *Leucocoprinus*, 1061
lilacinogriseum, *Entoloma*, 832
lilacinogriseus, *Camarophyllus*, 229
lilacinopusillus, *Cortinarius*, 117
lilacinorosea, forma, *Mitrula paludosa*, 490
lilacinoroseum, *Corticium*, 284
 —, *Entoloma*, 339
 —, *Laeticorticium*, 542
lilacinum, *Porostereum*, 987
lilacinus, *Cuphophyllus*, 427, 663
 —, *Leucopaxillus*, 678
 —, forma, *Boletus hortensis*, 946
lilacis, *Pseudocercospora*, 693
 —, var., *Phoma exigua*, 306
lilascens, *Phlebia*, 90, 170
lilii, *Colletotrichum*, 873
lilliputia, *Nectriopsis*, 977
lilliputiana, *Dictyochoeta*, 586
lilloi, *Aspidella*, 331

- limaciformis, *Alternaria*, 73
 limacinum, *Hebeloma*, 343
 limaeforme, *Cetrariastrum*, 114
 limatum, *Entoloma*, 47
 limbaluensis, var., *Russula annulata*, 1075
 limbata, *Phaeophyscia*, 399
 limbatum, *Fuscoderma*, 961
 —, *Piptarthron*, 22
 limborioides, *Verrucaria*, 562
 limiforme, *Everniastrum*, 533 ('limaeforme')
 limitans, *Ditremis*, 753
 limitata, *Aspicilia*, 741
 —, *Miriquidica*, 768
 —, *Roccellina*, 310
 — var. *congoensis*, *Cintractia*, 6
 limnanthi, *Oidium*, 978
 limnetica, *Aniptodera*, 942
 limonium, *Eupenicillium*, 240
 limoniae, *Entomophaga*, 882
 limoniformis, *Spiropes*, 783
 limonii, *Selenophoma*, 25
 limosa, *Clavulina*, 423
 limpidus, *Gloeomucro*, 13
 limulatoides, *Flammulaster*, 340
 limulatus, *Phaeomarasmium*, 550
 — var. *litus*, *Flammulaster*, 535
 — var. *novasilvensis*, *Flammulaster*, 535
 limushanense, *Ganoderma*, 589
 linariae, *Puccinia*, 778
 lindaviana, *Lanzia*, 487
 lindbladii, *Cinereomyces*, 155
 —, *Diplomitoporus*, 428
 linderiae, *Melampsoridium*, 597
 linderi, *Bactrodesmium*, 189
 —, *Juliohirschnia*, 967
 lindericola, *Pseudocercospora*, 1071
 lindii, *Phaeosphaeria*, 446
 lindmanii, *Myelochroa*, 682
 lindquistii, *Septoria*, 501 ('linquistii')
 lindroidea, *Lulworthia*, 87
 lindrothii, *Hebeloma*, 538
 lindsayi, *Pseudocyphellaria*, 777
 lindneri var. *carpini*, *Hygrophorus*, 966
 lineare, var., *Dothistroma septospora*, 10
 linearioides, *Ramaria*, 1073
 linearis, *Clypeoporthes*, 748
 —, *Pyxine*, 555
 —, *Ramaria*, 1073
 lineata, *Lepiota*, 248
 —, *Mycena*, 55
 lineatum, *Penicillium*, 20
 lineatus, *Paecilomyces*, 548
 —, *Polyporus*, 360
 —, *Tyromyces*, 367
 lineolaris, *Phaeosphaeria*, 984
 lineolatum, var., *Eupenicillium javanicum*, 240
 lineolatus, *Fusiformisporites*, 123
 lineum, *Entoloma*, 47
 lingulatus, *Prolixandromyces*, 360
 —, *Smeringomyces*, 453
 lini, *Drechslera*, 238
 —, *Euoidium*, 960 ('erysiphoides')
 —, *Helminthosporium*, 1057
 linicolor, *Oudemansiella*, 980
 liniformans var. *americana*, *Psilocybe*, 59
 linitae, *Arthonia*, 869
 linkii, *Entoloma*, 159
 linnaeae, *Stanhughesia*, 995
 linocierae-malabaricae, *Meliola*, 893
 linteus, *Phellinus*, 447
 lintrisporus, var., *Cortinarius apomorphus*, 952
 liodivorus, *Euphoriomyces*, 430
 lioui, *Puccinia*, 1072
 liparina, forma, *Solenopsora cesatii*, 558
 lipidiferum, *Cetrariastrum*, 114
 —, *Everniastrum*, 534
 lipidocystis, *Pluteus*, 691
 lipochlorochroa, *Xanthoparmelia*, 1001
 lipocystis var. *microsporus*, *Hydrocybe*, 50
 — var. *microsporus*, *Hydropus*, 392
 lipofer, *Waltomyces*, 562
 lipolytica, *Yarrowia*, 318
 lipomycoides, *Myxozyma*, 682
 lipipiae-albae, *Pseudocercospora*, 1071
 liquescens, *Semimorula*, 265
 liquidambaricola, *Cercoseptoria*, 76
 liquidambaris, *Harknessia*, 124
 —, *Sclerocystis*, 1077
 —, *Uncinuliella*, 506
 liquidambaris-styracifluae, *Dicarpella*, 286
 lirella, *Cryptodiaporthes*, 285
 —, *Ditopellopsis*, 753
 lirelliformis, *Ocellularia*, 31
 liriiodendri, *Cylindrocarpon*, 80
 —, *Venturia*, 792
 liskae, *Cheilymenia*, 1046
 lisowskii, *Bacidia*, 29
 —, *Fellhanera*, 534
 lispini, *Blasticomyces*, 420
 —, *Rickia*, 452
 litchi, *Cytospora*, 196
 —, *Teratosperma*, 26
 litchii, *Corynespora*, 530
 lithobii, *Oesophagomyces*, 207
 lithocarpicola, *Auerswaldiella*, 944
 lithocarpina var. *mengyangensis*, *Meliola*, 974
 lithophila, *Gyalideopsis*, 342
 —, *Paraparmelia*, 602
 —, *Parmelia*, 495
 — var. *elaeophora*, *Caloplaca*, 744
 —, var., *Caloplaca tenuatula*, 523
 lithophiloides, *Paraparmelia*, 603
 —, *Parmelia*, 495
 —, var., *Lecidea swartzioidea*, 543
 ('lithophiloides')
 litorale, *Belonidium*, 190
 litoralis, *Agaricus*, 151, 466 ('littoralis')
 — var. *ventallonii*, *Marasmius*, 87
 litorea, *Ramalina*, 556
 litoricola, *Caloplaca*, 332
 litseae, *Cercosporidium*, 950
 —, *Lophodermium*, 204
 —, *Phakopsora*, 605
 —, *Phomopsis*, 306
 — var. *boninensis*, *Armatella*, 3
 — var. *microspora*, *Meliola*, 893
 littenii, *Hebeloma*, 343
 littorale, *Leptoglossum* see *Leptoglossum salinum*
 littoralis, *Dicellaesporites*, 287

- , *Gymnascella*, 481
- , *Gymnoascus*, 590
- , *Inocybe*, 246
- , *Multicellaesporites*, 300
- , *Phaeomarasmius*, 982
- , *Russula*, 60
- , *Russula* see *Russula cremeolilacina* var. *coccolibicola*
- , subsp., *Agaricus ludovicii*, 377
- littoreum*, *Rhizophydium*, 362
- litus*, var., *Flammulaster limulatus*, 535
- liui*, *Phyllogloea*, 447
- livescens*, *Exidia*, 240
- , *Phellinus*, 898
- , var. *depauperata*, *Russula*, 311
- livida*, *Ciliaria*, 1046
- , *Lanzia*, 86
- , *Unguiculariopsis*, 847
- , forma, *Amanita vaginata*, 572
- , var., *Amanita vaginata*, 826
- lividica*, *Xanthoparmelia*, 621
- lividirosea* var. *austropurpurea*, *Russula*, 311
- lividocaeruleum*, *Acanthophysium*, 465
- lividocyanulum*, *Entoloma*, 387, 881, 1054
- lividocyanulus*, *Rhodophyllus*, 405
- lividofusca*, *Pseudocyphellaria*, 65
- lividofuscus*, *Hymenoscyphus*, 15
- lividoochraceus* subsp. *elator*, *Cortinarius*, 1050
- lividopallescens*, *Amanita*, 572, 941
- , *Amanitopsis*, 573
- , var. *malleata*, *Amanita*, 329
- , var. *tigrina*, *Amanita*, 572, 942
- , forma *tigrina*, *Amanitopsis*, 573
- , forma, *Amanita vaginata*, 572
- lividoviolaceus*, *Cortinarius*, 750
- lividoviolascens*, forma, *Cortinarius mucifluoides*, 529
- lividum* var. *thomii*, *Penicillium*, 549
- lividus*, *Jacksonomyces*, 164
- livistonae*, *Linocarpon*, 970
- , var. *boninensis*, *Meliola*, 18
- livor* var. *bresadolae*, *Cortinarius*, 384, 877
- lizonii*, *Belonidium*, 827
- ljubarskii*, *Acanthophysium*, 465
- , var. *aduncoides*, *Ucinula*, 505
- llanquihuensis*, *Candida*, 381
- llimonae*, *Phyllosticta*, 170
- , *Xanthopsorella*, 706
- lloydii*, *Handkea*, 963
- , *Phlebiella*, 688
- , var. *binata*, *Cordyceps*, 284
- lloydii-candida*, *Tremella*, 267
- lobata*, *Arrhenia*, 330
- , *Botrydina*, 827
- , *Lazuardia*, 764
- , *Omphalina*, 979
- , *Phytoconis*, 775
- , var. *microspora*, *Karlingia*, 541
- , var., *Lepista flaccida*, 596
- lobatoideum*, *Ganoderma*, 13
- lobatum*, *Piricaudium*, 899
- , var. *antarcticum*, *Leptoglossum*, 1060 ('*antarctica*')
- lobauensis*, *Conocybe*, 749
- lobayensis*, *Ophionectria*, 89
- lobayensis*, *Bombardia*, 75
- , *Leptosphaeria*, 87
- , *Neotrotteria*, 88
- lobeliae-cardinalis*, *Mycovellosiella*, 546
- lobkovicensis*, *Mollisiopsis*, 680
- lobulata*, *Brigantiaea*, 280
- , *Flavopunctelia*, 757
- , *Mycobilimbica*, 770
- lobulatum*, *Parmotrema*, 495
- , var., *Ganoderma chalcum*, 242
- lobulifera*, *Xanthoparmelia*, 621
- locarnensis*, var., *Parmelia pulla*, 548
- locquinii*, *Lepiota*, 543
- , *Leucoagaricus*, 438
- , forma *rioussetae*, *Lepiota*, 543
- lodderae*, *Candida*, 112, 230, 421 ('*lodderi*')
- , *Zygobaspora*, 794 ('*lodderi*')
- lodgeae*, *Collybia*, 952
- loeffleriae*, *Laboulbenia*, 203 ('*loeffleriae*')
- lohjaensis*, *Peziza*, 604 ('*lohjaensis*')
- loliense*, *Penicillium*, 20
- lolii*, *Acremonium*, 329 ('*loliae*')
- , *Ramularia*, 991
- lombardiae*, *Corticium*, 284
- lonchocarpi*, *Maravalia*, 395
- lonchophora*, *Psilocybe*, 262 ('*lonchoporus*')
- longa*, *Stemonaria*, 407, 454
- longgangense*, *Amauroderma*, 574
- longibasidia*, *Galzinia*, 49
- , *Tremella*, 997
- longibasidius*, *Achroomyces*, 225
- longicaudata*, *Apiosordaria*, 227
- longicaudum*, var., *Hebeloma crustuliniforme*, 432
- longicaudus*, *Agaricus*, 466
- longiciliata*, *Pseudolachnea*, 23
- longicolla*, *Phomopsis*, 447
- longicollis*, *Boletellus*, 75
- , *Micromucor*, 252
- longicollus*, *Pluricellaesporites*, 135
- longicorne*, *Sphaerophragmium*, 213
- longicrinata*, *Mycena*, 975
- longicystidia*, *Crustoderma*, 336 ('*longicystidium*')
- longicystidiosum*, *Hypochnicium*, 347
- longicystis*, var., *Inocybe lanuginosa*, 761
- longifera*, *Phlyctella*, 305
- , *Phlyctis*, 898
- longii*, *Podaxis*, 448
- longinqua*, *Pleurotopsis*, 307
- longinquus* subsp. *pacificus*, *Panellus*, 356
- longipedicellaris*, *Uromyces*, 619
- longipes*, *Amanita*, 418
- , *Austroboletus*, 4
- , *Gymnopilus*, 670
- , *Oidium*, 978
- , *Oudemansiella*, 398
- , *Ramariopsis*, 844
- , var. *americana*, *Oudemansiella*, 398
- , var. *fusca*, *Oudemansiella*, 398
- , var. *fusca*, *Xerula*, 97
- , var. *tropica*, *Xylaria*, 1002
- , *Rhodophyllus* see *Entoloma gabonense*
- , *Rhodophyllus* see *Rhodophyllus proceripes*
- , forma, *Entoloma undatum*, 239

- , var., *Craterium leucocephalum*, 955
- , var., *Hebeloma mesophaeum*, 344
- , var., *Rhodophyllus sodalis*, 405
- , var., *Tulostoma brumale*, 911
- longiphialidis*, *Termitaria*, 177
- longipila*, *Litschaueria*, 596
- , var., *Mycena mauretanica*, 769
- longipilosa*, *Unguicularia*, 27
- longipilum*, *Chaetomium*, 6
- longiradicatus*, *Termitomyces*, 266
- ('longiradicata')
- longiramosa*, *Ceratosporella*, 949
- longiramosum*, *Cladobotryum*, 581
- longirostrata*, *Subulispora*, 788
- longirostratum*, *Exserohilum*, 389
- longirostris*, *Cryphonectria*, 663
- , *Endothiella*, 754
- , *Lignincola*, 488
- longirostrum*, *Pseudohalonectria*, 989
- longisegmentis*, *Cordyceps*, 829
- longiseta*, var., *Capronia pilosella*, 1045
- , var., *Meliola sparsipoda*, 974
- longisetosa*, *Melanospora*, 166
- longisetulosus*, *Inonotus*, 294
- , *Phellinus*, 57
- longislandica*, *Pyrenula*, 778
- longispinosum*, var., *Hydnangium nigricans*, 124
- longispiralis*, *Zalerion*, 458
- longispora*, *Bahusakala*, 331
- , *Capronia*, 579
- , *Ceratocystiopsis*, 76
- , *Cercosperma*, 872
- , *Corynespora*, 118
- , *Dactylaria*, 664
- , *Dennisiella*, 585
- , *Dictyochaeta*, 957
- , *Entomophthora*, 289
- , *Eryniopsis*, 389
- , *Exidiopsis*, 240
- , *Herpotrichiella*, 15
- , *Hymenochaete*, 592
- , *Janetia*, 435
- , *Leptosphaeria*, 87
- , *Marasmius*, 352, 489
- , *Ophiotothella*, 207
- , *Paraphaeosphaeria*, 256
- , *Parasympodiella*, 772
- , *Phyllopsora*, 496
- , *Platyglea*, 606
- , *Servazziella*, 698
- , *Strickeria*, 908
- , *Tricharia*, 846
- var. *cubensis*, *Diploospora*, 665
- var. *minor*, *Uncinula*, 141
- var. *stilboidea*, *Stigmina*, 908
- , forma, *Flammulina velutipes*, 290
- , forma, *Tricholomopsis decora*, 267
- , var., *Bovista oblongispora*, 469
- , var., *Dichotomophthora portulacae*, 957
- , var., *Meliola grewiae*, 545
- , var., *Septoria lycicola*, 453
- longisporangia*, *Rozella*, 311
- longisporum*, *Cystoderma*, 237
- , *Dictyostelium*, 287
- , *Helicodendron*, 671
- , *Smittium*, 213
- var. *purpurascens*, *Cystoderma*, 237
- , var., *Cystoderma amianthinum*, 237
- longisporus*, *Cortinarius*, 194
- , *Cortinarius* see *Cortinarius belleri*
- , var., *Saccobolus verrucisporus*, 557
- longissima*, *Sporidesmiella*, 214
- , *Torribiella*, 216
- , *Tricladiospora*, 790
- , forma, *Morchella distans*, 490
- longissimispora*, *Ramaria*, 212
- , var., *Ramaria rubripermanens*, 609
- longissimus*, *Inapertisporonites*, 125
- longistriatum*, *Entoloma*, 959
- var. *microsporum*, *Entoloma*, 959
- var. *sarcitulum*, *Entoloma*, 959
- longistriatus*, *Leucocoprinus*, 351
- longiventriospilis*, var., *Hebeloma flammuloides*, 432
- , var., *Hebeloma pyrophilum*, 885
- longi-aristata*, *Pestalotiopsis*, 1066
- longosporum*, *Dictyostelium*, 338
- longula*, *Acaulospora*, 377
- longus*, *Lacrimasporonites*, 85
- longwoodicus*, *Coccomyces*, 526
- loniceracae*, *Coleosporium*, 7
- , *Gnomonia*, 291
- , *Lasiobelonium*, 54
- , *Nectria*, 977
- var. *ehrenbergii*, *Microsphaera*, 205
- var. *flexuosa*, *Microsphaera*, 205
- lonicerina*, *Teichosporella*, 788
- lopadii*, *Roselliniella*, 500
- lopadioides*, *Megalospora*, 251
- lopezii*, *Bulbothrix*, 470
- , *Cladonia*, 951
- , *Oropogon*, 131
- lophirae*, *Anthostomella*, 574 ('Antostoma')
- , *Hypoxylon*, 835
- lophospora*, *Lophiosphaera*, 128
- lordithonis*, *Rickia*, 500
- lorenzii*, *Punctelia*, 173
- loricata*, *Protoparmelia*, 988
- loricatum*, *Splanchnonema*, 214
- lorobic*, *Oropogon*, 979
- lotharingiana*, *Lepiota*, 248
- lotica*, *Halosarpehia*, 342
- , *Stachylinia*, 365
- lotivora*, *Phoma*, 133
- loubieri*, *Geotrichum*, 49
- louisianensis*, *Helicomyces*, 432
- louisii*, *Xanthoparmelia*, 621
- lowei*, *Oligoporus*, 443
- , *Polyporus*, 987
- , *Postia*, 172
- , *Spongiporus*, 26
- lowensis*, *Fuscidea*, 123
- lowiana*, *Porpidia*, 987
- loxodes* var. *verruculifera*, *Parmelia*, 548
- lubrica*, *Pholiota*, 305
- lubriciceps*, *Hebeloma*, 432
- lubricum*, *Lyophyllum*, 298
- lucens*, *Licea*, 128
- , *Menegazzia*, 299
- , *Pythium*, 499
- lucernifera*, *Echinoplaca*, 831

- lucia*, *Ramalina*, 137
 —, var., *Ramalina nervulosa*, 310
lucidum, *Arctosporidium*, 3
 —, *Entoloma*, 388
lucienqueletii, *Ceriporus*, 747
 —, *Polyporus*, 691 ('*lucienqueletii*')
lucifer, *Nectria*, 895
lucifera, *Pyrenula*, 903
lucifuga, *Caloplaca*, 744
lucipeta, *Psathyrella*, 554
lucknowensis, *Phoma*, 133
luctuosus, *Polyporus*, 607
luculentus var. *laetus*, *Lactarius*, 52
lucumae, *Marvalia*, 395
 —, *Pestalotiopsis*, 1066 ('*Pestalotiopsis*')
lucy-beatrice-mooreae, *Caloplaca*, 281 ('*L.B. Moorii*')
ludens, *Eutypella*, 756
 — var. *lathyri*, *Microsphaera*, 205
ludmilae, *Phlegmacium*, 689
ludovici subsp. *littoralis*, *Agaricus* see *Agaricus ducheminii*
 — var. *littoralis*, *Agaricus* see *Agaricus ducheminii*
ludoviciana, *Chaetopsina*, 155
 —, *Menisporopsis*, 488
 —, *Phlebia*, 170
 —, *Ramularia*, 310
 —, *Russula*, 993
ludovicii subsp. *littoralis*, *Agaricus*, 377
ludritziana, *Xanthoparmelia*, 1001
ludwigiana, *Ascochyta*, 655
lutescens, *Campylothelium*, 745
lugubre, *Lyophyllum*, 204
lugaris, *Propolomyces*, 776
 —, *Rhopalospora*, 138
 — var. *compactior*, *Hypogymnia*, 64
 — var. *sublugubris*, *Hypogymnia*, 64
 — forma *compactior*, *Hypogymnia*, 392
lulensis, *Miriquidica*, 768
lumbricoides, *Hydrophilomyces*, 433
luminescens, *Lampteromyces*, 16
 —, *Panellus*, 685
luminosa, *Parmelia*, 132
 —, *Xanthoparmelia*, 368
luna, *Chaetodermella*, 872
lunariae, *Calopeltis*, 43
lunata, *Apostrasseria*, 227
 —, *Choanatiara*, 333
 —, *Dictyochaeta*, 957
 —, *Phaeosphaeria*, 984
lunatum, *Microdochium*, 395
 —, *Phacidium*, 258 ('*lunatus*')
lunatus, *Mycoleptodiscus*, 442
lundellii, *Corticium*, 193, 284
 —, *Merostictis*, 1062
 —, *Ochroporus*, 398
 —, *Peziza*, 208 ('*lundellii*')
 —, *Laeticorticium* see *Corticium boreoroseum*
lundii, *Lagenidium*, 203
lundqvistii, *Pyxidiophora*, 555
lunense, *Myriotrema*, 1063
lunispora, *Calycellina*, 1045
lunulata, *Cryptothecia*, 530
lunulospora, *Codinaea*, 77
 —, *Dictyochaeta*, 531, 957
lupi, *Cryptococcus*, 157
lupini, *Albotricha*, 571, 738
 —, *Ascochyta*, 378
lupinicola, *Ramularia*, 991
lupuli, *Cistella*, 472
lurida, *Lenzites*, 437
 —, *Parmelia*, 772
 —, *Tremellodendropsis*, 702
luridella, *Thelenella*, 788
luridiformis subsp. *discolor*, *Boletus*, 743
luridum, *Dermatocarpon*, 385
 —, *Polysphondylium*, 842
luridus, *Vesiculomyces*, 410
 — var. *avelanus*, *Boletus*, 946
 — var. *erythropus*, *Boletus*, 577
 — var. *obscurus*, *Boletus*, 577
 — var. *rubriceps*, *Boletus*, 743
 — var. *rubromaculatus*, *Boletus*, 577
 — var. *tiliaceus*, *Boletus*, 946
lusakianus, *Acervus*, 329
luscina, *Austroclitocybe*, 1043
lusitaniae, *Clavispore*, 115
lusitanicum, *Cercocarpium*, 113
 —, *Steccherinum*, 139
 — var. *ochrolechia*, *Rhizocarpon*, 696
lusitaniensis, *Parmelia*, 99
lustigi, *Monilia*, 838
lutaria, *Pholiota*, 551
lutarium, *Pythium*, 499
lutea, *Dichotomophthora*, 287
 —, *Laccaria*, 968
 —, *Leproplaca*, 297
 —, *Macrocyttidia*, 205
 —, *Phaeosphaeria*, 446
 —, *Pseudohalonestria*, 989
 —, *Sibirina*, 61
 — var. *macrospora*, *Myceliophthora*, 546
 — var. *maxima*, *Russula*, 213
 — forma, *Mycena pura*, 253
 —, var., *Amanita caesarea*, 825
 —, var., *Dermocybe uliginosa*, 427
 —, var., *Laccaria laccata*, 295
 — forma *maxima*, *Russula* see *Russula singeriana*
luteicinctum, *Ganoderma*, 242
luteicystidiata var. *lycoperdoides*, *Cystolepiota*, 119
luteicystis, var., *Gymnopilus fulgens*, 14
luteifolia, *Inocybe*, 888
lutensis, *Psathyrella*, 260, 449
luteoalbus, *Cerinosterus*, 746 ('*luteoalba*')
luteoaurantia, *Russula*, 213
luteobasalis, *Phylloporus*, 689
luteobrunnescens, *Ramaria*, 60
luteobrunneum, *Hebeloma*, 343
luteocaesia, *Postia*, 172
luteocaesius, *Spongiporus*, 26
luteocanus, *Lactarius*, 52
luteocarnosus, *Thaxterogaster*, 366 ('*luteocarnosum*')
luteocarpum, *Lachnum*, 595
luteocastanea, *Lepiota*, 86
luteodiscum, *Lachnum*, 1059
luteodiscus, *Gloeomucro*, 536
luteofibrillosus, *Leptosporomyces*, 438

- luteoflocculosus*, *Agaricus*, 466
luteofolia, var., *Dermocybe tubaria*, 880
luteogranulatum, *Belonidium*, 469
luteogranulatus, *Dasyascyphus*, 45
luteogriseascens, *Lyophyllum*, 298
luteola, *Arcyodes*, 227, 419
—, *Arpinia*, 151
—, *Corollospora*, 193
—, *Sigmoidea*, 213
— var. *pallidrosea*, *Arpinia*, 869
luteolaeta, *Hygrocybe*, 483
—, var., *Hygrocybe laeta*, 965
luteolaetus, *Gliophorus*, 833
luteolosporus, *Hymenagaricus*, 346
luteolovelata, var., *Amanita grisella*, 2
luteolum, *Cerocorticium*, 471
—, var., *Dictyostelium aureum*, 120
luteolus, *Afroboletus*, 73
— forma *kuehnerianus*, *Lactarius*, 52
—, var., *Cortinarius odorifer*, 195
luteomaculata, *Russula*, 993
luteomarginata, *Dermocybe*, 385
luteomellea, *Simocybe*, 61
luteonitens, *Polyblastiopsis*, 171
luteonodum, *Physarum*, 775
luteonotata, subsp., *Parmelia pulla*, 548
luteopallens, *Pseudombrophila*, 901
luteopallida, *Hyaloscypha*, 759
luteoporum, *Leccinum*, 890
luteoporus, var., *Krombolziella crocipodia*, 435
—, var., *Rubinoboletus balloui*, 311
luteopulveratus, var., *Cortinarius sebaceus*, 1051
luteopurpureus, *Rubinoboletus*, 311
luteorosella, forma, *Russula risigallina*, 613
luteosekta, *Russula*, 612
luteostromata var. *macrospora*, *Xylaria*, 706
luteotacta, *Micropsalliota*, 894
— subsp. *intactor*, *Russula*, 311
— var. *intactor*, *Russula*, 311
— var. *semitalis*, *Russula*, 613
luteotenerrima, *Ramariopsis*, 844
luteoventralis, *Lecanora*, 165
luteovirens, forma, *Russula torulosa*, 613
—, var., *Russula torulosa*, 613
—, var., *Tricholoma saponaceum*, 617
luteoviridans var. *griseinoides*, *Russula*, 905
— var. *rubroolivascens*, *Russula*, 905
luteovitellina, *Botrydina*, 827
—, *Phytoconis*, 775
luteo-aurantiaca, *Phanerochaete*, 550
luteo-ceraceus, *Microporus*, 598
luteo-incrustatum, *Amethicium*, 518
luteo-olivacea, *Corioloipsis*, 424
luteo-ornatus, forma, *Cortinarius armillatus*, 193
luteo-umbrina, *Coltricia*, 423
lutescens, *Dacryobasidium*, 158
—, *Hyphodontia*, 539
—, *Laxitextum*, 86
—, *Lyophyllum*, 298
—, *Micropsalliota*, 18
—, *Omphalotus*, 896
—, *Terfezia*, 701
— var. *roseo-inhalata*, *Inocybe*, 51
— forma *schizocroica*, *Cantharellus*, 579, 745 ('*schizocroica*')
— var. *axanthus*, *Cantharellus* see *Cantharellus lutescens* forma *schizocroica*
—, subsp., *Amanita vaginata*, 573
—, subsp., *Cortinarius camphoratus*, 117
—, var., *Cortinarius odorifer*, 954, 1051
—, var., *Cortinarius uliginobtus*, 118
—, var., *Melanolecia micropsis*, 129
—, var., *Pratella campestris*, 988
lutescentipes, *Hebeloma*, 343
—, *Hydropus*, 244
luteum, *Allochytridium*, 653
—, *Chaetomium*, 524
—, *Fusicoccum*, 480
—, *Phaeohelotium*, 90
—, var., *Scytinostroma ochroleucum*, 906
luteus, *Bolbitius*, 111
—, *Molliardiomyces*, 353
—, *Pluteus*, 448
—, *Yuccamyces*, 706 ('*lutea*')
— var. *indicus*, *Mucor*, 441
—, forma, *Cortinarius uliginosus*, 285
—, forma, *Mucor hiemalis*, 396
—, var., *Cortinarius allutus*, 874
luticola, *Peziza*, 208
lutosa, *Roccellina*, 310
lutosus, *Phragmothyrtes*, 91
lutrochi, *Aporomyces*, 942
luttrellii, *Typhula*, 62
lutulata, *Micarea*, 30
lutziana, *Octospora*, 56
luxemburgensis, *Feltgeniomyces*, 1055
luxurians, *Malacaria*, 679
— subsp. *immaculata*, *Laboulbenia*, 486
luxuriatus forma *subluxuriatus*, *Cortinarius*, 194
lux-nymphae, *Cortinarius*, 1050
luzonensis, *Macrophoma*, 205
—, *Mycosphaerella*, 88
—, *Opegrapha*, 398
—, *Pleomassaria*, 448
luzulae, *Calycellina*, 470
—, *Laetinaevia*, 86
—, *Myriosclerotinia*, 492
—, *Pyricularia*, 779
—, *Wettsteinina*, 619
luzulae-divaricatae, *Ascochyta*, 740
luzulae-maximae, var., *Puccinia obscura*, 212
luzularum, *Hymenoscyphus*, 484
luzulicola, *Hysteronaevia*, 347
luzulina, *Diplonaevia*, 338
lychnidis, *Aecidium*, 41
lychnidis-dioicae, *Microbotryum*, 205 ('*lychnis-dioicae*')
lycii, *Coryneum*, 662
—, *Eutypella*, 756
lyciicola, *Pseudocercospora*, 59
— var. *longispora*, *Septoria*, 453
lycoperdoides, *Handkea*, 963
—, var., *Cystolepiota luteicystidiata*, 119
lycopersici, *Exosporium*, 161
lycopersicum, *Entoloma*, 239
lycopi, *Rosenscheldia*, 405
lycopodii, *Calycellina*, 470
—, *Ceramothyrium*, 949

- , *Gibbera*, 123
- , *Stanhughesia*, 995
- , *Stomatogene*, 996
- , *Venturia*, 142
- lycopodiicola*, *Phaeosphaeria*, 984
- lycopsisidis*, *Erysiphe*, 160
- lygaea*, *Phaeophyscia*, 982
- lygodii*, *Pseudocercospora*, 1071
- lygoma*, *Zosterodiscus*, 411
- lygommoides*, *Lecidea*, 1060
- lynferdii*, *Pichia*, 359
- lyngei*, *Hysteronaevia*, 347
- lynii*, *Xanthoparmelia*, 913
- lyococcus*, var., *Rhizopus stolonifer*, 362
- lyoniae*, *Asteridiella*, 944
- , *Pseudocercospora*, 693
- lyrata*, *Arthropyrenia*, 63
- , *Beltraniella*, 576
- lyrigeria*, *Parmelia*, 981
- lysimachiae*, *Endophylloides*, 46
- lysochlorus*, *Marasmiellus*, 971
- lyxosophila*, *Candida*, 658
- maackiae*, *Cryphonectria*, 955
- , *Uncinula*, 141
- maasii*, *Marasmius*, 972
- mabokeysensis*, *Asordaria*, 741
- macalpinei*, *Sarcopodium*, 94
- , *Stigmatomyces*, 700
- macalpineiana*, forma, *Amanita austropulchella*, 2 ('*macalpiniana*')
 - , forma, *Amanita xanthocephala*, 2 ('*macalpiniana*')
- macarangae*, *Epithele*, 240
- macarangicola*, *Asteridiella*, 1043
- macaronesica*, *Sarcoscypha*, 364
- maccannii*, *Banksiamyces*, 379 ('*Banksia*')
 - macedoniensis*, *Monilia*, 838
- macer*, *Karstenia*, 16
- macginnisii*, *Exserohilum*, 534 ('*macginnisii*')
 - macgregorii*, *Phellinus*, 898
 - , *Pyropolyporus*, 451
- machaerii*, *Puiggarrina*, 902
- machaerinae*, *Helicoma*, 14
- machili*, *Asterina*, 3
 - , *Pseudocercospora*, 1071 ('*machill*')
 - macilentus*, *Oropogon*, 979
 - mackinawense*, *Hebeloma*, 432
 - mackinawensis*, *Lactarius*, 52
 - mackleri*, *Melanoleuca*, 973
 - macknightii*, *Gyromitra*, 590 ('*mcknightii*')
 - macleayae*, *Erysiphe*, 160
 - maclennaniae*, *Penicillium*, 89
 - macluriae*, *Ramularia*, 991
 - macluricola*, *Camarosporium*, 658
 - macnabbianum*, *Entoloma*, 47 ('*macnabbianum*')
 - macounii*, *Arthonia*, 98
 - , *Arthothelium*, 575
 - , *Pertusaria*, 65
 - macra*, *Antrodia*, 467
 - macracantha*, *Dactylosporina*, 427
 - , *Octospora*, 56
 - , *Ramsbottomia*, 499
 - , *Xerula*, 562
 - , var., *Ciliaria asperior*, 231
 - , var., *Scutellinia trechispora*, 265
 - macroalveola*, forma, *Morchella umbrina*, 491
 - macrocarpa*, *Balladynopsis*, 74
 - , *Cercophora*, 43
 - , *Dictyodothis*, 337
 - , *Erysiphe*, 240
 - , *Lichenothelia*, 678
 - , *Porpidia*, 403
 - , *Rimelia*, 1074
 - , *Stirtonia*, 908
 - var. *hercynica*, *Porpidia*, 607
 - var. *percontigua*, *Porpodia*, 553
 - var. *platycarpoides*, *Porpodia*, 553
 - , forma, *Melanoleuca grammopodia*, 837
 - , var., *Arthonia lapidicola*, 279
 - , var., *Ionaspis epulotica*, 126
 - macrocarpum*, *Anisomeridium*, 63
 - var. *minus*, *Helminthosporium*, 391, 432
 - macrocarpus*, *Banksiamyces*, 189
 - , *Sphaerophorus*, 313
 - , *Termitomyces*, 559
 - macrocephala*, *Conocybe*, 116
 - , *Piptocephalis*, 448
 - macrocephalum*, *Dictyostelium*, 477
 - macrocephalus*, *Hyalopus*, 433
 - macroceras*, *Peroneutypa*, 90
 - macrochaeta*, *Trichopezizella*, 703
 - macrochaetus*, *Fungites*, 390
 - macrocheilocystidiatus*, *Gymnopilus*, 670
 - macrocyclus*, subsp., *Lecanora muralis*, 542
 - macrocystidiata*, forma, *Laccaria affinis*, 889
 - macrocystidium*, *Acanthophysium*, 465
 - macrocystis*, *Paratrachophaea*, 548
 - , *Russula*, 993
 - macrocystopsis*, *Mortierella*, 974
 - macroelata*, *Gliomastix*, 431
 - macroephiphie*, *Nectriopsis*, 977
 - macrofilamentosus*, *Helicomys*, 292
 - macrolanceolatus*, *Dasyscyphus*, 237
 - macrophylla*, subsp., *Acarospora smaragdula*, 188
 - macropilifera*, forma, *Scutellinia trechisperma*, 265
 - macropodius* var. *praevalens*, *Cortinari*, 117
 - macroporus*, var., *Polyporus brasiliensis*, 401
 - macropunctata*, *Leptoperidia*, 764
 - macropus*, *Mimeomyces*, 440
 - , *Ramariopsis*, 903
 - macrorhiza*, *Lepiota*, 488 ('*macrorrhiza*')
 - macrorhizus*, *Leucoagaricus*, 488
 - , *Leucocoprinus*, 1061
 - , *Leucopaxillus*, 488
 - var. *pinguipes*, *Leucoagaricus*, 891
 - macrorostrata*, *Leptosphaeria*, 87
 - macrorostrata*, *Ophionectria*, 89
 - macrosculpturata*, var., *Scutellinia scutellata*, 175
 - macrosperma*, *Ochrolechia*, 255
 - , *Strickeria*, 785
 - , *Toxosporiopsis*, 1079
 - macrospermus*, *Sporocadus*, 502 ('*macrospermum*')
 - macrospora*, *Amepiospora*, 278
 - , *Armillariella*, 74
 - , *Atractiella*, 742
 - , *Austrogautieria*, 468
 - , *Boudiera*, 332

- , *Calonectria*, 1045
- , *Canoparmelia*, 828
- , *Coniella*, 283
- , *Cryptothecia*, 530
- , *Cylindrocolla*, 196
- , *Dacryopinax*, 752
- , *Decaisnella*, 585
- , *Dichomera*, 80
- , *Didymosphaeria*, 10, 428
- , *Didymostilbe*, 478
- , *Gautieria*, 480
- , *Gloniopsis*, 342
- , *Grammothele*, 49
- , *Grammothelopsis*, 163
- , *Inocybe*, 674
- , *Lichina*, 438
- , *Limacinula*, 351
- , *Macbrideola*, 166
- , *Massarina*, 597
- , *Melittosporiella*, 597
- , *Muellerella*, 441 ('*Müllerella*')
- , *Naucoria*, 254
- , *Nimbomollisia*, 254
- , *Polyporites*, 307
- , *Pyrenula*, 32
- , *Ramalina*, 779
- , *Rhinotrichella*, 310
- , *Rigidoporopsis*, 779
- , *Termitaria*, 177
- , *Valsa*, 506
- , *Volvariella*, 1000
- , *Vuilleminia*, 792
- , *Weddellomyces*, 1080
- , *Wynnea*, 792
- , *Zopfiella*, 369
- subsp. *murorum*, *Acarospora*, 187
- var. *sterculiae*, *Alternaria*, 654
- var. *tetraspora*, *Bertia*, 420
- forma *dolophana*, *Acarospora*, 187
- forma *subalbicans*, *Acarospora*, 867
- forma *tetraspora*, *Naucoria*, 254
- forma *tetraspora*, *Naucoria* see *Naucoria* *spadicea*
- , forma, *Hygrocybe turunda*, 245
- , forma, *Hygrophorus turundus*, 245
- , forma, *Marasmiellus ramealis*, 597
- , forma, *Sclerotinia camelliae*, 614
- , forma, *Sphaerotheca alpina*, 558
- , var., *Biscogniauxia divergens*, 1044
- , var., *Biscogniauxia grenadensis*, 1044
- , var., *Biscogniauxia uniapiculata*, 1044
- , var., *Camillea heterostoma*, 948
- , var., *Cercospora acanthacearum*, 113
- , var., *Clavaria aurantia*, 7
- , var., *Comatricha tenerrima*, 283
- , var., *Hohenbuehelia petaloides*, 293, 433
- , var., *Hygrocybe turunda*, 245
- , var., *Hygrophorus turundus*, 245
- , var., *Leucoagaricus sublittoralis*, 836
- , var., *Leucoagaricus wychanskyi*, 249
- , var., *Myceliophthora lutea*, 546
- , var., *Mycena insignis*, 441
- , var., *Nemania serpens*, 442
- , var., *Pertusaria carneopallida*, 549
- , var., *Phoma multirostrata*, 689
- , var., *Phylacia bomba*, 985
- , var., *Ramaria neoformosa*, 609
- , var., *Sydowiella dryadis*, 1078
- , var., *Xylaria luteostromata*, 706
- , var., *Xylaria theissenii*, 706
- , *macrosporidium*, *Phaeosphaeria*, 984
- , *macrosporopsis*, *Corticium*, 193
- , *macrosporum*, *Glonium*, 342
- , *Hormonema*, 672
- , *Pythium*, 137
- , *Repetobasidium*, 93
- , *Trichocladium*, 96
- , var., *Hydnellum aurantiacum*, 591
- , var., *Hypoxylon auruginosum*, 434
- , var., *Hypoxylon uniapiculatum*, 50
- , var., *Microstoma floccosum*, 55
- ('macrospora')
- , *macrosporus*, *Agaricus*, 867
- , *Arnoldiomyces*, 519
- , *Boerlagiomyces*, 5 ('*Boerlagomyces*')
- , *Dipodascus*, 197
- , *Fuligomyces*, 340
- , *Gymnopilus*, 670
- , *Lophotrichus*, 836
- , *Marasmius*, 17
- , *Melanotus*, 299
- , *Penicillifer*, 981
- , *Phallus*, 21
- , *Torulomyces*, 702
- var. *kuhnerianus*, *Agaricus*, 151
- var. *stramineus*, *Agaricus*, 466
- , forma, *Leucocoprinus cepaestipes*, 891
- , subsp., *Cortinarius austroclavicularis*, 875
- , var., *Cortinarius fulvo-ochraceus*, 953
- , var., *Dasyscyphus oncospermatis*, 9
- , var., *Pleurotus pometi*, 135
- , var., *Ripartites tricholoma*, 500
- , *macrostipitatum*, *Crociareas*, 955
- , *macrothelis*, *Strickeria*, 785
- , *macrotuberculata*, *Tilletia*, 910
- , *macrotubulatum*, *Colloderma*, 423
- , *macro-operculatus*, *Chytriomyces*, 114
- var. *hirsutus*, *Chytriomyces*, 114
- , *macula*, *Clauzadeana*, 1046
- , *maculans*, *Pestalotiopsis*, 445
- , *macularis*, *Pyrenula*, 903
- , *maculata*, *Descolea*, 531
- , *Pseudocyphellaria*, 262
- , *Pyrenopeziza*, 609
- , *Pyrenula*, 778
- var. *globispora*, *Russula*, 613
- , var., *Mycena pseudolaevigata*, 769
- , *maculatipes*, *Hydropus*, 244
- , *maculatum*, *Anthracothechium*, 110
- , *Diderma*, 338
- , *maculatus*, *Meripilus*, 395
- , *maculosa*, *Fuscidea*, 123
- , *Venturia*, 619
- var. *lactucae*, *Puccinia*, 137
- , *maculospora*, *Ramaria*, 499
- , *maculosum*, *Epibryon*, 339
- , *Glomus*, 481
- , *Hypoxylon*, 673
- , *maculosus*, *Inopilus*, 247
- , *madagascarensis*, *Peyritschella*, 445
- , *madagascarius*, *Coelomomyces*, 526
- , var., *Coelomomyces lacunosus*, 526

madagascariense, *Cyttarophyllum*, 119
 ('madagascariensis')
 madefacta, *Clitocybe*, 473
 maderaspatana, *Hebelomina*, 163
 maderaspatanum, *Entoloma*, 47
 maderensis, *Dicheirinia*, 287
 —, *Megalospora*, 251
 madhauensis, *Cercospora*, 746
 madilynæ, *Parmotrema*, 495
 madrasensis, *Dactylaria*, 286
 —, *Helicofilia*, 292
 madsenii, *Torrendiella*, 702
 maduramycosis, *Scopulariopsis*, 557
 maecolaspidis, *Laboulbenia*, 51
 maekinenii, *Pseudombrophila*, 608
 maesae, *Lasiostemma*, 595
 maestrense, *Neosporidesmium*, 896
 magara, *Seiophora*, 364
 magellanica, *Hysteropezizella*, 16, 761
 magellanicum, *Lophodermium*, 17
 —, *Stereum*, 700
 magica, *Gyrophrix*, 84
 —, *Psilocybe*, 990
 magna, *Balladynocallia*, 74
 —, *Erynia*, 12
 —, *Pseudopetrakia*, 450
 —, *Stachylina*, 783
 magnahypha, *Candelabrochaete*, 332
 magnaltitudinis, *Entoloma*, 755
 magnata, *Corditubera*, 233
 magniannulata, *Xylaria*, 1002
 magnicellula, *Aleurina*, 518
 magnicellulata var. *robusta*, *Erysiphe*, 430
 —, var., *Erysiphe cichoracearum*, 122
 magnicellulatus, *Golovinomyces*, 884
 magnicystidiosus, *Leucocoprinus*, 351
 magnifica, *Coprobria*, 1047
 —, *Diaporthe*, 752
 —, *Inocybe*, 888
 —, *Microsphaera*, 252
 —, *Ramaria*, 310
 —, *Wettsteinina*, 619
 magnificum, *Thelotrema*, 33
 magnificus, *Gymnopilus*, 670
 —, *Inopilus*, 247
 magnifusispora, *Excipularia*, 960
 magnihyphosa, forma, *Lamprospora crouani*
 see *Lamprospora tortulae-ruralis*
 magnipes var. *albidior*, *Ramaria*, 903
 magniporum, *Ganoderma*, 341
 magnispora, var., *Asteridiella chardoniana*,
 655
 magnisporum, var., *Scytinostroma intextum*,
 781
 magnivelare, *Tricholoma*, 408
 magnivelaris, *Agaricus*, 226
 —, *Naematoloma*, 682
 magniverrucata, *Amanita*, 188
 magniverrucosa, *Ophionectria*, 255
 magnoliae, *Bulbomicrosphaera*, 744
 —, *Cercosporidium*, 333
 —, *Dothidasteromella*, 587
 —, *Pestalotiopsis*, 57
 —, *Phanerochaete*, 550
 —, *Plectronidium*, 606
 —, *Stenellopsis*, 26

magnosporum, *Anisomeridium*, 278
 magnum, *Botryosporium*, 871
 —, *Dictyostelium*, 287, 338
 —, *Hermanniasporidium*, 15
 —, *Pleurothecium*, 987
 —, var., *Mycocentrolobium platysporum*, 681
 —, var., *Penicillium brevi-compactum*, 169
 magnus, *Buglossoporus*, 379
 —, *Crenasclerotes*, 285
 —, *Panellus*, 685
 — var. *heveanensis*, *Cryptococcus*, 79, 118
 magnusiana, *Cercoseptoria*, 230
 —, *Pseudocercosporella*, 901
 magnussonii, *Cladina*, 383
 mahabaleshwarsense, *Microthyrium*, 680
 ('mahabaleshwarsensis')
 mahabaleshwarsensis, *Macrolepiota*, 298
 —, *Pholiota*, 58
 mahmoudii, *Setosporaella*, 994
 mahleri, *Rhizocarpon*, 212
 mahuiana, *Roccellina*, 311
 mahuianum, *Lophodermium*, 1061
 maimaiga, *Entomophaga*, 882
 maioris, var., *Plasmodium pimpinellae*, 690
 maire, *Fomitopsis*, 757
 mairei, *Cephaloscypha*, 281
 —, *Helotium*, 200
 —, *Leucoagaricus*, 128
 —, *Pholiotina*, 551
 —, *Rhodocybe*, 138
 — var. *argentea*, *Amanita*, 418
 — var. *ilicis*, *Lactarius*, 968
 — var. *juranus*, *Cortinarius*, 529
 — var. *microspora*, *Hemimycena*, 591
 — var. *fageticola*, *Russula* see *Russula*
fagitorum
 maireiaffinis, *Pholiotina*, 985
 majalis, *Galerina*, 961
 major, *Antennularia*, 2
 —, *Batkoa*, 945
 —, *Conidiobolus*, 8
 —, *Dicellaesporites*, 196
 —, *Diporisorites*, 338
 —, *Hymeniopeltis*, 539
 —, *Inapertisorites*, 202
 —, *Lacrimasporonites*, 203
 —, *Microbotryum*, 205
 —, *Monascus*, 252
 —, *Pachykytospora*, 980
 —, *Pluteus*, 987
 —, *Protoventuria*, 1068
 —, *Ramularia*, 903
 — var. *praecox*, *Puccinia*, 137
 —, var., *Empusa forficulae* see *Erynia*
ellisiana
 —, forma, *Cortinarius rapaceus*, 285
 —, forma, *Cortinarius riederi*, 954
 —, forma, *Inocybe langei*, 246
 —, forma, *Laccaria tetraspora*, 541
 —, forma, *Lasallia asiae-orientalis*, 296
 ('maior')
 —, forma, *Lepiota gracilis*, 248
 —, forma, *Nyctalis asterophora*, 301
 —, forma, *Russula vesca*, 906
 —, forma, *Sphacelotheca hyparrheniae*, 25
 —, subsp., *Usnea strigosa*, 791

- , var., *Amanita vaginata*, 826
- , var., *Diatrype disciformis*, 9
- , var., *Gerlachia nivalis*, 13
- , var., *Inocybe cinnamomea*, 967
- , var., *Inocybe phaeocomis*, 761
- , var., *Laccaria tetraspora*, 349, 541
- , var., *Melanconium melanoxanthum*, 597
- , var., *Meliola bidentata*, 973
- , var., *Palaeomyces gordonii*, 207
- , var., *Podabrella microcarpa*, 260
- , var., *Polyporus spatulatus*, 402
- , var., *Puccinia nitida*, 211
- , var., *Russula vesca*, 501
- majus*, *Anthracotheceum*, 110, 151
- , *Ixechinus*, 247
- var. *melinidis*, *Melanotaenium*, 767
- , var., *Microdothium nivale*, 299
- majusculum*, var., *Entoloma sarcitulum*, 479
- majusculus*, *Arenariomyces*, 943
- makokouensis*, var., *Vararia mediospora*, 97
- malabarensis*, *Micropsalliota*, 300
- malabarica*, *Acrodictys*, 941
- , *Catenularia*, 949
- , *Gangliostilbe*, 961
- , *Idriella*, 966
- , *Porosubramania*, 987
- , *Sporidesmina*, 995
- , *Sporidesmiopsis*, 995
- malabaricum*, *Parahelminthosporium*, 980
- malacaense*, *Penicillium*, 56
- malaccensis*, *Austroboletus*, 4
- , *Relicinopsis*, 610
- malachrae*, *Brasilomyces*, 112
- malagensis*, *Talaromyces*, 366
- malaiensis*, *Epithele*, 240
- malanophthalma*, *Pterygiopsis*, 451
- malawiensis*, *Hymenoscyphus*, 592
- malayanus*, *Tyromyces*, 998
- malaysiana*, *Dictyochaeta*, 753
- , *Kionochaeta*, 486
- , *Laboulbenia*, 16
- , *Vararia*, 409
- malaysianus*, *Tricladomyces*, 505
- ('malaysianum')
- malaysiense*, *Chaetomium*, 282, 524
- ('malaysensis')
- malenconii*, *Dendrothele*, 286
- , *Duportella*, 754
- , *Hyphoderma*, 886
- , *Rhodocybe*, 452
- subsp. *americana*, *Peniophora*, 687
- var. *megalospora*, *Inocybe*, 393
- maleolens*, *Entoloma*, 47
- malesianum*, *Amauroderma*, 227
- var. *borneense*, *Amauroderma*, 227
- var. *parvisporum*, *Amauroderma*, 227
- malesianus*, *Buglossoporus*, 379
- , var., *Polyporus varius*, 402
- mali*, *Aphanofalx*, 467
- , *Calothyriopsis*, 5
- , *Chailletia*, 77 ('malus')
- , *Penicillium*, 304, 357
- , *Pleochaeta*, 606
- malicola*, *Spongipellis*, 406
- maligna*, *Opegrapha*, 1064
- mallea*, *Macrolepiota*, 298
- malleata*, *Amanita*, 226
- , *Amanitopsis*, 226
- , var., *Amanita lividopallescens*, 329
- , var., *Amanita vaginata*, 573
- malloti*, *Elsinoë*, 339
- , *Erysiphe*, 389, 480
- , *Sphaerotheca*, 139
- malvacearum*, *Mycovellosiella*, 492
- , forma *specialis*, *Oidiopsis taurica*, 896, 978
- malvaceus*, *Leucoagaricus*, 17
- malvena*, *Perenniporia*, 1066
- mamillae*, *Candida*, 75
- mamillana*, *Buellia*, 577
- mamillata*, *Parmentaria*, 604
- , *Pseudotrachia*, 361
- , subsp., *Anaptychia ciliaris*, 28
- , var., *Russula immaculata*, 993
- mamillatum*, *Siphulastrum*, 313
- mamillatus*, *Hygrophorus*, 433
- mammaesimile*, *Entoloma*, 47
- mammatum*, *Hypoxylon*, 1058
- mammicolum*, *Myriotrema*, 30
- mammifera*, forma, *Psathyrella spadiceogrisea*, 450
- mammiformis*, *Nectria*, 207
- , *Trematosphaeria*, 456
- mammilare*, *Myriotrema*, 30
- mammillata*, *Blastocladia*, 945
- , *Torrubiella*, 216
- mamodes*, *Strickeria*, 785 ('Strickera')
- mamorensis*, *Gomphus*, 291
- , *Lactarius*, 296 ('Lacterius')
- manaosense*, *Phragmaspidium*, 58
- ('manaosensis')
- manaosensis*, *Puiggarrina*, 902
- manausensis*, var., *Mycena biornata*, 253
- mandshuricus*, var., *Mucor circinelloides*, 396
- mangatepopense*, *Lophodermium*, 1061
- mangenotii*, *Opegrapha*, 302
- mangensis*, *Tremella*, 216
- mangiferae*, *Janetia*, 295
- , *Johncouchia*, 295
- , *Leucostoma*, 204
- , *Mycosphaerella*, 599
- , *Nattrassia*, 1063
- , *Neotrotteria*, 130
- , *Pleospora*, 92
- , *Stachybotrys*, 176
- mangiferarum*, *Cylindrocarpon*, 664
- ('mangiferum')
- manginii*, *Sphaerodes*, 95
- manglicola*, *Ascocratera*, 575
- mangrovei*, *Aniptodera*, 574 ('mangrovii')
- , *Cucullospora*, 584
- , *Lophiostoma*, 597 ('mangrovius')
- , *Marinosphaera*, 1061
- , *Schizochytrium*, 844
- mangrovis*, *Aigialus*, 653
- mangshanensis*, *Calocera*, 948
- manicata*, *Amanita*, 518
- , *Stachylinia*, 365
- manicatae*, *Stigmatomyces*, 315
- manifestus*, *Cortinari*, 117
- manihot*, *Phoma*, 551

- manihoticola*, *Ulocadium*, 141
 ('*manihoticolum*')
manihotis, *Apiognomonina*, 278
 —, *Glomus*, 390
 —, *Proboscispora*, 360
 — var. *microspora*, *Agrocybe*, 277
 —, *Mycosphaerella* see *Mycosphaerella*
henningsii
manilaensis, *Trametes*, 456
manilkarae, *Phomopsis*, 400
 —, *Pseudocercospora*, 1071
manipularis, *Favolaschia*, 430
manipurensis, *Diplotomma*, 586
 ('*manipurensis*')
manipurensis, *Buellia*, 280
 —, *Catillaria*, 230
 —, *Parmelia*, 208
 —, *Parmelina*, 99
 —, *Parmelinella*, 686
 —, *Protoblastenia*, 1068
manjimupana, *Austrogautieria*, 468
mannanurensis, *Uredo*, 704
mannumensis, *Parmelia*, 132
 —, *Xanthoparmelia*, 622
manshrica, *Peniophora*, 687
mansonii, *Capronia*, 579
mantidicola, *Cordyceps*, 234 ('*mantidaecola*')
mantis, *Stigmatomyces*, 315
manuka, *Oligoporus*, 771
manukanea, *Inocybe*, 888
manzanitae, *Lactarius*, 436
 —, *Tricholoma*, 316
mapholanengensis, *Xanthoparmelia*, 1001
mapirianum, *Lachnum*, 595 ('*maprianum*')
mappa, *Fibroporia*, 535
 —, *Oligoporus*, 443 ('*mappus*')
 —, *Postia*, 553
mappianthicola, *Meliola*, 974
maprouneae, *Chaconia*, 77 ('*maprouniare*')
maracensis, *Exidia*, 667
marasmiiiformis, *Lactocollybia*, 676
marasmioides, *Agaricus*, 571
 —, *Collybia*, 582
 —, *Marasmius*, 250
marasmoidea, *Syzygospora*, 559
marcellae, *Cortinarius*, 235
marchalii, *Pyxidiophora*, 24
marchantiae, *Bryoscyphus*, 332
 —, *Pezoloma*, 90
marchica, *Greletia*, 669
marchii, *Pseudohygrocybe*, 842
marciensis, *Phaeosphaeria*, 133
marculentus var. *homosetulosus*, *Coprinus*,
 527
 — form *stephanosporus*, *Coprinus*, 527
margaretae [sic], *Pseudocypbellaria*, 211
margaritae, *Septoria*, 698
margaritifera, *Mycenella*, 167
margarition, *Aniptodera*, 942
margaritus, *Multicellaesporites*, 206
marginalis, *Autoicomyces*, 420
marginata, *Amanita*, 73
 —, *Conocybe*, 233
 —, *Lecanora*, 487
 —, *Micarea*, 837
 —, *Peltula*, 687
 —, *Thelenella*, 788
 — subsp. *elata*, *Lecidea*, 543
 —, form *Psathyrella ammophila*, 900
 —, var., *Oudemansiella radicata*, 444
marginatosplendens, *Cortinarius*, 45
marginato-ochrascens, *Cortinarius*, 877
 —, var., *Cortinarius fulvo-ochrascens*, 953,
 1050
marginatum var. *fallax*, *Hebeloma*, 343
 — var. *proximum*, *Hebeloma*, 343
marginatum, *Naematoloma*, 599
 —, var., *Entoloma turci*, 198
marginatus, var., *Cortinarius varicolor*, 425
 —, var., *Lactarius lignyotus*, 52
marginellus, *Kuehneromyces*, 436
marginiflexa, *Megaloblastenia*, 251
 — var. *dimota*, *Megaloblastenia*, 251
marginis, *Bryorella*, 190
marginospora, *Gymnascella*, 481
 —, *Narasimhella*, 599
margin-undulata, *Arcyria*, 278
mariae, *Gerronea*, 962
 —, *Sarcostroma*, 501
 —, *Tricharina*, 140
mariaeecrucis, *Penicillium*, 549
marianii, *Tyromyces*, 911
marianum, *Crustoderma*, 336
 —, *Gloeocystidiellum*, 162 ('*marianus*')
mariatii, *Trichophyton*, 96 ('*mariatti*')
maricopensis, *Xanthoparmelia*, 562
marina, *Anguillospora*, 227
 —, *Biatrispora*, 521
 —, *Cumulospora*, 475
 —, *Diplophrys*, 386
 —, *Halosarpheia*, 482
 —, *Laetinaevia*, 349
 —, *Pirella*, 606
 —, *Rhizophila*, 992
 —, *Sigmoidea*, 25
 —, *Vesicularia*, 142
 —, *Wettsteinina*, 1001
 —, subsp., *Physcia tenella*, 32
marineri, *Didymium*, 957
marinum, *Achaetomium*, 2
 —, *Entoloma*, 47
 —, *Sorosporium*, 365 ('*marina*')
 —, var., *Scoliciosporum umbrinum*, 213
marinus, *Basramyces*, 945
 —, *Cryptococcus*, 79, 118
marionensis, *Phyllisciella*, 400
 —, *Zahlbrucknerella*, 507
marisci, *Uredo*, 177
maritima, *Arthopyrenia*, 575
 —, *Biscogniauxia*, 870
 —, *Candida*, 230
 —, *Crinigera*, 475
 —, *Kirschsteiniethelia*, 486
 —, *Laccaria*, 763
 —, *Melanoleuca*, 439, 545
 —, *Phaeosphaeria*, 209
 —, var., *Inocybe lacera*, 348
 —, var., *Melanoleuca cinereifolia*, 545
 —, var., *Simocybe laevigata*, 313, 453
maritimus, *Aspergillus*, 520
maritimum, *Hebeloma*, 343
marivelensis, *Ocellularia*, 31

- markhamiae, *Phaeoramularia*, 258
 marmoratum, *Polycoccum*, 22
 marmoratus, *Buglossoporus*, 379
 — var. *pallidus*, *Buglossoporus*, 380
 — var. *parvisporus*, *Buglossoporus*, 380
 — var. *solomonensis*, *Buglossoporus*, 380
 marneffe, *Penicillium*, 169
 marocana, *Mycena*, 301
 maroccana, *Aegeritella*, 1041
 maroccanæ, *Rinodinomycetes*, 100
 marplatensis, var., *Mycena pura*, 55
 ('marplatense')
 marquettense, *Tricholoma*, 617
 marrii, *Ramaria*, 903
 marronina, *Russula*, 60
 marroninipuncta, *Parmelia*, 399
 —, *Xanthoparmelia*, 913
 marrubii, *Coniothyrium*, 749
 martelliana, *Phanerochaete*, 550
 martensii, *Hydropus*, 964
 marthae, *Pseudolyophyllum*, 1072
 —, var., *Russula barlae*, 212
 martia, *Poria*, 402 ('martius')
 martiale, *Psilachnum*, 498
 martianum, *Membranicium*, 545
 marticorenai, *Gymnopilus*, 885
 martii forma *acaciae*, *Erysiphe*, 756
 martinianus, *Zwackhiomyces*, 1081
 martini, *Cordana*, 193
 martiniana, *Cytostagonospora*, 531
 martinica, *Eccilia*, 238
 —, *Inocybe*, 246
 —, *Russula*, 60
 martinicana, *Canoparmelia*, 579
 —, *Pyrenula*, 903
 martinicensis, *Agaricus*, 226
 —, *Phaeocollybia*, 982
 —, *Pluteus*, 259
 martinii, *Comatricha*, 283
 —, *Discina*, 386
 —, *Peziza*, 549 ('martini')
 —, *Phyllospora*, 134
 —, *Sticta*, 314
 marvinii, *Laboulbenia*, 486
 marxianus var. *bulgaricus*, *Kluyveromyces*, 51
 — var. *dobzhanskii*, *Kluyveromyces*, 51
 — var. *drosophilae*, *Kluyveromyces*, 51
 — var. *lactis*, *Kluyveromyces*, 51
 — var. *vanudenii*, *Kluyveromyces*, 51
 — var. *wikenii*, *Kluyveromyces*, 51
 marylandensis, *Cortinarius*, 284, 529
 masonhalei, *Myriotrema*, 30
 masonii, *Caryospora*, 155
 —, *Parmotrema*, 32
 —, *Persiciospora*, 169
 mason-halei, *Parmelia*, 132
 massalongoi, *Ocellularia*, 31 ('massalongi')
 massarioides, *Lophiostoma*, 891
 massariospora, *Pyrenula*, 903
 masseeanum, *Helminthosporium*, 432
 masseei, *Entoloma*, 388
 massiliensis forma *aponina*, *Dirina*, 880
 — forma *sorediata*, *Dirina*, 288
 mastarion, *Myriotrema*, 99
 mastigophorus, *Ulocoryphus*, 177
 mastigospora, *Scolecosporella*, 24
 mastoidea, *Aspicilia*, 110, 741
 — var. *atrobrunnea*, *Macrolepiota*, 544
 — var. *coccineobasalis*, *Macrolepiota*, 128
 —, var., *Verrucaria hochstetteri*, 561
 matangensis, *Buglossoporus*, 380
 mate, *Pseudocercospora*, 989 ('mete')
 mathurii, *Phoma*, 170 ('mathuri')
 matilei, *Laboulbenia*, 51
 —, *Stigmatomyces*, 559
 matoubensis, *Russula*, 60
 matrisdei, *Melanotus*, 973
 matritensis, *Rhodotorula*, 94 ('matritense')
 matsunamiana, *Uncinula*, 506
 matsushimae, *Codinaea*, 77
 —, *Dictyochaeta*, 957
 —, *Didymostilbe*, 478
 —, *Phragmospathulella*, 899
 —, *Pseudaeegerita*, 261
 —, *Triangularia*, 910
 mattogrossensis, *Synalissa*, 66
 matudae, *Parmelia*, 399
 matuszakii, *Corynespora*, 878
 maublancii, *Rhachomyces*, 60
 mauguioi, *Orchesellaria*, 398
 mauense, *Ceratophorum*, 230
 maulensis, *Collybia*, 873
 maureri, *Lichenostigma*, 250
 —, *Lophodermella*, 766
 mauretanica var. *apogama*, *Mycena*, 769
 — var. *longipila*, *Mycena*, 769
 — var. *megaspora*, *Mycena*, 769
 — var. *microcephala*, *Mycena*, 769
 — var. *stenospora*, *Mycena*, 769
 —, forma, *Rhodocybe truncata*, 904
 mauretanicum, *Helotium*, 200
 ('maurentanicum')
 mauritanus, *Clathrus*, 44
 mauritiicola, *Nectria*, 493
 —, *Corallomyces* see *Nectria mauritiicola*
 maurus, *Oropogon*, 979
 maxidorii, *Dacryopinax*, 80
 maxima, *Piromonas*, 690
 —, *Sphaeromonas*, 699
 —, *Trametes*, 456
 —, *Xanthoparmelia*, 1001
 —, forma, *Amanita excelsa*, 226
 —, var., *Russula chamaeleontina*, 780
 —, var., *Russula lutea*, 213
 maximispora, *Russula*, 613
 maximum, *Lophodermium*, 597
 —, *Myriotrema*, 30
 maximus, *Multicellaesporites*, 206
 —, *Pluricellaesporites*, 210
 —, var., *Cortinarius helvolus*, 1050
 maxonii, *Phellinus*, 90
 mayapeicola var. *indica*, *Meliola*, 893
 maydis, *Ectostroma*, 81
 —, *Heterosporium*, 84
 —, *Hyalothyridium*, 346
 —, *Karstenia*, 16
 —, *Monographella*, 490, 546
 —, *Orphanocoela*, 1064
 —, *Peronosclerospora*, 444
 —, *Stenocarpella*, 26
 mayebarae var. *sinensis*, *Lasallia*, 127

- mayorii var. cicerbitae, Erysiphe, 340
 — var. japonica, Erysiphe, 340
 mayrhoferi, Rinodina, 500
 maysoisporus, Coprinus, 78
 mayumi, Microsphaera, 440
 mayyanadensis, Clitocybe, 232
 mazaediicola, Asterophoma, 74
 mazarina, Aspicilia, 331
 mazosiae, Arthonia, 943
 mazzeri, Entoloma, 388 ('mazzerii')
 mbabanensis, Xanthoparmelia, 792
 mecistophora, Lecanactis, 296
 media, Amanita, 226
 medians forma steephholmensis, Candelariella, 112
 medicaginis, Acrocalymma, 571
 —, Coniothyrium, 662
 —, forma specialis, Phytophthora megasperma, 171
 —, forma specialis, Phytophthora vignae, 606
 mediocris, Inocybe, 888
 —, Phyllopsora, 134
 —, Tyromyces, 998
 medioincrassata, Epigloea, 388
 mediolanense, Penicillium, 304 ('mediolanensis')
 mediosinense, Ganoderma, 883
 mediospora, Vararia, 97
 — var. makokouensis, Vararia, 97
 mediterranea, Catillaria, 230
 —, Flammulina, 832
 —, Oudemansiella, 840
 —, forma, Amanita pantherina, 868
 —, var., Inocybe arenicola, 761
 —, var., Mycena pura, 839
 mediterraneense, Scytinostroma, 781
 mediterraneus, Hydropus, 433, 592
 medium, Lophodermium, 1061
 —, Yamadazyma, 1080 ('media')
 —, var., Endostelium amerosporum, 387
 medius, Doratomyces, 10
 —, var., Cortinarius helvolus, 1050
 medlockii, Martellia, 597
 medogensis, Puccinia, 608
 medullaris, Chamaemyces, 872
 medusa var. apiculata, Lulworthia, 250
 — var. fucicola, Lulworthia, 250
 — var. halima, Lulworthia, 250
 medusae forma specialis deltoidis, Melampsora, 893 ('deltoidae')
 — forma specialis tremuloidis, Melampsora, 893 ('tremuloidae')
 megacantha, var., Russula graveolens, 780
 megacarpus, var., Lactarius argillaceifolius, 51
 megacystis, Entoloma, 47
 megaforma, var., Clitopilus peri, 232
 megalobasidium, Hydropus, 244
 megalobrunneum, Ophiostoma, 356
 megalochondra, Peziza, 208
 megalochondrus, Cortinarius, 953, 1050
 megalosperma, Keinstirschia, 968
 megalosphaera, Scutellinia, 94
 megalospora, Acrocordia, 737
 —, Bullera, 577
 —, Didymella, 81
 —, Discina, 386
 —, Gyalideopsis, 885
 —, Melanconiopsis, 597
 —, Phaeocollybia, 687
 —, Phlyctella, 305
 —, Phlyctis, 898
 —, Xerotrema, 142
 —, Xerula, 793
 — var. tetraspora, Phaeocollybia, 687
 —, subsp., Rimbachia neckerae, 363
 —, var., Inocybe malenconii, 393
 megalosporum, Conchatum, 474
 —, Crocicreas, 79
 — var. gramineum, Crocicreas, 79
 megalosporus, Panellus, 685
 —, forma, Cortinarius delibutus, 1049
 megapotamicum, Rhizocarpon, 404
 megarrhizae, Phoma, 774
 megasperma forma specialis glycines, Phytophthora, 171 ('glycinea')
 — forma specialis medicaginis, Phytophthora, 171
 — forma specialis trifolii, Phytophthora, 134
 megaspermum, Anthracothecium, 151
 megaspinosa, Clavaria, 828
 megaspora, Arthrobotrys, 468
 —, Bryosphaeria, 43
 —, Cheilymenia, 950
 —, Ciborina, 581
 —, forma, Inocybe lacera, 887
 —, var., Mycena mauretana, 769
 —, var., Phaeographis submarcescens, 170
 megasporus, Boletus, 5
 —, Brachymyces, 43
 —, Cortinarius, 157
 megastega, Strickeria, 785, 908 ('Strickera')
 meghalayaensis, Phoma, 91 ('meghalayansis')
 meghalayense, Leptotrema, 30
 meghalayensis, Buellia, 190
 megistospora, Hygrocybe, 965
 meijangense, Ganoderma, 758
 meinhardii, Cortinarius, 583
 —, subsp., Cortinarius splendens, 1051
 —, var., Cortinarius splendens, 751
 meiophragmia, Lecanactis, 296
 meiosperma, Ocellularia, 31
 meiospermoides, Ocellularia, 99
 mekista, Usnea, 457
 melaena, Plectania, 171, 401
 melaenida, Micarea, 299
 melaleucoides, Gyromitra, 14
 melaloma, Anthracobia, 1042
 melambola, Metamelanea, 974
 melampodii, Thecaphora, 215
 melanchra, Phaeophyscia, 258, 495
 —, Physciella, 552
 melanconiodes, Strickeria, 785 ('Strickera')
 melandrii, Puccinia, 263
 melanea, Krombholziella, 202
 melanesius, Phaeomarasmius, 21
 melaneum, var., Leccinum scabrum, 764
 melaneus, Boletus, 946
 —, var., Boletus scaber, 947
 melanobasis, Debaryoscyphus, 477
 melanobola, Micarea, 299

- melanocarpus subsp. hawaiiensis,
 Sphaerophorus, 313
 melanocaulis, Cladonia, 873
 melanochaeta, Parmelinopsis, 686
 melanochlora, Catiniella, 155
 —, Chlorovibrissa, 950
 melanochlorus, Hypomyces, 966
 melanochroum, Entoloma, 755
 melanoconidium, var., Penicillium
 aurantiogriseum, 1066
 melanolepidis, Pseudocercospora, 1071
 melanomphax, Omphalina, 131
 melanophthalmae, Benjaminella, 74
 melanophthalmum, Lachnum, 676
 melanophyllum, Anthracophyllum, 942
 melanoporoides, Polyporus, 607
 melanopotamicus, Pluteus, 987
 melanospora, Mycomicrothelia, 167
 melanosporum, Crocicreas, 79
 melanostoma, Ocellularia, 302
 melanotremata, Ocellularia, 99
 melanotricha, Oudemansiella, 398
 —, Xerula, 28
 melanotrichus forma citrifolius,
 Leucoagaricus, 970
 melanoxanthum, Entoloma, 533
 — var. major, Melanconium, 597
 melanoxanthus var. grossus, Endocalyx, 339
 melantherum, Splanchnonema, 214
 melanthina, Psathyrella, 449
 melasperma, Lojkania, 351
 melastomicola, Puiggarina, 902
 melastomobia, Pseudocercospora, 693, 1071
 melatephroides, Nimbomollisia, 254
 melcula, Mycena, 301
 meleagrioides, var., Agaricus xanthodermus,
 329 ('meleagroides')
 meleagris, Leucocoprinus, 891
 —, Rozites, 174
 —, Russula, 905
 —, var., Agaricus placomyces, 466, 867
 meleagroides, forma, Tricholoma
 scalpturatum, 910
 melenosmum, Entoloma, 388
 meliae, Fomitopsis, 83, 535
 —, Pseudocercospora, 173
 —, Pseudocercosporella, 901
 melibiosa, Torulopsis see Candida
 melibiosophila
 melibiosi, Myxozyma, 167
 melibiosica, var., Candida melinii, 421
 —, var., Candida silvicola, 422
 melibiosophila, Candida, 75, 112, 230
 melicae, Massariosphaeria, 973
 melicocci, Cercospora, 382 ('melicoccae')
 melicicola, Pseudocercospora, 211
 meliigena forma alba, Mycena, 598
 melinidia, Bipolaris, 190
 melinidis, Cochliobolus, 192
 —, var., Melanotaenium majus, 767
 melinii var. melibiosica, Candida, 421
 melinoides, Alnicola, 73
 meliolicola, Hyalocrea, 672
 meliosmae, Microsphaera, 353
 melissophila, Debaryozyma, 80
 melitodes forma coloratipes, Russula, 613
 melittis, Ramularia, 991
 melizea, Xeromphalina, 28
 mellea, Acaulospora, 377
 —, Hemitrichia, 124
 —, Rhodocybe, 904
 —, var., Mycena galopus, 253
 melleopallens, forma, Cortinarius triformis,
 195
 melleopallentium, Cortinarius, 117
 melleoporus, Phellinus, 447
 melleum, Heterobasidion, 292 ('mellea')
 mellina, Calonectriella, 1045
 —, forma, Russula drimeia, 612
 mellinum, Brevicellicium, 5
 mellinus, Aspergillus, 279
 melliolens, Inocybe, 888
 —, forma, Hygrophorus camarophyllus, 966
 mellita, Hygrocybe, 245
 meloforme, var., Eupenicillium javanicum,
 240
 melonis var. brevistylospora, Diaporthe, 1054
 melothriae, Pseudocercospora, 1071
 melzeri, Auriculariopsis, 827
 membranacea, Dothidea, 587
 membranaceus, Phellinus, 400
 memecyli, Aplosporella, 42 ('Haplosporella
 memecylonae')
 —, Bagnisiella, 469
 memoriae, var., Cortinarius diabolicus, 235
 menezesiana, Pestalotiopsis, 257
 menglunensis, Tremella, 408
 mengyangensis, var., Meliola lithocarpina,
 974
 menieri, Agaricus, 151, 226
 —, Humaria, 538
 menispermacearum, Pseudocercospora, 136
 menispermi, Puiggarina, 902
 — var. dahurica, Microsphaera, 440
 — var. sinomenii, Microsphaera, 440
 menisporoides, Dictyochoeta, 386
 menthae, Hymenoscyphus, 484
 —, Peronospora, 604
 —, forma, Erysiphe labiatarum, 667
 menthi-gustans, Inocybe, 888
 mephitica, Hygrocybe, 965
 —, Russula, 60
 mephiticum, Chrysosporium, 525
 mercantoria, Omphalina, 302
 mercedis, Phaeomarasmius, 982
 mercei, Puccinia, 695
 mercurialidis, Pyrenopeziza, 609
 merdae, Peziza, 208
 merdarium var. sulfureum, Chrysosporium,
 44
 meredithiae, Ganoderma, 758 ('meredithae')
 meridensis, Cladonia, 581
 —, Hypotrachyna, 485
 —, Laboulbenia, 51
 meridiochraceum, Steccherinum, 846
 meridionalis, Leucogaster, 488
 —, Mycoacia, 88
 —, Polyporus, 22, 92
 —, Stilbospora, 1078
 —, subsp., Lecanora chlarotera, 542
 —, var., Cortinarius cinnamomeobadius, 750
 —, var., Cortinarius gracilior, 876

- , var., *Junghuhnia collabens*, 889
meridioroseum, *Corticium*, 284
 —, *Laeticorticium*, 542
merioides, *Hormonema*, 482
merismoides var. *artocarpi*, *Fusarium*, 961
 — var. *persicicola*, *Fusarium*, 961
merremiae, *Corynespora*, 384
 —, *Mycovellosiella*, 895
merrillii, *Tuckermannopsis*, 790
merrotsii, *Sagenidiopsis*, 697
mertensianae, *Coccomyces*, 582
meruensis, *Xanthoparmelia*, 705
merulioides, *Resupinatus*, 696
merxmullerana, *Ustilago*, 141
merxmulleri, *Amanita*, 467
 —, *Flagelloscypha*, 588
mesascium, *Strickeria*, 786
mesaverdensis, *Aleurodiscus*, 738
mesenterica, *Bondarzewia*, 421
mesites, *Hydropus*, 244
mesobulbosae, *Puccinia*, 555
mesocephalus, *Marasmius*, 972
mesoleuca, *Poria*, 402
mesophaeum var. *aspenicola*, *Hebeloma*, 343
 — var. *bifurcatum*, *Hebeloma*, 344
 — var. *castaneum*, *Hebeloma*, 344
 — var. *crassipes*, *Hebeloma*, 1056
 — var. *cremeovelatum*, *Hebeloma*, 432
 — var. *duplicatum*, *Hebeloma*, 344
 — var. *fluviatile*, *Hebeloma*, 344
 — var. *imitatum*, *Hebeloma*, 344
 — var. *insipidum*, *Hebeloma*, 344
 — var. *lacteam*, *Hebeloma*, 1056
 — var. *lateritium*, *Hebeloma*, 344
 — var. *longipes*, *Hebeloma*, 344
 — var. *ochroniveum*, *Hebeloma*, 432
 — var. *similissimum*, *Hebeloma*, 344
 — var. *strophosum*, *Hebeloma*, 432
 — var. *subobscureum*, *Hebeloma*, 344
 — var. *velovinaceum*, *Hebeloma*, 344
 — forma *cremeovelatum*, *Hebeloma*, 432
 — forma *holophaeum*, *Hebeloma*, 432
mesopodus, forma, *Polyporus polychrous*, 607
 ('mesopoda')
mesopotamica, *Strattonia*, 315
mesospora, *Conocybe*, 116
 — var. *subalpina*, *Conocybe*, 952
mesosporus, *Gymnopilus*, 1056
mespili, *Diplocarpon*, 10
 —, *Monilia*, 768, 769
metablasticum, *Amarenographium*, 189
metachromatica subsp. *tarumaensis*, *Russula*,
 312
metacystoides, *Xanthoparmelia*, 622
metaleptodes, *Buellia*, 1044
metallica, *Pholiota*, 91
metamorphosus, *Pycnoporellus*, 361
metaphorica, *Ocellularia*, 31
metaplexis, *Aecidium*, 277
metapodia, *Neohygrocybe*, 547
metarevoluta, *Myelochroa*, 682
metastrigosa, *Parmelia*, 132
 —, *Xanthoparmelia*, 368
metata, var., *Mycena filopes*, 253
metatropicalis, *Monilia*, 838
methanodomerqii, *Torulopsis*, 315
methanolphaga, *Candida*, 658
methanophila, *Candida*, 5 ('methanophilum')
methanosorbosa, *Candida*, 281
 —, *Torulopsis*, 315
methanothermo, *Pichia*, 58
methecticus, *Cortinarius*, 235
methistemicchroma, *Nowakowskiella*, 255
methylovora, *Pichia*, 690
metroiana, *Melanoleuca*, 893
metrodi, *Cortinarius*, 529
 —, *Melanoleuca*, 205
metrosideri, *Diaporthopsis*, 237
 —, *Endothia*, 288
 —, var., *Lanzia berggrenii*, 676
metschnikoffii, *Monilia*, 768 ('metschnikoffi')
metuloidigera, *Fayodia*, 960
metuloidophora, *Crinipellis*, 663
metzleri, *Clauzadea*, 525
 —, *Lichenothelia*, 99
meuselianum, var., *Dermatocarpon miniatum*,
 531
mexicana, *Campanella*, 658
 —, *Conocybe*, 116
 —, *Megasporoporia*, 205
 —, *Peyritsiella*, 445
 —, *Phialocephala*, 357
 —, *Pichia*, 171
 —, *Plectania*, 401
 —, var., *Amanita farinosa*, 418
mexicanum, *Cetrariastrum*, 114
 —, *Dictyostelium*, 120
 —, *Everniastrum*, 534
 —, *Gloeophyllum*, 162
 —, *Rhinotrichum*, 212
 —, *Yamadazyma*, 1080 ('mexicana')
mexicanus, *Macowanites*, 971
 —, *Mucilopilus*, 167
 —, *Omphalotus*, 398
 —, *Oropogon*, 979
 —, var., *Rhizopogon superiorensis*, 94
 —, var., *Strobilomyces strobilaceus*, 176
meyanii, *Pseudocypbellaria*, 901 ('meyeni')
meyeriae, *Candida*, 191
 —, *Pichia*, 210
meyeri, *Hypotrachyna*, 593, 673
meynae-laxiflorae, *Pseudocercospora*, 608
 ('meyna-laxiflorae')
meznaensis, *Lasiosphaeria*, 350
micacea, *Camarophyllopsis*, 745
 —, *Hygrocybe*, 886
micantissimus, *Inonotus*, 835
michaelis, *Helvella*, 432
 —, *Penicillium*, 208
michauxii, *Usnea*, 791
micheleri, *Lecidea*, 127
melichiae, *Phomopsis*, 774
michelii, *Catapyrenium*, 29
 —, *Puiggarina*, 902
micheliicola, *Appendiculella*, 942
 ('michelicola')
 —, *Pseudocercospora*, 211
micheneri, *Lentinellus*, 350
 —, *Pyrenula*, 903
michiganensis, *Paratrachophaea*, 897
 —, *Phaeosphaeria*, 984

- michinokuensis, forma, *Cordyceps intermedia*, 234
 miconiae, *Chaetosticta*, 828
 —, *Elachopeltis*, 532
 —, *Eriothyrium*, 289
 —, *Lembosia*, 596, 677
 —, *Paranectriella*, 685
 microaggregatum, *Glomus*, 536
 microallantosporum, *Psilachnum*, 450
 microascoides, *Chaetomium*, 472
 microbola, *Bacidia*, 29
 microcarpa, *Apiosordaria*, 110
 —, *Brigantiaea*, 470
 —, *Catinaria*, 230
 —, *Mycobilimbia*, 1063
 — var. *major*, *Podabrella*, 260
 microcephala, *Ravenelia*, 24
 —, var., *Mycena mauretanica*, 769
 microcephalus, *Hydropus*, 244
 microcera var. *cerasi*, *Fusarium*, 832
 — var. *orthoconium*, *Fusarium*, 832
 micrococca, *Micarea*, 440
 microcosi, *Phyllosticta*, 775
 microcystidiata, *Lepiota*, 296
 —, *Psilocybe*, 361
 microdactyla, *Phyllopsora*, 306
 microdisca, *Nectria*, 254
 microdiscus, *Fellhanera*, 534
 microfastigiata, *Inocybe*, 888
 microglossoidea, var., *Pseudomitula horakii*, 23
 microgranulosa, *Conocybe*, 423
 microjonia, *Mycena*, 975
 microlaenae, *Cercospora*, 382
 microleucoides, *Mycena*, 975
 microlobulata, *Parmelinopsis*, 686
 —, *Xanthoparmelia*, 792
 micromegas, *Gymnopilus*, 292
 — var. *aurantiacus*, *Rigidoporus*, 697
 micromelaena, *Mycena*, 975
 micronesica, *Coleodictyospora*, 661
 micronesicum, *Berkleasium*, 111
 —, *Dictyosporium*, 120
 micronotus, var., *Cortinarius biveloides*, 116
 micropedini, *Laboulbenia*, 968
 micropertusa, *Gelasinospora*, 162
 —, *Sphaerodes*, 502
 microphthalmum, *Myriotrema*, 1063
 microphues, *Galerella*, 536
 microphyllica, *Tuckermannopsis*, 141
 microphyllina, *Phyllopsora*, 134
 microphyllizans, *Psoroma*, 309
 micropilifera, forma, *Scutellinia trechisperma*, 265
 micropolia, *Mycena*, 975
 micropora, *Perenniporia*, 687
 —, var., *Echinochaete russiceps*, 387
 microporellum, *Myriotrema*, 30
 microporum, *Myriotrema*, 30
 microporus, *Podaxis*, 448
 — var. *pallidus*, *Rigidoporus*, 697
 micropsis, *Farnoldia*, 289
 —, *Melanolecia*, 129
 — var. *lutescens*, *Melanolecia*, 129
 micropuncta, var., *Puccinia dioicae*, 263
 microrhiza forma *pumila*, *Psathyrella*, 449
 microrotalis, *Marasmius*, 972
 microscopica, *Discocistella*, 478
 —, *Karoowia*, 967
 microscopicum subsp. *arctoalpinum*, *Microthyrium*, 1062
 microscypha, *Cladonia*, 581
 microsporii, *Cercospora*, 76
 microsperma, *Arthrospis*, 279
 —, *Omphalina*, 255
 —, *Panaeolina*, 303
 — var. *inodora*, *Omphalina*, 255
 —, var., *Inocybe pseudoasterospora*, 393
 microspermum, *Asteroma*, 4
 —, *Gliocladium*, 162
 —, *Scytinostroma*, 781
 microspermus, *Hypomyces*, 966
 microspilus, *Phaeomarasmius*, 982
 microspis, *Calycellina*, 948
 microspora, *Anthopsis*, 467
 —, *Arpinia*, 869
 —, *Cistella*, 282
 —, *Claviceps*, 582
 —, *Conocybe*, 335
 —, *Diheterospora*, 428
 —, *Discina*, 386, 586
 —, *Gnomoniella*, 291
 —, *Graminella*, 83
 —, *Gyromitra*, 590
 —, *Haplariopsis*, 49
 —, *Helotiella*, 759
 —, *Hohenbuehelia*, 964
 —, *Junghuhnia*, 247
 —, *Kneiffiella*, 126
 —, *Ocellularia*, 31
 —, *Paraphaeosphaeria*, 444
 —, *Pholiotina*, 985
 —, *Phoma*, 91
 —, *Polyporites*, 307
 —, *Pustularia*, 361
 —, *Pyxidiophora*, 24
 —, *Rhodocybe*, 310 ('microsporum')
 —, *Roeslerina*, 452
 —, *Scutomollisia*, 615
 —, *Teratosperma*, 456
 —, *Trichia*, 1079
 —, forma, *Clavaria gibbsiae* see *Clavaria echino-olivacea*
 —, *Quaternaria* see *Eutypella hunanensis*
 —, *Hebelomina* see *Hebelomina huijsmaniana*
 —, *Hyphodontia* see *Grandinia microsporella*
 —, forma, *Agaricus bisporus*, 188
 —, forma, *Collybia velutipes*, 232
 —, forma, *Cryptosporium aucupariae*, 385
 —, forma, *Galera tenera*, 241
 —, var., *Agrocybe manihotis*, 277
 —, var., *Arthrobotrys oligospora*, 468
 —, var., *Badhamia affinis*, 521
 —, var., *Biscogniauxia weldenii*, 1044
 —, var., *Brachysporiella gayana*, 656
 —, var., *Eutypella stellulata*, 832
 —, var., *Hemimycena mairei*, 591
 —, var., *Hygrocybe calciphila*, 965
 —, var., *Hypomyces aurantius*, 593
 —, var., *Karlingia lobata*, 541
 —, var., *Meliola litseae*, 893

—, var., *Mucronella bresadolae*, 441
 —, var., *Periconia echinochloae*, 208
 —, var., *Phanerochaete crenea*, 550
 —, var., *Phibalis hematochlora*, 688
 —, var., *Phoma multirostrata*, 689
 —, var., *Psathyrella artemisiae*, 448
 —, var., *Psathyrella badiophylla*, 449
 —, var., *Ramaria botrytoides*, 1072
 —, var., *Ramaria myceliosa*, 137
 —, var., *Ramaria subtilis*, 1073
 —, var., *Stemonitis aequalis*, 314
 —, var., *Tapesia fusca*, 788
 —, var., *Xylaria hypsipoda*, 706
 —, var., *Xylaria nodulosa*, 793
 —, var., *Xylaria platypoda*, 793
microspora, var., *Cercospora nigri*, 746
 —, var., *Cylindrocladium avesticulatum*, 337
microsporella, *Grandinia*, 199
microsporum, *Cephalotrichum*, 333
 —, *Ganoderma*, 961
 —, *Gliocladium*, 480
 —, *Pleurothelium*, 135
 —, *Tolypocladium*, 267
 —, var., *Anthracotheceium globiferum*, 418
 —, var., *Calostoma ravenelii*, 229
 —, var., *Diderma effusum*, 665
 —, var., *Entoloma longistriatum*, 959
 —, var., *Entoloma sarcitulum*, 479
 —, var., *Heterobasidion annosum*, 964
 —, var., *Hypoxylon chestersii*, 434
 —, var., *Hypoxylon cohaerens*, 50
 —, var., *Hypoxylon hypomiltum*, 540
 —, var., *Hypoxylon rubiginosum*, 85
 —, var., *Hypoxylon weldenii*, 50
 —, var., *Trichaptum biforme*, 703
microsporus, *Gauthieromyces*, 242
 —, *Gyroporus*, 14
 —, *Panellus*, 685
 —, *Sphaerophorus*, 313
 —, var. *chinensis*, *Rhizopus*, 362
 —, var. *congolensis*, *Gyroporus*, 14
 —, var. *oligosporus*, *Rhizopus*, 362
 —, var. *rhizopodiformis*, *Rhizopus*, 362
 —, var., *Coprinus plicatilis* see *Coprinus kuehneri*
 —, var., *Agaricus gennadii*, 466
 —, var., *Cortinarius biveloides*, 116
 —, var., *Gloeoporus nigrescens*, 962
 —, var., *Hydrocybe lipocystis*, 50
 —, var., *Hydropus lipocystis*, 392
 —, var., *Marasmius anomalus*, 766
 —, var., *Tyromyces ostreiformis*, 999
microstegii, *Uredo*, 63
microstena, *Mycena*, 975
microsticta, *Diplonaevia*, 428
 —, *Punctelia*, 173
microstomum, *Myriotrema*, 30
microtephra, *Mycena*, 975
microteroxantha, *Inocybe*, 126
microtheca, *Pyrenula*, 903
 —, *Tromeropsis*, 97
microthecia, *Nectriopsis*, 977
microthecius, *Aspergillus*, 520
microthelia, forma, *Caloplaca flavorubescens*, 948
microthyrioides, *Phaeothyriolum*, 550

microtrichialis, *Mycena*, 976
microulae, *Peronospora*, 1066
microvermispurum, *Trichothecium*, 703
microxantha, *Mycena*, 976
micula, *Mycomicrothelia*, 64
miculifera, *Amanita*, 378
miculiformis, *Mycomicrothelia*, 492
midlandensis, *Lactarius*, 52
miehei var. *minor*, *Mucor*, 441
mikaniigena, *Pseudocercospora*, 360
 ('*mikiniigena*')
mikolae, *Tricharia*, 408
 —, *Wilcoxina*, 507
 —, var. *tetraspora*, *Wilcoxina*, 507
milii, *Tilletia*, 504
milii-vernalis, *Tilletia*, 504
miliusae, *Asterostomella*, 189
milkoii, *Meristacrum*, 87
 —, *Pseudocoelomomyces*, 694
 —, *Tabanomyces*, 26
miltepunctata, *Olla*, 683
 —, *Peltopsis*, 56
milleri, *Clitocybe*, 473
 —, *Gnomonia*, 291
millettiae, *Corynespora*, 384
 —, *Parodiella*, 981
 —, *Pseudocercospora*, 989
millettiae-rubiginosae, *Phyllachora*, 551
milletticola, *Maravalia*, 352 ('*melleticola*')
millingtoniae, *Sporormia*, 699
milnesiophthora, *Sorochytrium*, 502
milovidoviae, *Puccinia*, 263
mitina, *Allantonectria*, 1041
milvnodes, *Rinodina*, 405
mima, *Clavaria*, 829
mimosaceae, *Puiggarrina*, 902
mimosinum, *Penicillium*, 20
mimosinus, *Talaromyces*, 26
mimuli, *Didymolepta*, 665
 —, *Microdiplodia*, 768
mimusops, *Maravalia*, 395
minarum, *Cladonia*, 581
 —, *Hypotrachyna*, 673
 —, *Parmelina*, 304
 —, *Parmelinopsis*, 686
minazukiensis, *Cordyceps*, 234
mindensis, *Nectriopsis*, 977
miniata, *Albotricha*, 825
 —, *Calostoma*, 578
 —, *Octospora*, 56
 —, *Pseudohydrocybe*, 842
 —, subsp. *schoenoplecti*, *Albotricha*, 825, 1041
 —, var. *mollis*, *Hygrocybe*, 592
 —, subsp., *Caloplaca saxicola*, 523
miniato, *Lamprospora*, 54
miniatus forma *konradii*, *Cortinarius*, 194
 ('*konradii*')
 —, forma *subalpinus*, *Cortinarius*, 194
 ('*subalpina*')
miniato-aurantiacus, *Boletus*, 153
miniatus, *Diderma*, 1054
 —, *Mniopetalum*, 545
 —, *Physarum*, 1067
 —, var. *meuselianum*, *Dermatocarpon*, 531
miniatus, *Byssomerulius*, 744

- , *Inopilus*, 247
- , *Tyromyces*, 457
- minicolor, *Cortinarius*, 877, 953
- minidichophysa var. *amygdalispora*, *Vararia*, 704
- minigelatinosa, *Phaeotrichoconis*, 688 ('minigelatinosum')
- minima, *Ceratocystiopsis*, 76
 - , *Kostermansinda*, 674
 - , *Parasympodiella*, 168
 - , *Phaeosphaeria*, 984
 - , *Piromonas*, 690
 - , *Rinodina*, 363
 - , *Sphaeromonas*, 699
 - , *Strickeria*, 786 ('Strickera')
 - , *Subulispora*, 140
 - , *Inocybe* see *Inocybe lacera* var. *helobia*
- , forma, *Lepiota sistrata*, 764
- minimispora, *Inocybe*, 485
- minimum, *Sirothecium*, 406
 - , var., *Leccinum subleucophaeum*, 437
- minimus, *Leucocoprinus*, 87
 - , *Mycoleptodiscus*, 301
 - , *Pluteus*, 497
- , forma, *Cortinarius scutulatus*, 195 ('minima')
 - , forma, *Leucoagaricus pulverulentus*, 970
- minipistillata, *Podospora*, 987
- miniquadriguttulata, *Ascochyta*, 740
- minnesotensis, *Gonohymenia*, 1056
- minnsiae, *Corticium*, 284
- minoensis, *Astrosphaeriella*, 575
 - , *Leptosphaeria*, 765
- minor, *Arthrospyrina*, 63
 - , *Asteromassaria*, 189
 - , *Auricularia*, 74
 - , *Cladosporium*, 951 ('minus')
 - , *Cortinarius*, 157
 - , *Cryptophiale*, 9
 - , *Dyadosporites*, 288
 - , *Exserohilum*, 534
 - , *Femsjonia*, 757
 - , *Helvella*, 886
 - , *Henicospora*, 50
 - , *Hyperphyscia*, 886, 966
 - , *Lichenothelia*, 678
 - , *Lophodermium*, 1061 ('minus')
 - , *Paraperonospora*, 1065
 - , *Phyllopsora*, 986
 - , *Polyporus*, 210
 - , *Pythium*, 499
 - , *Raciborskiella*, 263
 - , *Rosellinia*, 610
 - , *Setosphaeria*, 558
 - , var. *asperior*, *Circinella*, 382
 - , forma, *Amanita spissa*, 1042
 - , forma, *Clitocybe sandicina*, 232
 - , forma, *Collybia nitellina*, 232
 - , forma, *Collybia tenacella*, 232
 - , forma, *Cytospora ceratophora*, 385
 - , forma, *Entoloma alpicola*, 959
 - , forma, *Galera tenera*, 241
 - , forma, *Hemimycena lactea*, 591
 - , forma, *Hygrocybe sciophana*, 245
 - , forma, *Naucoria myosotis*, 254
 - , forma, *Phallus hadriani*, 605
 - , forma, *Psathyra gordonii*, 308
 - , forma, *Thamnolia subuliformis*, 702
 - , forma, *Tyromyces subcaesius*, 367
 - , var., *Boletellus ananus*, 280
 - , var., *Catenularia cuneiformis*, 230
 - , var., *Chaetomium teratoideum*, 6
 - , var., *Chloridium reniforme*, 231
 - , var., *Clitocybe dealbata*, 192
 - , var., *Cortinarius petroselinus*, 195
 - , var., *Dacrymyces palmatus*, 1053
 - , var., *Hydropus mycenoides*, 244
 - , var., *Mucor miehei*, 441
 - , var., *Nummularia buliardii*, 771
 - , var., *Penicillium glaucum*, 444
 - , var., *Psathyrella nolitangere*, 497
 - , var., *Puccinia absinthii*, 136
 - , var., *Rhopalomyces elegans*, 556
 - , var., *Stictis ramuligera*, 315
 - , var., *Torulopsis ethanolitolerans*, 408
 - , var., *Tricholoma batschii*, 408
 - , var., *Uncinula longispora*, 141
- minourae, *Cladosporium*, 334
- minuartiae, *Mycosphaerella*, 253
- minus, *Cyclaneusma*, 285
 - , *Hysteroglyphium*, 347
 - , *Ixechnus*, 247
 - , *Subulicium*, 366
 - , var., *Endostelium amerosporum*, 387
 - , var., *Helminthosporium macrocarpum*, 391, 432
 - , var., *Metarhizium flavoviride*, 598
- minuscula, *Phaeosphaeria*, 984
- minusculoides, *Oligoporus*, 772
- minusculum, *Entoloma*, 47
- minuscule, *Marasmius*, 972
 - , *Pluricellaesporites*, 135
- minuta, *Calycellina*, 112
 - , *Dendryphiosphaera*, 531
 - , *Flagellospora*, 13
 - , *Gigaspora*, 123, 341
 - , *Lanzia*, 595
 - , *Lichenopeltella*, 970
 - , *Menegazzia*, 598
 - , *Morenoina*, 18
 - , *Parorbiliopsis*, 604
 - , *Peltula*, 169
 - , *Pichia*, 359
 - , *Pseudocercospora*, 900
 - , *Rickenella*, 60, 362
 - , *Scutellospora*, 614
 - , *Stachylina*, 366
 - , *Stemonaria*, 700
 - , *Torrubiella*, 216
 - , *Xanthoparmelia*, 622
 - , var. *nonfermentans*, *Pichia*, 359
- , var., *Mycena leptoccephala*, 253
- , var., *Warcupia terrestris*, 619
- minutaeistriatus, *Lacrimasporonites*, 203
- minutalis, *Marasmiellus*, 971
 - , forma, *Cortinarius hinnuleus*, 194
- minutella, *Psathyrella*, 692
 - , forma, *Morchella rotunda*, 491
- minutesquamulosus, *Paxillus*, 20
- minutiporus, *Phellinus*, 57
- minutispora, *Antrodia*, 110
 - , *Antrodiella*, 42

—, *Chaetomium*, 44
minutisporum, *Basidioidendron*, 228
minutisporus, *Flaviporus*, 13
minutissima, *Cordyceps*, 44
—, *Hysteronaevia*, 347
—, *Mycomicrothelia*, 301
—, *Psathyrella*, 777
—, *Ramularia*, 991
—, *Rickia*, 264
—, *Stilbella*, 503
—, *Torrubiella*, 216
—, var., *Blastocladia globosa*, 331
minutissimum, *Lachnum*, 541, 595
minutissimus, *Bryophagus*, 379
('minutissima')
—, *Pseudolasiobolus*, 308
—, forma, *Pluteus podospileus*, 497
minutoalbus, *Rhodophyllus*, 610
minutosporus, *Gymnopilus*, 292
minutula, *Mycomicrothelia*, 492
—, *Pleuroflammula*, 606
—, *Poria*, 402
— var. *robusta*, *Russula*, 264
—, var., *Morchella rotunda*, 491
minutulum, *Myriotrema*, 30
minutulus, *Gliophorus*, 833
—, *Pyropolyporus*, 451
minutum, *Endopyrenium*, 159
—, *Lasiostemma*, 676
—, *Mniopetalum*, 768
—, *Myriotrema*, 30
—, *Schizochytrium*, 94
—, var., *Pythium vexans*, 310 ('minuta')
minutus, *Arachnomyces*, 110
—, *Dicellaesporites*, 80
—, *Gyrodon*, 49
—, *Nothopanus*, 255
—, var., *Pilobolus lentiger*, 1068
miocenicus, *Foveoletisporonites*, 390
—, *Inapertisporites*, 673
miomoteana, *Cordyceps*, 234
miquellii var. *cucullatus*, *Polyporus*, 402
mirabile, *Actidium*, 571 ('mirabilis')
—, *Coniochaetidium*, 582
—, *Lophodermium*, 891
—, *Thelotrema*, 33
—, *Thujacorticium*, 789
mirabilis, *Bryoria*, 522, 743
—, *Catillaria*, 29
—, *Dawsomyces*, 119
—, *Discosphaerina*, 338
—, *Edwardiella*, 478
—, *Gnomonia*, 291
—, *Haptoglossa*, 84
—, *Hymenoscyphus*, 484
—, *Hyphodiscosia*, 84
—, *Naucoria*, 130
—, *Phytophthora*, 606
—, *Resinomycena*, 696
—, *Scutellinia*, 312
—, *Xiambola*, 142
miraculosus, *Claudopus*, 44
—, *Cortinarius*, 8
miretypes, *Gyrodon*, 292
miribeli, *Discosphaerina*, 338
miriquidica, *Buellia*, 656

mirivelutinum, *Ganoderma*, 883
mirus, *Pluricellaesporites*, 210
miscanthi, *Cercospora*, 1046
—, *Ophiobolus*, 979
—, *Peronosclerospora*, 444
—, *Pseudospiropes*, 694
—, *Sporobolomyces*, 783
miscanthi-floriduli, *Uredo*, 63
misellum, *Fuscolachnum*, 961
—, *Lachnum*, 541
miser, *Tyromyces*, 998
misermontii, *Cortinarius*, 583
—, subsp., *Cortinarius variegatus*, 1052
misrae, *Pluricellaesporites*, 359
missionus, *Sporocadus*, 502 ('missionum')
mississippiensis, *Pichia*, 22
—, *Pseudocercospora*, 1071
mitchellii, *Diacheopsis*, 286
mitis var. *roseitingens*, *Panellus*, 685
—, subsp., *Cladonia arbuscula*, 747
—, var., *Hypholoma fasciculare*, 50
—, var., *Lactarius alpinus*, 51
—, var., *Tylopilus potamogeton*, 998
mitissima, *Russula*, 993
mitragynae, *Mycovellosiella*, 301
('mitragyneae')
mitrata, *Dactylaria*, 286
—, *Hemibeltrania*, 292
miurae, *Cercosporidium*, 191
—, *Microsphaera*, 252
mixaeensis, *Psilocybe*, 262
mixta, *Parmelia*, 981
—, *Pholiota*, 551
mixtilis var. *aurata*, *Inocybe*, 674
miyabeana, *Microsphaera*, 205
miyabei, *Pseudocercospora*, 901
miyagiana, *Torrubiella*, 216
miyakoense, *Acremonium*, 417
mnii, *Nectria*, 771
mobergii, *Hyperphyscia*, 1058
mochtheri, *Laboulbenia*, 675
modesta, *Catillaria*, 949
—, *Cladonia*, 660
—, *Deigloria*, 45
—, *Mycomicrothelia*, 492
moehringiae, *Bremia*, 421
moellerianus, *Agaricus*, 466
moenitum, *Bactrodesmium*, 189
moesta, *Daedalea*, 585
moghaniae, *Eriocercospora*, 121
—, *Stenella*, 783
mohgaense, *Helminthosporites*, 391
('Helminthosporites')
—, *Sorosporium*, 175
mohgaensis, *Botryodiplodia*, 229
—, *Hendersonula*, 243 ('mohgaense')
—, *Mundkurella*, 167 ('mohgaense')
mohgaonensis, *Palaeophthora*, 56
moiwae, *Laboulbenia*, 51
molare, *Cerocorticium*, 113
molarifer, *Wentomyces*, 912
molendoi, *Arthonia*, 575
molesta, *Alternaria*, 73
— var. *xanthophylla*, *Agrocybe*, 738
molineti, var., *Cortinarius saniosus*, 236
molitoris, *Lophodermium*, 17

- molle, *Brevicellium*, 43
 —, *Hypochnicium*, 84
 —, *Leccinum*, 969
 —, *Penicillium*, 20
mollicaseus, *Tyromyces*, 998
mollis, *Coniophora*, 156
 —, *Dicellaesporites*, 196
 —, *Hypogymnia*, 202
 —, *Krombholziella*, 435 ('molle')
 —, *Loweporus*, 970
 —, *Multicellaesporites*, 206
 —, *Xanthoparmelia*, 622
 — var. *caesioballescens*, *Fuscidea*, 123, 536
 ('caesioballescens')
 —, var., *Hygrocybe miniata*, 592
 —, var., *Usnea fragilescens*, 704
mollisioides, *Diplonaevia*, 338
 —, *Encoelia*, 959
mollissima, forma, *Auricularia auricula*, 74
mollissimus, *Leucophellinus*, 394
 —, *Parmastomyces*, 399
molluscula, *Dextrinodontia*, 45
moluccanum, *Entonaema*, 82 ('moluccana')
molybdea, *Pseudotomentella*, 262
molybdina var. *brunneola*, *Acarospora*, 187
 — var. *wahlenbergii*, *Acarospora*, 187
molybdiza, *Paraparmelia*, 603
molybdochroa, *Miriquidica*, 768
momordicae, forma *specialis*, *Fusarium*
oxysporum, 241
monacidis, var., *Cordyceps kniphofioides*, 193
 —, var., *Hirsutella stilbelliformis*, 201
monandra, *Laboulbenia*, 203
monfraguense, *Odonticium*, 978
mongaensis, *Paraparmelia*, 603
 —, *Parmelia*, 99
 —, *Pseudoparmelia*, 498
mongolica, *Cladonia*, 581
mongolicum, *Dianema*, 586
 —, *Endopyrenium*, 159
mongolicus, *Uromyces*, 911
monicae, *Staurothele*, 454
monilifera, *Neoskofitzia*, 1063
moniliferum, *Acanthophysium*, 465
moniliforme, *Hyphoderma*, 886
 — var. *intermedium*, *Fusarium*, 83
 — var. *lactis*, *Fusarium*, 833
 — forma *specialis oryzae-gigantis*, *Fusarium*,
 161
moniliformis, *Arbusculina*, 740
 —, *Cladia*, 660
 —, *Dendrospora*, 196
 —, *Kuzuhaea*, 486
 —, *Lanzia*, 436 ('moniliformae')
 —, *Porosubramaniana*, 448
 ('Porosubramaniana')
 —, var., *Gibberella fujikuroi*, 199
 —, var., *Pannoparmelia angustata*, 602
 ('moniliforme')
monilipila, forma, *Arachnopeziza aranea*, 74
monoceras, *Luttrellia*, 17 ('Lutrellia')
monochorum, *Cetrelia*, 155
monogermtubi, forma *specialis*, *Marssonina*
populi, 439
monokaryoticum, *Tarichium*, 909
mononematosum, *Penicillium*, 1066
 —, var., *Penicillium glandicola*, 687
 ('mononematosum')
monosemeia, *Ophiodeira*, 896
monoseptata, *Arachnopeziza*, 739
 —, *Protounguicularia*, 554
 ('Protounguicularia')
monosperma, *Pleomassaria*, 210
monospora, *Cryptothecia*, 530
 —, *Gautieria*, 390
 —, *Gyalideopsis*, 834
 —, *Slimacomycetes*, 558
monosporoides, *Ocellularia*, 31
monosporum, *Polyblastiopsis*, 776
 —, *Syncephalastrum*, 909
 — var. *cristatum*, *Syncephalastrum*, 909
 — var. *pluriproliferum*, *Syncephalastrum*,
 909
monotropae, *Hymenoscyphus*, 293
monspeliensis, *Russula*, 844
monsterae, *Phyllosticta*, 22
 — var. *crassisporea*, *Macrophoma*, 166
 ('crassaspora')
monstrosa, var., *Lecanactis grumulosa*, 1060
monstruosum, *Schismatomma*, 557
montagnei, *Armillaria*, 228, 869
 —, *Protoparmelia*, 692, 988
 —, *Pseudocyphellaria*, 65
montaltoense, *Xanthoconium*, 792
 ('montaltoensis')
montana, *Allophylaria*, 226
 —, *Aspicilia*, 110
 —, *Calycellina*, 332
 —, *Candida*, 281
 —, *Encoelia*, 339
 —, *Eremastrella*, 667
 —, *Erynia*, 12
 —, *Furia*, 961
 —, *Phialina*, 496
 —, *Psora*, 778
 —, *Resinomycena*, 94
 —, *Sirexipula*, 25
 —, *Strickeria*, 786 ('Strickera')
 — forma *plana*, *Psilocybe*, 262
 —, forma, *Russula risigallina*, 613
 —, var., *Lepista irina*, 596
montanensis, *Xanthoparmelia*, 368
montaniense, *Sporisorium*, 454
 ('montaniensis')
montantiana, *Pseudocercospora*, 693
montanum, *Confertobasidium*, 115
 —, *Xanthoconium*, 792
montanus, *Hydropus*, 244
 —, *Tylopilus*, 998
 —, *Tyromyces*, 999
 —, var., *Lactarius scrobiculatus*, 436
 —, var., *Lactarius uvidus*, 53
montblancense, *Chaetomium*, 6
 ('montblanchensis')
montellicoides, *Pestalotiopsis*, 549
montelicum, *Pyrgidium*, 212
montenegrinum, *Discothecium*, 428
montevicensis, *Carbonea*, 1045
montezumae, var., *Strobilurus trullisatus*,
 1078
monticola, *Clauzadea*, 383
 —, *Coccomyces*, 7

- , *Cortinarius*, 1050 ('*monticolus*')
 —, *Goniopila*, 481
 —, *Hebeloma*, 1056
 —, *Xanthoparmelia*, 913
montis-dei, *Cortinarius*, 45
montis-elgonensis, *Uredo*, 368
montoyae, *Monilia*, 838 ('*montoyai*')
mookensis, *Psathyrella*, 777
mooreae, *Caloplaca*, 281
moorei, *Rhachomyces*, 404
moracearum, *Cercospora*, 659
moravecii, *Peziza*, 209
moraviae, forma, *Acarospora nitrophila*, 187
moravica, *Ascochyta*, 655
 —, *Capronia*, 580
 —, *Phaeosphaeria*, 984
 —, *Cryptosphaeria* see *Eutypa petrakii*
morbosum, *Smittium*, 94
morchelloides, *Calocera*, 1045
mordax, *Rhodocybe*, 138
moreaui, *Persicospora*, 169
 —, *Sphaerodes*, 95
morehensis, *Buellia*, 280
morelensis, *Cyathus*, 878
moreletii, *Venturia*, 619
moreliense, *Everniastrum*, 534
 —, *Parmotrema*, 132
morenoi, *Amanita*, 518
 —, *Leucoagaricus*, 836
mori, *Cercospora*, 746
 —, *Diplodia*, 753
 —, *Dothichiza*, 753
 —, *Fusoma*, 757
 —, *Helminthosporium*, 759
 —, *Lemalis*, 764
 —, *Massarina*, 439
 —, *Myrothecium*, 493
 —, *Myxosporium*, 770
 —, *Naemaspora*, 771
 —, *Psilospora*, 778
 —, *Tubercularia*, 790
 —, var., *Isariopsis indica*, 247 ('*more*')
moricola, *Cristulariella*, 8
 —, *Dimerosporium*, 753
moriformis, *Cucurbitaria*, 663
 —, *Strickeria*, 786
 — var. *latispora*, *Bertia*, 420
morindae, *Puiggarrina*, 902
morindinum, *Sirosporium*, 501
morionis, *Dixomyces*, 429
moriopsis, *Orphniospora*, 168
 — var. *bahusiensis*, *Orphniospora*, 548
 — var. *brunnea*, *Orphniospora*, 168
 — var. *subtenebrosa*, *Orphniospora*, 548
mornandii, *Xylaria*, 369
morozzkovskii, *Erysiphe*, 12
 —, *Golovinomyces*, 884
 — forma *galatellae*, *Erysiphe*, 12
morotoensis, *Puccinia*, 361
morrisonicola, *Nephromopsis*, 130
morrowiae, *Acaulospora*, 377 ('*morrowae*')
mors-uvae var. *astilbicola*, *Sphaerotheca*, 139
mortarii, *Verrucariomyces*, 100
mortanii, *Amanita*, 826
morthieri, *Exarmidium*, 430
 —, *Strickeria*, 786 ('*Strickera*')
morthieriana, *Nodulosphaeria*, 683
morularis, *Pleosporonites*, 307
morulinae, *Mycosteria*, 546
moruloides, *Pleosporonites*, 307
morvernensis, *Scutomollisia*, 406
 —, *Uredo*, 317
mosana, *Massariosphaeria*, 439
moschatus, *Lactarius*, 52
moseri, *Conocybe*, 116
 —, *Gerronema*, 341
 —, *Lactarius*, 542
 —, *Lasiosphaeria*, 350
 —, *Pyxidiophora*, 24
 —, *Tricholoma*, 997
moserianum, *Entoloma*, 339
moserianus, *Hydropus*, 346
mosigii, *Orphniospora*, 896
motykana, *Bryoria*, 743 ('*motylana*')
moubasherana, *Nowakowskiella*, 397
 ('*moubasheriana*')
mouchaccae, *Alternaria*, 73
mougeotii var. *fuscomarginatum*, *Entoloma*, 755
 — var. *incarnatum*, *Entoloma*, 388, 881
 ('*incarnatus*')
 — var. *polysporae*, *Arthrocladiella*, 110
mougeotina, *Xanthoparmelia*, 100
mounceae, *Phaeosphaeria*, 984
moynei, *Lamprospora*, 763
mrakii, *Williopsis*, 318
mucida, *Ceriporiopsis*, 422
 —, *Fibuloporia*, 198
 —, *Stichoclavaria*, 907
mucidioides, var., *Lactarius mucidus*, 52
mucidus, *Porpomyces*, 171
 — var. *fuscogriseus*, *Lactarius*, 52
 — var. *mucidioides*, *Lactarius*, 52
muciflua, *Mycena*, 976
mucifluoides, *Cortinarius*, 529
 — forma *brunnea*, *Cortinarius*, 529
 — forma *lividoviolascens*, *Cortinarius*, 529
 — forma *ochraceo-olivascens*, *Cortinarius*, 529
 — forma *ochroflava*, *Cortinarius*, 529
 — forma *olivacea*, *Cortinarius*, 529
 — forma *viridiattenuata*, *Cortinarius*, 529
 —, forma, *Cortinarius elatior*, 528
mucifluus subsp. *pinicola*, *Cortinarius*, 1050
mucilagina, *Candida*, 5
 —, *Myxozyma*, 167
mucosa, *Pseudomeria*, 23
mucosus, *Austroboletus*, 4
mucrocystis, *Lepiota*, 248
mucronata, *Lepiota*, 297
mucronatus, *Cocomyces*, 423
 —, *Cortinarius*, 529, 830
 —, *Didymoporisporonites*, 287
muehlenbeckiae, *Cytospora*, 196
muelleri, *Canomaculina*, 658
 —, *Chaetomium*, 524
 —, *Coriolus*, 116
 —, *Greletia*, 589 ('*Mülleri*')
 —, *Nectriella*, 397
 —, *Polyblastiopsis*, 776
muellerii, *Diplonaevia*, 586
mughoncola, *Dasyscyphella*, 830

- mugosphagneti, *Lecanora*, 127
 muhlenbergiae, *Clypeostagonospora*, 115
 —, var., *Phaeoseptoria festucae*, 57
 muhrii, *Micarea*, 299
 mulleri, *Anthracotheicum*, 151
 —, *Skyttella*, 907
 multappendicis, *Microsphaera*, 129
 multicavum, *Myriotrema*, 99
 multicellulus, *Triporicellaesporites*, 217
 multicingulata, *Inocybe*, 51, 164
 —, *Pholiota*, 305
 multicollis, *Valseutypella*, 561
 multicolor, *Crinipellis*, 530
 —, *Hydrocybe*, 539
 —, *Hygrocybe*, 592
 —, *Malbranchea*, 439
 —, *Russula*, 613
 —, *Telamonia*, 455
 —, *Trametes*, 177
 multicorniculata, *Phyllosticta*, 1067
 multicuspidatum, *Crocicreas*, 79
 multicystidiata, *Psathyrella*, 777
 multicystidium, *Fibricium*, 48
 multifera, *Sphaeria*, 25
 multifida, *Pseudocyphellaria*, 65
 multifolia, *Pleuroflammula*, 606
 multiformis, *Bipolaris*, 229
 —, *Bremiella*, 190
 —, *Dactylella*, 337
 —, *Lepista*, 350 ('multiforme')
 —, *Paraperonospora*, 1065
 — var. *coniferarum*, *Cortinarius*, 425, 475
 ('coniferarus')
 multifurcata, var., *Russula emetica*, 612
 multigeniculatum, *Cladosporium*, 661
 multigermutubi, forma *specialis*, *Marssonina populi*, 439
 multiguttula, *Pulvinula*, 212
 multilocularis, *Lopacidia*, 394
 multiloculata, *Julella*, 967
 multimatricum, *Lophodermium*, 836
 multinodum, *Liaoningnema*, 596
 ('multinoda')
 multipapillatus, *Tyromyces*, 999
 multipartita, *Parmelia*, 132
 —, *Xanthoparmelia*, 368
 multiplex, *Craterellus*, 336
 —, *Spirotremesporites*, 95
 multiporosa, *Gilmanella*, 962
 multipunctata, *Phylloporis*, 358
 multipunctoides, *Pertusaria*, 65
 multirostrata var. *macrospora*, *Phoma*, 689
 — var. *microspora*, *Phoma*, 689
 multiseptata, *Massariosphaeria*, 251
 multiseptatum, *Helicodendron*, 292
 multispirale, *Chaetomium*, 192
 multisporea, *Benjaminella*, 379
 —, *Pyrenopsis*, 843
 —, *Thaxterina*, 846
 —, *Valsella*, 791
 multisporum, *Trichosporiella*, 790
 multistriatus, *Stridiporosporites*, 215
 multisubstensum, *Glomus*, 290
 multisurcularis, *Arborispora*, 654
 munda, var., *Phyllospora buettneri*, 986
 mundkurii, *Cookeina*, 749 ('Cookenia')
 mundula, *Astrosporina*, 655
 —, *Baeospora*, 944
 —, *Poria*, 402
 — var. *pseudodecipiens*, *Inocybe*, 1058
 —, var., *Inocybe decipiens* see *Astrosporina mundula*
 —, var., *Inocybe favrei*, 593
 munduliformis, *Clitocybe*, 115
 mundulus, *Marasmius*, 972
 munia, *Russula*, 1076
 munjalii, *Oncopodium*, 89
 munkii, *Hypoxylon*, 760
 —, *Lasiosphaeria*, 763
 —, *Pteridiospora*, 263
 munnarensis, *Naematoloma*, 254
 ('munnaensis')
 munnarensis, *Oudemansiella*, 256
 muralis, *Letrouitia*, 249
 — subsp. *bolcana*, *Lecanora*, 542
 — subsp. *macrocyclus*, *Lecanora*, 542
 — var. *versicolor*, *Placolecnora*, 986
 — forma *imbricata*, *Placolecnora*, 986
 muranii, *Paleoguttulina*, 303, 684
 murcianum, *Penicillium*, 89
 murcida, *Psathyrella*, 449
 muricata, *Strickeria*, 786 ('Strickera')
 muricatum, *Coelocaulon*, 334
 —, *Conchatium*, 474
 —, *Discostroma*, 238 ('muricata')
 muricatus forma *agicola*, *Elaphomyces*, 881
 — forma *quercicola*, *Elaphomyces*, 881
 — forma *reticulatus*, *Elaphomyces*, 881
 muricella, *Pholiota*, 551
 muricellospora var. *pachyspora*, *Galerina*, 431
 muricinoides, *Cortinarius*, 954
 murina, *Clitocybe*, 473
 —, *Paraparmelia*, 603
 —, *Parmelia*, 495
 —, var., *Russula xerampelina*, 312
 murinacea, *Conocybe*, 116
 —, *Krombolziella*, 594
 murinella, *Volvariella*, 848, 1000
 — forma *brevispora*, *Volvariella*, 619
 murinellum, *Dermoloma*, 665
 murinialbus, var., *Hydopus cavipes*, 243
 murinoalbum, *Entoloma*, 239
 murinum, *Byssoloma*, 657
 —, *Entoloma*, 388
 —, *Helicosporium*, 964
 muritai, *Clitocybe*, 115
 murmanica, *Laboulbenia*, 295
 muroiana, *Plagiosphaeria*, 22
 murorum, *Diplotomma*, 29
 —, subsp., *Acarospora macrospora*, 187
 murrayi, *Nolanea*, 355
 murrayae, *Eutypa*, 12
 —, *Pseudocercospora*, 693
 murrayi, *Pseudocyphellaria*, 211 ('murrayii')
 —, *Rinodina*, 310 ('murrayii')
 —, *Sphaerophorus*, 139, 313 ('murrayii')
 murrayicola, *Pseudocercospora*, 136
 murrilliana, *Clitocybe*, 423
 murrillianus, var., *Lactarius subisabellinus*, 53
 murrillii, *Xenosperma*, 706
 musacearum, *Melanotus*, 973

- musae*, *Agrocybe*, 738
 —, *Cylindrocladium*, 752
 —, *Pleurotus*, 135
 —, *Scopulariopsis*, 698
musaiaensis var. *hibisci*, *Coniella*, 8
musarum, *Kapooria*, 967
muscaria var. *formosa*, *Amanita*, 826
 — var. *puella*, *Amanita*, 826
 — var. *sanguinea*, *Amanita*, 826
 — var. *tomentosa*, *Amanita*, 826
muscaris, *Cylindrosporium*, 80
musceum, *Hypoxylon*, 125
muscicola, *Bolbitius*, 111
 —, *Graphina*, 885
 —, *Lactarius*, 52
 —, *Pichia*, 359
 —, *Tephromela*, 909
 —, forma, *Lecanactis dilleniana*, 296
muscigena, *Arrhenia*, 330 ('*muscigenum*')
 —, *Farnoldia*, 534
 —, *Melanolecia*, 129
 — forma *alpina*, *Physconia*, 689
 — forma *squarrosa*, *Physconia*, 690
muscigenus, *Agaricus* see *Arrhenia*
spatulata
muscorum, *Chromatochlamys*, 472
 —, *Craterium*, 157
 —, *Diploschistes*, 29
 —, *Entoloma*, 667, 881
 —, *Pluteus*, 58
 —, *Polyblastia*, 552
 —, *Rhodotorula*, 138
 — subsp. *bartlettii*, *Diploschistes*, 753
 — var. *octospora*, *Chromatochlamys*, 472
 —, subsp., *Diploschistes scruposus*, 532
musculo-spinosa, *Clavaria*, 829
musicola, *Agrocybe*, 868
 —, *Leptosphaerella*, 765
 —, *Leptosphaeria*, 765
musicolor, forma, *Ramaria botrytis*, 212
 ('*musaeicolor*')
musiva, *Porpidia*, 403
musooriensis, *Xylaria*, 178
musprattii, *Coelomomyces*, 526
musivus, *Cortinarius*, 750
 — subsp. *aurilicis*, *Cortinarius*, 1050
 — var. *sulphureus*, *Cortinarius*, 750
 — forma *bulbopodius*, *Cortinarius*, 750
mussooriensis, *Hyalopeziza*, 591
 —, *Hymenoscyphus*, 15
 —, *Inocybe*, 348
 —, *Russula*, 363
mustaliensis, *Hohenbuehelia*, 482
mustelina var. *fulva*, *Russula*, 613
 — var. *iodiolens*, *Russula*, 452
mustus, *Multicellaesporites*, 206
mutabile, *Corticium*, 527
mutabilis, *Conocybe*, 233
 —, *Hygrocybe*, 965
 —, *Lecythophora*, 296
 —, *Pachycladina*, 602
 —, *Ramaria*, 137
 —, *Simocybe*, 25
 —, *Strickeria*, 786
 —, var., *Octavianina asterosperma*, 168, 443
mutans, *Hapalopilus*, 538
 —, forma, *Cortinarius anthracinus*, 384
 —, var., *Phaeogalera oedipus*, 549
mutatus, *Amauroascus*, 189
muverani, var., *Melanolecia jurana*, 129
myceliosa var. *microspora*, *Ramaria*, 137
mycenoides, *Inocybe*, 761
 — var. *minor*, *Hydropus*, 244
 — var. *pusillus*, *Hydropus*, 244
mycetophila, *Syzygospora*, 559
 — var. *bispora*, *Christiansenia*, 660
mycetophilus, *Carcinomyces*, 191
mycogena, *Strickeria*, 786 ('*Strickera*')
mycogones, *Hypomyces*, 485
mycopappi, *Mycosphaerella*, 770
mycophaga, *Typhula*, 217
mycophila, *Capronia*, 949
 —, *Dendrostilbella*, 477
mycophilum, *Nematogonum*, 130
mycophilus, *Achroomyces*, 225
mycotoruloidea, *Candida*, 578
myochroa, *Limacella*, 250
 —, *Xerulina*, 562
myomyces, *Tricholoma*, 316
 — var. *argyraceum*, *Tricholoma*, 316
 — var. *triste*, *Tricholoma*, 316
 — forma *argentatum*, *Tricholoma*, 910
myophilum, *Lagenidium*, 969
myosotis, *Hemipholiota*, 591
 — forma *minor*, *Naucoria*, 254
myosura, *Conocybe*, 952
myriactidis, *Pseudocercospora*, 1071
myriadelia, *Cryptolechia*, 157
myricaceum, *Lachnum*, 1059 ('*myricacea*')
myricae, *Poculum*, 606
 —, *Rodwayella*, 500, 610
myriocarpa, *Acaulospora*, 465
 —, *Coccocarpia*, 232
 —, *Micarea*, 299
 —, *Paulia*, 1065
myriocarpum, *Myriotrema*, 31
myrioporoides, *Myriotrema*, 31
myrioporum, *Myriotrema*, 31
myriostictus, *Hymenagaricus*, 346
myriostylidis, *Parencoelia*, 840
myriotremoides, *Myriotrema*, 31
myripnoidis, *Coleosporium*, 283
myristicicola, *Gloeosporium*, 83
 ('*myristicola*')
myrmecophaga, *Erynia*, 12, 121
myrmecophagiformis, *Gyoerffyella*, 1056
myrmecophilum var. *atrogaleatum*, *Entoloma*, 82
 — forma *atrogaleatum*, *Entoloma*, 479
myrrhina, var., *Aspicilia radiosa*, 944
myrtacearum, *Mycovellosiella*, 546
myrtilli, *Hymenoscyphus*, 484
 —, *Protoventuria*, 1068
myrtillina, *Belonopsis*, 4
myrtillinoides, *Calycellina*, 5
mystica, *Inocybe*, 51
 —, *Zanclospora*, 268
mytiliodora, *Inocybe*, 835
myxa, *Stenella*, 214
myxoanomalus, *Cortinarius*, 1050
myxodictyon, *Limacella*, 544
myxomyceticola, *Acrodontium*, 188

- naardenensis, Dekkera, 477
 nabagramensis, Eutypella, 12
 nabarroii, Monilia, 838
 nabugaboensis, Puccinia, 361
 nachitschevanica, Septoria, 453
 nadvornikiana, Porpidia, 403
 nadvornikii, Phaeophyscia, 170
 naegelii, var., Julella lactea, 593
 naematoliforme, Naematoloma, 55
 ('naematoliformis')
 nagalandica, Lecidea, 890
 naganensis, Ascospaera, 740
 naganishi, Candida, 471
 naganoensis, Sporobolomyces, 783
 nagrajii, Ascochyta, 189
 nahuelbutensis, Austroomphaliaster, 870
 —, Collybia, 873
 —, Dermocybe, 879
 —, Psathyrella, 900
 —, var., Psathyrella patagonica, 900
 nainitalense, Lachnum, 595 ('nainitalensis')
 —, Lycoperdon, 836
 nainitalensis, Diatrype, 956
 —, Eutypella, 588
 —, Rhizomucor, 263
 nairobiensis, Canoparmelia, 579
 nakamurae, Pertusaria, 169
 nakanishii, Physcia, 32
 nakasei, Pichia, 306
 nakasoneae, Crustoderma, 878
 nakazawae, Yamadazyma, 1080
 nakomanii, Dicellaesporites, 957
 nalgiovense, Penicillium, 304 ('nalgiovensis')
 namakwa, Xanthoparmelia, 622
 namaquensis, Xanthoparmelia, 622
 namibensis, Caloplaca, 828
 namibicum, Coronoplectrum, 582
 namjagbarwana, Puccinia, 901
 nana, Alectoria, 188
 —, Ascodesmis, 110
 —, Cryptolechia, 157
 —, Dendrospora, 9
 —, Eeniella, 81
 —, Flabellophora, 668
 —, Inocybe, 1058
 —, Paraparmelia, 603
 —, Parmelia, 495
 —, Parmentaria, 773
 —, Psathyrella, 308
 —, Pyxine, 695
 —, Stachylina, 366
 —, Umbelopsis, 268
 —, Xanthoparmelia, 705
 — var. alpina, Russula, 613
 —, forma, Clitocybe infumata, 232
 nanae, Leptosphaeria, 438
 nanakii, Lophodermium, 544
 nanaspora, Candida, 871
 nanatakiensis, Cordyceps, 234
 nanchangensis, Phallus, 985
 nancyae, Lactarius, 52
 nanella, Russula, 312
 nanfongensis, Parmelia, 685
 nanifica, Tilletia, 456
 nanispora, Ramaria, 1073
 nannengae, Diacheopsis, 956
 —, Licea, 836
 —, Stemonaria, 407, 455
 nannfeldtii, Bisporella, 1044
 —, Ustilago, 506
 nanocarpa, Nectriopsis, 977
 nanoclavula, Mycena, 976
 nanolumen, Glomus, 1056
 nanophora, Kionochaeta, 762
 nanorotalis, Marasmius, 972
 nanosalicium, Phaeosphaeria, 1067
 nanospora, Hymenochaete, 293
 —, var., Tricholoma scalpturatum, 505
 nantensis, Gnomonia, 291
 nanum, Anthracothecium, 868
 —, Endocarpon, 387
 —, Endomelanconium, 479
 —, Entoloma, 47
 —, Tulostoma, 911
 —, subsp., Calicium subquercinum, 1045
 nanus, Cortinarius, 1050
 —, Hydropus, 244
 —, Phaeomarasmius, 21
 — forma griseopus, Pluteus, 497
 —, Rhodophyllus see Entoloma
 romagnesianum
 —, Rhodophyllus see Rhodophyllus pumilio
 —, var., Aspergillus brunneo-uniseriatus, 3
 —, var., Aspergillus niger, 3
 —, var., Polyporus brumalis, 171
 napiforme, Fusarium, 883
 napipes, var., Tricholoma saponaceum, 316
 napivolvata, Cortinarius, 583
 napoensis, var., Hydropus subcartilagineus,
 244
 naranjana, Leptonia, 249
 naraveliae, Pseudocercospora, 693
 narcissi, Sclerotium, 1077
 narcissi-orchidacearum, forma specialis,
 Puccinia sessilis, 212
 narkandensis, Isariopsis, 889
 —, Trichophaea, 62
 narmari, Phaeosphaeria, 984
 naromoruensis, Endophragmiella, 429
 narsapurensis, Excipulariopsis, 161
 narssaqense, Rhizocarpon, 1073
 ('narssaqensis')
 narssaquensis, Aspicilia, 741
 narynica, Perenniporia, 399
 narynica, Incrupila, 202
 nashii, Xanthoparmelia, 622
 nasifera, Taeniospora, 846
 nassa, Psathyrella, 308
 nasti, Phlebiella, 985
 nasturtii, Ramularia, 991
 natalense, Elateraecium, 288
 natalensis, Xanthoparmelia, 705
 nathorstii, Aspicilia, 468
 naucoria, Calocybe, 578
 naucorioides, Hebeloma, 344
 naudesnekia, Xanthoparmelia, 792
 naumovii, Micromucor, 440
 —, Syncephalis, 1078
 nauseodulcis, Omphaliaster, 302
 nauseosa, var., Melanoleuca cognata, 837
 nauseosum, Tricholoma, 910
 nausiosme, Entoloma, 755

- nautica, *Strickeria*, 786 ('*Strickera*')
 navahoensis, *Aspergillus*, 153
 —, *Emericella*, 159
 naviculare, *Byssocorticium*, 155
 —, *Caerulicium*, 744
 navicularis, *Cephaliophora*, 230
 —, *Pseudospiropes*, 694
 —, *Subramaniomyces*, 61
 naviculiformis, *Hemicorynespora*, 124
 naviculoides, *Psiammopomopiospora*, 308
 navigans, *Dryosphaera*, 958
 navispora, *Platyglea*, 690
 nawawii, *Phalangispora*, 773
 nazarovae, *Lasiobelonium*, 54
 nebelina, *Sphaeropsis*, 783
 nebriae, *Erynia*, 121
 nebularis, *Camarophyllus*, 380
 —, *Cuphophyllus*, 427, 531, 664
 —, *Dicyma*, 81
 — forma bianca, *Clitocybe*, 873
 nebulata, *Punctelia*, 843
 nebulophilum, *Helotium*, 200
 nebulosa, *Parmelia*, 208
 —, *Xanthoparmelia*, 622
 — subsp. *frullaniae*, *Moelleropsis*, 837
 nebulosus, *Tylopilus*, 27
 necator var. *ampelopsidis*, *Uncinula*, 268
 — forma *ochroleucoides*, *Lactarius*, 296
 necatrix, *Hirsutella*, 293
 neckerae, *Rimbachia*, 363
 — subsp. *megalospora*, *Rimbachia*, 363
 neckeri, *Peltigera*, 399
 nectairei, *Fellomyces*, 430 ('*nectarii*')
 nectandrae, *Inifatiella*, 485
 nectrioides, *Obtectodiscus*, 547
 neei, *Thelotrema*, 33
 neergaardii, *Bipolaris*, 229
 nefrens, *Entoloma*, 11
 negata, *Punctelia*, 173
 negativa, forma, *Usnea wasmuthii*, 317
 neglecta, *Chalara*, 382
 —, *Cryptothele*, 64
 —, *Dawsicola*, 119
 —, *Leptocladia*, 488
 —, *Microsphaera*, 252
 —, *Stenocладиella*, 784
 —, var., *Placopsis gelida*, 552
 —, var., *Psathyrella badiophylla*, 449, 554
 neglectum, *Entoloma*, 239, 881, 1055
 —, *Roccellinastrum*, 264
 —, *Sporisorium*, 454
 — var. *tetrasporum*, *Entoloma*, 239, 288
 neglectus var. *tetrasporus*, *Rhodophyllus*, 362
 negligendus, *Tyromyces*, 999
 negrii, *Balladyna*, 420
 —, *Endomyces*, 831
 negundinis, *Strickeria*, 700
 neilliae, *Erinellina*, 48
 neimonggolensis, *Cyathus*, 955
 nelumbiformis, *Sparsitubus*, 61
 nematodes, *Ramalina*, 66
 nematosporum, *Crocicreas*, 118
 nemoralis, *Paxina*, 356
 nemoreus var. *gracilis*, *Hygrophorus*, 966
 — var. *raphaneus*, *Hygrophorus*, 434
 nemorosus, *Cortinarius*, 1050
 —, *Tyromyces*, 999
 —, var., *Cortinarius dibaphus*, 528
 nemoseridis, *Dicaeoma*, 753
 —, *Mycosphaerella*, 770
 neoalbidipes, *Suillus*, 366
 neoamazonica, var., *Cordyceps amazonica*, 156
 neoantipus var. *carinthiaca*, *Conocybe*, 749
 — var. *tucumana*, *Conocybe*, 749
 neophidis, *Erynia*, 12
 —, *Pandora*, 980
 —, *Zoophthora*, 98
 neocaledoniae, *Chalara*, 231
 neocaledonica, *Rozites*, 174
 neocaledonicum, *Entoloma*, 47
 —, *Naematoloma*, 55 ('*neocaledonica*')
 neocavata, *Ocellularia*, 99
 neoceracea, *Hygrocybe*, 392
 neochlorochroa, *Xanthoparmelia*, 792
 neocirrhatum, *Cetrariastrum*, 114
 —, *Everniastrum*, 534
 neocongruens, *Xanthoparmelia*, 368
 neoconspersa, *Xanthoparmelia*, 913
 neocornui, *Peziza*, 549
 neocrispata, *Mycena*, 769
 neodamaziana, *Parmelina*, 604
 —, *Parmelinopsis*, 686
 neodelisei, *Neofuscelia*, 771
 —, *Parmelia*, 99
 neodiscopoda, *Russula*, 312
 neodiscordans, *Parmelia*, 772
 neodominicana, *Ocellularia*, 31
 neoechinulatum, var., *Penicillium aurantiogriseum*, 687
 neofelleus forma *olivaceus*, *Tylopilus*, 560
 neoformans var. *shanghaiensis*, *Cryptococcus*, 385
 neoformosa var. *macrospora*, *Ramaria*, 609
 — var. *sinensis*, *Ramaria*, 1073
 neofulva, *Pyrenula*, 309
 neofusiformis, *Torrubiella*, 216
 neogalactinum, *Scytinostroma*, 781
 neogalbineum, *Trypethelium*, 560
 neogenicus, *Exesisporites*, 289
 neogrammicospora, *Nectria*, 895
 neohenningsioides, *Nectria*, 254
 neohians, *Thelotrema*, 66
 neolindicum, *Lithothelium*, 596
 neolitsea, *Aecidium*, 277
 —, *Anthostomella*, 378
 neomacrospora, *Nectria*, 130
 neomaritima, *Phaeosphaeria*, 984
 neomasonhalei, *Thelotrema*, 702
 neomastoidea, *Macrolepiota*, 544
 neomexicana, *Microsphaera*, 252
 —, *Thecaphora*, 215
 neomexicanum, *Caerulicium*, 155
 neomongaensis, *Paraparmelia*, 840
 neopeltophora, *Pyrenula*, 309
 neopertusariiiformis, *Ocellularia*, 99
 neopropagulifera, *Xanthoparmelia*, 792
 neopyralidarum, *Erynia*, 198
 —, *Furia*, 961
 neoquintaria, *Paraparmelia*, 603
 —, *Parmelia*, 32
 neorehmiana, *Nectria*, 254

- neoreptans, *Xanthoparmelia*, 705
 neorhamni, *Dichomera*, 1054
 neorimalis, *Parmelia*, 304
 —, *Xanthoparmelia*, 562
 neorotula, *Marasmius*, 972
 neosimilis, *Phaeocollybia*, 687
 neosynestia, *Xanthoparmelia*, 622
 neotabidus, *Lactarius*, 247
 neotaractica, *Xanthoparmelia*, 368
 neotasmanica, *Xanthoparmelia*, 622
 neotinctina, *Parmelia*, 132
 —, *Xanthoparmelia*, 622
 neotropicalis, *Inocybe*, 294
 —, *Mycena*, 976
 neotropicus, *Coprinus*, 78
 neotumidosa, *Xanthoparmelia*, 792
 neoturbidum, *Entoloma*, 239
 neovelutipes, *Heimiomyces*, 14
 neoweberi, *Xanthoparmelia*, 705
 neowyomingica, *Xanthoparmelia*, 1001
 neozelandica, *Parmeliella*, 356
 nepalense, *Achaetomium*, 151
 —, *Cetrariastrum*, 114
 —, *Chaetomium*, 422
 —, *Cladosporothyrium*, 383
 —, *Eupenicillium*, 289
 —, *Everniastrum*, 534
 —, *Hapalophragmium*, 14
 —, *Penicillium*, 304
 nepalensis, *Anthracoidea*, 942
 —, *Bryoria*, 470
 —, *Dimerella*, 338
 —, *Gyalideopsis*, 885
 —, *Passalora*, 604
 —, *Phaeophyscia*, 982
 —, *Physciella*, 552
 —, *Pulvinula*, 212
 —, *Ramonia*, 362
 —, *Sporormia*, 176
 —, *Taphrina*, 177
 —, *Usnea*, 791
 nephelii, *Oidium*, 494
 —, *Pseudocercospora*, 1071
 nephroidea, *Sorataea*, 25
 nephromoides, *Cetraria*, 382
 neptuni, *Conchatium*, 474
 nerii-atropurpurei, *Phyllosticta*, 358 ('neriae-atropurpureae')
 nermula, *Pseudocypbellaria*, 777
 nervicola, *Conchatium*, 474 ('nervicolum')
 —, *Ventrographium*, 619 ('nervicolum')
 nervulosa var. *dumeticola*, *Ramalina*, 310
 — var. *luciae*, *Ramalina*, 310
 nesodaphnes, *Drepanoconis*, 288
 nesodes, var., *Caloplaca inconnexa*, 657
 nespiakii, subsp., *Diatrypella favacea*, 531
 nespori, *Kneiffiella*, 126
 netrii, *Ancylistes*, 109
 nettyanum, *Lycoperdon*, 17 ('nettyana')
 neuhoffii, *Lactarius*, 52
 — var. *fragrans*, *Lactarius*, 52
 — forma *acutecystidiata*, *Mycena*, 491
 — forma *casuariniae*, *Mycena*, 491
 neuquenensis, *Flavoparmelia*, 883
 neutralis, *Punctelia*, 173
 neutrophilus, subsp., *Diploschistes diacapsis*, 958 ('neutrophila')
 —, subsp., *Diploschistes gypsaceus*, 532 ('neutrophila')
 newfieldiana, *Cercophora*, 43
 newtoniae, *Uredo*, 848
 newtonii, *Rinodina*, 363
 neyveliense, *Staphosporonites*, 366
 nicaraguensis, *Encoelia*, 831
 —, *Phellinus*, 21, 209
 —, *Tylopilus*, 317
 nicolsonii, *Acaulospora*, 377
 nicotiae, *Bipolaris*, 229
 nicotianae, *Phomopsis*, 774
 nidarosiensis, *Belonia*, 228
 nideri, *Arthonia*, 943
 nidulellus, *Aspergillus*, 520
 nidulum, *Lasiobelonium*, 676
 nigella, *Micarea*, 299
 niger, *Dicholobodigitus*, 880
 —, *Diphymyces*, 428
 —, *Pithomyces*, 690
 —, *Tylopilus*, 27
 — var. *awamori*, *Aspergillus*, 3
 — var. *intermedius*, *Aspergillus*, 3
 — var. *nanus*, *Aspergillus*, 3
 — var. *phoenicis*, *Aspergillus*, 3
 — var. *usamii*, *Aspergillus*, 3
 — forma *hennebergii*, *Aspergillus*, 3
 — forma *pulverulentus*, *Aspergillus*, 3
 —, var., *Dasyscyphus palearum*, 45
 nigra, *Arkoola*, 519
 —, *Brigantiaea*, 948
 —, *Chaenothecopsis*, 659
 —, *Cordyceps*, 234
 —, *Intercalarispora*, 294
 —, *Nadsoniella*, 770
 —, *Ramonia*, 696
 —, *Scutellospora*, 614
 —, *Tricholomopsis*, 560
 —, *Xerula*, 63
 — var. *hesuelica*, *Nadsoniella*, 770
 — var. *psychrophilica*, *Nadsoniella*, 770
 — var. *renati*, *Xerula*, 98
 —, var., *Humicola fuscoastrata*, 672
 nigraoleosa, *Xanthoparmelia*, 848
 nigrata, *Micarea*, 129
 nigrella, *Cordyceps*, 582
 —, *Helvella*, 50
 —, *Macropodia*, 439
 nigrellum, *Entoloma*, 82
 nigrescens, *Crocicreas*, 79
 —, *Gloeoporus*, 962
 —, *Godfrinia*, 537
 —, *Krombholziella*, 202
 —, *Phylloporus*, 689
 —, *Solorinella*, 453
 —, *Trichosporonoides*, 140
 — var. *brevispora*, *Hygrocybe*, 245
 — var. *microsporus*, *Gloeoporus*, 962
 — var. *thermorangeura*, *Humicola*, 672
 —, var., *Caloplaca conglomerata*, 229
 —, var., *Cortinariarius castaneus*, 953
 nigrescentis, *Verrucariomyces*, 100
 nigri var. *microspora*, *Cercospora*, 746
 nigricans, *Heimiella*, 482, 538

- , *Ochroporus*, 398
- , *Phoma*, 170
- , *Rinodina*, 310
- , *Roccellina*, 311
- var. *longispinosum*, *Hydnangium*, 124
- , forma, *Biatora lenticularis*, 98
- , subsp., *Megalospora coccodes*, 251
- nigricapillitium*, *Lamproderma*, 1059
- nigrificans*, *Phoma*, 551
- nigripes*, *Melanoleuca*, 837
- , *Microporellus*, 680
- , *Pterospora*, 361
- , *Tetrapyrgos*, 701
- , subsp., *Cladonia gracilis*, 64
- , var., *Lanzia prasina*, 676
- , var., *Morchella elata*, 396
- nigripoda*, *Cordyceps*, 234
- nigripodum*, *Physarum*, 689
- nigrisporum*, *Didymium*, 428
- nigritella*, *Gonohymenia*, 481
- nigritula*, *Armillaria*, 110
- nigritus*, *Panellus*, 444
- nigroalba*, *Mycena*, 769, 839
- nigroascus*, *Sporidesmium*, 1078
- nigrobrunnea*, *Strickeria*, 786 ('Strickera')
- nigrociliatum*, *Cetrariastrum*, 114
- , *Everniastrum*, 534
- nigrocincta*, *Roccellina*, 311
- nigrocinerea*, *Datronia*, 427
- nigrocristatus*, *Polyporus*, 448
- nigrocruenta*, *Porpidia*, 900
- nigrodiscum*, *Arthothelium*, 110
- nigrodiscus*, *Marasmius*, 352
- nigrofactum*, *Lophodermium*, 1061
- nigrofusum*, *Crocicreas*, 79
- var. *allantoporum*, *Crocicreas*, 118
- nigroleprosa*, *Miriiquidica*, 768
- nigrolimitatus*, *Ochroporus*, 398
- nigromaculata*, *Leptosphaeria*, 596
- nigromaculatum*, *Hebeloma*, 344
- nigromarginata*, forma, *Aspicilia radiosa*, 944
- , forma, *Scutellinia trechisperma*, 265
- nigromarginatus*, *Cryptandromyces*, 426
- , *Dixomyces*, 429
- , *Hydropus*, 244
- nigropedata*, *Chaenothecopsis*, 659
- nigropunctata*, *Armillaria*, 869
- nigropunctatus*, *Xerocomus*, 63
- nigrostipitata*, *Pezizella*, 169
- nigrovillosum*, *Entoloma*, 47
- nigrovinosus*, *Hymenagaricus*, 163
- nigroviolaceum*, *Entoloma*, 159
- nigroviolaceus*, *Hymenagaricus*, 483
- nigroviolascens*, var., *Lactarius lignyotus*, 52
- nigroviridis*, *Pluteus*, 307
- nigrozonatum*, *Endocarpon*, 387
- nigro-annulata* var. *papillosa*, *Trichothyria*, 910
- nigro-brunnea*, *Ductifera*, 958
- nigro-olidus*, *Cortinarius*, 194 ('nigrolidus')
- nigrum*, *Nigrohydnum*, 683
- , *Ophiostoma*, 356
- , *Phyllobathelium*, 899
- nigrus*, *Pseudofavolus*, 694
- nikau*, *Basidioidendron*, 228
- nikitinii*, *Ramularia*, 93
- nilamburensis*, *Parmentaria*, 841
- nilense*, *Penicillium*, 20
- nilgheriensis*, *Xanthochrous*, 458
- nilgherrensis*, *Dasyscyphus*, 286
- , *Lachnum*, 487
- nilghiriensis*, *Cryptothecia*, 119
- nilgirica*, *Usnea*, 791
- nilgiriensis*, *Buellia*, 190
- , *Catillaria*, 1045
- , *Marasmius*, 166
- , *Phaeographina*, 99
- , *Phaeographis*, 170
- , *Pyxine*, 212
- nilotica*, *Plagiosphaera*, 259
- nimbata*, *Lepista*, 297
- , var., *Lepista panaeolus*, 297, 437
- nimbicola*, *Parmelia*, 604
- nimkeae*, *Lactarius*, 52
- ninchukispora*, *Phytocordyceps*, 552
- ninguis*, *Peziza*, 209
- var. *fortoului*, *Peziza*, 57
- forma *fortoului*, *Peziza*, 209
- nipae*, *Linocarpon*, 970
- niphoides*, *Entoloma*, 479
- , *Rhodophyllus*, 499
- nipponensis*, *Nephromopsis*, 131
- nipponica*, *Brigantiaea*, 280
- , *Psora*, 32
- , *Roccellina*, 311 ('niponica')
- , *Tremella*, 267
- nipponicum*, *Lachnum*, 393
- nirimbii*, *Panaeolopsis*, 303
- nisikadoi*, *Cochliobolus*, 232
- nisotrae*, *Laboulbenia*, 126
- nitellina* forma *minor*, *Collybia*, 232
- nitellinoides*, *Simocybe*, 25
- nitens*, *Dermoloma*, 585
- , *Physarum*, 171
- , *Protoparmelia*, 988
- var. *defibulatum*, *Entoloma*, 429 ('defibulatus')
- nitida*, *Leptosphaerulina*, 249
- , *Monilia*, 838
- , *Psora*, 778
- , *Strickeria*, 786 ('Strickera')
- var. *heterosperma*, *Russula*, 613
- var. *major*, *Puccinia*, 211
- forma *ochraceoalba*, *Russula*, 780
- forma *olivaceoalba*, *Russula*, 905
- forma *subingrata*, *Russula*, 613
- nitidiuscula* forma *ampullacea*, *Inocybe*, 888
- forma *epixantha*, *Inocybe*, 294
- nitidiusculum*, *Trypethelium*, 560
- nitidula*, *Strickeria*, 786
- nitidus*, *Endomyces*, 831
- , *Gliophorus*, 833
- nitrata*, *Neohygrocycbe*, 547
- nitratophila*, var., *Torulopsis candida*, 456
- nitriolens*, *Entoloma*, 159
- , *Gerronema*, 199
- , *Mycena*, 769
- nitrophila* subsp. *normanii*, *Acarospora*, 187
- var. *chalcophila*, *Acarospora*, 187
- var. *inaequalis*, *Acarospora*, 187
- var. *praeruptorum*, *Acarospora*, 187
- var. *suzai*, *Acarospora*, 187

- var. *tyroliensis*, *Acarospora*, 187
- forma *irregularis*, *Acarospora*, 187
- forma *moraviae*, *Acarospora*, 187
- nitschkei*, *Rhymbocarpus*, 1073
- , *Skyttea*, 61
- niuginiensis*, *Relicina*, 609
- nivale*, *Crocicreas*, 79
- , *Microdochium*, 299
- var. *majus*, *Microdochium*, 299
- nivalis*, *Cilioplea*, 231
- , *Collybia*, 384
- , *Gerlachia*, 13
- , *Monographella*, 18
- , *Mrakia*, 894
- , *Peziza*, 57
- , *Ramaria*, 903
- , *Rinodina*, 363
- , *Vanrija*, 141
- var. *major*, *Gerlachia*, 13
- , *Galactinia* see *Peziza flos-nivium*
- , var., *Amanita vaginata*, 573
- nivea*, *Beauveria*, 469
- , *Chaenothecopsis*, 659
- , *Conocybe*, 116
- , *Fistulinella*, 290
- , *Hydrocybe*, 482
- , *Krombholziella*, 435, 594
- , *Melanoleuca*, 837
- , *Monilia*, 838
- , *Phoma*, 21, 689
- , *Sclerophora*, 406
- , *Sibirina*, 782
- , *Sporothrix*, 615
- , *Staheliella*, 559
- var. *diluta*, *Skeletocutis*, 265
- var. *fuscescens*, *Hygrocybe*, 483
- forma *sulphurea*, *Metulodontia*, 352
- , forma, *Hygrocybe calyptriformis*, 965
- ('*calyptraeformis*')
- , var., *Russula fragilis*, 311
- niveicolor*, *Skeletocutis*, 453
- niveipes* var. *alni*, *Mycena*, 1062
- nivellum*, *Crocicreas*, 79
- niveoatra* forma *intermedia*, *Opegrapha*, 302
- forma *olivaceonigra*, *Opegrapha*, 302
- niveola*, *Seticyphella*, 313
- nivescens* var. *squarrosipes*, *Agaricus*, 571
- niveum*, *Cyclaneusma*, 285
- , *Cyptotrama*, 955
- , *Cystoderma*, 531
- , *Leccinum*, 764, 890
- , *Membranicum*, 545
- , *Tolypocladium*, 267
- niveus*, *Austroboletus*, 4
- , *Cuphophyllus*, 427, 664
- , *Endomyces*, 831
- forma *roseipes*, *Cuphophyllus*, 1052
- , *Claudopus* see *Entoloma albotomentosum*
- , var., *Agaricus pseudopratensis*, 41, 466
- , var., *Boletus duriusculus*, 946
- , var., *Boletus scaber*, 947
- nivis*, *Peziza*, 57
- nivosa*, *Fomitopsis*, 535
- nivosus*, *Camarophyllus*, 524
- njalaensis*, *Pseudocercospora*, 693
- noaeae*, *Camarosporium*, 658
- , *Diplodia*, 665
- nobilior*, *Collybia*, 952
- nobilis*, *Gloeosporidiella*, 13
- , *Inocybe*, 674
- , *Laccaria*, 349
- noblei*, *Peronosclerospora*, 20
- nocturnum*, *Protostelium*, 360
- nodinigri*, *Hanseniaspora*, 123
- nodosus*, *Gloeomucro*, 13
- , *Marasmiellus*, 679
- nodulispora*, *Omphalina*, 355 ('*nodulisporus*')
- nodulosa*, *Gymnascella*, 481
- , *Mycenella*, 492
- var. *microspora*, *Xylaria*, 793
- var. *reagens*, *Acarospora*, 187
- nodulosporum*, *Tricholoma*, 316
- nodulosus*, *Gymnoascus*, 590
- nodulsa*, var., *Uncinula delavayi*, 62
- nodulum*, *Penicillium*, 897
- nodulus*, *Inapertisporonites*, 125
- nodusus*, *Dicellaesporites*, 287
- noeisii*, *Caloplaca*, 1045
- nogalesii*, var., *Cystoderma terreii*, 476
- nolaniforme*, forma, *Entoloma sericeum*, 11
- nolitangere*, *Psathyrella*, 449
- var. *minor*, *Psathyrella*, 497
- nomius*, *Aspergillus*, 741
- nomurae*, *Microsphaera*, 167
- nonensis*, *Mycomicrothelia*, 492
- nonfermentans*, var., *Pichia minuta*, 359
- nonreagens*, *Neofuscelia*, 547
- , *Xanthoparmelia*, 705
- noralarboradians*, *Phaeographina*, 99
- norcapnodes*, *Paraparmelia*, 840
- norchlorochroa*, *Xanthoparmelia*, 792
- norcolorata*, *Xanthoparmelia*, 1001
- norconvoluta*, *Parmelia*, 304
- , *Xanthoparmelia*, 622
- norcrambidiocarpa*, *Parmelia*, 772
- nordica*, *Macrolepiota*, 544
- nordicum*, *Penicillium*, 304, 549
- nordlandica*, *Aspicilia*, 189
- nordmanensis*, var., *Lactarius torminosus*, 53
- norfolcia*, *Phaeosphaeria*, 446
- norhypsila*, *Xanthoparmelia*, 792
- norkettii*, *Usnea*, 791
- norlobaridonica*, *Paraparmelia*, 685
- norlobaronica*, *Xanthoparmelia*, 1001
- normalis*, *Didymoporisporonites*, 120
- normandinae*, *Capronia*, 1045
- normanii*, subsp., *Acarospora nitrophila*, 187
- norpraegnans*, *Xanthoparmelia*, 913
- norpruinata*, *Canoparmelia*, 828
- norpumila*, *Xanthoparmelia*, 622
- norrlandicus*, *Cortinarius*, 1050
- norstictica*, *Alectoria*, 188
- , var., *Ramalina subfraxinea*, 696
- norsticticata*, *Canoparmelia*, 579
- , *Parmelia*, 32
- norsticticum*, *Myriotrema*, 31
- norstictideum*, *Leptotrema*, 30
- norvegica*, *Cladonia*, 334
- , *Gnomonia*, 291
- , *Syzygospora*, 559
- norvegicum*, *Acanthobasidium*, 465
- , *Arthothelium*, 330

—, *Catapyrenium*, 745
norvegicus, *Cortinarius*, 285
norvegiensis, *Morchella*, 490
norvegularis, *Hymenoscyphus*, 834
norwalteri, *Xanthoparmelia*, 1001
nostocoides, *Paecilomyces*, 256
notabile, *Cerocorticium*, 113
notabilis, *Canariomyces*, 281
notatus, *Sphaerophorus*, 213
nothiza, *Lecanactis*, 30
nothofageti, *Pseudolyophyllum*, 403
nothofagi, *Apiotrichum*, 378 ('*Apiotricum*')
—, *Biscogniauxia*, 1044
—, *Ceratocystis*, 333
—, *Cortinarius*, 583
—, *Fistulinella*, 290
—, *Gnomoniella*, 481
—, *Hygrophorus*, 886
—, *Kuehneromyces*, 889 ('*nothofagis*')
—, *Lachnum*, 676
—, *Menegazzia*, 299
—, *Mycoacia*, 130
—, *Ophiostoma*, 601
—, *Poculinia*, 691
—, *Rhodotorula*, 500, 992, 1073
—, *Schizopora*, 781
nothofaginea, *Discosphaerina*, 386
—, *Galerina*, 883
nothofagorum, *Agaricus*, 653
nothoraphanoides, *Cortinarius*, 384, 877
notodryina, *Inocybe*, 294
notonectae, *Coelomomyces*, 873
nouraguensis, *Hygrocybe*, 965
nouryi, *Erynia*, 12
—, *Pandora*, 980
—, *Zoopthora*, 98
novaezelandiae, *Austroboletus*, 4
—, *Conocybe*, 749
—, *Skeletocutis*, 782
—, var., *Mycena helminthobasis*, 300
novae-caledoniae var. *album*, *Penicillium*, 89
novae-guineensis, *Dictyochoeta*, 386
novae-zealandiae, *Pseudospiropes*, 1072
—, *Helotium* see *Lanzia prasina* var. *nigripes*
novae-zelandiae, *Armillaria*, 869
—, *Austrogaster*, 521
—, *Bactrodesmiella*, 1044
—, *Bipolaris*, 420
—, *Bispora*, 420
—, *Ceratocystis*, 872
—, *Cirrosporium*, 77
—, *Coronospora*, 424
—, *Cylindrocladiella*, 196
—, *Cylindrocladium*, 80
—, *Discosiella*, 121, 158, 197
—, *Exidiopsis*, 241
—, *Gliocladium*, 481
—, *Gomphus*, 431
—, *Guedea*, 14
—, *Helminthosporium*, 14
—, *Lentinula*, 350
—, *Mycogone*, 681
—, *Parmelia*, 772
—, *Sphaerostilbella*, 502
—, *Stenella*, 455
—, var., *Sporidesmiella hyalosperma*, 214

novae-zemliae, var., *Acarospora scabrida*, 867
novageronense, *Bactrodesmium*, 420
('novageronensis')
novasilvensis, *Flammulaster*, 340
—, var., *Flammulaster limulatus*, 535
novaboracensis, *Leptosphaeria*, 438
novemseptatum, *Anthracotheicum*, 868
novissimus, *Basidopus*, 576
novococonfragosa, *Rinodina*, 452
novoguineense, *Lachnum*, 676
—, forma, *Ciboria peckiana*, 660
novoguineensis, *Agaricus*, 226
—, *Akanthomyces*, 188
—, *Tricharia*, 367
novozelandica, *Punctelia*, 843
novo-zealandica, *Clavaria*, 829
novus, *Monoporisorites*, 353
nsukkaense, *Hapalophragmium*, 242
('nsukkaensis')
nubicola, *Beauveria*, 469
—, *Tolypocladium*, 267
nubigenum, *Entoloma*, 429 ('*nubigenus*')
nubila, *Pyxine*, 66
nubilipes, *Hymenoscyphus*, 15
nubilosa, *Strickeria*, 786 ('*Strickera*')
nubium, *Entyloma*, 480
nubium, *Xeromphalina*, 793
nucis, *Strickeria*, 786
nuda, *Lojkania*, 351
—, *Pyrenula*, 778
— var. *lilacina*, *Lepista*, 764
— var. *pruinosa*, *Lepista*, 437
— var. *tridentina*, *Lepista*, 764
— var. *violaceofusculata*, *Lepista*, 764
—, forma, *Parmelia reticulata*, 304
nudata, *Pseudocypbellaria*, 901
nudicephalum, *Hyphoderma*, 886
nudicollum, var., *Panus fulvus*, 131
nudicum, *Capnodium*, 112
nudipes, var., *Entoloma griseocyaneum*, 666
nudoidea, *Lepista*, 248
nudus, *Hymenoscyphus*, 484
nueschii, var., *Suillus aeruginascens*, 616
nullifilum, *Didymium*, 158
numinbahensis, *Paraparmelia*, 603
—, *Parmelia*, 32
nummoides, *Cortinarius*, 877
nummularia, *Gonohymenia*, 64
nummularialis, *Psilopezia*, 93
nummularius, forma, *Polyporus varius*, 899
nunn, *Pythium*, 362
nuorensis, subsp., *Lecanora swartzii*, 969
nuragica, *Russula*, 557
nureliya, *Ocellularia*, 683
nureliyum, *Thelotrema*, 100
nutans, *Ingoldiella*, 967
— forma *rubrum*, *Physarum*, 689
nuttalliana, *Phyllachora*, 775
nuwarensis, *Leptotrema*, 596
—, *Myriotrema*, 99
nuwarensis, *Xanthoparmelia*, 622
nygamai, *Fusarium*, 535
nylanderii, subsp., *Lecanora swartzii*, 969
nymanii, *Calopadia*, 522
nymphaeacea, *Pseudocercospora*, 693
nympharum, *Macrolepiota*, 488

- , *Psilocistella*, 498
nypae, *Oxydothis*, 980
nyssae, *Mastigospora*, 128
nyssaegenum, *Anisomeridium*, 467
oakesiana, *Tuckermannopsis*, 790
obclavata, *Vermispora*, 561
obclavatum, *Acremonium*, 277
obclaviforme, *Chloridium*, 747
obcoronata, *Pneumatospira*, 401
obducens, *Strickeria*, 786
obducta, *Phylloporis*, 899
obductus, *Oligoporus*, 443
oberwinkleri, *Sphaerobasidioscypha*, 313
 —, *Thecaphora*, 846
obesa, *Echinomyces*, 754
obesispora, *Dictyochaeta*, 957
 —, *Kylindria*, 968
obesum, var., *Tulostoma volvulatum*, 911
obesus, *Uromyces*, 704
obiones, *Ascochyta*, 655
 —, *Passeriniella*, 841
oblatum, *Chaetomium*, 524
 —, *Penicillium*, 495
oblatus, *Amauroascus*, 942
 —, *Melanocarpus*, 767
oblectabilis, *Astrosporina*, 4
 —, *Coltriciella*, 335
 — var. *odora*, *Inocybe*, 485
oblectans, *Sordaria*, 615
obliqua, *Apiosordaria*, 869
 —, *Strickeria*, 786
obliquatus, *Dixomyces*, 429
obliquerimosa, *Pseudombrophila*, 608
obliquiordinata, *Cordyceps*, 234
obliquoporus, *Panaeolus*, 303
obliquum var. *suttonii*, *Bactrodesmium*, 280
oblisata, *Xanthoparmelia*, 913
obliterata, subsp., *Caloplaca saxicola*, 523
oblonga, *Macbrideella*, 836
 —, *Torrubiella*, 216
 —, *Urocystis*, 561
oblongata, *Paraphaeosphaeria*, 256
oblongatus, *Didymoporisporonites*, 197
 —, *Diporicellaesporites*, 197
 —, *Diporisporites*, 197
 —, *Dyadosporonites*, 197
oblongispora, *Chaetoplea*, 659
 —, *Flagelloscypha*, 48
 —, *Kylindria*, 295
 —, *Manginella*, 544
 —, *Ramularia*, 404
 —, *Veronaea*, 178
 — var. *longispora*, *Bovista*, 469
oblongisporus, *Hymenogaster*, 392
 —, *Ramularites*, 404
 —, var., *Cortinarius biveloides*, 116
oblongospora, *Amanita*, 738 ('oblogospora')
 —, *Laccaria*, 349
 — var. *tigrina*, *Amanita*, 942
oblongo-ellipticum, *Lachnum*, 349 ('oblongus-ellipticum')
oblongula, *Apatopla*, 98
oblongum, *Paradidymobotryum*, 356
obnubila, *Miriquidica*, 768
obolus, *Omphaliaster*, 683
obovata, *Flabellophora*, 668
 —, *Mycomicrothelia*, 492
 —, *Xenokylindria*, 368
 — var. *aurantiporus*, *Flabellophora*, 668
obovatisporus, *Melanogaster*, 973
obovatum, *Phialemonium*, 305
 —, *Verticillium*, 506
obovoidea, *Anthracoidea*, 418
obpyriformis, *Inapertisporonites*, 125
obristii, *Ascodesmis*, 519 ('obristi')
obrussea, *Godfrinia*, 537
 —, *Pseudohygrocybe*, 842
obrusseum, *Entoloma*, 47
obscura, *Armillaria*, 467, 869
 —, *Catillaria*, 1045
 —, *Coniophoropsis*, 527
 —, *Krombholziella*, 203
 —, *Latericonis*, 350
 —, *Nolanea*, 255
 —, *Ocellularia*, 31
 —, *Phialina*, 496
 —, *Pseudodoassansia*, 173, 211
 —, *Ramicola*, 990
 —, *Roccellina*, 311
 —, *Simocybe*, 364
 —, *Vezdaea*, 142
 — var. *luzulae-maximae*, *Puccinia*, 212
 — var. *transiens*, *Inocybe*, 393
 — var. *purpurea*, *Inocybe* see *Inocybe amethystina*
obscurata, *Xanthoparmelia*, 792
 —, var., *Lepista sordida*, 16
obscuratula, *Peltula*, 1066
obscuratus, var., *Xerocomus amazonicus*, 318
obscura-reticulata, *Tilletia*, 910
obscurifolius, *Cortinarius*, 425
obscoresorediatum, var., *Stereocaulon vesuvianum*, 616
obscurior, *Arthonia*, 1043
 —, var., *Entoloma conferendum*, 755
obscuripora, *Puccinia*, 498
obscurissima, var., *Inocybe pusio*, 888
obscurocyaneus, var., *Cortinarius infractus*, 425
obscurifusca, var., *Pholiota gummosa*, 605
obscuroides forma *heterospora*, *Inocybe*, 348
 — forma *heterospora*, *Inocybe* see *Inocybe amethystina*
obscurum, *Bactrodesmiastrum*, 331
 —, *Hebeloma*, 344
 —, *Physarum*, 171
 —, var., *Entoloma odoriferum* see *Entoloma nausiosme*
 —, forma, *Entoloma odoriferum*, 198
 —, var., *Entoloma subarcticum*, 388
obscurus, *Conidiobolus*, 8
 —, *Inapertisporonites*, 125
 —, *Multicellaesporites*, 206
 —, *Pseudospiropes*, 308 ('Pseudospiropes')
 —, *Tylopilus*, 911
 —, var., *Boletus luridus*, 577
 —, var., *Cortinarius occidentalis*, 425, 583
 —, var., *Hydropus eitenianus*, 244
obsessa, *Myelochroa*, 682
obsoletum, *Pseudolyophyllum*, 498
 — var. *feniculum*, *Pseudolyophyllum*, 1072
 —, var., *Entoloma hirtipes*, 239

- oblecta, *Cryptothecia*, 878
 —, *Hymenelia*, 124
 —, var., *Verrucaria hochstetteri*, 561
 oblectum, *Phyllobathelium*, 775
 oblectus, *Didymoporisporonites*, 120
 obtextus, *Rhizopogon*, 556
 obtorta, *Flabellophora*, 668
 obturascens, *Ocellularia*, 771
 obtusa, *Lindra*, 250
 —, *Montagnula*, 252
 —, *Pseudoseptoria*, 23
 —, *Strickeria*, 786
 obtusata var. aberrans, *Psathyrella*, 777
 — var. utrififormis, *Psathyrella*, 172
 —, var., *Psilocybe semilanceata*, 555
 — var. vernalis, *Psathyra* see *Psathyrella*
 groegeri
 obtusisporum, *Entoloma*, 239
 obtusissima var. scandinavica, *Ramaria*, 990
 obtusiuscula, *Inocybe*, 888
 obtusoangulatum, *Tarichium*, 616
 obtusopunctata, *Russula*, 993
 obtuspiculata, *Peziza*, 357
 obtusum, *Arthroderma*, 519
 —, *Colletogloeum*, 7
 —, *Diadema*, 956 ('obtusa')
 —, *Vermisporium*, 317
 obtusus, *Hymenoscyphus*, 484
 — forma striatulus, *Cortinarius*, 194
 — forma uliginobtus, *Cortinarius*, 194
 — forma velenovskyi, *Cortinarius*, 194
 obvius, *Cortinarius*, 583
 occentus, *Cortinarius*, 583
 occidentale, *Gloiodon*, 758
 —, *Hebeloma*, 344
 —, *Koorchaloma*, 349 ('occidentalis')
 —, var., *Hebeloma strophosum*, 345
 occidentalis, *Agrocybe*, 226
 —, *Austroboletus*, 576
 —, *Autoicomycetes*, 420
 —, *Clavariadelphus*, 873
 —, *Corynespora*, 954
 —, *Erynia*, 122
 —, *Hydropus*, 244
 —, *Hypodermella*, 434 ('occidentales')
 —, *Hypogymnia*, 202
 —, *Issatchenkia*, 294
 —, *Lachnellula*, 127
 —, *Molliardiomyces*, 353
 —, *Phaeosphaeria*, 984
 —, *Pyrenula*, 609
 —, *Russula*, 213, 363
 —, *Syncarpella*, 996
 — var. obscurus, *Cortinarius*, 425, 583
 — var. persoonii, *Schwanniomycetes*, 405
 —, *Russula* see *Russula artesiana*
 —, subsp., *Clitocybe inornata*, 156
 —, var., *Calocybe hypoxantha*, 871
 —, var., *Clitocybe gibba*, 473
 —, var., *Clitocybe inornata*, 873
 —, var., *Dermocybe phoenicea*, 880
 —, var., *Panellus stipticus*, 685
 occulta, *Acrocordiella*, 188
 —, *Cintractia*, 44
 —, *Ellisiopsis*, 81
 —, *Mycena*, 546
 —, *Phaeosphaeria*, 446
 —, *Ramularia*, 991
 occultum, *Glomus*, 199
 —, *Lobulicium*, 166
 —, *Myriotrema*, 31
 —, *Nephroma*, 65
 oceanica, *Hypogymnia*, 886
 oceanicum, *Hypoxylon*, 886
 ocellata, *Cercoseptoria*, 282
 —, *Psathyrella*, 172
 —, *Pseudocercospora*, 693
 ocellatum, *Exiliseptum*, 534
 ocellatus, *Porocyphus*, 987
 — var. fallax, *Diploschistes*, 665
 ochnae, *Uredo*, 704
 ochracea, *Arachnopeziza*, 739
 —, *Bisporella*, 153
 —, *Ceratocystiopsis*, 76
 —, *Elletevera*, 754
 —, *Flabellophora*, 668
 —, *Inocybe*, 51
 —, *Micropsalliota*, 18
 —, *Psathyrella*, 172, 260, 449
 —, *Pseudocercospora*, 93
 —, *Trametes*, 789
 — var. sicco-olivacea, *Ramaria*, 844
 —, var., *Huilia flavocaerulescens*, 201
 ochraceicinctus, *Loweoporus*, 970
 ochraceivinosus, *Tyromyces*, 999
 ochraceoalba, forma, *Russula nitida*, 780
 ochraceoazureus, *Rozites*, 611
 ochraceobrunneus, forma, *Cortinarius fluryi*,
 953 ('ochraceobrunnea')
 ochraceocroceum, *Stecchericium*, 995
 — var. hydroides, *Stecchericium*, 995
 ochraceoflava, *Pyrenula*, 903
 ochraceo flavens, *Pyrenula*, 903
 ochraceopallida, *Hygrocybe*, 124
 ochraceopallidus, *Cuphophyllus*, 427, 664
 ochraceorivulosa, *Russula*, 993
 ochraceostromata, *Cordyceps*, 78
 ochraceosulfurescens, *Lepiota*, 127, 543
 ochraceovirens var. parvispora, *Ramaria*, 499,
 556
 ochraceo-olivascens, forma, *Cortinarius*
 mucifluoides, 529
 ochraceum, *Confecticium*, 44
 —, *Haplotrichum*, 49
 ochraceus, *Grammothele*, 163
 — subsp. fulmineus, *Chroogomphus*, 660
 ochreate, *Psilocybe*, 262
 — var. sporabiens, *Cortinarius*, 194
 ochricompacta, *Russula*, 405
 ochroalba, *Skeletocutis*, 558
 ochrocarpi, *Meliola*, 395
 ochrocephala, *Russula*, 993
 ochrochloron var. paraherquei, *Penicillium*,
 549
 ochrocinerascens, *Lyophyllum*, 298
 —, var., *Cortinarius fulvo-ochrascens*, 953
 ochrocoeca, *Lecanora*, 542
 —, *Protoparmelia*, 900
 ochrocrinitum, *Parmotrema*, 841
 ochrocrocea, *Wrightoporia*, 620
 ochrocroceus, *Amylonotus*, 41 ('ochrocrocea')

- ochroflava, forma, *Cortinarius mucifluoides*, 529
 ochroflavida, *Pholiota*, 551
 ochrolechia, var., *Rhizocarpon lusitanicum*, 696
 ochroleuca, *Ascorhizoctonia*, 419
 — var. *brevispora*, *Truncospora*, 998
 ochroleucoides, forma, *Lactarius necator*, 296
 ochroleucum, *Gloeosynnema*, 834
 — var. *luteum*, *Scytinostroma*, 906
 ochroleucus, forma, *Cortinarius delibutus*, 1049
 ochroneivum, var., *Hebeloma mesophaeum*, 432
 ochropallida, *Pholiota*, 605
 ochrophanes, subsp., *Diploschistes scruposus*, 532
 ochropulchra, *Parmelia*, 840
 —, *Xanthoparmelia*, 622
 ochrorufa, *Inocybe*, 348
 ochrospora, *Russula*, 452
 —, var., *Psathyrella squamosa*, 172, 261, 450, 554
 —, var., *Russula parazurea*, 905
 ochrosquamulosa, var., *Laccaria affinis*, 763
 ochrostraminea, *Russula*, 60
 ochroxantha, var., *Phyllospora corallina*, 986
 ocior, *Collybia*, 661
 octacladia, *Flabellospora*, 122
 octonae, *Nimbospora*, 442
 octonalis, *Preussia*, 448
 octospora, *Valsa*, 1000
 —, *Wawelia*, 268
 —, var., *Chromatochlamys muscorum*, 472
 octosporum, *Schizochytrium*, 781
 —, *Sistotrema*, 365
 octosporus, *Cordycepioideus*, 78
 — var. *glactosi*, *Schizosaccharomyces*, 138
 octotemni, *Phaulomyces*, 446
 oculata, *Fuscidea*, 390
 —, *Pyrenula*, 778
 oculus, *Multicellaesporites*, 206
 oculisporus, *Boletellites*, 280, 656
 odae, *Zodionomyces*, 1002
 odhinnii, *Cortinarius*, 1050
 odinae, *Thyronectria*, 27
 odintsovii, *Candida*, 949
 odonatae, *Cordyceps*, 78
 odontophilum, *Epibryon*, 121
 odora, *Antrodia*, 418
 —, *Ripartites*, 500
 —, *Skeletocutis*, 406
 —, var., *Hyphozyma variabilis*, 125
 —, var., *Inocybe oblectabilis*, 485
 —, var., *Ramaria conjunctipes*, 263
 odorata, *Armillaria*, 3
 —, *Eccilia*, 238
 — var. *rutilans*, *Russula*, 557
 odoratum, *Corticium*, 750
 — var. *alni*, *Corticium*, 750
 — var. *alni*, *Corticium* see *Scytinostroma eurasiatricogalactinum*
 — var. *alni*, *Stereum* see *Scytinostroma eurasiatricogalactinum*
 odoratus, *Heteroporus*, 671
 — var. *suavissimus*, *Cortinarius*, 750
 —, var., *Cortinarius prasinus*, 529
 —, var., *Lactarius hygrophoroides*, 52
 —, var., *Sarcodon calvatus*, 405
 odorifer var. *immarginato-coloratus*, *Cortinarius*, 954, 1050 ('*immarginato-colorata*')
 — var. *luteolus*, *Cortinarius*, 195
 — var. *lutescens*, *Cortinarius*, 954, 1051
 — var. *suborichalcea*, *Cortinarius*, 529
 — var. *suborichalceus*, *Cortinarius*, 954 ('*suborichalcea*')
 odoriferum forina obscurum, *Entoloma*, 198
 — var. *obscurum*, *Entoloma* see *Entoloma nausiosme*
 odorum, *Cladobotryum*, 747
 odorus, *Polyporus*, 402
 —, var., *Sporobolomyces photographus*, 407
 oedibasidis, *Puccinia*, 778 ('*oedibasis*')
 oedipus, *Dryophila*, 666
 —, *Galerina*, 883
 —, *Hemipholiota*, 591
 —, *Omphalina*, 302
 —, *Phaeogalera*, 57
 — var. *mutans*, *Phaeogalera*, 549
 — var. *olivacea*, *Phaeogalera*, 549
 oedopoda, *Puccinia*, 1072
 oedospora, *Puccinia*, 990
 oehrensiana, *Strongwellsea*, 407
 oehrensii, *Inocybe*, 888 ('*oehrensi*')
 oenanthos, *Bremiella*, 421 ('*oenantheae*')
 —, *Plasmopara*, 606 ('*oenantheae*')
 oenocephala, *Rhodocybe*, 1073
 oenotrichus, *Agaricus*, 2
 oerstedtioides, *Arcyria*, 278
 ogawae, *Cercospora*, 191
 ogowae, *Pseudocercospora*, 693
 ogurasanensis, *Cordyceps*, 193
 oharana, *Hypopilina*, 760
 oharanum, *Asteroma*, 741
 ohbae, *Eucantharomyces*, 198
 ohiensis, *Calyptronectria*, 229
 —, *Talaromyces*, 26
 ohioensis, *Strickeria*, 786 ('*Strickera*')
 ohmeri, *Yamadazyma*, 1080
 ohsawaensis, *Puccinia*, 23
 oidiioides, *Nectriopsis*, 977
 oinochroa, *Russula*, 905
 okanoganense, *Pythium*, 93
 okayi, *Dyadosporonites*, 958
 okumae, *Peyritschella*, 257
 olacicola, *Pseudocercospora*, 1071
 olacis, *Colletogloeum*, 7
 olbiensis, subsp., *Solenopsora olivacea*, 406
 oldae, *Lyophyllum*, 204
 oleae, *Massariella*, 395
 —, *Peridiothelia*, 495
 oleae-dioicae, *Aplosporella*, 42 ('*Haplosporella*')
 oleaginea, *Antrodiella*, 42 ('*oleginae*')
 oleariae, *Tandonella*, 701
 olearioides, *Cortinarius*, 750
 oleicola, *Strickeria*, 786
 oleifera, *Russula*, 1076
 — var. *levecqii*, *Russula*, 1076
 olenjensis, *Strickeria*, 786 ('*Strickera*')
 olens, var., *Lyophyllum geminum*, 298

oleosa, *Parmelia*, 304
 —, *Pyrenula*, 903
 —, *Xanthoparmelia*, 562
 — var. *zhengii*, *Uncinula*, 268
 —, var., *Bacidia fusconigrescens*, 742
 olesum, var., *Catapyrenium lachneum*, 1045
 oleracea, *Amyloporiella*, 378
 —, *Antrodia*, 42, 378
 oleriana var. *ginsbergeri*, *Porina*, 553
 — var. *provincialis*, *Porina*, 553
 olidoamarus, *Cortinarius*, 475
 olidoamethysteus, *Cortinarius*, 1051
 olidolens, *Cortinarius*, 529
 olidovolvatus, *Cortinarius*, 877
 olidum, *Entoloma*, 388
 olidus var. *camptophyllus*, *Cortinarius*, 1051
 olifantensis, *Xanthoparmelia*, 622
 oligocalyptrata, *Galerina*, 961
 oligocarpa, *Parmentaria*, 304
 oligocladum, *Teratosperma*, 26
 oligophaga, *Zygozoma*, 706
 oligoporpa, *Phaeocollybia*, 687
 oligoporus, *Camillea*, 948
 oligoseptata, *Palaeocirrenalia*, 256
 ('oligoseptatum')
 oligosperma, *Chaetopsis*, 282
 oligospora var. *microspora*, *Arthrobotrys*, 468
 — var. *sarmatica*, *Arthrobotrys*, 468
 oligosporum, *Leptotrema*, 64
 oligosporus, *Phaeomarasmius*, 982
 —, var., *Rhizopus microsporus*, 362
 oligotrophia, *Placynthiella*, 401
 —, *Saccomorpha*, 557
 olivacea, *Agrocybe*, 738
 —, *Armillaria*, 869
 —, *Conocybe*, 384, 874
 —, *Diatrype*, 956 ('oliveus')
 —, *Dicyma*, 81
 —, *Haglundia*, 14
 —, *Hydnoporia*, 672
 —, *Hysteronaevia*, 347
 —, *Micarea*, 299
 —, *Solenopsora*, 139
 — subsp. *olbiensis*, *Solenopsora*, 406
 — forma *carbonicola*, *Catinella*, 155
 — forma *pilosa*, *Catinella*, 155
 —, forma, *Cortinarius mucifluoides*, 529
 —, forma, *Russula alutacea*, 264
 —, forma, *Russula amoenicolor*, 611
 —, var., *Amanita aspera*, 825
 —, var., *Amanita bulbosa*, 825
 —, var., *Dematioscypha richonis*, 752
 —, var., *Dermocybe hueronensis*, 879
 —, var., *Phaeogalera oedipus*, 549
 olivaceoalba, forma, *Russula nitida*, 905
 olivaceobrunnea, *Clitocybe*, 473
 —, *Inocybe*, 761
 —, *Lepiota*, 890
 olivaceobrunneum, *Lachnum*, 676
 —, *Tricholoma*, 617
 olivaceobrunneus, *Lactarius*, 52
 —, var., *Tylopilus porphyrosporus*, 27
 olivaceofusca, *Aleurina*, 518
 —, *Dermocybe*, 427
 olivaceogrisea, *Amanita*, 645
 —, *Laccaria*, 675

—, *Leptosphaerulina*, 1060
 olivaceohirta, *Asteromassaria*, 189
 olivaceomarginata forma *contraria*, *Mycena*, 598
 — forma *roseofusca*, *Mycena*, 598
 — forma *thymicola*, *Mycena*, 598
 olivaceonigra, *Dermocybe*, 879
 —, *Inocybe*, 888
 —, *Pterospora*, 361
 —, *Tetrapyrgos*, 701
 — forma *volvata*, *Inocybe*, 888
 —, forma, *Opegrapha niveoatra*, 302
 olivaceopallida, *Krombholziella*, 203
 olivaceopicta, *Dermocybe*, 879
 olivaceosordidus, var., *Lactarius deliciosus*, 52
 olivaceotinctum, *Entoloma*, 479
 —, *Hypholoma*, 347
 olivaceoviridis, *Hygrocybe*, 245
 — forma *hirsanensis*, *Hygrocybe*, 245
 olivaceo-cinerea, *Mollisia*, 974
 olivaceo-mammosa var. *irritans*, *Lepiota*, 890
 olivaceo-umbrinus, *Lactarius*, 53
 olivaceum, *Botryobasidium*, 153
 —, *Piloderma*, 401
 —, forma, *Piloderma croceum*, 91
 olivaceus, *Austroboletus*, 279
 —, *Claussenomyces*, 77
 —, *Hymenagaricus*, 483
 —, forma, *Tylopilus neofelleus*, 560
 —, var., *Cortinarius glaucopus*, 425
 olivae simile, *Entoloma*, 239
 olivaria, *Rimelia*, 1074
 olivascens, *Calocybe*, 578
 —, *Hapalopilus*, 963
 —, *Pleurotus*, 135
 —, forma, *Paxillus boletinoides*, 604
 ('olivacens')
 —, var., *Clitocybe aromatica*, 155
 oliveirae, *Bulbothrix*, 470 ('oliveirai')
 olivetorica, *Paraparmelia*, 685
 —, *Xanthoparmelia*, 622
 olivicolor, *Penicillium*, 20
 —, var., *Penicillium claviforme*, 169
 olivieri, *Macrolepiota*, 128
 olivinus, *Lactarius*, 393
 olivovirens, var., *Russula fuscorubra*, 311
 ollaliense, *Hebeloma*, 344
 olorinata, *Inocybe*, 51, 164
 olorinatum, *Entoloma*, 47
 olympiana forma *amstelodamensis*,
Psathyrella, 449
 — forma *caespitosa*, *Psathyrella*, 449
 —, var., *Ramaria hilaris*, 843
 olympianum, *Hebeloma*, 344
 —, var., *Crocicreas cyathodeum*, 79
 olympianus, *Lactarius*, 53
 olympius, *Zeus*, 624
 omahutaense, *Sporidesmium*, 454
 omanensis, *Ravenelia*, 310
 ombrogena, *Curcisporea*, 385
 ombrophila, var., *Psilocybe caerulescens*, 262
 omiensis, *Entoloma*, 533
 omninotinctus, var., *Tyromyces dianthicolor*, 998
 omnivagus, *Pleurotus*, 135
 omnivorum, *Leptoglossum*, 297

- omorii, var., *Coelomomyces iliensis*, 334
 omphaliformis, *Rhodophyllus* see *Entoloma*
 per candidum
 omphaliiformis, *Hydropus*, 346
 ('omphaliformis')
 —, *Marasmiellus*, 298 ('omphaliformis')
 — forma bisporea, *Marasmius*, 395
 ('bisporique')
 — forma calathinoides, *Clitopilus*, 283
 ('omphaliformis')
 —, forma, *Clitopilus scyphoides*, 283
 ('omphaliformis')
 omphalodes subsp. discordans, *Parmelia*, 356
 — subsp. glacialis, *Parmelia*, 495
 — subsp. pinnatifida, *Parmelia*, 356
 — subsp. glacialis, *Parmelia* see *Parmelia*
 skultii
 omphalomorphus, *Agaricus*, 867
 omphalosmus, *Cortinarius*, 117
 ompnera, *Cystolepiota*, 531
 oncospermatis, *Tyromyces*, 999
 — var. macrosporus, *Dasyscyphus*, 9
 onirica, *Beltrania*, 74
 onishii, *Candida*, 112
 onobense, *Penicillium*, 89
 onobrychidis, *Heterosporium*, 671
 —, *Phyllachora*, 775
 onopordi, forma, *Leveillula compositarum*,
 204
 ontariense, *Camposporium*, 281
 —, *Dicranidion*, 665
 —, *Sporidesmium*, 314
 ontariensis, *Chionomyces*, 282 ('Chinomycetes')
 —, *Hormiactis*, 293
 onumae, *Melanopsichium*, 440
 onychina, *Calocybe*, 578
 onychinus, *Rugosomyces*, 60
 onychoides, *Antrodiella*, 189
 —, *Flaviporus*, 389
 ooaniensis, *Torrubiella*, 216
 oodiphila, *Laboulbenia*, 295
 oohashianus, *Japonogaster*, 967
 ooitensis, *Candida*, 658
 ootakiensis, *Cordyceps*, 234
 ootheca, *Pleurostoma*, 448
 oödes, *Fujimyces*, 13
 opaca, *Montagnula*, 252
 —, *Placolecis*, 401
 —, *Psathyrella*, 172, 261, 449
 opacum, *Entoloma*, 755
 opalinus, *Achroomyces*, 225
 opegraphae, *Laeviomyces*, 86
 opegraphoides, forma, *Arthonia tumidula*,
 279 ('opegraphoies')
 —, var., *Schismatomma abietinum*, 312
 operculata, *Fitzpatrickella*, 668
 —, *Phytophthora*, 210
 — var. latispora, *Tectella*, 701
 operculicola, *Massarina*, 128
 ophiospora, *Calonectria*, 229
 ophiosporus, *Gomphillus*, 834
 ophiuri, *Sporisorium*, 699
 opiniconensis, *Lecanora*, 436, 542
 opisthopus, *Coltricia*, 423
 opizii, var., *Puccinia dioicae*, 211
 opiziicola, *Ustilago*, 912
 oplismeni, *Massarina*, 17
 oplismeni-undulatifolii, *Uredo*, 63
 opuntiae, *Clavispora*, 582
 —, *Coniophora*, 384
 —, *Crustoderma*, 157
 —, *Monographella*, 396
 opuntiella, *Phaeophyscia*, 550
 —, *Physcia*, 32
 opunticola, *Elsinoë*, 81
 ora, *Caloplaca*, 657
 orae frigidae, *Lecanora*, 350
 oralis, *Panellus*, 685
 oramophila, *Clitocybe*, 156
 orasericeus, *Cortinarius*, 235
 orasinusensis, *Hyphodontia*, 886
 orastriatus, *Cortinarius*, 117
 orbata, *Tuckermannopsis*, 141
 orbiculare, *Vermisporium*, 317
 orbicularis, *Coelomomyces*, 526
 — var. hueiana, *Phaeophyscia*, 550
 — var. virella, *Phaeophyscia*, 982
 —, subsp., *Xanthoria elegans*, 562
 —, var., *Polyporus flavus*, 402
 —, var., *Psathyrella stellata*, 172
 orbiculostriatus, *Coelomomyces*, 526
 orbiculozonarius, *Cortinarius*, 235
 orbiformis, *Austroclitocybe*, 1043
 orbis, *Polyadosporites*, 307
 orbitarum, forma, *Psathyrella prona*, 450
 orcadensis, var., *Hysteropezizella prahlana*,
 294
 orchidacearum, forma specialis, *Puccinia*
 sessilis, 212
 orchidicola, *Leptodontidium*, 764
 orculariopsis, *Rinodina*, 363
 ordinatus, *Fractisporonites*, 122
 oreadam, *Septopezizella*, 698
 oregana, *Hysteropatella*, 593
 —, var., *Cribraria vulgaris*, 426
 oregonense, *Hebeloma*, 344
 —, *Odontotrema*, 600
 —, *Pleuroceras*, 307
 — var. atrobrunneum, *Hebeloma*, 344
 oregonensis, *Diatrype*, 752
 oreina, *Amanita*, 654
 —, *Astrosporina*, 655
 —, forma, *Melanoleuca polioleuca*, 837
 oreinoides, *Lecanora*, 1060
 oreinus, subsp., *Cortinarius fulvoisabellinus*,
 117, 1050 ('oreina')
 oreochloae, *Phaeosphaeria*, 446
 oreophila, *Wettsteinina*, 619
 orghidanii, *Laboulbenia*, 541
 oribensis, *Xanthoparmelia*, 622
 orichalceolens, *Cortinarius*, 425, 529
 orientale, *Astrosporium*, 944
 —, *Dichostereum*, 80
 —, *Lophodermium*, 87
 —, *Micromphale*, 893
 orientalis, *Cistella*, 7
 —, *Cytoplea*, 9
 —, *Debaryomyces*, 585
 —, *Dicarpella*, 286
 —, *Erynia*, 122
 —, *Gnomonia*, 291
 —, *Inonotus*, 435

- , *Lambertella*, 836 ('orientale')
- , *Lophodermella*, 836
- , *Oropogon*, 979
- , *Panellus*, 685, 897
- , *Penzigia*, 444
- , *Phellinus*, 57
- , *Physalacria*, 447
- , *Physcia*, 496
- , *Xanthoparmelia*, 1001
- , *Zeugandromyces*, 458
- , *Zoophthora*, 98
- , var., *Brachydesmiella biseptata*, 522
- , var., *Coelomomyces iliensis*, 334
- , var., *Fuscidea cyathoides*, 162
- , var., *Ramaria americana*, 1072
- orissae, *Pseudoarachnoidius*, 900 ('orissi')
- orissaensis, *Nanoscypha*, 442
- orixae, *Microsphaera*, 490
- ornamentata, *Nectriella*, 254
- ornamentatum, *Pythium*, 779
- ornata, *Dissophora*, 958
- , *Microsphaera*, 167
- , *Mortierella*, 353, 396
- , *Sphaerodes*, 95
- , *Traquairia*, 267 ('ornatus')
- var. *europaea*, *Microsphaera*, 252
- ornatissimus, *Marasmiellus*, 766
- ornatulus, *Aspergillus*, 520
- ornatum, *Mycocarpon*, 253 ('ornatus')
- ornatus, *Botryandromyces*, 421
- , *Dixomyces*, 429
- ornellum, *Hypholoma*, 434 ('oruellum')
- ornithocephala, *Octospora*, 88
- ornithopoda, *Trichosporiella*, 140
- oroantartica, *Lecidea*, 488
- oroarctica, *Brodoa*, 656
- orobi-tuberosi, *Uromyces*, 506
- oroflavum, *Ganoderma*, 431
- oronoensis, *Clavaria*, 951
- orontii, *Golovinomyces*, 884
- oropensoides, *Nectriopsis*, 977
- orotrechorum, *Rhachomyces*, 94
- oroussetii, *Sugiyamaemyces*, 996
- oroxyli, *Pseudocercospora*, 693
- oroxylicola, *Stenella*, 214
- oroxylogena, *Pseudocercospora*, 211
- orquidianus, *Boletus*, 871
- orthoceras, var., *Fusarium oxysporum*, 833
- orthoconium, var., *Fusarium microcera*, 832
- orthospora, *Mycogloea*, 976
- orthosticha, *Eutypa*, 756
- ortmansiae, *Xylohypha*, 63
- ortoniana, *Hygrocybe*, 965
- ortonii, *Hygrocybe*, 293, 433
- , *Hygrophorus*, 483
- oryzae, *Corallocystostroma*, 44
- , *Exserohilum*, 757
- , *Gerlachia*, 13
- , *Luttrellia*, 17 ('Lutrellia')
- , *Microdochium*, 299
- , *Moniliopsis*, 680
- , *Neokellermania*, 130
- , *Protoachlya*, 260
- forma *specialis* *oryzae*, *Pyricularia*, 609
- forma *specialis* *zizaniae*, *Pyricularia*, 609
- , forma *specialis*, *Pyricularia grisea*, 555
- , forma *specialis*, *Pyricularia oryzae*, 609
- , var., *Aspergillus flavus*, 575
- oryzae-gigantis, forma *specialis*, *Fusarium moniliforme*, 161
- oryzae-sativae, *Ceratobasidium*, 746
- , *Cochliobolus*, 748
- , *Curvularia*, 955
- , *Phomopsis*, 22
- oryzicola, *Exserohilum*, 389
- , *Sporobolomyces*, 783
- oryzinum, *Exserohilum*, 389
- oryzopsidis, *Dendroseptoria*, 119
- osbeckiae, *Pseudocercospora*, 1071
- osmaniensis, *Melampsora*, 395
- osmanthi-asiatici, *Pseudocercospora*, 1071
- osmophila, *Ascosphaera*, 331
- , *Hanseniaspora*, 391
- osmorhizae, var., *Puccinia chaerophylli*, 137
- osmundicola, *Ascochyta*, 740
- var. *yalensis*, *Mycena*, 396
- osornensis, *Candida*, 381
- osorninus, var., *Pycnoporus cinnabarinus*, 902
- ossatus, *Ochroporus*, 600
- osseoalba, *Hypotrachyna*, 886
- ossicola, var., *Fusarium sambucinum*, 833 ('ossicolum')
- ostiolata, *Pertusaria*, 65
- ostiolorum, *Nectriopsis*, 978
- ostoyae, *Armillaria*, 869
- ostreatus forma *florida*, *Pleurotus*, 899
- ostreiformis, *Daedalea*, 119
- var. *latiporus*, *Tyromyces*, 999
- var. *microsporus*, *Tyromyces*, 999
- var. *pertrimiticus*, *Tyromyces*, 999
- ostriolor, *Phellinus*, 447
- ostuophilus, *Cortinarius*, 877
- ostryae, *Apiognomonina*, 278
- , *Asteroma*, 4
- ostryoderridis, *Sorataea*, 25
- osuzumontana, *Cordyceps*, 44
- osvaldii, *Apiotrichum*, 378
- osyridis, *Discostroma*, 288
- otae, *Arthroderma*, 519
- otagensis, *Rinodina*, 310
- otagoana, *Pertusaria*, 304
- otagoensis, *Ramalina*, 609
- otakou, *Ceriporia*, 747
- otaviana, *Thyrea*, 702
- otostegia, *Puccinia*, 990
- otsuensis, *Hygrocybe*, 245
- oubanguensis, *Leptosphaeria*, 87
- , *Nectria*, 88
- , *Trichonectria*, 96
- ouselii, *Smittium*, 365 ('ouslei')
- ovaliformis, *Lacrimasporonites*, 349
- ovalis, *Candida*, 658
- , *Inapertisporonites*, 125
- , *Koralionastes*, 762
- , *Monoporisporites*, 129
- , *Staphlosporonites*, 139
- , *Transeptaesporites*, 316
- , *Triporisporonites*, 141
- , subsp., *Ramalina celastri*, 695
- , var., *Asterina elaeocarpi*, 741
- , var., *Morchella pseudoumbrina*, 491
- ovalispora, *Dicyma*, 81

- , Epithele, 240
- , Galerina, 198
- , Greletia, 14
- , Hirsutella, 201
- , Octospora, 771
- var. dolichoderi, Hirsutella, 201
- ovalisporus, Tubulicrinis, 97
- , var., Mucor laxorrhizus, 974
- ovariicola, Bipolaris, 190
- ovata, Guedea, 242
- , Mortierella, 167
- , Umbelopsis, 560
- ovatisporum, Myiocopron, 546
- ovatisporus, var., Cortinarius biveloides, 116
- ovatum, Coniothyrium, 527
- , Tubeufia, 703
- ovatus, Didymoporisporonites, 197
- , Multicellaesporites, 130
- , Pluricellaesporites, 135
- ovei, Phaeosphaeria, 984
- overeemii, Sporisorium, 26
- overholtsii, Antrodidiella, 330
- , Diplomitoporus, 428
- , Flaviporus, 389
- , Incrustoporia, 294
- , Phellinus, 400
- ovetense, Penicillium, 89
- ovi, Isaria, 435
- ovibovinus, Saccobolus, 1077
- oviforma, Poria, 776
- oviformis, Byssosphaeria, 332
- , Lacrimasporonites, 295
- , Perenniporia, 773, 982 ('oviformus')
- var. borneensis, Perenniporia, 982
- ovilla, Rhodoscypa, 264
- ovilloides, Leucoscypa, 596
- ovina, Neohygrocye, 547
- , Triangularia, 96
- , Zopfiella, 913
- oviparasiticum, Lagenidium, 969
- ovispora, Diheterospora, 10
- , Guepinopsis, 1056 ('ovisporus')
- , Heterosphaeria, 671
- , Lanzia, 676
- , Lepista, 351
- , Ramariopsis, 844
- , var., Clitocybe aggregata, 232
- ovoidea, Endophragmiella, 81
- , Macbrideola, 298
- , Virgariella, 142
- var. proxima, Amanita, 738
- ovoideoperitheciata, Cordyceps, 193
- ovoideo-brunnea, var., Morchella angusticeps, 769
- ovoideum, Hypochniciellum, 50
- ovoideus, Dictyosporites, 287
- , Pleosporonites, 307
- ovoidospora, Tubaria, 409
- owariensis, Paraparmelia, 603
- oxalidicola, Embellisia, 238
- oxalidis, Pseudocercospora, 989
- oxyacanthae, forma, Cytospora leucosperma, 157
- oxycephala, forma, Cordyceps sphecocephala, 235
- oxycocci, Sphaeropezia, 699
- oxydabilis, Krombholziella, 203
- oxyglymmatis, Laboulbenia, 486
- oxyriae, Pseudocercospora, 901
- oxyspora, Didymella, 957
- , Nectriopsis, 978
- , Phacopsis, 898
- oxysporae, Pseudocercospora, 693
- oxysporum, Melanomma, 488
- var. orthoceras, Fusarium, 833
- forma hebes, Fusarium, 431 ('hebae')
- forma specialis adzukicola, Fusarium, 96
- forma specialis aleuritis, Fusarium, 161 ('aleuritidis')
- forma specialis benincasae, Fusarium, 535
- forma specialis bouvardiae, Fusarium, 883
- forma specialis croci, Fusarium, 1055
- forma specialis cucurbitacearum, Fusarium, 757
- forma specialis fatshederae, Fusarium, 241
- forma specialis garlic, Fusarium, 589
- forma specialis hebes, Fusarium, 431
- forma specialis heliotropii, Fusarium, 668 ('heliotropae')
- forma specialis koae, Fusarium, 48
- forma specialis momordicae, Fusarium, 241
- forma specialis pyracanthae, Fusarium, 161
- forma specialis ranunculi, Fusarium, 535
- forma specialis sansevieriae, Fusarium, 290
- oxystoma, Strickeria, 700, 786, 908
- oxystomodes, Strickeria, 786 ('Strickera')
- oxyteli, Monoicomycetes, 300 ('oxytelis')
- oxythele, Strickeria, 786
- oxytoneus, Cortinarius, 117
- ozeensis, Hymenogaster, 15
- pabulariae, Pyrenopeziza, 263
- pachmarhiensis, Leptodothiorella, 204
- pachnea, Mycomicrothelia, 492
- pachnostoma, Pseudotrichia, 361
- pachycarpa, Botanamphora, 1044
- , Megalospora, 166
- , Trematosphaeria, 997
- pachycaule, Pythium, 499
- pachycellularis, Dictyosporites, 287
- pachycephalus, Tylopilus, 317
- pachycheila, Megalospora, 251
- pachyclada, Xanthoparmelia, 705
- pachyclados, Cladonia, 581
- pachycolea, Amanita, 188
- pachycystis, Gymnopilus, 963
- , Russula, 312
- pachydactyla, Flavoparmelia, 535
- pachyderma, Concamerella, 115
- , Distocercospora, 880
- , Nectria, 254
- pachydermis, Chamonixia, 422
- pachydermum, Entyloma, 480
- , Everniastrum, 534
- pachydermus, Multicellaesporites, 206
- pachyiuli, Rickia, 610
- pachylaelapis, Rickia, 174
- pachylamellatum, var., Entoloma turbidum, 82

- pachymera, forma, *Poria alpina*, 360
 ('pachymeres')
 pachyphylla, *Neophyllis*, 31
 —, *Thyrea*, 1079
 — var. *laxa*, *Thyrea*, 1079
 pachyphyllus, forma, *Marasmius wynnei*, 892
 pachypus, var., *Boletus radicans*, 469
 pachyrrhizi, *Pseudocercospora*, 1071
 pachysandrae, *Mycosphaerella*, 770
 ('*Mycosphaerella*')
 pachysoma, *Lecanora*, 1060
 pachyspora, *Multicellaesporites*, 300
 —, var., *Galerina muricellospora*, 431
 pachysporum, *Exobasidium*, 122
 pachystomum, *Myriotrema*, 31
 pachyvolvata, *Amanita*, 378, 654, 738, 942
 pacifica, *Capnobotrys*, 112
 —, *Cladina*, 423
 —, *Peltigera*, 549
 —, *Psora*, 778
 — var. *inacida*, *Ramalina*, 310
 —, subsp., *Cladina portentosa*, 383
 pacificum, *Astreptonema*, 420
 pacificus, *Treubiomyces*, 267
 —, *Tylophilus*, 27
 —, subsp., *Panellus longinquus*, 356
 padellana, *Phaeosphaeria*, 688
 padi, *Sorataea*, 365
 padicola, *Ophiognomonia*, 303
 padwickii, *Phacidiopycnis*, 20
 paechnatzii, *Lamprospora*, 763
 paederiae, *Microsphaera*, 490
 paelochroum, *Lyophyllum*, 166
 paeminosa, *Cladonia*, 951
 paeoniae, *Erysiphe*, 160
 paeoniicola, *Tubercularia*, 1079 ('*paeonicola*')
 paepalostoma, forma, *Caloplaca variabilis*,
 523
 paguentus, *Cortinarius*, 877
 pahangense, *Heterobasidium*, 964
 pahangensis, *Microporellus*, 680
 pahangi, *Inocybe*, 888
 pahariae, *Massospora*, 87
 pahiensis, *Tylothallia*, 317
 painavuense, *Aecidium*, 653 ('*painavuensis*')
 pakistana, *Massariosphaeria*, 251
 pakistanica, *Marssonina*, 352
 —, *Sclerocystis*, 24
 pakistanicus, *Mucor*, 441
 —, *Rhizomucor*, 362, 451
 palaquii, *Marvalia*, 395
 palauensis, var., *Sporidesmiella parva*, 454
 paleaceus, *Aspergillus*, 520
 palearum, *Brunnipila*, 470
 —, *Lachnum*, 164, 487
 — var. *niger*, *Dasyscyphus*, 45
 paleiferus var. *brachyspermus*, *Cortinarius*,
 830
 paleotropicalis, *Coprinus*, 78
 palezkii, *Camarosporium*, 745
 palicoureae, *Schiffnerula*, 781
 palinuri, *Didymaria*, 158
 pallens, *Cladonia*, 660
 —, *Entoloma*, 239
 —, var., *Collaria elegans*, 384
 pallescens, *Cochliobolus*, 748
 —, *Dixomyces*, 429
 —, *Hebeloma*, 344
 —, *Lactarius*, 53
 —, *Pseudocochliobolus*, 361
 —, *Tetrandromyces*, 456
 — var. *palmerensis*, *Lactarius*, 53
 —, forma, *Amanita vaginata*, 572
 —, forma, *Cortinarius saturatus*, 195
 —, subsp., *Ochrolechia parella*, 547
 —, var., *Acarospora smaragdula*, 188
 —, var., *Amanita vaginata*, 826
 palliatum, *Camarosporium*, 5
 pallida, *Bouvetiella*, 577
 —, *Cheilymenia*, 231
 —, *Peyritschiella*, 445
 —, *Rozites*, 174
 —, *Sowerbyella*, 502
 —, *Syzygospora*, 559
 —, *Terfezia*, 701
 —, *Torrubiella*, 216
 —, forma, *Macrotyphula defibulata*, 837
 —, var., *Amanita gemmata*, 825
 —, var., *Fomitopsis albomarginata*, 960
 —, var., *Hygrocybe pratensis*, 483
 —, var., *Lepiota lilacea*, 1060
 —, var., *Morchella rotunda*, 491
 —, var., *Ptychoverpa bohemica*, 136
 —, var., *Pyxine cocoes*, 695
 —, var., *Ramaria rubricarnata*, 903
 pallideterminalis, *Pleospora*, 1068
 pallide-ochracea, *Scutomollisia*, 406
 pallidibrunnea, *Trichophaea*, 1079
 pallidolivacea, *Cordyceps*, 234
 pallidolivaceus, *Lactarius*, 53
 pallidior, var., *Lepiota cristata*, 127
 pallidipes, *Clitocybe*, 473
 —, *Cortinarius*, 475
 —, *Lactarius*, 296
 — forma *flagellata*, *Inocybe*, 246
 pallidipilosa, *Uncinia*, 141
 pallidisetosa, *Tricharina*, 62
 pallidissima, *Simocybe*, 364
 pallidistipes, *Krombholziella*, 203
 pallidistipitata, var., *Inocybe intricata*, 246
 pallidobrunnea, *Ceratocystiopsis*, 76
 pallidoflavescens, *Amanita*, 2
 pallidogriseum, forma, *Entoloma clypeatum*,
 81
 pallidoluctuosum, *Hebeloma*, 538
 —, var., *Hebeloma sacchariolens*, 759
 pallidorimosa, *Russula*, 1076
 pallidorosea, var., *Arpinia luteola*, 869
 pallidospora, *Conocybe*, 233
 pallidosporus, *Rhodophyllum*, 60
 pallido-argillaceum, *Hebeloma*, 344
 pallido-incarnatus, *Clavariadelphus*, 873
 pallido-saponaria, *Ramaria*, 990
 pallido-virens, *Phanerochaete*, 774
 —, *Corticium* see *Phlebia viridisaalebrosa*
 pallidula, *Armillaria*, 826
 —, *Badimia*, 521
 —, *Grandinia*, 199
 —, *Kneiffiella*, 126
 —, *Tuckermannopsis*, 790
 pallidulus, forma, *Cortinarius boulderensis*,
 194

- pallidum, *Crocicreas*, 79
 —, *Hyphothyrium*, 886
 —, *Lyophyllum*, 298
 —, var., *Tulostoma brumale*, 911
 pallidus, *Neolentinus*, 493
 —, *Pilophorus*, 776
 —, *Svrcekomyces*, 96
 — var. *compactus*, *Lactarius*, 16
 —, forma, *Cortinarius favrei*, 829
 —, forma, *Gliophorus laetus*, 833
 —, var., *Buglossoporus marmoratus*, 380
 —, var., *Camarophyllus pratensis*, 281
 —, var., *Cantharellus cibarius*, 579
 —, var., *Cortinarius rufoolivaceus*, 425
 —, var., *Cuphophyllum pratensis*, 1052
 —, var., *Laetiporus discolor*, 393
 —, var., *Polyporus polychrous*, 607 ('pallida')
 —, var., *Rigidoporus microporus*, 697
 palma, *Arborispora*, 654
 palmae, *Lachnum*, 676
 —, *Penicillium*, 981
 palmaea, *Edythea*, 339
 palmariae, *Petersenia*, 445
 palmarum, *Amphisphaeria*, 418
 palmata, *Palmellathyrites*, 398
 palmatum, *Tetracladium*, 1078
 palmatus, *Microthyriacites*, 206
 — var. *minor*, *Dacrymyces*, 1053
 palmerensis, var., *Lactarius pallescens*, 53
 palmicola, *Ascochyta*, 740
 —, *Cercophora*, 746
 —, *Cirrenalia*, 6
 —, *Coccomyces*, 7
 —, *Cortinarius*, 236 ('palmicolus')
 —, *Dicranidion*, 120 ('palmicolum')
 —, *Microdochium*, 166
 —, *Sarophorum*, 557
 —, *Sirosporium*, 406
 —, *Solosypodiella*, 25
 —, *Stenella*, 455
 palmivora var. *heterocystica*, *Phytophthora*, 358, 899
 palniense, *Lopadium*, 128 ('palniensis')
 palniensis, *Buellia*, 190
 —, *Pyxine*, 212
 paludicola, *Entoloma*, 667
 —, forma, *Scutellinia barlae*, 265
 —, var., *Inocybe fuscomarginata*, 348
 paludigena, *Candida*, 112
 —, *Trichosporiella*, 456
 paludigenum, *Rhodosporidium*, 94
 paludigenus, *Marasmius*, 892
 paludinella, *Galerina*, 883
 — forma *citrophylla*, *Inocybe*, 51
 paludophila, *Clitocybe*, 156
 paludosa, *Agrocybe*, 738
 —, *Allophylaria*, 466
 —, *Dermocybe*, 45
 —, *Hyaloscypha*, 163
 —, *Inocybe*, 888
 —, *Morenoina*, 18
 —, *Ramaria*, 24
 —, *Rimbachia*, 363
 — forma *lilacinorosea*, *Mitula*, 490
 —, var., *Clitocybe dealbata*, 282
 paludosus, *Marasmiellus*, 17
 palumbina var. *pictipes*, *Russula*, 312
 palustris, *Aleuria*, 518
 —, *Cortinarius*, 8
 —, *Dermocybe*, 531
 —, *Fomitopsis*, 430
 —, *Gnomonia*, 291
 —, *Hydrocybe*, 539
 —, *Lepidopterella*, 54
 —, *Massariosphaeria*, 439
 —, *Micropeltopsis*, 1062
 —, *Omphaliaster*, 683
 —, *Sphaerocordyceps*, 95
 —, *Spizellomyces*, 406
 — var. *huronensis*, *Cortinarius*, 285
 — var. *sphagneti*, *Cortinarius*, 8
 — forma *sphagneti*, *Cortinarius*, 529
 pamela, *Microthyrium*, 55
 pampeanum, *Vascellum*, 848
 pampeanus, *Pseudogymnopilus*, 59
 panacis, *Diatrype*, 477
 —, forma *specialis*, *Cylindrocarpon destructans*, 427
 panaeola, *Amygdalaria*, 739
 — var. *nimbata*, *Lepista*, 437
 panaeoloides, *Psathyrella*, 261, 449
 panaeolus var. *irinoides*, *Lepista*, 297
 — var. *nimbatus*, *Lepista*, 297
 panamense, *Penicillium*, 981
 panamensis, *Hygrophoropsis*, 293
 —, *Ocellularia*, 31
 —, *Simocybe*, 994
 panasenkoi, *Penicillium*, 20
 —, *Talaromyces*, 26
 panattonianum, *Microdochium*, 545
 pancaribbea, *Ramaria*, 137
 — var. *zealandica*, *Ramaria*, 844
 pancratii, forma *specialis*, *Uromyces scillarum*, 791
 pandani, *Botryobasidium*, 153
 —, *Hyperphyscia*, 760
 —, *Monodictys*, 440
 —, *Vestergrenia*, 410
 pandanicola, *Claudopus*, 44
 —, *Placoasterella*, 259 ('Placsoterella')
 pandus, *Multicellaesporites*, 130
 panelloides, *Gymnopilus*, 1056
 —, *Hohenbuehelia*, 163
 pani, *Hyalopeziza*, 124
 —, *Phaeohelotium*, 495
 —, *Urceolella*, 847
 panici, *Crocicreas*, 79
 —, *Phaeosphaeria*, 984
 panicoidearum, *Claviceps*, 951
 paniculata, *Exidiopsis*, 667
 pannarioides, *Psoroma*, 263
 pannicola, *Chrysosporium*, 6
 pannocincta, *Ceriporiopsis*, 422
 —, *Gelatoporia*, 480
 pannorum var. *asperulatus*, *Geomyces*, 13
 — var. *vinaceus*, *Geomyces*, 13
 pannosa, *Eumela*, 389
 pannosus, var., *Boletus subtomentosus*, 947
 pannucea, *Anthracoidea*, 418
 —, *Contractia*, 472
 panshanensis, *Didymoporisporonites*, 197
 pantherina, *Parmelia*, 495

- , *Xanthoparmelia*, 705
- var. *fallax*, *Lecidea*, 99
- forma *albida*, *Amanita*, 572
- forma *exannulata*, *Amanitaria*, 573
- forma *mediterranea*, *Amanita*, 868
- , forma, *Russula krombholzii*, 612
- pantholocystis*, *Marasmiellus*, 971
- pantoleuca*, *Hygrocybe*, 245
- pantoleucus*, *Veloporphyrrellus*, 409
- pantopolia*, *Mycena*, 976
- pantoxanthum*, *Gerronema*, 962
- panurensis*, *Gymnopilus*, 885
- paontensis*, *Diatrypella*, 586
- papaveris*, *Sphaerotheca*, 406
- papendorfii*, *Bipolaris*, 229
- papilionaceus*, *Trimorphomyces*, 409
- papillata*, *Batkoa*, 945
- , *Entomophaga*, 882
- , *Inocybe*, 888
- , *Scutumollisia*, 1077
- papillatum*, *Ceratobasidium*, 43
- papillatus*, *Chroogomphus*, 333
- , *Conidiobolus*, 8
- , *Marasmiellus*, 166
- , *Rhodophyllus*, 264
- papillosa*, *Flavoparmelia*, 535
- , *Strickeria*, 786 ('Strickera')
- , var., *Trichothyria nigro-annulata*, 910
- papillostoma*, *Gnomoniella*, 291
- papillosum*, *Nephroma*, 771
- papuaana*, *Cladonia*, 525
- , *Favolaschia*, 198
- , *Mycosphaerella*, 492
- , *Pseudoauricularia*, 211
- papuanus*, *Gloeoporus*, 962
- , *Hesperomyces*, 482
- , *Neolentinus*, 493
- papulasporae*, *Hypomyces*, 485
- var. *americanus*, *Hypomyces*, 485
- papyracea*, *Psathyrella*, 449
- , *Skeletocutis*, 213
- papyria*, subsp., *Umbilicaria hirsuta*, 33
- parabalkanica*, *Monilia*, 838
- parabola*, *Letrouitia*, 165
- paraceracea*, *Hygrocybe*, 965
- paracerasphora*, *Inocybe*, 888
- parachalmersii*, *Monilia*, 838
- paradisi*, *Septoria*, 994
- paradoxa*, *Dirina*, 532
- , *Fellhanera*, 535
- , *Lichenothelia*, 678
- , *Trichopezizella*, 216
- , *Xanthoparmelia*, 705
- subsp. *africana*, *Dirina*, 532
- subsp. *approximata*, *Dirina*, 532
- forma *sorediata*, *Dirina*, 532
- paradoxiformis*, var., *Lactarius pseudodeliciosus*, 53
- paradoxum*, *Scleroderma*, 175
- paradoxus*, *Dicellaesporites*, 196
- , *Hymenoscyphus*, 293
- , *Shimizuomyces*, 94 ('paradoxa')
- forma *subaerugineus*, *Leucopaxillus*, 17
- paraensis*, *Chamaemyces*, 950
- parafradulosus*, *Cortinarius*, 954
- var. *tenuifolius*, *Cortinarius*, 1051
- paraguaya*, *Puiggarina*, 902
- paraguayensis*, *Cercospora*, 382
- , *Deigloria*, 196
- , *Endothia*, 1054
- , *Microthyria*, 55
- , *Nochascypha*, 301
- parahelios*, var., *Crocicreas helios*, 118
- paraherquei*, var., *Penicillium ochrochloron*, 549
- parakrusei*, *Candida*, 421
- , *Monilia*, 838
- paralanuginosa*, *Inocybe*, 246
- paralion*, var., *Cylindrodendrum album*, 955
- parallelis*, *Dihyphis*, 586
- paramense*, *Everniastrum*, 534
- paramensis*, *Hypotrachyna*, 125
- paramerae*, *Pertusaria*, 445
- paramignyae*, *Meliola*, 893
- paramoreliense*, *Parmotrema*, 132
- paramyciformis*, *Pyrenopeziza*, 555
- paranensis*, *Sphacelotheca*, 994
- paraolivacea*, var., *Russula vinosobrunnea*, 780
- paraparensis*, *Peristomialis*, 982
- parapersistens*, var., *Hygrocybe aurantio-lutescens*, 965
- paraphysata*, *Eutypella*, 756
- paraphysincrustedata*, *Trichophaea*, 790
- parapsilosis* var. *querci*, *Candida* see *Candida quercitrusa*
- pararoseus*, *Sporidiobolus*, 314
- , *Sporobolomyces*, 314
- pararustica*, *Omphalina*, 207
- parasebaceus*, *Cortinarius*, 954
- parasemella*, *Hafellnera*, 391
- , *Lecidella*, 127
- parasemoides*, *Dactylospora*, 9
- parasericellum*, *Entoloma*, 47
- parasitica*, *Agrocybe*, 277
- , *Ascosphaera*, 740
- , *Beauveria*, 469
- , *Calonectria*, 75
- , *Capronia*, 580
- , *Dicyma*, 158
- , *Endothiella*, 754
- , *Neobarya*, 547
- , *Strickeria*, 786 ('Strickera')
- , *Syspastospora*, 176
- , *Unguiculariopsis*, 847
- , var., *Russula carmesina*, 1075
- parasiticum*, *Amauroderma*, 227
- , *Cleistonium*, 525
- , *Cylindrobasidium*, 830
- , *Entoloma*, 429
- , *Glonium*, 537
- , *Gonatobotryum*, 123
- , *Lophodermium*, 597
- , *Pachythyrium*, 1065
- , *Rhizothyrium*, 556
- , *Sarcostroma*, 501 ('parasitica')
- , *Tolypocladium*, 27
- parasiticus*, *Culicinomyces*, 663
- , *Grimmicola*, 342
- , *Ocotomyces*, 398
- , *Sorosporonites*, 406
- , *Uyucamyces*, 409

- var. *sojae*, *Aspergillus*, 279
- , subsp., *Aspergillus flavus*, 575
- parastata*, *Hafellia*, 759
- parasuaveolens*, var., *Cortinarius sodagnitus*, 877
- paratropicalis*, *Candida*, 75
- , *Endomyces*, 831
- , *Monilia*, 838
- paratuberculifera*, *Pertusaria*, 65
- paraviolaceus*, *Cortinarius*, 662
- parazurea* var. *ochrospora*, *Russula*, 905
- parcivolum*, *Hebeloma*, 344
- parcum*, *Diplococcium*, 238
- pardalina*, *Amphisphaeria*, 942
- pardi*, *Parmotrema*, 257
- pardii*, *Parmelia*, 132
- pardinum* var. *filamentosum*, *Tricholoma*, 316
- parella* subsp. *anomala*, *Ochrolechia*, 547
- subsp. *pallescens*, *Ochrolechia*, 547
- paridis*, *Cercosporidium*, 191
- parietariae*, *Peronospora*, 841
- , *Sphaerotheca*, 558
- parietina* subsp. *calicicola*, *Xanthoria*, 562
- subsp. *ectanea*, *Xanthoria*, 562
- parietinus*, *Oropogon*, 979
- parilis*, *Peristomialis*, 982
- parisianorum*, *Melanoleuca*, 767
- forma *clitocyboides*, *Melanoleuca*, 973
- parisiorum*, *Melanoleuca*, 767
- parkeri*, *Meria*, 598
- , *Rhabdocline*, 610
- parkii*, *Lasiobelonium*, 54
- var. *album*, *Lasiobelonium*, 54
- parmastoi*, *Vararia*, 409
- parmeliae*, *Nectria*, 88
- parmeliarum*, *Pseudolecidea*, 450
- parmigera*, *Bagliettoa*, 111
- parmigerella*, *Bagliettoa*, 111
- parmotrematis*, *Abrothallus*, 941
- parodiellae*, *Ascochytopsis*, 3
- paropsis*, *Clitocybula*, 1046
- parthenii*, *Oidium*, 168
- paruraceus*, *Cortinarius*, 8
- parva*, *Arcangiella*, 419
- , *Botryosphaeria*, 469
- , *Cladonia*, 660
- , *Cylindrocladiella*, 196
- , *Dictyochaeta*, 880, 957
- , *Fistulariella*, 668
- , *Flabellophora*, 668
- , *Mycosphaerella*, 167
- , *Sporidesmiella*, 214
- var. *crescens*, *Emmonsia*, 10
- var. *palauensis*, *Sporidesmiella*, 454
- , var., *Phragmocephala stemphylioides*, 134
- parvipilus*, *Cortinarius*, 425
- parvibulbosa*, *Xeromphalina*, 793
- parviconicus*, *Marasmius*, 166
- parvifolia* var. *breviuscula*, *Phyllopsora*, 986
- parvifoliae*, *Meliola*, 252
- parvipialis*, *Nectria*, 977
- parvisetosum*, *Botryobasidium*, 827
- parvispora*, *Auerswaldiella*, 944
- , *Collybia*, 335, 829
- , *Discina*, 532
- , *Gyromitra*, 590
- , *Inocybe*, 674
- , *Neozygites*, 19
- , *Ruhlandiella*, 363
- , *Sowerbyella*, 699
- , var., *Ramaria ochraceovirens*, 499, 556
- , var., *Tricholoma atosquamosum*, 910
- parvisporigenum*, var., *Entoloma polioopus*, 479
- parvisporum*, *Coleosporium*, 115
- , *Dictyostelium*, 665
- , *Gloeocystidiellum*, 162
- , *Scytinostroma*, 781
- , *Trinacrium*, 703
- , *Xenasma*, 178
- , var., *Amauroderma malesianum*, 227
- parvisporus*, var., *Buglossoporus marmoratus*, 380
- , var., *Microporellus inusitatus*, 680
- parviungulatum*, *Ganoderma*, 589
- parvivelutina*, *Omphalina*, 207
- parvocalcicola*, subsp., *Poeltinula cerebrina*, 552
- parvoclystoides*, *Xanthoparmelia*, 913
- parvograminis*, *Phaeosphaeria*, 984
- parvoincerta*, *Xanthoparmelia*, 622
- parvopurpurea*, *Russula*, 1076
- parvorosea*, *Russula*, 1076
- parvostriatus*, *Cortinarius*, 529
- parvula*, *Antrodia*, 869
- , *Conocybe*, 283
- , *Dendryphiosphaera*, 830
- , *Eversia*, 588
- , *Fellhanera*, 535
- , *Gyalideopsis*, 834
- , *Hyaloscypha*, 243
- , *Hygrocybe*, 84, 245
- , *Morenoina*, 491
- , *Phaeosphaeria*, 446
- , *Pseudohygrocybe*, 842
- , *Sirotrema*, 558
- parvulospira*, *Russula*, 993
- parvuloporus*, var., *Labyrinthomyces westraliensis*, 541
- parvulum*, *Stachycoremium*, 502
- parvulus*, *Arenariomyces*, 519
- , *Coccomyces*, 7
- , *Marasmius*, 679, 892
- , *Panellus*, 685
- , *Pulveroboletus*, 778
- , *Rigidoporus*, 697
- parvum*, *Coniophyrium*, 527
- , *Fusicoccum*, 480
- , *Pythium*, 499
- parvus*, *Acompsoomyces*, 941
- , *Aigialus*, 466
- , var., *Coelomomyces reticulatus*, 527
- , var., *Lactarius rufus*, 53
- pascua*, *Paecilomyces*, 494
- pascuensis*, *Agrocybe*, 109
- , *Rhodocybe*, 138
- pascuus*, *Phaeomarasma*, 982
- , *Xerocomus*, 458
- paspali*, *Exserohilum*, 668
- , *Phoma*, 134
- var. *americanus*, *Marasmiellus*, 837
- paspali-thunbergii*, *Sporisorium*, 699

passeriniana, Endothia, 1054
 passifloracearum, forma specialis, Oidiopsis
 taurica, 896, 978
 passiflorae, Aplosporella, 73 ('Haplosporella
 passifloridis')
 —, Microdochium, 680
 —, Monographella, 681
 pastinacae-sativae, Ramularia, 991
 patagonica, Diatrype, 752
 —, Lichenothelia, 678
 — var. nahuelbutensis, Psathyrella, 900
 —, forma, Mycena galericulata, 396
 patagonicum, Helotium, 200
 —, Pseudolyophyllum, 403
 patagonicus, Sphaerophorus, 313
 pataguae, Dermoloma, 956
 patavina, Nectria, 977
 patellarioides, Lecanactiomyces, 99
 ('patellarioidis')
 patellaris, Strickeria, 700, 786, 908
 ('Strickera')
 patellarius, Rigidoporus, 697
 patelliformis, Clitocybe, 156
 —, Ramalina, 779
 patena, Lachnum, 349
 patens, Penicillium, 444
 patereae, Drechslera, 478
 patibilis, Cortinarius, 236
 —, Inocybe, 835
 patillii, Acrocordiopsis, 941
 patonica, Usnea, 457
 patouillardii, Camillea, 948
 —, Joerstadia, 202
 —, var., Xylaria platypoda, 793
 patriciarum, Neocallimastix, 493
 patricium, Crustoderma, 336
 patriniae, Cercospora, 382
 pattersoniae, Pholiota, 447 ('pattersonae')
 patula, Parmelia, 399
 —, forma, Cladina rangiferina, 660
 paucicystidiata, forma, Galerina hygrophila,
 241
 —, forma, Galerina unicolor, 241
 —, forma, Inocybe dunensis, 887
 —, var., Hemimycena delectabilis, 243
 paucicystidiosa, var., Inocybe dunensis, 348
 paucifilum, Echinostelium, 46
 paucigibba, Astrosporina, 420
 pauciporus, Panellus, 685
 pauciseptata, Austroblastenia, 228
 paucisetosa, Hymenochaete, 293
 pauciskeletalis, Perenniporia, 897
 paucispora, Capnobotrys, 112
 —, Savoryella, 175
 —, Wuestneia, 1001
 paucisporum, Chloridium, 472
 paucula, Stictis, 315
 paulensis, Lactarius, 296
 —, var., Psilocybe banderillensis, 361
 paulina, Heppia, 201
 paulowniae, Phaeoisariopsis, 304
 —, Phaeoseptoria, 898
 paulowniicola, Mycovelloisia, 301
 pauper, Strobilomyces, 315
 paupera, Arborispora, 942
 —, var., Acarospora tongletii, 188

paupercula, Pirottaea, 606
 pauperum, Cyptotrama, 955
 pausiaca, Arcyria, 574
 —, Russula, 780
 pauxilla, Omphalina, 207
 pavettae, Bagnisiella, 469
 —, Diatrype, 477
 pavettae-indicae, Pseudocercospora, 211
 pavgii, Pithomyces, 134
 pavonia, Antrodia, 418
 pavoniae, Oidium, 600
 pavonii, Chrysothrix, 98
 paxillus, Clitocybe, 873
 —, Microglomus, 18
 — var. bicellulare, Microglomus, 299
 payenae, Maravalia, 395
 payettensis, Clitocybe, 232
 pearsonii, forma, Entoloma roseum, 339
 pecanae, Gnomonia, 291
 peckiana, Nolanea, 355
 — forma novoguineense, Ciboria, 660
 peckianus, Arthuriomyces, 331
 —, Leucoporus, 351
 peckii, Crinipellis, 663
 —, Delphinella, 585
 —, Gnomonia, 291
 —, Microsphaera, 205
 — var. glaucescens, Lactarius, 53
 — var. lactolutescens, Lactarius, 53
 pecten, Melanotus, 973
 pectinata var. subgrisea, Russula, 501
 —, forma, Inocybe calospora, 50
 pectinata, Hypogymnia, 1058
 pectinis-veneris, Aecidium, 737
 peculiare, Entoloma, 239
 pedatum, Acremonium, 941
 pedemirus, Cortinarius, 195, 529
 pedemontana, Inocybe, 674
 pediades forma bisporea, Agrocybe, 226
 — forma cinctula, Agrocybe, 1041
 pedicellata, Hygrotrama, 163
 pedicellatum, Geastrum, 242
 —, Morosporium, 441
 — var. pouzarii, Geastrum, 480
 pedifer, Stachylina, 314
 pediformis, Cistella, 192
 pedilanthi, Phomopsis, 357
 pedrosensis, Botryosphaeria, 577
 pedunculatum, Amylocorticium, 330
 pegani, Cercospora, 382
 pegleri, Entoloma, 388 ('peglerii')
 —, Inocybe, 348 ('peglerii')
 —, Marasmius, 395 ('peglerii')
 —, var., Hymenagaricus alphitochrous, 483
 pehenningsii, Phomopsis, 210
 pekingensis, Polyporus, 210
 pelargonia var. citrinovirens, Russula, 557
 pelargoniobtusum, Cortinarius, 425, 877
 pelargoniodora, Inocybe, 888
 pellectus, Rhodophyllum, 610
 pellicula, Oxyporus, 56
 pellicularis, Mycolindtneria, 895
 pelliculatus, Lactarius, 968
 pelliculosa, Postia, 900
 — var. bryopsea, Mycena, 441
 — var. fuscopurpurea, Mycena, 253

- , var., *Mycena epipterygia*, 130
- pellin, *Cortinarius*, 877
- pellioniae, *Asterina*, 521
- pellstoniana, *Dermocybe*, 879
- , *Krombholziella*, 203
- pellucida, *Bryoria*, 743
- , *Phlebia*, 841
- , *Russula*, 993
- , *Scutellospora*, 614
- pellucidipes, *Psathyrella*, 403
- pelodes, *Lemmopsis*, 99
- pelta, *Orchesellaria*, 356
- peltata, *Candida*, 230, 381
- , *Pachyella*, 131
- var. *regalis*, *Rhizoplaca*, 451
- peltatum, *Rolfidium*, 610
- peltatus, *Wakefieldiomyces*, 97 ('peltata')
- peltigerae, *Capronia*, 745
- , *Herpotrichiella*, 15
- , *Karsteniomyces*, 16
- , *Phoma*, 21
- peltigericola, *Actinopeltis*, 225
- , *Hawksworthiana*, 964
- , *Micropeltopsis*, 1062
- , *Phaeospora*, 21
- , *Ramularia*, 24
- , *Wentomyces*, 28
- peltophori, *Oidium*, 131
- , *Pseudocercospora*, 59
- peltophorum, *Anthracotheicum* see *Pyrenula neopeltophora*
- pelvetiae, *Arthopyrenia*, 28
- , *Leiophloeia*, 30
- , *Pyrenocollema*, 778
- penangensis, *Pleurotus*, 135
- penangiana, *Perenniporia*, 982
- penarius var. *barbatulus*, *Hygrophorus*, 966
- penatum, *Spadicoides*, 266
- pendens, *Gloeoporus*, 962
- , *Panellus*, 685
- pendula, *Mucronella*, 18
- pendulatus, *Zygnemomyces*, 142
- pendulina, var., *Usnea plicata*, 561
- pendulus, *Dictyopanus*, 427
- , *Oropogon*, 979
- penetralis, *Stachylinia*, 366
- penetrans, *Sebacina*, 782
- , *Tremella*, 316
- pengii, *Calostoma*, 380
- penicillata, *Chaetopsina*, 422
- , *Comatricha*, 283
- , *Phaeoramularia*, 258
- penicillatum, *Cladobotryum*, 44, 155
- penicillatus, *Fellomyces*, 430
- penicilliferi, *Nectria*, 977
- penicilloides, *Myrothecium*, 354
- penicillus var. *ambigua*, *Pleospora*, 259
- peniculuspora, var., *Scutellinia trechispora*, 265
- peninsularis, *Vanderbylia*, 704
- peniophora, *Decaisnella*, 585
- pennata, *Psathyrella*, 449
- forma *annulata*, *Psathyrella*, 449
- pennatae, *Ravenelia*, 24
- pennatus, *Thanatephorus*, 702
- pennelli, *Smittium*, 365
- pensilis, *Rhodoarrhenia*, 696
- pentagonospora, *Leptonia*, 351
- pentagynae, *Cylindrosporium*, 285
- pentaschistidis, *Uromyces*, 848
- pentatis, *Cercospora*, 6 ('pentadis')
- , *Phyllosticta*, 358 ('pentasii')
- pentatis-carniae, *Phyllosticta*, 58 ('pentas-carni')
- pentatropidis, *Oidium*, 978
- , *Phoma*, 21
- pentstemonis var. *phragmocystidiosa*, *Tubaria*, 316 ('phragmocystidiosa')
- penuriasorus, *Sorosporium*, 907
- peponicola, *Alternaria*, 151
- peradenica, *Agrocybe*, 518
- peradenyca, var., *Hygrocybe conica*, 539
- peraltus, var., *Cortinarius diabolicus*, 235
- perangusta, *Coniochaeta*, 156
- percaena, forma, *Acarospora cervina*, 187
- percandida, *Krombholziella*, 203
- percandidum, *Entoloma*, 160
- percognatum, *Entoloma*, 47
- percomatus, *Cortinarius*, 336
- percomium, *Cortinarius*, 529
- percontigua, *Huilia*, 293
- , var., *Porpodia cinereoatra*, 553
- , var., *Porpodia macrocarpa*, 553
- percrenata, *Trapelia*, 789
- , *Trapeliopsis*, 33
- perdelicata, *Postia*, 553
- perdelicatus, *Oligoporus*, 443
- peregianensis, *Bipolaris*, 190
- , *Cochliobolus*, 192
- peregrinus, *Phaeostalagmus*, 133
- perenne, *Exobasidium*, 389
- perennis, *Skeletocutis*, 615
- perexigua, *Gibellula*, 758
- perfarinaceum, *Hebeloma*, 344
- perfidiosa, *Clypeosphaeria*, 951
- , *Stereosphaeria*, 559
- perfidum, *Entoloma*, 47
- perfluopunicea, *Ramaria*, 844
- perforans, *Hypobryon*, 293
- , subvar., *Trichophyton tonsurans*, 316
- perforata, *Octosporella*, 19
- perforatum, *Smittium*, 782
- , var., *Hypoxylon rubiginosum*, 540
- perforatus, *Ascobolus*, 110
- perfumus, *Hygrophorus*, 434
- perfunctata, *Parmelia*, 981
- pergamenea, *Daedaleopsis*, 337
- pergulariae, *Phomopsis*, 134 ('pergularae')
- , *Pseudocercospora*, 59
- peri var. *megaforma*, *Clitopilus*, 232
- peribebuyensis, forma, *Cintractia axicola*, 6
- periclymeni var. *xylostelei*, *Kabatia*, 16
- pericystis, *Psilocybe*, 990
- peridiniella, *Aphanomyces*, 519
- perieri, *Monilia*, 838
- perigoense, *Hebeloma*, 344
- perigonae, *Dixomyces*, 429
- , *Laboulbenia*, 675
- perillae, *Ascochyta*, 468
- , *Colletotrichum*, 474
- periodica, *Sorataea*, 25

- periphericus, *Weddellomyces*, 1080
 ('peripherica')
 periphragmoides, *Lysurus*, 54
 perisidians, *Myelochroa*, 682
 perisporius, *Gymnopilus*, 885
 peristrophes, *Botryosporium*, 5 ('peristrophe')
 —, *Septocylindrium*, 175
 peristrophes-acuminatae,
 Semipseudocercospora, 265
 perlaceum, *Polynema*, 899
 perlaetus, *Phaeomarasmius*, 21
 perlata, forma, *Inocybe rimosa*, 1058
 perlongisporum, *Subulicystidium*, 908
 perlucida, *Gyalideopsis*, 834
 permacilentus, *Tyromyces*, 999
 permaculatum, *Myriotrema*, 1063
 permagnificus, *Boletus*, 153
 permagnus, *Porotenus*, 360
 perminuta, *Pseudopeltis*, 136
 —, *Rinodina*, 363
 —, *Xylographa*, 268
 perminutum, *Endopyrenium*, 159
 permixta, *Macrolepiota*, 17, 439, 489
 permixtum, var., *Trichaptum agglutinatum*,
 702
 permucida, *Inocybe*, 246
 permutata, *Nolanea*, 255
 pernambucense, *Sphaeronaema*, 95
 ('*Sphaeronema pernambucensis*')
 pernitrosum, *Entoloma*, 160
 —, forma, *Entoloma politum*, 82
 perobscurus, *Agaricus*, 417
 peronata, *Conocybe*, 233
 —, *Pratella*, 988
 — var. *tomentella*, *Collybia*, 748
 perone, *Hemimycena*, 538
 peronella, *Sclerophora*, 406
 peronosporae, *Cylindrocarpon*, 476
 peronosporoidea, *Pseudocercospora*, 92
 perornatus, *Cortinarius*, 236
 perotidis, *Bipolaris*, 190
 —, *Cochliobolus*, 192
 perovskiae, forma, *Leveillula labiatarum*, 204
 peroxydata, *Boidinia*, 827
 peroxydatum, *Gloeocystidiellum*, 162
 perpallida, *Calopadia*, 522
 perparva, *Peziza*, 604
 perpendicularis, *Dixomyces*, 288, 429
 perplexa, *Cystolepiota*, 476
 —, *Hygrocybe*, 483
 —, *Lecanora*, 394
 —, *Lepiota*, 86
 —, *Sphaerodes*, 176
 —, *Stagnicola*, 559
 —, *Vararia*, 97
 —, *Wrightoporia*, 1080
 perplexans, *Thecotheus*, 702
 perplexum, *Amauroderma*, 227
 —, *Hebeloma*, 344
 —, *Lachnum*, 164, 595
 — var. *brunnescens*, *Amauroderma*, 227
 — var. *gracile*, *Amauroderma*, 227
 perplexus, *Hymenoscyphus*, 592
 perpruinosa, *Lecanora*, 969
 perpusilla, *Benjaminella*, 74
 —, *Diplonaevia*, 338
 —, *Nectriopsis*, 978
 —, *Psathyrella*, 777
 —, *Sistotremella*, 365
 —, *Usnea*, 457
 —, subsp., *Ramalina inflata*, 695
 perpusillus, *Aporomyces*, 74
 —, *Tyromyces*, 999
 perradiata, *Aspicilia*, 110
 —, var., *Aspicilia polychroma*, 379
 perrara, *Ustilago*, 848
 perrarus, *Marasmius*, 972
 —, var., *Agaricus augustus*, 329
 perreticulata, *Punctelia*, 609
 perrinii, *Cortinarius*, 1051
 perroseus, *Boletus*, 75
 —, *Pluteus*, 307
 perrubescens, var., *Agaricus bisporus*, 41
 perrugatus, *Cortinarius*, 236
 perrugosa, *Xanthoparmelia*, 705
 perrumpens, *Epibryon*, 198
 perryi, *Endomyces*, 831
 —, *Monilia*, 838
 perscitus, *Cortinarius*, 236
 perseae, *Coccoidella*, 661
 —, *Colletogloeum*, 661
 persica, *Caloplaca*, 191
 —, *Gigaspora*, 480
 —, *Kabatia*, 16
 —, *Scutellospora*, 614
 persicae, *Morrisographium*, 353
 —, forma specialis, *Botryosphaeria*
 berengeriana, 421
 —, forma specialis, *Tranzschelia discolor*,
 560
 persicicola, var., *Fusarium merismoides*, 961
 persicina, *Pholiota*, 898
 —, *Russula*, 780
 — var. *intactior*, *Russula*, 312
 — forma alba, *Russula*, 613
 —, forma, *Ramariopsis depokensis*, 844
 —, var., *Clavaria phoenicea*, 829
 persicinus, *Buglossoporus*, 380
 —, *Cantharellus*, 471
 —, *Chalciporus*, 231
 —, *Laetiporus*, 86
 persicolor, *Arthroderma*, 519
 —, *Calocybe*, 578, 744
 persimile, *Helotium*, 200
 persistens, *Spadicesporium*, 213
 — var. *cuspidata*, *Hygrocybe*, 592
 — var. *langei*, *Hygrocybe*, 760
 perskeletalis, *Tyromyces*, 999
 personata, *Phaeoisariopsis*, 258
 persoonii, *Boletus*, 871
 —, *Pulparia*, 137
 — var. *fuscovinosus*, *Hygrophorus*, 163
 ('*fuscovinosa*')
 —, var., *Schwanniomycetes occidentalis*, 405
 perspersa, *Karoowia*, 967
 pertenuis, forma, *Caloplaca tenuatula*, 523
 —, var., *Caloplaca tenuatula*, 523
 pertexta, *Phyllopsora*, 134
 pertinax, *Xanthoparmelia*, 622
 pertinens, var., *Cortinarius claricolor*, 1048
 pertrimiticus, var., *Tyromyces ostreiformis*,
 999

- perturbata, *Mycena*, 354
 pertusa, *Aspicilia*, 741
 —, *Ramalina*, 499
 — forma *squamulifera*, *Lasallia*, 296
 pertusariicola, *Dactylospora*, 45
 ('*pertusaricola*')
 —, *Laeviomycetes*, 86
 —, *Taeniola*, 1078
 petusarioides, *Leptotrema*, 596
 —, *Tephromela*, 559
 pertyae, *Uredo*, 141
 perundata, *Eccilia*, 478
 peruni, *Hymenoscyphus*, 673
 perusta, *Poeltidea*, 401
 peruviana, *Apodospora*, 739
 —, *Cylindrocladiella*, 196
 —, *Dicyma*, 158
 —, *Kernia*, 889
 —, *Laboulbenia*, 763
 —, *Peyritschella*, 445
 peruvianum, *Cetrariastrum*, 114
 —, *Everniastrum*, 534
 peruviansis, *Xanthoparmelia*, 458
 pervadens, *Polyporus*, 402
 pervelutinum, *Entoloma*, 47
 pervelutinus, *Lactarius*, 53
 perrucispora, var., *Bovista aestivalis*, 947
 perversa, *Puiggarrina*, 902
 pervincae, *Phyllosticta*, 400
 pervulgata, forma, *Caloplaca tenuatula*, 523
 pestalozzioides, *Sporocadus*, 502
 —, *Truncatella*, 1079
 petaloides, *Diderma*, 287
 —, *Resupinatus*, 362
 — var. *macrospora*, *Hohenbuehelia*, 293, 433
 petasiti-pulchellae, var., *Puccinia poarum*, 778
 petchii, *Agaricus*, 517
 —, *Clitocybe*, 525
 —, *Entoloma*, 47
 —, *Erynia*, 160
 —, *Gibellula*, 758
 —, *Marasmiellus*, 544
 —, *Pyxidiophora*, 24
 —, *Zoophthora*, 142 ('*petchi*')
 petersenii, *Lactarius*, 53
 —, *Ramaria*, 451
 petersii, *Coccomyces*, 7
 petersonii, *Pichia*, 359
 petiolatum, *Pezoloma*, 897, 982
 petiolicola, *Apiognomonina*, 278
 petitianae, *Puccinia*, 361
 petkovicensis, *Phaeosphaeria*, 984
 petraeoides, *Protoparmelia*, 403
 petrakii, *Ascochyta*, 42
 —, *Coniella*, 8
 —, *Diatrype*, 752
 —, *Eutypa*, 756
 —, *Phoma*, 134
 —, *Plagiostoma*, 306
 —, *Pseudopleospora*, 262
 —, *Valsaria*, 561
 — var. *hederae*, *Eutypa*, 756
 petri, *Protothelenella*, 776
 petricola var. *convexula*, *Pyxine*, 695
 petrocallidis, *Arnaudiiella*, 1043
 petrohuensis, *Candida*, 381
 petroselineus, *Cortinarius*, 195
 — var. *cedriphilus*, *Cortinarius*, 195
 ('*cedriphila*')
 — var. *conicopurpuratus*, *Cortinarius*, 195
 ('*conicopurpurata*')
 — var. *minor*, *Cortinarius*, 195
 — var. *radicipes*, *Cortinarius*, 195
 — var. *subcrinitus*, *Cortinarius*, 195
 ('*subcrinita*')
 — var. *typicus*, *Cortinarius*, 195 ('*typica*')
 peucedani-elgonensis, *Puccinia*, 499
 peucedani-kerstenii, *Puccinia*, 499
 peullensis, *Pterospora*, 361
 —, *Tetrapyrgos*, 701
 peumo, *Cortinarius*, 877
 pezizaffinis, *Graamspora*, 291
 peziziformis, *Chaetosphaeria*, 747
 ('*pezizaeformis*')
 —, *Cladonia*, 383
 pezizoides, *Phoma*, 134
 —, *Sporocadus*, 502
 —, *Strickeria*, 786
 pezizula, *Tubeufia*, 62
 pfeifferi var. *borneense*, *Ganoderma*, 242
 pfisteri, *Molliardiomyces*, 353 ('*pfisterii*')
 phacelliae, *Urocystis*, 317
 phacelodes, *Periamphisporea*, 982
 phaea, *Coriolopsis*, 424
 —, *Strigula*, 66
 —, subsp., *Physcia aipolia*, 551
 phaedropis, *Conocybe*, 527
 phaeobyssina, var., *Phyllopsora corallina*, 986
 phaeocephala, *Russula*, 993
 phaeocephalus, *Xerocomus*, 318
 phaeococcinea, *Hygrocybe*, 483
 —, *Pseudohygrocybe*, 842
 phaeocomis, *Inocybe*, 761
 — var. *major*, *Inocybe*, 761
 — var. *transiens*, *Inocybe*, 888
 phaeoconium, *Crocicreas*, 79
 phaeocyaneus, *Gyroporus*, 292
 phaeocyathus, *Entoloma*, 479
 phaeocyclus var. *pucatrihuensis*, *Agaricus*, 653
 phaeocystidiosa, *Inocybe*, 593
 phaeodisca, *Macrolepiota*, 352
 —, *Nectria*, 254
 — var. *diosma*, *Inocybe*, 393
 phaeohaematococca, *Nectria*, 254
 phaeoleuca, var., *Inocybe splendens*, 762
 phaeoleucoides, *Cortinarius*, 195
 phaeoleucum, *Entoloma*, 48
 phaeomaculatus, *Cortinarius*, 954
 phaeomuriformis, *Sarcinomyces*, 698
 phaeopappi var. *cretica*, *Puccinia*, 695
 phaeophora, *Rhinocladiella*, 362
 phaeophthalma, *Clitocybe*, 115
 —, *Singerocybe*, 845
 — var. *wernerii*, *Clitocybe*, 423
 phaeophylla, *Camarophyllopsis*, 524
 —, *Hygrotrama*, 483, 1057
 —, forma, *Psathyrella spadiceogrisea*, 450
 phaeopodium, *Dermoloma*, 119
 phaeopus, *Leucocoprinus*, 678
 —, *Leucopaxillus*, 678

phaeoruber, Cortinarius, 195
 phaeosmus, Cortinarius, 117
 phaeosperma, Phaeosporis, 985
 phaeospermum var. indicum, Arthrimum, 42
 phaeospora, Chaetomastia, 950
 —, Chalara, 422
 —, Massariosphaeria, 251
 —, Puccinia, 212
 phaeosporum, Myriotrema, 31
 — var. cubense, Chloridium, 660
 phaeostigma, Lecanora, 350
 phaeostoma, Carbonea, 524
 phaeoxantha, Camarophylloporus, 524
 —, Hygrotrama, 392, 1057
 phaeoxanthus, Phylloporus, 400
 — var. simplex, Phylloporus, 400
 phaeoli, forma specialis, Glomerella
 cingulata, 536
 phalangicida, Erynia, 12
 —, Pandora, 980
 phalarus, Cortinarius, 1051
 phalloides, Dacryobolus, 337
 —, Erynia, 122
 phaltanensis, Velomycena, 268
 phaselina, Diatrype, 752
 phaselinoides, Diatrype, 752
 phaseoli, Sphaerotheca, 558
 — forma specialis caulivora, Phomopsis, 357
 —, forma specialis, Aphanomyces euteiches,
 151
 —, var., Sphaerotheca astragali, 139
 phaseolina, Phyllactinia, 689
 —, Tiarosporella, 96
 phaseolispora, Psathyrella, 261
 phaseolorum forma specialis caulivora,
 Diaporthe, 337
 phaseolospora, Zygothecium, 794
 phaseolosporus, Dekkeromyces, 1053
 phegophila, Psathyrella, 450
 phellini, Sporothrix, 783
 phellogena, Strickeria, 786 ('Strickera')
 phiala, Hymenoscyphus, 484 ('phialea')
 phialidica, Pseudohalonectria, 989
 phialophora, Chlorovibrissea, 950
 philadelphia, Coniothyrium, 662
 —, Phragmodiaporthe, 985
 philadelphicola, Septoria, 994
 philentomus, Hormoascus, 672
 philippea, Kiliasia, 393
 philippina, Mycobilimbia, 770
 philippinensis, Biscogniauxia, 1044
 —, Cercospora, 746
 —, Diatrype, 752
 —, Haliphthorus, 14
 —, Peronosclerospora, 444
 philippinus, Cocomyces, 7
 —, Kyphomyces, 436
 phillipsiana, Parmelia, 99
 —, Xanthoparmelia, 622
 phillipsii, Galerina, 241, 341
 philodendra, Pichia, 359
 philogaea, Yamadazyma, 1081
 philoprina, Discochora, 532
 philyla, Rhodotorula, 904
 —, Vanrija, 141

phlebiiformis, Hapalopilus, 670
 ('phlebiaeformis')
 phlebioides, forma, Peniophora quercina, 56
 phlebophora, Simocybe, 61
 phlebopoides, Rubinoboletus, 311
 phlebospora, Peziza, 20, 257
 phlegmatica, Pholiota, 305
 phlei, Pyrenophora, 263
 phloeocharidis, Dipodomycetes, 158
 phlogacanthi, Asterina, 741 ('phloganthae')
 phloiophila, Perenniporia, 357
 —, Poria, 402
 phlomidicola, Ascochyta, 655
 phlomidis, Ascochyta, 655
 phlyctidicola, Arthonia, 943
 phlyctidioides, Thelotrema, 33
 phlyctidospora, Coprinusella, 8
 —, Russula, 613
 phlyctina, Parmotremopsis, 686
 phlyctispora, Aleuria, 868
 phoebes, var., Kernella lauricola, 295
 ('phoebae')
 phoenicea var. occidentalis, Dermocybe, 880
 — var. persicina, Clavaria, 829
 phoenicis, Entosordaria, 239
 —, Pleomassaria, 842
 — var. cubensis, Annelophora, 739
 —, var., Aspergillus niger, 3
 pholidotoides, Psoroma, 608
 pholiotinoides, Micropsalliota, 300
 phosphorea, Erysibe, 430
 phosphorescens, Phanerochaete, 21
 photistica, Alternaria, 467
 —, Lewia, 488
 photographus var. alborubescens,
 Sporobolomyces, 407
 — var. odoratus, Sporobolomyces, 407
 phragmites, Strickeria, 786
 —, Ustilago, 1000 ('phagmites')
 phragmiticola, Phaeosphaeria, 446
 phragmitidis, Calocybe, 657
 phragmitis, Acanthobasidium, 465
 —, Fusarium, 83
 —, Morenoina, 18 ('phragmitidis')
 —, Phaeosphaeria, 446
 —, Stagonospora, 454
 —, Stegosporium, 26 ('Steganosporium')
 — forma specialis polygoni-cuspidati,
 Puccinia, 778
 — forma specialis polygoni-thunbergii,
 Puccinia, 778
 — forma specialis rumicis-acetosae, Puccinia,
 778
 — forma specialis rumicis-japonici, Puccinia,
 778
 phragmocystidiosa, var., Tubaria
 pentstemonis, 316 ('phragmocystidiosa')
 phragmocystidiosus, var., Crepidotus uber,
 118
 phragmospora, Acumispora, 2
 —, Belemnospora, 280
 —, Embellisia, 238
 —, Montagnula, 253
 phycophilus, Thecotheus, 140
 phycophora, Nectria, 254
 phylladophiloides, Collybia, 952

- phylladus, *Bensingtonia*, 1044
 —, *Cortinarius*, 236
 phyllanthi, *Microsphaera*, 490
 phyllanthicola, *Asterina*, 3
 phyllanthii, *Capnodium*, 112 ('*Copnodium phyllanthae*')
 phyllanthi-niruri, *Pseudocercospora*, 59
 phyllocladi, *Coccomyces*, 526
 —, var., *Perrotia gallica*, 687
 phylloclactylaris, *Parmelia*, 981
 phyllocladiorum, *Wettsteinina*, 410
 phyllogena, *Calopadia*, 522
 —, *Komposcypha*, 968
 —, *Nanoscypha*, 442
 phyllogenus, *Hydropus*, 244
 — var. *bahiensis*, *Hydropus*, 244
 phyllocladis, *Sporobolomyces*, 845
 phyllophila, *Calycina*, 471
 —, *Iodosphaeria*, 674
 phyllophora, var., *Cladonia anomaea*, 525
 phylloplana, *Rhodotorula*, 904
 phylloplanus, *Cryptococcus*, 236
 phyllopoda, *Cladonia*, 873
 phyllostachydis, *Berkleasium*, 280
 —, *Ceratosphaeria*, 155, 471
 —, *Cytoplea*, 9
 —, *Leptosphaeria*, 765 ('*phyllostachydis*')
 —, *Melasmia*, 767
 —, *Nectria*, 771 ('*Nectoria*')
 —, *Phyllachora*, 775
 —, *Solosympodiella*, 313
 —, *Stagonospora*, 783 ('*Stagnospora*')
 —, forma, *Capnodium elongatum*, 745
 —, var., *Mycosphaerella bambusae*, 770 ('*phyllostachydis*')
 phymatodea, *Scutellinia*, 364 ('*phymatodeus*')
 phymatodeus, *Labyrinthomyces*, 835
 phymatodisporum, *Cystangium*, 385
 physaloides var. *substerilis*, *Psilocybe*, 309
 physasca, *Biflua*, 945
 physciella, *Lecanora*, 394
 physemi, *Aporomyces*, 942
 physocarpus, var., *Sphaerothera aphanis*, 365
 phytolaccacearum, *Pseudocercospora*, 608
 phytolaccae, *Boletus*, 75
 —, *Cistella*, 7
 phytonomi, *Erynia*, 122
 pianei, *Amanita*, 738
 picea, *Protoparmelia*, 553
 piceae, *Inocybe*, 485
 —, *Seimatosporium*, 501
 —, *Sirococcus*, 501 ('*Sirococcum*')
 —, *Therrya*, 26
 —, forma *specialis*, *Phacidium infestans*, 982
 —, var., *Flammula alnicola*, 430
 piceae-abietis, *Chalara*, 382
 piceana, *Scleropycnis*, 614
 piceicola, *Desmazierella*, 337
 —, *Entoloma*, 755
 —, *Hebeloma*, 344
 piceina, *Flammula*, 430
 —, *Krombholziella*, 203
 —, *Porodaedalea*, 553
 piceinum, *Laeticorticium*, 127
 piceinus, *Boletus*, 871
 —, *Leucopaxillus*, 351
 —, var., *Leucopaxillus cerealis*, 488
 piceum, *Lyophyllum*, 298
 piceus, *Polyporus*, 607
 pichilinguensis, *Hirsutella*, 591
 pichinchensis, *Marasmius*, 972
 picila, *Catillaria*, 949
 pickeringii, *Pseudocyphellaria*, 777
 picrasmae, *Prathigada*, 22 ('*picrismae*')
 picridis, *Leveillula*, 438, 678
 —, forma *specialis*, *Bremia lactucae*, 470
 picta, *Psathyrella*, 172, 261
 pictilis, *Antrodia*, 418
 —, *Coriolus*, 384
 pictipes, var., *Russula grisea*, 212, 213, 500
 —, var., *Russula palumbina*, 312
 pictoides, *Usnea*, 791
 pidurutalagalum, *Thelotrema*, 100
 piedmontiana, *Ramaria*, 263
 pierantonii, *Didymosphaerites*, 386
 pieris, *Erynia*, 340
 —, *Furia*, 961
 pierrhuguesii, *Chalciporus*, 422
 pigmentifera, *Parmelia*, 132
 pigmentiferum, *Parmotrema*, 257
 pikrus, *Cortinarius*, 877
 pileacystidiata, *Grandinia*, 199
 —, *Kneiffiella*, 126
 pilati, *Adelolecia*, 377, 737
 pilatianus, *Leucocoprinus*, 488
 pilatii, *Porodaedalea*, 402
 —, *Rhodotorula*, 310
 —, *Telamonia*, 455
 pileae, *Albugo*, 277
 —, *Erysiphe*, 161
 pileata, *Auriporia*, 4
 —, *Nodulosphaeria*, 255
 pileatospora, *Puccinia*, 309
 pileatus, *Metus*, 767
 pileiformis, *Galeoscypha*, 1055
 pileoliferus, *Loweopus*, 970
 pileota, *Blastoclada*, 945
 pilifera, *Cordyceps*, 157
 pilgerodendri, *Chloroscypha*, 423
 pilicystis, *Micropsalliota*, 18
 pilifera, *Triangularia*, 910
 piliferum, *Botryobasidium*, 153
 pilistigmatis, *Mycosphaerella*, 770
 pilitomaculoides, *Hohenbuehelia*, 672
 pillodii, *Pseudobaeospora*, 498
 pilmaiquenensis, *Candida*, 381
 piloboloides, *Orbilia*, 207
 pilobolus, *Mucor*, 441
 pilosa, *Canomaculina*, 658
 —, *Mazosia*, 837
 —, *Pezizella*, 133
 —, *Stemonaria*, 455
 —, forma, *Catinella olivacea*, 155
 pilosella, *Capronia*, 580
 —, *Mycena*, 769, 839
 —, *Strickeria*, 787
 — var. *longiseta*, *Capronia*, 1045
 piloselloides, *Conocybe*, 233
 pilosellum, *Catapyrenium*, 1045
 pilosiceps, *Crepidotus*, 955
 pilosissima, *Pirottaea*, 606
 pilosum, *Parmotrema*, 257

- , *Sphaeridium*, 502
- pilosus*, *Albatrellus*, 41
- , *Monascus*, 252
- , *Yuccamyces*, 706 ('pilosa')
- pimpinellae*, *Leptosphaeria*, 1060
- var. *maioris*, *Plasmopara*, 690
- pinprinum*, *Chaetomium*, 44
- pinacearum*, *Hohenbuehelia*, 482
- pinaceum*, *Phaeocalicium*, 549
- pinarense*, *Cladobotryum*, 581
- pinarensis*, *Chaetopsina*, 580
- , *Corynesporella*, 475
- , *Pseudospiropes*, 989
- pinastri*, *Lactarius*, 53
- , *Sirothyriella*, 94
- , *Tuckermannopsis*, 790
- , forma, *Lecanora pulicaris*, 542
- pinckneyensis*, *Lactarius*, 53
- pindarensis*, *Parmelinopsis*, 686
- , *Peltigera*, 208, 357
- pineae* var. *cembrae*, *Brunchorstia*, 75
- forma *specialis cupressi*, *Diplodia*, 753
- pineti*, *Cystangium*, 476
- pinetorum*, *Boletinus*, 421
- , *Conocybe*, 527
- , *Hebeloma*, 344
- plingshaense*, *Metarhizium*, 598
- pingue*, *Entoloma*, 48
- pinguiacida*, *Paraparmelia*, 603
- pinguipes*, *Leucoagaricus*, 128
- , var., *Leucoagaricus macrorrhizus*, 891
- pini*, *Blastophorum*, 111
- , *Claussenomyces*, 582
- , *Corticium*, 284
- , *Cylindrocarpon*, 476
- , *Hyalopesotum*, 886
- , *Mycosphaerella*, 253, 354
- , *Parvacoccum*, 897
- , *Paschelkiella*, 604
- , *Polyscytalum*, 260
- , *Ramichloridium*, 310
- pinicola*, *Belemnospora*, 111
- , *Buellia*, 190
- , *Capronia*, 580
- , *Helicodendron*, 432
- , *Hohenbuehelia*, 392
- , *Leptomelanconium*, 437
- , *Pholiota*, 605
- , *Resinicium*, 93
- , *Trichodiscus*, 27
- , subsp., *Cortinarius mucifluus*, 1050
- pini-acicola*, *Ascochytiulina*, 419
- , *Erythrogloeum*, 340
- pini-bungeanae*, *Lophodermium*, 891
- pini-canadense* subsp. *subabruptum*,
 Cystostereum, 584
- pini-caribaeae*, *Calonectria*, 744
- , *Volutella*, 97
- , var., *Xerocomus pseudoboletinus*, 318
- pini-densiflorae*, *Pseudocercospora*, 693
- pinnatifida*, subsp., *Parmelia omphalodes*, 356
- pinnatus*, var., *Panellus dichotomus*, 684
- pinnicola*, *Lachnum*, 676 ('pinnicolum')
- pinodella*, *Phoma*, 689
- pinophilus* var. *fuscus*, *Boletus*, 743, 946
- pinophylla*, *Micropeltopsis*, 1062
- pinorum* var. *cembrae*, *Leptostroma*, 17
- var. *graupianum*, *Leptostroma*, 87
- pinoyi*, *Endomyces*, 831
- , *Monilia*, 838
- pinoyisimilis* var. *citelliana*, *Mycocandida*,
 599
- pinsapinea*, *Chromocypbella*, 472
- pinsapineum*, *Laeticorticium*, 676
- pintolopesii* var. *slooffiae*, *Candida*, 230, 381
- pintureaui*, *Inocybe*, 393
- piperata*, *Lepista*, 297
- , *Lepista* see *Lepista ricekii*
- piperatum*, *Hydnellum* see *Hydnium*
 humidipes
- piperatus*, *Artomyces*, 151
- , *Paxillus*, 495
- , *Sarcodon*, 405
- var. *glaucescens*, *Lactarius*, 53
- pipericola*, *Nectriopsis*, 978
- piperiformis*, *Hohenbuehelia*, 672
- piperina*, *Pseudocercospora*, 59
- piperis*, *Meliola*, 395 ('piperae')
- , *Perenniporia*, 841
- , *Septobasidium*, 265
- , forma *specialis*, *Nectria haematococca*,
 682
- piperis-muricati*, *Pseudocercospora*, 59
- piptadenicola*, *Puiggarina*, 902
- piptanthus*, *Uredo*, 177
- pipturi*, *Botryosphaeria*, 871
- pirei*, *Strickeria*, 787, 908 ('Strickera')
- piricola*, *Pseudocercospora*, 136
- , forma *specialis*, *Botryosphaeria*
 berengeriana, 421
- piriospora*, *Strickeria*, 787 ('Strickera')
- pirispora*, *Vararia*, 704
- pironii*, *Nectriella*, 19
- pirotae*, *Byssomerulius*, 744
- pirozynskii*, *Beltraniella*, 111
- , *Mycovellosiella*, 681
- , *Palaeoamphisphaerella*, 256
- pisce*, *Polypaecilum*, 448
- pisci*, *Dictyuchus*, 338
- pisciadora*, var., *Inocybe bongardii*, 761
- piscis*, *Verticillium*, 142
- pisi* var. *cruchetiana*, *Erysiphe*, 122
- , forma *specialis*, *Aphanomyces euteiches*,
 151
- , forma *specialis*, *Peronospora viciae*, 304
- piskorzii*, *Massarina*, 439
- , *Phoma*, 134
- pissodes*, *Schaereria*, 557
- pistaciae*, *Uncinuliella*, 791
- pistacina*, *Clypeosphaeria*, 192
- pistorium*, *Entoloma*, 48
- pitardii*, *Schimatomma*, 1077 ('pitardi')
- pitheclobii*, *Hypoxylon*, 761 ('pithecolobiae')
- , *Trabutia*, 997 ('pithecolobii')
- pithodes*, *Biscogniauxia*, 1044
- pithoragarhensis*, *Phaeoramularia*, 773
- pithospora*, *Vouauxiella*, 28
- pithya*, *Hemimycena*, 433
- pithyophila* var. *cembrae*, *Curreya*, 336
- , var., *Clitocybe cerussata*, 232
- pithyophilum*, *Foveostroma*, 83 ('pithyophila')
- , *Helotium*, 200

- pithysae, *Cylindrocarpon*, 476
 pitkinense, *Hebeloma*, 344
 pitkinensis, var., *Lactarius alnicola*, 51
 pitospora, *Truncatella*, 267
 pitraeana, *Laboulbenia*, 436
 pittieriana, *Gerwasia*, 199
 pittii, *Penicillium*, 444
 pittospori, *Lachnellula*, 51
 — subsp. *azorica*, *Lachnellula*, 85
 pittospororum, *Microsphaeropsis*, 353
 pityrea, var., *Physconia grisea*, 986
 pityrodes, *Phaeomarasmius*, 21
 placenta, *Oligoporus*, 1064
 —, *Postia*, 553
 placenta, *Candida*, 75
 —, *Saccharomyces*, 174
 placentus, *Oligoporus*, 443
 placida, *Puiggarrina*, 902
 —, var., *Caloplaca velana*, 523
 placidensis, *Fuscidea*, 757
 —, *Lecidella*, 764
 placidum, *Entoloma*, 11, 82
 placodioides, *Chrysothrix*, 872
 —, *Trapelia*, 408
 placomyces var. *meleagris*, *Agaricus*, 466, 867
 placopsiophilum, *Clypeococcum*, 582
 ('*placopsiophilus*')
 placorodia, *Imshaugia*, 435
 plagiogyriae, *Pseudocercospora*, 1071
 plana, *Camarops*, 657
 —, forma, *Psilocybe montana*, 262
 —, var., *Diploschistes praematrix*, 958
 planaria, *Ocellularia*, 31
 planchonis, *Greletia*, 14
 planifunda, *Embellisia*, 238
 planilobata, *Xanthoparmelia*, 913
 planispora, *Graphyllum*, 669
 planiuscula, *Strickeria*, 787 ('*Strickera*')
 planodepressus, *Cortinarius*, 236
 plantaginea, *Strickeria*, 787 ('*Strickera*')
 plantaginicola, *Plasmopara*, 448
 plantaginis, *Eudimeriolum*, 667
 —, *Hormotheca*, 482
 —, *Marasmius*, 679
 —, *Phomopsis*, 22
 —, *Pirothaea*, 1068
 —, var., *Erysiphe cichoracearum*, 122
 planum, *Everniastrum*, 98, 534
 platani, *Cercoseptoria*, 76
 —, *Splanchnonema*, 214
 —, *Sporocadus*, 95
 platense, *Trimmatostroma*, 97
 platensis, *Benjaminella*, 74
 —, *Kyphomyces*, 436
 —, *Leucoagaricus*, 836
 —, *Plagiosphaera*, 22
 —, *Sphacelotheca*, 994
 —, forma, *Plectania rhytidia*, 448
 platycarpa var. *indica*, *Phaeographis*, 170
 platycarpoides, *Porpidia*, 691
 —, var., *Porpodia cinereoatra*, 553
 —, var., *Porpodia macrocarpa*, 553
 platycaryae, *Pseudocercospora*, 989
 platycystis, *Hydopus*, 244
 platydematis, *Dimeromyces*, 10
 ('*platydemus*')
 platyphylla, *Oudemansiella*, 398, 601
 —, *Tuckermannopsis*, 790
 platyphylloides, *Tuckermannopsis*, 141
 platyphyllus, *Hydopus*, 346
 platypoda, *Phylloporis*, 358
 —, *Tephrophana*, 701
 — var. *microspora*, *Xylaria*, 793
 — var. *patouillardii*, *Xylaria*, 793
 platypodia, *Helvella*, 538
 platypum, *Lyophyllum*, 679
 platypus, *Collybia*, 662
 platyspora, *Nectria*, 1063
 platysporum var. *magnum*,
 Mycocenterolobium, 681
 plebeioides, *Entoloma*, 479
 plebejum, *Entoloma*, 479
 plecopteri, *Erynia*, 389
 plectranthi, *Erysiphe*, 882
 plectranthri, forma, *Erysiphe labiatarum* see
 Erysiphe bunkiniana
 pleiomerellum, *Polymeridium*, 776
 pleiomeroides, *Polymeridium*, 553
 pleiosetosa, *Menisporopsis*, 545
 pleiospora, *Epigloea*, 388
 —, *Scutula*, 993
 pleiotrichum, var., *Ganoderma chalceum*, 242
 plenofissura, var., *Xylaria arbuscula*, 848
 pleomorphum, *Graphilbum*, 391
 pleopodium, *Entoloma*, 479, 667, 881
 pleuricapitata, *Cordyceps*, 193
 pleurobasidium, *Hypochnicium*, 673
 pleurochaetum, *Seimatosporium*, 94
 pleuroconidiophora, *Pyriculariopsis*, 990
 pleurocystidiata, *Micropsalliota*, 300
 pleurocystidiatus, *Agaricus*, 2
 —, *Gymnopilus*, 670
 pleurocystidiosa, *Psilocybe*, 262
 pleuropodus, forma, *Polyporus polychrous*,
 607 ('*pleuropoda*')
 pleurospora, *Dinemasporium*, 10
 ('*pleurospora*')
 —, *Phaeosphaeria*, 446
 —, *Sulcispora*, 996
 pleurotiformis, *Hemimycena*, 964
 pleurotus, *Pseudolyophyllum*, 403
 plexipes, *Lyophyllum*, 597
 — forma *atrum*, *Lyophyllum*, 597
 plicata, *Ameghiniella*, 826
 — var. *decora*, *Usnea*, 561
 — var. *foveata*, *Usnea*, 561
 — var. *pendulina*, *Usnea*, 561
 — var. *prostrata*, *Usnea*, 561
 — var. *rugulosa*, *Usnea*, 561
 — var. *scrobiculata*, *Usnea*, 561
 plicatelloides, *Galerella*, 669
 plicatilis var. *microsporus*, *Coprinus* see
 Coprinus kuehneri
 plicatula, *Protoparmelia*, 1068
 plicatus, *Microthyriacites*, 598
 plittii, *Pyrenula*, 903
 plocamophora, *Inocybe*, 294
 ploddensis, *Psathyrella*, 777
 plowrightii, *Phialina*, 133
 plumbaria, *Arthopyrenia*, 740

- plumbea, *Xylaria*, 793
 —, forma, *Amanita vaginata*, 572, 1042
 plumbeoviolaceus, forma, *Boletus felleus*, 522
 plumbeo-argillacea, *Clavaria*, 829
 plumbeum, *Catapyrenium*, 658
 — var. *isidiatum*, *Nephroma*, 771
 plumbeus, *Circinomucor*, 231
 —, *Neopaxillus*, 896
 —, forma, *Lentinus cyathiformis*, 248
 plumeriae, *Macrophoma*, 166
 plumeriicola, *Cercoseptoria*, 43
 pluricarpa, *Parmentaria*, 304
 pluricellus, *Diporicellaesporites*, 81
 plurigibbosus, *Spizellomyces*, 406
 plurilocularis, *Cryptolechia*, 157
 pluripora, *Ocellularia*, 99
 pluripoliferum, var., *Syncephalastrum monosporum*, 909
 pluriseptata, *Cyphellophora*, 531
 —, *Drechslera*, 429
 —, *Kylindria*, 675
 plurivora, *Phoma*, 134
 plurivorum, *Phaeocytostroma*, 20
 pluteicutis, *Entoloma*, 288
 pluteimorphum, *Entoloma*, 48
 pluteoides, *Russula*, 993
 —, *Entoloma* see *Entoloma pluteimorphum*
 pluvialis, *Cortinarius*, 1051
 —, *Mycena*, 976
 —, *Pseudocyphellaria*, 554
 —, *Russula*, 312
 —, *Tricladiella*, 409
 pluviarum, var., *Gerronema pyxidatum*, 49
 pluvioriens, *Microstella*, 396
 pluvius, *Marasmiellus*, 166
 poae, *Entyloma*, 480
 —, *Magnaporthe*, 971
 —, *Neoalpakesa*, 130
 —, var., *Fusarium sporotrichiella*, 833
 poarum var. *petasiti-pulchellae*, *Puccinia*, 778
 pobeguini, *Scenedium*, 312
 pocas, *Trametes*, 367
 pocillodiscus, *Cortinarius*, 195
 pocsii, *Dimerella*, 831
 —, *Porina*, 360
 poculifera, *Pseudocyphellaria*, 65
 podocarpi, *Lepteutypa*, 677
 —, *Pseudolyophyllum*, 403
 —, *Xeromphalina*, 28
 podosperma var. *falcatispora*, *Gyrophthrix*, 670
 podospileus forma *minutissimus*, *Pluteus*, 497
 podzimekii, *Phaeosporis*, 985
 podzolicus, *Cryptococcus*, 79, 118
 poecila, *Mycena*, 976
 poeltiana, *Lecanora*, 394
 —, *Naeviella*, 895
 —, *Verrucaria*, 409
 poeltii, *Bahianora*, 379
 —, *Erysiphe*, 340
 —, *Gyalideopsis*, 292
 —, *Hypobryon*, 293
 —, *Lichenopuccinia*, 394
 —, *Melanelia*, 597
 —, *Paraparmelia*, 840
 —, *Phaeophyscia*, 550
 —, *Rinodina*, 363
 —, *Schroeteria*, 312
 —, *Squamarina*, 454
 —, *Velutipila*, 791
 pogostemonis, *Pseudocercospora*, 403
 ('pogostemoniae')
 poignantii, *Giraffachitina*, 589
 poikilochromus, *Boletus*, 656
 poikilomera, *Discosia*, 753
 poirieri, *Cortinarius*, 750
 poissonii, *Triceromyces*, 617
 poitrasii, *Benjaminella*, 75
 pokorny, var., *Parmelia pulla*, 132
 polare, *Hebeloma*, 1056
 polaripustulata, *Sowerbyella*, 453
 polaris, *Cortinarius*, 285
 polarispinosa, *Peziza*, 495
 polia, *Cladina*, 98
 polillensis, *Badimia*, 521
 —, *Ocellularia*, 99
 poliocephala, *Mycena*, 976
 polioleuca forma *langei*, *Melanoleuca*, 837
 — forma *oreina*, *Melanoleuca*, 837
 poliophax, *Podabrella*, 987
 poliopus var. *alpigenum*, *Entoloma*, 1055
 — var. *discolor*, *Entoloma*, 479
 — var. *parvisporigenum*, *Entoloma*, 479
 poliothrix, *Rhodophyllus*, 60
 polita, var., *Fomitopsis albomarginata*, 960
 politum, *Entoloma*, 11, 160
 — forma *pernitrosum*, *Entoloma*, 82
 pollaccii, *Sporobolomyces*, 407
 pollenicola, *Ascosphaera*, 870
 polliae, *Pseudocercospora*, 1071
 pollinae, *Ramularia*, 991
 —, *Sporisorium*, 314
 pollinis, *Moniliella*, 353
 polonensis, *Hyphodermopsis*, 201
 polonica, *Acaulospora*, 825
 —, *Karlingia*, 295
 polonicum, var., *Penicillium aurantiogriseum*, 1066
 polozhia, *Puccinia*, 263
 polyalthiae, *Pseudocercospora*, 211
 polyblastia, *Chaetopsina*, 422
 polyborus, *Fellomyces*, 430
 polycarpiza, var., *Porpidia albocaerulescens*, 1068
 polycarpoides, *Caloplaca*, 191
 polycarpum, *Dictyostelium*, 120
 —, *Pythium*, 555
 polycephala, *Cordyceps*, 234
 polycephalus, *Pterygellus*, 361
 polychroma var. *perradiata*, *Aspicilia*, 379
 — forma *verruculosa*, *Aspicilia*, 419
 polychrous, *Polyporus*, 607
 — subvar. *irregularis*, *Polyporus*, 607
 — var. *pallidus*, *Polyporus*, 607 ('pallida')
 — var. *rufo-auratus*, *Polyporus*, 607 ('rufo-aurata')
 — forma *mesopodus*, *Polyporus*, 607 ('mesopoda')
 — forma *pleuropodus*, *Polyporus*, 607 ('pleuropoda')
 polycladoides, *Marasmius*, 972
 polycoccoides, *Lichenochora*, 970
 polycrossus, *Cortinarius*, 954

- polycystidifera, Junghuhnia, 835
 polycystis, Psathyrella, 172, 261, 450
 —, Steganosporium, 95 ('Steganosporium')
 polydactyla, Hypotrachyna, 434
 polydactylon, Lichen, 297
 polyfida, Sawadaea, 24, 452
 — var. japonica, Sawadaea, 452 ('Sawadaia')
 polygonalis, Coronasclerotes, 284
 polygonati, Heterosporium, 84
 polygoni, Bisporella, 111
 —, Cylindrosporium, 285
 —, Microsphaera, 440
 —, Zundeliomyces, 793
 polygonicola, Pseudocercospora, 693
 polygonigena, Cercoseptoria, 43
 polygoni-aviculariae, Uromyces, 506
 polygoni-cuspidiati, forma specialis, Puccinia
 phragmitis, 778
 polygoni-persicariae, Sphacelotheca, 502
 polygoni-runcinati, Uredo, 618
 polygoni-sieboldii, Puccinia, 901
 polygoni-thunbergii, forma specialis, Puccinia
 phragmitis, 778
 polygonorum, Sphaerulina, 266
 —, Wettsteinina, 28
 polylepidicola, Clitocybe, 951
 polylepidis, Mycenella, 976
 — var. jujuyensis, Marasmius, 972
 polymorpha, Candida, 658
 —, Cryptothecia, 878
 —, Dendrospora, 664
 —, Phyllisciella, 400
 —, Steinera, 266
 — subsp. capitata, Ramalina, 556
 — var. protecta, Ramalina, 556
 —, Hansenula see Pichia angusta
 polymorphica, Phytophthora, 358
 polymorphum, Sporidesmium, 615
 —, Sterigmatosporidium, 215
 polymorphus, Cortinari, 529
 —, Stigmatocites, 616
 polyphalidicum, Fusarium, 536
 polyphragmia, Leptosphaerulina, 1060
 polyphylla, Collybia, 335
 polypodiacearum, Pseudocercospora, 211
 polypogonobia, Puccinia, 93
 polyporacea, Mucronella see Mucronella
 bresadolae var. microspora
 polyporicola, Dipodascus, 81
 —, Endomyces, 587
 —, Gliocladium, 481
 —, Ophiostoma, 979
 —, Sympodiophora, 96
 polypurpureus, forma, Boletus
 rhodopurpureus, 656
 polyradiata, Cacahualia, 380
 polyschista, Pseudocypellaria, 608
 polysetosum, Paraceratocladium, 685
 polysperma, Biscogniauxia, 870
 —, Uncigera, 317
 polyspora, Capronia, 580
 —, Dactylospora, 1053
 —, Gonohymenia, 1056
 polysporae, var., Arthrocladiella mougeotii,
 110
 polysporus, Ochotrichobolus, 255
 polythecium, Thelotrema, 617
 polytretum, Myriotrema, 99
 polytricha forma leucochroma, Auricularia,
 74
 polytrichi, Cistella, 872
 —, Hymenoscyphus, 484
 —, Lamprospora, 247
 —, Octospora, 56
 —, Protothelenella, 497, 842
 — var. antarctica, Cistella, 872
 polytrichicola, Mollisia, 837
 polytrichi-norvegici, Inocybe, 888
 polytrichophila, Psilocybe, 361
 pometi var. macrosporus, Pleurotus, 135
 pomi, Pseudocercospora, 989
 pomiformis, Strickeria, 700
 pomona, Hygrocybe, 293
 ponapeana, Xylaria, 318
 ponapense, Heteroconium, 292
 —, Sporidesmium, 139
 ponapensis, Ceratospora, 113
 —, Chionomyces, 282 ('Chinomyces')
 —, Curucispora, 119
 —, Dactylaria, 427
 —, Pseudohansfordia, 136
 —, Pseudoramularia, 308
 —, Triscelophorus, 141
 ponderosa, Krombholziella, 203
 —, Parmelia, 1065
 —, var., Verticicladiella wagneri, 562
 ponderosum, var., Leptographium wagneri,
 764
 ponderosus, Neolentinus, 493
 ponerinarum, var., Cordyceps kniphofioides,
 193
 —, var., Hirsutella stilbelliformis, 201
 pongamiae, Eutypella, 1055
 pongamiae, Mycosphaerella, 442
 pontiae, Mucor, 441
 ponticulus, Coelomomyces, 526
 ponticum, Lachnum, 595
 —, Lophomerum, 17
 pontiformis, Phaeosphaeria, 446
 poolii, Parmotrema, 257
 poonaensis, var., Erysiphe cichoracearum,
 240
 poonensis, Ascochyta, 740
 —, Ephemerochybe, 240
 —, Psathyrella, 261 ('poonesis')
 —, Termitomyces, 267
 popayanica, Collybia, 1047
 popinalis var. insititia, Rhodocybe, 60
 — forma insititia, Rhodocybe, 904
 popovae, Aspicilia, 420
 poppyzon, Cortinari, 1051
 populea, Botryodiplodia, 743
 ('Betryodiplodia')
 populi, Candida, 949
 —, Chalara, 231
 —, Chalaropsis, 231
 —, Hansenula, 242
 —, Melampsora, 439
 —, Pichia, 359
 —, Uncinula, 457
 — forma specialis monogermmtubi,
 Marssonina, 439

- forma *specialis multigermtubi*, Marssonina, 439
- populicola*, Kuehneromyces, 675
- , *Ochroporus*, 398
- , *Pleochaeta*, 259
- , *Sistotrema*, 782
- populina*, *Psathyrella*, 450
- , *Strickeria*, 700
- populinum*, *Dicaeoma*, 427
- , *Ophiostoma*, 356
- , *Septotrichum*, 453
- populinus* var. *borneensis*, *Oxyporus*, 684
- , var., *Boletus duriusculus*, 946
- populiperda*, *Septotinia*, 25
- , *Septotis*, 25
- populi-albae*, *Pollaccia*, 607
- , *Venturia*, 619
- , var., *Pollaccia radiosa*, 448
- , var., *Venturia tremulae*, 457
- populnea*, *Hemipholiota*, 591
- , *Pholiota*, 551
- populneus*, *Hymenoscyphus*, 484
- populorum*, *Buellia*, 522
- poranae*, *Cercospora*, 113
- porengii*, *Entoloma*, 48 ('*porengi*')
- pores-adustus*, var., *Coriolus fibula*, 45
- , var., *Polystictus fibula*, 448
- porinaceum*, *Myriotrema*, 31
- porinicola*, *Nectriopsis*, 978
- poriniformis*, *Pertusaria*, 549
- porioides*, *Stigmatolemma*, 996 ('*poroides*')
- , var., *Ceratiomyxa fruticulosa*, 580
- porosa*, *Paliphora*, 684
- porosellum*, *Gloeocystidiellum*, 341
- porothelioides*, *Antrodia*, 739
- porphyrea*, *Dactylospora*, 476
- porphyria* var. *asteropus*, *Amanita*, 572, 654, 868
- var. *fusca*, *Amanita*, 826
- var. *purpurascens*, *Amanita*, 826
- porphyrites*, *Ischnoderma*, 967
- porphyritis*, *Megalospora*, 439
- porphyrizon* var. *cookei*, *Agaricus*, 571
- porphyrocephala*, *Mycena*, 976
- , *Russula*, 993
- porphyrocephalum*, var., *Entoloma excentricum*, 197
- porphyrodes*, *Hydropus*, 539
- porphyrofibrillosum*, *Entoloma*, 388 ('*porphyrofibrillum*')
- porphyrogriseum*, *Entoloma*, 755
- porphyrophyllum*, *Tricholoporum*, 216
- porphyrosporus* var. *olivaceobrunneus*, *Tylopilus*, 27
- var. *sordidus*, *Tylopilus*, 27
- porpoarachnoides*, *Entoloma*, 667
- porrectum*, *Entoloma*, 533
- porrectus*, *Dixomyces*, 429
- portrosensis*, *Skeletocutis*, 213
- portentosa* subsp. *pacifica*, *Cladina*, 383
- forma *decolorans*, *Cladina*, 383
- forma *subimpepa*, *Cladina*, 383
- portentosum* var. *boutevillei*, *Tricholoma*, 408
- portoricense*, *Tulostoma*, 911 ('*portorricense*')
- portoricensis*, *Dietelia*, 120
- , *Eutypella*, 756 ('*portoricensis*')
- , *Fuscocerrena*, 198
- , *Plasmopara*, 92
- portulacae*, *Drechslera*, 288
- var. *longispora*, *Dichotomophthora*, 957
- , forma *specialis*, *Polymyxa betae*, 691
- porulosum*, *Sistotrema*, 406
- positiva*, *Bryoria*, 743
- postglacialis*, *Buellia*, 190
- posthabita*, *Rinodina*, 992
- postii* var. *leve*, *Gerronema*, 883 ('*levis*')
- potamogeton*, *Marasmiellus*, 971
- var. *aquarius*, *Tylopilus*, 317
- var. *mitis*, *Tylopilus*, 998
- potassiovirens*, *Cystolepiota*, 955
- , *Marasmiellus*, 971
- potentillae*, *Capronia*, 580
- , *Cylindrosporium*, 285
- , *Gloeosporidiella*, 83
- , *Leptosphaerulina*, 249
- potentillae-erectae*, *Mollisia*, 837
- potentillae-stipularis*, *Mycosphaerella*, 253
- poterii*, *Phyllosticta*, 22
- potteri*, *Krombholziella*, 203
- pouzarianus*, *Pluteus*, 359
- pouzarii*, *Phellinidium*, 399
- , *Wrightoporia*, 620
- , var., *Gaeastrum pedicellatum*, 480
- praeacutus*, *Marasmiellus*, 679
- praeandina*, *Diatrype*, 752
- praeaeasptosum*, *Hebeloma*, 344
- praeclaresquamosus* var. *terricolor*, *Agaricus*, 329
- praecox*, *Ascorchizoctonia*, 419
- , *Microsporium*, 1062
- var. *cretea*, *Tricharina*, 504
- var. *intermedia*, *Tricharina*, 504
- forma *cutifracta*, *Pholiota*, 496
- , var., *Puccinia major*, 137
- praedecurrens*, *Helotium*, 200
- , *Hydropus*, 433
- praegnans*, *Parmelia*, 304
- , *Xanthoparmelia*, 622
- praegrandispermus*, *Marasmius*, 972
- praeguttulatus*, *Tyromyces*, 457
- praecinsueta*, *Parmelia*, 399
- praelatifolium*, *Hebeloma*, 344
- praelonga*, *Sigmoidea*, 615
- praeluteum*, *Entoloma*, 48
- praematrix* var. *plana*, *Diploschistes*, 958
- praecolidum*, *Hebeloma*, 344
- praeruptorum*, *Aspicilia*, 331
- , var., *Acarospora nitrophila*, 187
- praesignis*, *Flavopunctelia*, 340
- , *Punctelia*, 173
- praestabilis*, *Hypocenomyce*, 347
- praestans*, *Ocellularia*, 31
- , *Tubaria*, 703, 910
- praestigator*, *Boletus*, 577
- praeterita*, var., *Uncinula udaipurensis*, 704
- praetermissa*, *Cladonia*, 334
- praetervisus*, *Cortinarius*, 1051
- praetextata*, *Sticta*, 266
- var. *prolifera*, *Peltigera*, 549
- praevalens*, var., *Cortinarius macropodius*, 117
- pragense*, *Dermoloma*, 585, 830 ('*pragensis*')

- , var., *Dermoloma pseudocuneiformium*, 585 ('pragensis')
- prahlia* var. *orcadensis*, *Hysteropezizella*, 294
- prakashii*, *Diporicellaesporites*, 338
- prancei*, *Lentinus*, 165
- prangi*, *Septoria*, 453
- prasina*, *Lanzia*, 676 ('*prasinum*')
— var. *nigripes*, *Lanzia*, 676
- prasinata*, *Bacidia*, 280
- prasinochysum*, *Tricholoma*, 910
- prasinula*, *Lecidella*, 30
- prasinum*, *Anthracotheceum*, 739
- prasinus* var. *odoratus*, *Cortinarius*, 529
- prasiolae*, *Plagiostoma*, 987
- prataprajii*, *Phyllachora*, 841
- pratensis*, *Cortinarius*, 285
- , *Cuphophyllus*, 427, 1052
- , *Hydrocybe*, 482
- , *Hygrocybe*, 483
- , *Pratella*, 1068
- , *Psalliota*, 988
- , *Williopsis*, 28
- var. *donadinii*, *Cuphophyllus*, 1052
- var. *pallida*, *Hygrocybe*, 483
- var. *pallidus*, *Camarophyllus*, 281
- var. *pallidus*, *Cuphophyllus*, 1052
- var. *robustus*, *Cuphophyllus*, 1052
- var. *vitulinus*, *Cuphophyllus*, 427, 1052
- forma *vitulina*, *Hygrocybe*, 483
- , forma, *Psathyrella hydrophila*, 260
- praticola*, *Clitocybe*, 334
- , *Pseudolyophyllum*, 1072
- , *Ugola*, 367
- , var., *Pratella campestris*, 1068
- pratorum*, *Phoma*, 170
- pratulense*, *Entoloma*, 755
- pratulorum*, *Agaricus*, 517
- var. *subsquamosus*, *Agaricus*, 517
- pravum*, *Xenosperma*, 1002
- premnicola*, *Cercospora*, 191 ('*premnicola*')
- prescottii*, *Gerronema*, 341
- preslianus*, *Cortinarius*, 336, 384 ('*prestlianus*')
- prestoniae*, *Questieriella*, 362
- pretiosa*, *Peyritschia*, 445
- priapi*, *Psilocistella*, 498
- primaria*, *Phaeophyscia*, 209
- , *Pyxine*, 695
- primigenia*, *Gonatobotrys*, 390
- primigenius*, *Gonatobotryites*, 390
- primotectus*, *Cortinarius*, 117
- primulae*, *Marasmiellus*, 597
- , *Pleospora*, 259
- , *Urocystis*, 457
- primulicola*, *Leptosphaerulina*, 249 ('*primulaecola*')
- primulina*, *Ramaria*, 609
- primulinum*, *Aecidium*, 41
- , *Penicillium*, 20
- princeps*, *Parmelia*, 685
- , *Peyritschia*, 445
- , *Strickeria*, 787 ('*Strickera*')
- prinophila*, *Russula*, 905, 993
- prinsepiae*, *Dictyodochium*, 337
- , *Oidium*, 771 ('*prinsepiae*')
- priscua*, *Rhodocybe*, 138
- pritzelianum*, *Lachnum*, 676
- privignoides*, *Cortinarius*, 529
- privignorum*, *Cortinarius*, 529
- probarbellata*, *Xanthoparmelia*, 622
- problematicus*, *Pleurotus*, 135
- probosciphora*, *Chaetopsis*, 282
- probosciphorum*, *Cylindrotrichum*, 664, 830
- probum*, *Entoloma*, 48
- procax*, *Cortinarius*, 8
- procellarum*, *Rinodina*, 405
- procera*, *Conocybe*, 116
- , *Inocybe*, 51, 164
- , *Pseudohygrocybe*, 843
- var. *andinopatagonica*, *Agrocybe*, 377
- var. *fuliginosa*, *Macrolepiota*, 892
- var. *pseudoolivascens*, *Macrolepiota*, 892
- proceripes*, *Rhodophyllus*, 60
- procerum*, *Leptoglyphium*, 437
- , *Tricladium*, 847
- prochsthallina*, var., *Porpodia speirea*, 553
- procopii*, *Belonidium*, 742
- prodians*, *Abrothallus*, 941, 1041
- prodigiosa*, *Uredo*, 317
- prodigulum*, *Anema*, 519, 1042 ('*prodigula*')
- prodomokosii*, *Xanthoparmelia*, 848
- productus*, *Cortinarius*, 877
- proepecta*, *Flavoparmelia*, 883
- profundidisca*, *Clitocybe*, 473
- profusa*, *Mycena*, 894
- , *Pseudocercospora*, 693
- prolata*, *Drechslera*, 339
- , *Paraparmelia*, 603
- prolatus*, *Pithomyces*, 552
- proletarius*, *Leucocoprinus*, 678
- prolifera*, *Ceratocystis*, 872
- , *Lichenothelia*, 678
- , *Varicosporina*, 704
- , *Xenokylindria*, 318
- , forma, *Cladina rangiferina*, 660
- , var., *Peltigera praetextata*, 549
- proliferans*, *Chlamydopsis*, 525
- , *Craspedodidymum*, 530
- , *Helioccephala*, 391
- prolifera*, *Asordaria*, 741
- , *Pseudozyma*, 498
- , *Stachylina*, 783
- prolificans*, var., *Resupinatus striatulus*, 696
- prolongata*, *Crucellisporiopsis*, 385 ('*prolongatus*')
- prominens*, *Diploschistes*, 958
- prominula*, var., *Pyxine cocoëns*, 137
- promiscens*, var., *Lecidea promiscua*, 543
- promiscua* var. *cervinicola*, *Lecidea*, 543
- var. *promiscens*, *Lecidea*, 543
- prona* forma *orbitarum*, *Psathyrella*, 450
- propagulifera*, var., *Heterodermia dendritica*, 124
- propendula*, *Strickeria*, 787
- propingua*, *Boidinia*, 827
- propinqua*, *Hyphodontia*, 245
- propinquum*, *Acanthophysia*, 571
- , *Pleuroceras*, 307
- proprium*, *Entoloma*, 48
- prosopidis*, *Pleochaeta*, 210
- prospersella*, *Pvrenocollema*, 65

- prosthetica, *Peziza*, 304
 prostrata, *Ramaria*, 24
 —, var., *Usnea plicata*, 561
 prostratum, *Entoloma*, 48
 protea, *Pseudogliomastix*, 450
 —, *Smardaea*, 558
 — var. *imbricata*, *Funalia*, 122
 —, var., *Usnea rigida*, 561
 proteae, *Ceratocystiopsis*, 746
 —, *Knoxdaviesia*, 762
 —, *Spilocaea*, 95
 —, *Stigmina*, 908
 protecta, *Amanita*, 942
 —, var., *Ramalina polymorpha*, 556
 proteini, *Rickia*, 556
 protenta, *Alternaria*, 467
 proteophila, *Petriella*, 257
 —, *Scopulariopsis*, 265
 proterum, *Entoloma*, 755
 proteus, *Corioloopsis*, 952
 protii, *Colletogloeum*, 115
 proticola, *Phyllosticta*, 841
 protoalbum, *Myriotrema*, 99
 protocetrarica, *Karoowia*, 967
 protocetraricum, *Myriotrema*, 31
 protodysprosa, *Parmelia*, 981
 —, *Xanthoparmelia*, 705
 protolusitana, *Xanthoparmelia*, 1001
 protoquintaria, *Xanthoparmelia*, 1001
 protosignifera, *Parmelia*, 840
 protostelioides, *Caulocytrium*, 5
 — var. *vulgare*, *Caulocytrium*, 281
 ('vulgaris')
 protosulcata, *Parmelia*, 208
 protothallina, *Dactylospora*, 45
 protracta, *Lecidella*, 394
 protrudens, *Exserohilum*, 757
 protrusum, *Scytinostroma*, 906
 — subsp. *septentrionale*, *Scytinostroma*, 906
 protuberans, *Laboulbenia*, 486
 protuberata, *Chaetodophragma*, 471
 provancheriana, *Gnomonia*, 758
 provincialis, var., *Porina oleriana*, 553
 proxima, *Psathyrella*, 261
 —, var., *Amanita ovoidea*, 738
 proximans, *Phaeomarasmium*, 982
 proximata, *Xanthoparmelia*, 705
 proximum, *Hebeloma*, 344
 —, var., *Hebeloma marginatulum*, 343
 pruina, *Aphanobasidium*, 1043
 pruinata, *Canoparmelia*, 579
 —, *Corioloopsis*, 424
 —, *Megalospora*, 251
 —, *Ocellularia*, 1064
 —, *Russula*, 1076
 —, *Simocybe*, 61
 — subsp. *fusca*, *Megalospora*, 251
 — subsp. *lamii*, *Megalospora*, 251
 pruinatipes, var., *Melanoleuca leucophylloides*, 55
 pruinatocutis, *Entoloma*, 239
 pruinatum, *Entoloma*, 239
 pruinosa, *Coccocarpia*, 232
 —, *Heterochaetella*, 243
 —, *Hexagona*, 433
 —, *Hyperphyscia*, 760
 —, *Hypogymnia*, 64
 —, *Torrubiella*, 27
 —, var., *Lepista nuda*, 437
 pruinosisipes, var., *Laccaria laccata*, 675
 pruinotomum, *Haematomma*, 163
 —, *Pseudolyophyllum*, 1072
 —, var., *Hebeloma theobrominum*, 885
 —, var., *Hebeloma truncatum*, 590
 prunastri forma *herinii*, *Evernia*, 29
 pruni, *Cristulariella*, 878
 —, *Grandinia*, 199
 —, *Grovesinia*, 885
 —, *Phaeoramularia*, 773
 —, *Sphaerangium*, 454
 prunicola, *Cercoseptoria*, 76
 —, *Gnomonia*, 291
 pruniformis, *Strickeria*, 700, 787, 908
 pruni-persicae, *Cercoseptoria*, 76 ('pruni-perciae')
 —, *Sorataea*, 365
 pruni-persicicola, *Pseudocercospora*, 92
 pruni-serotinae, *Lanzia*, 487
 pruni-ulmifoliae, var., *Podosphaera tridactyla*, 360, 691
 prunophorae, *Blumeriella*, 576
 — forma *specialis cerasiferae*, *Blumeriella*, 576
 psamathos, *Xylaria*, 178
 psammicola forma *glaber*, *Lactarius*, 53
 —, var., *Hebeloma subcaespitosum*, 292
 ('psammocolum')
 psamminus, *Gymnopilus*, 885
 psammophila, *Inocybe*, 348
 —, *Omphalina*, 494
 —, *Peltula*, 1066
 —, *Russula*, 993
 —, *Volvariella*, 1000
 psammophilum, *Hebeloma*, 14, 590
 psammopus forma *bisporum*, *Tricholoma*, 408
 psarophana, *Protoparmelia*, 988
 — var. *aquilina*, *Lecanora*, 542
 psephota, *Lambiella*, 393
 —, *Rimularia*, 779
 pseudachyranthis, *Cercospora*, 1046
 pseudacori, *Ascochyta*, 740
 —, *Ascochyta* see *Ascochyta iridis-pseudacori*
 pseudarcuatorum, *Cortinarius*, 583
 pseudochinolaenae, *Puccinia*, 309
 pseudeunetum, *Parmotrema*, 356
 pseudirregularis, *Anthracoidea*, 189
 pseudoacaciae, *Microsphaera*, 167
 pseudoaeruginea, *Russula*, 501
 pseudoaffinis, *Lactarius*, 53
 —, *Russula*, 452
 pseudoalba, *Bullera*, 744
 pseudoamarens, *Hebeloma*, 885
 pseudoammophila, *Peziza*, 209
 — var. *bonii*, *Peziza*, 209
 pseudoamoena, *Gnomonia*, 291
 pseudoampelina, *Peziza*, 57
 pseudoampezzana, *Octospora*, 771
 pseudoamphixantha, *Parmelia*, 132
 —, *Xanthoparmelia*, 622
 pseudoamylospora, *Hygrocybe*, 965
 pseudoanthracina, *Marcellina*, 766
 —, *Peziza*, 209

- pseudoarcuratus*, var., *Cortinarius boudieri*, 875
pseudoarginea, *Micropsalliota*, 252
pseudoasperula, *Lepiota*, 86
pseudoaspideus, *Lactarius*, 53
pseudoasterospora var. *microsperma*, *Inocybe*, 393
pseudoatrovirens, *Cordyceps*, 234
pseudoaztecorum, *Psilocybe*, 450
pseudobambusae, *Mazosia*, 837
—, *Sporidesmium*, 95
pseudobarbatus, *Lentinellus*, 543
pseudobavaricum, *Plagiostoma*, 306
pseudobicolor, var., *Laccaria laccata*, 203
pseudoboletinus var. *pini-caribaeae*, *Xerocomus*, 318
pseudoborealis, *Tubulicrinis*, 847
pseudobreviciliatum, *Parmotrema*, 1065
pseudobrevipes, *Melanoleuca*, 545
pseudobrunnea, *Inocybe*, 674
pseudobufonia, *Pyrenula*, 499
pseudobulbosa, forma, *Armillaria cepestipes*, 279
pseudocactophila, *Pichia*, 306, 359
pseudocaligatum, var., *Tricholoma focale*, 408
pseudocandida, *Clitocybe*, 156
pseudocaninus, *Cortinarius*, 117, 236
pseudocannabinum, *Lachnum*, 487
pseudocapillaris, *Usnea*, 457
pseudocaricis, *Marasmius*, 128
pseudocarpini, *Krombholziella*, 435
pseudocasca, *Psathyrella*, 172, 450
pseudocavipes, *Russula*, 613
pseudochlarotera, *Lecanora*, 436
pseudochraceum, *Steccherinum*, 846
pseudociliatus, *Hymenoscyphus*, 125
pseudocinerascens, *Umbilicaria*, 911
pseudocinerea, *Placidopsis*, 259
pseudocinnabarina, *Nectria*, 977
pseudoclusilis, *Gamundia*, 49
pseudoclypeata, *Anthostomella*, 942
pseudocnista, var., *Tricholoma saponaceum*, 409
pseudocoelestinum, *Entoloma*, 239
pseudocollinitus, *Cortinarius*, 336
pseudocompar, *Cortinarius*, 384, 877
pseudocomplicata, *Nephromopsis*, 131
pseudocongensis, *Xanthoparmelia*, 792
pseudoconica, *Hygrocybe*, 293
— var. *tristis*, *Hygrocybe*, 965
—, forma, *Hygrocybe conica*, 483
pseudocontortus, *Clavariadelphus*, 661
pseudocorrugis, *Psathyrella*, 172, 261
pseudocrassa, var., *Squamarina cartilaginea*, 32
pseudocretaceus, *Agaricus*, 466
pseudocrispata, *Hemimycena*, 163
—, *Mycena*, 769
pseudocrispulum, *Helotium*, 200
pseudocuneifolium, *Dermoloma*, 585
— var. *pragense*, *Dermoloma*, 585
('pragensis')
pseudocupressiformis, *Marasmius*, 972
— var. *alboflavescens*, *Marasmius*, 972
— var. *atripes*, *Marasmius*, 972
— var. *conspicuus*, *Marasmius*, 972
— var. *hendecaphyllophorus*, *Marasmius*, 972
— var. *intermedius*, *Marasmius*, 972
pseudocupreum, var., *Chaetomium trilaterale*, 472
pseudocyanea, *Stropharia*, 407
— forma *virginea*, *Stropharia*, 616
pseudocyanites, forma, *Cortinarius cyanites*, 194
pseudocypbellariae, *Nanostictis*, 599
pseudocypbellatum, *Anthracotheceum*, 189
—, *Astrothelium*, 521
pseudocystopteridis, *Uredo*, 28
pseudodeceptivus, *Lactarius*, 53
pseudodecipiens, var., *Inocybe mundula*, 1058
pseudodeliciosus var. *paradoxiformis*, *Lactarius*, 53
pseudodichotomus, *Spizellomyces*, 406
pseudodiderma, *Physarum*, 689
pseudodiscoideus var. *cistophilus*, *Hygrophorus*, 886
— var. *formosus*, *Hygrophorus*, 966
pseudoduplicatus, var., *Phallus impudicus*, 985
pseudoeoctypa, *Lepista*, 351
pseudoeuteromorpha, *Hypogymnia*, 125
pseudoepteliosa, *Russula*, 1076
pseudoevenosa, *Melanoleuca*, 55
pseudoeanthismocarpum, *Thelotrema*, 33
pseudoeccentricum, *Entoloma*, 533
pseudofastabile, *Hebeloma*, 344
pseudofastibile var. *distans*, *Hebeloma*, 344
pseudofechtneri, *Boletus*, 577, 743
pseudofelina, *Lepiota*, 248
pseudofirmus, *Cortinarius*, 336
pseudoflammula, *Calocybe*, 578
pseudoflexuosus, *Lactarius*, 53
pseudoflocculosa, *Inocybe*, 888
pseudofusca, *Sphaerotheca*, 558
pseudogeranii, *Ramularia*, 991
pseudogerardii, *Lactarius*, 53
pseudogibba, *Mycena*, 769
pseudogibbum, *Helotium*, 201
pseudogibbellulae, *Torrubiella*, 997
pseudoglaucopus, *Cortinarius*, 425
pseudoglutinosa, *Mycena*, 491
pseudogordonii, *Psathyrella*, 450
pseudogracilis, *Psathyrella*, 172, 554
pseudograminicola, *Nectria*, 1063
pseudogranulosa, *Cystolepiota*, 531
—, *Trapeliopsis*, 408
pseudograta, *Inocybe*, 246
pseudograyanum, *Parmotrema*, 356
pseudogrisella, *Omphalina*, 131
—, *Rickenella*, 500
pseudogrisealbum, *Entoloma*, 587
pseudoguillermoidii, *Monilia*, 838
pseudohaemacta, *Inocybe*, 435
pseudohelveola var. *sabulosa*, *Lepiota*, 596
pseudohimalayense, *Anthracotheceum*, 189
pseudohiulca, *Astrosporina*, 655
pseudohumarioides, *Cheilymenia*, 1046
pseudohungarica, *Xanthoparmelia*, 913
pseudohypoleia, *Xanthoparmelia*, 622
pseudohypotrumpa, *Hypogymnia*, 125
pseudohypoxylon, *Phylacia*, 58

pseudoimbricatum var. *roseobrunneum*,
Tricholoma see *Tricholoma roseoacervum*
pseudoimpolita, Russula, 697
pseudojaponica, Usnea, 791
pseudolacrymans, Gyrophana, 431
pseudolacteum, Helotium, 201
pseudolaevigata, Mycena, 769, 1062
 — var. *maculata*, Mycena, 769
pseudolambica, Candida, 949
pseudolargus, Cortinarius, 750
pseudolazulinus, Rhodophyllus, 405, 904
pseudolignicola, Pulveroboletus, 843
pseudolilacea, Calocybe, 578
 —, Lepiotula, 16
 —, var., Russula lilacea, 311
pseudolimbatus, forma, Geastrum
 coronatum, 242
pseudolloydii, Cordyceps, 284
pseudolmediae, Corynespora, 530
 —, Sporidesmium, 365
pseudolongissima, Cordyceps, 234
pseudoloriloba, Neofuscelia, 547
pseudoloxensis, Oropogon, 979
pseudoluridus, Boletus, 469
pseudoluscina, Melanoleuca, 18
 —, var., Melanoleuca rasilis, 837
pseudomaculata, Mycena, 1062
 —, forma, Russula cuprea, 612
 —, forma, Russula juniperina, 844
 —, var., Russula juniperina, 500
pseudomaculatus, Lactarius, 53
pseudomalachius, Cortinarius, 336
pseudomarginata, Micarea, 974
pseudomarginella, Clitocybe, 156
pseudomelinodes, Porpidia, 607
pseudomelitodes, Russula, 613
pseudomelliolens, var., Russula barlae, 905
 —, var., Russula xerampelina, 906
pseudomerdarium, Chrysosporium, 6
pseudomesophaeum, Hebeloma, 344
pseudomicrosporus, Gyroporus, 537
pseudominutus, Marasmius, 972
pseudomolliusculum, Entoloma, 755
pseudomucidum, Cerocorticius, 155
pseudomucidus, Lactarius, 53
pseudomuralis, Letrouitita, 249
pseudonapus, Cortinarius, 877
pseudonelumoides, Cordyceps, 193
pseudonepalense, Cetrariastrum, 114
 —, Everniastrum, 534
pseudonictitans, Tricholoma, 367
pseudonitidella, Pyrenula, 309
pseudonothofagi, Entoloma, 881
pseudonuda, Peniophora, 56
pseudoolivascens, var., Macrolepiota procera,
 892
 —, var., Russula integra, 500
pseudopallescent, Ochrolechia, 443
pseudopanacis, Incrustocalypetella, 294
pseudopanacis, Flagelloscypha, 12
 ('pseudopanax')
pseudopapillata, Nolanea, 255
pseudoparasiticum, Entoloma, 755
pseudoparvulus, Boletus, 153
pseudopatagonica, Lepiota, 890
pseudopaxillus, Phylloporus, 689

pseudopersistens, forma, Hygrocybe konradii,
 483
pseudophlegma, Cortinarius, 117
pseudophyllophila, Clitocybe, 661
pseudopilosella, Conocybe, 116
pseudopinguis, Lecanora, 99
pseudoplatani, Asteroma, 870
 —, Ophiognomonia, 89
 —, Pleuroceras, 307
pseudopolyporinus, Hypomyces, 540
pseudopraestans, Scytinostroma, 906
pseudopratensis, Agaricus, 41, 466
 — var. *niveus*, Agaricus, 41, 466
pseudoprivignoides, forma, Cortinarius
 deceptivissimus, 336
pseudoprivignus, Cortinarius, 236, 529
pseudopuellaris, Russula, 174
pseudopulchella, Corollospora, 749
pseudopunctata, Fomitiporia, 389
pseudopunctatus, Phellinus, 170
pseudopurpurea, Russula, 1076
pseudoradiatus, Inonotus, 348
pseudoradicatus, forma, Hebeloma
 cylindrosporum, 885
pseudorasilis, Melanoleuca, 395
pseudoreducta, Inocybe, 126
pseudoregius, Boletus, 743
pseudoreticulatis, Inapertisporites, 392
pseudoreticulatus, Amauroascus, 467
pseudorhodopoda, var., Russula drimeia, 612
pseudorigens, Cortinarius see Cortinarius
 rigentoides
pseudorigida, Morchella, 490
pseudorimosum, Stereum, 996
pseudoromellii, Russula, 613
pseudoruberrima, Russula, 905
pseudorubiginosa, Lepiota, 165
pseudorugulosus, Cortinarius, 750
 — var. *secretanii*, Cortinarius, 750
pseudorussellii, Psora, 778
pseudosatoanum, Bryocaulon, 522
pseudoscabra, Krombholziella, 203
pseudoscabrum, Leccinum, 890
pseudoschizostomum, Thelotrema, 33
pseudoscolecina, Alnicola, 518
 —, Naucoria, 354
pseudosenex, Phellinus, 21
pseudosepulta, Erysiphe, 340
pseudosepultus, Golovinomyces, 884
pseudosetosum, Sesquicillium, 994
pseudosordidum, Tricholoma, 216
pseudosterigmatizans, Peziza, 357
pseudostriatoviridis, Russula, 1076
pseudostrobilomyces, Xerocomus, 63
pseudostromatica, Eutypella, 960
pseudostrophosum, Hebeloma, 345
pseudosubtilis, Clavulinopsis, 473
pseudosuccosa, Pachyella, 131
pseudosuprastomatalis, Maravalia, 892
pseudosylvestris, Peziza, 209
pseudotenella, forma, Russula tyrrhenica, 557
pseudotephroleucus, Hygrophorus, 434
pseudotrichosporon, Blastoschizomyces, 153
pseudotropicalis, Physalaccia, 447
pseudotropicalis, Endomyces, 832
 —, Monilia, 838

- pseudotsugae*, *Ambrodiscus*, 826
 —, *Aphanobasidium*, 1043
 —, *Phlebiella*, 688
 —, *Phytophthora*, 358
 —, *Rasutoria*, 696
 —, *Therrya*, 27
 —, var., *Leptographium wageneri*, 764
pseudotthiella, *Gibbera*, 341
pseudotubarius, *Cortinarius*, 117
pseudoturci, *Entoloma*, 388
pseudoumbrarum var. *kurilensis*, *Scutellinia*, 175
pseudoumbrina, *Morchella*, 490
 — var. *ovalis*, *Morchella*, 491
pseudounicolor, forma, *Russula cistoadelpha*, 612
pseudovaginata, *Amanita*, 942
 —, *Amanitopsis*, 868
pseudovariata, *Laurera*, 763
pseudoverruculosa, *Comoclathris*, 1047
pseudovesca, *Russula*, 993
pseudovesiculosa, *Peziza*, 209
pseudoviolacea, *Peziza*, 57
pseudoviridis, *Morchella*, 491
pseudovitilis, *Mycena*, 55
pseudovulpinus, *Cortinarius*, 954, 1051
pseudozygospora, *Mortierella*, 974
pseudo-euosmus, *Marasmius*, 439
pseudo-obbata, *Clitocybe*, 115
psidii, *Guignardia*, 391
 —, *Marssonina*, 597
 —, *Pestalotiopsis*, 1066
 —, *Pseudocercospora*, 1071
psidiicola, *Cladosporium*, 7 ('*psidiicolum*')
psidii-guajavae, *Myxosporium*, 442
psilatus, *Didymoporisporonites*, 120
 —, *Monoporisporites*, 353
psilophylla, *Pseudocyphellaria*, 65
psilostomatidis, *Balladyna*, 379
psittacina var. *abietina*, *Hygrocybe*, 1057
psittacinus, *Gliophorus*, 536
psorae, *Stigmidium*, 407
psoricida, *Caloplaca*, 744
psornorstictica, *Xanthoparmelia*, 1001
psoromica, *Ocellularia*, 31
 —, *Xanthoparmelia*, 792
psoromoides, *Calopadia*, 657
 —, *Catapyrenium*, 29
psorophorae var. *halophilus*, *Coelomomyces*, 526
 — var. *tasmaniensis*, *Coelomomyces*, 526
psychotriae, *Schiffnerula*, 781
psychromorbidus, *Coprinus*, 78
psychrophila, *Exophiala*, 882
psychrophilica, var., *Nadsoniella nigra*, 770
pteridicola, *Hymenoscyphus*, 15
 —, *Lachnum*, 676 ('*pteridicolum*')
 —, *Morenoina*, 300
 —, *Typhula*, 62
 —, var., *Crocicreas cyathodeum*, 79
pteridis, *Fuscolachnum*, 961
 — var. *tumidipila*, *Fuscolachnum*, 961
pteridophila, *Mycena*, 441 ('*Pteriphila*')
pteridophyllum, *Lachnum*, 676
 —, var., *Lachnum varians*, 595
 ('*pteridophyllum*')
pteridophyllum, var., *Dasyscyphus varians*, 9
 ('*pteridopyllum*')
pteriphilum, *Sistotrema*, 502
pternopetali, *Puccinia*, 609
pterocarpi, *Aldonata*, 868
 —, *Didymosphaeria*, 46
pterocarpicola, *Pseudocercospora*, 59
pterocaryae, *Pseudocercospora*, 989
ptero-genii, *Euphoriomyces*, 430
pterophylli, *Birsimyces*, 229
pterospermum, *Arthrinium*, 74
pterospora, *Mycolindtneria*, 895
pterosporus, *Afroboletus*, 73
pterula, *Xylaria*, 369
pterygospora, *Uredo*, 618
ptilidii, *Octospora*, 771
ptilidarum, *Rickia*, 174
ptychochrous, subsp., *Diploschistes scruposus*, 532
ptychotidis, *Puccinia*, 173
puberis var. *dactyliferum*, *Hyphoderma*, 84
 ('*pubera* var. *dactylifera*')
pubertatis, *Nigroporus*, 442
puberula, *Clitocybe*, 334
 —, *Simocybe*, 699
 —, *Phialina* see *Pezizella pilosa*
pubescens, *Hysteropeziza*, 593
 —, *Lachnum*, 1059
 —, *Pseudocyphellaria*, 65
 — var. *betulae*, *Lactarius*, 53
 — var. *betularum*, *Lactarius*, 487
pubescentipes, *Clitocybe*, 473
 —, subsp., *Xeromphalina caucinialis*, 793
pubigerus, *Monascus*, 252
pucallpae, *Laboulbenia*, 763
pucatrihuensis, var., *Agaricus phaeocyclus*, 653
puccinioides, *Ramularia*, 451
pudens, *Oudemansiella*, 601
 —, *Parmelia*, 604
 — var. *fusca*, *Oudemansiella*, 601
 — var. *fusca*, *Xerula*, 217
pu dica, *Galactinia* see *Peziza pudicella*
pudicella, *Peziza*, 169
pudicelloides, *Lachnum*, 487
pudicus, *Leucoagaricus*, 128, 249
pudukadensis, *Meliola*, 893
 —, var., *Meliola floridensis*, 893
pueblaensis, *Ustilago*, 912
puella, var., *Amanita muscaria*, 826
puellare, *Sporisorium*, 783
puellaris, *Boletus*, 153
 — var. *abietina*, *Russula*, 780
puerariae, *Erysiphe*, 161
puerariina, *Pseudocercospora*, 59
pughii, *Kionochaeta*, 762
puiggarii, *Calopadia*, 522
 —, *Grammothelopsis*, 669 ('*puiggarii*')
 —, *Hypholoma*, 434
 —, *Nectriopsis*, 978
 —, *Puiggarina*, 902
pulchella, *Clavulinopsis*, 473
 —, *Deigloria*, 45
 —, *Grammothele*, 885
 —, *Hyalosphaera*, 672
 —, *Puccinia*, 137

- , *Pyrenobotrys*, 609
- , *Telamonia*, 455
- , var., *Perenniporia tenuis*, 982
- pulchelloides*, *Comatricha*, 384, 423
- pulchellus*, *Cortinarius*, 236
- , *Propolomyces*, 22
- pulcherrima*, *Capronia*, 580
- , *Deigloria*, 45
- , *Pezizella*, 604
- , *Septoria*, 265
- , *Stagonospora*, 783
- forma *acolorata*, *Torulopsis*, 560
- pulcherrimum*, *Agaricostilbum*, 377
- pulcherrimus*, *Cortinarius*, 529
- pulchra*, *Annella*, 109
- , *Brigantiaea*, 229
- , *Crinitospora*, 426
- , *Dactylella*, 476
- , *Endophragmiella*, 159
- , *Junctospora*, 126
- , *Menegazzia*, 299
- , *Paracostantinella*, 980
- , *Paraeutypa*, 772
- , *Phaeosphaeria*, 984
- , *Pseudohansfordia*, 694
- , *Questieriella*, 362
- , *Torrubiella*, 789
- var. *japonica*, *Microsphaera*, 205
- pulchrilobata*, *Hypogymnia*, 64
- pulchripes*, *Telamonia*, 455
- pulchriseta*, *Niesslia*, 600
- pulchrisperma*, *Rhodocybe*, 452
- , *Russula*, 993
- pulchrotinctus*, *Boletus*, 577
- pulchrum*, *Berkleasium*, 331
- , *Canalisporium*, 949
- , *Rhinocladium*, 60
- pulicaris* subsp. *rhododendri*, *Lecanora*, 542
- forma *pinastri*, *Lecanora*, 542
- pulla* subsp. *glabrans*, *Parmelia*, 548
- subsp. *luteonotata*, *Parmelia*, 548
- var. *delisei*, *Parmelia*, 548
- var. *locarnensis*, *Parmelia*, 548
- var. *pokornyii*, *Parmelia*, 132
- pullmanensis*, *Cryptosphaeria*, 336
- pullum*, *Tricholoma*, 1079
- pullus*, *Fungites*, 390
- pulmonalis*, *Endomyces*, 832
- pulmonea*, *Monilia*, 838
- pulneyense*, *Craspedodidymum*, 954
- ('*pulneyensis*')
 - , *Diplococcium*, 958
 - , *Pleurothecium*, 987
- pulneyensis*, *Blastocatena*, 945
- , *Brachysporiellina*, 947
- , *Ceratosporella*, 949
- , *Othia*, 979
- pulposa*, forma, *Russula aurora*, 905
- pulsatillae*, *Heterosphaeria*, 671
- pulveraceus*, *Farinodiscus*, 757
- , *Flammulaster*, 48
- , *Proliferodiscus*, 497, 692, 988
- pulverata*, *Hypogymnia*, 64
- pulverea*, *Catinaria*, 113
- pulverediscum*, *Thelotrema*, 100
- pulvereus*, *Geomyces*, 758
- pulverotecta*, *Amanita*, 151
- pulverulacea* var. *argyphaea*, *Physconia*, 552
- var. *subpapillosa*, *Physconia*, 552
- var. *subvenusta*, *Physconia*, 552
- var. *superfusa*, *Physconia*, 552
- pulverulenta* var. *angustata*, *Physconia*, 986
- var. *turgida*, *Physconia*, 986
- var. *venusta*, *Physconia*, 986
- forma *imbricata*, *Physconia*, 986
- forma *superfusca*, *Physconia*, 986
- pulverulentum*, *Entoloma*, 48
- , *Myriotrema*, 31
- , *Scytinostroma*, 781
- , *Sporisorium*, 454
- var. *fructicola*, *Lachnum*, 836
- , *Laeticorticium* see *Corticium erikssonii*
- pulverulentus* forma *minimus*, *Leucoagaricus*, 970
- forma *reticulatipes*, *Boletus*, 577, 743
- forma *reticulatipes*, *Boletus* see *Boletus poikilochromus*
- , *Boletus* see *Boletus hortensis* forma *euhortensis*
- , forma, *Aspergillus niger*, 3
- pulvinaris*, *Teloschistes*, 909
- , var., *Parmelia taractica*, 132
- pulvinascens*, *Antrodia*, 467
- pulvinata*, *Dicyma*, 81
- , *Gonohymenia*, 64 ('*pulvinatum*')
- , *Thedgonia*, 996
- var. *lignicola*, *Pezizella*, 773
- , subsp., *Caloplaca saxicola*, 523
- , subsp., *Cladonia cervicornis*, 231
- pulvinatula*, *Miriquidica*, 768
- pulvinatus*, *Inapertisporonites*, 125
- pulviniformis*, *Tyromyces*, 999
- pulvis-pyrius*, *Dinemasporium*, 10
- pumila*, *Benjaminella*, 74
- , *Rosellinia*, 992
- , *Xanthoparmelia*, 622
- forma *filuloides*, *Laccaria*, 1059
- , forma, *Psathyrella microrrhiza*, 449
- forma *oreina*, *Galerina* see *Galerina favrei*
- pumilio*, *Rhodophyllus*, 60
- pumiloides*, *Hebeloma*, 345
- var. *sylvestre*, *Hebeloma*, 345
- pumilus*, forma, *Cortinarius bicolor*, 194
- puncta*, *Passalora*, 604
- punctata*, *Amanita*, 2
- , *Calycellina*, 380
- , *Gymnascella*, 481
- var. *coaetanea*, *Puccinia*, 212
- , subsp., *Umbilicaria crustulosa*, 33
- , var., *Amanitopsis vaginata*, 868
- , var., *Trichophaea fuscoatra*, 96
- punctatofumosus*, *Tylopilus*, 62
- punctatosquamosa*, *Inocybe*, 888
- punctatum*, *Rhizophydium*, 903
- , var., *Tulostoma fimbriatum*, 911
- punctatus*, *Gymnoascus*, 590
- , *Inapertisporites*, 348, 392
- , *Spizellomyces*, 61 ('*punctatum*')
- , *Inapertisporites* see *Inapertisporites udarii*
- punctidisca*, *Camillea*, 948
- punctidiscum*, *Hypoxylon*, 50
- punctifaciens*, *Phyllachora*, 775

- punctiformis, Gilmaniella, 480
 punctilifer, Xerocomus, 63
 punctilla, Punctelia, 173
 punctispora, Heimiella, 1057
 —, Peziza, 57, 257
 punctistoma, Wuestneia, 1001
 punctoidea, Seticyphella, 313
 punctulata, Camillea, 948
 —, Cryptotheca, 878
 —, Xanthoparmelia, 913
 punctuliformis, Lecidella, 764
 punctum, Phaeopyxis, 1067
 pungens, Clitocybe, 473
 —, Entoloma, 388
 —, Hebeloma, 345
 —, Lactarius, 53
 —, Typhula, 62
 —, var., Lactarius alnicola, 51
 punicae, Erysiphe, 667
 —, Tympanopsis, 267
 punicea, Bullera, 577
 —, Exidiopsis, 667
 —, Godfrinia, 537
 —, Pseudohygrocybe, 843
 puniceum, Nodulisporium, 493
 puniceus, Xerocomus, 63
 —, mutant, Aspergillus fumigatus, 3
 ('punicea')
 punithalingamii, Clypeopycnis, 232
 ('punithalingami')
 —, Hendersonia, 759
 punjabensis, Mucor, 441
 —, Xylaria, 178
 pupa, Austroblastenia, 228
 pupiforme, Helminthosporium, 432
 ('pupaeforme')
 pura, Ombrophila, 494
 — var. marplatensis, Mycena, 55
 ('marplatense')
 — var. mediterranea, Mycena, 839
 — var. raphanacea, Mycena, 442
 — var. rosea, Mycena, 253
 — forma alba, Mycena, 253
 — forma ianthina, Mycena, 1062
 — forma lutea, Mycena, 253
 — forma purpurea, Mycena, 1062
 — forma rosea, Mycena, 253
 — forma roseobrunnescens, Mycena, 769
 — forma roseoviolacea, Mycena, 1062
 — forma violacea, Mycena, 1063
 puramolens, Cortinarius, 117
 puroides, Entoloma, 48
 purpurascens, Achaetomium, 151
 —, Austroboletus, 74
 —, Chaetomium, 422
 —, Dactylospora, 1053
 —, Gelopellis, 589
 —, Lepista, 677
 —, Morchella, 491
 —, Psilolechia, 608
 — var. ionoviridis, Morchella, 491
 — forma cedretorum, Cortinarius, 583, 877
 — forma heteroparaphysa, Morchella, 491
 —, var., Amanita porphyria, 826
 —, var., Cystoderma longisporum, 237
 —, var., Morchella elata, 396
 purpurata, Brigantiaea, 155
 —, Dermocybe, 880
 —, Lepiota, 86
 —, Russula, 312
 — var. ribida, Russula, 906
 — forma rubripes, Russula, 906
 purpuratus, Cortinarius, 425
 purpurea, Acetabula, 2
 —, Acithecra, 465
 —, Clavulina, 829
 —, Helvella, 538
 —, Leptonia, 543
 —, Nectria, 1063
 —, Otidea, 443
 —, Sibirina, 25
 —, Smardaea, 615
 — var. agropyri, Claviceps, 282
 — var. asterophora, Sibirina, 1077
 — var. veneta, Nectria, 1063
 —, var., Inocybe obscura see Inocybe
 amethystina
 —, forma, Mycena pura, 1062
 purpurella, forma, Russula integra, 612
 purpureoatra, forma, Russula emeticicolor,
 612
 purpureofolia, Hygrocybe, 965
 purpureogrisea, Collybia, 527
 purpureomarginatum, Entoloma, 239
 purpureomutabilis, Russula, 993
 purpureopallida, Ramaria, 844
 purpureostromata, Cordyceps, 78
 — forma recurvata, Cordyceps, 78
 purpureoviolacea, var., Rhodocybe
 trachyospora, 904
 purpureo-echinatus, Lactarius, 53
 purpurescens, Penicillium, 304
 purpureus, Boletus, 656
 —, Marasmius, 395
 — subsp. xanthocyaneus, Boletus, 656
 purpurissima, Ramaria, 903
 — var. gigantea, Ramaria, 903
 purearensis, Diporicellaesporites, 120
 pusilla, Agrocybe, 109
 —, Blastocladiella, 945
 —, Buellia, 470
 —, Chaetoptera, 114
 —, Cystolepiota, 80
 —, Hyaloscypha, 243
 —, Hysteropeziza, 593
 —, Lepiota, 488
 —, Microsphaera, 206
 —, Pachysacca, 207
 —, Sirotrema, 558
 — var. taylori, Volvariella, 619
 —, Clavaria see Ramaria myceliosa var.
 microspora
 —, var., Endophragmiella uniseptata, 532
 —, var., Pholiota spectabilis, 258
 pusillicaesius, Tyromyces, 999
 pusilliforme, Entoloma, 667
 pusillima, Inocybe, 888
 —, Siemaszkoa, 94
 pusillimus, Marasmiellus, 205
 pusillispora, Massariosphaeria, 892
 pusillissimus, Marasmius, 1061
 pusillomyces, Cystolepiota, 664, 878

- pusillulus, *Coprinus*, 335
 pusillum, *Entoloma*, 388 ('pusillum')
 —, *Lyophyllum*, 298
 —, *Tarichium*, 616
 —, var., *Entoloma conferendum*, 11
 —, var., *Naematoloma capnoides*, 599
 —, var., *Trichaptum bifforme*, 703
 pusillus, *Hydrophilomyces*, 539
 —, *Phellinus*, 1067
 —, *Pyropolyporus*, 451
 — var. *angularis*, *Pyropolyporus*, 451
 —, var., *Hydropus mycenoides*, 244
 —, var., *Pseudocraterellus sinuosus*, 608
 pusio var. *obscurissima*, *Inocybe*, 888
 — forma *elegans*, *Inocybe*, 246
 — forma *velata*, *Inocybe*, 246
 pusiulus, *Polyporus*, 607
 pustarum, forma, *Cladonia furcata*, 951
 pustula, *Hypospilina*, 293
 —, *Rhodotorula*, 904
 pustulata, *Campanella*, 524
 pustulatae, *Pertusariomyces*, 99
 pustulatum, *Glomus*, 537
 —, *Haematomma*, 670
 pustulatus, *Achroomyces*, 225
 pustulescens, *Paraparmelia*, 603
 pustulifera, *Hypotrachyna*, 293
 —, *Xanthoparmelia*, 622
 pustuliferum, *Anthracotheicum*, 189
 pustuliza, *Parmelia*, 132
 —, *Xanthoparmelia*, 622
 pustulosorediata, *Xanthoparmelia*, 1001
 putaminum, *Hymenoscyphus*, 484
 puteana var. *incrustedata*, *Coniophora*, 156
 putida, *Tephrocybe*, 504
 putidella, *Collybia*, 474
 —, *Tephrocybe*, 504
 putidum, *Tricholoma*, 505
 putidus, *Agaricus*, 466
 putkonenii, *Doassansia*, 478
 putranjivae, *Cercospora*, 950
 —, *Phomopsis*, 134
 —, *Pseudocercospora*, 92
 putredinus, *Hydropus*, 672
 putrefactum, *Chaetomium*, 382
 ('putrefactus')
 putrida, *Clitocybe*, 473
 putsoa, *Xanthoparmelia*, 792
 puttemans, *Pestalotiopsis*, 1066
 putus, *Involutisporonites*, 202
 pycnidiophorum, *Cryptohymenium*, 663
 pycnoclada forma *fuscescens*, *Cladina*, 383
 pycnoporellum, *Myriotrema*, 31
 pygmaea, *Dawsophila*, 119
 —, *Hyalopeziza*, 672
 —, *Licea*, 166
 —, *Strickeria*, 787 ('Strickera')
 —, *Unguicularia*, 506
 — var. *athallina*, *Muellerella*, 1062
 — var. *ventosicola*, *Muellerella*, 1062
 —, forma, *Inocybe strigiceps*, 51, 164
 pygmaeoides, var., *Lagenidium pygmaeum*, 164 ('pygmaeoides')
 pygmaeopapillatum, *Entoloma*, 239, 588
 pygmaeum, *Camarosporium*, 75
 — var. *pygmaeoides*, *Lagenidium*, 164 ('pygmaeoides')
 pygmaea, *Paratrachophaea*, 897
 pyracanthae, forma *specialis*, *Fusarium oxysporum*, 161
 pyramidalis, *Grovesinia*, 292
 pyramidata, *Gloeodontia*, 758
 pyrenaica, *Resinomycena*, 696
 —, *Russula*, 213
 — var. *emeticicola*, *Russula*, 213
 pyrenaicum, *Hadrotichum*, 242
 pyrenaicus, *Podofomes*, 842, 899
 pyrenoides, *Paulia*, 1065
 pyrenophila, *Tremellina*, 617
 pyrenuloides, *Pyrenula*, 903
 pyricularioides, *Dactylaria*, 9
 —, *Pyricularia*, 499
 pyriformis, *Gonatobotrys*, 537
 pyrinophyllum, *Cortinarius*, 954
 pyriodora, var., *Echinochaete russiceps*, 387
 pyrispora, *Ramaria*, 1073
 pyrrhocardia, *Hyperphyscia*, 835
 —, forma, *Hyperphyscia adglutinata*, 245
 pyrithromoides, *Caloplaca*, 380
 pyrophilum, *Hebeloma*, 345
 — var. *longiventriosopilis*, *Hebeloma*, 885
 pyrophilus, *Hygrophorus*, 434
 pyrospilum, var., *Entoloma exile*, 479
 pyrrhomelaena, *Phyllopsora*, 134
 pyrrhophora, *Phaeophyscia*, 133, 258, 446
 pyrrophaeus, *Cortinarius*, 236
 pyruliferus, *Panellus*, 685
 pyxidatum, *Gerronema*, 49 ('pyxidata')
 — var. *pluviarum*, *Gerronema*, 49
 pyxidatus, *Artomyces*, 151
 pyxinoides, *Pyxine*, 695
 qilianensis, *Chrysomyxa*, 747
 qomolangmana, forma, *Thamnia*
 vermicularis, 702
 quadrangularis, *Inapertisporites*, 348
 quadrata, *Sarcinella*, 364
 quadriciliata, *Pestalotiopsis*, 257
 quadriguttata, *Neta*, 493
 quadrilobata, *Maravalia*, 395
 quadrisporum, *Sistotrema*, 845
 quadrospora, *Nolanea*, 547
 quaerendus, *Cortinarius*, 954
 quaesita, *Parmelia*, 686
 qualeae, *Ciliophorella*, 828
 quarnerica, *Bagliettoa*, 111
 quartziana, *Buellia*, 190
 quaternata, *Eutypella*, 756
 —, *Tretospora*, 367
 quebecensis, *Simocybe*, 1077
 quebrachii, *Puiggarrina*, 902
 quedii, *Peyritschiella*, 445
 queenslandense, *Parmotrema*, 686
 queenslandica, *Corynespora*, 878
 —, *Megalospora*, 251
 —, *Parmelia*, 32
 queletii, *Amanita*, 418
 —, *Entoloma*, 239, 881
 —, *Steccherinum*, 846
 — var. *autumnalis*, *Inocybe*, 348
 — var. *discolor*, *Boletus*, 577
 — var. *franchetii*, *Amanita*, 418

- quercea, *Hysterostegiella*, 294
 —, *Stegopeziza*, 95
 quercetorum, *Hygrophorus*, 434
 —, *Phaeocollybia*, 687
 —, var., *Hygrophorus arbustivus*, 433
 —, var., *Hygrophorus cossus*, 1057
 querci, var., *Candida parapsilosis* see
 Candida quercitrusa
 quercicola, *Conostroma*, 662
 —, *Corticium*, 193
 —, *Corynesporopsis*, 118
 —, *Dermatodothis*, 337
 —, *Dothidotthia*, 958
 —, *Eutypa*, 756
 —, *Gnomonia*, 291
 —, *Libertiella*, 438
 —, *Pleuroceras*, 307 ('quercicolum')
 —, *Schismatomma*, 993
 —, *Xeromedulla*, 1080
 —, forma, *Elaphomyces muricatus*, 881
 quercifolia, *Lanzia*, 350
 quercilicis, *Cortinarius*, 877 ('quercilieis')
 quercina, *Fuscoporia*, 589
 —, *Grandinia*, 199
 —, *Inocybe*, 246
 —, *Kneiffiella*, 126
 —, *Krombholziella*, 203
 —, *Mollisiopsis*, 974
 —, *Questieriella*, 609
 —, *Sarcinella*, 698
 — subsp. caucasica, *Peniophora*, 687
 — forma coralloides, *Hyphodontia*, 50
 — forma phlebioides, *Peniophora*, 56
 quercinum, *Amphicytostroma*, 73
 —, *Coryneum*, 530
 —, *Myriophacidium*, 546
 —, *Pleuroceras*, 307
 —, *Rhytidhysterium*, 500
 —, *Laeticorticium* see *Corticium quercicola*
 quercinus, *Hirschioporus*, 671
 quercitrusa, *Candida*, 281
 quercophilus, *Marasmius*, 166
 —, *Setulipes*, 698
 quercus, *Candida*, 422 ('querci')
 —, *Phyllachora*, 134 ('quercæ')
 quercustris, *Inonotus*, 435
 quercus-borealis, *Gnomonia*, 291
 quercus-gambellii, *Gnomonia*, 291
 quercus-ilicis, *Cortinarius*, 1051
 quercus-oleoidis, *Russula*, 312
 quercuum, *Hygrophorus*, 346 ('quercorum')
 —, *Sporopachydermia*, 176
 —, var., *Hygrophorus eburneus*, 483, 539
 ('quercorum')
 —, var., *Simocybe coniferarum*, 994
 querna, *Biscogniauxia*, 469
 —, *Dictyochaeta*, 120
 querquedula, *Entoloma*, 160
 quidemolens, *Cortinarius*, 529
 quietus var. *incanus*, *Lactarius*, 53
 quilonensis, *Leucoagaricus*, 249 ('quilonense')
 —, *Limacella*, 250
 —, *Phragmothryites*, 91
 —, *Termitomyces*, 267 ('quilonensis')
 quinaultiana, *Pseudaleuria*, 777
 quinqueseptata, *Corollospora*, 750
 —, *Eudarluka*, 533
 —, *Perisporiopsis*, 20
 quinqueseptatum, *Crocicreas*, 118
 —, *Polymeridium*, 65
 quinta, *Leptosphaeria*, 765
 quintanaroensis, *Lepiota*, 297
 quisquiliaris, *Acarosporium*, 2
 —, *Clitopilus*, 192
 —, *Delicatula*, 237
 quscutae, *Asterella*, 870
 rabatensis, *Werneromyces*, 97
 rabdosiae, *Erysiphe*, 161
 rabenhorstii, *Strickeria*, 787
 rabiei, *Phoma*, 91
 racemosa, *Walzia*, 458
 — subsp. lapponica, *Vararia*, 561
 racemosporus, *Pseudascozonus*, 450
 racemosum, *Arthroderma*, 519
 racemosus, *Circinomucor*, 231
 racemula, *Cryptodiaporthes*, 285
 rachodes var. bohemica, *Macrolepiota*, 892
 racomitrii, *Nectria*, 354
 radegundensis, *Phomatospora*, 898
 rademirici, *Penicillium*, 444
 radhanagarensis, *Cheilymenia*, 422
 ('Cheilymehia')
 —, *Hypocrea*, 347
 —, *Trichophaea*, 456
 radians, *Bourdolia*, 155
 —, *Nodulisporium*, 493
 —, *Schiffnerula*, 781
 radiata, *Amanita*, 329
 —, *Bulbomollisia*, 380
 —, *Hygrocybe*, 965
 —, *Lichenothelia*, 679
 —, *Mycena*, 492
 —, *Steinera*, 266
 —, *Trematophora*, 456
 — subsp. aucklandica, *Steinera*, 266
 —, forma, *Physcia stellaris*, 306
 radiatilis, *Omphalina*, 302
 radiatolobatum, *Penicillium*, 169
 radiato-rugosus, *Trametes*, 910
 radiatus, *Boletellus*, 421
 —, *Coccomyces*, 7
 —, *Leptothyriomyces*, 394
 radicans, *Cortinarius*, 1051
 —, *Elynia*, 122
 — var. pachypus, *Boletus*, 469
 radicata, *Mycenella*, 397
 —, *Pseudofistulina*, 694
 — var. africana, *Oudemansiella*, 601
 — var. africana, *Xerula*, 410
 — var. alba, *Oudemansiella*, 601
 — var. alba, *Xerula*, 318
 — var. australis, *Oudemansiella*, 601
 — var. australis, *Xerula*, 410
 — var. bisporea, *Xerula*, 793
 — var. furfuracea, *Oudemansiella*, 601
 — var. hygrophoroides, *Oudemansiella*, 602
 — var. hygrophoroides, *Xerula*, 217
 — var. marginata, *Oudemansiella*, 444
 — var. rubescens, *Oudemansiella*, 602
 — var. rufescens, *Xerula*, 318
 — var. superbians, *Oudemansiella*, 602
 — var. superbians, *Xerula*, 368

—, var., *Amanita rubescens*, 418
radicatoviolaceus, *Cortinarius*, 117
radicatus, *Melanopus*, 352
—, *Phellodon*, 447
—, forma, *Cortinarius hinnuleus*, 194
radicella, *Neocudoniella*, 599
—, *Roeslerina*, 452
radicellata, *Psathyrella*, 842
radicescens, *Catapyrenium*, 1045
radicicola, *Didymosporium*, 10
—, *Gnomonia*, 963
—, *Riessia*, 500
—, *Urocystis*, 848
—, var., *Ganoderma trulliforme*, 242
('radicicolum')
—, var., *Pleurotus eugrammus*, 135
('radicicolus')
radicina, *Paraphoma*, 256
radicipes, var., *Cortinarius petroselinus*, 195
radicosus, var., *Cortinarius fraudulosus*, 45
radiculata, *Parmelia*, 132
—, *Parmelina*, 604
—, *Parmelinopsis*, 686
radiculosa, *Anthrobia*, 418
radiosa, *Montagnea*, 974
— var. *lethifera*, *Pollaccia*, 448
— var. *myrrhina*, *Aspicilia*, 944
— var. *populi-albae*, *Pollaccia*, 448
— forma *crenulata*, *Aspicilia*, 944
— forma *nigromarginata*, *Aspicilia*, 944
radiosus, *Vesiculomyces*, 912
radovii, *Lachnum*, 393
radula, *Schizopora*, 312
raduloides, *Tyromyces*, 62
raesaenenii, *Caloplaca*, 657
raetica, *Pyrenophora*, 263
raffinosi, var., *Saccharomyces rouxii*, 138
raghuveeri, *Helicosporium*, 964
('raghuveerii')
rahengensis, *Relicinopsis*, 610
raii, *Achaetomium*, 41
—, *Woronina*, 1080
railenensis, *Candida*, 381
rainierensis, *Clitocybe*, 474
ralfsii, *Halecania*, 759
ralla, *Karoowia*, 967
—, *Parmelia*, 604
—, *Phlebiella*, 688
rallum, *Subulicium*, 140
ralstoniae, *Gasteroagaricoides*, 536
ralunensis, *Candida*, 381
ramacharii, *Kuehneola*, 436
—, *Meliola*, 974
ramalinae, *Vouauxiomyces*, 97
ramannianus, *Micromucor*, 252
ramanujamii, *Parmathyrites*, 685
ramarioides, *Clavulina*, 472
—, *Ramariopsis*, 844
ramboldii, *Relicina*, 903
rameale, *Micromphale*, 352 ('ramealis')
ramealis var. *californicus*, *Marasmiellus*, 679
— forma *macrospora*, *Marasmiellus*, 597
ramentaceum, *Cartilosoma*, 658
('ramentacea')
ramicola, *Ceratorhiza*, 659
—, *Mycena*, 354

—, *Plasia*, 92
—, *Protoventuria*, 1069
ramifera, *Kionochaeta*, 486
ramificata, *Endophragmiella*, 532
ramificatum, *Pythium*, 695
ramigena, *Clitocybe*, 156
ramirezii, *Hormographis*, 591
ramisporophora, *Gigaspora*, 962
rammii, *Cortinarius*, 954, 1051
ramonae, *Didymella*, 753
—, *Microdiplodia*, 768
ramorum, var., *Marasmius truncorum*, 972
ramosa, *Bahusakala*, 576
—, *Beltraniopsis*, 576
—, *Chalara*, 333
—, *Gyrothrix*, 963
—, *Stachybotrys*, 615
—, *Stirtonia*, 908
—, *Wrightoporia*, 620
—, var., *Vermiculariopsiella immersa*, 268
ramosii, *Puiggarrina*, 902 ('Ramosi')
ramosissimum, *Ganoderma*, 961
ramosopulvinata, *Cordyceps*, 234
ramosostipitata, *Cordyceps*, 234
ramosum, *Spadicesporium*, 213
—, *Stecchericum*, 995
ramosus, *Charomyces*, 950 ('ramosa')
—, *Mycocladus*, 442 ('ramosa')
rampinii, *Stigmatomyces*, 907
ramsaugiensis, *Leptosphaeria*, 969
ramses, *Ramsaysphaera*, 174
ramulicola, *Dothidotthia*, 666
—, *Neodeightonia*, 600
ramuligera var. *minor*, *Stictis*, 315
ramulosa, *Cladonia*, 383
—, var., *Psilocybe zapotecorum*, 361
('ramulosum')
ramulosecula, *Dictyochaeta*, 753
ramya, *Dwiroopa*, 587
ranaculosa, *Ceratocystiopsis*, 659
('ranaculosus')
ranarum, *Hymenoscyphus*, 484
rancensis, *Candida*, 381
rancida, *Postia*, 553
rancidissimum, *Entoloma*, 48
rancidus, *Oligoporus*, 443, 772
rangifera forma *umbellata*, *Cladina*, 660
rangiferina subsp. *abbayesii*, *Cladina*, 282
— forma *crispata*, *Cladina*, 660
— forma *humilis*, *Cladina*, 660
— forma *patula*, *Cladina*, 660
— forma *prolifera*, *Cladina*, 660
rangiferinum, *Scorpiosporium*, 175
ranii, *Sporothrix*, 139
ranikhetiensis, *Ciboria*, 382
rannochii, *Psathyrella*, 172
ranunculacearum, *Pseudocercospora*, 777
—, forma *specialis*, *Oidiopsis taurica*, 896, 978
ranunculi, *Fabraea*, 668
—, *Spilopodia*, 406
—, forma *specialis*, *Fusarium oxysporum*, 535
—, var., *Erysiphe aquilegiae*, 160
ranunculina, *Omphalina*, 302
ranunculi-aucheri, *Urocystis*, 317

- ranunculorum, Entyloma, 480
 ranunculospora, Arthopyrenia, 869
 raoi, Cannanorosporonites, 381
 rapaceus var. caesiovergens, Cortinarius, 195
 — forma major, Cortinarius, 285
 rapanea, Pestalotiopsis, 1066
 raphanacea, var., Mycena pura, 442
 raphaneus, var., Hygrophorus nemoreus, 434
 raphani, Viennotidia, 178 ('Viennotidea')
 raphaniodora, forma, Amanita spissa, 1042
 raphanipes, Oudemansiella, 602
 —, Xerula, 368
 raphanodiabolicus, Cortinarius, 236
 raphanolens, Lyophyllum, 892
 raphiae, Cercospora, 471 ('Cercospora')
 raphidosporum, subsp., Tubulicium
 vermiferum, 618
 rappii, Schismatomma, 781 ('rappi')
 — var. exilior, Cladonia, 231
 rara, Idriella, 435
 —, Puccinia, 93
 raripila, Hyalopeziza, 834
 rarus, Austroboletus, 74
 —, Symplectromyces, 315
 rasile, Penicillium, 20
 rasilis, Resupinatus, 696
 — var. pseudoluscina, Melanoleuca, 837
 rassadinae, Cetraria, 382
 — forma gracilis, Cetraria, 382
 — forma terrestris, Cetraria, 382
 rassagala, Ocellularia, 99
 rastetteri, Cortinarius, 117
 rata, Antrodiella, 739
 ratnagiriensis, Halosarpheia, 200
 ratticaudata, Torrubia, 789
 raubitschekii, Trichophyton, 96
 rauli, Tricholoma, 910
 raunkiaeri, Canoparmelia, 579
 rauvolfiae, Pseudocercospora, 308
 rava, Ciboria, 1046
 —, Parmelia, 132
 ravaensis, Inocybe, 485
 raveneliana, Clavaria, 231, 334
 —, Ramaria, 263, 362
 —, forma, Ramaria conjunctipes, 404
 ravenelii, Bipolaris, 5
 —, Cochliobolus, 77
 —, Ganoderma, 13
 —, Lophodermium, 87
 —, Membranicium, 545
 —, Phanerochaete, 550
 —, Phlebiopsis, 774
 —, Pyrenula, 903
 —, Unguiculariopsis, 704
 — subsp. hamata, Unguiculariopsis, 847
 — var. microsporum, Calostoma, 229
 ravidia, var., Mycena subfragilis, 396
 ravum, Parmotrema, 304
 ravus, Hymenoscyphus, 966
 rawakensis, Marasmiellus, 971
 reactiva, Kalaallia, 1059
 reae, Agaricus, 151 ('reai')
 —, Gliophorus, 536, 833 ('reai')
 —, Hygrocybe, 293 ('Reai')
 — var. insipida, Hygrocybe, 293
 reagens, Arthothelium, 110
 —, var., Acarospora nodulosa, 187
 —, var., Aspicilia farinosa, 379
 —, var., Rhizocarpon umbilicatum, 404
 reamuriae, Camarosporium, 658
 recalva, Agrocybe, 653
 recedens, Galerina, 883
 —, Hohenbuehelia, 15
 —, Hydropus, 244
 recens, Ordoviciumyces, 255
 recessa, Kirschsteiniethelia, 486
 —, Phaeosphaeria, 984
 reclinis, Gerronema, 199
 reclusum, Myriotrema, 31
 rectangular, Lophodermium, 1061
 rectidentatum, Enghodontium, 288
 rectipila, Trichonectria, 997
 recurvata, forma, Cordyceps
 purpureostromata, 78
 recurvatum, Lasiobolium, 296
 ('Lasiobasidium')
 recurvus, Cheiromyces, 525
 redactus, Thaxterogaster, 408
 — forma fusipedoides, Cortinarius, 425
 ('fusedoides')
 reddenda, Punctelia, 173
 reddyana, Erysiphe, 161
 rediunta, Schismatomma, 452
 redolens, Martellia, 395
 redoleo-alii, Clavaria, 829
 reducta, Bryonora, 743
 —, Macrocystidia, 87
 —, Pterospira, 361
 —, Ramicola, 990
 —, Simocybe, 139
 —, Tetrapyrgos, 701
 reductus, forma, Clitopilus scyphoides, 283
 reevesiae, Meliola, 129
 refertum, Thelotrema, 33
 reflexa, Stachylina, 846
 refractiva, Skyttea, 845
 —, Unguiculariopsis, 1080
 refringens, Xanthoparmelia, 368
 refugia, Janetia, 889
 regale, Mitocytridium, 768
 regalis, var., Rhizopla peltata, 451
 regianum, Tuber, 703
 regis, Phyllosticta, 358 ('rexii')
 reguisii, Sowerbyella, 502
 regularis, var., Inocybe lacera, 761
 —, var., Uncinula adunca, 217
 regularissimus, Irpex, 889
 rehmana, Hypoxylopsis, 434
 —, Nectria, 254
 rehmi, Acaulospora, 737
 —, Anthracobia, 378
 —, Geopyxis, 536
 —, Lamprospora, 763
 —, Unguiculariopsis, 847
 —, Wilcoxina, 507
 —, forma, Acarospora tongleti, 188
 reicheiae, Laboulbenia, 968
 reichingeri, Phellinus, 898
 reichlingii, Lichenocodium, 543
 reidii, Peniophora, 304
 —, forma, Cystolepiota adulterina, 119
 reineckean, Pseudocyphellaria, 498

reinhardii, *Erythrosphaera*, 430
 reinkingii, *Septobasidium*, 265
 reisingeri, *Acrophragmis*, 73 ('reisingeri')
 remanens, *Parmelia*, 132
 —, *Xanthoparmelia*, 622
 remex, *Laboulbenia*, 541
 remyi, *Hebeloma*, 885
 renati, var., *Xerula nigra*, 98
 renidentoides, *Cortinarius*, 117
 reniforme var. minor, *Chloridium*, 231
 reniformis, *Crepidotus*, 530
 —, *Diheterospora*, 10
 —, *Inapertisporonites*, 125
 —, *Lacrimasporonites*, 295
 —, *Multicellaesporites*, 206
 —, *Polioma*, 210
 —, *Stipitochaete*, 503
 —, *Crepidotus* see *Crepidotus singerianus*
 renispora, *Capnobotryella*, 745
 renisporum, *Scytinostroma*, 782
 renitens, *Epigloea*, 388
 repanda, *Lepista*, 543
 —, *Micropsalliota*, 18
 — forma sorediata, *Dirina*, 665
 repandum, *Hebeloma*, 538
 — forma amarum, *Hydnum*, 1057
 repens, *Bojamyces*, 946
 —, *Chaetomium*, 525
 —, *Epulorhiza*, 667
 — var. columnare, *Eurotium*, 340
 ('columnaris')
 repertus, *Leucoagaricus*, 891
 reptans, *Aspergillus*, 520
 —, *Aspicilia*, 420
 —, *Xanthoparmelia*, 622
 resinacea, forma, *Protounguicularia barbata*, 900
 resinae, *Camaroglobulus*, 523
 —, *Endophragmiella*, 81
 —, *Mytilinidion*, 546 ('Mytilidion')
 —, *Penicillium*, 208
 resinae-piceae, *Hymenoscyphus*, 673
 resinicola, *Bisporella*, 742
 resinocystidium, *Sistotrema*, 61
 resinosum, *Crustoderma*, 79
 respersa, *Mycena*, 442
 resupinata, *Hydnochaete*, 201
 retardata, *Kernia*, 126
 retardatum, *Chaetomium*, 192
 reteaudii, *Cylindrocladium*, 157
 reticulata, *Asyregmaespora*, 279
 ('Asyreamespora')
 —, *Auricularia*, 468
 —, *Brunneospora*, 743
 —, *Calyptellopsis*, 657
 —, *Discochora*, 587
 —, *Gigaspora*, 242
 —, *Psathyrella*, 172, 261, 450
 —, *Quasiconcha*, 93
 —, *Rimelia*, 1074
 —, *Scutellospora*, 614
 —, *Valsaria*, 28
 — forma nuda, *Parmelia*, 304
 — forma, *Opegrapha atra*, 302
 —, var., *Disciotis venosa*, 1054

—, var., *Fistulinella conica*, 289
 ('reticulatus')
 reticulatipes, forma, *Boletus pulverulentus* see
Boletus poikilochromus
 —, forma, *Boletus pulverulentus*, 577, 743
 reticulatum, *Craterium*, 663
 —, *Glomus*, 83, 1056 ('reticulatus')
 —, *Subicularium*, 996
 —, *Tulostoma*, 27
 —, var., *Xanthoconium affine*, 792
 reticulatus, *Coelomomyces*, 527
 —, *Dyadosporonites*, 386
 —, *Inapertisporonites*, 125
 —, *Muciturbo*, 894
 —, *Neopaxillus*, 547
 —, *Rubinoboletus*, 311
 —, *Striadiporites*, 176
 — var. australis, *Bolbitis*, 421
 — var. australis, *Pluteolus*, 606
 — var. parvus, *Coelomomyces*, 527
 —, forma, *Elaphomyces muricatus*, 881
 —, var., *Pluteolus aleuriatus*, 259
 reticulipes, var., *Suillus americanus*, 366
 reticulosperma, *Greletia*, 589
 reticulospora, *Stemonaria*, 455
 reticulosporum, *Diderma*, 428
 reticulosporus, *Chytriumyces*, 282
 retifera, var., *Puccinia chaerophylli*, 137
 retifoveata, *Peltigera*, 549
 retinervis, *Lentinus*, 248
 retiolites, *Archecribraria*, 278, 654
 retipes, var., *Tubosaeta brunneosetosa*, 847
 retiruga, *Arrhenia*, 330
 retirugella forma sorediosa, *Pyxine* see
Pyxine linearis
 retirugis, *Polyporus*, 58
 retirugum var. antarcticum, *Leptoglossum*, 351, 437
 retispora, *Lamproderma*, 86
 —, *Lamprospora*, 595
 —, *Russula*, 613
 —, *Sphaerodes*, 176
 — var. inferior, *Sphaerodes*, 176
 retistriatus, *Stridiporosporites*, 215
 retorquens, *Halosarphaea*, 123
 retropicta, *Coriolopsis*, 424
 retrospinosa, *Parmelia*, 132
 —, *Relicina*, 609
 retusi, *Ceratocystiopsis*, 76
 reumauxii, *Cortinarius*, 117 ('Reumauxii')
 revelstokensis, *Nodulosphaeria*, 442
 revoluta var. britannica, *Parmelia*, 65
 revolutum, var., *Lyophyllum connatum*, 250
 revolutus, *Leucocoprinus*, 678
 rhabdospora, *Anungitea*, 227
 rhacodes var. hortensis, *Macrolepiota*, 128
 —, var., *Inocybe lacera*, 761
 rhaeticus, *Protomyces*, 92
 rhagadiza, var., *Acarospora smaragdula*, 188
 rhagii, *Candida*, 281
 rhagonycharum, *Tarichium*, 315
 rhamni, *Asterina*, 741 ('rhamni')
 —, *Ochroporus*, 398
 —, *Phellinus*, 357
 —, *Strickeria*, 787 ('Strickera')
 rhamnicola, *Dichomera*, 1054

- , *Microsphaera*, 87 ('*rhmnicola*')
 - , *Schiffnerula*, 781
- rhmnigena*, *Helhonia*, 14
- , *Ramularia*, 991
- rhapidophylli*, *Fellhanera*, 535
- rheades*, *Inocutis*, 392
- rhei*, *Sphacelotheca*, 994
- rhei-palmati*, *Puccinia*, 901
- rhenana*, *Mycena*, 492
- , *Sowerbyella*, 699
- rhenanus*, var., *Leptoporus caesius*, 891
- rhicnopora*, *Ocellularia*, 99
- rhinocephalus*, *Junghuhnia*, 348
- rhinoceralis*, *Prolixandromyces*, 360
- , *Sphaleromyces*, 454
- rhizidiomycetis*, *Chytriomycetes*, 282
 - ('rhizidiomycis')
- rhizinata*, *Lecanora*, 350, 487
- rhizinosum*, *Catapyrenium*, 1045
- rhizobola*, *Acarospora*, 571
- rhizodendroideum*, *Cetrariastrum*, 282
 - , *Everniastrum*, 534
- rhizoidea*, *Monotosporella*, 546
- rhizoideipes*, *Stemonitis*, 455
- rhizoideum*, *Tricholoma* see *Clitocybe ramigena*
- rhizomorpha*, *Macrotyphula*, 837
- rhizomorphae*, *Hymenoscyphus*, 484
- rhizomorpharum*, *Pseudographiella*, 450
- rhizophila*, *Hypocrea*, 347 ('*rhizophilus*')
 - , *Magnaporthe*, 250
- rhizophora*, *Paulia*, 548
- rhizophorae*, *Aigialus*, 653
 - , *Caryosporella*, 422
 - , *Pyxine*, 695
- rhizophorus*, *Kyphomyces*, 436
 - , *Osoriomyces*, 89
- rhizopodiformis*, var., *Rhizopus microsporus*, 362
- rhizospora*, *Erynia*, 12
 - , *Hypophloeda*, 966
- rhodiola*, var., *Inocybe adaequata*, 761
 - , var., *Inocybe jurana*, 435
- rhodocarpa*, *Pezoloma*, 604
- rhododendri*, *Anarhyma*, 574
 - , *Apiognomonina*, 3
 - , *Capnocheirides*, 191
 - , *Dactylospora*, 9
 - , *Lophomerum*, 17
 - , *Microsphaera*, 167
 - , *Morenoina*, 18
 - , *Pezicula*, 20
 - , *Phyllactinia*, 899
 - , *Pterygosporopsis*, 361
 - , *Resinomycena*, 94
 - , *Rhodocybella*, 779
 - , *Seimatosporium*, 313
 - , *Sporocadus*, 502
 - , *Stenella*, 700
 - , *Uredo*, 28 ('*rhododendronis*')
 - var. *harrimanellae*, *Encoeliopsis*, 46
 - , forma, *Exobasidium vaccinii*, 832
 - , subsp., *Lecanora pulicaris*, 542
- rhododendricola*, *Calycellina*, 5
 - , *Hyalopeziza*, 15
 - , *Pseudocercospora*, 693
- rhododendrorum*, *Marasmius*, 766
- rhodoleuca*, *Ochrolechia*, 839
- rhodoleucum*, *Digitodochium*, 1054
- rhodomarginata*, *Russula*, 906, 993
- rhodomelon*, *Tyromyces*, 999
- rhodophaea*, *Montagnula*, 440
- rhodophaeus*, *Phylloporus*, 689
- rhodopurpureus*, *Boletus*, 656
 - var. *rhodoxanthus*, *Boletus*, 469
 - forma *polypurpureus*, *Boletus*, 656
 - forma *xanthopurpureus*, *Boletus*, 656
- rhodosperma*, *Lepiota*, 350
- rhodospermum*, *Cylindrocarpon*, 476
- rhodospila*, *Bertiella*, 576
- rhodosticta*, *Cryptothele*, 1052
- rhodotitthon*, *Cryptothelium*, 531
- rhodotoides*, *Lepista*, 248
- rhodoxanthus* subsp. *albomycelinus*, *Phylloporus*, 400
 - , var., *Boletus rhodopurpureus*, 469
- rhoi*, *Endomyces*, 832
 - , *Monilia*, 838
- rhoina*, *Cercospora*, 333
- rhois*, *Mycovellosiella*, 1063
 - , *Cercospora* see *Cercospora rhoina*
- rhoiseda*, *Phyllosticta*, 775
- rhombicarpa*, *Termitaria*, 177
- rhombisperma*, *Crucispora*, 79
- rhombispora*, *Naematoloma*, 55
 - , *Nolanea*, 355
- rhombisporum* var. *floccipes*, *Entoloma*, 755
- rhomboidospora*, *Psilocybe*, 262
- rhombosporea*, *Protoparmelia*, 988
- rhombosporus*, var., *Flammulaster carpophilus*, 535
- rhopalopodium*, *Lyophyllum*, 204
- rhopalospermum*, *Phragmiticola*, 605
- rhopalostylidis*, *Oxydothis*, 684
- rhossiliensis*, *Hirsutella*, 15
- rhynchelytri*, *Sporisorium*, 907
- rhynchosiae*, *Aecidium*, 737
- rhynchoticola*, *Torrubiella*, 267
- rhypariza*, *Bryonora*, 280
 - var. *cyantrophia*, *Bryonora*, 743
 - var. *lamaina*, *Bryonora*, 280
- rhypodes*, *Strickeria*, 787 ('*Strickera*')
 - , *rhypodiza*, *Halecania*, 963
- rhytidia* forma *platensis*, *Plectania*, 448
- rhytidocarpa*, *Cetrelia*, 950
 - , *Cetreliaopsis*, 114
- rhytidodes*, *Myelochroa*, 682
 - , *Parmelia*, 132
- rhytidosperma*, *Badhamia*, 1044
- rhytidosporus*, *Ascobolus*, 42, 153
- rhytiphloeus*, *Phellinus*, 57
- rhytismatis*, *Barbarosporina*, 1044
- rhytismoides*, *Phyllachora*, 775
- ribesiella*, *Massarina*, 488
- ribesii*, *Phyllactinia*, 447
- ribida*, var., *Russula purpurata*, 906
- ribis*, *Apiognomonina*, 278
 - , *Paradiplodia*, 56
 - , *Venturia*, 561
- ricasolii*, *Schismatomma*, 1077
- ricciae*, *Leucoscypha*, 166
- ricciicola*, *Leucoscypha*, 87 ('*ricciaecola*')
 - , *rhododendrorum*, *Marasmius*, 766

- ricekii, *Lepista*, 297
richardii, subsp., *Rhizocarpon constrictum*, 556
richardsonii, *Coccomyetella*, 582
richeae, *Meloderma*, 252
richonis, *Dematioscypha*, 752
— var. *olivacea*, *Dematioscypha*, 752
rickenianus, subsp., *Cortinarius decipiens*, 1049
rickenii, *Arrhenia*, 943
—, *Entoloma*, 588
—, *Floccularia*, 83
—, *Geopetalum*, 669
—, *Helotium*, 201
—, *Hohenbuehelia*, 84, 672
—, *Inocybe*, 835
—, *Macrolepiota*, 892
—, *Pleurotus*, 691
—, *Ripartitella*, 697
—, *Geopetalum* see *Hohenbuehelia rickenii*
—, var., *Entoloma conferendum*, 755
rickiana, var., *Mycena adscendens*, 491
rickianus, *Phellinus*, 400, 841
—, *Polyporus*, 899
rickii, *Camarops*, 112, 154
—, *Cerocorticium*, 747
—, *Hypochnicium*, 201
—, *Phellinus*, 447, 774
—, *Pulparia*, 23
ridleyi, var., *Tulostoma exasperatum*, 911
riederi forma major, *Cortinarius*, 954
riedliana, *Erysiphe*, 240
—, var., *Erysiphe galii*, 240
riedlianus, *Golovinomyces*, 884
riethii, *Asteridiella*, 944
rifaii, *Peziza*, 773
rigelliae, *Camarophyllus*, 524
—, *Cuphophyllus*, 1052
rigentoides, *Cortinarius*, 285
riggenbachii, *Phoma*, 170
righettii, *Apiognomonia*, 419
rigida, *Paradiacheopsis*, 548
—, *Pseudocyphellaria*, 498
—, *Tubercinia*, 505
— var. *faginea*, *Usnea*, 561
— var. *hapalotera*, *Usnea*, 561
— var. *protea*, *Usnea*, 561
—, var., *Morchella rotunda*, 491
—, var., *Russula virentirubens*, 906
—, var., *Ucinula togashiana*, 457
rigidipes, *Leccinum*, 890
—, *Omphalina*, 255
rigidiuscula, *Endophragmiella*, 959
rigidiusculus, *Cortinarius*, 475
rigidula, *Lepraria*, 1060
—, *Usnea*, 457
rigidum, *Circinotrichum*, 77
rigidus, *Nigroporus*, 683
— forma *albolens*, *Cortinarius*, 117
rigniacensis, *Apiognomonia*, 278
rignihuensis, *Candida*, 381
rimosa, *Phanerochaete*, 550
—, *Scopuloides*, 175
— var. *bulbosissima*, *Inocybe*, 888
— var. *cerina*, *Inocybe*, 1058
— var. *flavella*, *Inocybe*, 1058
— forma *argentata*, *Inocybe*, 888
— forma *perlata*, *Inocybe*, 1058
—, forma, *Opegrapha atra*, 302
—, var., *Clitocybe sinopica*, 474
rimosiceps, *Entoloma*, 48
rimosissima, *Grandinia*, 885
rimosofissus, *Cortinarius*, 236
rimosum, *Amethicium*, 227
—, *Diderma*, 287 ('rimosa')
—, *Hyphoderma*, 245
—, *Melzericium*, 597
rimosus, *Diplomitoporus*, 428
—, *Fulvifomes*, 390
—, *Pyropolyporus*, 451
—, *Sarcodon*, 405
rimulicola, *Dactylospora*, 45
rimulosa, *Eutypella*, 756
—, *Krombholziella*, 203
rimulosum, *Entoloma*, 388 ('Entoloma')
rinodinae-albae, *Caloplaca*, 657
rinodinicola, *Dactylospora*, 1053
riobrancensis, *Tremella*, 216
riograndensis, *Eutypella*, 756
—, *Punctelia*, 173
rionegrensis, *Austroboletus*, 279
—, *Collybia*, 952
—, *Dennisiomyces*, 956
—, *Hydropus*, 244
rionensis, *Corynesporopsis*, 530
riousetae, forma, *Lepiota locquinii*, 543
riousetiae, *Cortinarius*, 583
riparia, *Hygrocybe*, 965
—, *Kiliasia*, 393
—, *Mycena*, 546
— var. *conicolpalustris*, *Hygrocybe*, 965
riparium, *Hebeloma*, 345
riparius, *Lactarius*, 436
—, var., *Hydropus lacuster*, 244
—, var., *Lactarius zonarius*, 53
—, var., *Leucoagaricus cinerascens*, 488
ripicola, *Gyrodont*, 84
ripogoni, *Iodosphaeria*, 674
risigallina, *Russula*, 501, 557
— var. *subcristulata*, *Russula*, 613
— forma *bicolor*, *Russula*, 613
— forma *chamaeleontina*, *Russula*, 906
— forma *luteorosella*, *Russula*, 613
— forma *montana*, *Russula*, 613
— forma *roseipes*, *Russula*, 613
ristichii, *Amanita*, 1042
rivana, *Dacampiosphaeria*, 9
riveae, *Oidium*, 355
rivularis, *Helvella*, 84
—, *Tapesia*, 701
rivulosa, *Ceriporiopsis*, 524
rivulosus, *Leucocoprinus*, 678
—, *Physisporinus*, 358 ('rivulosa')
robergei, *Nectriella*, 1063
—, *Unguiculariopsis*, 847
— subsp. *coelomyceticola*, *Unguiculariopsis*, 847
robertianus, *Lactarius*, 595
robertii, *Cortinarius*, 877
roberti-henrici, *Cortinarius*, 830
robiciana, *Ramularia*, 991
robillardoides, *Seimatosporium*, 94

- robiniae, *Scindalma*, 781
 robiniophila, *Perenniporia*, 257
 —, *Poria*, 402
 roblesmaulicola, *Cortinarius*, 877
 —, *Omphalina*, 896
 robicola, *Cortinarius*, 877
 roboris, *Ceratocystis*, 471
 robrofusca, *Gyalideopsis*, 834
 roburnea, *Crustomollisia*, 663
 robusta, *Apostrasseria*, 227
 —, *Arnoldiella*, 330
 —, *Ceratocystis*, 76
 —, *Comatricha*, 283
 —, *Eomycetopsis*, 239
 —, *Erysiphe*, 161
 —, *Fomitiporia*, 389
 —, *Gyalideopsis*, 834
 —, *Helvella*, 886
 —, *Lachnellula*, 541
 —, *Mycena*, 769, 839
 —, *Perrotia*, 687
 —, *Phaeosphaeria*, 984
 —, *Taeniola*, 455
 —, var., *Erysiphe magnicellulata*, 430
 —, var., *Russula minutula*, 264
 —, var., *Trichoscyphella gallica*, 409, 456
 robustoides, *Lichenella*, 543
 robustum, *Leptoglyphium*, 437, 677
 —, *Oidiendron*, 547
 —, *Oidium*, 494
 —, *Ophiostoma*, 601
 —, *Tricladium*, 367
 —, *Trinacrium*, 998
 —, var., *Cortinarius cumatilis*, 424
 —, var., *Oncocladium flavum*, 600
 robustus, *Parmathyrites*, 89
 —, *Wielandomyces*, 912
 —, var., *Cuphophyllus pratensis*, 1052
 rockii, *Thelotrema*, 33
 roderickii, *Paraparmelia*, 840 ('*Paraparmelia*')
 rogersiae, *Setoerysiphe*, 406
 rodriguesiana, *Paraparmelia*, 603
 rodriguesii, *Peltula*, 687, 981
 rodrigueziana, *Ligiella*, 17
 rodwayi, *Austrogautieria*, 468
 —, *Entoloma*, 48
 roemeriae, *Helminthosporium*, 671
 rogersii, *Gyalideopsis*, 834
 —, *Hypoxylon*, 85
 —, *Omphalina*, 302 ('*rogersii*')
 —, *Parmelia*, 840
 —, *Xanthoparmelia*, 622
 rohrbachensis, var., *Kloeckera brevis*, 541
 ('*rohrbachense*')
 —, var., *Torulopsis dattila*, 560
 ('*rohrbachense*')
 roivainenii, *Tubercinaria*, 505
 rokkiana, *Torrubiella*, 216
 rolfsii var. *delphinii*, *Sclerotium*, 906
 romagnesiana, *Psathyrella*, 900
 —, *Tubaria*, 267
 romagnesianum, *Entoloma*, 388
 romagnesii, *Corditubera*, 233
 —, *Psathyrella*, 900
 — var. *infidus*, *Agaricus*, 329
 romana, *Inocybe*, 967
 romanica, *Triadelphia*, 216
 romantica, *Chaetopsis*, 282
 romellii, *Antridiella*, 189
 —, *Flaviporus*, 389
 —, *Phlebiella*, 688
 —, *Xenasmatella*, 268
 — forma *alba*, *Russula*, 613
 romseyensis, *Psathyrella*, 777
 rondoniensis, *Volvariella*, 1000
 rongensis, *Torulopsis*, 140
 ropaloides, *Macrosporium*, 439
 roqueforti var. *carneum*, *Penicillium*, 1066
 roraimensis, *Tubeufia*, 560
 roridus var. *umbonatus*, *Pilobolus*, 1068
 rorippae, *Erysiphe*, 340
 rorulentus, var., *Leucocoprinus cepaestipes*, 54
 rosabrunnea, var., *Lepiota josserandii*, 890
 rosabrunneus, *Leucoagaricus*, 1061
 rosacea, *Calvatia*, 948
 rosacearum, forma *specialis*, *Oidiopsis taurica*, 896, 978
 rosae, *Colpoma*, 423
 —, *Microsphaera*, 88
 —, *Sphaerotheca*, 139
 —, *Uncinuliella* see *Uncinuliella simulans* var. *tandae*
 rosaemariae, *Pulveroboletus*, 309
 rosae-omeiensis, *Phragmidium*, 899
 rosalamellatus, *Agaricus*, 466, 517
 ('*rosamellata*')
 rosariensis, *Deightonella*, 427
 rosarum, *Septocytia*, 782
 rosascentifolius, *Marasmiellus*, 971
 rosaviolacea, *Mycena*, 55
 rosea, *Cordyceps*, 234
 —, *Hemitrichia*, 124
 —, *Metatrichia*, 252, 440
 —, *Monilia*, 838
 —, *Phlebia*, 21
 —, *Rhodotarsetta*, 264
 —, *Topelia*, 408
 —, *Torrubiella*, 216
 —, forma, *Mycena pura*, 253
 —, var., *Mycena pura*, 253
 roseibrunneus, var., *Microporellus inusitatus*, 680
 roseitingens, var., *Panellus mitis*, 685
 roseilamellata, var., *Amanita vaginata*, 826
 roseipellis, *Limonomycetes*, 204
 roseipes, *Micropsalliota*, 18
 —, forma, *Cuphophyllus niveus*, 1052
 —, forma, *Inocybe xanthocephala*, 762
 —, forma, *Inocybe xanthophylla*, 247
 —, forma, *Russula risigallina*, 613
 —, var., *Inocybe flavella*, 761
 roseipileus, *Tyromyces*, 999
 rosella, *Ramaria*, 499
 rosellicaularis, *Inocybe*, 246
 roseoacereum, *Tricholoma*, 367
 roseoalba, *Russula*, 906
 roseoalbidus, *Xerocomus*, 706
 roseobrunnescens, forma, *Mycena pura*, 769
 roseobrunneum, var., *Tricholoma pseudoimbricatum* see *Tricholoma roseoacereum*

- roseocarnea, *Vararia*, 457
 roseodiscoideus, *Hygrophorus*, 434
 roseofracta, *Krombholziella*, 203
 roseofractus, *Boletus*, 871, 946
 roseofusca, forma, *Mycena*
 olivaceomarginata, 598
 roseofuscella, *Orbilia*, 683
 roseoisabellina, *Perenniporia*, 357
 roseola, *Skeletocutis*, 845 ('roseolus')
 —, forma, *Russula alutacea*, 264
 roseolens, *Cortinarius*, 425
 roseolum, *Cerocorticium*, 113
 roseolus, *Pteridomyces*, 263
 —, *Tylopilus*, 62
 roseomaculatum, *Climacodon*, 155
 roseonana, *Umbelopsis*, 268
 roseonigra, *Hyphozyma*, 540
 roseopallidum, *Gerronema*, 883
 roseophylla, *Amanita*, 467
 roseophyllus, *Hygrophorus*, 886
 roseosporus, *Treubiomyces*, 267
 roseostriata, *Hygrocybe*, 539
 —, *Russula*, 1076
 roseostromata, *Cordyceps*, 234
 roseotincta, *Krombholziella*, 203
 —, *Lecidea*, 890
 —, forma, *Amanita cokeri*, 418
 roseotinctus, *Boletus*, 871, 946
 roseotingens, *Schizopora*, 364
 roseovariatus, *Cortinarius*, 954, 1051
 roseovelata, *Russula*, 1076
 roseovinaceus, *Micropsalliota*, 252
 roseoviolacea, *Clavaria*, 829
 —, *Russula*, 1076
 var. *squamulosa*, *Russula*, 1076
 forma *sublaevis*, *Russula*, 1076
 —, forma, *Mycena pura*, 1062
 roseo-albus, *Loweoporus*, 54
 roseo-inhalata, var., *Inocybe lutescens*, 51
 roseo-ornatus, *Crepidotus*, 426, 955
 rosettum, *Endocarpon*, 387
 roseum, *Dischloridium*, 478
 —, *Entoloma*, 339
 — var. *arthrosporioides*, *Fusarium*, 162
 — var. *gibbosum*, *Fusarium*, 162, 833
 — forma *compactum*, *Fusarium*, 833
 — forma *pearsonii*, *Entoloma*, 339
 —, var., *Diderma globosum*, 665
 roseus var. *boninensis*, *Crepidotus*, 236
 —, var., *Pleurotus djamar*, 135
 rosiformis, var., *Verrucaria hochstetteri*, 561
 ('rosaeformis')
 rosmarini, *Poria*, 402
 —, *Strickeria*, 787 ('Strickera')
 rossii, *Euphoriomyces*, 82
 rostellata, *Psathyrella*, 607
 rostrata, *Endophragmiella*, 429
 —, *Gyalideopsis*, 834
 —, *Hirsutella*, 538
 —, *Luttrellia*, 17 ('Lutrellia')
 —, *Metulocyphella*, 299
 —, *Psilocybe*, 555
 —, *Strickeria*, 700, 787, 908 ('Strickera')
 rostratus, *Mimeomyces*, 440
 rostrellata, *Ophionectria*, 89
 rostracoronatum, *Ophiostoma*, 356
 rostrupii, *Austroboletus*, 74
 —, *Exobasidium*, 122
 —, *Leptostroma*, 17
 rosulata, forma, *Physcia stellaris*, 306
 rosulatum, *Ischnoderma*, 762 ('rosulata')
 rosulatus, *Marasmius*, 1061
 —, *Polyporus*, 135
 —, *Polyporus* see *Polyporus pekingensis*
 rosulenta, *Vararia*, 619
 rotaliformis, *Marasmius*, 299
 rothwellii, *Ganoderma*, 13
 rotiferorum, *Diheterospora*, 10
 rottleri, *Coccocarpia*, 232
 rotula, *Apiosordaria*, 73
 rotuliforme, *Asterothyrium*, 742
 rotunda, *Monilia*, 838
 — var. *crassipes*, *Morchella*, 491
 — var. *esculenta*, *Morchella*, 491
 — var. *minutula*, *Morchella*, 491
 — var. *pallida*, *Morchella*, 491
 — var. *rigida*, *Morchella*, 491
 — forma *minutella*, *Morchella*, 491
 rotundata, *Cladina*, 383
 —, *Isthmolongispora*, 674
 —, *Semifissispora*, 175
 —, *Thyrea*, 456
 rotundatus, *Dimorphomyces*, 478
 rotundifoliae, *Krombholziella*, 203
 rotundisperma, *Scutellinia*, 265
 rotundispora, *Ramaria*, 844
 —, var., *Russula diffusa*, 1075
 rotundisporum, *Entoloma*, 48
 rotundus, *Biporisporites*, 190
 —, *Endomyces*, 832
 —, *Inapertisporites*, 202, 294
 roumegueri, *Deightonella*, 286
 —, *Massariosphaeria*, 439 ('roumeguerii')
 —, *Phlebiopsis*, 133 ('roumeguerii')
 rousseau, *Pleuroceras*, 307
 rouselliana, *Karstenula*, 674
 roussillonensis, *Aegeritella*, 517
 roussopoulosii, *Rhizocarpon*, 696
 rouxii var. *raffinosi*, *Saccharomyces*, 138
 —, var., *Rhizopus arrhizus*, 362, 451
 roxheimii var. *aestivalis*, *Octospora*, 771
 roystoneae, *Ascochyta*, 189
 —, *Phragmopathula*, 91
 —, *Sympodiella*, 559
 roystoneicola, *Ascochyta*, 740
 —, *Holubovaea*, 346, 392 ('roystonicola')
 rubefaciens, *Hyalopeziza*, 124
 —, *Penicillium*, 208
 —, *Rhynchostoma*, 610
 rubella, *Pratella*, 1068
 —, *Pseudocyphellaria*, 65
 — var. *himalaica*, *Ramaria*, 499
 —, forma, *Hygrocybe ceracea*, 760
 rubelloides, *Agaricus*, 466
 —, *Massariosphaeria*, 251
 rubellotincta, *Alboleptonia*, 518
 rubellus, *Agaricus* see *Agaricus rubelloides*
 —, var., *Monascus anka*, 252
 rubescens, *Arthonia*, 943
 —, *Bisporella*, 111
 —, *Cyathicula*, 119
 —, *Elachopeltella*, 532

- , *Hapalopilus*, 963
- , *Hymenagaricus*, 346
- , *Macrolepiota*, 439
- , *Muellerella*, 491
- , *Placopyrenium*, 899
- var. *alutacea*, *Amanita*, 826
- var. *annulosulfurea*, *Amanita*, 826
- var. *genuina*, *Amanita*, 826
- var. *incarnata*, *Amanita*, 826
- var. *radicata*, *Amanita*, 418
- var. *verrucosa*, *Amanita*, 826
- var. *virescens*, *Amanita*, 572
- forma *annulorosea*, *Amplariella*, 574
- forma *exannulata*, *Amplariella*, 574
- forma *salicina*, *Cytospora*, 158
- forma *virescens*, *Amanita*, 654, 868
- , forma, *Suillus variegatus*, 996
- , var., *Daedaleopsis confragosa*, 119
- , var., *Macrolepiota excoriata*, 128
- , var., *Oudemansiella radicata*, 602
- , var., *Pharcidia epicymatica*, 57
- , var., *Porpidia tuberculosa*, 607
- rubeus*, *Cortinarius*, 117
- rubi*, *Capitotricha*, 471
- , *Lachnum*, 487
- , *Lambertella*, 487
- , *Marasmius*, 766
- , *Pseudocercospora*, 360
- , *Ramicola*, 990
- , *Ramularia*, 991
- rubiacearum*, *Mycovellosiella*, 207
- rubiae*, *Erysiphe*, 882
- , *Phyllosticta*, 22
- , *Placosphaeria*, 690
- rubianum*, *Cylindrosporium*, 286
- rubicola*, *Dicarpella*, 119
- , *Hormotheca*, 482
- , *Karstenia*, 16
- rubicunda*, *Massariosphaeria*, 251
- rubicundulus*, *Sporobolomyces*, 407
- rubida*, *Lecanora*, 296
- rubidus*, var., *Lactarius fragilis*, 52
- rubiformella*, *Psora*, 32
- rubiginans*, *Pyrrhospora*, 137
- rubiginea*, subsp., *Usnea strigosa*, 791
- rubiginosa*, *Conocybe*, 116
- , *Badhamia* see *Craterium muscorum*
- rubiginosoperithecata*, *Cordyceps*, 234
- rubiginosostipitata*, *Cordyceps*, 234
- rubiginosum* var. *cercidicola*, *Hypoxylon*, 540
- var. *microsporum*, *Hypoxylon*, 85
- var. *perforatum*, *Hypoxylon*, 540
- rubiginosus*, *Monascus*, 252
- rubiicola*, *Ramularia*, 991
- rubiicolor*, *Austroboletus*, 74
- rubina*, *Chaenothecopsis*, 192
- rubi-eucalypti*, *Phragmidium*, 899
- rubi-fraxinifolii*, *Phragmidium* see *Phragmidium hirsutakanum*
- rubi-idaei*, *Gnomonia*, 291
- rubra*, *Destuntzia*, 477
- , *Femsjonina*, 241
- , *Poromyces*, 211
- , *Pyropixys*, 362
- , var., *Amanita caesarea*, 825
- , var., *Arthonia tumidula*, 279
- , var., *Hygrocybe glutinipes*, 346
- rubricapitata*, *Cordyceps*, 234
- rubricarnata* var. *laeta*, *Ramaria*, 1073
- var. *pallida*, *Ramaria*, 903
- var. *verna*, *Ramaria*, 903
- rubriceps*, *Alnicola*, 518
- , *Naucoria*, 354
- , var., *Boletus luridus*, 743
- rubricosissimus*, *Cortinarius*, 195
- rubrifuscens*, *Tyromyces*, 999
- rubrilacteus*, *Lactarius*, 53
- rubrina*, *Pseudocyphellaria*, 498
- rubripermanens* var. *longissimispora*, *Ramaria*, 609
- rubripes*, forma, *Russula purpurata*, 906
- rubripunctata*, *Hirsutella*, 243
- rubritubifer*, *Chalciporus*, 659
- rubri-attenuipes*, *Ramaria*, 1073
- rubrobrunnea*, *Arcyria*, 574
- rubrobrunnescens*, *Xerula*, 793
- rubrobrunneus*, *Aspergillus*, 520
- , *Hygrophorus*, 539
- , forma, *Boletus felleus*, 522
- rubrococcineum*, *Stropholoma*, 996
- rubrocyanea*, *Calocybe*, 522
- rubromaculatum*, *Entoloma*, 48
- rubromaculatus*, var., *Boletus luridus*, 577
- rubromarginata* var. *bulbosostipitata*, *Mycena*, 442
- rubromarginatum*, *Psoroma*, 263
- rubromarginatus* var. *albilamellatus*, *Marasmius*, 972
- rubromedulla*, *Xanthoparmelia*, 622
- rubronanus*, *Agaricus*, 417
- rubroniveus*, *Hymenogaster*, 346
- rubroolivascens*, var., *Russula luteoviridans*, 905
- rubropileus*, var., *Boletus erythropus*, 332
- rubropunctata*, *Mycenella*, 492
- rubropunctatum*, *Lachnum*, 836
- rubropunctatus*, *Monascus*, 252
- (*'rubropunctatus'*)
- rubropurpurea*, *Pseudocercospora*, 136
- rubropustulata*, *Parmelia*, 981
- , *Xanthoparmelia*, 705
- rubrosanguineus*, *Boletus*, 332
- rubrostipitata*, *Dendrostilbella*, 477
- rubrostoma*, *Nectria*, 254
- , *Pyrenula*, 66
- rubrostromata*, *Cordyceps*, 284
- rubrum*, *Echinobotryum*, 429
- , *Epidermophyton*, 667
- , *Leccinum*, 542
- , *Lophodermium*, 1061
- , forma, *Physarum nutans*, 689
- rucujenna*, *Laboulbenia*, 541
- rudbeckiae*, *Ascochyta*, 944
- forma *diplodina*, *Ascochyta*, 944
- , forma, *Phyllactinia suffulta*, 170
- rude*, *Hypoderma*, 15
- rudecta*, *Punctelia*, 173
- runderum*, *Agaricus*, 868
- rudis*, *Morchella*, 491
- , *Phellinus*, 774
- rudolphi*, *Discocistella*, 958
- ruebsaamenii*, var., *Puccinia schneideri*, 212

- ruelliae, *Corynespora*, 8
 rufa, *Krombholziella*, 594
 — forma *formosana*, *Hypocrea*, 434
 rufata, *Collybia*, 283
 rufescens, *Buglossoporus*, 380
 —, *Catapyrenium*, 471
 —, *Crociareas*, 118
 —, *Hygrophoropsis*, 673, 886
 —, *Krombholziella*, 203
 —, *Leccinum*, 890
 —, *Lepiota*, 248
 —, *Loweoporus*, 971
 —, *Psathyrella*, 554
 — forma *fuscata*, *Opegrapha*, 302
 — forma *herpetica*, *Opegrapha*, 302
 — forma *stellaris*, *Opegrapha*, 302
 —, forma, *Lentinus lepideus*, 677
 —, subsp., *Catapyrenium lachneum*, 524
 —, var., *Acarospora smaragdula*, 188
 —, var., *Microporellus burkillii*, 680
 —, var., *Russula citrina*, 557
 —, var., *Xerula radicata*, 318
 rufescentis, *Dacampia*, 585
 ruficarnis, *Eutypella*, 757
 rufidula, *Umbilicaria*, 703
 rufidulus, var., *Hymenagaricus ardosiaeicolor*, 483
 rufipendens, *Tyromyces*, 999
 rufipes, *Stemonaria*, 455
 rufipileatus, *Tyromyces*, 999
 rufipusillus, *Tyromyces*, 999
 rufoanuliferus, *Cortinarius*, 830
 rufobrunnescens, *Boletus*, 421
 rufocarneum, *Entoloma*, 479
 rufoconnatus, *Cortinarius*, 236
 rufocornea, *Diccephalospora*, 665
 —, *Lanzia*, 54
 rufocuprea, *Licea*, 678
 rufolaccatus, *Fomitopsis*, 122
 rufolanatus, *Coprinus*, 335
 rufonigra, *Psorula*, 32
 rufoolivaceus var. *pallidus*, *Cortinarius*, 425
 rufospora, *Phaeographina*, 99
 rufostriatum, *Diderma*, 428
 rufotacta, *Inocybe*, 393
 —, var., *Inocybe furfurea*, 761
 rufoviolaceus, *Cortinarius*, 195
 rufovirescens, *Pseudocyphellaria*, 211
 rufo-aurantiacum, var., *Tricholoma ustale*, 409
 rufo-auratus, var., *Polyporus polychrous*, 607 ('rufo-aurata')
 rufo-fulva, *Tubaria*, 316
 rufula, *Inocybe*, 540
 rufuloides, *Inocybe*, 348
 — var. *exilis*, *Inocybe*, 762
 rufum, *Diderma*, 120
 —, *Leccinum*, 394
 —, *Nephroma*, 301
 rufus, *Phellinus*, 898
 — var. *parvus*, *Lactarius*, 53
 —, var., *Boletus scaber*, 947
 rugatus, var., *Lactarius hygrophoroides*, 52
 rugensis, *Lamprospora*, 763
 rugiferum, *Myriotrema*, 31
 rugosa, *Acaulospora*, 517
 —, *Apiosordaria*, 3
 —, *Conocybe*, 116
 —, *Krombholziella*, 435
 —, *Licea*, 678
 —, *Lichenostigma*, 488
 —, *Monilia*, 838
 —, var., *Collybia fusipes*, 748
 —, var., *Hypogymnia subduplicata*, 592
 rugosellus, *Xerocomus*, 63
 rugosiceps, *Krombholziella*, 203
 —, *Rozites*, 174
 rugosispora, *Vararia*, 97
 rugosissimum, *Entoloma*, 48
 rugosobisporus, *Coprinus*, 335
 rugosoceps, *Xerula*, 793
 rugosopruinatum, *Entoloma*, 48
 rugoso-vinosus, *Boletus*, 871
 rugospora, *Lindtneria*, 596
 —, *Podaxis*, 987
 rugosum, *Amauroderma*, 277
 —, *Entoloma*, 239
 —, *Leccinum*, 165
 — var. *latiporum*, *Amauroderma*, 227
 rugosus, *Coelomomyces*, 527
 —, *Cortinarius*, 425
 —, *Endomyces*, 832
 —, *Fusiformisporites*, 123
 rugulosa, *Camarophylloopsis*, 524
 —, *Cladonia*, 581
 —, *Nigropuncta*, 88
 —, *Paraparmelia*, 603
 —, *Sporothrix*, 845
 —, *Xanthoparmelia*, 792
 —, var., *Usnea plicata*, 561
 rugulosarium, *Polycoccum*, 58
 rugulosum, *Lyophyllum*, 298
 rugulosus, *Gymnopilus*, 163
 —, *Stephanoascus*, 846
 rugulovalvus, *Aspergillus*, 520
 ruineniae, *Sporidiobolus*, 314 ('ruinenii')
 ruizlealii, *Conocybe*, 116
 rumicicola, *Phoma*, 91
 rumicis, *Mollisia*, 974
 rumicis-acetosae, forma *specialis*, *Puccinia phragmitis*, 778
 rumicis-japonici, forma *specialis*, *Puccinia phragmitis*, 778
 ruminata, *Rimelia*, 1074
 runcinata, *Anaptychia*, 378
 runica, *Halographis*, 834
 rupestrinum, *Gyrocollema*, 885 ('rupestrina')
 rupestris, *Leptosphaerulina*, 249
 —, *Nodulosphaeria*, 255
 —, *Xanthoparmelia*, 622
 — var. *sarda*, *Protoblastenia*, 692
 rupicola, *Paraparmelia*, 603
 — subsp. *arctoa*, *Lecanora*, 969
 — subsp. *subplanata*, *Lecanora*, 969
 — subsp. *sulphurata*, *Lecanora*, 969
 — var. *bicincta*, *Lecanora*, 542
 — var. *efflorens*, *Lecanora*, 969
 — var. *leucogaea*, *Lecanora*, 350
 — var. *subplanata*, *Lecanora*, 542
 — var. *sulphurata*, *Lecanora*, 542
 ruprechtii, *Puiggarrina*, 902 ('Ruprechtii')
 rusci, *Mycosphaerella*, 130

- ruscicola, *Mycosphaerella*, 55
 rusiophyllus var. *comtulus*, *Agaricus*, 466
 russea, *Scutomollisia*, 993
 russellii, *Leptosphaeria*, 438
 —, *Zosterodiscus*, 411
 russeus, *Cortinarius*, 530
 russiceps var. *micropora*, *Echinochaete*, 387
 — var. *pyriodora*, *Echinochaete*, 387
 — var. *squarrosa*, *Echinochaete*, 387
 — var. *villosior*, *Echinochaete*, 387
 russipes, *Gymnopilus*, 242
 russoceps, *Leucocoprinus*, 678
 russocoriaceus, *Cuphophyllus*, 427, 584, 1053
 rusticoides, *Entoloma*, 82
 rusticum, *Gerronema*, 390 ('rustica')
 rutacearum, *Sirosporium*, 501
 rutae, *Leveillula*, 438
 —, *Ramularia*, 696
 rutidota, *Flavoparmelia*, 535
 rutilans var. *splendidiissima*, *Tricholomopsis*, 847
 — var. *variegata*, *Tricholomopsis*, 409, 456, 505
 —, var., *Russula odorata*, 557
 rutilantiformis, *Murrillporus*, 441
 rutilus, *Trichomonascus*, 790
 — var. *fulmineus*, *Chroogomphus*, 581
 — var. *tatrensis*, *Chroogomphus*, 747
 ruttneri, *Phoma*, 134
 ruwenzorensis, *Phaeotomasellia*, 170
 ruwenzoriensis, *Pseudoramularia*, 308 ('*Pseudoramularia*')
 —, *Stachybotrys*, 454
 rwardensis, *Ustilago*, 368
 ryogamiensis, *Cordyceps*, 235
 ryogamimontana, *Torrubiella*, 216
 rykaipiae, *Aspicilia*, 110
 ryukyuese, *Sagenoma*, 363 ('ryukyuensis')
 ryukyensis, *Pseudolachnea*, 23
 —, *Sagenomella*, 363
 —, *Talaromyces*, 788 ('ryukyensis')
 —, *Torrubiella*, 216
 rywardenianum, *Microthecium*, 490
 rywardenii, *Phlebia*, 841
 saarenoksae, *Cystoderma*, 531
 sabaudiae, *Tilletia*, 267
 sabiae, *Phyllactinia*, 210
 —, *Pseudocercospora*, 989
 sabiana, *Asterina*, 741
 sabinicum, *Crustoderma*, 426
 —, *Hyphoderma*, 293
 — var. *disporum*, *Crustoderma*, 830
 sabuletorum, *Mycobilimbia*, 397
 — var. *dolosa*, *Bacidia*, 63
 sabulicola, *Cortinarius*, 750
 sabulonensis, *Protuberana*, 900
 sabulophila, *Clitocybe*, 474
 sabulosa, var., *Inocybe tarda* see *Inocybe subporospora*
 —, forma, *Inocybe subbrunnea*, 348
 —, var., *Lepiota pseudohelveola*, 596
 —, var., *Russula adusta*, 611
 sabulosum, *Penicillium*, 495
 saccardoana, *Hymenopsis*, 15
 saccardoi, var., *Absidia coerulescens*, 417
 saccata, *Flagellospora*, 960
 saccatum, *Geastrum*, 123
 saccatus, *Didymosporonites*, 287
 sacchari, *Apiosordaria*, 227
 —, *Daldinia*, 585
 —, *Peronosclerospora*, 445
 —, *Phaeosphaeria*, 984
 —, *Phanerochaete*, 550
 —, *Plagiosphaera*, 306
 —, *Sporisorium*, 454
 — var. *calami*, *Phaeocystostroma*, 21
 —, forma *specialis*, *Colletotrichum graminicola*, 334
 saccharicola, *Coniothyrium*, 192
 —, *Pseudocercospora*, 136
 saccharifera, *Resinomycena*, 404
 —, *Resinomyces*, 451
 — subsp. *kalalochensis*, *Resinomycena*, 404
 sacchariolens, *Cystolepiota*, 237
 —, *Entoloma*, 11
 —, *Psathyrella*, 450
 — var. *pallidoluctuosum*, *Hebeloma*, 759
 sacchariosmum, forma, *Tricholoma saponaceum*, 910
 saccicola, *Hymenoscyphus*, 1057
 saccifolii, *Xenomeris*, 913
 sacciformis, *Multicellaesporites*, 130
 —, *Satchmopsis*, 698
 sachidanandii, *Zalerion*, 98
 sacrata, *Phanerochaete*, 258
 sacratum, *Amylosterum*, 519
 sadasivani, *Basidiosporites*, 331
 saepiaria, *Hydnochaete*, 201
 saepincola, *Dothiora*, 754 ('sepincola')
 —, *Tuckermannopsis*, 790 ('sepincola')
 sagenidii, *Chaenothecopsis*, 659
 saginus subsp. *grandisporus*, *Cortinarius*, 195
 sagmatospora, *Ophiostoma*, 548
 sahariensis, var., *Phoma jolyana*, 306
 sahnii, *Coniosporium*, 78
 sainii, *Leucopaxillus*, 970
 saintpauliae, *Oidium*, 683 ('saintpaulia')
 saitoana, *Candida*, 471
 saitoi, *Gelasinospora*, 162
 sajanensis, *Piloporia*, 210
 sajarovii, *Penicillium*, 549
 sajor-caju, *Antromycopsis*, 73
 — var. *subdistans*, *Lentinus*, 127
 sakaii, *Rickia*, 500
 sakataniense, *Exobasidium*, 122
 sake, *Candida*, 230
 —, *Debaryomyces*, 531
 —, *Zygopichia*, 624
 — var. α , *Zygosaccharomyces*, 624
 saketensis, *Pseudocercospora*, 693
 sakishimensis, *Cordyceps*, 235
 sakkae, *Rickia*, 610
 saksenae, *Trimmatostroma*, 316 ('saksenii')
 —, *Verticillium*, 97 ('saksenii')
 saksenaense, *Seimatopodium*, 94 ('saksenaensis')
 salaciae, *Schiffnerula*, 364
 salacinifera, *Canoparmelia*, 579
 salalis, *Marasmius*, 679
 salamphixantha, *Xanthoparmelia*, 1001
 salassorum, *Diplonaevia*, 338
 salax, *Parmelia*, 981

- , *Pertusaria*, 549
salazinicola, *Karoowia*, 968
salazinicus, *Oropogon*, 979
salcis-viminalis, *Melampsora*, 17
salcrambidiocarpa, *Parmelia*, 772
salebricola, *Phaeosphaeria*, 446
salebrosa, *Byssosphaeria*, 332
saleruptens, *Xanthoparmelia*, 1001
saliceti, *Alnicola*, 518
—, *Naucoria*, 354
saliceticola, *Russula*, 264
salicetorum, *Alnicola*, 518
—, *Naucoria*, 354
salicicola, *Carneopezizella*, 658
—, *Pholiota*, 258
—, *Wettsteinina*, 1080
salicina, *Bullera*, 380
—, *Isariopsis*, 889
—, *Ramularia*, 779, 991
— var. *tirolensis*, *Ramularia*, 779
— forma *bispora*, *Mycenella*, 492
—, forma, *Cytospora rubescens*, 158
saliciphilum, forma, *Entoloma sericatum*, 82
salicisgracilistylae, var., *Uncinula adunca*, 217 ('*salici-gracilistylae*')
salicis-auritae, *Gnomonia*, 291
salicis-helveticae, *Linospora*, 297
salicis-herbaceae, *Inocybe*, 888
salicis-miyabeanae, *Caeoma*, 229 ('*salicis-miyabeana*')
salicis-reticulatae, *Linospora*, 297
salicola, *Boletus*, 871
—, *Krombholziella*, 203
salina, *Arrhenia*, 740, 869, 1043
—, *Haligena*, 590
—, var., *Phaeophyscia sciastra*, 550
salinum, *Leptoglossum*, 204
salisburyi, *Lasiosphaeriopsis*, 16
salkiboensis, *Xanthoparmelia*, 1001
salmanticensis, *Candida*, 230
salmonaceum, *Hysterangium*, 434
salmonea, *Cladonia*, 951
—, *Nolanea*, 355
salmonense, *Hebeloma*, 345
salmoneolutea, *Russula*, 697
salmoneus, *Pluteus*, 260
— var. *curtisii*, *Lactarius*, 53
—, forma, *Cuphophyllus borealis*, 426, 663
—, var., *Sporobolomyces salmonicolor*, 407
salmonicolor, *Erythriconia*, 533
—, *Marasmiellus*, 544
—, *Neta*, 493
—, *Postia*, 553
—, *Sarcoporia*, 698
—, *Sporidiobolus*, 314
—, *Suillus*, 266
— var. *salmoneus*, *Sporobolomyces*, 407
salmonii forma *amygdali*, *Phyllactinia*, 400
salmonis, *Volutella*, 562
salor subsp. *transiens*, *Cortinarius*, 1051
— var. *coniferarum*, *Cortinarius*, 475
salsolae, *Coniothyrium*, 662
—, *Septoria*, 698
—, *Stegansporium*, 699 ('*Stegansporium*')
—, *Trematosphaeria*, 702
salsuginosum, *Cladochytrium*, 873
salvadorae, *Avetia*, 742
—, *Myrothecium*, 839
salvadorianus, var., *Leucocoprinus birnbaumii*, 678
salviae, *Pseudocercospora*, 989
—, var., *Erysiphe biocellata*, 588
salviicolor, *Chlorociboria*, 382
salvinii, *Phragmoporthes*, 306
salvinites, *Helicominites*, 243
samala, *Cercophora*, 6
samaricola, *Phaeohelotium*, 258
('samaricolum')
samba, *Phyllosticta*, 259 ('sambacae')
sambuci, *Chaetomastia*, 950
—, *Grandinia*, 291
— var. *crassitunicata*, *Erysiphe*, 12
sambucinum var. *ossicola*, *Fusarium*, 833
('ossicolum')
— var. *sublunatum*, *Fusarium*, 833
sambuciracemosae, var., *Microsphaera vanbruntiana*, 353
sammyi, *Paraparmelia*, 840 ('sammyii')
samoensis, *Tremella*, 617
sampaiana, *Thelenella*, 504
sampajense, *Gliocladium*, 962
sampajensis, *Amanita*, 226
samsonii, *Penicillium*, 444
—, *Rubikia*, 405
samuelii, *Pachysacca*, 207
—, *Seimatosporium*, 782
samuelsii, *Austropezia*, 655
—, *Clavulina*, 829
—, *Javaria*, 540
—, *Multiclavula*, 839
—, *Ramaria*, 844
samuhabeeja, *Pseudocercospora*, 989
samydacearum, *Pseudocercospora*, 554
sanctaerosae, *Neoclitocybe*, 978
—, *Tylophilus*, 317
sanctae-insulae, *Bloxamia*, 111
sanctorum, *Psilocybe*, 309
sandicina forma *minor*, *Clitocybe*, 232
sandstedeanus, *Keissleriomyces*, 85
sandstedei, *Cladina*, 383
—, *Epicladonia*, 82
sanfordense, *Anisomeridium*, 739
sanfordiana, *Ocellularia*, 32
sanguinaria, *Corioliopsis*, 424
—, *Russula*, 1076
sanguinea, *Bellemeria*, 379
—, *Chaenothecopsis*, 659
—, *Coniocybe*, 192
—, *Cystopezizella*, 476
—, *Hyphozyma*, 125
—, *Lepiota*, 248
—, *Phanerochaete*, 550
—, *Sclerophora*, 406
—, var., *Amanita muscaria*, 826
sanguineo-virescens, *Lactarius*, 968
sanguineum, *Gerronea*, 669 ('sanguinea')
sanguineus var. *sierraensis*, *Cortinarius*, 285, 530
— var. *subcinnabarinus*, *Cortinarius*, 530
—, var., *Boletus subtomentosus*, 947
sanguinipes, *Ramaria*, 556
sanguinolenta, *Aspicilia*, 110

- , *Coniochaeta*, 749
 —, *Pyrrhospora*, 1072
 — var. *cuspidata*, *Mycena*, 895
 — forma *graveolens*, *Mycena*, 598
saniculae, *Fabraea*, 668
saniensis, *Parmelia*, 981
 —, *Xanthoparmelia*, 622
saniosus var. *molini*, *Cortinarius*, 236
sanjuanense, *Hebeloma*, 345
sanjuanensis, *Alacrinella*, 417
sanmiguelensis, *Lactarius*, 53
sanmingense, *Ganoderma*, 589
sansevieriae, *Discochora*, 587
 —, forma *specialis*, *Fusarium oxysporum*, 290
santa, *Cumminsella*, 236
santalacearum, *Erysiphe*, 882
 —, *Oidium*, 978
santamonicae, *Pertusaria*, 65
santensis, *Phyllopsora*, 134
 —, var., *Phyllopsora corallina*, 986
santessoniana, *Tricharia*, 846
santessonii, *Ascochyta*, 1043
 —, *Hobsonia*, 591
 —, *Micropeltopsis*, 1062
 —, *Myriotrema*, 31
 —, *Nectriella*, 599
 —, *Opegrapha*, 398
 —, *Pannaria*, 602
 —, *Protothelenella*, 777
 —, *Pseudocyphellaria*, 554
 —, *Rhizocarpon*, 610
 —, *Stirtonia*, 908
 —, *Vouauxiomyces*, 97
santjacobensis, *Candida*, 381
sanwalii, *Apiognomonia*, 278
sapidum, *Scleroderma*, 24
sapindi-emarginati, *Coronophora*, 235
sapinea, *Sphaeropsis*, 25
saponacea, *Inocybe*, 762
saponaceum var. *cnista*, *Tricholoma*, 316
 — var. *luteovirens*, *Tricholoma*, 617
 — var. *napipe*, *Tricholoma*, 316
 — var. *pseudocnista*, *Tricholoma*, 409
 — var. *virens*, *Tricholoma*, 618
 — forma *sacchariosum*, *Tricholoma*, 910
sapotacearum, *Meliola*, 767
sapota, *Maravalia*, 395
 —, *Pestalotiopsis*, 1066
 —, *Phomopsis*, 170
saprophila, *Buellia*, 656
sarawakensis, *Cryptandromyces*, 426
sarcinisporea, *Pseudochuppia*, 361
sarcitulum, *Entoloma*, 239
 — var. *majusculum*, *Entoloma*, 479
 — var. *microsporum*, *Entoloma*, 479
 — var. *spurcifolium*, *Entoloma*, 239
 — forma *spurcifolium*, *Entoloma*, 959
 —, var., *Entoloma longistriatum*, 959
sarcitulus var. *spurcifolius*, *Rhodophyllus*, 405
sarcitum, *Entoloma*, 82
 — var. *spurcifolium*, *Entoloma*, 429
sarcogynoides, forma, *Acarospora cervina*, 187
sarcostemmatidis, *Lecanidion*, 165
 ('*sarcostemmae*')
 —, *Tryblidaria*, 217 ('*sarcostemmae*')
sarda, *Caloplaca*, 657
 —, var., *Protoblastenia rupestris*, 692
sardoa, *Crinipellis*, 530
 —, *Krombholziella*, 435
 —, var., *Laccaria affinis*, 436
sardoum, subsp., *Leccinum lepidum*, 437
sardous, *Corethromyces*, 78
 —, *Rhizopogon*, 404
sargentensis, *Williopsis*, 912
sargentii, *Paraparmelia*, 840
sarkisovii, *Trichophyton*, 316
sarmatica, var., *Arthrobotrys oligospora*, 468
sarmenticia, *Strickeria*, 787
sarmienti, *Rozites*, 611
sasae, *Anthostomella*, 739 ('*Anthostomella*')
 —, *Calonectria*, 744 ('*Calonectoria*')
 —, *Chaetopeltiopsis*, 747
 —, *Cistella*, 472
 —, *Dendrothele*, 664
 —, *Dimerium*, 753
 —, *Lachnum*, 487
sasaensis, *Uromyces*, 619 ('*sasaensis*')
sasanquae, *Exobasidium*, 12
sasicola, *Glonium*, 342
 —, *Ophiosphaerella*, 979 ('*sasaecola*')
 —, *Sporobolomyces*, 783
sassafras, *Ophiognomonia*, 303
satoanum, *Bryocaulon*, 522
satoanus, *Oropogon*, 979
saturatus forma *pallescens*, *Cortinarius*, 195
 —, forma, *Coprinus ephemerus*, 233
 —, var., *Agaricus valdiviae*, 653
saudii, *Cercospora*, 872 ('*saudiaii*')
saugeti var. *caninorugosus*, *Cortinarius*, 877
saugeti, forma, *Cortinarius caninus*, 875
saundersii var. *hiemale*, *Entoloma*, 479
savannicola, *Gigaspora*, 123, 341
 —, *Scutellospora*, 614
saviczii, *Armillaria*, 869
 —, *Lecania*, 30
savilei, *Diplonaevia*, 428
 —, *Exobasidium*, 122
 —, *Wettsteinia*, 619
savonica, *Chaetothecopsis*, 382
savoryellopsis, *Passeriniella*, 841
sawadae, *Pseudocercospora*, 1071
saxatile var. *evolutoides*, *Stereocaulon*, 266
 — var. *serpens*, *Stereocaulon*, 266
saxatilis, *Buellia*, 421
 —, *Cryptolechia*, 157
 —, *Halysiumyces*, 84
saxogothae, *Phaeocryptopus*, 399
saxeti, *Karoowia*, 968
saxicola, *Gyalideopsis*, 481
 —, *Haematomma*, 537
 —, *Pyrenocollema*, 902
 —, *Tapellaria*, 909
 — subsp. *arnoldii*, *Caloplaca*, 523
 — subsp. *biatorinoides*, *Caloplaca*, 523
 — subsp. *laceratula*, *Caloplaca*, 523
 — subsp. *miniata*, *Caloplaca*, 523
 — subsp. *obliterata*, *Caloplaca*, 523
 — subsp. *pulvinata*, *Caloplaca*, 523

- var. *dolomitica*, *Opegrapha*, 65
- saximontana*, *Lecidea*, 764
- saximontanensis*, *Cercospora*, 282
- saxonica*, *Phaeosphaeria*, 984
- , *Pirottaea*, 606
- saxosa*, *Lecidea*, 764
- saylorii*, *Arcangeliiella*, 419
- , *Destuntzia*, 477
- sayreana*, *Ramalina*, 174
- sazavae*, *Hymenoscyphus*, 484
- sbarbaronis*, *Catapyrenium*, 1045
- , *Placidiosis*, 552
- sbordonii*, *Laboulbenia*, 51
- scabella* var. *fulvella*, *Inocybe*, 674
- scabellus*, *Crinipellis*, 751
- scaber* var. *aerugineus*, *Boletus*, 946
- var. *albus*, *Boletus*, 946
- var. *aurantiacus*, *Boletus*, 946
- var. *brunneus*, *Boletus*, 946
- var. *carpini*, *Boletus*, 421
- var. *cinnamomeus*, *Boletus*, 946
- var. *fuliginus*, *Boletus*, 947
- var. *melaneus*, *Boletus*, 947
- var. *niveus*, *Boletus*, 947
- var. *rufus*, *Boletus*, 947
- var. *testaceus*, *Boletus*, 947
- scabiomarginatum*, *Thelotrema*, 100
- scabra*, *Inocybe*, 485
- scabrata* var. *cembricola*, *Usnea*, 561
- scabratus*, *Alleppeysporonites*, 377
- scabriclavula*, *Xylaria*, 1002
- scabrida*, *Aspicilia*, 331
- var. *novae-zemliae*, *Acarospora*, 867
- scabridum*, *Myriotrema*, 31
- scabridus*, *Inapertisporonites*, 125
- scabrinella*, *Nolanea*, 355
- scabrispora*, *Massariosphaeria*, 973
- scabrisporum*, *Lyophyllum*, 298
- scabropellis*, *Entoloma*, 388 ('*scabropelle*')
- scabropustulata*, *Parmelia*, 132
- scabrosa*, *Earliella*, 429
- , *Pseudocyphellaria*, 554
- scabrosella*, *Peltigera*, 773
- scabrosina*, *Flavoparmelia*, 883
- scabrosum*, *Entoloma*, 479
- , *Gastroleccinum*, 962
- scabrovillosum*, *Lachnum*, 487
- scabrum*, *Diderma*, 287 ('*scabra*')
- var. *melaneum*, *Leccinum*, 764
- scaccaria*, *Ascospaera*, 944
- scalaris*, *Fomitopsis*, 340
- , *Polyporus*, 691
- scalaroides*, *Diplocladiella*, 81
- scalpturatum* var. *nanospora*, *Tricholoma*, 505
- forma *meleagroides*, *Tricholoma*, 910
- scamba*, *Pholiota*, 551, 605
- scandens*, *Rickenella*, 60
- scandicicola*, *Puccinia*, 93 ('*scandicola*')
- scandinavica*, var., *Ramaria obtusissima*, 990
- scaptomyzae*, *Pichia*, 401
- scatigena*, *Psilocybe*, 262
- scaurocaninus*, *Cortinarius*, 195
- scaurotraganoides*, *Cortinarius*, 530
- sceptri*, *Hyponectria*, 392
- schachdarica*, *Hyalopeziza*, 201
- schaefferi*, *Cortinarius*, 117, 425
- , *Dermocybe*, 531
- , *Lentinus*, 890
- , *Neolentinus*, 493
- schaefferianus*, *Agaricus*, 653, 738
- schaefferina*, *Russula*, 363
- schaeferi*, *Catapyrenium*, 332
- , *Placocarpus*, 448
- , var., *Caloplaca velana*, 523
- schechingeri*, *Pyxine*, 695
- schedisus*, *Cortinarius*, 236
- schefferae*, *Chaenothecopsis*, 659
- , *Mycocalicium*, 301
- , *Nyssopsora*, 771
- schelpei*, *Canoparmelia*, 579
- schenckii*, *Entrophospora*, 588
- schevczenkoii*, *Crinipellis*, 236
- ('*schevczenkovi*')
- schichianus*, *Austroboletus*, 74
- schiedermayeriana*, *Byssosphaeria*, 332
- schildii*, *Ramaria*, 844
- schimperi*, *Discinella*, 121
- schindleri*, *Lichendothelia*, 678
- , *Parmelinopsis*, 686
- , *Parmotrema*, 495
- , *Tapellaria*, 701
- schisandrae*, *Aecidium*, 571
- schistacea*, *Paraparmelia*, 603
- schistiseda*, *Lecidella*, 296
- schistophila*, *Krombholziella*, 594
- schistophilum*, *Leccinum*, 165
- schizocostata*, forma, *Morchella eximia*, 490
- schizocroicus*, forma, *Cantharellus lutescens*, 579, 745 ('*schizocroica*')
- schizophorae*, *Entomophthora*, 882
- schizophragmatis*, *Aecidium*, 571
- schizostomum*, *Myriotrema*, 31
- schizymeniae*, *Chadefaudia*, 422
- schleicheri*, *Gonohymenia*, 1056
- schmidtii*, *Xanthoparmelia*, 368
- schmiedeknechtii*, *Oidium*, 494
- schneideri* var. *ruebsaamenii*, *Puccinia*, 212
- schoenii*, *Arthroascus*, 419, 519
- , *Endomyces*, 532 ('*schoeni*')
- schoenoplecti*, *Lachnum*, 836, 1059
- , subsp., *Albotricha miniata*, 825, 1041
- schotteriana*, *Pyxidiophora*, 24
- schreieri*, *Armillaria*, 3
- schroederi*, *Paulia*, 1065
- schulleri*, *Laboulbenia*, 51
- schultesii*, *Psilocybe*, 23
- schulzeri*, *Camarophyllopsis*, 524
- schusteri*, *Crepidotus*, 1052
- schweinfurthianum*, *Sporisorium*, 365
- sciakyi*, *Laboulbenia*, 164
- , *Rhachomyces*, 212
- sciarae*, *Erynia*, 160
- , *Furia*, 961
- sciastra* var. *salina*, *Phaeophyscia*, 550
- scillarum* forma *specialis pancratii*, *Uromyces*, 791
- scintillans*, *Glomus*, 13
- sciophana* forma *minor*, *Hygrocybe*, 245
- sciophanus*, *Gliophorus*, 536
- scirpicola*, *Alternaria*, 329
- , *Nimbya*, 1064

- scirpina, *Hysteronaevia*, 347
 —, *Massariosphaeria*, 439
 —, *Ramularia*, 991
 scissa, *Inocybe*, 888
 scitula, *Karoowia*, 968
 —, *Parmelia*, 399
 scleriae, *Stenella*, 214
 sclerocarnosa, *Ramaria*, 844
 sclerodontia, *Tremellacantha*, 62
 scleronematis, *Marasmius*, 972
 scleropileatus, *Phellinus*, 774
 sclerotica, *Balansia*, 656
 sclerotii, *Lachnum*, 349
 sclerotiorum, *Episclerotium*, 388
 —, *Heyderia*, 292
 sclerotipus, *Episclerotium*, 389
 —, *Heyderia*, 292
 sclerotium, *Cordyceps*, 235
 scobicola, *Naematoloma*, 546
 scobifer, *Flammulaster*, 668
 scolecina forma gracillima, *Naucoria*, 254
 scolecospora, *Dactylaria*, 286
 scolochloae, *Bisporella*, 331
 scolymi, *Leveillula*, 438, 970
 scolyti, *Yamadazyma*, 1081
 scopariae, *Caeoma*, 657
 —, *Oidium*, 255
 scoparium, *Varicosporium*, 1000
 scopiformis, *Speiropsis*, 782
 —, *Xylaria*, 178
 scopula, *Tubeufia*, 62
 scopularia, *Lichenothelia*, 99
 scopulas-referens, *Lichen*, 297
 scopulorum, *Physcia*, 689
 scoriadeum, *Splanchnonema*, 214
 scorigena, *Biatora*, 1044
 scorteus, *Tyromyces*, 999
 scorzonerae, *Alternaria*, 329
 scorzonerae-limnophilae, *Puccinia*, 451
 scotica, *Laccaria*, 541
 —, *Massariothea*, 55
 scoticum, *Physarum*, 171
 scotina, *Catillaria*, 112
 scotinodes, *Catillaria*, 949
 —, *Kiliasia*, 835 ('scotinoides')
 scotodes, *Dermoloma*, 531
 scotopholis, *Lecanora*, 394
 —, *Psorula*, 32
 scotophylla, *Paraparmelia*, 603
 scotospora, *Psathyrella*, 261
 scottii, *Vanrija*, 141
 scriblita, *Camillea*, 948
 scriblitella, *Cryptothecia*, 530
 scripta, *Taeniolina*, 96
 scriptor, *Cortinarius*, 1051
 scrobicularis, *Canoparmelia*, 579
 scrobiculata, var., *Fistulinella campinaranae*, 289
 —, var., *Usnea plicata*, 561
 scrobiculatus, *Xerocomus*, 318
 — var. *canadensis*, *Lactarius*, 53
 — var. *montanus*, *Lactarius*, 436
 scrobipes, forma, *Lactarius zonarius*, 436
 —, var., *Lactarius zonarius*, 16, 436
 scrophulariae, *Lewia*, 488
 —, *Selenophoma*, 25
 scruposus subsp. *albescens*, *Diploschistes*, 532
 — subsp. *cretaceus*, *Diploschistes*, 532
 — subsp. *gypsaceus*, *Diploschistes*, 958
 — subsp. *iridatus*, *Diploschistes*, 532
 — subsp. *muscorum*, *Diploschistes*, 532
 — subsp. *ochrophanes*, *Diploschistes*, 532
 — subsp. *ptychochrous*, *Diploschistes*, 532
 — subsp. *violarius*, *Diploschistes*, 532
 scrupulosa, *Olla*, 683
 sculpturatum, *Ganoderma*, 1055
 scutata, *Scutellospora*, 1077
 scutellata, *Datronia*, 427
 — var. *discreta*, *Scutellinia*, 175
 — var. *indica*, *Scutellinia*, 453
 — var. *macrosculpturata*, *Scutellinia*, 175
 — forma *latispora*, *Scutellinia*, 906
 scutellatum, *Thysanothecium*, 315
 scutellifera, *Tornabea*, 408
 scutiae, *Aphanostigme*, 42
 scutula var. *solani*, *Hymenoscyphus*, 434, 760
 scutulata, *Issatchenkia*, 294
 — var. *exigua*, *Issatchenkia*, 294
 scutulatus forma minimus, *Cortinarius*, 195 ('minima')
 scydmaenarius, *Cryptandromyces*, 426
 scydmaenicola, *Cryptandromyces*, 426
 scyphifera, var., *Cladonia anomaea*, 525
 scyphoides var. *intermedius*, *Clitopilus*, 283
 — forma *omphaliiformis*, *Clitopilus*, 283 ('omphaliformis')
 — forma *reductus*, *Clitopilus*, 283
 scyphulifera var. *verruciformis*, *Acarospora*, 867
 — forma *subdiscreta*, *Acarospora*, 867
 —, var., *Acarospora smaragdula*, 188
 scytaloides, *Oidiodendron*, 302
 scytonematis, *Phycorella*, 91
 seaveri, *Lamprospora*, 763
 — forma *lawsoniana*, *Chloroscypha*, 231
 sebacea, *Stilbella*, 503
 sebaceus var. *brittanus*, *Cortinarius*, 954, 1051
 — var. *luteopulveratus*, *Cortinarius*, 1051
 — var. *validosqualens*, *Cortinarius*, 954
 secalis, *Bipolaris*, 870
 —, forma *specialis*, *Colletotrichum graminicola*, 334
 secalonica, *Flavoparmelia*, 883
 secalonicus, *Oropogon*, 979
 secedens, *Amauroderma*, 227
 secernendum, *Myriotrema*, 31
 secretanii, var., *Cortinarius pseudorugulosus*, 750
 secretus, *Phaeomarasmius*, 21
 sector, *Hirschioporus*, 433
 secunda, *Cryptophiale*, 426
 —, *Cryptophialoidea*, 751
 sedi, *Erysiphe*, 161
 —, *Microsphaera*, 88
 seegeri, *Hemimycena*, 886
 —, *Mycena*, 895
 sefendens, *Cortinarius*, 236
 segeolens, *Clitocybe*, 474
 seginata, *Paraparmelia*, 603
 segobiense, *Yamadazyma*, 1081 ('segobiensis')

- segregata, *Xanthoparmelia*, 913
 segregis, *Psathyrella*, 989
 sehimatis, *Didymella*, 46 ('sehimae')
 sejuncta, *Russula*, 906
 —, var., *Conocybe striatipes*, 749
 sejunctoides, *Tricholoma*, 789
 sejunctum, *Porpoloma* see *Tricholoma singeri*
 selenoides, *Rhinocladiella*, 310
 selenospora, *Bryonora*, 743
 selenosporellae, *Oxydothis*, 684
 selini, *Plasmopara*, 690
 sellingensis, *Crocicreas*, 1052
 semaforonense, *Catapyrenium*, 1045
 semaniae, *Cordana*, 952
 semansiana, *Parmelia*, 32
 —, *Punctelia*, 174
 sembilanense, *Myriotrema*, 1063
 semecarpi, *Fellhanera*, 535
 semen, *Byssosphaeria*, 332
 semenospora, *Sclerophoma*, 24
 —, *Sydowia*, 909
 semiarboricola, *Rhodocybe*, 138
 semicircularis, *Tricellaesporonites*, 140
 semicrema, var., *Russula anthracina*, 905
 semifulva, *Inocybe*, 126
 semiglobata, *Conocybe*, 116
 — var. *stercoraria*, *Stropharia*, 266, 455
 —, forma, *Galera lactea*, 241
 semiglobifera, *Gaertneriomyces*, 49
 semihirtipes, *Collybia*, 115
 semiimmersa, *Byssonectria*, 744
 semilanata, *Pseudocyphellaria*, 498
 semilanceata var. *obtusata*, *Psilocybe*, 555
 semilanceatus, *Panaeolus*, 256
 semililacea, *Russula*, 993
 seminuda, *Cystolepiota*, 664
 —, *Requienella*, 556
 —, *Strickeria*, 787
 seminudus, *Strobilomyces*, 266
 semiopacus, *Autoicomyces*, 420
 semipilosa, *Mycena*, 976
 semistipitata, *Perenniporia*, 773
 semistriata, *Psilocybe*, 262
 semisupina, *Antrodiella*, 42
 semisupiniformis, *Flaviporus*, 13
 —, *Junghuhnia*, 435
 semisupinus, *Chaetocalathus*, 524, 580
 —, *Flaviporus*, 389
 — var. *cystidiatus*, *Tyromyces*, 999
 semitale var. *intermedium*, *Lyophyllum*, 892
 semitalis, var., *Russula luteotacta*, 613
 semivestita, *Tremellodendropsis*, 702
 ('semivestitum')
 — var. *coprobia*, *Psathyra*, 308
 semota, *Pratella*, 988
 senatoumbrina, *Hymenochaete*, 592
 sendaensis, subsp., *Megalospora*
 atrorubicans, 251
 senecionis, *Aecidium*, 737
 —, *Leptosphaerulina*, 249 ('senecii')
 —, forma *specialis*, *Bremia lactucae*, 470
 senegalense, *Seimatoporum*, 94
 sensensis, *Ascochyta*, 740
 senescens, *Marasmiellus*, 544
 senseletii, *Helminthosporium*, 432
 sensitiva, *Nectriopsis*, 978
 sentierensis, *Gnomonia*, 291
 sepalorum, *Bricookea*, 190
 separabilis, *Hymenochaete*, 84
 separans, *Lojkania*, 351
 separata, *Arctoparmelia*, 467
 sepia var. *tenella*, *Mycena*, 253
 sepiaceobasalis, *Pouzaromyces*, 260
 seponendus, *Cortinarius*, 954
 septata, *Dictyochaeta*, 957
 septemseptata, *Pocsia*, 210
 septemseptatum, *Crocicreas*, 118
 septentrionale, *Eudimerium*, 12
 —, *Leptoglossum*, 297
 —, *Plagiostoma*, 776 ('septentrionalis')
 —, subsp., *Scytinostroma protrusum*, 906
 septentrionalis, *Calvatia*, 1045
 —, *Conocybe*, 749
 —, *Daedaleopsis*, 196
 —, *Mycena*, 442
 —, var., *Lepiota cystophorioides*, 248
 —, var., *Lepiota cystophoroides*, 296
 —, var., *Psilocybe subaeruginascens*, 262
 septica var. *flava*, *Fuligo*, 883
 septicollaris, *Pyrenula*, 903
 septispora, *Orbilina*, 979
 septocystidia, *Candelabrochaete*, 332, 524
 septocystidiata, *Scopuloides*, 175
 —, *Sebacina*, 615
 septofusidae, *Nectriopsis*, 978
 septomyrothecii, *Nectria*, 895
 ('septomyrotheciae')
 septorioides, *Pseudocercospora*, 901
 —, *Stagonospora*, 783 ('Stagnospora')
 septoriopsis, *Cercoseptoria*, 381
 septospora, *Diplonaevia*, 586
 —, *Septoria*, 265
 — var. *keniense*, *Dothistroma*, 10
 — var. *lineare*, *Dothistroma*, 10
 septosporioides, *Acrodictys*, 277
 septo-cystidiata, *Clavulina*, 829
 sepulchralis, *Erynia*, 12
 sepulta, *Laurera*, 165
 sepultariae, *Nectriopsis*, 978
 sepultus, *Aspergillus*, 575
 sequana, *Phaeosphaeria*, 984
 sequanensis, *Candida*, 381
 sequoia, *Wilcoxina*, 912
 sequoiae, *Agaricus*, 417
 —, *Galerina*, 961
 —, *Micromphale*, 488
 —, *Oligoporus*, 443
 —, *Postia*, 553
 serebrianikowii, *Phloeospora* see *Septoria*
 bubakii
 seriata, *Diplonaevia*, 338
 sericatella, *Pseudobaeospora*, 900
 sericatus, *Sericeomyces*, 61, 994
 sericatum forma *saliciphilum*, *Entoloma*, 82
 sericatus, *Cortinarius*, 1051
 sericellum var. *amarum*, *Entoloma* see
 Entoloma allosericellum
 sericeofulva, *Pseudocyphellaria*, 262
 sericeoides, *Entoloma*, 11
 sericeomarginata, *Mollisia*, 680
 sericeomollis, *Oligoporus*, 302, 398
 —, *Postia*, 172

- sericeonitens, *Entoloma*, 11
 sericeonitidum, *Entoloma*, 239
 sericeum, *Geotrichum*, 589
 —, *Gerronema*, 199
 — var. *cinereo-opacum*, *Entoloma*, 11
 — forma *nolaniforme*, *Entoloma*, 11
 sericeus, *Cortinarius*, 1051
 — var. *globovosporus* [sic], *Cortinarius*, 195
 sericoides, var., *Entoloma hirtipes*, 11
 serifluus, *Hydropus*, 244
 seriostratus, *Coelomomyces*, 527
 serius, *Lyophyllum*, 892
 serorubescens, *Monascus*, 252
 serotina, *Lanzia*, 436
 serotinus, *Panus*, 356
 serpens, *Corioloopsis*, 424
 —, *Leptographium*, 437, 677
 — var. *macrospora*, *Nemania*, 442
 —, forma, *Heterodermia dactyliza*, 124
 —, var., *Stereocaulon saxatile*, 266
 serpentaria, *Psathyrophlyctis*, 777
 serpentinum, *Chaetomium*, 333
 serratomarginatum, *Entoloma*, 48
 serratae, *Coleosporium*, 283
 serratum, *Hebeloma*, 49
 serratus, *Pluricellaesporites*, 135
 serrulata, *Amphisphaeria*, 942
 sertipes, *Telamonia*, 455
 serusiauxii, *Xanthoparmelia*, 622
 sesami, *Euoidium*, 960
 —, *Mycosphaerella*, 492
 —, *Phyllosticta*, 447
 —, *Pseudocercospora*, 693
 sesamicola, *Mycosphaerella*, 492
 sesbaniicola, *Pseudocercospora*, 92
 sesemotani, *Lactarius*, 968
 sesiana, *Ramaria*, 1073
 sesleriae, *Lachnum*, 487
 sesquicillii, *Nectria*, 977
 sesquiphialis, *Nectria*, 977
 sessilis, *Blastocladia*, 946
 —, *Hymenoscyphus*, 125, 347
 —, *Monodictys*, 545
 —, *Rodwayella*, 697
 —, *Sclerostagonospora*, 614
 — forma *specialis convallariae-digraphidis*,
 Puccinia, 901
 — forma *specialis narcissi-orchidacearum*,
 Puccinia, 212
 — forma *specialis orchidacearum*, *Puccinia*,
 212
 — forma *specialis smilacearum-digraphidis*,
 Puccinia, 901
 sessilisporea, *Capnobotryella*, 745
 —, *Capnobotrys*, 112
 —, *Parapericonia*, 494
 setacerae, *Stigmatomyces*, 315
 setadisperma, *Kernia*, 16
 setariae, *Ceratobasidium*, 659, 746
 —, *Neokellermania*, 130
 —, *Phaeoseptoria*, 133
 setariicola, *Septoria*, 138
 setibicolor, *Pseudolachnea*, 694
 —, *Zetesimomyces*, 913
 seticolle, *Ophiostoma*, 356
 setiferum, *Oidiodendron*, 600
 setiformis, *Idriella*, 593
 —, *Pleurotheciopsis*, 496
 setiger, *Panus*, 444
 —, *Peglerochaete*, 686
 —, *Tyromyces*, 457
 setigera, *Pratella*, 1068
 setigerus, *Microporellus*, 680
 setiramosum, *Myrothecium*, 599
 setofusariae, *Nectria*, 1063
 setosa, *Apiospora*, 110
 —, *Capronia*, 580
 —, *Dictyochaeta*, 957
 —, *Leptosphaeria*, 969
 —, *Mycosylva*, 167
 —, *Phaeosphaeria*, 446
 setosum, *Fusarium*, 1055
 setosus, *Brasiliomyces*, 470
 —, *Marasmius*, 766
 setulosa, *Agroclybe*, 377
 —, *Boletochaete*, 522
 —, *Diarimella*, 9
 —, *Dwayalomella*, 958
 —, *Grammothele*, 49
 —, *Megasporoporia*, 205
 setulosipes, *Helotium*, 201
 setulosum, *Helotium*, 201
 setulosus, *Phaeomarasmius*, 304
 severskii, *Penicillium*, 89
 sexocularis, *Polypyrrenula*, 497
 sexuelle, *Enteropogon*, 429
 shafferi, *Clitocybe*, 474
 shaheziensis, *Perisporiacites*, 604
 shandongense, *Ganoderma*, 589
 shanghaiensis, var., *Cryptococcus*
 neoformans, 385
 shangsiense, *Ganoderma*, 758
 shanxiensis, *Alpova*, 1041
 —, *Cordyceps*, 423
 —, *Gelopellis*, 833
 —, *Melanogaster*, 973
 —, *Rhizopogon*, 499 ('*Rhizopogon*')
 sharmarum, *Meloderma*, 545
 shastensis, *Leptosphaeria*, 438
 shazawae, *Corethromyces*, 474
 shebaiensis, *Xanthoparmelia*, 705
 sheffyi, *Monoporisorites*, 353 ('*sheffvi*')
 shenandoensis, *Pertusaria*, 65
 shennonghianum, *Penicillium*, 897
 shepherdiae, *Karstenula*, 593
 —, *Sphaerotheca*, 558
 sherwoodiae, *Phacidium*, 258
 shettyi, *Phyllachora*, 899
 shibatanus, *Sporobolomyces*, 407
 shichiana, *Lenzites*, 437
 shichianus, *Boletellus*, 421
 shideiae, *Marasmius*, 972
 shihmenensis, *Pseudocercospora*, 92
 shimaensis, *Cordyceps*, 78
 shimanense, *Hypoderma*, 347
 —, *Leptostroma*, 351
 shimogaense, *Chlorophyllum*, 231
 shinanoana, *Ramaliina*, 695
 shiraianum, *Hypoderma*, 760 ('*shiraiana*')
 sholayarense, *Botryosporium*, 947
 ('sholayarensis')
 shoreae, *Astrosporina*, 111

- , Gloniella, 834
—, Inocybe, 888
—, Periconiella, 773
shoreicola, var., Pyrofomes tricolor, 990
shrungashakha, Kramabeeja, 126
shulanensis, Tricholomopsis, 997
siamense, Penicillium, 773
sibicola, Nectriopsis, 978
sibika, Chalara, 872, 950
sibirica, var., Sphaerotheca fuliginea, 558
sibutii, Asordaria, 741
siccolens, Cortinari, 877
sicc-olivacea, var., Ramaria ochracea, 844
sichuanense, Ganoderma, 290
sichuanensis, Coccomyces, 423
—, Cyathus, 1053
—, Dacrymyces, 1053
—, Gyromitra, 431
sichuanica, Microsphaera, 129
siculum, subsp., Diploschistes diacapsis, 958
—, subsp., Diploschistes gypsaceus, 532
siddiquiei, Didymoporisporonites, 338
sideroides, Coltricia, 423
siebenhaariana subsp. albida, Protoblastenia, 553
— var. alpina, Protoblastenia, 553
siegesbeckiae, Plasmopara, 776
siennaeicolor, Pholiota, 551
sierraensis, Dermocybe, 880
—, var., Cortinari sanguineus, 285, 530
sieversiae, Gnomonia, 291
—, Leptosphaerulina, 249
—, Odontotrema, 255
sigillata, Parmelia, 840
siglerae, Gymnoascus, 83
sigmatospora, Vararia, 704
sigmoideum, Cumisporium, 657
signata, Camillea, 949
—, forma, Opegrapha diaphora, 302
sikkimensis, Crepidotus, 663
—, Graphis, 200
—, Laurera, 836
silcharii, Penzigia, 773
silenes-acaulis, Nectriella, 1063
silenes-inflatae, Microbotryum, 205
silentvalliensis, Thaxteriella, 26
silicea, Aspicilia, 944
— var. tofinea, Aspicilia, 944
siliquosa var. zopfii, Ramalina, 556
silphidarum, Diphyomyces, 428
silvaenovae, Alnicola, 518
—, Naucoria, 354
silvae-monachi, Cortinari, 1051
silvae-nigrae, Mycena, 895
silvana, Hohenbuehelia, 591
silvanum, Geopetalum, 480
silvatica, Amanita, 188
—, Coprinusella, 8
silvaticus, forma, Mucor hiemalis, 396
silvestre, Paraceratocladium, 685
silvicola, Pichia, 359
— var. melibiosica, Candida, 422
silvipluvialis, Agaricus, 226
simanii, Postia, 172
—, Spongiporus, 26
simaoense, Ganoderma, 883

- similigena, Farnoldia, 289
 —, Melanolecia, 129
 similis, Acrodictys, 329
 —, Bryophagus, 379
 —, Echinoplaca, 831
 —, Endophragmiella, 532
 —, Flammulina, 588
 —, Gloeoporus, 962
 —, Hygrocybe, 539
 —, Hymenelia, 124
 —, Lactarius, 53
 —, Rozites, 174
 —, var., Panus fulvus, 131
 —, var., Stemonitopsis typhina, 700
 simillissimum, var., Hebeloma mesophaeum, 344
 simillimum, Entoloma, 48
 simlense, Hysterangium, 294 ('simlensis')
 similensis, Diatrype, 956
 simmondsii, Colletogloeum, 527
 simonianii, Leveillula, 488
 simplex, Amoebophilus, 330
 —, Cephalosporiopsis, 949
 —, Dictyochaeta, 386
 —, Epicladonia, 82
 —, Erysiphe, 588
 —, Gamsia, 83
 —, Golovinomyces, 884
 —, Ramariopsis, 844
 —, Spirotremesporites, 95
 —, Stigmateacites, 616
 —, Verrucaria, 848
 — var. crustosa, Polysporina, 171
 — var. hymenogonia, Polysporina, 900
 — forma complicata, Polysporina, 899
 — forma ferruginea, Polysporina, 553
 —, var., Phylloporus phaeoxanthus, 400
 —, var., Ramariopsis corniculata, 24
 simplicior, Parmelinella, 686
 —, Pseudoparmelia, 694
 simplicissimus, Multicellaesporites, 130
 —, Pluricellaesporites, 135
 simpsonii, Palaeomyces, 207 ('Simpsoni')
 simulans, Ceraceomyces, 949
 —, Cercosporidium, 191
 —, Pterospora, 361
 —, Pyxine, 695
 —, Rimelia, 1074
 —, Tetrapyrgos, 701
 —, Xanthoparmelia, 622
 — var. bispora, Campanella, 871
 — var. tandae, Uncinuliella, 457
 —, Pertusaria see Pertusaria otagoana
 simulata, Pseudocercospora, 1071
 simulatum var. bispora, Cystoderma, 157
 sinaicum, Eupenicillium, 161
 —, Penicillium, 169
 sinaicense, Chaetomium, 1046
 sinapicolor forma japonicus, Boletus, 43
 sinapina, Armillaria, 869
 sinclairii, Cordyceps, 749
 sinecauda, Holleya, 672
 —, Nematospora, 397
 sinegoricum, Lachnum, 487
 sinense, Geoglossum, 49
 —, Peridermium, 20 ('sinensis')

- , *Tolypocladium*, 617, 846 ('sinensis')
- , *Tulostoma*, 911
- , var., *Aphanocladium araneum*, 378
- sinensis*, *Bertia*, 827
- , *Bullera*, 155
- , *Crinipellis*, 955
- , *Erinellina*, 430
- , *Femsjon*, 757
- , *Gibbera*, 341
- , *Helvella*, 538, 591
- , *Hirsutella*, 964
- , *Inonotus*, 435
- , *Lethariella*, 297
- , *Marasmiellus*, 205
- , *Multiclavula*, 546
- , *Paecilomyces*, 356
- , *Peronospora*, 495
- , *Phlebogaster*, 985
- , *Phytophthora*, 171
- , *Polysporina*, 171
- , *Pseudofistulina*, 608
- , *Sarcoxydon*, 94
- , *Trametes*, 1079
- , *Wynnea*, 792
- forma complicata, *Polysporina*, 171
- , var., *Lasallia mayebarae*, 127
- , var., *Ramaria neoformosa*, 1073
- singaporensis*, *Pseudocercospora*, 59
- singeri*, *Laccaria*, 675, 968 ('singerii')
- , *Lentinellus*, 596
- , *Lepista*, 204
- , *Mycena*, 839
- , *Phaeocollybia*, 982 ('singerii')
- , *Tricholoma*, 62, 177, 367
- , *Tyromyces*, 703
- singeriana*, *Psilocybe*, 262
- , *Russula*, 613
- singerianus*, *Crepidotus*, 530
- , var., *Dasyscyphus fimbriifer*, 9
- singulare*, *Entoloma*, 755
- singularis*, *Bullera*, 380
- , *Coprinus*, 829
- , *Endothiella*, 754
- , *Lacrimasporites*, 127
- , *Monoporisporites*, 129
- , *Phanerochaete*, 496, 550
- , *Pseudoparmelia*, 694
- , *Tyromyces*, 999
- singularisporum*, *Entoloma*, 48
- singulata*, *Peltopsis*, 56
- sinica*, *Hypogymnia*, 64
- , *Laboulbenia*, 164
- sinicoflava*, *Amanita*, 826
- sinicus*, *Tylopilus*, 62
- sinomenii*, *Microsphaera*, 88
- , var., *Microsphaera menispermii*, 440
- sinopica*, *Cystolepiota*, 119
- var. *rimosa*, *Clitocybe*, 474
- sinorientalis*, *Lasallia*, 204
- sino-conjunctipes*, *Ramaria*, 1073
- sinuosa*, *Perenniporia*, 687
- , *Terfezia*, 701
- sinuosum*, *Gloeocystidiellum*, 162
- sinuosus*, *Pleurotellus*, 496
- var. *pusillus*, *Pseudocraterellus*, 608
- sinusmexicani*, *Pertusaria*, 65
- siparianus*, *Inopilus*, 247
- siparius*, var., *Cortinarius claricolor*, 1048
- sipeanum*, subsp., *Nephroma helveticum*, 600
- siphonostegium*, forma specialis, *Cronartium flaccidum*, 830
- sistrata*, *Cystolepiota*, 427
- forma minima, *Lepiota*, 764
- sitchensis*, *Antrodia*, 419
- , *Heterodermia*, 433
- , *Hygrophorus*, 434
- , var., *Lactarius kauffmanii*, 52
- sitiens*, *Parmelia*, 981
- sitophila*, *Chrysonilia*, 155
- sivanesanii*, *Drechslera*, 339
- , *Massarina*, 679 ('sivanesami')
- sivanesii*, *Eutypella*, 83
- sivaramaprasadii*, *Pithomyces*, 841
- skalae*, *Marasmius*, 837
- skeletigera*, var., *Bondarzewia berkeleyi*, 379
- skifte*, *Gnomonia*, 291
- skottsbergiana*, *Porpidia*, 403
- skottsbergii*, *Nephroma*, 771
- forma fuscescens, *Cladina*, 383
- skultii*, *Parmelia*, 772
- skyrinifera*, *Xanthoparmelia*, 622
- slooffiae*, var., *Candida pintolopesii*, 230, 381
- smaragdina*, *Tubercularia*, 505
- smaragdinum*, *Entoloma*, 48
- smaragdula* subsp. *lesdainii*, *Acarospora*, 188
- subsp. *macrophylla*, *Acarospora*, 188
- var. *benedarensis*, *Acarospora*, 188
- var. *fusca*, *Acarospora*, 188
- var. *halophila*, *Acarospora*, 188
- var. *pallidescens*, *Acarospora*, 188
- var. *rhagadiza*, *Acarospora*, 188
- var. *rufescens*, *Acarospora*, 188
- var. *scyphulifera*, *Acarospora*, 188
- var. *turjaensis*, *Acarospora*, 867
- var. *verruciformis*, *Acarospora*, 188
- forma impressa, *Acarospora*, 188
- forma subdiscreta, *Acarospora*, 188
- smilacearum-digraphidis*, *Puccinia* see *smilacearum-digraphidis*
- smilacearum-digraphidis*
- , forma specialis, *Puccinia sessilis*, 901
- smilacina*, *Ascochyttulina*, 740
- smilacinina*, *Discochora*, 587
- smilacinum*, *Asteroma*, 4
- , *Fusicoccum*, 757
- , *Metacapnodium*, 129
- smilacis*, *Discochora*, 587
- , *Stenella*, 26
- , *Veronaea*, 142
- , *Verrucispora*, 217
- smilaciscaule*, *Myiocopron*, 55
- smilacis-canadensis*, *Ascochyta*, 740
- smilicis*, *Pyrenopeziza*, 309
- smirnowiae*, *Coniothyrium*, 662
- smithiae*, *Chloridium*, 423
- , *Synchytrium*, 266
- smithiana*, *Psilocybe*, 262
- smithii*, *Agaricus*, 417
- , *Agroclype*, 226
- , *Antromycopsis*, 73
- , *Clitocybe*, 156
- , *Hebeloma*, 759

—, *Penicillium*, 549
smolandicus, var., *Cortinarius fulvo-ochraceus*, 1050
smotlachianus, *Boletus*, 229
snellii, *Krombholziella*, 203
—, *Tylopilus*, 267
socialis, *Armillaria*, 869
—, *Cryptococcus*, 385
—, *Mycomicrothelia*, 492
sociatus, *Cortinarius*, 236
sodagnitus var. *parasuveolens*, *Cortinarius*, 877
sodale, *Entoloma*, 160, 198
sodalis, *Rhodophyllus*, 405
— var. *longipes*, *Rhodophyllus*, 405
sodaureipes, *Cortinarius*, 336
soederholmii, *Allophylaria*, 653
sojae, *Aspergillus*, 575
—, *Badarisama*, 576
—, *Pseudorobillarda*, 608
—, var., *Aspergillus flavus*, 575
—, var., *Aspergillus parasiticus*, 279
sojicola, *Leptosphaerulina*, 677 ('sojaecola')
—, *Marssonina*, 166 ('sojaecola')
sojinum, *Cercosporidium*, 191
solanacearum, *Euoidium*, 960
—, forma *specialis*, *Oidiopsis taurica*, 896, 978
solani, *Atractiella*, 189
—, *Moniliopsis*, 680
—, *Thecaphora*, 909
— var. *argillaceum*, *Fusarium*, 833
— var. *caeruleum*, *Fusarium*, 833 ('coeruleum')
—, var., *Hymenoscyphus scutula*, 434, 760
solanii, *Dictyosporium*, 665 ('solani')
solare, *Crocicreas*, 118
solaris, *Cercophora*, 43
soleiformis, *Epigloea*, 388
solenae-heterophyllae, *Mycovellosiella*, 976
solheimii, *Hebeloma*, 345
—, *Ramularia*, 991
soli, *Candida*, 745 ('Cadida')
solicola, *Candida*, 745
solida, *Consetiella*, 156
—, *Heterocephalacria*, 50
—, *Syzygospora*, 559
solidaginis, *Plagiostoma*, 259
solidipes, *Armillariella*, 74
—, *Inocybe*, 888
—, *Lyophyllum*, 298
solidus, *Dyadosporonites*, 197
solis-occasus, *Cortinarius*, 583
solitaria, *Collybia*, 952
—, *Cordana*, 527
—, *Lichenothelia*, 679
— forma *gracilis*, *Aspidella*, 575
— forma *strobiliformis*, *Amanita*, 572
solitarioides, *Lichenothelia*, 679
solitarium, *Lyophyllum*, 250
solitarius, *Cortinarius*, 751
solitum var. *crustosum*, *Penicillium*, 1066
solomonense, *Amauroderma*, 227
—, *Ischnoderma*, 967
—, *Stecchericum*, 995
— var. *trititicum*, *Ischnoderma*, 967

solomonensis, *Panus*, 131
—, var., *Buglossoporus marmoratus*, 380
soloniensis, *Lichen*, 297
solorinae, *Plagiostoma*, 987
solorinarium, *Stigidium*, 266 ('solorinaria')
solstitiale, *Entoloma*, 11
solstitialis, *Destuntzia*, 477
solumophila, *Clitocybe*, 232
somaliensis, *Canoparmelia*, 579
somloënsis, *Xanthoparmelia*, 622
sommerfeltii, *Cortinarius*, 285
somniculosa, *Ramaria*, 609
sonchi, *Entyloma*, 289
—, forma, *Cercospora crassa*, 422
—, forma *specialis*, *Bremia lactucae*, 470
sonckii, *Rhodotorula*, 904
sonorensis, *Ravenelia*, 362
sophia, var., *Mycena epipterygia*, 441
sophiae, *Bryoria*, 743
sophiae-reginae, *Candida*, 381
sophorae, *Trichocladia*, 96
soppitii, *Lachnum*, 595
soralifera, *Umbilicaria*, 560
—, var., *Lecidella elaeochroma*, 127, 543
sorana, *Syzygospora*, 1078
sorbitophila, *Pichia*, 58
sordescens, *Conocybe*, 874
—, *Hebeloma*, 1056
sordida, *Amyloporiella*, 378
—, *Antrodia*, 330
—, *Conocybe*, 116
—, *Coprobria*, 335
—, *Trichia*, 367
— var. *aianthina*, *Lepista*, 16
— var. *lilacea*, *Lepista*, 16
— var. *obscurata*, *Lepista*, 16
— var. *umbonata*, *Lepista*, 16
sordidemaculatus, *Cortinarius*, 117
sordidipes, var., *Dermocybe subcroceofolia*, 880
sordidula, *Actinopeltis*, 1041
—, *Thelenella*, 788
sordidulum, *Botryobasidium*, 153
sordidus, *Golovinomyces*, 884
—, var., *Tylopilus porphyrosporus*, 27
sordulentum, *Dichostereum*, 80
soredians, *Flavoparmelia*, 535
—, var., *Lecanora cenisia*, 296
sorediantha, *Bacidia*, 29
—, *Fellhanera*, 534
sorediata, *Chondropsis*, 580
—, *Melanelia*, 597
—, *Santessonia*, 364
—, *Steinera*, 266
—, *Lecidea* see *Lecanora oraeifrigidae*
—, forma, *Dirina approximata*, 287
—, forma, *Dirina catalinariae*, 287
—, forma, *Dirina insulana*, 287
—, forma, *Dirina massiliensis*, 288
—, forma, *Dirina paradoxa*, 532
—, forma, *Dirina repanda*, 665
—, forma, *Roccellina cerebriformis*, 310
—, var., *Lecania bicincta*, 676
—, var., *Lecanora bicincta*, 969
—, var., *Schaereria tenebrosa*, 405
sorediatum, *Haematomma*, 163

- , *Leioderma*, 677
- , forma, *Coelocaulon aculeatum*, 29
- soredica, *Flavopunctelia*, 340
- , *Punctelia*, 174
- sorediifera, forma, *Asahinea chrysantha*, 153
- sorediiferum, *Parmotrema*, 495
- sorediosa, *Biatora*, 1044
- , *Graphis*, 200
- , forma, *Pyxine retirugella* see *Pyxine linearis*
- , forma, *Heterodermia boryi*, 671
- , forma, *Lecidea circumnigrata*, 127
- , forma, *Rinodina xanthophaea*, 697
- , forma, *Roccellina cinerea*, 310
- sorediza, *Aspicilia*, 110
- soredizodes, *Huilia*, 29 ('soredizoides')
- , *Porpidia*, 987, 1068
- sorghi, *Collonema*, 474
- , forma specialis, *Colletotrichum graminicola*, 334
- sorghicola, *Bipolaris*, 229
- , *Exserohilum*, 757
- sorghina, *Curvularia*, 584
- sorghophila, *Preussia*, 691
- , *Sporormiella*, 615
- sorgho-arundinacei, *Phaeosphaeria*, 984
- soricinegriseus, *Cortinarius*, 425
- sorido-pulvinata, *Calycellina*, 1045
- soroaense, *Cladobotryum*, 581
- sorocheilum, *Cetrariastrum*, 114
- , *Everniastrum*, 534
- soropelta, var., *Caloplaca citrina*, 744
- sorophora, *Hypocenomyce*, 125
- sororica, *Nectriopsis*, 978
- sororiicolor, *Russula*, 312
- spadicea, *Cintractia*, 423, 472
- , *Godfrinia*, 537
- , *Naucoria*, 354
- , *Ustilago*, 457, 561
- , var., *Amanita vaginata*, 573
- spadiceogrisea forma exalbicans, *Psathyrella*, 450
- forma mammifera, *Psathyrella*, 450
- forma phaeophylla, *Psathyrella*, 450
- forma vernalis, *Psathyrella*, 450
- spadiceo-atra, *Lambertella*, 86
- spadiceum, *Entoloma*, 239
- spadiceus, *Phaeolus*, 898
- , *Pyropolyporus*, 451
- spadicomma, *Xenolecia*, 410
- sparganii, *Doassansia*, 831
- , *Nannfeldtiomyces*, 168
- sparganii-ramosi, *Ascochyta*, 740
- spargenosa, *Xanthoparmelia*, 623
- spargens, *Parmelia*, 399
- , *Xanthoparmelia*, 913
- sparrei, *Armillaria*, 228, 869
- sparsa, *Cercophora*, 43
- , *Erysiphe*, 340
- , *Hysterostomella*, 593
- , *Phaeosphaeria*, 985
- , *Sphaerotheca*, 558
- sparsella, *Tomasellia*, 789
- sparsichaeta, var., *Uncinula aspera*, 999
- sparsicystis, *Entoloma*, 239
- sparsipoda var. longiseta, *Meliola*, 974
- sparsivestita, *Clitocybe*, 474
- sparsum, *Ophiostoma*, 356
- sparsus, *Golovinomyces*, 884
- , *Hymenoscyphus*, 484
- spartii var. alhagis, *Pleospora*, 776
- spartinae, *Halosarpheia*, 123
- , *Phaeosphaeria*, 985
- , *Yamadazyma*, 1081
- spathiphylli, *Cylindrocladium*, 196
- forma specialis *heliconiae*, *Cylindrocladium*, 955
- spathoglottidicola, *Dothiorella*, 121 ('spathoglotticola')
- spathulata, *Arrhenia*, 330
- , *Calonectria*, 522
- , *Cyanodontia*, 584
- , *Grandinia*, 199
- , *Hohenbuehelia*, 964
- , *Hymenochaete*, 84
- , *Hypotrachyna*, 673
- , *Kneiffiella*, 126
- , *Neosartorya*, 493
- , *Parmelinopsis*, 686
- , forma, *Morchella distans*, 490
- spathulatum, *Cylindrocladium*, 531
- spathulatus, *Aspergillus*, 468
- , *Cantharellus* see *Arrhenia spathulata*
- spatulatus, *Polyporus*, 402
- var. major, *Polyporus*, 402
- speciosa, *Lepiota*, 890
- , *Rhodocybe*, 138
- , *Russula*, 613
- forma gloiocephala, *Volvariella*, 848
- speciosum, *Echidnocymbium*, 666
- speciosus, *Inopilus*, 247
- spectabile, *Haematostereum*, 670
- , *Physarum*, 358
- spectabilis, *Buchwaldoboletus*, 871
- , *Ciliomyces*, 581
- , *Diaporthe*, 477 ('spectabilae')
- , *Phomopsis*, 496 ('spectabilae')
- , *Strickeria*, 787
- var. pusilla, *Pholiota*, 258
- speirea var. alpina, *Porpodia*, 553
- var. campophylla, *Mycena*, 599
- var. proctosthallina, *Porpodia*, 553
- var. tenuistipes, *Omphalia*, 255
- var. trullisata, *Porpodia*, 553
- speireoides var. chilensis, *Flammulaster*, 430
- speluncalis, *Mimeomyces*, 440
- sperlingii, *Oropogon*, 979
- spermaticum forma umbonatum, *Tricholoma*, 267
- spermatiolens, *Entoloma*, 48
- spermatoidea, *Harknessia*, 590
- spermogonifera, forma, *Opegrapha vermicellifera*, 302
- spermosphaerici, *Viennotidia*, 178
- spetsbergianus, *Polaroscyphus*, 842
- sphaerialoides, *Mycokidstonia*, 397
- sphaerica, *Thalassogena*, 788
- sphaericosporum, *Botryobasidium*, 871
- sphaericosporus, *Pteridomyces*, 263
- sphaericum, *Tarichium*, 616
- sphaerocarpum, *Chaetomium*, 828
- sphaerocephaloides, *Porina*, 607

sphaerocephalus, forma, *Coprinus comatus*,
 233 ('sphaerocephala')
 sphaerocystidiata, *Peniophora*, 257
 sphaerocystis, *Entoloma*, 11
 —, *Trechispora*, 216
 sphaerodermatoides, *Marasmius*, 972
 sphaeroides, *Mycobilimbia*, 770
 sphaerophora, *Valsaria*, 1000
 sphaerophysae, *Thecaphora*, 996
 sphaerosperma, *Spadicoides*, 213
 ('sphaerospermum')
 sphaerospora, *Bulgariella*, 155
 —, *Emericellopsis*, 881
 —, *Gelasinospora*, 162
 —, *Goidanichiella*, 242
 —, *Hirsutella*, 201
 —, *Hymenochaete*, 673
 —, *Lemkea*, 248
 —, *Leucoscypha*, 54
 —, *Stachybotrys*, 26
 —, *Torrubiella*, 997
 —, var., *Clitocybe aggregata*, 232
 sphaerosporella, *Ahtiana*, 518
 sphaerosporum, *Aphanobasidium*, 1043
 —, *Gloeosporium*, 758
 — var. *bispora*, *Verticillium*, 97
 sphaerosporus, *Achroomyces*, 225
 —, *Circinomucor*, 231
 —, *Coprotus*, 8
 —, *Crepidotus*, 236
 —, *Rhodocybe*, 138
 —, var., *Crepidotus cesatii*, 955
 sphaerula, *Perrotia*, 687
 sphaerulata, *Pyricularia*, 609
 sphaerum, *Penicillium*, 20
 sphagnetii, *Cortinarius*, 157
 —, *Dermocybe*, 385, 880
 —, *Lactarius*, 890
 —, forma, *Cortinarius palustris*, 529
 —, var., *Cortinarius palustris*, 8
 sphagnicola, *Citromyces*, 423
 —, forma, *Hygrocybe cantharellus*, 244
 —, forma, *Psilocybe uda*, 309
 sphagnogenus, *Cortinarius*, 195
 sphagnophila, var., *Hygrocybe*
coccineocrenata, 482
 sphagnophilum, forma, *Hebeloma*
crustuliniforme see *Hebeloma calvinii*
 sphagnorum, *Entoloma*, 881
 sphecocephala forma *oxycephala*, *Cordyceps*,
 235
 spheiscidarum, *Lecidea*, 394
 spherioideogranatus, *Cortinarius*, 954
 sphinctrinellum, *Myriotrema*, 31
 sphinctrinoidella, *Protothelenella*, 497
 sphinctrinoides, *Protothelenella*, 497
 sphiracephalae, *Laboulbenia*, 675
 sphyridii, *Arthonia*, 943
 —, *Celidiopsis*, 1046
 —, *Leciographa*, 969
 sphysospermi, *Gibbera*, 883
 spica, *Simuliomyces*, 265
 spicarum, *Crocicreas*, 79
 spicatae, *Phyllachora*, 775
 spicifer, *Dipodascus*, 586
 spiciformis, *Blastocladia*, 946 ('spicaformis')

spiculata, *Cladonia*, 231, 581
 —, *Lepiota*, 248
 spiculifer, *Oxyporus*, 772
 spiculoides, *Conocybe*, 116
 spiculosum, *Entoloma*, 48
 —, *Septobasidium*, 265
 spigeliae, *Phyllosticta*, 91
 spilotica, var., *Lecidea lactea*, 543
 spinari, var., *Meliola carissae*, 973
 spinea, *Cladonia*, 581
 spinellosa, *Phaeophyscia*, 357
 spineum, *Entoloma*, 239
 spinibarbata, *Remispora*, 903
 spinifera, *Capronia*, 580
 spiniforme, *Sphaeronaema*, 502
 ('*Sphaeronema spinaeforme*')
 —, *Sphaeronaema* see *Sphaeronaema*
bommeri
 spinigerum, *Chaetothyrium*, 44
 spinispora, *Badhamia*, 944
 —, *Corditubera*, 234
 spinoreticulatus, *Elaphomyces*, 959
 spinosa, *Acaulospora*, 73
 —, *Apiosordaria*, 227
 —, *Basifimbria*, 420
 —, *Skyttea*, 266
 spinosella, *Montagnula*, 253
 spinosifila, *Diacheopsis*, 956
 spinosospora, *Discina*, 958
 spinosum, *Basidioidendron*, 228
 —, *Rhizophydium*, 174
 spinosus, *Foliopollenites*, 535
 —, *Heteroporomyces*, 243 ('spinosa')
 spinuliformis, *Pyxidiphora*, 24
 spinuloramigenum, *Penicillium*, 169
 spinulosa, *Ceratocystiopsis*, 76
 —, *Hamigera*, 537
 —, *Ordonia*, 1064
 —, *Uredo*, 217
 — var. *diminutiva*, *Ramaria*, 844
 — forma *fibulata*, *Ramaria*, 499
 spinulo-rostrata, *Pyxidiphora*, 555
 spiraeae, *Monodictys*, 974
 —, *Pollaccia*, 360
 spiraeae-thunbergii, *Cylindrosporium*, 9
 spiralis, *Dixomyces*, 429
 —, *Letrouitia*, 249
 —, *Orromyces*, 897
 spirillum, *Penicillium*, 20
 spirosporum, *Harposporium*, 590
 spirostriata, *Nectria*, 254
 spirotricha, *Emilmuelleria*, 587
 spissa, *Ceriporia*, 230, 422
 —, *Karoowia*, 968
 —, *Kionochaeta*, 486
 —, *Parmelia*, 772
 — var. *alba*, *Amanita*, 1042
 — var. *ampla*, *Amanita*, 1042
 — var. *cariosa*, *Amanita*, 738, 1042
 — var. *cinerea*, *Amanita*, 826
 — var. *excelsa*, *Amanita*, 277
 — var. *valida*, *Amanita*, 277, 1042
 — forma *alba*, *Amanita*, 1042
 — forma *exannulata*, *Amanita*, 1042
 — forma *minor*, *Amanita*, 1042
 — forma *raphaniodora*, *Amanita*, 1042

spitsbergensis, var., *Dipodascus aggregatus*, 238
 spitzbergensis, var., *Lecidella alaiensis*, 543
 splendens, *Aleuria*, 738
 —, *Hymenoscyphus*, 125
 —, *Klasterskya*, 85
 —, *Lactarius*, 53
 — subsp. *meinhardii*, *Cortinarius*, 1051
 — var. *meinhardii*, *Cortinarius*, 751
 — var. *phaeoleuca*, *Inocybe*, 762
 —, var., *Cortinarius sulphureus*, 584
 splendentium, *Cortinarius*, 195
 splendida, *Acaulospora*, 867
 —, *Dermocybe*, 286
 —, *Stachybotryna*, 699
 splendipipes, var., *Mycena epipterygia*, 975
 splendidissima, var., *Tricholomopsis rutilans*, 847
 splendidum, *Exobasidium*, 122
 splendidus, var., *Lactarius tesquorum*, 968
 splendus, *Dendromyceliates*, 80
 spodochoa, *Paraparmelia*, 603
 spodomela, *Halecania*, 759
 spondiadis, *Kuehneola*, 541 ('spondias')
 spongiola, *Morchella*, 491
 spongiosum, *Metacapnodium*, 352
 spongiosus, *Lichen*, 297
 spontanea, *Peronosclerospora*, 445
 spontescissus, *Cortinarius*, 195
 ('spontecissus')
 sporabiens, var., *Cortinarius ochreata*, 194
 sporadicum, *Splanchnonema*, 214
 sporangiicola, *Nectriopsis*, 978
 sporoboli, forma, *Ustilago hypodytes*, 28
 sporoboli-pyramidalidis, *Uredo*, 317
 sporocarpia, *Acaulospora*, 417
 sporodochialis, *Hirsutella*, 293
 sporopodiae, *Opegrapha*, 979
 sporoschismophora, *Porosphaerellopsis*, 260
 sporotrichiella var. *anthophilum*, *Fusarium*, 833
 — var. *poae*, *Fusarium*, 833
 — var. *tricinctum*, *Fusarium*, 833
 sporotrichoides, *Trichosporiella*, 27
 —, *Trichosporon*, 140
 spraguei, *Fomitopsis*, 430
 —, *Septoria*, 175
 —, *Trametes*, 62
 spretus, *Boletus*, 871
 sprinbokensis, *Xanthoparmelia*, 1001
 springtonensis, *Flavoparmelia*, 535
 —, *Parmelia*, 32
 spruceana, *Bacidia*, 111
 sprucei, *Cladina*, 383
 —, *Corioloopsis*, 527
 spumosa, *Hypotrachyna*, 673
 —, *Parmelinopsis*, 686
 —, *Pholiota*, 306
 — var. *amara*, *Pholiota*, 400
 — var. *chrysocystidiophora*, *Pholiota* see *Pholiota chrysocystidiata*
 spurcifolium, forma, *Entoloma sarcitulum*, 959
 —, var., *Entoloma sarcitulum*, 239
 —, var., *Entoloma sarcitum*, 429

spurcifolius, var., *Rhodophyllus sarcitulus*, 405
 spurinum, *Clavulicium*, 77
 spurius, *Rhodophyllus*, 60
 squalida, *Opegrapha*, 772
 squamata, *Sticta*, 314
 squamatica, *Karoowia*, 968
 —, *Parmelia*, 604
 —, var., *Cladonia capitellata*, 581
 squamatula, *Lepiota*, 86
 squamatus, *Thaxterogaster*, 140
 squamellum, *Catapyrenium*, 658
 squamifolium, *Entoloma*, 667
 squamodisca, *Clitocybe*, 474
 squamosa, *Bresadolina*, 656
 —, *Flabellophora*, 668
 —, *Psathyrella*, 450, 554
 —, *Stropholoma*, 996 ('squamosus')
 — var. *ochrospora*, *Psathyrella*, 172, 261, 450, 554
 — var. *thrausta*, *Psilocybe*, 262
 squamosissima, *Cladonia*, 64
 squamosoannulata, var., *Inocybe dulcamara*, 967
 squamosula var. *subsquamosula*, *Cladonia*, 660
 squamosum, *Rhizophydium*, 903
 squamosus, *Boletellus*, 469, 521
 squamulatus, *Phaeomarasmium*, 21
 squamulifera, forma, *Lasallia pertusa*, 296
 —, var., *Cladonia anomaea*, 525
 squamulistipes, *Boletus*, 280
 squamulosa, *Nectriopsis*, 978
 —, *Pleuroflammula*, 606
 —, *Xylaria*, 1002
 —, forma, *Lecanora cavicola*, 127
 —, var., *Russula roseoviolacea*, 1076
 squamulosula, *Bacidiopsis*, 870
 squamulosum, *Catapyrenium*, 471
 squamulosus, *Leucocoprinus*, 250
 —, *Tyromyces*, 911
 squarrosa, *Amanita*, 418
 —, *Phaeophyscia*, 357
 —, forma, *Physconia muscigena*, 690
 —, subsp., *Cladonia arbuscula*, 747
 —, var., *Anaptychia boryi*, 109
 —, var., *Echinochaete russiceps*, 387
 —, var., *Heterodermia boryi*, 671
 squarrosipes, var., *Agaricus nivescens*, 571
 squarrosoannulata, *Inocybe*, 888
 squarrosolutea, *Inocybe*, 888
 squarrosus, forma, *Xerocomus subtomentosus*, 268
 squarrulosa, *Squamanita*, 845
 stabilis, *Gymnopilus*, 537
 stachii, *Crenasclerotes*, 285
 stachyuricola, *Cercospora*, 382
 stachyurina, *Pseudocercospora*, 989
 stadii, *Agaricus*, 517
 staleyi, *Lophodermium*, 87
 standleyi, *Gerwasia*, 341
 stangliana, *Inocybe*, 762
 stanglianus, *Coprinus*, 829
 stanhopiae, *Badimia*, 944 ('stanhopeae')
 stanleyense, *Hebeloma*, 345
 stapeliae, *Oidium*, 494

staphyleae, *Fusarium*, 340
 staphylini, *Peyritschella*, 445
 staphylinidicola, *Cordyceps*, 193
 ('staphylinidaecola')
 starbaeckii, *Crocicreas*, 79
 staritzii, *Leptosphaeria*, 438
 starrii, *Acremonium*, 737
 statices, *Erysiphe*, 882
 statuum, *Phylloporus*, 91
 stauroides, *Octosporonites*, 302
 ('Octosporites')
 staurospora, *Astrosporina*, 576
 —, *Inocybe*, 889
 staurosporum, *Entoloma*, 11
 staurosporus, *Rhodophyllus*, 264
 steatophgioides, *Naemacyclus*, 771
 steepholmensis, forma, *Candelariella medians*,
 112
 steffenii, *Dactylosporina*, 427
 —, *Xerula*, 562
 stegomyiae var. *chapmanii*, *Coelomomyces*,
 527 ('chapmani')
 stegosporioides, *Xylochia*, 268
 steineri, *Bagliettoa*, 111
 steinmannii, *Collybia*, 335
 stellariae, *Lanzia*, 86
 —, *Microbotryum*, 205
 —, *Phaeosphaeria*, 446
 stellaris, *Cryptolechia*, 157
 —, *Pleiochaeta*, 92
 — subsp. *albinea*, *Physcia*, 552
 — subsp. *angustifolia*, *Physcia*, 552
 — subsp. *angustiloba*, *Physcia*, 552
 — var. *aberrans*, *Cladina*, 581
 — forma *radiata*, *Physcia*, 306
 — forma *rosulata*, *Physcia*, 306
 —, forma, *Opegrapha rufescens*, 302
 stellata, *Camillea*, 949
 —, *Heliscella*, 49
 —, *Hemimycena*, 50
 —, *Heterodermia*, 98
 —, *Psathyrella*, 172, 261
 —, *Rickia*, 610
 —, *Schiffnerula*, 781
 — subsp. *intermedia*, *Stictis*, 366
 — var. *orbicularis*, *Psathyrella*, 172
 stellatacula, *Heliscella*, 49
 stellatum, *Thelotrema*, 33
 stellatus, *Capniomyces*, 230
 —, *Epilichen*, 1055
 stellifer, *Aspergillus*, 520
 stellorugosus, *Cortinari*, 425
 stellula, *Diderma*, 957
 stellulata var. *microspora*, *Eutypella*, 832
 stemphylioides var. *parva*, *Phragmocephala*,
 134
 stenichni, *Acompsomyces*, 417
 stenocarpa, forma, *Opegrapha atra*, 302
 stenoclada, var., *Ramalina cuspidata*, 555
 stenocoli, *Isaria*, 247
 stenocystis, *Hebeloma*, 885
 stenomitis, *Tyromyces*, 999
 stenophylla, *Pseudocyphellaria*, 498
 stenophylloides, *Xanthoparmelia*, 792
 stenosperma, *Collybia*, 748

stenospermina, var., *Inocybe submuricellata*,
 246
 stenospermus, *Cortinarius*, 830
 stenospora, *Diplonaevia*, 338
 —, *Epicladonia*, 82
 —, *Grandinia*, 199
 —, *Hysteronaevia*, 347
 —, *Inocybe*, 393
 —, *Poria*, 360
 —, *Rinodinella*, 363
 —, *Kneiffia* see *Grandinia stenospora*
 —, var., *Mycena mauretana*, 769
 stenosporonica, *Parmelia*, 840
 —, *Xanthoparmelia*, 623
 stenosporum, *Lyophyllum*, 298
 stenosporus, var., *Panellus intermedius*, 685
 stenotaphricola, *Puccinia*, 843
 stephanandrae, *Cercospora*, 6
 stephaniae, *Cercospora*, 76
 —, *Pseudocercospora*, 1071
 —, *Stenella*, 214
 stephanodes, *Porpidia*, 403
 stephanomatis, *Hypomyces*, 485
 stephanomeriae, var., *Puccinia harknessii*, 93
 stephanosporus, forma, *Coprinus*
 marculentus, 527
 stephanotidis, *Pseudocercospora*, 59
 steppae, *Coelocaulon*, 156, 526
 steppicola, *Leucoagaricus*, 17 ('steppicolus')
 —, *Limacella*, 17, 891
 —, var., *Coprinus vosoustii*, 192
 stepposa, *Agrocybe*, 329
 stercoraria, *Apiosordaria*, 73
 —, *Clitocybe*, 474
 —, *Drosophila*, 532, 666
 —, *Macrolepiota*, 766
 —, *Mycena*, 354
 —, *Psathyrella*, 261, 554, 692
 —, var., *Stropharia semiglobata*, 266, 455
 stercorarium, *Aphysiotroma*, 467
 stercuriae, *Cercoseptoria*, 659
 —, var., *Alternaria macrospora*, 654
 stereicola, *Cistellina*, 7
 —, *Stilbella*, 503
 stereocaulicola, *Lasiosphaeriopsis*, 542
 —, *Opegrapha*, 1064
 stereocaulorum, *Cercidospora*, 746
 —, *Geltingia*, 1056
 stereoideum, *Gloeocystidiellum*, 162
 stereospermicola, *Pseudocercospora*, 22
 sternbergii, var., *Amanitopsis vaginata*, 573
 stevensiae, *Haematomma*, 163
 stevensiana, *Parmelina*, 604
 stevensii, *Relicinopsis*, 844
 stevensoniae, *Entoloma*, 48 ('stevensonii')
 stevensonii, *Monographella*, 88
 steviae, *Alternaria*, 151
 —, *Septoria*, 175
 steyaertii, *Pestalotiopsis*, 495
 steyermarii, *Cladonia*, 581
 —, *Myriotrema*, 31
 stictica, *Ocellularia*, 32
 —, *Punctelia*, 174
 —, subsp., *Cladonia arbuscula*, 873
 sticticans, *Ocellularia*, 99
 stictioidea, *Nimbomollisia*, 254

- stictioideus, *Dasyobolus*, 80
 stictospora, *Conocybe*, 952
 stigmatæa forma *egena*, *Lecidella*, 543
 stigmatella, *Strigula*, 33
 — var. *alpestris*, *Strigula*, 33
 stigmatisorum, *Botryobasidium*, 827
 stigmatoides, *Usnea*, 791
 stigmatospora, *Psathyrella*, 497
 stigonemoides, *Macentina*, 971
 stilazureus, *Cortinarius*, 954
 stilbae, *Chrysomyxa*, 6
 —, *Stilbechrysomyxa*, 407
 stilbelliformis, *Hirsutella*, 201
 — var. *dolichoderi*, *Hirsutella*, 201
 — var. *gnamptogenyos*, *Hirsutella*, 201
 — var. *monacidis*, *Hirsutella*, 201
 — var. *ponerinarum*, *Hirsutella*, 201
 stilbocarpæ, *Schizothyrioma*, 61
 stilboidea, *Acrodactys*, 653
 —, *Idriella*, 593
 —, *Triadelphia*, 367
 —, var., *Stigmina longispora*, 908
 stilboides, var., *Fusarium lateritium*, 832
 stilboideum, *Bactrodesmium*, 576
 stilbophilum, *Cylindrocarpon*, 476
 stilici, *Kyphomyces*, 436
 —, *Zeugandromyces*, 458
 stillata, *Atractogloea*, 153
 stillingiae, *Pseudocercospora*, 211
 stipæ, *Bipolaris*, 5
 —, *Ophiosphaerella*, 19
 —, *Phaeosphaeria*, 688
 — var. *ammophilæ*, *Cyathicula*, 285
 stipata, *Mycena*, 895
 stipatissima, *Psathyra*, 308
 stipitarius, *Marasmius*, 250
 stipitata, *Bryonora*, 280
 —, *Neophoma*, 682
 —, *Paulia*, 548
 —, *Perenniporia*, 687
 —, *Pterospora*, 361
 —, *Tetrapyrgos*, 701
 stipitatum, *Lasiobelonium*, 204
 —, *Lepidoderma*, 543
 stipite, *Yamadazyma*, 1081 ('stipitis')
 stipite-violascens, *Cortinarius*, 877
 stipitipodia, *Asterina*, 655
 —, *Asterostomella*, 655
 stiptica, *Postia*, 172
 stipticus, *Oligoporus*, 772
 —, *Spongiporus*, 26
 — var. *occidentalis*, *Panellus*, 685
 stiriaca, *Phaeophyscia*, 550
 stockdaleae, *Epidermomyces*, 289
 stoehadiana, *Hypocnemomyce*, 484
 ('*Hypocoenomyce*')
 —, *Porina*, 402
 —, *Zamenhofia*, 507, 562
 stokesii, *Mrakia*, 894
 stolonifer var. *lyococcus*, *Rhizopus*, 362
 stomaticola, *Pseudoseptoria*, 23
 stomonaxi, *Dixomyces*, 288, 429
 storea, *Psathyrella*, 261, 450
 stoveri, *Diplococcium*, 478
 —, *Microdochium*, 299
 —, *Monographella*, 300
 straminea, *Antrodiella*, 42
 —, *Inocybe*, 889
 —, *Ocellularia*, 32
 —, *Perenniporia*, 897
 —, *Rickenella*, 556
 —, var., *Amanita venenosa*, 826
 straminella, *Perenniporia*, 897
 stramineum, *Crocicreas*, 79
 stramineus, *Agaricus*, 517
 —, *Bolbitius*, 111
 —, *Flaviporus*, 389
 —, *Agaricus* see *Agaricus substramineus*
 —, *Psalliota* see *Agaricus schaefferianus*
 —, var., *Agaricus macrosporus*, 466
 —, var., *Tyromyces lacteus*, 998
 straminipes var. *fibulatus*, *Marasmius*, 972
 straminis, *Massariosphaeria*, 251
 strangulatus, *Didymoporisporonites*, 287
 —, *Hymenoscyphus*, 84
 —, *Tubulicrinis*, 560
 stransvesiae, *Pseudocercospora*, 693
 strasserii, *Pseudonectria*, 1072
 stratoideum, *Ganoderma*, 1055
 stratosæ, *Antrodia*, 378
 stratosum, *Hypochnicium*, 246
 strebli, *Cercospora*, 113
 —, *Pseudocercospora*, 22
 —, *Scolecosporiella*, 698
 streimannii, *Parmelia*, 304
 —, *Xanthoparmelia*, 623
 strenuus, forma, *Cortinarius triformis*, 118
 ('*strenua*')
 streptopus, var., *Hygrocybe fornicata*, 483
 streptosmus, *Cortinarius*, 530
 striaepes, *Agaricus*, 941
 —, *Inocybe*, 889
 —, *Pholiotina*, 985
 striaspora, *Astrosphaeriella*, 575
 striata, *Bulbomollisia*, 1045
 —, *Byssoschlamys*, 522
 —, *Monodictys*, 545
 —, *Pseudephebe*, 136
 —, var., *Cladonia sulcata*, 660
 striataspora, *Trematosphaeria*, 910
 striatigera, *Phomatospora*, 898
 striatipes var. *leucopus*, *Conocybe*, 749
 — var. *sejuncta*, *Conocybe*, 749
 striatispora, *Amphisphaeria*, 574
 —, *Apiosordaria*, 869
 —, *Didymosphaeria*, 1054
 —, *Kirschsteiniethelia*, 486
 —, *Lojkania*, 351
 striatosporus, *Elaphomyces*, 10
 striatoviridis, *Russula*, 1076
 striatula, *Gamundia*, 341
 —, *Phaeogalera*, 550
 striatulum, *Geopetalum*, 536
 — var. *applicatum*, *Geopetalum*, 536
 striatulus, *Aspergillus*, 520
 —, *Oropogon*, 979
 — var. *prolificans*, *Resupinatus*, 696
 —, forma, *Cortinarius obtusus*, 194
 striatum, *Psilachnum*, 1072
 striatus, *Dicellaesporites*, 196
 —, *Zelleromyces*, 410
 —, var., *Coelomomyces iliensis*, 526

- stricta*, *Nochascypha*, 301
 —, *Tricladiospora*, 790
 — var. *condensata*, *Ramaria*, 499
strictior, *Nolanea*, 355
strictius, *Entoloma*, 339
stridii, *Athelium*, 468
 — forma *efibulatum*, *Athelium*, 468
stridula, *Oudemansiella*, 602
strigata, *Coriolopsis*, 424
strigiceps, *Inocybe*, 51, 164
 — forma *pygmaea*, *Inocybe*, 51, 164
strigosa, *Fibulosebacea*, 757
 —, *Phaeophyscia*, 170
 — subsp. *major*, *Usnea*, 791
 — subsp. *rubiginea*, *Usnea*, 791
strigosum, *Trichaptum*, 703
strigulae, *Opegrapha*, 979
striispora, *Melanconia*, 87
 —, *Tricharina*, 504
 —, *Valsaria*, 97
strobilaceus var. *mexicanus*, *Strobilomyces*, 176
 — var. *zapotecorum*, *Strobilomyces*, 176
strobilanthis, *Bagnisiella*, 469
strobilanthis, *Euoidium*, 882 ('*strobilanthis*')
strobilicola, *Coccomyces*, 661
 —, *Stomiopeltis*, 407
strobiliformis, forma, *Amanita solitaria*, 572
strobilinum, *Crocicreas*, 475
stromatica, *Bulbomollisia*, 380
 —, *Didymella*, 237
 —, *Puttemansia*, 695
stromaticola, *Puttemansia*, 695
 —, forma, *Nectria cinnabarina*, 771
strombodes, *Chrysomphalina*, 192
strontianense, *Pyrenocollema*, 778
 ('*strontianensis*')
strophosum var. *occidentale*, *Hebeloma*, 345
 —, var., *Hebeloma mesophaeum*, 432
strumarium, *Chaetomium*, 525
strumelloideum, *Cladosporium*, 661
strumosa var. *latipora*, *Coriolopsis*, 952
struthiopteris, *Scirrhia*, 781
stuartensis, *Xanthoparmelia*, 705
stuhlmannii, *Parmotrema*, 257
stuntzii, *Cortinarius*, 877
 —, *Resupinatus*, 696
 — var. *gelatinosa*, *Ramaria*, 1073
stuposa, *Tomentella*, 366
stygia, *Cladina*, 383
 —, *Cladonia*, 472
stypinoides, *Marasmiellus*, 544
stypinus, *Marasmiellus*, 544
styppeiochloae, *Sorosporium*, 94
styracicola, *Cercospora*, 382
styriaca, *Leptosphaeria*, 1060
styriacum, *Colpoma*, 7
stysanophorus, *Pithoascus*, 690
suaedicola, *Cryptovalsa*, 80
suaveolens, *Williopsis*, 562
suavissima, *Psathyrella*, 360
suavissimus, var., *Cortinarius odoratus*, 750
subadbita, *Platyglœa*, 776
subabruptum, subsp., *Cystostereum pini-canadense*, 584
subaccedens, *Cortinarius*, 954
subacuta, *Hygrocybe*, 245
 —, var., *Cladonia anomaea*, 525
subadelphus, *Cortinarius*, 118
subadusta, *Wrightoporia*, 792
subaeruginascens var. *septentrionalis*, *Psilocybe*, 262
subaerugineus, forma, *Leucopaxillus paradoxus*, 17
subaeruginosum, *Entoloma*, 588
subaeruginosus, *Hymenagaricus*, 346
subaffinis, *Cortinarius*, 954, 1051
subaimara, *Marasmius*, 439
subalba, *Micropsalliota*, 300
subalbatum, *Helminthocarpon*, 124
subalbicans, *Parmelina*, 304
 —, *Punctelia*, 404
 —, forma, *Acarospora macrospora*, 867
subalbidoides, *Antrodia*, 467
subalbidum, *Botryobasidium*, 743
suballantosporum, *Sistotrema*, 61
subalpina, *Amanita*, 378, 572, 868
 —, *Amanitopsis*, 573
 —, *Comatricha*, 749
 —, *Paraparmelia*, 603
 —, *Phaeosphaeria*, 985
 —, *Pyrenophora*, 263
 —, *Russula*, 264
 —, forma, *Winteria lichenoides*, 912
 —, var., *Conocybe mesospora*, 952
 —, var., *Laccaria affinis*, 1059
subalpinus, *Ascobolus*, 378
 —, forma, *Cortinarius miniatopus*, 194
 ('*subalpina*')
subalutacea, *Basifimbria*, 153
 —, *Grandinia*, 199
 —, *Kneiffiella*, 126
subambigens, *Pertusaria*, 65
subambigua, *Cercophora*, 746
 —, *Foraminella*, 161
subamboinense var. *laevisporum*, *Ganoderma*, 198
subamethystinus, *Cortinarius*, 877, 1051
subamplexa, *Flavoparmelia*, 535
subamplexuloides, *Xanthoparmelia*, 1001
subanellariiformis, *Psilocybe*, 263
subannulata, *Inocybe*, 889
 —, *Sporothrix*, 699
subannulatum, *Hebeloma*, 345
 —, *Ophiostoma*, 683
subantarctica, *Arthonia*, 575
 —, *Cladonia*, 525
 —, *Hertella*, 433
 —, *Mollisiopsis*, 18
 —, *Phaeospora*, 605
 —, *Usnea*, 457
subapiculatum, *Chaetomium*, 231
subaquila, subsp., *Physconia venusta*, 552
subarctica, *Aspicilia*, 110
 —, *Clavulinopsis*, 473
 —, *Russula*, 1076
subarcticum, *Entoloma*, 388
 — var. *obscurum*, *Entoloma*, 388
subarcticus, subsp., *Dichomyces furcifer*, 287
subarduennensis, *Phaeocollybia*, 687
subarenaria, *Buellia* see *Rinodina brattii*
subargentea, *Grammothele*, 242

- subargillaceum, Hebeloma, 345
 subarginea, Micropsalliota, 18
 subarticulata, Hypogymnia, 673
 —, var., *Parmelia vittata*, 304
 subasahinae, Graphis, 200
 subasperispora, Boidinia, 190
 subasperisporus, Amylosporomyces, 826
 subatrata, Krombholziella, 203
 —, var., *Psathyra conopilea*, 308
 subaurantiacus, Marasmiellus, 544
 subaureum, Tricholoma, 618
 subaurulenta, Myelochroa, 682
 subaustraligus, Hygrophorus, 434
 subbadius, var., *Boletus subtomentosus*, 577
 subbalaustinus, Cortinarius, 530
 subbasalipunctata, Pyxidiophora, 24
 subbasidiosus, Hygrophorus, 434
 subbenguelensis, Laurera, 763
 subbicolor, var., *Alectoria bicolor*, 188
 subboreale, Hebeloma, 345
 subborealis, Destuntzia, 477
 subbrunnea var. *subconicospora*, Inocybe, 348
 — forma *sabulosa*, Inocybe, 348
 subbullata, Menegazzia, 598
 —, *Xanthoparmelia*, 1001
 subcaelestina, Nolanea, 168
 subcaelestinum, Entoloma, 667
 subcaesia, Postia, 172
 subcaesius forma minor, Tyromyces, 367
 subcaesitosum var. *psammicola*, Hebeloma, 292 ('*psammocolum*')
 subcaesitosus, Cortinarius, 45
 subcalyptrosporus, Cortinarius, 662
 subcana, Bryoria, 743
 subcandicans, Clitocybe, 661, 873
 subcandida, Bellemerea, 379
 subcaninicolor, Cortinarius, 1051
 —, var., *Cortinarius fulvo-ochrascentes*, 953
 subcapillaris, Neuropogon, 301
 —, *Usnea*, 457
 —, var., *Neuropogon ciliata*, 600
 subcapitatum, Hebeloma, 345
 subcapsularis, Pluricellaesporites, 135
 subcapsularis, Inapertisporonites, 125
 subcartilagineus, Tyromyces, 409
 — var. *aquosus*, Hydopus, 244
 — var. *bisporiger*, Hydopus, 244
 — var. *confertifolius*, Hydopus, 293
 — var. *napoensis*, Hydopus, 244
 subcaulescens, Lentaria, 890
 subcentrifuga, Arctoparmelia, 467
 subceracea, Phanerochaete, 550
 subceraceum, Fibricium, 535
 subchalybaeizans, Karoowia, 968
 subciboria, Neodasyscypha, 682
 subcinerea, Pterospora, 361
 —, *Tetrapyrgos*, 701
 —, forma *Clavulina cristata*, 748
 subcinereum, Polymeridium, 65
 subcinnabarina, Hygrocybe, 245
 subcinnabarinus, var., *Cortinarius sanguineus*, 530
 subcinnamomea, Krombholziella, 594
 subcircinata, Aspicilia, 29
 subcircinatum, Chaetomium, 192
 subcircularis, Staphlosporites, 366
 subcitrina, Boletopsis, 946
 —, *Peziza*, 169
 subcitrinopallidus, Hygrophorus, 434
 subclaricolor, Cortinarius, 954
 subclavata, Inocybe, 889
 subclavularis, Mycena, 396, 895
 subclypeata, Sphaeria, 25
 subcoarctata, Lecanora, 394
 subcoerulescens, Calopadia, 828
 subcolorata, Xanthoparmelia, 623
 subcomosa, Heterodermia, 482
 subcompressum, Platystomum, 606
 subcompunctum, Myriotrema, 31
 subconcava, Psora, 32
 subconcinnulla, forma, *Inocybe concinnula*, 887
 subconcolor, Trapeliopsis, 140
 subconcrecens, Hydrocybe, 243
 subconfluens, Leptopeltis, 596
 subconforme, Myriotrema, 31
 subconica, var., *Hygrocybe aurantiolutescens*, 965
 subconicospora, var., *Inocybe subbrunnea*, 348
 subconnexa, Lepista, 351
 subconnivens, Parmelia, 32
 subconsersa, Mycoacia, 207
 subcontinua, Notolecidea, 397
 subconvoluta, Xanthoparmelia, 1001
 subcocrallina, Catinaria, 745
 subcotoneipes, Cortinarius, 877
 subcrassus, Cortinarius, 236
 —, forma, *Cortinarius crassus*, 335, 528
 subcretacea, Handkea, 963
 subcretaceus, Jacksonomyces, 164
 —, *Leucoagaricus*, 128, 249
 subcrinitus, var., *Cortinarius petroselineus*, 195 ('*subcrinita*')
 subcristata, forma, *Clavulina cinerea*, 748
 subcristulata, var., *Russula risigallina*, 613
 subcroceofolia, Dermocybe, 880
 — var. *sordidipes*, Dermocybe, 880
 subcroceophyllus, Cortinarius, 336
 subcrustacea, Phyllopsora, 986
 —, *Xanthoparmelia*, 368
 subcrustosa, Xanthoparmelia, 623
 subcurvatus, Inapertisporonites, 125
 subcurvisporum, Chaetomium, 950
 subcutanea, Cryptosphaeria, 336
 subcuticularis, Triacutus, 140
 subcyanopus, Cortinarius, 425
 subcylindrosporus, Ascophanus, 74
 subdeceptivum, Entoloma, 388
 subdeclinans, Lecidella, 394
 subdecor, Pyrenula, 778
 subdecurrens var. *burnhamii*, Ramaria, 137 ('*burnhami*')
 subdeflectens, Comoclathris, 1047
 subdelibutus, Cortinarius, 336
 subdentifera, Pterospora, 361
 —, *Tetrapyrgos*, 701
 subdentata, Dimerella, 958
 subdenudata, Ceratostomella, 580
 subdepressa, var., *Aspicilia caesiocinerea*, 378
 subdevonicus, Melanosphaerites, 252
 subdiffuens, Xanthoparmelia, 792

—, var., *Parmelia conspersa* see *Xanthoparmelia subdiffuens*
 —, var., *Parmelia taractica*, 132
subdilucida, *Dimerella*, 831
subdiscrepans, *Rhizoplaca*, 362
subdiscreta, forma, *Acarospora scyphulifera*, 867
 —, forma, *Acarospora smaragdula*, 188
subdisjuncta, *Laurera*, 542
subdissentiens, *Amygdalaria*, 519
subdistans, var., *Lactarius subvellereus*, 53
 —, var., *Lentinus sajor-caju*, 127
subdulcis, forma, *Russula veternosa*, 906
subduplicata, *Buellia*, 379
 — var. *rugosa*, *Hypogymnia*, 592
 — var. *suberecta*, *Hypogymnia*, 592
subdura, *Graphis*, 163
subduracinus subsp. *basicyaneus*, *Cortinarius*, 530
subdiviridifuscum, *Diderma*, 830
subearlei, *Gymnopilus*, 163
subectypus, *Trametes*, 789
subelatinus, *Crepidotus*, 751
subelegantiior, *Cortinarius*, 751
subelevata, *Lecanora*, 764
subellenae, *Hygrophorus*, 434
subelliptica, *Pyrenula*, 778
subepipastus, *Hymenagaricus*, 346
subepiphyllus, *Marasmiellus*, 298
suberecta, var., *Hypogymnia subduplicata*, 592
subericaeum forma *iodolens*, *Naematoloma*, 599
suberosum, *Trichaptum*, 703
suberythrella, var., *Caloplaca flavorubescens*, 523
suberythrinus, *Cortinarius*, 877
 — var. *geraniolens*, *Cortinarius*, 878
subetiolata, forma, *Stropharia coprophila*, 315
subexornata, *Lobaria*, 438
subexpallescens, *Thelotrema*, 702
subexpansus, forma, *Cortinarius fuscopallens*, 117
subfallens, *Mycomicrothelia*, 492
subfarinacea, *Exidiopsis*, 241
subfastigiatum, *Hebeloma*, 345
subfaticens, *Hypotrachyna*, 835
 —, *Parmelinopsis*, 686
subfelinoides, *Lepiota*, 437
subfelleus, *Sarcodon*, 405
subferruginea, *Ceratosphaeria*, 282
 —, *Pyrenula*, 903
subferrugineoides, *Cortinarius*, 45
subfestiva, *Clitocybe*, 748
subfibrillosa, *Oliveonia*, 56
subfibrosoides, *Astrosporina*, 576
subfilamentosa, *Fuscidea*, 757
subfimbriata, *Junghuhnia*, 393
subfistulosa, *Russula*, 1076
 — var. *apsila*, *Russula*, 1076
 — forma *angustoappendiculata*, *Russula*, 1076
 — forma *brevipilosa*, *Russula*, 1076
subflammeus, *Lactarius*, 53
subflava, *Punctelia*, 843

subflavida, *Hygrocybe*, 245
subflavidus, *Austroboletus*, 4
subflexipes, *Entoloma*, 82
subfloccosa, *Psalliota*, 260
subfloccosus, *Agaricus*, 738 ('subflocosus')
 — var. *bisporus*, *Agaricus*, 738
subfloriforme, *Diderma*, 45 ('subfloriformis')
subfloriformis, *Polyporus*, 210
subflotlowiana, var., *Pertusaria albescens*, 399
subfragilis, *Mycena*, 492
 —, *Tyromyces*, 999
 — var. *ravida*, *Mycena*, 396
 — var. *typica*, *Mycena*, 396
subfraxinea var. *confirmata*, *Ramalina*, 696
 — var. *leiodea*, *Ramalina*, 696
 — var. *norstictica*, *Ramalina*, 696
subfibrillosus, *Tyromyces*, 999
subfulva, *Simocybe*, 25
subfulvus, *Boletus*, 421
subfusca, *Calopadia*, 657
 —, *Inocybe*, 889
 — var. *subcrenulata*, *Lecanora* see *Lecanora byssinula*
subfuscae, *Bacidia*, 521
subfuscens, *Camarophyllopsis*, 524
subfuscum, *Lasiobelonium*, 204
subfuscus, *Boletus*, 43
subfusiformis, *Tubulicrinis*, 456
subfusipes, *Tricholoma*, 997
subfusispora, *Dendrothele*, 237
 —, *Galerina*, 669
 —, *Helvella*, 538
subfusisporus, *Cortinarius*, 1052
subfusoides, *Hygrophorus*, 434
subgeminellus, *Gymnopilus*, 670
subgerardii, *Lactarius*, 53
subgiganteus, *Tyromyces*, 367
subglaber, var., *Diacanthodes griseus*, 956
subglandis, *Bactridium*, 111
subglaucescens var. *lavicola*, *Rinodina*, 363
subglaucinigra, *Graphis*, 200
subglaziouana, *Buellia*, 191
subglebosa, *Peltula*, 841
subglobispora forma *aurantiorubra*, *Hygrocybe*, 483
subglobisporum, var., *Tricholoma fucatum*, 504
subglobisporus, *Leucocoprinus*, 488
 —, var., *Flaviporus liebmanni*, 13
 —, var., *Leucocoprinus lilacinogranulosus*, 1061
subglobosa, *Mycena*, 681
subglobospora, *Tulasnella*, 316
subglobosum, *Tarichium*, 616
subglutinans, *Fusarium*, 290
subgracilis, *Lepiota*, 488
 —, *Mycena*, 599
subgranulata, *Parmeliella*, 686
subgregans, *Arthopyrenia*, 467
subgrisea, *Mycena*, 546
 —, var., *Russula pectinata*, 501
subgriseus, *Boletus*, 421
subhanningtonianum, *Parmotrema*, 356
subhepatica, *Omphalina*, 896, 1064
subhepaticum, *Hebeloma*, 345
subhexagonosporum, *Entoloma*, 48

- subhiatum, *Thelotrema*, 33
 subhirsuta, *Inocybe*, 889
 subhirtella, *Inocybe*, 348
 subhirtellus, *Marasmiellus*, 971
 subhirtus, var., *Leucopaxillus cerealis*, 488
 subhyalina, *Allophylaria*, 466
 —, *Typhula*, 409, 505
 subhyalinum, *Crocioreas*, 79
 subhydrophilus, *Flaviporus*, 668
 subhyperella, var., *Psilocybe castanella*, 262
 subiculata, *Stictis*, 315
 —, var., *Peziza subisabellina*, 257
 subiculosa, *Hypomyces*, 1058
 —, *Lachnella*, 295
 —, *Phanerochaete*, 550
 subillaqueatum, *Hypochniciellum*, 84
 subilludens, *Omphalotus*, 255
 subimmaculatum, *Helotium*, 201
 subimperspicua, *Nectriella*, 397
 subimpexa, forma, *Cladina portentosa*, 383
 subincarnata, *Vanderbylia*, 704
 subincarnatus, *Microporellus*, 680
 —, *Sarcodon*, 405
 —, var., *Flammulaster carpophilus*, 535
 subincerta, *Psathyrella*, 692
 subincolorella, *Cryptolechia*, 157
 subiners, forma, *Cortinarius diabolicus*, 235
 subingrata, forma, *Russula nitida*, 613
 subinodermatoides, *Marasmiellus*, 971
 subinsignis, *Cortinarius*, 751
 subinteger, var., *Gloeoporus subochraceus*, 963
 subintegra, *Russula*, 613
 subinvisibilis, *Dawsomyces*, 119
 subisabellina, *Lepista*, 249
 —, *Peziza*, 257
 — var. *subiculata*, *Peziza*, 257
 subisabellinus var. *murrillianus*, *Lactarius*, 53
 subisidiosa, *Rimelia*, 1074
 subkeralense, *Thelotrema*, 909
 sublaccata, *Collybia*, 527
 sublactea, *Julella*, 762
 sublacunosus, *Heteroporus*, 671
 — var. *condensatus*, *Heteroporus*, 671
 sublacustris, *Lactarius*, 53
 sublaevigata, *Lepiota*, 16
 sublaevigatum, *Anthracotheceum*, 151
 sublaevis, *Xanthoparmelia*, 913
 —, forma, *Russula roseoviolacea*, 1076
 —, var., *Puccinia violae*, 212
 sublamaensis, *Phellinus*, 1067
 sublamellatum, *Hebeloma*, 345
 sublamellatus, *Tyromyces*, 999
 sublamelliformis, *Panellus*, 685
 sublapicida, *Lecidella*, 296
 sublargus, *Cortinarius*, 425
 sublaricina, *Peziza*, 357
 sublatifolia, *Parmelia*, 304
 sublatus, *Aspergillus*, 3
 sublecanorina, *Fellhanera*, 757
 subleptoloma, *Pseudolyophyllum*, 1072
 subleucophaea, *Krombholziella*, 203
 subleucophaeum var. *minimum*, *Leccinum*, 437
 subleucothallina, *Lecidea*, 204
 sublevatus, *Panellus*, 685
 sublevispora, *Russula*, 264
 sublibera, var., *Diplodia ficophila*, 753
 sublimascens, forma, *Clavulina cinerea*, 748
 sublimbata, *Stictia*, 314
 sublineata, *Neurospora*, 88
 sublineola, *Paraparmelia*, 840
 sublineolata, *Pseudocercospora*, 901
 sublingam, *Phoma*, 134
 sublittoralis, *Leucoagaricus*, 249
 — var. *macrospora*, *Leucoagaricus*, 836
 sublongisetia, *Mycena*, 599
 sublucida, *Mycena*, 301
 sublugubris, var., *Hypogymnia lugubris*, 64
 sublumina, *Xanthoparmelia*, 1002
 sublunatum, *Sarcostroma*, 501 ('sublunata')
 —, var., *Fusarium sambucinum*, 833
 subluxuriatus, forma, *Cortinarius luxuriatus*, 194
 submacrospora, *Thielavia*, 408
 submacrostoma, *Verrucaria*, 178
 submalicola, *Antrodia*, 419
 submarcescens var. *megasporea*, *Phaeographis*, 170
 submarginatus, *Marasmius*, 972
 submastophora, *Pyrenula*, 778
 submegalopora, var., *Echinochaete brachypora*, 386
 submelinoides, *Hebeloma*, 345
 submelleopallens, *Cortinarius*, 118
 submembranacea var. *bispora*, *Amanita*, 738
 — var. *griseoargentata*, *Amanita*, 572
 submembranaceus, *Pleurotus*, 899
 submersa, *Pterygiopsis*, 451
 submicrosporoides, *Leptotrema*, 678
 subminiata, *Cladonia*, 951
 subminutula, *Hygrocybe*, 245
 subminutulus, *Gliophorus*, 834
 submolare, *Cerocorticium*, 113
 submollis, *Fusidea*, 162
 —, *Polyporus*, 210
 submontana, *Parmelia*, 773
 submougeotii, *Xanthoparmelia*, 1002
 submuralis, *Aulaxina*, 827
 submuricellata var. *stenospermina*, *Inocybe*, 246
 submuriformis, *Strigula*, 788
 submurinum, *Entoloma*, 48
 subnepalense, *Cetrariastrum*, 114
 —, *Everniastrum*, 534
 subnigra, *Oudemansiella*, 980
 —, *Peccania*, 444
 —, *Relicina*, 844
 —, *Xanthoparmelia*, 623
 subnigrata, *Micarea*, 129
 subnitens, *Phlebiella*, 688
 subnuda, *Arachnopeziza*, 419
 —, *Conocybe*, 233
 —, *Flagelloscypha*, 290
 —, *Tubercinia*, 505
 subnudipes, *Lachnum*, 487, 541
 —, var., *Amanita crocea*, 329
 subnudus, *Strobilomyces*, 503
 suboblongatus, *Pluricellaesporites*, 135
 subobscurata, *Schadonia*, 312
 subobscurus, *Gerronomia*, 49 ('subobscura')
 —, var., *Hebeloma mesophaeum*, 344

- subocculta, *Strickeria*, 787 ('Strickera')
 subochracea, *Xanthoparmelia*, 623
 subochraceum, *Steccherinum*, 559
 —, var., *Trichaptum ceraceicutis*, 703
 subochraceus, *Gloeoporus*, 962
 — var. *clarus*, *Gloeoporus*, 962
 — var. *latiporus*, *Gloeoporus*, 962
 — var. *subinteger*, *Gloeoporus*, 963
 suboculata, *Pertusaria*, 65
 subolivacea, var., *Lepiota fulvella*, 543
 subolivaceus, *Lactarius*, 53
 suboperculata, *Octosporella*, 19
 suboreina, *Inocybe*, 1058
 suborichalcea, var., *Cortinarius odorifer*, 529
 suborichalceus, var., *Cortinarius odorifer*, 954
 ('suborichalcea')
 suborientalis, var., *Fuscidea cyathoides*, 162
 subornata, *Lepiota*, 437
 subornatum, *Cystoderma*, 830 ('subornata')
 subovalis, *Conocybe*, 116
 —, *Dyadosporonites*, 121
 subovoideus, *Inapertisporonites*, 125
 subpaleacea, *Inocybe*, 889
 subpallescens, *Parmelia*, 686
 subpallida, *Xanthoparmelia*, 705
 subpallidipes, *Lactarius*, 296
 subpaludosus, *Lactarius*, 53
 —, *Xerocomus*, 63
 subpalustris, *Lactarius*, 53
 subpannucioides, *Psathyrella*, 554
 subpappendorffii, *Bipolaris*, 229
 subpapillata, *Phyllachora*, 775
 —, *Psathyrella*, 172, 497
 subpapillosa, var., *Physconia pulverulacea*,
 552
 subpatens, *Thelotrema*, 100
 subpaupercula, *Lecidea*, 204
 subpelargonium, *Inocybe*, 202
 subpelliculosa, *Hansenula*, 292
 —, *Pichia*, 359
 subpendulus, *Oligoporus*, 772
 subperennis, *Polyporus*, 210
 subperforata, *Ocellularia*, 896
 subperonata, *Psalliota*, 260
 subpertusa, *Menegazzia*, 299
 subphaeomelodes, *Laurera*, 763
 subphysodes var. *austerodioides*,
Hypogymnia, 64
 subpigmentosa, *Xanthoparmelia*, 368
 subpilosa, *Balladyna*, 379
 —, *Porina*, 360
 subplana, *Tricharia*, 846
 subplanata, subsp., *Lecanora rupicola*, 969
 —, var., *Lecanora rupicola*, 542
 subplanum, *Everniastrum*, 534
 subplicans, *Ochrolechia*, 839
 — subsp. *hultenii*, *Ochrolechia*, 839
 subplicigera, *Aspicilia*, 110
 subplittii, *Xanthoparmelia*, 792
 subporospora, *Inocybe*, 762
 subpraesignis, *Punctelia*, 174
 subpraestans, *Ocellularia*, 32
 subprostans, *Anisomeridium*, 63
 subpulcaris, forma, *Opegrapha*
vermicellifera, 303
 subpumila, *Parmelia*, 132
 subpunctipes, var., *Tylophilus indecisis*, 177
 subpunctulatum, *Tarichium*, 315
 subpurpurascens, *Polyporus*, 448
 — var. *alluticolor*, *Cortinarius*, 584
 — var. *subsordida*, *Cortinarius*, 584
 subpusillus, *Colus*, 44
 subquercina, *Phanerochaete*, 774
 subquercinum subsp. *nanum*, *Calicium*, 1045
 subquercinus, *Radulodon*, 24
 subradiascens, *Aspicilia*, 111
 subradiatus, *Cuphophyllus*, 427, 1053
 —, *Tyromyces*, 999
 subradicosa var. *effigurata*, *Lecanora*, 127
 subramanianii, *Dictyosporium*, 428
 —, *Hirsutella*, 433
 —, *Labridella*, 85 ('Labridiella')
 —, *Meliolina*, 440
 —, *Periconia*, 208
 —, *Pithomyces*, 91
 —, *Pleospora*, 171
 —, *Spadicoides*, 454
 subramentacea, *Antrodia*, 419
 subramosus, var., *Cantharellus tubiformis*,
 745
 subreagens, *Fuscidea*, 390
 subreniformis, *Nematotonus*, 547
 subrenispora, *Lambertella*, 487
 subrepandus, *Cortinarius*, 1052
 subresimus, *Lactarius*, 247
 subresinosum, *Amauroderma*, 227
 subreticulata, *Ceriporia*, 155
 subreticulatus, *Lactarius*, 296
 subretispora, *Trichia*, 62 ('subretisporum')
 subrhacodes, *Cortinarius*, 954, 1052
 subrimosum, *Hebeloma*, 345
 subrivulosa, *Fuscidea*, 123, 162
 subrizalensis, *Pyrenula*, 778
 subrobusta, *Krombholziella*, 203
 subrosea, var., *Perenniporia clelandii*, 981
 subroseiporus, *Tyromyces*, 999
 subrosetum, *Endocarpon*, 387
 subroseus, *Sporobolomyces*, 783
 —, var., *Lactarius hysginus*, 52
 subrotundifoliae, *Krombholziella*, 594
 subrubescens, *Hebeloma*, 345
 —, *Tyromyces*, 999
 —, var., *Lactarius gerardii*, 52
 subrubicundulus, forma, *Paxillus involutus*,
 168
 subrubiformis, *Psora*, 403
 subrubinea, *Leptonia*, 488
 subrudecta, *Punctelia*, 174
 —, var., *Parmelia borrieri*, 399
 subrufa, *Ceriporiopsis*, 382
 —, *Fibroporia*, 389
 —, *Lepiota*, 165
 subrufescens, *Catapyrenium*, 872
 subrufobrunneus, *Gymnopilus*, 670
 subruginosa, *Xanthoparmelia*, 623
 subruginosus, *Lactarius*, 542
 subrugosa var. *tenuis*, *Clavulina*, 829
 subrugosum, forma, *Entoloma conferendum*,
 755
 subrugulosa, *Paraparmelia*, 840
 subrutilans, *Wrightoporia*, 178
 subsaccharioides, *Hebeloma*, 345

- subsepiaceum, *Entoloma*, 388
 subsericella, *Clitocybe*, 661
 —, *Omphalia*, 683
 subsericellum, *Gerronema*, 199
 subseriflua, *Russula*, 993
 subsessilis var. *azadirachtae*, *Cercospora*, 76
 ('*azadirachtii*')
 —, var., *Flabellophora lilmophora*, 668
 subsetiger, *Marasmius*, 439
 subsimilis, *Echinoplaca*, 831
 —, *Ocellularia*, 32
 subsimplex, *Flabellophora*, 668
 subsimulans, *Lyophyllum*, 204
 subsolida, *Syzygospora*, 559
 subsolitarius, *Cortinarius*, 751
 subsordescens, *Cortinarius*, 425
 subsordida, *Clavaria*, 829
 —, var., *Cortinarius subpurpurascens*, 584
 subsorediata, *Xanthoparmelia*, 792
 subsorediosa, var., *Xanthoria fallax*, 623
 subsorediza, *Bellemerea*, 742
 subsororioides, *Buellia*, 191
 subsphaerico-sporus, *Pteridomyces*, 901
 subsphaerioides, *Laurera*, 836
 subsphaerospora, *Skeletocutis*, 213
 subsphaerosporus, *Crepidotus*, 751
 subspiralis, *Phyllactinia*, 447
 subspodochroa, *Paraparmelia*, 603
 subsquamosula, var., *Cladonia squamosula*, 660
 subsquamosus, var., *Agaricus pratulorum*, 517
 subsquarrosa, *Macrolepiota*, 128
 substellata, *Inocybe*, 889
 —, *Mycena*, 770
 substellatum, *Helotium*, 201
 substenophylloides, *Xanthoparmelia*, 1002
 substerilis, forma, *Psathyra gracilis*, 308
 —, var., *Psilocybe physaloides*, 309
 substigma, *Buellia*, 191
 substraminea, *Inocybe*, 674
 substramineus, *Agaricus*, 517
 substraminipes, *Inocybe*, 889
 substrangulata, *Pseudohygrocybe*, 843
 —, *Psidimobipiospora*, 309
 substriata var. *decrospora*, *Puccinia*, 609
 substriiforme, *Helminthosporium*, 432
 substrophosum, *Hebeloma*, 345
 substuppeum, *Aporpium*, 826 ('*substuppeus*')
 substuppeus, *Corioloopsis*, 335
 substygius, *Inonotus*, 435
 subsulphurea, *Pleuroflammula*, 606
 subsulphureum, *Belonidium*, 742
 ('*subsulphurem*')
 subsuperficialis, *Montagnula*, 974
 subtabacina, *Parmelia*, 32
 subtenebrosa, var., *Orphniospora moriopsis*, 548
 subtenerima, *Mycena*, 976
 subtenuis forma cinerea, *Cladina*, 383
 subteres, *Hypogymnia*, 592
 subterginum, *Collybia*, 335 ('*subtergina*')
 subternella, *Fellhanera*, 535
 subterranea, *Roesleria*, 452
 subterraneus, *Stigmatomyces*, 315
 subtestacea, *Krombholziella*, 203
 —, *Parmelia*, 773
 subtestaceum, *Hebeloma*, 759, 1056
 subthomsonii, *Parmelaria*, 772
 subtigrinus, *Cortinarius*, 336
 subtile, *Entoloma*, 48
 subtiliacea, *Canoparmelia*, 579
 subtilis, *Alectoria*, 188
 —, *Calycina*, 471
 —, *Ramaria*, 174, 609
 — var. *microspora*, *Ramaria*, 1073
 subtomentosus, *Cortinarius*, 751
 — var. *crassipes*, *Boletus*, 947
 — var. *lanatus*, *Boletus*, 947
 — var. *lepidopodes*, *Boletus*, 947
 — var. *pannosus*, *Boletus*, 947
 — var. *sanguineus*, *Boletus*, 947
 — var. *subbadius*, *Boletus*, 577
 — var. *tesselatus*, *Boletus*, 947
 — var. *tomentosus*, *Boletus*, 947
 — forma *squarrosus*, *Xerocomus*, 268
 subtorrida, subsp., *Usnea torrefacta*, 33
 subtortula, *Paraparmelia*, 603
 subtorulosa, *Russula*, 213
 subtrichotoma, *Microsphaera*, 440
 subtrimiticus, *Tyromyces*, 999
 — var. *aurantingens*, *Tyromyces*, 999
 subtristis, *Rinodina*, 363
 subtropica, *Graphis*, 163
 —, *Paraparmelia*, 603
 subtropicale, *Helotium*, 201
 subtropicalis, *Hydropus*, 244
 subtuberculosa, *Megalospora*, 251
 subtypicus, forma, *Cortinarius hinnuleus*, 194
 subulata, *Emericella*, 10
 —, *Phlebia*, 90
 subulatus, *Oxyporus*, 168
 subuliformis forma minor, *Thamnolia*, 702
 —, var., *Cladonia anomaea*, 525
 subuliginosa, *Pachyella*, 548
 —, *Peziza*, 357
 subuliphorum, *Dissoconium*, 666
 subumbonatus, *Microporellus*, 680
 subumbratile, *Gerronema*, 49
 subumbrina, *Psathyrella*, 554
 subumbrinum, *Hebeloma*, 345
 subumbrinus, *Cortinarius*, 195
 —, *Lactarius*, 53
 subuncinata, *Phlyctella*, 305
 subundata, *Antrodiella*, 419
 subundatus, *Flaviporus*, 13
 subundulatum, *Byssoloma*, 522
 —, *Collema*, 951
 subunguis, *Aspergillus*, 378
 suburaceus, *Cortinarius*, 878
 —, forma, *Cortinarius uraceus*, 195
 subvelatus, var., *Cortinarius duracinus*, 1049
 subvellereus var. *subdistans*, *Lactarius*, 53
 subvelutina, *Arthonia*, 943 ('*subvelutinae*')
 subvenusta, var., *Physconia pulverulacea*, 552
 subvermispora, *Ceriporiopsis*, 422
 —, *Gelatoporia*, 480
 subvermisporus, *Spongiporus*, 365
 subvernalis var. *albo-ochraceus*, *Lactarius*, 53
 — var. *cokeri*, *Lactarius*, 53
 subverruculifera, *Parmelia*, 65
 subvestitus, *Achroomyces*, 225

- subvexans, *Everniastrum*, 534
 subvillosa, var., *Fomitopsis albomarginata*, 960
 subvillosus, *Lactarius*, 53
 subvinosa, *Poriodontia*, 171
 subvinosus, *Pirex*, 776
 subviolacea, *Clavaria*, 829
 subviolaceo-albus, *Cortinarius*, 878
 subviolaceum, *Hebeloma*, 345
 subviolaceus, *Cuphophyllus*, 427, 1053
 —, *Pleurotus*, 135
 subviolascens, *Cortinarius*, 475
 —, *Micarea*, 299
 subvirens, *Austroboletus*, 4
 subvirescens, *Aleurina*, 518
 subvirgineum, *Lachnum*, 487
 subviride, var., *Hypholoma fasciculare*, 347, 540
 subviridescens, *Russula*, 993
 subviscidus, *Lactarius*, 53
 subviscifer, *Hygrophorus*, 539
 subvitellina, forma, *Caloplaca elegans*, 281
 subvulpina, *Letroitia*, 249
 subwrightii, *Myriotrema*, 31
 subxerophytica, *Volvariella*, 1000
 succedans, *Xanthoparmelia*, 623
 succinea, *Basifimbria*, 469 ('succineum')
 —, *Exidiopsis*, 757
 —, *Stilbechrysomyxa*, 407
 succineum, *Acanthophysium*, 465
 —, *Acremonium*, 377
 succineus, *Achroomyces*, 225
 —, *Acremonites*, 377
 —, *Hymenoscyphus*, 484
 succini, *Stilbites*, 407
 —, *Stilbum*, 407
 succinprotocetrarica, *Flavoparmelia*, 883
 succiphila, *Candida*, 5
 suchlasporium, *Verticillium*, 848
 — var. *catenatum*, *Verticillium*, 848
 sucrose, *Gerronema*, 962
 sudae, *Pseudorhizopogon*, 308
 sudans, *Harknessia*, 342
 suddiana, *Sphacelotheca*, 406
 sudorifica, subsp., *Clitocybe dealbata*, 156
 suecica, *Guepinopsis*, 163
 suffocata, var., *Coniophora arida*, 156
 suffruticosa, *Roccellina*, 311
 suffulta forma *rudbeckiae*, *Phyllactinia*, 170
 sugiyamae, *Euphoriomyces*, 882
 —, *Rickia*, 452
 suidafrikana, *Custingophora*, 45
 suidafrikanus, *Stellomyces*, 699
 suilloides, *Gastrospora*, 962
 suksdorfii, *Stemonitopsis*, 95
 sulcata, *Cladonia*, 231
 —, *Clitocybe*, 748
 —, *Fomitopsis*, 960
 —, *Heliocybe*, 482
 —, *Inocybe*, 1058
 —, *Myriosclerotinia*, 493
 —, *Pertusaria*, 65
 —, *Sclerotinia*, 501
 —, *Syncarpella*, 996
 — var. *striata*, *Cladonia*, 660
 — var. *wilsonii*, *Cladonia*, 660
 sulcatipes, *Collybia*, 748
 —, *Cortinarius*, 236
 sulcatula, *Myriosclerotinia*, 493
 sulcatum, *Gloeophyllum*, 431
 —, *Nephroma*, 683
 sulcatus, *Coelomomyces*, 527
 —, *Navisporus*, 301
 —, *Vesiculomyces*, 410
 sulcifera, *Parmelia*, 208
 —, *Xanthoparmelia*, 368
 sulfurea, *Cordyceps*, 235
 sulfureiceps, *Tyromyces*, 999
 sulfureo-isabellinum, *Cerocorticium*, 113
 sulfureum, *Chrysosporium*, 6
 — var. *hemisulfureum*, *Tricholoma*, 847, 1079
 —, var., *Chrysosporium merdarium*, 44
 sulfureus, *Gyroporus*, 1056
 —, var., *Gyropus cyanescens*, 758
 sulphurascens, *Phaeophyscia*, 209
 sulphurata, subsp., *Lecanora rupicola*, 969
 —, var., *Lecanora rupicola*, 542
 sulphurea, *Arthrographis*, 330
 —, *Incrupila*, 485
 —, *Macrohyporia*, 352
 —, *Paraperonospora*, 1065
 —, *Pseudocyphellaria*, 498
 —, *Trechispora*, 910
 —, *Wolfiporia*, 410
 —, forma, *Metulodontia nivea*, 352
 sulphurella, *Cercophora*, 43
 sulphurellum, *Incrupulum*, 485
 —, *Lachnum*, 595
 sulphurellus, *Leucocoprinus*, 250
 sulphureocitrina, *Hamatocanthoscypha*, 242
 sulphureopilosa, *Hyaloscypha*, 672
 sulphureum, *Arnium*, 740
 sulphureus, *Buchwaldoboletus*, 871
 —, *Cladoporus*, 660
 —, *Gloeoporus*, 963
 —, *Marasmius*, 395
 —, *Rectipilis*, 992
 —, *Rigidoporus*, 697
 — var. *splendens*, *Cortinarius*, 584
 —, var., *Cortinarius mussivus*, 750
 sulphuricolor, *Dasyscyphella*, 1053
 sulphurina, *Phanerochaete*, 550
 sulphurinum, *Membranicium*, 545
 sultanii, *Sporormiella*, 502 ('Sporormiella')
 sumiderensis, *Pithomyces*, 552
 summa, *Pseudobeltrania*, 136
 summensis, *Agaricus*, 417
 sumptuosa, *Ramicola*, 990
 sumstinei, *Meripilus*, 893
 sundara, *Bahugada*, 379
 —, *Benjpalia*, 945
 —, *Didymostilbe*, 478
 —, *Dwiropella*, 587
 sundica, *Ceriosporopsis*, 524
 sundstroemii, *Exobasidium*, 122
 superans, *Splanchnonema*, 176
 superba, *Bifusella*, 521
 —, *Paranectria*, 256
 —, *Porpidia*, 403
 superbiens, var., *Oudemansiella radicata*, 602
 —, var., *Xerula radicata*, 368

superficiale, Myriangium, 599 ('superficialis')
 — var. crystalligenum, Rhizocarpon, 556
 superficialis, Pseudocercospora, 989
 —, Torrubiella, 216
 — forma crustacea, Cordyceps, 44
 superfraxinea, Ramalina, 66
 superfusa, var., Physconia pulverulacea, 552
 superfusca, forma, Physconia pulverulenta, 986
 superimposita, Mariannaea, 972
 ('superimpositus')
 superiorenensis var. mexicanus, Rhizopogon, 94
 superjecta, Carbonea, 381
 supersparsa, Carbonea, 281
 —, Lasiosphaeriopsis, 1059
 supinum, Phragmidium, 22
 suppileatus, Rigidoporus, 697
 suprasedata, Apiogmonia, 378
 supravolvata, var., Amanita argentea, 417
 suratus, forma, Cortinarius delibutus, 1049
 surreptus, Cortinarius, 584
 surrogata, Xanthoparmelia, 623
 suspectus, Hymenoscyphus, 484
 suttonii, Endophragmiella, 121
 —, Oncopodium, 979
 —, Paathramaya, 444
 —, Phaeopolynema, 209
 —, Pseudomicrodochium, 59
 —, Sirosporium, 61
 —, Stuartella, 315
 —, var., Bactrodesmium obliquum, 280
 suturalis, Erynia, 588, 667
 —, Pandora, 980
 suzai, var., Acarospora nitrophila, 187
 suzukaensis, Hygrocybe, 245
 suzutake, Puccinia, 212
 svalbardense, Rhagidiastromium, 24
 sverdrupiana, Lecanora, 350
 swainsonae, Trichocladia, 96 ('swainsoniae')
 swainsoniae, Microsphaera, 167
 swanetica, Pseudohygrocybe, 843
 swartbergensis, Xanthoparmelia, 705
 swartii, Mycosphaerella, 354
 —, Umbelopsis, 618
 swartziae, Maravalia, 395
 swartzii, Rickenella, 310 ('Rickenella')
 — subsp. caulescens, Lecanora, 969
 — subsp. nuorensis, Lecanora, 969
 — subsp. nylanderii, Lecanora, 969
 swartzioidea var. lithophiloides, Lecidea, 543
 ('lithophiloides')
 swidae, Cyllindrosporium, 286 ('svida')
 swieteniae, Phellinus, 21
 swinscowii, Hypotrachyna, 673
 —, Parmelinopsis, 686
 sychnogonioides, Strigula, 788
 sydowiana, Microsphaera, 206
 sydowianum, Exobasidium, 122
 —, Poculum, 58
 sydowii, Ascochytopsis, 3
 —, Phoma, 91
 —, Uromyces, 506
 sydowiorum, Pichia, 359
 sykosporum, Lyophyllum, 298
 sylvana, Strickeria, 787
 sylvatica, Pratella, 1068

—, Psalliota, 988 ('sylvaticus')
 — var. amethystina, Psalliota, 988
 sylvaticoides, var., Agaricus langei, 151
 sylvestre, var., Hebeloma pumiloides, 345
 sylvestris, Psathyrella, 498 ('sylvestre')
 —, Xerocomus, 562
 — var. umbratica, Lecania, 677
 sylvicola, var., Pratella campestris, 988
 —, var., Psalliota campestris, 988
 sylviforme, Nodulisporium, 493
 symingtoniae, Poculum, 359 ('symingtonius')
 symmetrica, Hydrometozpora, 539
 symmetricus, Transeptaesporites, 316
 symphoricarpi, Ramularia, 991
 symphyti, Pirottaea, 606
 —, Pseudocercospora, 989
 symploci, Cercospora, 872
 —, Hendersonula, 1057
 —, Microsphaera, 88
 —, Pseudocercospora, 693
 symplocicola, Cercoseptoria, 76
 —, Erysiphe, 161
 symplocina, Ascluelia, 228
 sympodialis, Chlamydomyces, 580
 —, Pycnopeziza, 23
 syncarpus, Symphytocarpus, 788
 synchronum, Chrysosporium, 6
 syncolla, Hyperphyscia, 245
 synnematosae, var., Hirsutella thompsonii, 15
 synotheoides, Micarea, 166
 synspora, Diachea, 830
 —, Diacheopsis, 531
 synuri, Uredo, 63
 syringae-japonicae, Microsphaera, 206
 syringaeus, Phellinus, 774
 syringicola, Oidium, 896
 syrtae, Archeterobasidium, 278
 systema-solare, Dothidasteromella, 881
 systemospora, Preussia, 448
 syzygii, Amazonia, 1042
 —, Cercospora, 113 ('syzygiae')
 szataelae, var., Pertusaria amara, 549
 ('szatalai')
 szechuanensis, Anaptychia, 278
 ('szechuensis')
 — forma albomarginata, Anaptychia, 278
 tabacina, Galerina, 883
 —, Hydnochaete, 201
 —, Simocybe, 61
 tabacinae, Stigmidium, 1078
 tabacinum, Entoloma, 48
 —, Microdochium, 395
 tabacinus, Cortinarius, 336
 tabacodes, Brigantiaea, 280
 tabanivora, Entomophaga, 388
 —, Entomophthora, 12
 tabebuiae, Asteromidium, 742
 —, Micularia, 837
 —, Phaeoramularia, 90 ('tabebuia')
 —, Puiggarina, 902
 tabebuicola, Cercoseptoria, 746
 tabernaemontanicola, Pseudocercospora, 59
 tablensis, Xanthoparmelia, 623
 tabularis forma caesius, Cortinarius, 878
 ('caesia')
 tachini, Rickia, 60

- taeniospora, *Russula*, 557
 tagetis-erectae, *Pseudocercospora*, 989
 tahawasiana, *Porpidia*, 988
 taibaiana, *Puccinia*, 901
 taibaishanensis, *Dacryopinax*, 1053
 taiense, *Heterocephalum*, 591
 taihokuensis, *Cercospora*, 1046
 tainanensis, *Idriella*, 85
 taipeiensis, *Phallus*, 605
 taishanensis, *Cordyceps*, 423
 taitae, *Parmelia*, 132
 —, *Parmotrema*, 257
 taiwanalpina, *Hypogymnia*, 125
 taiwanense, *Pleurophragmium*, 691
 ('*Pleurophragmium*')
 —, *Sporidesmium*, 314
 —, *Trichocladium*, 316
 taiwanensis, *Actinomucor*, 417
 —, *Alpakesa*, 654
 —, *Cadyexinis*, 155
 —, *Candida*, 949
 —, *Cyphellophora*, 664
 —, *Dictyochaeta*, 665
 —, *Didymella*, 957
 —, *Diporicellaesporites*, 158
 —, *Dualomyces*, 666
 —, *Dyadosporites*, 158
 —, *Ephedracetes*, 160
 —, *Foliopollenites*, 161
 —, *Fomesporites*, 161
 —, *Fusiformisporites*, 162
 —, *Helicoma*, 292
 —, *Idriella*, 16
 —, *Lepiotasporites*, 165
 —, *Microsporonites*, 167
 —, *Mirandina*, 680
 —, *Mycocleptodiscus*, 681
 —, *Mycovellosiella*, 895
 —, *Nailisporites*, 168
 —, *Niesslia*, 978
 —, *Pezizasporites*, 169
 —, *Phialomyces*, 447
 —, *Phialophora*, 305
 —, *Piricauda*, 690
 —, *Pithomyces*, 690
 —, *Pseudocercospora*, 136
 —, *Sclerocystis*, 1077
 —, *Senegalosporites*, 175
 —, *Setocampanula*, 994
 —, *Spermospora*, 313
 —, *Stenella*, 700
 —, *Striadiporites*, 176
 —, *Tricellula*, 702
 taiwania, *Acaulospora*, 825
 taiyuanense, *Tuber*, 505
 taiyuanensis, *Cyathus*, 955
 —, *Helvella*, 538
 take, *Diaporthe*, 752
 talbotii, *Helicosporium*, 964
 talquensis, *Pholiota*, 898
 tamaricis, *Inocutis*, 392
 —, *Trematosphaeria*, 702
 tamarindi, *Anisomeridium*, 63
 —, *Cercospora*, 950
 —, *Phomatospora*, 259 ('*tamarindii*')
 tanaceti, *Paraperonospora*, 1065
 tanakae, *Diaporthe*, 196
 —, *Phomopsis*, 210
 —, *Scorias*, 364
 tandae, var., *Uncinuliella simulans*, 457
 tandilensis, *Canomaculina*, 745
 tandonii, *Cheilymenia*, 114 ('*Cheilimenia tandonia*')
 —, *Didymella*, 880
 tantilla, *Alnicola*, 868
 tantillum, *Parmelia*, 981
 tanzanica, *Dimerejla*, 831
 tanzaniensis, *Triangularia*, 1079
 tanzawaensis, *Candida*, 949
 taphrina, *Strickeria*, 787
 tapperi, *Cladonia*, 660
 tapurae, *Asteridiella*, 741
 taractica var. *pulvinaris*, *Parmelia*, 132
 — var. *subdiffuens*, *Parmelia*, 132
 — var. *vagans*, *Parmelia*, 132
 — forma *angustiphylla*, *Parmelia*, 981
 — forma *desertorum*, *Parmelia*, 132
 — forma *elegans*, *Parmelia*, 132
 — forma *hypoclista*, *Parmelia*, 132, 548
 taraxaci, *Entyloma*, 289
 —, forma *specialis*, *Bremia lactucae*, 470
 tarda, *Ceriporia*, 382
 —, *Pleospora*, 606
 — var. *sabulosa*, *Inocybe* see *Inocybe subporospora*
 tardifaciens, *Microascus*, 252
 —, *Scopulariopsis*, 265
 —, *Triangularia*, 96
 —, *Zopfiella*, 913
 tardus, *Aspergillus*, 419
 taridii, *Eucantharomyces*, 480
 tarikii, *Mucobasispora*, 1062
 tarmugulienae, *Leptotremia*, 596
 tartaricola, *Weddellomyces*, 1080
 tarumaensis, subsp., *Russula metachromatica*, 312
 tasmanica, *Chaenothecopsis*, 382
 —, *Chlorovibrissae*, 950
 —, *Cladina*, 383
 —, *Hypogymnia*, 1058
 —, *Pezicula*, 773
 —, *Rinodina*, 405
 —, *Sarrameana*, 781
 tasmanicum, *Apiothyrium*, 739
 —, *Fusarium*, 241 ('*tasmanica*')
 tasmanicus, *Australoporus*, 742
 —, *Boletus*, 947
 —, *Hysterogaster*, 434
 tasmaniensis, *Marasmius*, 972
 —, var., *Coelomomyces psorophorae*, 526
 tastatum, *Crustoderma*, 426
 tatarkiewiczii, *Bryoria*, 743
 tatrensis, *Galerina*, 961
 —, var., *Chroogomphus rutilus*, 747
 —, var., *Laccaria affinis*, 1059
 tatrica, *Bryoria*, 744
 taticum, *Tarichium*, 616
 taugourdeau, *Paleobasidiospora*, 303, 684
 ('*taugourdeauii*')
 taurica, *Laboulbenia*, 164
 —, *Oidiopsis*, 896

- forma specialis aristolochiacearum, Oidiopsis, 896, 978
- forma specialis balsaminacearum, Oidiopsis, 896, 978
- forma specialis boraginacearum, Oidiopsis, 896, 978
- forma specialis euphorbiacearum, Oidiopsis, 896, 978
- forma specialis leguminosarum, Oidiopsis, 896, 978
- forma specialis malvacearum, Oidiopsis, 896, 978
- forma specialis passifloracearum, Oidiopsis, 896, 978
- forma specialis ranunculacearum, Oidiopsis, 896, 978
- forma specialis rosacearum, Oidiopsis, 896, 978
- forma specialis solanacearum, Oidiopsis, 896, 978
- forma eryngii, Leveillula see Leveillula braunii
- tawa, Exidiopsis, 241
- , Trichaptum, 703
- tax, Isaria, 348
- taxicola, Gloeoporus, 431
- taxocystis, Astrosporina, 655
- , Inocybe, 674
- , var., Inocybe decipientoides see Astrosporina taxocystis
- taxodii, Hydropus, 244
- taxophilus, Stanglomyces, 699 ('taxophila')
- taylori, var., Volvariella pusilla, 619
- taylorii, Herteliana, 29
- , Strigula, 33
- tecomae-heterophyllae, Cercoseptoria, 43
- tecomicola, Cercoseptoria, 43
- tectipus, Aleuria, 518
- , Jafneadelphus, 85
- tectonae, Acremonium, 653 ('Acromonium')
- , Clypeolella, 474
- , Diatrype, 477
- , Phomopsis, 170
- , Pseudoepicoccum, 777
- , Scytalidium, 1077
- , Veronaea, 142
- tectoncola, Pseudocercospora, 211
- tegeta, Xanthoparmelia, 623
- tehovensis, Hymenoscyphus, 484
- telephani, Microsomyces, 545
- teleutosporoides, Didymoporisporonites, 287
- tellensis, Amygdalaria, 739
- telluster, Embellisia, 238
- tellustris, Arxiozyma, 378 ('telluris')
- telopeae, Phyllosticta, 1067
- teloschistis, Buellia, 827
- tembelingii, Entoloma, 48 ('tembelingi')
- tenacea, Xanthoparmelia, 792
- tenacella, Strickeria, 700, 787, 908 ('Strickera')
- forma minor, Collybia, 232
- tenacipes, Entoloma, 48
- tenax, Ascosphaera, 1043
- tenbricoides, Inocybe, 889
- tenebrosa, Schaereria, 32
- var. sorediata, Schaereria, 405
- tenebrosus, Glomus, 341
- , Lyophyllum, 204
- tenebrosus, Lentinus, 350
- , Panus, 131
- tenella, Dendrospora, 9
- subsp. marina, Physcia, 32
- var. atalantica, Meliola, 893
- , forma, Galera tenera, 241
- , var., Conocybe tenera, 233
- , var., Mycena sepia, 253
- , var., Russula carpini, 905
- tenellum, Catapyrenium, 1045
- tenellus, Leucocoprinus, 250, 891
- , var., Phaeotellus acerosus, 898
- tenera, Lecania, 393
- var. tenella, Conocybe, 233
- forma convexa, Galera, 241
- forma microspora, Galera, 241
- forma minor, Galera, 241
- forma tenella, Galera, 241
- tenerella, Inocybe, 1058
- tenerifae, Asordaria, 741
- , Sordaria, 1077
- , Spororminula, 699
- tenerrima var. macrospora, Comatricha, 283
- , subsp., Cladonia gracilis, 64
- tenerus, Multicellaesporites, 206
- tenthredinis, Conidiobolus, 8
- , Entomophaga, 882
- tentorium, Mycena, 895
- tenuatula subsp. inconnexa, Caloplaca, 523
- subsp. verrucarium, Caloplaca, 523
- var. athallina, Caloplaca, 523
- var. lithophila, Caloplaca, 523
- var. pertenuis, Caloplaca, 523
- forma pertenuis, Caloplaca, 523
- forma pervulgata, Caloplaca, 523
- tenuae, Psoroma, 136
- , Steccherinum, 95
- var. boreale, Psoroma, 136 ('borealis')
- tenuicristata, Neocosmospora, 254
- tenuicristatum, Acremonium, 225
- tenuicula, Cistella, 7
- tenuiculum, Entoloma, 48
- tenuicystidia, Hyphodontia, 539, 592
- tenuicystidiata, Inocybe, 85
- tenuifolia, Psora, 778
- tenuifolium, Hebeloma, 432
- tenuifolius, var., Cortinarius fraudulosus, 425
- , var., Cortinarius parafraudulosus, 1051
- tenuilacunata, Apiosordaria, 278
- tenuiloba, Xanthoparmelia, 792
- tenuior, var., Hypoxylon cohaerens, 593
- tenuiparietatum, Tarichium, 616
- tenuipila, Hamatocanthoscypha, 590
- tenuipilosa, Russula, 1076
- tenuipilosum, Lachnum, 836
- tenuiramosa, Clavulinopsis, 473
- tenuis, Amylonotus, 739
- , Cadyxexin, 155 ('tenius')
- , Caloplaca, 578
- , Endophragmiella, 666
- , Gaertneriomyces, 390
- , Geopora, 242
- , Montagnea, 440
- , Ocellularia, 32

- , *Peltula*, 687
 —, *Phellodon*, 898
 —, *Pluricellaesporites*, 135
 —, *Prolixandromyces*, 360
 — var. *pulchella*, *Perenniporia*, 982
 —, forma, *Cladina ciliata*, 383
 —, var., *Clavulina subrugosa*, 829
tenuisculpturatum, *Tarichium*, 616
tenuisepta, *Pyrenula*, 903
tenuispora, *Hastifera*, 590
 —, *Mollisia*, 1062
 —, *Phaeosphaeria*, 898
 —, *Seticyphella*, 313
 —, forma, *Ramaria gigantea*, 843
tenuisporum, *Dischloridium*, 586
tenuissima, *Hohenbuehelia*, 964
 —, *Lichenothelia*, 679
tenuissimum, *Lachnum*, 436, 487
tenuistipes, var., *Omphalia speirea*, 255
tenuitunicata, *Pterospora*, 361
 —, *Uncinula*, 141
tenuoroseus, *Polystictus*, 448
tepeitensis, *Perenniporia*, 444
tephroleuca, *Postia*, 172
tephroleucus, *Oligoporus*, 443
 —, *Spongiporus*, 26
tephromelanus, *Marasmius*, 972
tephromelarum, *Skyttea*, 907
tephromelas, *Niptera*, 600
tephropeplis, *Lactarius*, 53
tephrophylla, *Mycena*, 976
 —, *Psathyrella*, 261, 450
tephroporus, *Loweoporus*, 54
tephrosiae, *Parodiella*, 168 ('*tephrotiae*')
 —, *Pseudocercospora*, 1071
 —, *Synchytium*, 846
tephrosiicola, *Phaeoisariopsis*, 90
 ('*tephrosicola*')
tephrothele, *Endothia*, 1054
tephrus, *Tyromyces*, 367
teras, *Cortinarius*, 45
teratoideum var. *minor*, *Chaetomium*, 6
teratologique, forma, *Morchella costata*, 490
terebrans, *Myriotrema*, 31
terebratulum, *Myriotrema*, 31
terebripes, *Cortinarius*, 584
teresae, *Dermocybe*, 880
teretiuscula, *Peccania*, 1065
 — var. *caricicola*, *Ascochyta*, 740
 —, var., *Physcia dubia*, 552
terminaliae, *Apiognomonina*, 3
 —, *Discula*, 10
 —, *Glioniella*, 834
 —, *Korunomyces*, 85
 —, *Monochaetina*, 545
 —, *Phomopsis*, 22
 —, var., *Meliola buchenaviae*, 352
terminalis, *Tetrandromyces*, 456
terminata, *Ditrems*, 753
termitariicola, *Radiigera*, 555
termiticola, *Agaricus*, 2
termitomyces, *Lepiota*, 297
termitophilum, *Entoloma*, 48
terpsichores, *Cortinarius*, 1052
terraconense, *Penicillium*, 56
terraefirmae, *Hydropus*, 244
- , *Marasmius*, 972
terrei var. *claricolor*, *Cystoderma*, 337
 — var. *nogalesii*, *Cystoderma*, 476
terrestre, *Cercosporidium*, 333
 —, *Phaeohelotium*, 605
terrestris, *Apiosordaria*, 227
 —, *Ascobolus*, 279
 —, *Entomophthora*, 160
 —, *Evernia*, 161
 —, *Kuehneromyces*, 295
 —, *Orbilina*, 255
 —, *Parmelia*, 208
 —, *Roccellina*, 311
 —, *Saccharomyces*, 94
 —, *Xanthoparmelia*, 623
 — var. *minuta*, *Warcupia*, 619
 —, forma, *Cetraria rassadinae*, 382
 —, var., *Astrosporina horakii*, 331
terricola, *Issatchenkia*, 294
 —, *Phoma*, 496
 —, *Pithomyces*, 259
 —, *Staurothele*, 699
 —, *Xanthoparmelia*, 623
 —, forma, *Peziza violacea*, 57
 —, var., *Pleurotus djamor*, 135 ('*terricolus*')
terricolor, var., *Agaricus praeclaresquamosus*, 329
terricrocodila, *Relicina*, 844
terrieri, *Rasutoria*, 696
terrigena, *Inocybe*, 485
terrigenum, *Dermatocarpon*, 664
terrigenus, *Phaeomarasmium*, 982
terrophilum, *Coryneum*, 475
tersa, *Phomopsis*, 22
tesquorum var. *splendidus*, *Lactarius*, 968
tesselatus, *Cocomyces*, 7
 —, var., *Boletus subtomentosus*, 947
tessellata, *Cladonia*, 383
 —, *Paulia*, 548
 —, *Tubercinia*, 505
tessellatovariatus, *Cortinarius*, 954
tessellatus, *Cortinarius*, 118
testacea, *Gyalidea*, 885
 —, *Menegazzia*, 299
 —, *Russula*, 906
 —, *Tricharia*, 847
 —, *Xeromphalina*, 28
testaceoatra, *Tephromela*, 504
testaceorufa, *Haglundia*, 670
testaceum, *Entoloma*, 755
 — var. *bavaricum*, *Entoloma*, 756
 —, var., *Entoloma cetratum*, 238
testaceus, *Lactarius*, 127
 —, var., *Boletus scaber*, 947
testudo, *Hohenbuehelia*, 538
tethidis, *Stigmatomyces*, 907
tethys var. *glabra*, *Hydronectria*, 482
tetonensis, *Leptosphaeria*, 438
 —, *Syncarpella*, 996
tetracladia, *Flabellocladia*, 430
 —, *Ombrophila*, 494
tetracladius, *Hymenoscyphus*, 125
tetradeniae, *Puccinia*, 609
tetradus, *Inapertisporites*, 202
tetraedrispora, *Flagelloscypha*, 48
tetragonospora, *Inocybe*, 889

- tetragonosporum, forma, *Tricholoma goniospermum*, 997
 tetralocularis, *Diporicellaesporites*, 121
 tetramelis, *Pseudocercospora*, 360
 tetramera, *Bacidia*, 827
 —, *Mycobilimbia*, 976
 tetramerum, *Diadema*, 956 ('tetramera')
 tetranychii, *Neozygites*, 19
 tetrasperma, *Chrysonilia*, 155
 tetraspora, *Apiosordaria*, 227
 —, *Asteromassaria*, 1043
 —, *Bisporella*, 111
 —, *Calycellina*, 112
 —, *Dendrotrichoscypha*, 477
 —, *Hygrotrama*, 966, 1057
 —, *Hyphodontia*, 760
 —, *Leptosphaeria*, 87
 —, *Micraspis*, 395
 —, *Mycoarachis*, 839
 —, *Pseudopezizula*, 554
 —, *Wuestneia*, 1001
 — var. *major*, *Laccaria*, 349, 541
 — forma *major*, *Laccaria*, 541
 —, forma, *Naucoria macrospora* see *Naucoria spadicea*
 —, forma, *Galerina vittiformis*, 241
 —, forma, *Naucoria macrospora*, 254
 —, var., *Anzina carneonivea*, 467
 —, var., *Bertia macrospora*, 420
 —, var., *Conocybe leporina*, 749
 —, var., *Hemimycena lactea*, 591
 —, var., *Mycena lactea*, 769
 —, var., *Phaeocollybia megalospora*, 687
 —, var., *Phaeotellus griseopallidus*, 446
 —, var., *Wilcoxina mikolae*, 507
 tetrasporum, var., *Entoloma neglectum*, 239, 288
 tetrasporus, forma, *Hymenogaster hessei*, 434
 —, var., *Rhodophyllum neglectus*, 362
 tetrastigmatis, *Phyllosticta*, 358
 ('tetrastigmae')
 tetrathecae, *Septoria*, 994
 tetrazonus, *Aspergillus*, 520
 tetra-alata, *Enantiopora*, 197
 teucarii, *Peronospora*, 897, 982
 —, *Sphaeropsis*, 139
 tewoldei, *Weufia*, 458
 texana, *Canoparmelia*, 579
 —, *Fomitiporia*, 589
 —, *Peccania*, 444
 —, *Xanthopsora*, 33
 —, *Xanthopsorella*, 410
 texans, *Lecanora*, 99
 —, *Pyrenula*, 66
 texensis, *Arthopyrenia*, 468
 —, *Atkinsonella*, 1043
 —, *Lactarius*, 53
 textilis, *Melanotus*, 395
 thaiana, *Newinia*, 839
 thailandensis, *Coelomomyces*, 527
 thailandica, *Chaconia*, 828
 thakalorum, *Lactarius*, 968
 thalassia, *Diplodia*, 81
 thalassiae, *Massarina*, 679
 — var. *crassa*, *Lindra*, 488
 thalassina, *Krombholziella*, 594
 thalassinosa, *Monoblepharis*, 252
 ('thalassionosus')
 thalassinus, *Boletus*, 871, 947
 — var. *aerugineus*, *Boletus*, 947
 — var. *argenteus*, *Boletus*, 947
 thalicti, *Pseudoyuconia*, 262
 thallicola, *Phacopsis*, 898
 thallina, *Lichenochora*, 970
 thallioruber, *Cortinari*, 195
 thallophila, *Skyttea*, 61
 —, *Unguiculariopsis*, 847
 thamnitis, *Cladidium*, 383
 thamnodes, *Caloplaca*, 380
 thamnolica, *Parmelia*, 840
 —, *Xanthoparmelia*, 623
 thapsina, *Gibberella*, 962
 thaumasium, *Monacrosporium*, 490
 ('thaumasia')
 thaungii, *Pseudoschizothyra*, 23
 thaxteri, *Gliocladium*, 481
 theae, *Corticium*, 384
 —, *Pseudocercospora*, 693
 —, *Stigmina*, 315
 —, *Cercospora* see *Cercoseptoria ocellata*
 theaecolum, *Ganoderma*, 341
 theae-sinensis, *Diplodia*, 831
 theiochroa, *Calocybe*, 522
 theiodeus, *Hyphodiscus*, 835
 theissenii, *Schiffnerula*, 781
 — var. *macrospora*, *Xylaria*, 706
 theleboloides, *Coprobria*, 662
 thelena, *Mycomicrothelia*, 492
 thelenula, *Jarxia*, 967
 thelotrematis, *Arthonia*, 943
 —, *Opegrapha*, 772
 thelotremoides, *Ocellularia*, 32
 —, *Trypethelium*, 560
 theobromae, *Kostermansindiopsis*, 593
 theobromicola, *Mycovalimia*, 88
 theobrominum, *Hebeloma*, 759
 — var. *pruinsum*, *Hebeloma*, 885
 thermocitrinus, *Talaromyces*, 455
 ('thermocitrinum')
 thermohyalospora, *Mucor*, 353
 thermoidea, var., *Humicola insolens*, 124
 thermoideum, var., *Geotrichum candidum*, 198
 thermophila, *Gilmaniella*, 341
 thermophilum, *Achaetomium*, 188
 thermophilus, *Canariomyces*, 828
 ('thermophila')
 thermopsidis, *Erysiphe*, 161
 —, *Microsphaera*, 353
 —, *Poliomopsis*, 691
 —, *Cercospora* see *Stigmina earlei*
 thermorongeura, var., *Humicola nigrescens*, 672
 thermotolerans, *Pichia*, 496
 —, *Zygoabospora*, 794
 therophila, *Hyponectria*, 760
 thespesiae, *Cercospora*, 76
 —, *Pseudocercospora*, 989
 thibetanus, *Aureoboletus*, 42
 —, *Pulveroboletus*, 695
 —, *Suillus*, 61
 thielavioides, *Subramaniula*, 455

thielavioideum, var., *Chaetomium virescens*, 525
 thiersii, *Cladonia*, 873
 —, *Clitocybe*, 474
 —, *Dermocybe*, 880
 —, *Gymnopilus*, 885
 —, *Lactarius*, 53
 —, *Lepiota*, 890
 —, *Marasmius*, 679
 —, *Ramaria*, 903
 —, *Thaxterogaster*, 909
 —, *Tulostoma*, 703
 thindii, *Calycellina*, 332
 —, *Dasyscyphus*, 337
 —, *Lachnum*, 487
 —, *Perichaena*, 169
 —, *Typhula*, 62
 —, *Xylaria*, 268
 thinocharinus, *Kyphomyces*, 436
 thirumalacharii, *Dermatosorus*, 664
 —, *Nyssospora*, 494
 —, *Physoderma*, 22
 thladianthae, *Pseudocercospora*, 1071
 thoenii, *Acanthophysium*, 465
 thomensis, *Megalospora*, 251
 thomii, *Acaulospora*, 825
 —, var., *Penicillium lividum*, 549
 thompsonii, *Gloeoporus*, 883 ('thompsoni')
 — var. *synnemata*, *Hirsutella*, 15
 — var. *vinacea*, *Hirsutella*, 15
 thomsoniana, *Hypogymnia*, 592
 thomsonii, *Parmelaria*, 772
 —, *Porpidia*, 988
 thraceous, *Brachysporisorites*, 280
 thrausta, var., *Psilocybe squamosa*, 262
 thrinacrosora, *Zelopelta*, 369
 thuemeniana, *Montagnula*, 253
 thuemenii, *Erysiphe*, 240
 —, *Uredo*, 368 ('thuemenii')
 thujae, *Phyllosticta*, 1067
 —, *Rinodina*, 779
 —, *Vararia*, 142
 thujana, *Clitocybe*, 156
 thujatsugina, *Lindtneria*, 596
 thujina, *Cryptosporella*, 119
 —, *Kirschsteiniotelia*, 486
 —, *Mearbia*, 973
 —, *Pringsheimia*, 136
 thuleana, *Arctopeltis*, 278
 thurgoviensis, *Massariosphaeria*, 973
 thwaitesii, *Myriotrema*, 99
 thymicola, forma, *Mycena olivaceomarginata*, 598
 thyoneus, *Cortinarius*, 584
 thyreocephali, *Peyritschella*, 445
 thysanophora, *Lecanora*, 436
 tianshanica, *Cistella*, 7
 —, var., *Clitocybe gilva*, 156
 tianshanicum, *Belonidium*, 190
 tianshanensis var. *tomentosus*, *Cyathus*, 955
 tibellii, *Choreospora*, 581
 —, *Rinodina*, 310
 tibetanum, *Ganoderma*, 290
 tibetica, *Morchella*, 598
 —, *Puccinia*, 173
 —, var., *Puccinia clintoniae-udensis*, 23

tibeticus, *Marasmius*, 17
 —, *Tyromyces*, 268
 tibouchinae, *Pseudocercospora*, 693
 tichomirovii, *Entyloma*, 82
 tichothecioides, *Pyrenocollema*, 65
 ticinense, *Hypoxylon*, 540
 tienmuensis, *Gloeoporus*, 431
 tigrensis, *Armillariella*, 330
 —, *Flammulaster*, 340
 tigrina, *Acaulopage*, 941
 —, *Hydrocybe*, 539
 —, forma, *Amanitopsis lividopallescens*, 573
 —, forma, *Opegrapha diaphora*, 302
 —, var., *Amanita lividopallescens*, 572, 942
 —, var., *Amanita oblongospora*, 942
 tigrinoides, *Lentinus*, 127
 tigrinus, *Coprinus*, 233
 —, *Pleurotus*, 359
 tijucensis, *Puiggarrina*, 902
 tilakii, *Acanthostigma*, 41 ('tilaki')
 —, *Lisiella*, 128
 —, *Quaternaria*, 990
 tilesii var. *alvarensis*, *Cetraria*, 113
 tiliacea, *Cryptodiaporthe*, 955
 —, *Peziza*, 495
 tiliaceus, var., *Boletus luridus*, 946
 tiliacrae, *Pseudocercospora*, 693
 tiliae, *Microsphaera*, 768
 —, *Pezicula*, 495
 —, var., *Hebeloma crustuliniforme*, 759
 tilikfrei, *Dictyochaeta*, 427
 timurensis, *Laboulbenia*, 675
 tinctina var. *xizangensis*, *Xanthoparmelia*, 318
 —, subsp., *Parmelia conspersa*, 548
 tinctipes, *Russula*, 613
 tinctor, *Camillea*, 949
 tinctoriae, *Phyllosticta*, 259 ('Phytlosticta')
 tindalii, *Lophodermium*, 1061
 tinei, subsp., *Rhizocarpon geographicum*, 404, 556
 tingens, *Strickeria*, 700, 908
 tinosporae, *Cercosporidium*, 471
 —, *Phaeoisariopsis*, 170
 —, *Pseudocercospora*, 1071
 tintinnabula, *Apiospora*, 110
 tipulae, *Conidiobolus*, 8
 —, *Entomophaga*, 959
 tipulidarum, *Smittium*, 782
 tirolensis, var., *Ramularia salicina*, 779
 tirolensis, *Placidopsis*, 1068
 tiruncula, *Peccania*, 1065
 tirunelveliense, *Copelandia*, 283
 titanicus, *Termitomyces*, 62
 titanosporus, *Marasmius*, 892
 titans, *Tricholoma*, 62
 titubans, *Poculum*, 92
 —, var., *Bolbitis vitellinus*, 742
 tjallingiorum, *Entoloma*, 160
 —, *Inocybe*, 762
 tjibodensis, *Biostictis*, 4
 tlemcenensis, *Krombholziella*, 435
 todae, *Micromphale*, 1062
 toddaiae, *Asterina*, 741 ('toddalae')
 tofieldiae, *Discochorda*, 587
 —, *Phaeosphaeria*, 446

- tofieldina, var., *Nectria ellisii*, 976
 tofinea, var., *Aspicilia silicea*, 944
 togashiana, *Uncinula*, 217
 — var. *rigida*, *Uncinula*, 457
 togashii, *Xanthoparmelia*, 1002
 togoensis, *Aspergillus*, 520
 —, *Dicyma*, 158
 togwateei, *Tilletia*, 846 ('togwatii')
 tokyoensis, *Ascochyta*, 740
 tolucensis, *Xanthoparmelia*, 792
 tomato, *Rhizoctonia*, 499 ('*Rhizoctonia*')
 tomentella, *Erinellina*, 48
 —, var., *Collybia peronata*, 748
 tomentosa, *Lepista*, 394, 890
 —, *Russula*, 906
 —, var., *Amanita muscaria*, 826
 —, var., *Lambertella bonahawensis*, 203
 ('tomentosus')
 tomentosomarginatus, *Lactarius*, 53
 tomentosum, *Aphanocladium*, 378
 —, *Crocicreas*, 79
 —, *Entoloma*, 588
 —, *Hebeloma*, 124
 tomentosus, *Cortinarius*, 530
 —, *Inonotus*, 435
 —, *Polycephalomyces*, 497
 —, var., *Boletus subtomentosus*, 947
 —, var., *Cyathus tianshanensis*, 955
 tomentulosa, *Xeromdulla*, 793
 tomesensis, *Leucoagaricus*, 891
 tomininii, *Entyloma*, 82
 tominiana, forma, *Acarospora impressula*,
 867
 tominii, *Rinodina*, 363
 tomispora, *Phacidiella*, 20
 tonakkalensis, *Fusiformisporites*, 757
 ('tonakkalense')
 tonduzi, *Nectria*, 977
 tongaense, *Myrothecium*, 55
 tongariro, *Flagelloscypha*, 12
 tongleti var. *paupera*, *Acarospora*, 188
 — forma *rehmii*, *Acarospora*, 188
 — forma *variegata*, *Acarospora*, 188
 toninioides, *Xanthoparmelia*, 623
 tonsurans subvar. *perforans*, *Trichophyton*,
 316
 toomansii, *Banksiomyces*, 190
 tophaceoides, *Cortinarius*, 384, 878
 tormentillae, *Frommeella*, 340
 torminosus var. *nordmanensis*, *Lactarius*, 53
 tornata, *Astrosphaeriella*, 575
 tornense, *Stereocaulon*, 503 ('*tornensis*')
 tornensis, *Halecania*, 759
 torosus var. *xanthus*, *Boletus*, 577, 743
 torpens, *Psathyrella*, 450, 554
 torquata, *Ondiniella*, 355
 torquatorum, *Cortinarius*, 954
 torquatus, *Helicomyces*, 345
 torrefacta subsp. *subtorrida*, *Usnea*, 33
 torrendii, *Cylindrobasidium*, 236
 —, *Ramularia*, 991
 tortilicaudata, *Phyllosticta*, 775
 tortilis, *Stictis*, 315
 tortipes, *Conocybe*, 116
 tortula, *Paraparmelia*, 603
 tortulae-ruralis, *Lamprospora*, 763
 tortuosa, *Aegerita*, 417
 —, *Aegeritina*, 329
 —, *Codinaea*, 77
 —, *Epigloea*, 388
 —, *Hemimycena*, 50
 —, *Ramariopsis*, 844
 —, *Thielavia*, 140
 tortuosum, *Glomus*, 163
 —, *Helotium*, 201
 toruloides, *Polyschema*, 22
 —, *Pythium*, 555
 torulosa, *Dendrospora*, 9
 —, *Monodictys*, 300
 — var. *luteovirens*, *Russula*, 613
 — forma *luteovirens*, *Russula*, 613
 torulosispora, *Meliola*, 680
 torvi, *Dicyma*, 158
 totara, *Ceriporia*, 747
 totivillosum, *Entoloma*, 48
 tournefortiae, *Clitocybe*, 1046
 tovarae, *Ramularia*, 991
 toxica, *Amanita*, 467
 —, *Ramaria*, 990
 —, var., *Amanita gemmata*, 277
 toxicarium, *Penicillium*, 169
 toxicodendri, *Pseudocercospora*, 1071
 trabicola, *Strickeria*, 787
 trabutii, *Micromphale*, 352
 tracheiphila, *Phialophora*, 551
 —, *Pseudopezizula*, 554
 — forma *specialis* *chrysanthemi*, *Phoma*, 496
 trachycarpi, *Anthostomella*, 42
 trachyospora, *Rhodocybe*, 904
 — var. *griseoviolacea*, *Rhodocybe*, 904
 — var. *purpureoviolacea*, *Rhodocybe*, 904
 — var. *vinacea*, *Rhodocybe*, 904
 trachyphyloeus, *Stephanopus*, 616
 trachypogonicola, *Puccinia*, 843
 trachypogonis, *Sphacelotheca*, 25
 —, *Tilletia*, 910
 trachyspora, *Mycenella*, 492
 —, *Mycolindtneria*, 895
 trachysporus, *Hygroaster*, 760
 trachyticum, *Catapyrenium*, 332
 —, *Placopyrenium*, 690
 tracyi, *Trichothyria*, 618
 tragacanthae, *Dichomera*, 9 ('*tragacanthi*')
 traganulus, *Cortinarius*, 336
 tragenophora, *Diheterospora*, 10
 tragica, *Ustilago*, 457
 tragi-racemosi, *Ustilago*, 561
 trametoides, *Polyporus*, 402
 —, *Rigidoporus*, 697
 —, *Stecchericum*, 995
 transcaspica, *Cucurbitaria*, 751
 — var. *atraxidis*, *Cucurbitaria*, 751
 transcaasicum, *Cylindrosporium*, 286
 transcendens, var., *Lecanora cenisia*, 64
 transchiliana, *Septoria*, 453
 transissum, *Sporisorium*, 314 ('*transissum*')
 transgressa, *Letroitia*, 249
 transiens, subsp., *Cortinarius salor*, 1051
 —, var., *Inocybe obscura*, 393
 —, var., *Inocybe phaeocomis*, 888
 transindica, *Cladina*, 383
 transitoria, *Melanolecia*, 129

- transitus, Pouzaromyces, 58
 translucens, Heteroderma, 391
 —, Hymenoscyphus, 125, 484
 —, Ombrophila, 494
 —, Sirotrema, 558
 transmutans, Parmastomyces, 356, 772
 transvaalense, Chloridium, 231
 transvaalensis, Conicomycetes, 283
 —, Parmelia, 840
 —, Xanthoparmelia, 623
 —, var., Erysiphe cichoracearum, 240
 transvalensis, Labridella, 85 ('Labridiella')
 transvenosum, Entoloma, 160
 tranzschelii, Mazzantia, 439
 —, Stegansporium, 783 ('Stegansporium')
 trapeliopses, Taeniola, 1078
 trapezispota, Hyaloscypha, 759
 trappei, Melanogaster, 299
 trapperi, Gyalideopsis, 834
 traucensis, Uromyces, 791
 traversei, Lacrimasporonites, 968 ('traversii')
 trechisperma, Scutellinia, 265
 — forma macropilifera, Scutellinia, 265
 — forma micropilifera, Scutellinia, 265
 — forma nigromarginata, Scutellinia, 265
 trechispota, Psathyrella, 554
 — var. macracantha, Scutellinia, 265
 — var. peniculospora, Scutellinia, 265
 — forma brachyacantha, Scutellinia, 906
 treicheliana, Chaenothecopsis, 230
 trematicola, Pseudocercospora, 92
 ('tremicola')
 tremellicola, Nectriopsis, 168
 tremelloides, Myxarium, 253
 tremellosa, Phlebia, 400 ('tremellosus')
 tremula, Hohenbuehelia, 538
 tremulae, Ochroporus, 398
 — var. grandidentatae, Venturia, 457
 — var. populi-albae, Venturia, 457
 tremuloides, Discosporium, 10
 tremuloidis, forma specialis, Melampsora
 medusae, 893 ('tremuloidae')
 tremulo-aureum, Ophiostoma, 356
 trengganuense, Ganoderma, 242
 trepidae, forma specialis, Marssonina
 brunnea, 352
 trescolii, Cortinarius, 118 ('Trescoli')
 treurensis, Xanthoparmelia, 623
 triandrus, Prolixandromyces, 842
 triangularis, Amepiospora, 278
 —, Anthostomella, 42
 —, Pichia, 690
 —, Tricellaesporonites, 140
 triangulatus, Coelomomyces, 527
 triangulospota, Ceratocystis, 76
 triangulum, Ganoderma, 341
 triangulus, Cortinarius, 236
 —, Didymoporisporonites, 197
 —, Triporicellaesporites, 217
 trianthemae, Gibbago, 589
 tribrachiatum, Ordus, 356
 tribrachispota, Phialophora, 400
 tricalypa, Gigaspora, 123
 —, Scutellospora, 614
 tricellatus, Multicellaesporites, 354
 tricharioides, Echinoplaca, 831
 trichiliae, Schizopora, 60
 trichodermophora, Laccaria, 349
 trichoides, Scolecobasidium, 557
 — var. chlamydosporum, Cladosporium, 231,
 747
 tricholaenae, Sporisorium, 907
 — var. congoensis, Sphacelotheca, 25
 tricholoma var. macrosporus, Ripartites, 500
 tricholomatoides, Tricholomopsis, 997
 trichophora, Coryne, 954
 —, Phaeophyscia, 399
 trichophori, Diplonaevia, 338
 trichophoricola, Nimbomollisia, 254
 trichopterygicola, Puccinia, 843
 trichopterygiphila, Puccinia, 843
 ('trichopterygiphila')
 trichopterygis-dregeanae, Uredo, 848
 trichostigmatis, Periconiella, 687
 ('trichostigmae')
 trichromus, Rhodophyllus, 60
 trichurensis, Dichomera, 9
 tricineta, Phaeosphaeria, 985
 tricinatum, var., Fusarium sporotrichiella,
 833
 tricladioides, Diplocradiella, 478
 tricypta, Gigaspora, 341
 tricolor, Cortinarius, 336
 —, Daedaleopsis, 119
 —, Entoloma, 48
 —, Hygrocybe, 539
 —, Leucoagaricus, 970
 —, Leucocoprinus, 128
 —, Micromphale, 352
 —, Pyrofomes, 990
 — var. eumorphus, Pyrofomes, 990
 — var. indicus, Pyrofomes, 990
 — var. shoreicola, Pyrofomes, 990
 —, Rhodophyllus see Rhodophyllus
 trichromus
 —, Rhodophyllus see Entoloma gillesii
 tricoloroides, Hygrocybe, 539
 tricyclus, Multicellaesporites, 206
 tridactyla var. pruni-ulmifoliae, Podosphaera,
 360, 691
 tridentatum, Myriophacidium, 19
 tridentina, Clavaria, 582
 —, Ramaria, 137
 —, var., Lepista nuda, 764
 tridentinum var. cedretorum, Tricholoma,
 409
 trientensis, Gnomonia, 291
 trifida, Leptoperidia, 764
 trifolii, Microsphaera, 129
 — var. desmanthi, Microsphaera, 353
 — var. intermedia, Microsphaera, 598
 —, forma specialis, Phytophthora
 megasperma, 134
 triformis forma melleopallens, Cortinarius,
 195
 — forma strenuus, Cortinarius, 118
 ('strenua')
 trifurcatus, Arenariomyces, 279
 triginus var. dunalii, Lentinus, 437
 triglochicola, Phaeosphaeria, 446
 trigonosperma, Duportella, 754
 —, Peniophora, 304

- trigonosporum, Tolypocladium, 140
 trijugae, Mycovellosiella, 492
 trilaterale var. pseudocupreum, Chaetomium, 472
 trillii, Asteroma, 575
 —, Cylindrosporium, 80
 trilobatus, Flosculomyces, 340
 trilobi, Phaeoramularia, 258
 trimerus, Sporocadus, 95 ('trimerum')
 trimetallicus, Cortinarius, 425
 trimiticum, Stecchericium, 995
 —, var., Ischnoderma solomonense, 967
 trimorpha, Mycotorula, 599
 trimurales, Glomus, 1056
 trina, Brasiliomyces, 332
 —, Californiomyces, 112
 trinacriforme, Ophiostoma, 601
 trinacriformis, Ceratocystis, 76
 ('trinacriforme')
 trinervia, Stictis, 315
 trinidadense, Hebeloma, 345
 trinitatensis, Austroboletus, 742
 trinitense, Hypholoma, 246 ('trinitensis')
 —, Naematoloma, 682
 trinitensis, Chalciporus, 660
 trinucleata, Entomophthora, 882
 tripartitum, Epibryon, 198
 tripogonis, Bipolaris, 75
 —, Cochliobolus, 77
 tripsaci, Microdochium, 167
 triraphidis, Puccinia, 843
 trisepta, Acroconidiella, 41
 triseptata, Bartalinia, 656
 —, Codinaea, 115
 —, Dictyochaeta, 586
 —, Garnaudia, 536
 —, Kylindria, 295
 —, Lasiosphaeria, 595
 —, Massariosphaeria, 679
 —, Muellerella, 546
 —, Parachnopeziza, 444
 —, Pestalotiopsis, 982
 —, Phaeoisaria, 773
 —, Stenella, 314
 —, Wettsteinina, 458
 triseptatum, Crocicreas, 118
 —, Dischloridium, 665
 —, Cylindrotrichum see Kylindria triseptata
 triseptatus, Arenariomyces, 467
 —, Hypomyces, 163
 triseptospora, Mycovellosiella, 130
 triseriale, Dictyosporium, 10
 triseti, Drechslera, 754
 —, Montagnula, 253
 —, Ustilago, 506
 tristaniae, Tyromyces, 999
 tristatosus, Staphlosporonites, 139
 triste, Gloeocystidiellum, 536
 —, var., Tricholoma myomyces, 316
 tristicula, Lecidella, 296
 tristis, Austroboletus, 4
 —, Godfrinia, 537
 —, Hymenoscyphus, 125
 —, Kiliasia, 393
 —, Melanoleuca, 395, 893
 —, Mycena, 839
 — forma albida, Verrucaria, 178
 —, var., Hygrocybe pseudoconica, 965
 tristratosus, Transeptaesporites, 316
 tritcalina, Phaeoseptoria, 57
 tritcalis, Bipolaris, 870
 triticea, forma specialis, Phaeosphaeria
 avenaria, 983
 —, forma specialis, Stagonospora avenae, 214
 tritici, Cytospora, 45
 —, Phomopsis, 58
 —, Selenophoma, 615
 — var. controversa, Tilletia, 910
 — var. laevis, Tilletia, 910
 trititcola, Bipolaris, 420
 —, Drechslera, 881
 trititigrani, Bipolaris, 742
 —, Drechslera, 10
 triumfeticola, Clypeolella, 661
 ('triumfettaecola')
 trivialis, Coniochaeta, 115
 —, Psathyrella, 261
 —, Pseudoclitocybe, 59
 —, forma, Cortinarius elatior, 528
 —, var., Fomes ignarius, 535
 —, var., Ochroporus ignarius, 547
 trochantericola, Laboulbenia, 486
 trochoideanus, Clematomyces, 423
 trochus, Asterella, 870
 —, Astrosphaeriella, 111
 trollii, Pseudocercospora, 901
 trongolei, Lepiota, 890
 trongolensis, Cortinarius, 878
 tropica, Chamaeota, 231
 —, Copelandia, 283
 —, Heterodermia, 671
 —, Lignincola, 488
 —, Paraparmelia, 840
 —, Ramalina, 696
 —, Tephromela, 909
 —, var., Xylaria longipes, 1002
 tropicale, Geoglossum, 589
 —, Gloeocystidiellum, 162 ('tropicalis')
 —, Oidium, 683
 — var. cubense, Sporidesmium, 558
 tropicalis, Bathyscus, 74
 —, Bipolaris, 420
 —, Copelandia, 44
 —, Endomyces, 832
 —, Endothiella, 754
 —, Hohenbuehelia, 964
 —, Inocybe, 202
 —, Melanoleuca, 205, 352
 —, Monilia, 838
 —, Phellinus, 774
 —, Pyropolyporus, 451
 —, Ramaria, 137
 —, Scolecobasidiella, 557
 —, Spadicoides, 615
 —, Uredinophila, 704
 —, Wrightoporia, 63
 —, Xeromphalina, 1002
 —, Melanoleuca see Melanoleuca
 yucatanensis
 tropiccola, Antennatula, 942
 tropicum, Polysynema, 776
 —, Scolecobasidium, 312

- , var., *Crocicreas dolosellum*, 118
tropicus, *Leucocoprinus*, 165
—, *Phlebopus*, 209, 305
trossingenensis, *Cortinarius*, 78
trotteri, *Gloeosporium*, 390
troyana, *Hygrocybe*, 965
troyanus, *Phellinus*, 21
trufemiae, *Psilocybe*, 361 ('*truphemi*')
trullifera, *Halosarpheia*, 242
trulliforme var. *radicicola*, *Ganoderma*, 242
('radicolum')
trulliformis var. *cinereovillosa*, *Clitocybe*, 44
('trullaeformis')
trullisata, var., *Porpodia speirea*, 553
trullisatipes, *Caulorhiza*, 333
trullisatus var. *montezumae*, *Strobilurus*,
1078
truncata, *Arthrospis*, 189
—, *Pholiota*, 306
—, *Poria*, 402
—, *Rhodocybe*, 452
—, *Sporendocladia*, 783
—, *Verticicladiella*, 268
— var. *indica*, *Chaetosphaeropsis*, 422
— forma *mauretanica*, *Rhodocybe*, 904
truncatospora, *Fomes*, 430
—, *Perenniporia*, 604
truncatum, *Leptographium*, 437
— var. *pruinum*, *Hebeloma*, 590
—, forma *specialis*, *Colletotrichum*
dematium, 474
truncatus, *Muciturbo*, 894
truncicola, *Helotium*, 201
truncigenus, *Marasmius*, 488
truncorum, *Marasmius*, 972
— var. *ramorum*, *Marasmius*, 972
tryblidariae, *Micropyxis*, 167
trypaneoides, *Myriotrema*, 31
trzebinskianum, *Penicillium*, 169
tsacasi, *Laboulbenia*, 51
tsavoense, *Parmotrema*, 257
tsavoensis, *Parmelia*, 132
tsekensis, *Xanthoparmelia*, 1002
tshopoensis, var., *Russula annulata*, 1075
tsuchiyaе, *Candida*, 524
tsugae, *Amylobasidium*, 739
—, *Eudimerium*, 389
—, *Rasutoria*, 696
—, *Szczawinskia*, 407
—, *Therrya*, 27
—, *Vanterpoolia*, 178
tsugophthora, *Hohenbuehelia*, 672
tsukubaensis, *Cryptococcus*, 878
tsurudai, *Corynespora*, 751 ('*Coryneospora*')
tubakii, *Stigmina*, 61
tubaria, *Dermocybe*, 880
— var. *luteifolia*, *Dermocybe*, 880
tubariicola, *Nectriopsis*, 168
tubarius, *Pleurotus*, 259
tuberculare, *Hyphoderma*, 163
tuberculata, *Acaulospora*, 188
—, *Aegeritella*, 417
—, *Apiosordaria*, 227
—, *Belizeana*, 656
—, *Ocellularia*, 1064
—, *Octospora*, 56
—, *Strickeria*, 787 ('*Strickera*')
—, *Tilletia*, 910
—, *Trichosphaerella*, 316
—, *Tumularia*, 790
tuberculatella, *Octospora*, 56
tuberculatum, *Zygosporium*, 1002
—, var., *Tulostoma fimbriatum*, 911
tuberculatus, *Cochliobolus*, 423
—, *Coelomomyces*, 527
tuberculiformis, *Ramularia*, 991
—, *Xanthoparmelia*, 1080
tuberculosa, *Aspicilia*, 521
—, *Huilia*, 29
—, *Laurera*, 836
—, *Megalospora*, 251
—, *Pleuroflammula*, 606
—, *Porpidia*, 403
— var. *rubescens*, *Porpidia*, 607
tuberculospora, *Clavaria*, 829
tuberculosporus, *Cantharellus*, 5
tuberculosum, *Trypethelium*, 560
tuberculosus, *Karsteniomyces*, 1059
—, *Ochroporus*, 398
—, *Phellinus*, 209
tuberivora, *Phacidiopycnis*, 20
tuberosa var. *cookei*, *Collybia*, 748
tuberosum, *Hypholoma*, 673
tuber-regium, *Panus*, 131
tubiformis, *Hydropus*, 346 ('*tubaeformis*')
— var. *subramosus*, *Cantharellus*, 745
tubi-crystallinum, *Didymium*, 880
tubularis, *Hypogymnia*, 64
tubulata, *Kohlmeyeriella*, 295
tubulosa, *Lambertella*, 86
tuckeri, *Anisomeridium*, 63
—, *Pseudoidium*, 608
tuckermanii, *Catapyrenium*, 659
—, *Hyperphyscia*, 760
—, *Lecidea*, 764
—, *Psora*, 136, 778
tucuchensis, *Inopilus*, 247
tucumana, *Agrocybe*, 109
—, *Conocybe*, 116
—, var., *Conocybe neoantipus*, 749
tucumanensis, *Ustilago*, 1000
—, forma, *Coriolus versicolor*, 384
—, var., *Pluteus atricapillus*, 359, 842
tucumanus, *Hydropus*, 244
tumefaciens, *Sporisorium*, 314
—, *Syzygospora*, 559
tumida, *Embellisia*, 238
tumidipes, *Cortinarius*, 878
tumidipila, var., *Fuscolachnum pteridis*, 961
tumidosa, *Trichophaea*, 62
—, *Xanthoparmelia*, 623
tumidula var. *coccinea*, *Arthonia*, 279
— var. *rubra*, *Arthonia*, 279
— forma *astroidea*, *Arthonia*, 279
— forma *concolor*, *Arthonia*, 279
— forma *cuspidans*, *Arthonia*, 279
— forma *glabra*, *Arthonia*, 279
— forma *kermesina*, *Arthonia*, 279
— forma *opegaphoides*, *Arthonia*, 279
('opegaphoies')
tumidum var. *coeruleum*, *Fusarium* see
Fusarium bugnicourtii

- tundrense, *Tolypocladium*, 267
 tundrensis, *Beauveria*, 469 ('tundrense')
 tuoliensis, var., *Pleurotus eryngii*, 776
 tuomikoskii, *Lactarius*, 393
 turbidum var. *pachylamellatum*, *Entoloma*, 82
 turbinaspora, *Diheterospora*, 428
 turbinata, *Neozygites*, 19
 —, *Phialosporostilbe*, 688
 —, *Pleochaeta*, 210
 —, subsp., *Cladonia gracilis*, 64
 turbinatum, *Thaxterosporium*, 616, 702
 turbinatus, *Bryoscyphus*, 332
 —, *Labyrinthomyces*, 835
 turbinulata, *Moana*, 974
 turci var. *gilva*, *Russula*, 557, 780
 — var. *marginatum*, *Entoloma*, 198
 turcica, *Luttrellia*, 17
 turcomanica, *Cistella*, 7
 —, *Ustilago*, 791, 848 ('*Uscilago*')
 turcomanicum, *Sporidesmium*, 95
 turfosa, *Micarea*, 64
 turgescens, *Poeltiaria*, 401
 —, *Porpidia*, 842
 turgida, *Corioloopsis*, 424
 —, *Gloeosporidiella*, 13
 —, var., *Physconia pulverulenta*, 986
 turgidoides, *Cortinarius*, 118
 turgidula, *Hypogymnia*, 64, 592
 turgidulum, *Thelotrema*, 33
 turgidus, *Artomyces*, 151
 turgisporum, *Lopadostoma*, 766
 turjaensis, var., *Acarospora smaragdula*, 867
 turkestanicum, *Lachnum*, 595
 turmalis, var., *Cortinarius claricolor*, 424, 474
 turolense, *Penicillium*, 89
 turpe, *Gloeocystidiellum*, 162
 turpiniicola, *Asteridiella*, 1043
 turpis, *Collybia*, 1047
 —, *Gloiothele*, 758
 turris-painense, *Penicillium*, 444 ('*turris-painensis*')
 turritus, var., *Cortinarius adalberti*, 8
 tursiopsis, *Sterigmatomyces*, 407
 turunda, *Pseudohygrocybe*, 843
 — var. *macrospora*, *Hygrocybe*, 245
 — forma *macrospora*, *Hygrocybe*, 245
 turundus var. *macrospora*, *Hygrophorus*, 245
 — forma *macrospora*, *Hygrophorus*, 245
 — var. *lepidus*, *Hygrophorus* see *Hygrocybe lepidus*
 tuvensis, *Cistella*, 7
 tuxtlaensis, *Conocybe*, 952
 tuxtlenensis, *Psilocybe*, 263
 tuzsonii, *Dimorphomyces*, 428
 twickelensis, *Psathyrella*, 777
 tydeicola, *Hirsutella*, 201
 tympanidiosporus, *Coccomyces*, 7
 tympanifer, *Claudopus*, 231
 tympanoides, *Romellia*, 452
 typhae, *Discocistella*, 753
 —, *Hymenopsis*, 15, 124
 —, *Monascostroma*, 300
 —, *Phaeosphaeria*, 985
 —, *Puccinia*, 778
 — var. *bispora*, *Psathyrella*, 450
 typhae-angustatae, *Ascochyta*, 740
 typhicola, *Chaetomastia*, 950
 —, *Massariosphaeria*, 439
 typhina var. *similis*, *Stemonitopsis*, 700
 typhinum, *Acremonium*, 188
 typhoides, *Stemonitopsis*, 95
 typica, var., *Mycena subfragilis*, 396
 typicus, var., *Cortinarius impennis*, 117 ('typica')
 —, var., *Cortinarius petroselineus*, 195 ('typica')
 tyrolensis, *Cryptococcus*, 196
 tyroliensis, var., *Acarospora nitrophila*, 187
 tyrrenica, *Russula*, 405
 — forma *pseudotenella*, *Russula*, 557
 uber var. *phragmocystidiosus*, *Crepidotus*, 118
 ubiensis, *Danaëa*, 80
 uchiyamae, *Cordyceps*, 78
 uda forma *sphagnicola*, *Psilocybe*, 309
 udagawae, *Chaetomium*, 6
 —, *Gelasinospora*, 1055
 —, *Gymnascella*, 834
 —, *Gymnoascus*, 590
 —, *Zopfiella*, 369
 udagawana, *Pseudocercospora*, 1071
 udaipurensis var. *praeterita*, *Uncinula*, 704
 udarii, *Inapertisporites*, 761
 udupiensis, *Ocellularia*, 683
 ufensis, *Septoria*, 453
 ugandae, *Titaeopsis*, 408
 ugandense, *Acremonium*, 417
 ugandensis, *Schiffnerula*, 781
 ulaiense, *Penicillium*, 1066
 uleanum, *Macroderma*, 395
 ulicicola, *Trichodiscula*, 27
 ulicis, *Ascochyta*, 655
 uliginicola, *Entoloma*, 48
 uliginobadius, *Cortinarius*, 118
 uliginobtusius var. *accedens*, *Cortinarius*, 118
 — var. *asphagnis*, *Cortinarius*, 118
 — var. *lutescens*, *Cortinarius*, 118
 — forma *campanulato-striatus*, *Cortinarius*, 118 ('*campanulato-striata*')
 —, forma, *Cortinarius obtusus*, 194
 uliginosa, *Peziza*, 209
 —, *Placynthiella*, 401
 —, *Saccomorpha*, 405
 — var. *lutea*, *Dermocybe*, 427
 —, *Peziza* see *Peziza subuliginosa*
 uliginosi, *Venturia*, 792
 uliginosus, *Tetragoniomyces*, 96
 — forma *luteus*, *Cortinarius*, 285
 uljanischewii, *Pestalotia*, 20
 uljanishchewii, *Cylindrosporium*, 286
 ullrichii, *Lecidea*, 890
 ulmariae, *Calycellina*, 155
 —, *Golovinomyces*, 884
 —, *Lanzia*, 542
 —, *Urocystis*, 457
 ulmarius, *Hypsizygos*, 392
 ulmea, *Prototheca*, 554
 ulmeum, *Asteroma*, 4
 ulmi, *Microsphaera*, 353
 —, *Morrisographium*, 441

—, *Plectophomella*, 135
ulmicola, *Chaetonaevia*, 155
 —, *Clitocybe*, 156
 —, *Morrisographium*, 441
 —, *Pleomassaria*, 210
ulophylloides, *Tuckermannopsis*, 141
ultralucens, *Menegazzia*, 299
umbellata, *Cladonia*, 660
 —, *Kakabekia*, 393
 —, forma, *Cladina rangifera*, 660
umbellatus, *Dendropolyporus*, 158
 — var. *asperior*, *Mucor*, 396
umbelliferarum, *Protomyces*, 92
umbilicariae, *Polycoccum*, 497
umbilicarioides, *Umbilicaria*, 560
umbilicata, *Pterygiopsis*, 1072
 —, *Squamanita*, 846
umbilicatum var. *reagens*, *Rhizocarpon*, 404
umbilicatus, *Cortinarius*, 285
 —, *Hymenoscyphus*, 84
 —, *Marasmius*, 439
umbonata, *Amanita*, 329, 330
 —, *Lepiota*, 248
 —, *Metamelanea*, 974
 —, *Strickeria*, 787 ('*Strickera*')
 —, var., *Hygrocybe coccinea*, 539
 —, var., *Lepista sordida*, 16
umbonatipes, *Rigidoporus*, 610
umbonatogriseascens, var., *Cortinarius*
 caninoides, 528, 875 ('*umbrinogriseascens*')
umbonatopileus, forma, *Cortinarius*
 albocyaneus, 874
umbonatum, *Tricholoma*, 456
 —, forma, *Tricholoma spermaticum*, 267
umbonatus, *Cunninghammyces*, 475
 —, *Hydropus*, 244
 —, *Marasmius* see *Collybia contraria*
 —, var., *Pilobolus roridus*, 1068
umbonella, *Cecidonia*, 872
umbonifera, *Porpidia*, 1068
umbraculiformis, *Cryptocoryneopsis*, 9
umbratica, var., *Lecania sylvestris*, 677
umbratilis var. *depauperata*, *Omphalina* see
 Omphalina pauxilla
umbricola, *Cladonia*, 64
umbrina, *Astrosporina*, 42, 153
 —, *Exidiopsis*, 241
 —, *Kensinjia*, 968
 —, *Psathyrella*, 172
 — var. *utriformis*, *Psathyrella*, 450
 — forma *macroalveola*, *Morchella*, 491
umbrinella, *Discula*, 10
umbrinellus, *Boletellus*, 280
 —, *Phellinus*, 21, 57, 209
umbrinescens, *Ceriporiopsis*, 422
umbriniceps, *Lyophyllum*, 250
umbrinoclarus, *Cortinarius*, 336
umbrinodisca, *Inocybe*, 889
umbrinofusca, *Inocybe*, 889
umbrinoides, *Krombholziella*, 594
umbrinolens, *Cortinarius*, 118
umbrinolutea, *Amanitopsis*, 573
 — var. *flaccida*, *Amanita*, 738
 — var. *fusco-olivacea*, *Amanita*, 942
 —, var., *Amanita vaginata*, 573
 —, var., *Amanitopsis vaginata*, 868

umbrinopapillatus, *Lactarius*, 53
umbrinovelutipes, *Morchella*, 491
umbrinovinosa, *Mycena*, 492
umbrinovirens, *Inocybe*, 51, 164
umbrinum, *Nodulisporium*, 493
 —, *Schismatomma*, 906
 — var. *compactum*, *Scoliciosporum*, 406
 — var. *corticola*, *Scoliciosporum*, 406
 ('corticulum')
 — var. *marinum*, *Scoliciosporum*, 213
umbrinus, *Camarophyllum*, 229
 —, *Gloeoporus*, 963
 —, *Intextomyces*, 16
 —, *Parmastomyces*, 980
 —, var., *Cortinarius fulvo-ochraceus*, 425
umbrosa, *Parmelia*, 132
 —, *Tricharia*, 847
umbrosum, *Naematoloma*, 976
 —, *Parmotrema*, 257
umbrosus var. *albus*, *Pluteus*, 497
 —, var., *Pluteus cervinus*, 259
umidicola, *Cortinarius*, 954
umtamvuna, *Parmelia*, 981
 —, *Xanthoparmelia*, 705
uncialicola, *Bachmanniomyces*, 74
uncifolius, forma, *Cortinarius biveloideus*, 116
 ('uncifolia')
uncinata, *Anthracobia*, 73
 —, *Cercosporula*, 580
 —, *Hyaloscypha*, 482
 —, *Mollisia*, 353
uncinatum, *Brevicellicium*, 43
 —, var., *Tuber blotii*, 618
uncinatus, *Phellinus*, 605
 —, *Uncinocarpus*, 505
 —, var., *Cortinarius biveloideus*, 116
unciniae, *Lophodermium*, 1061
uncispora, *Cryptophialoidea*, 751
unctula, *Parmelia*, 399
 —, *Xanthoparmelia*, 913
undata, *Acarospora*, 151
undatoides, *Entoloma*, 239
undatum, *Rhizophydium*, 904
 — var. *viarum*, *Entoloma*, 288, 588
 — forma *longipes*, *Entoloma*, 239
underwoodii, *Collybia*, 749
undigerus, *Junghuhnina*, 348
undosa, *Postia*, 172
undosus, *Oligoporus*, 443
 —, *Spongiporus*, 26
undulata, *Acaulospora*, 867
 —, *Anaptychia*, 278
 —, *Emericella*, 587
 —, *Physcia*, 606
 —, *Phytophthora*, 1067
undulatospora, *Inocybe*, 967
undulatum, *Trimmatostroma*, 560
undulatus, *Aspergillus*, 575
 —, *Pseudocraterellus*, 901
undulitunicata, *Puccinia*, 555
unguicola, *Rhynchophoromyces*, 452
unguicularis, *Hohenbuehelia*, 15, 482, 591
unguiculata, *Hyalopeziza*, 15
unguiformis, *Asellaria*, 331
unguinus, *Gliophorus*, 536, 834
ungulatum, *Ganoderma*, 341

- unguliformis, Elmerina, 959
- , Trametes, 456
- uniapiculata, Biscogniauxia, 1044
- , Xylaria, 1002
- var. macrospora, Biscogniauxia, 1044
- uniapiculatum, Chaetomium, 422
- var. macrosporum, Hypoxylon, 50
- unica, Phlebia, 400
- , Simocybe, 61
- unicaudata, Halosarpheia, 670
- unicisa, Otidea, 601
- unicolor, Hygrophorus, 50
- , Pseudocercospora, 308
- , Tyromyces, 999
- forma fibrillosa, Galerina, 241
- forma paucicystidiata, Galerina, 241
- unicolorospora, Curvularia, 45
- uniformis, Stenella, 214
- uniguttulatus, Cryptococcus, 385
- unijubata, Etheiophora, 960
- unilateralis, Chaetopsina, 422
- unimoda, Hydrocybe, 539
- uniseptata, Acumisporea, 2
- , Corynesporopsis, 118
- , Exserticlava, 430
- , Helminthophora, 591
- , Lulworthia, 438
- , Phaeoisaria, 446
- , Triadelphia, 267
- var. pusilla, Endophragmiella, 532
- uniseptatum, Capnodium, 155
- , Cylindrocarpon, 337
- , Myriotrema, 31
- uniseptatus, Monotretomyces, 681
- ('uniseptatum')
- uniseriale, Pleurotrema, 496 ('uniserialis')
- unisetula, Dictyochoeta, 957
- unisporeus, Achroomyces, 225
- uplandica, Aspicilia, 111
- upsaliensis, Mollisia, 1062
- upsallatensis, Strickeria, 700
- uracea, Mycena, 442, 546, 599
- uraceovernus, Cortinarius, 118
- uraceus var. crassifolius, Cortinarius, 584
- forma albofimbriatus, Cortinarius, 195
- forma suburaceus, Cortinarius, 195
- urariicola, Pseudocercospora, 694
- urbana, Inocybe, 674
- urbanicola, Hebeloma, 345
- urbanskyana, Poeltiaria, 401
- , Porpidia, 842
- urceolare, Myriotrema, 31
- urceolata, Arthonia, 944
- , Encoelia, 831
- , Muhria, 769
- , Polysporina, 607
- , subsp., Amanita vaginata, 573
- urceolycystis, Inocybe, 835
- urceolus, Coccomyces, 7
- uredinophila, Nectria, 254
- urgineae, Synchytrium, 266 ('urginae')
- urne, Physarum, 22
- urniformis, Godronia, 537
- urnigerobasidiata, Clavulina, 829
- urophilus, Mimeomyces, 440
- uropodinae, Tarichium, 455 ('uropodinis')
- urosperma, Octosporella, 88
- urtiagae, Balladynopsis, 74
- urticae, Conocybe, 662
- , Euoidium, 960
- urticaria, Diatrype, 753
- urticicola, Ascochyta, 1043
- usambarense, Byssoloma, 657
- usambarensis, Cladonia, 660
- , Dimerella, 831
- , Marasmiellus, 971
- , Pseudoparmelia, 694
- usamii, var., Aspergillus niger, 3
- ushtrina, Phoma, 91
- ushuaiae, Mitulina, 680
- , Mollisia, 18
- ushuaiensis, Amanita, 41
- , var., Collybia butyracea, 334
- usitata, Parmelia, 548
- usneae, Phaeosporobolus, 605
- , Pseudoseptoria, 93
- uspenskajae, Mycosphaerella, 599
- ussuriense, Aecidium, 41
- ussuriensis, Pleosphaerulina, 496
- , Sphaerocordyceps, 95
- ustale, Leccinum, 86
- var. rufo-aurantiacum, Tricholoma, 409
- ustalis, Mycena, 976
- , Sarcodon, 405
- ustaloides var. aurantioides, Tricholoma, 618, 789
- usteriana, Puiggaria, 902
- ustulata, Xanthoparmelia, 623
- ustulatus, Agaricus, 226
- ustulinae, Dennisographium, 477
- utahense, Hebeloma, 345
- , Tulostoma, 911
- utahensis, Aleurodiscus, 277
- , Clitocybe, 156
- , Coelomomyces, 527
- , Lojkania, 351
- utriformis, Handkea, 963
- var. gruberi, Handkea, 963
- var. hungarica, Handkea, 963
- , var., Psathyrella obtusata, 172
- , var., Psathyrella umbrina, 450
- uvarum, Hanseniaspora, 391
- uvicola, Pestalotiopsis, 257
- uvidus var. acystidiosus, Lactarius, 53
- var. montanus, Lactarius, 53
- uyedae, Lactarius, 542
- uzbekistana, Puccinia, 173
- uzbekistanica, Pleospora, 899
- vaasmae, Trichopezizella, 505
- vaccaeorum, Penicillium, 208
- vaccinii, Aureobasidium, 1043
- , Candida, 745
- , Chalara, 872
- , Elsinoë, 587
- , Helicoma, 1057
- , Scytalidium, 1077
- , Sporocadus, 502
- forma andromedae, Exobasidium, 832
- forma rhododendri, Exobasidium, 832
- vacini, Lanzia, 350, 487
- vadirajensis, Shrungabeeja, 138
- vaga, Dictyotrichiella, 10

—, *Strickeria*, 787
vagans, *Coniochaeta*, 115
 —, *Vonarxia*, 562
 —, var., *Parmelia taractica*, 132
vaginae, *Cylindrocarpon*, 427
vaginalis, *Belonopsis*, 228
 —, *Niptera*, 683
vaginata, *Amanita*, 572
 — subsp. *lutescens*, *Amanita*, 573
 — subsp. *urceolata*, *Amanita*, 573
 — var. *alba*, *Amanita*, 572, 826
 — var. *alutaceovergens*, *Amanita*, 572
 — var. *argentata*, *Amanita*, 572
 — var. *badia*, *Amanita*, 572, 1042
 — var. *battarrae*, *Amanita*, 572 ('*battarrae*')
 — var. *cinerea*, *Amanita*, 826
 — var. *cygnea*, *Amanita*, 572
 — var. *elongata*, *Amanita*, 868
 — var. *fulva*, *Amanita*, 826
 — var. *fuscescens*, *Amanita*, 826
 — var. *livida*, *Amanita*, 826
 — var. *major*, *Amanita*, 826
 — var. *malleata*, *Amanita*, 573
 — var. *nivalis*, *Amanita*, 573
 — var. *pallescent*, *Amanita*, 826
 — var. *punctata*, *Amanitopsis*, 868
 — var. *roseilamellata*, *Amanita*, 826
 — var. *spadicea*, *Amanita*, 573
 — var. *sternbergii*, *Amanitopsis*, 573
 — var. *umbrinolutea*, *Amanita*, 573
 — var. *umbrinolutea*, *Amanitopsis*, 868
 — forma *alba*, *Amanitopsis*, 573
 — forma *aurantiofulva*, *Amanita*, 572
 — forma *battarrae*, *Amanita*, 572, 1042
 ('*battarrae*')
 — forma *cinerea*, *Amanita*, 572
 — forma *fuscescens*, *Amanita*, 572
 — forma *grisea*, *Amanita*, 572
 — forma *hyalina*, *Amanita*, 572
 — forma *livida*, *Amanita*, 572
 — forma *lividopallescens*, *Amanita*, 572
 — forma *pallescent*, *Amanita*, 572
 — forma *plumbea*, *Amanita*, 572, 1042
vagneti, *Cortinarius*, 530 ('*Vagneti*')
vagum, *Steccherinum*, 95
vainioi, *Gyalideopsis*, 830
 —, *Lecanora*, 542
valachica, *Ceratocystis*, 471, 872
 ('*valachicum*')
valdemammosus, var., *Cortinarius biveloides*,
 116
valdiviae var. *saturatus*, *Agaricus*, 653
valdiviana, *Ceratocystis*, 333
 —, *Tricholomopsis*, 910 ('*valdivianus*')
valdivianum, *Leptographium*, 596
 —, *Ophiostoma*, 601 ('*valdiviana*')
valdiviensis, *Ebollia*, 10
valens, *Amanita*, 41
valentinum, *Penicillium*, 56
valerianae, *Golovinomyces*, 884
valida, *Candida*, 230
 — forma *lactea*, *Amplariella*, 574
 —, var., *Amanita spissa*, 277, 1042
validosqualens, var., *Cortinarius sebaceus*,
 954
validum, *Hypobryon*, 293

validus, *Arachnomyces*, 110
 —, var., *Agaricus bitorquis*, 329
vallata, *Coltricia*, 423
vallenarense, *Chrysosporium*, 472
vallesiaca, *Gnomonia*, 291
 —, *Psora*, 403
valliculata, *Pertusaria*, 65
vallicutis, *Entoloma*, 388
 —, *Rhodophyllus* see *Entoloma gillesianum*
valparadisiacus, *Pithomyces*, 259
valsoides, *Ophiovalsa*, 548
 —, subsp., *Winterella aurantiaca*, 704
vanbeymae, *Penicillium*, 20
vanbrummelenii, *Trichobolus*, 847
vanbruntiana var. *sambuciracemosae*,
Microsphaera, 353
vandenberghenii, *Catillaria*, 281
 —, *Fellhanera*, 535
vanderbylii, *Paraparmelia*, 603
vanillae, *Sarcopodium*, 94
vanriji var. *yarrowii*, *Debaryomyces*, 385
vantschense, *Lachnum*, 595
vantschensis, *Albotricha*, 188
 —, *Dasyscyphus*, 196
vanudenii, var., *Kluyveromyces marxianus*, 51
vaporaria, var., *Pratella campestris*, 988
vaporarius, *Agaricus*, 329, 738
varanasiensis, *Macrophoma*, 298
vareshii, *Cladonia*, 581
varia, *Pestalosphaeria*, 445
 —, *Phaeopyxis*, 1067
variabile, *Schistophoron*, 213
 —, *Septofusidium*, 993 ('*variabilis*')
 —, *Tripospermum*, 27
variabilis, *Anthracoidea*, 418
 —, *Bullera*, 827
 —, *Endophragmiella*, 959
 —, *Erynia*, 12
 —, *Eucantharomyces*, 480
 —, *Flabellophora*, 668
 —, *Hyphozyma*, 125
 —, *Krombholziella*, 203
 —, *Microsphaera*, 88
 —, *Pseudospiropes*, 1072
 —, *Rhizosphaerina*, 610
 —, *Schizoplasmodiopsis*, 452
 —, *Stenella*, 314
 —, *Strickeria*, 787 ('*Strickera*')
 —, *Stypella*, 366
 —, *Subulispora*, 503
 —, *Uncinula*, 141
 — subsp. *diphyodes*, *Caloplaca*, 523
 — var. *odora*, *Hyphozyma*, 125
 — forma *chalybaea*, *Caloplaca*, 523
 — forma *fulva*, *Caloplaca*, 523
 — forma *paepalostoma*, *Caloplaca*, 523
variabilissima var. *ionipes*, *Inocybe*, 348
varians, *Anthracotheicum*, 868
 —, *Cladonia*, 660
 —, *Lachnum*, 595, 676
 —, *Pyrrhospora*, 499
 —, *Scolecosporella*, 1077
 — var. *erythrospermoides*, *Cladonia*, 660
 — var. *glaucoflava*, *Cladonia*, 660
 — var. *pteridophyllum*, *Lachnum*, 595
 ('*pteridophyllus*')
 —, *Pyrrhospora*, 499

- var. *pteridophyllus*, *Dasyscyphus*, 9 ('pteridopyllus')
- varicata*, var., *Ramaria flava*, 609
- variebulbus*, *Cortinarius*, 195
- variecolor* var. *largiusculus*, *Cortinarius*, 425
- var. *marginatus*, *Cortinarius*, 425
- variegata*, *Ascosphaera*, 870
- , *Perenniporia*, 357
- , *Poria*, 402
- , *Stigmochora*, 784
- , forma, *Acarospora tongletii*, 188
- , var., *Tricholomopsis rutilans*, 409, 456, 505
- variegatula*, *Russula*, 264
- variegatum*, *Lasiobelonium*, 54
- variegatus* subsp. *misermonitii*, *Cortinarius*, 1052
- forma *rubescens*, *Suillus*, 996
- variepilosa*, *Arachnopeziza*, 739
- , *Protounguicularia*, 554
- variicolor*, *Boletus*, 871, 947
- , *Ceraceomyces*, 471
- , *Krombholziella*, 203
- variiseptata*, *Phaeosphaeria*, 985
- variisetosa*, *Venturia*, 792
- variispora*, *Articulophora*, 151
- variisporum*, *Tulostoma*, 560
- variisporus*, *Leucoagaricus*, 249 ('varisporus')
- variobrunnea*, *Krombholziella*, 203
- variospora*, *Mammariopsis*, 892
- , *Phoma* see *Phoma heteromorphospora*
- variosporum*, *Phomopsis*, 774
- , *Trichocladium*, 177
- variosporus*, *Mucor*, 441
- variostiolatum*, *Chaetomium*, 333
- variotii* var. *zaaminelli*, *Paecilomyces*, 356
- variseptata*, *Trechispora*, 216
- varius*, *Didymoporisporonites*, 197
- var. *malesianus*, *Polyporus*, 402
- forma *nummularis*, *Polyporus*, 899
- vartiovaarae*, *Candida*, 230 ('vartiovaarae')
- varzeae*, *Marasmiellus*, 971
- , *Pholiota*, 985
- , *Psathyrella*, 989
- varzeicola*, *Pluteus*, 987
- vasaense*, *Phaeohelotium*, 495
- vasakii*, *Bacidia*, 228
- vasarii*, *Gnomoniella*, 291
- vasconiae*, *Penicillium*, 56
- vasilievae*, *Calocybe*, 657
- vasinfecta* var. *africana*, *Neocosmospora*, 354
- vassilevae*, *Bipolaris*, 5
- vassilievae*, *Russula*, 780
- , *Triphragmium*, 62
- vassiljevae*, *Phragmotrichum*, 358
- vaticanus*, var., *Hygrophorus karstenii*, 966
- velana* var. *dalmatica*, *Caloplaca*, 523
- var. *dolomiticola*, *Caloplaca*, 523
- var. *placida*, *Caloplaca*, 523
- var. *schaererii*, *Caloplaca*, 523
- velata*, *Beauveria*, 190
- , *Eutypella*, 757
- , *Tarzetta*, 140
- , forma, *Inocybe pusio*, 246
- velatasporea*, *Massarina*, 597
- velatocaulis*, *Cortinarius*, 530
- velatus*, *Tylopilus*, 62
- velenovskii*, *Boletus*, 947
- , *Clitocybe*, 282
- , *Inocybe*, 393
- , *Tricharina*, 140
- var. *cruentata*, *Russula*, 312
- , forma, *Cortinarius obtusus*, 194
- velifera*, *Psilocybe*, 694
- , var., *Inocybe geranioides*, 887
- vellerea*, *Myceliophthora*, 18
- vellereus*, *Hirschioporus*, 433
- var. *virescens*, *Lactarius*, 53
- velloziae*, *Buellia*, 744
- , *Tephromela*, 407
- velovinaceum*, var., *Hebeloma mesophaeum*, 344
- velutarioides*, *Perrotia*, 687
- veluticeps*, *Entoloma*, 48
- , *Phylloporus*, 91
- velutina*, *Botrydina*, 827
- , *Hemitrichia*, 538
- , *Phanerochaete*, 551
- , *Phytoconis*, 775
- , *Puccinia*, 173
- , *Russula*, 906
- , var., *Lacrymaria lacrymabunda*, 247
- velutinellus*, *Cortinarius*, 157
- velutinoaffinis*, *Galerina*, 883
- velutinosus*, *Flabellophora*, 668
- velutinus*, *Gymnopilus*, 670
- , *Strobilomyces*, 503
- velutipes* var. *lactea*, *Flammulina*, 290
- forma *longispora*, *Flammulina*, 290
- forma *microspora*, *Collybia*, 232
- velutisectus*, var., *Cortinarius claroturmalis*, 953
- venata*, *Postia*, 900
- venatus*, *Tyromyces*, 409
- venceslai*, *Cystopezizella*, 237
- vendensis*, *Xanthoparmelia*, 705
- venenosa* var. *alba*, *Amanita*, 826
- var. *fulva*, *Amanita*, 826
- var. *straminea*, *Amanita*, 826
- var. *virescens*, *Amanita*, 826
- veneris*, *Agaricus*, 466, 517
- , var., *Agaricus aestivalis*, 466
- veneta*, var., *Nectria purpurea*, 1063
- venetianus*, *Rhachomyces*, 94
- venetum*, *Seiridium*, 1077
- , var., *Penicillium hirsutum*, 1066
- venezuelae*, *Coccomyces*, 7
- venezuelense*, *Dischloridium*, 428
- , *Rhizophydium*, 138 ('venezuelensis')
- venezuelensis*, *Astrosphaeriella*, 111
- , *Hapsidomyces*, 391
- , *Ortopogon*, 979
- venezuelicus*, *Inonotus*, 674
- venosa*, *Clitocybe*, 474
- , *Disciotis*, 1054
- var. *reticulata*, *Disciotis*, 1054
- ventallonii*, var., *Marasmius litoralis*, 87
- ventanica*, *Canomaculina*, 745
- ventosa*, *Ionaspis*, 1058
- , *Sphaeria*, 907
- var. *cuprigena*, *Ophioparma*, 772
- ventosicola*, var., *Muellerella pygmaea*, 1062

- ventricosa, Biannularia, 331
 —, Caliciopsis, 744
 —, Harknessia, 14
 ventricosum, Haplographium, 670
 ventricosus, Gloeomucro, 536 ('ventricosum')
 —, Subramaniomyces, 455 ('ventricosa')
 venturii, Boletus, 577
 venturioides, Venturiocistella, 28
 venusta, Cryptosphaeria, 584
 —, Hygrocybe, 392
 — subsp. subaquila, Physconia, 552
 —, var., Physconia pulverulenta, 986
 venustissima, Omphalina, 131
 venustus, Flaviporus, 430
 vepris, Anisogramma, 574
 —, Apiothecium, 739
 veraecrucis, Pluteus, 171
 veraprilis, Cortinarius, 584
 veratri, Aecidium, 41
 verbasci, Golovinomyces, 884
 verbenae, Cyindrosporium, 286
 —, Golovinomyces, 884
 —, Oidium, 683
 verdonii, Xanthoparmelia, 623
 verecunda, Parmelia, 840
 verecundum, Entoloma, 11
 verii, Rhizopogon, 362
 vermicellifera forma deplanata, Opegrapha, 302
 — forma discrepans, Opegrapha, 302
 — forma spermogonifera, Opegrapha, 302
 — forma subpulcaris, Opegrapha, 303
 vermicola, Macrobiotophthora, 128
 —, Olpidium, 600
 —, Spirogyromyces, 139
 vermiculare, Anthracothecium, 151
 ('vermicularis')
 —, Tubulicium, 618
 vermicularis, Apiosordaria, 227
 —, Diacheopsis, 665
 — subsp. americana, Clitocybe, 156
 — forma qomolangmana, Thamnolia, 702
 vermicularispora, Tubeufia, 367
 vermicularium, Polycoccum, 497
 vermiculata, Stenella, 215
 —, var., Russula decipiens, 905
 vermiculatus, Multicellaesporites, 206
 vermiculus, Pluricellaesporites, 307
 vermiferum subsp. raphidosporum,
 Tubulicium, 618
 vermiformis, Anguillospora, 418
 —, Phaeoseptoria, 57
 verminosum, Linocarpon, 970
 vermisporea, Cyphellophora, 752
 vermisporeum, Ascocorticium, 153
 verna, Russula, 312
 —, Unguicularia, 1079
 — forma ellipticosporea, Amanita, 573
 —, var., Ramaria rubricarnata, 903
 vernale, Pseudohelotium, 694
 vernalis, Agaricus, 571
 —, Kuehneromyces, 594
 —, Naucoria, 599
 —, Psilocistella, 498
 —, Stichoclavaria, 907
 —, Psathyrella see Psathyrella groegeri
 —, forma, Psathyrella spadiceogrisea, 450
 vernicifluus, Flaviporus, 13
 vernicosa, Lepista, 297
 —, Parmelia, 399
 vernoniacearum, Pseudocercospora, 211
 vernoniae, Oidium, 207
 —, Sarcinella, 364
 veronicae, Cyindrosporium, 80
 ('Cyliandrosporium')
 —, Fusicladium, 833
 —, Sphaerotheca, 176
 veronicola, Phoma, 447
 verruciarum, subsp., Caloplaca tenuatula, 523
 verrucatus, Diporicellaesporites, 665
 —, Dyadosporonites, 238 ('Dyodosporonites')
 —, Pluricellaesporites, 691
 verrucifera, Heterodermia, 98
 verruciformis, Fuscidea, 162
 —, Xanthoparmelia, 623
 —, var., Acarospora scyphulifera, 867
 —, var., Acarospora smaragdula, 188
 verrucipes, Phaeomarasmius, 57
 verrucispermus, Coprinus, 829
 verrucispora, Conocybe, 116
 —, Deichmannia, 1053
 —, Greletia, 14
 —, Sclerotinia, 993
 —, Stachybotrys, 454
 verrucisporus, Botryohypochnus, 190
 —, Kananascus, 349
 — var. longisporus, Saccobolus, 557
 verrucoaggregata, Laurera, 836
 verrucoisidiata, Ocellularia, 896
 verrucomarginata, Ocellularia, 683
 verrucorugosum, Thelotrema, 909
 verrucosa, Amyloflagellula, 151
 —, Ascosphaera, 740
 —, Broomella, 1044
 —, Ditremis, 831
 —, Gangliostilbe, 431
 —, Gigaspora, 480
 —, Macbrideola, 298
 —, Megaspora, 767
 —, Ochrolechia, 398
 —, Physcia, 606
 —, Pseudocyphellaria, 901
 —, Rinodina, 452
 —, Scutellospora, 614
 —, Sinodidymella, 501
 —, Spadicoides, 558
 —, var., Amanita rubescens, 826
 verrucosita, Arcyria, 574 ('Arcyria')
 verrucospora, Diachea, 665
 verrucosporum, Maosoglossum, 597
 verrucosum, Dictyosporium, 957
 —, Hadronema, 590 ('verrucosae')
 —, Septonema, 94 ('verrucosa')
 —, Triscelosporium, 703
 verrucosus, Blyttimyces, 43
 —, Craneomyces, 751
 —, Muciturno, 894
 verruculifera, Aspicilia, 153
 —, var., Parmelia loxodes, 548
 verruculosa, Asteromassaria, 827
 —, Belemnospora, 331

—, *Candelabrochaete*, 229
 —, *Comoclathris*, 1047
 —, *Embellisia*, 238
 —, *Grandinia*, 199
 —, *Kneiffiella*, 126
 —, *Megalospora*, 128
 —, *Microsphaera*, 88
 —, *Phlebia*, 58
 —, *Roccella*, 32
 —, *Roussoella*, 610
 —, *Spirosphaera*, 615
 —, forma, *Aspicilia polychroma*, 419
verruculosum, *Arthothelium*, 110
 —, *Ityorhoptrum*, 540
 —, *Scytinostroma*, 782
 —, *Tarichium*, 909
 —, *Thelotrema*, 1078
verruculosus, *Cochliobolus*, 334
 —, *Dioicomycetes*, 880
 —, *Pseudocochliobolus*, 173
 —, *Pseudospiropes*, 498
versatilis, *Agaricus*, 868
 —, *Inopilus*, 247
 — var. *latispora*, *Ramaria*, 903
 — var. *violaceibrunnea*, *Ramaria*, 903
 —, var., *Hasegawaea japonica*, 759
versicolor, *Bolbitius*, 112
 —, *Catillaria*, 1046
 —, *Catinaria*, 230
 —, *Cryptolechia*, 157
 —, *Dimeromyces*, 478
 —, *Iledon*, 540
 —, *Lopezaria*, 1061
 —, *Membranicium*, 545
 —, *Propolomyces*, 172
 —, *Psoromidium*, 309
 —, *Trametes*, 702
 — var. *intensior*, *Russula*, 312
 — var. *kasauliensis*, *Saccobolus*, 557
 — forma *antarctica*, *Trametes*, 702
 ('*antarcticus*')
 — forma *antarcticus*, *Coriolus*, 384
 — forma *azureus*, *Coriolus*, 384
 — forma *tucumanensis*, *Coriolus*, 384
 —, var., *Placolecanora muralis*, 986
 —, var., *Psilachnum chrysostigmum*, 694
versiculis, *Antrodiella*, 519
versiforme, *Glomus*, 342
versiformis, *Dendrophora*, 664
 —, *Monilia*, 598 ('*versiformia*')
versipellis, *Krombholziella*, 435, 594
versipora, *Schizopora*, 698
versispora, *Calvatia* see *Sporotrichum versisporum*
versisporum, *Polycoccum*, 497
 —, *Sporotrichum*, 365
verticillata, *Mycotorula*, 599
 —, subsp., *Cladonia cervicornis*, 29
 ('*verticillata*')
 —, var., *Cunninghamella blakesleeana*, 80
verticillatus, *Coprinus*, 384, 423
 ('*verticillatus*')
 —, *Fennellomyces*, 430
verus, *Multicellaesporites*, 206
 —, *Setogyroporus*, 265
vesca var. *major*, *Russula*, 501

— forma *major*, *Russula*, 906
vescae, *Gnomonia*, 291 ('*vesca*')
veselskyi, *Sepultaria*, 138
vesicarius, *Lichen*, 297
vesicarium, *Basipetospora*, 331
vesicularia, *Muellerella*, 491
vesiculata, *Cintractia*, 44
vesiculifer, *Corethromyces*, 424
vesiculifera, *Macbrideola*, 544
vesiculosa, *Hemitrichia*, 163
vesiculosocystidium, *Entoloma*, 479
vespertilio, *Eccilia*, 881
vestigiale, *Glonium*, 758
vestita, *Apiosordaria*, 151
vestitum, *Repetobasidium*, 93
vestitus, *Palaeomyces*, 208 ('*vestita*')
vesuviana, *Omphalina*, 494
vesuvianum var. *obscoresorediatum*,
Stereocaulon, 616
vesuvius, *Astrosphaeriella*, 575
veternosa var. *duriuscula*, *Russula*, 613
 — forma *subdulcis*, *Russula*, 906
vetusta, *Strickeria*, 787
vetustus, *Panus*, 131
vexans, *Cetrariastrum*, 114
 —, *Everniastrum*, 534
 — var. *minutum*, *Pythium*, 310 ('*minuta*')
vezdae, *Chromatochlamys*, 472
 —, *Fellhanera*, 757
 —, *Gyalideopsis*, 242
 —, *Laurera*, 836
 —, *Rinodina*, 363
 —, *Tricharia*, 66
viaregale, *Entoloma*, 339, 388
viarum, var., *Entoloma undatum*, 288, 588
vibecina, *Corioloropsis*, 424
vibratilis var. *bresadolae*, *Cortinarius*, 1052
 — var. *langei*, *Cortinarius*, 1052
viburni, *Podosphaera*, 210
 —, *Uncinula*, 506
viburnicola, *Puccinia*, 609
viburni-cylindrici, *Cercospora*, 43
viburni-opuli, *Gnomonia*, 291
vicaria, *Xanthoparmelia*, 623
vicařii, *Lepiota*, 836
vicentina, *Roccella*, 844
viciae forma *specialis pisi*, *Peronospora*, 304
viciae amoenae, *Thecaphora*, 366
viciae-unijugae, *Erysiphe*, 161
victoriae, *Harknessia*, 964
 —, *Mycocalicium*, 397
victoralis, *Wettsteinina*, 620
victoriana, *Xanthoparmelia*, 705
victorianum, *Calicium*, 657
 — subsp. *desidiosum*, *Calicium*, 657
victoriense, *Hebeloma*, 200
vieillardii, *Badimia*, 521
viennotii var. *levispora*, *Venturia*, 457
vietus forma *constans*, *Lactarius*, 247
vignae, *Laboulbenia*, 51
 — forma *specialis adzukicola*, *Phytophthora*,
 606
 — forma *specialis medicaginis*, *Phytophthora*,
 606
vignicola, *Cercoseptoria*, 191
vignigena, *Pseudocercospora*, 211

- vilchensis, *Stephanopus*, 907
 vilis, *Polyporus*, 607
 —, *Strickeria*, 788
 villamilianus, *Xanthoparmelia*, 705
 ('villamiliana')
 villatica, *Pratella*, 988
 —, var., *Pratella campestris*, 988
 villaticus, *Agaricus*, 738
 villiana, *Tretovularia*, 367
 villicaulis, *Mycena*, 770, 895
 villosa, *Byssosphaeria*, 522
 —, *Capronia*, 580
 —, *Edmundmasonia*, 238
 —, *Helvella*, 834, 1057 ('Elvela')
 —, *Leptopodia*, 1060
 —, *Rhodocybe*, 94
 villosior, var., *Bondarzewia berkeleyi*, 379
 —, var., *Echinochaete russiceps*, 387
 villosulum, *Entoloma*, 48
 villosulus, *Meripilus*, 395
 villosum, *Verticillium*, 506 ('villosus')
 villosus, *Coriolus*, 8
 —, *Hypomyces*, 540
 viloriana, *Stropharia*, 996
 vinacea, *Umbelopsis*, 268
 —, var., *Hirsutella thompsonii*, 15
 —, var., *Rhodocybe carlottae*, 556
 —, var., *Rhodocybe trachyospora*, 904
 vinaceibrunneum, *Gloeophyllum*, 669
 vinaceobrunnea, *Laccaria*, 349
 vinaceocervina var. *avellanea*, *Clavulina*, 829
 vinaceogriseum, *Hebeloma*, 345
 —, *Tricholoma*, 789
 vinaceopallidus, *Lactarius*, 53
 vinaceosporus, *Lactarius*, 53
 vinaceovirens, *Agaricus*, 417
 vinaceo-umbrinum, *Hebeloma*, 345
 vinaceumm, *Entoloma*, 11
 vinaceus, *Rigidoporus*, 697
 —, var., *Geomyces pannorum*, 13
 vincae, *Strasseria* see *Phyllosticta pervincae*
 vincta, *Junghuhnia*, 889
 vindelicorum forma *aurea*, *Trematosphaeria*,
 910
 — forma *hyalina*, *Trematosphaeria*, 910
 vineatilis, *Comatricha*, 1047
 vini, *Candida*, 230
 —, *Endomycopsella*, 288
 vinicolor, *Dermocybe*, 880
 —, *Kuehneromyces*, 247
 viniferae, *Phragmaspidium*, 58
 vinosa, *Puiggarina*, 902
 —, *Strickeria*, 788 ('Strickera')
 vinosistipitata, *Inocybe*, 246
 vinosobrunnea var. *paraolivacea*, *Russula*,
 780
 vinosopunctum, *Entoloma*, 48
 vinososcabens, *Clavulicium*, 155
 viola, *Cortinarius*, 285
 —, *Cuphophyllum*, 1053
 —, *Hygrocybe*, 483
 violacea, *Paraparmelia*, 603
 — forma *terricola*, *Peziza*, 57
 —, forma, *Mycena pura*, 1063
 —, forma, *Parascutellinia carneosanguinea*,
 494
 —, var., *Russula emetica*, 612
 violaceibrunnea, *Ramaria*, 556
 — var. *asiatica*, *Ramaria*, 556
 —, var., *Ramaria versatilis*, 903
 violaceipora, *Fistulinella*, 83, 290
 ('violaceospora')
 violaceobrunneus, *Aspergillus*, 521
 violaceocinerascens, *Cystostiptoporus*, 45
 —, *Microporellus*, 440
 violaceofuliginea, *Lecidella*, 165
 violaceofuscidula, var., *Lepista nuda*, 764
 violaceonigra, *Peziza*, 57, 258
 violaceosquamulosa, *Micropsalliota*, 18
 violaceotincta, var., *Russula flavobrunnea*,
 1076
 violaceovalens, *Cortinarius*, 195
 violaceovelata, *Inocybe*, 51, 164
 violaceovernum, *Entoloma*, 756
 violaceoviridis, *Omphalina*, 600
 violaceo-irregulare, *Microbotryum*, 205
 violaceo-verrucosum, *Microbotryum*, 893
 violaceum, *Laeticorticium*, 127
 —, *Microbotryum*, 205
 violaceus, *Boletellus*, 469, 521
 —, *Loweoporus*, 54
 — var. *hercynicus*, *Cortinarius*, 285
 violae, *Pseudocercospora*, 694
 —, *Sphaerotheca*, 558
 — var. *sublaevis*, *Puccinia*, 212
 violaeodor, *Cortinarius*, 530
 violae-reniformis, *Puccinia*, 23
 violarius, subsp., *Diploschistes scruposus*, 532
 violascens, *Bacidia*, 63
 —, *Callistodermatium*, 75
 —, *Trypethelium*, 560
 —, forma, *Cortinarius herculeus*, 953, 1050
 violeipes, *Inocybe*, 51, 164
 violicola, *Pseudocercospora*, 777 ('violaeicola')
 violilamellatus, *Cortinarius*, 336
 virella, var., *Phaeophyscia orbicularis*, 982
 virens, *Cordyceps*, 284
 —, *Lobaria*, 394
 —, *Ocellularia*, 32
 —, *Trichoderma*, 617
 —, *Tylopilus*, 62
 —, var., *Tricholoma saponaceum*, 618
 virentirubens var. *rigida*, *Russula*, 906
 virescens, *Caloplaca*, 29
 —, *Catapyrenium*, 1045
 —, *Cladobotryum*, 747 ('Gladobotryum')
 —, *Entoloma*, 588
 —, *Erynia*, 12
 —, *Furia*, 961
 —, *Helicosporium*, 345
 —, *Inopilus*, 540
 —, *Parmotrema*, 495
 —, *Rubinoboletus*, 311
 — var. *thielavioideum*, *Chaetomium*, 525
 —, forma, *Amanita rubescens*, 654, 868
 —, forma, *Lactarius blennius*, 247
 —, var., *Amanita bulbosa*, 825
 —, var., *Amanita rubescens*, 572
 —, var., *Amanita venenosa*, 826
 —, var., *Lactarius vellereus*, 53
 virgalis, *Eccilia*, 238
 virginea, *Cryptothecia*, 530

— var. *fuscescens*, *Hygrocybe*, 592
 —, forma, *Psathyra lactea*, 308
 —, forma, *Stropharia pseudocyanea*, 616
virginus, *Lactarius*, 16
 — var. *curtipes*, *Camarophyllus*, 657
virginis var. *lecanocarpoides*, *Umbilicaria*, 911
viride, *Myriotrema*, 1063
 —, *Myrothecium*, 19
viridella, *Phaeosphaeria*, 446
viridense, *Lambdasporium*, 487
viridesalebrosa, *Phlebia*, 90
 ('*viridesalebrosum*')
viridescens, *Acrodictys*, 417
 —, *Arthopyrenia*, 869
 —, *Halecania*, 963
 —, *Trapelia*, 789
 —, *Trapeliopsis*, 408
viridialbum, *Myriotrema*, 31
viridiatra, *Micarea*, 395
viridiattenuata, forma, *Cortinarius mucifluoides*, 529
viridicarneus, *Marasmius*, 544
viridicatum, var., *Penicillium aurantiogriseum*, 1066
viridicoma, *Amicodisca*, 1042
viridiflava, *Armillariella*, 943
viridiglauca, *Lachnellula*, 85
viridigrisea, *Sympodiophora*, 846
viridilactis, var., *Lactarius affinis*, 51
viridilutea, forma, *Russula fragilis*, 780
viridirubrolimbata, *Russula*, 312
viridis, *Botrydina*, 827
 —, *Drepanispora*, 958 ('*viride*')
 —, *Fuscidea*, 341
 —, *Geosmithia*, 480 ('*virida*')
 —, *Hygrocybe*, 886
 —, *Ixechnus*, 164
 —, *Omphalina*, 302
 —, *Periconia*, 57
 —, *Phytoconis*, 775
 —, *Pseudaegerita*, 261
 —, *Skyttea*, 266
 —, *Talaromyces*, 788 ('*viride*')
 —, *Tuckermannopsis*, 790
 —, *Xanthoparmelia*, 623
 —, forma, *Russula amoena*, 611
 —, forma, *Russula drimeia*, 612
viridiseta, *Strigula*, 66
viridispora, var., *Lepiota cristata*, 596
viridistroma, *Endothiella*, 754
viriditinctum, *Pyrrhoglossum*, 1072
viridumbonata, *Inocybe*, 246
viridomarginatum, *Entoloma*, 48
viridosoredians, *Parmelia*, 99
viridrobusta, *Russula*, 993
viridula, *Cyanodermella*, 157
 —, *Gorgoniceps*, 669
 —, *Erinella* see *Lachnum lagerheimii*
viridulus, *Hymenagaricus*, 346
virosa forma *alba*, *Amanita*, 573
viroviolacea, *Russula*, 614
virtembergense, *Incrucipulum*, 485
 —, *Lachnum*, 487 ('*virtembergensis*')
virtuosa, *Kionochaeta*, 486
viscata, *Inocybe*, 889

viscaurantium, *Entoloma*, 239
visci, *Uromyces*, 368
viscida, *Singerocybe*, 845
 — var. *chlorantha*, *Russula*, 614
viscidula, *Galerina*, 883
 —, *Halosarpheia*, 123
 —, *Russula*, 906
viscidulus, *Cortinarius*, 384
viscidus var. *bresadolae*, *Suillus*, 908
 — forma *giganteus*, *Gomphidius*, 242, 342
viscinicola, *Mycocalicium*, 167
viscosa, *Halosarpheia*, 123, 482
 —, *Halosphaeria*, 123, 482
viscosus, *Boletellus*, 153
 —, *Horakomyces*, 346
vishniacii var. *asocialis*, *Cryptococcus*, 196
 — var. *vladimirii*, *Cryptococcus*, 196
 ('*vladimirii*')
 — var. *wolfii*, *Cryptococcus*, 196
vismiae, *Endodothella*, 429
vitalbae, *Strickeria*, 788 ('*Strickera*')
 —, *Truncatella*, 1079
vitata, *Puccinia*, 173
vitellina forma *flavovirella*, *Candelariella*, 112
vitellinaria, *Carbonea*, 281
 —, var., *Caloplaca holocarpa*, 523
vitellinoides, var., *Hygrocybe ceracea*, 760
vitellinulae, *Caloplacomycetes*, 98
vitellinum, *Chaetomium*, 231
vitellinus, *Aspergillus*, 521
 —, *Cortinarius*, 584
 —, *Gliophorus*, 834
 — var. *fragilis*, *Bolbitius*, 742
 — var. *titubans*, *Bolbitius*, 742
viticicola, *Pseudocercospora*, 59
viticigena, *Pseudocercospora*, 211
viticis, *Bagnisiella*, 4 ('*vitatis*')
 —, *Olivea*, 355
viticola, *Ascospora*, 655
 —, *Asterina*, 741
 —, *Membranicium*, 545
viticus, *Corynespora*, 384
vitigena, *Pseudocercospora*, 211
vitiosus, *Heimiomyces*, 14
vitis, *Arxiomyces*, 279
 —, *Ceratostoma*, 746
 —, *Cheilaria*, 747
 —, *Cytospora*, 752 ('*Cytispora*')
 —, *Discosia*, 753
 —, *Fusoma*, 757
 —, *Gibbera*, 758
 —, *Phoma*, 774
 —, *Phyllachora*, 775
 —, *Polynema*, 776
 —, *Pyrenotrichum*, 778
 —, *Ramularia*, 991
 —, *Septoria*, 782
 —, *Sphaerella*, 782
vitreola, *Scutellinia*, 175
vitreus, *Hymenoscyphus*, 484
 —, *Monascus*, 252
vitrispora, *Julella*, 593
vittadinii, *Ramaria*, 990
vittata, *Neovossia*, 130
 — var. *subarticulata*, *Parmelia*, 304
vittatispora, *Chamonixia*, 422

vittatus, *Inapertisporonites*, 125
 vittiformis subsp. *atkinsoniana*, *Galerina*, 241
 — forma *bispora*, *Galerina*, 241
 — forma *tetraspora*, *Galerina*, 241
 vitulina, forma, *Hygrocybe pratensis*, 483
 vitulinus, var., *Cuphophyllus pratensis*, 427, 1052
 vivekananthanii, *Asteridiella*, 870
 vivida, *Parmelia*, 132
 vividum, *Parmotrema*, 686
 vivipari, var., *Puccinia bistortae*, 136
 vizeanum, *Pampolysporium*, 303
 vladimirii, *Peziza*, 133
 —, var., *Cryptococcus vishniacii*, 196 ('vladimiri')
 vleugelianum, *Asteroma*, 4
 voandzeiae, *Sphaerotheca*, 558
 vochysiae, *Sphaeropsis*, 845
 vocontia, var., *Lecanora albula*, 542
 voeltzkowii, *Perenniporia*, 57
 vogeliana, *Ramularia*, 991
 volatilis-patellis, *Amauroascus*, 467
 volemus var. *flavus*, *Lactarius*, 53
 volkartiana, *Naeviella*, 254
 volkertii, *Clitocybe*, 474
 volubilis, *Multicellaesporites*, 207
 —, *Phyllosticta*, 358 ('volubiliae')
 volubis, *Dicellaesporites*, 196
 volvaceus, forma, *Cortinarius elegantissimus*, 425 ('volvacea')
 volvata, forma, *Inocybe olivaceonigra*, 888
 volvatula, *Lepiota*, 248
 volvatus, *Marasmiellus*, 971
 —, forma, *Cortinarius elegantior*, 424
 —, subsp., *Cortinarius elegantior*, 424
 volvulatum var. *obesum*, *Tulostoma*, 911
 vomitoria, *Sphaeria*, 25
 vomitoriae, *Erynia*, 12
 —, *Furia*, 961
 vorax, *Lecidella*, 677
 —, *Phellinus*, 447
 —, *Rhizocarpon*, 263
 vorticosa, *Carbonea*, 281
 vosoustii var. *steppicola*, *Coprinus*, 192
 vossiana, *Isariopsis*, 889
 vouauxii, *Lepraria*, 764
 —, *Leproloma*, 891
 vriesii, *Arachnotheca*, 74
 —, *Nannizziopsis*, 493
 vulcani, *Myriotrema*, 31
 —, *Uredo*, 911
 vulgare, var., *Caulochytrium protostelioides*, 281 ('vulgaris')
 vulgaris, *Actinoplaca*, 653
 —, *Boletellus*, 153
 —, *Cadyxiniis*, 155
 —, *Dictyochaeta*, 957
 —, *Inapertisporonites*, 126
 —, *Phoma*, 496
 — var. *oregana*, *Cribraria*, 426
 —, var., *Morchella esculenta*, 974
 vulgata, *Peyritsiella*, 445
 vulnerata, subsp., *Cladonia gracilis*, 64
 vulpicolor, *Cortinarius*, 830
 vulpina, *Krombolziella*, 203
 —, *Letrouitia*, 165

vulpinaris, *Micarea*, 598
 vulpinella var. *fuscolamellata*, *Inocybe*, 202, 294
 vulpinum, *Penicillium*, 549
 vuoxaensis, var., *Umbilicaria hirsuta*, 317
 vyrnwyensis, *Psathyrella*, 777
 waasii, *Thelotrema*, 100
 wagneri, *Leptographium*, 437
 —, *Ophiostoma*, 601
 — var. *ponderosa*, *Verticicladiella*, 562
 — var. *ponderosum*, *Leptographium*, 764
 — var. *pseudotsugae*, *Leptographium*, 764
 wahlenbergii, var., *Acarospora molybdina*, 187
 waikanaensis, *Massarina*, 972
 —, *Phaeosphaeria*, 1067
 wainioi, *Strickeria*, 788 ('Strickera')
 wakefieldiae, *Tyromyces*, 911
 wakullum, *Gloeocystidiellum*, 162
 wakullus, *Vesiculomyces*, 506
 walkerii, *Mycosphaerella*, 354
 —, *Vermisporium*, 317
 wallacei, *Omphalina*, 355
 wallichiana, *Ahtia*, 109
 —, *Cetrariopsis*, 114
 —, *Parmelinella*, 686
 —, *Pseudoparmelia*, 694
 wallichii, *Bifusella*, 870 ('wallichi')
 wallrothii, *Microsphaera*, 490
 —, *Mycomicrothelia*, 19
 —, *Trapelia*, 789
 —, *Trapeliopsis*, 33
 walteri, *Xanthoparmelia*, 318
 waltersii, *Lactarius*, 53
 waltheriae, *Pseudocercospora*, 498 ('waltherae')
 waltii, *Zygofabospora*, 794 ('Zygofabospora')
 waltraudiae, *Wettsteinina*, 912 ('waltraudae')
 wandoorensis, *Ocellularia*, 600
 wangikarii, *Truncatella*, 27, 97
 warcupii, *Aspergillus*, 521
 —, *Glomus*, 537
 washingtoniensis, *Arundinula*, 419
 wasmuthii forma *negativa*, *Usnea*, 317
 wasseri, *Agaricus*, 466
 wassoniorum, *Psilocybe*, 23
 waterstonii, *Komposcypha*, 968
 watlingii, *Ramaria*, 1073
 wattiana, *Hypogymnia*, 592
 waverenii, *Psathyrella*, 261 ('wavereni')
 webberi, *Tompetchia*, 617
 weberi, *Dimelaena*, 386
 —, *Lecanora*, 1060
 —, *Megalospora*, 251
 —, *Phyllopsora*, 496
 —, *Thelenella*, 789
 websteri, *Eriocercospora*, 240
 —, *Morenoina*, 18
 wegeliniana, *Trematosphaeria*, 910
 wehmeyeri, *Comoclathris*, 78
 —, *Leptosphaeria*, 438
 —, *Pleospora* see *Pleospora subramanianii*
 wehmeyeriana, *Winterella*, 704
 weholtii, *Entoloma*, 756
 weigelae, *Erysiphe*, 389
 wegeliae, *Pseudocercospora*, 694

- weijmanii, *Sporobolomyces*, 783
 weldenii, *Biscogniauxia*, 1044
 — var. *microspora*, *Biscogniauxia*, 1044
 — var. *microsporium*, *Hypoxylon*, 50
 wellingtonensis, *Xylaria*, 706
 wellingtonii, *Bacidia*, 280
 wellsiae, *Hebeloma*, 345
 wellsii, *Clitocybe*, 156
 wells-kemptoniae, *Hebeloma*, 345 ('wells-kemptonae')
 welwitschiae, *Pleospora*, 259
 welwitschii, *Anthracotheceum*, 869
 —, *Mycosphaerella*, 839
 wenchuanensis, *Puccinia*, 901
 wendlandiae, *Cercospora*, 113
 wenquanensis, *Lactarius*, 393
 wenshanensis, *Roestelia*, 60
 weresubiae, *Harknessia*, 124
 —, *Scutellospora*, 614
 werneckii, *Hortaea*, 392
 —, *Phaeoannellomyces*, 446
 wernerii, *Erysiphe*, 240
 —, *Lecanactis*, 1060
 —, var., *Clitocybe phaeophthalma*, 423
 wesselsii, *Xanthoparmelia*, 623
 westae, *Umbelopsis*, 618
 westonii, *Peronosclerospora*, 445
 westraliensis, *Labyrinthomyces*, 541
 — var. *parvulusporus*, *Labyrinthomyces*, 541
 weymouthii, *Cladonia*, 472
 whalianensis, *Cercoseptoria*, 76
 whetzelii, *Lambertella*, 204
 whinrayi, *Ramalina*, 556 ('whinrayii')
 whitei, *Hymenoscyphus*, 484
 — forma *armeniaca*, *Inocybe*, 762
 whitmanensis, *Diatrype*, 237
 wickerhamii, *Dekkermomyces*, 1054
 —, *Zygofabospora*, 794
 —, *Hansenula* see *Pichia finlandica*
 wightii, *Myriotrema*, 31
 wikenii, var., *Kluyveromyces marxianus*, 51
 wilkinsii, *Pseudocyphellaria*, 777
 willeyana, *Mycocomrothelia*, 492
 willeyanum, *Anisomeridium*, 418
 ('willeyana')
 williamsii, *Ophiosphaerella*, 19
 —, *Rinodina*, 405
 williamsonii, *Traquairia*, 267
 willisii, *Lachnum*, 676
 —, *Parmelia*, 208
 —, *Xanthoparmelia*, 623
 wilsonii, *Cladonia*, 334
 —, *Strigula*, 788
 —, var., *Cladonia sulcata*, 660
 wingfieldii, *Leptographium*, 969
 —, *Sterigmatomyces*, 784
 winkleriana, *Melioliphila*, 680
 winteri, *Nodulosphaeria*, 255
 winteriana, *Didymolepta*, 287
 wirthii, *Bacidia*, 29
 —, *Fellhanera*, 535
 —, *Usnea*, 457
 wisangerensis, *Xanthoparmelia*, 705
 wisteriicola, *Cercoseptoria*, 76
 woitapensis, *Parmelia*, 686
 wolfii, var., *Cryptococcus vishniacii*, 196
 woodfordiae, *Euoidium*, 960 ('woodfordii')
 woodrowiana, *Volvariella*, 317
 woodwardiae, *Psilachnum*, 843
 woolhopeia, *Trichophaea*, 1079
 woronowiana, *Strickeria*, 908
 wrightensis, *Cryptococcus*, 196
 wrightiana, *Xanthoparmelia*, 705
 wrightii, *Amyloporus*, 227
 —, *Cheiriomyces*, 747
 —, *Fluviostroma*, 83
 —, *Hyphodontia*, 540
 —, *Myriotrema*, 31
 —, *Pachylepyrium*, 356
 wulaiensis, *Xylaria*, 848
 wulingensis, *Puccinia*, 901
 wutaishanensis, *Cyathus*, 427
 — var. *yuanquensis*, *Cyathus*, 1053
 wuyiensis, *Furcuncinula*, 198
 —, *Uncinula*, 457
 wuyishanensis, *Podosphaera*, 1068
 —, var., *Cyathus annulatus*, 955
 wuzhishanense, *Amauroderma*, 739
 wychanskiyi var. *macrospora*, *Leucoagaricus*, 249
 wynnei, *Abortiporus*, 867
 —, *Fibroporia*, 289
 —, *Heteroporus*, 15
 —, *Loweomyces*, 166
 — forma *ellipsospora*, *Leptoporus*, 891
 — forma *pachyphyllus*, *Marasmius*, 892
 — forma *ellipsospora*, *Leptoporus* see
Tyromyces wakefieldiae
 xalapensis, *Phialocephala*, 357
 —, *Psilocybe*, 23
 xanthii forma *specialis ambrosiae-trifidae*,
Puccinia, 93 ('ambrosia-trifidae')
 xanthocephala, *Amanita*, 2
 — forma *macalpineiana*, *Amanita*, 2
 ('macalpiniana')
 — forma *roseipes*, *Inocybe*, 762
 xanthocephaloides, *Cortinarius*, 954
 xanthocephalum, *Hypholoma*, 347
 xanthochlora, var., *Russula anatina*, 264, 452
 xanthochroa, var., *Collybia dryophila*, 582
 xanthochroum, *Entoloma*, 479
 xanthochrous, *Cuphophyllus*, 427, 1053
 —, *Gliophorus*, 834
 —, *Tyromyces*, 999
 xanthococca, *Hypocenomyce*, 29
 xanthocyaneus, subsp., *Boletus purpureus*, 656
 xanthocystis, *Chalciporus*, 6
 xanthoderma, *Pratella*, 988
 xanthodermatoides, var., *Agaricus campestris*, 277
 xanthodermus var. *griseus*, *Agaricus*, 329
 — var. *meleagrioides*, *Agaricus*, 329
 ('meleagrioides')
 xanthodiscoides, var., *Inocybe eutheles*, 348
 xantholepis, *Myelochroa*, 682
 xantholeuca, *Inocybe*, 762
 —, *Lecanora*, 394
 xanthomelaena, *Paraparmelia*, 603
 —, *Xanthoparmelia*, 793
 xanthomelanoides, *Paraparmelia*, 685
 —, *Parmelia*, 840

—, *Xanthoparmelia*, 913
xanthomyces, *Entoloma*, 48
xanthophaea, *Pholiota*, 898
— forma *isidiosa*, *Rinodina*, 697
— forma *sorediosa*, *Rinodina*, 697
xanthophylla, *Inocybe*, 247, 762
— forma *roseipes*, *Inocybe*, 247
—, var., *Agrocybe molesta*, 738
xanthophylloides, *Lepiota*, 969
xanthophyllum, *Callistosporium*, 577
—, forma, *Entoloma clypeatum*, 81
xanthophyllus subsp. *corsico-amethystinus*, *Cortinarius*, 878
— forma *insignolens*, *Cortinarius*, 425, 751
xanthopurpureus, *Boletus*, 656
—, forma, *Boletus rhodopurpureus*, 656
xanthopus, *Polyporus* see *Polyporus*
polychrous forma *mesopodus*
xanthorioides, *Coccocarpia*, 232
xanthorrhoeae, *Botryosphaeria*, 469
—, *Cistella*, 660
—, *Glonium*, 481
—, *Phaeoseptoria*, 495
—, *Spegazzinia*, 845
—, *Vizella*, 506
xanthorubescens, *Microsalliota*, 18
xanthosomae, *Stachybotrys*, 907
xanthosora, *Lecanora*, 1060
xanthosorediata, *Parmelia*, 132
—, *Xanthoparmelia*, 623
xanthosperma var. *australiana*, *Ramaria*, 1073
xanthostemonis, *Uredo*, 317
xanthostigmoides, *Candelariella*, 229
xanthostroma, *Wuestneia*, 1001
— var. *dearnessii*, *Wuestneia*, 1001
xanthosuaavis, *Cortinarius*, 878
xanthoxyli, *Nectria*, 977
xanthus, *Xerocomus*, 1002
—, forma, *Cortinarius cedretorum*, 1048
—, var., *Boletus torosus*, 577, 743
—, var., *Cortinarius allutus*, 424
xathertum, *Bactridium*, 153
xavieri, *Melanoleuca*, 973 ('*xavierii*')
xenasmatoides, *Corticomyces*, 952
xenomeria, *Sclerophoma*, 24
xenophana, *Cecidonia*, 872
xerampelina var. *amoenipes*, *Russula*, 780
— var. *murina*, *Russula*, 312
— var. *pseudomelliolens*, *Russula*, 906
xerampelinus, *Boletellus*, 469, 522
xeranthemi, forma, *Erysiphe cichoracearum*, 389
xeromphidicola, *Pseudocercospora*, 92
('xeromphicola')
xeromphigena, *Stenella*, 215
xeromphiicola, *Phyllosticta*, 22
xerophila, *Ascospaera*, 741
—, *Gamundia*, 49
—, *Phanerochaete*, 551
—, *Schaereria*, 1077
—, *Strickeria*, 788
—, *Xanthoparmelia*, 623
xerophilus, *Cortinarius*, 584
xerophytica, *Inocybe*, 247
xerotifolia, *Laestadia*, 969

xeruloides, *Xerula*, 98
xestothele, *Byssosphaeria*, 332
xingyiense, *Ganoderma*, 1055
xiningensis, *Linderiella*, 891
xinjiangensis, *Polyporus*, 135
xishaensis, *Auricularia*, 468
xizangensis, *Cetraria*, 64
—, *Dacryopinax*, 427
—, *Lasallia*, 296
—, *Xanthoparmelia*, 913
— var. *acuta*, *Lasallia*, 296
—, var., *Xanthoparmelia tinctina*, 318
xuchilensis, *Tyromyces*, 457
xuchiliensis, *Hydropus*, 244
xylariicola, *Hypocreopsis*, 966
xylarioides, *Hypoxylonites*, 294
xylemicola, *Hyalopeziza*, 672
xylina, *Protothelanela*, 497
xylodendron, *Marasmius*, 972
xylophilus, *Gyrodon*, 292
—, *Pulveroboletus*, 309, 555, 695, 902
xylopieae, *Palawaniella*, 840 ('*Pallaveniella*')
xylostei, *Amphisphaerella*, 278, 574
—, *Discosphaerina*, 338
xylostelei, var., *Kabatia periclymeni*, 16
xylostromatoides, *Ceriporia*, 43
yaenerdensis, *Russula*, 1077
yaeyamensis, *Apiosordaria*, 3
yahagiana, *Cordyceps*, 45
yakuensis, *Dwayaangam*, 121
yakusimensis, *Gloeomucro*, 13
yalae, *Gerronema*, 962
yalensis, var., *Mycena osmundicola*, 396
yallundae, *Tapesia*, 909
yamabense, *Peridermium*, 133
yamadae, *Debaryozyma*, 80
yamadanium, *Brachysporium*, 155
('Yamadaeanum')
—, *Duosporium*, 158
yamamotoi, *Monoicomyces*, 490
yamatoanus, *Sporobolomyces*, 907
yangchengensis, *Alpova*, 1041
yarrowii, *Kluyveromyces*, 593
—, var., *Debaryomyces vanriji*, 385
yasudae, *Tubeufia*, 367
yazooensis, *Lactarius*, 53
ychaffrei, *Dischloridium*, 880
—, *Paradischloridium*, 444
yeelirriei, *Gelasinosporites*, 290, 669
('yeelirriae')
—, *Predaldinia*, 307, 691 ('yeelirriae')
yeti, *Bryonora*, 280
yongboi, *Dioicomyces*, 880
yoshii, *Rickia*, 264
youngii, *Benjaminiella*, 945
yowaensis, *Xanthoparmelia*, 705
ypsilonidia, *Clavaria*, 829
ypsiloporum, *Gonytrichum*, 199
yuanjiangensis, *Meliola*, 974
yuanquensis, var., *Cyathus wutaishanensis*, 1053
yucatanensis, *Amanita*, 188
—, *Melanoleuca*, 352
yuccae, *Discochora*, 587
—, *Phyllosticta*, 605
—, *Piptarthron*, 306

- yuccicola, *Sporobolomyces*, 845
 yugoslavicum, *Penicillium*, 399
 yukatensis, *Lepista*, 351
 yukawana, *Mamianiella*, 298
 yulinense, *Tulostoma*, 505
 yungensis, *Armillaria*, 869
 —, *Xeromphalina*, 1002
 yungicola var. *bispora*, *Galerina*, 290
 yunnanense, *Calostoma*, 380 ('yunnanensis')
 yunnanensis, *Anaptychia*, 278
 —, *Boletellus*, 469, 522
 —, *Clavariadelphus*, 951
 —, *Clavomphalia*, 747
 —, *Cyathus*, 1053
 —, *Dacrymyces*, 956
 —, *Endophallus*, 959
 —, *Oropogon*, 979
 —, *Otidea*, 772
 —, *Plasmopara*, 776
 —, *Rhodotorula*, 610
 —, *Scopulariopsis*, 501
 —, *Xerocomus*, 63
 yunshae, *Peridermium*, 20
 yurikoae, *Laboulbenia*, 486 ('yurikoi')
 yushanensis, *Mirandina*, 300
 zaaminelli, var., *Paecilomyces variotii*, 356
 zaaminensis, *Melanoleuca*, 767
 zabolotnojii, *Peltula*, 169
 zaborskiana, *Enterographa*, 1054
 zabri, *Erynia*, 160 ('zabrii')
 —, *Furia*, 961
 zacinthae, *Penicillium*, 89
 zahlbruckneri, *Aspicilia*, 111
 —, *Catapyrenium*, 659
 —, *Lecanora* see *Aspicilia alexandri*
 zakii, *Derinocybe*, 880
 zambesianum, *Scenidium*, 312
 zambettakiana, *Massariella*, 597
 zambiana, *Amanita*, 41
 zambiensis, *Canoparmelia*, 579
 zamenhofiana, *Verrucaria*, 562
 zangmui, *Coleosporium*, 7
 zapatensis, *Dactylaria*, 956
 —, *Koronomyces*, 541
 zapotecorum var. *ramulosa*, *Psilocybe*, 361
 ('ramulosum')
 —, var., *Strobilomyces strobilaceus*, 176
 zeae, *Aposphaeria*, 74
 —, *Bipolaris*, 420
 —, *Cladosporium*, 77
 —, *Cochliobolus*, 829, 873
 —, *Colletotrichum*, 77
 —, *Leptoxypium*, 351
 —, *Moniliopsis*, 680
 —, forma *specialis*, *Colletotrichum*
graminicola, 334
 zeae-maydis, *Didymella*, 586
 zealandica, var., *Clavulina cristata*, 829
 —, var., *Ramaria pancaribbea*, 844
 zeaspora, *Diheterospora*, 428
 zeicola, *Phialophora*, 305
 zelandicus, *Phellinus*, 447
 zelanicus, *Endomyces*, 832
 zelkowae, var., *Uncinula kusanoi*, 217
 zempoalensis, *Gymnopilus*, 391
 zenobiae, *Conchatium*, 474
 zeoroides, *Porpidia*, 403
 zeppelinospora, *Ramaria*, 609
 zeretelliana, *Ramularia*, 992
 zerovii, *Melaspila*, 99
 zethopsi, *Cryptandromyces*, 426
 zeylanica, *Farysia*, 480
 —, *Monilia*, 838
 —, *Pyrenula*, 990
 zeylanicus, *Agaricus*, 517
 zhengii, var., *Uncinula oleosa*, 268
 zignoëllae, *Kylindria*, 295
 zillieri, *Stigmina*, 700
 —, *Uredo*, 368 ('zillerii')
 zimbabwensis, *Canoparmelia*, 579
 zingibericola, *Ascochyta*, 740
 zingiberis, *Cercoseptoria*, 113
 —, *Leptosphaeria*, 128 ('fingiberi')
 —, *Pseudocercospora*, 308
 zinniae, *Diplospora*, 120
 —, *Oidium*, 168
 zinniae-lenearis, *Phyllosticta*, 358 ('zinnae-
 leneariae')
 zippelii forma *aeruginosa*, *Ramaria*, 137
 — forma *grandis*, *Ramaria*, 404
 zizaniae, forma *specialis*, *Pyricularia oryzae*,
 609
 zizaniicola, *Sphaeria*, 25 ('zizaniaeicola')
 ziziphi, *Microdiploia*, 55 ('zyzphy')
 —, *Schiffnerula*, 781
 zizyphi, *Komposcypa*, 968
 zonalis, *Fomes*, 430
 zonarius var. *riparius*, *Lactarius*, 53
 — var. *scrobipes*, *Lactarius*, 16, 436
 — forma *scrobipes*, *Lactarius*, 436
 zonata, *Aspicilia*, 331
 —, *Enterographa*, 1054
 —, *Xanthoparmelia*, 705
 — var. *cremoricolor*, *Crinipellis*, 955
 —, var., *Lecanora cavicola*, 127
 zonatipes, *Inocybe*, 51, 164
 zonatum, *Chrysosporium*, 950
 —, *Endostelium*, 387
 —, var., *Colletotrichum graminicola*, 77
 zonatus, *Circinmucor*, 231
 —, *Heteroporus*, 671
 —, *Leptothyriomyces*, 394
 — var. *aurantimaculatus*, *Heteroporus*, 671
 zoppii, var., *Ramalina siliquosa*, 556
 zosteroides, *Cortinarius*, 336
 zozimiae, *Coniothyrium*, 662
 zundelii, *Sphacelotheca*, 994
 zygothyli, *Ascospora*, 655
 —, *Diplodia*, 665
 zythia, var., *Phoma ficophila*, 774

INDEX OF HOSTS

For Phanerogams see under families; for Algae, Bryophyta, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta, Invertebrata and Vertebrata.

ACANTHACEAE

- Acanthus
Pseudocercospora acanthi
 Aechmanthaera
Albugo aechmantherae
 Aphelandra
Nectriella pironii
 Asteracantha
Synchytrium asteracanthae
 Baphicacanthus
Pseudocercospora baphicacanthi
 Barleria
Didymosphaeria macrospora
 Blepharis
Meliola blepharidis
 Crossandra
Comoclathris wehmeyeri
 Eranthemum
Corynespora eranthemi
 Hemigraphis
Corynespora hemigraphidis
 Isoglossa
Uredo isoglossae
 Justicia
Cercospora acanthacearum var.
macrospora
 Lepidagathis
Drechslera hongkongensis
 Peristrophe
Botryosporium peristrophes
Septocylindrium peristrophes
 Phlogacanthus
Asterina phlogacanthi
 Ruellia
Corynespora ruelliae
 Strobilanthes
Bagnisiella strobilanthis
Euoidium strobilanthis

ACERACEAE

- Acer
Acarosporium quisquiliaris
Actinocymbe indica
Allophylaria crystallifera
Amanita inopinata
Amanita ristichii
Amanita sinicoflava
Anthasthoopa aceris
Anthracothecium japonicum
Apioplagiostoma hilberovae
Aquadiscula appendiculata
Armillaria calvescens
Armillaria gemina
Armillaria sinapina
Asteroma pseudoplatani
Camarophyllus virgineus var. *curtipes*
Camposporium ontariense
Ceriosporopsis sundica
Chionomyces ontariensis
Cirrenalia acericola
Cladosporium confusum
Clavulina ramarioides

- Cortinarius achyrocephalus*
Dactylaria acerina
Diatrypella favacea subsp. *nespiakii*
Dicranidion ontariense
Eutypa lata var. *aceri*
Haematomma pustulatum
Hamatocanthoscypha acericola
Hohenbuehelia piperiformis
Hymenoscyphus foliicola
Hyphoderma leoninum
Inocybe eutheles var. *fusodeicystis*
Inocybe lacera var. *aberrans*
Inocybe lepiotoides
Lambertella tubulosa
Lepiota clypeolarioides var. *armillata*
Licea capitata
Licea lucens
Marssonina ershadii
Melaspilea zerozii
Microsphaera aceris
Microthelia acerina
Mortierella pseudozygospora
Mycena pseudolaevigata var. *maculata*
Mycosphaerella mycopappi
Nemania carbonacea
Nolanea quadrospora
Oncopodium aceris
Peniophora manshurica
Phaeohelotium samaricola
Phaeoramularia acericola
Phaeostalagmus altissimus
Phyllactinia aceris
Plagiostoma pseudobavaricum
Polyporus lowei
Pseudospiropes obscurus
Pycnopeziza sympodialis
Russula himalayana
Russula salmoneolutea
Sawadaea bomiensis
Sawadaea polyfida var. *japonica*
Sistotrema biggsiae
Sistotrema porulosum
Skeletocutis perennis
Sporidesmiella brachysporioides
Sporidesmium ontariense
Stigmina zilleri
Tricholoma subaureum
Unguiculariopsis acerina
Wuestneia acericola
Xanthoconium chattoogaense
Xylaria galandii

ACTINIDIACEAE

- Actinidia
Acarosporina hyalina
Fusicoccum luteum
Phoma nigricans
Pseudocercospora actinidiicola

AGAVACEAE

- Agave
Caloplacomyces vitellinulae
Laetisaria agaves

Lecaniomyces cyrtellinoides
Meliola agavicola
Stenella agavicola
Zygosaccharomyces ashbyi
 Cordyline
Flammulaster foliicola
Leptosphaerella cordylines
Pseudocyphellaria sericeofulva
Simocybe tabacina
Sticta babingtonii
Stictis cordylines
Stictis lata
 Dracaena
Ascochyta poonensis
Dothiorella dracaenae
Gloniella draconis
Hemitrichia mellea
Phyllosticta dracaenicola
 Sansevieria
Fusarium oxysporum forma specialis
sansevieriae
Thelenella fusispora
 Yucca
Discochorya yuccae
Echinostelium colliculosum
Erythriscium chaparralum
Gonatobotrys complex
Phaeosphaeria setosa
Phyllosticta yuccae
Sporobolomyces yuccicola
 AYZOACEAE
 Carpobrotus
Mycocleptodiscus lunatus
Scutellospora arenicola
 Galenia
Leptosphaerulina chartarum
 Trianthema
Gibbago trianthemae
 ALANGIACEAE
 Alangium
Cercospora alangii
Pseudocercospora alangii
Typhulochaeta alangii
Uncinula alangii
 ALGAE
Clitocybe payettensis
Corollospora armoricana
 Apophlaea
Mycosphaerella apophlaeae
Polystigma apophlaeae
 Chondrus
Pythium chondricola
 Cystoseira
Haloguignardia cystoseirae
Papularia algicola
 Desmid
Catenochytridium hemicysti
 Egregia
Pontogeneia erikae
 Fucus
Agaricus luteoflocculosus
Crinigera maritima
Cylindrodendrum album var. *paralion*
Sigmoidea marina
 Gracilaria
Pleospora gracilariiae

Stemphylium gracilariiae
 Halimeda
Myrothecium tongaense
 Lessonia
Thalassoascus lessoniae
 Paragoniolithon
Lulworthia kniepii var. *curalii*
 Phacus
Pseudosphaerita drylii
 Sargassum
Arenariomyces triseptatus
Lindra thalassiae var. *crassa*
 Schizymenia
Chadefaudia schizymeniae
 Scytonema
Phycorella scytonematis
 Staurastrum
Lagenidium canterae
Lagenidium lundii
 Staurodesmus
Lagenidium lundii
 Thallassia
Arenariomyces triseptatus
 ALLIACEAE
 Allium
Ascochyta allii-cepae
Fusarium oxysporum forma specialis
garlic
Geomyces laevis
Hypoderma allii
Leptosphaeria lassenensis
Mycosphaerella allii-cepae
Penicillium allii
Puccinia sessilis forma specialis *narcissi-*
orchidacearum
Uromyces allii-monantherae
 ALSTROEMERIACEAE
 Alstroemeria
Embellisia verruculosa
 ALTINGIACEAE
 Liquidambar
Dicarpella liquidambaris-styracifluae
Dualomyces taiwanensis
Flabelliospora irregularis
Ganoderma formosanum
Hyphoderma nudicephalum
Hyphoderma rimosum
Pectusaria multipunctoides
Phanerochaete insolita
Sclerocystis liquidambaris
Taeniolella americana
Uncinula variabilis
 AMARANTHACEAE
 Achyranthes
Cercospora pseudachyranthis
Plasmopara achyranthis
Reticulosphaeria indica
 Alternanthera
Pseudocercospora alternantherae
 Amaranthus
Entyloma amaranthi
Penicillium glandicola var. *mononematosum*
 Celosia
Cercospora gorakhanathii
 Chamissoa

Pseudocercospora chamissoana
 Digera
Septoria digerae
 AMARYLLIDACEAE
 Amaryllis
Cercospora amaryllidicola
 Crinum
Phomopsis crini
 Galanthus
Puccinia sessilis forma specialis *narcissi-orchidacearum*
 Ixiolirion
Ustilago ixiolirii
 Narcissus
Puccinia sessilis forma specialis *narcissi-orchidacearum*
 Pancratium
Uromyces scillarum forma specialis *pancratii*
 Sternbergia
Puccinia sessilis forma specialis *narcissi-orchidacearum*
 Zephyranthes
Pseudocercospora indica
 ANACARDIACEAE
Anthracotheicum welwitschii
 Anacardium
Auriculoscypha anacardiicola
Lithothelium indicum
Marasmius flexipes
Pseudocercospora anacardii
 Camptosperma
Idriella camptospermae
 Choerospondias
Coleosporium choerospondiadis
 Cotinus
Microsphaera cotini
 Dracontomelon
Tubercularia harpostipitata
 Lannea
Oidium lanneae
 Mangifera
Blastocladia elegans
Blastocladia pusilla
Coccocarpia myriocarpa
Coccocarpia pruinosa
Crinitospora pulchra
Cylindrocarpon mangiferarum
Endothiella havanensis
Janetia mangiferae
Leucostoma mangiferae
Macrophoma luzonensis
Monodictys asterospora
Monodictys indica
Mycosphaerella mangiferae
Neotrotteria mangiferae
Parmentaria mamillata
Pleospora mangiferae
Pseudogliophragma indica
Sphaeridium cubense
Stachybotrys mangiferae
Staheliella nivea
Sterigmatomyces fuzhouensis
 Odina
Thyronectria odinae
 Rhus

Endothiella japonica
Phaeoramularia pithoragarhensis
Phyllosticta rhoiseda
Uncinula matsunamiana
 Sclerocarya
Phyllactinia gorteri
 Spondias
Endothiella havanensis
Kuehneola spondiadis
 ANGIOSPERMAE
Cryptophialoidea unisporea
Phlebiopsis darjeelingensis
Phlebiopsis himalayensis
Speiropsis scopiformis
 ANNONACEAE
 Annona
Calytronectria indica
Pseudocercospora annonae-squamosae
Sporidesmiella parva var. *palauensis*
 Artabotrys
Macrophoma artabotrydicola
 Goniothalamus
Lecidea nagalandica
 Guatteria
Pseudolachnea setibicolor
 Isolona
Aecidium isolonae
 Miliusa
Asterostomella miliusae
Cercoseptoria annonaceae
Mycovellosiella indica
Passalora annonacearum
 Monodora
Sphaerophragmium annulatipes
 Polyalthia
Phomopsis gorakhpurensis
Pseudocercospora polyalthiae
 Xylopia
Palawaniella xylopiiae
 APOCYNACEAE
Hymeniopeltis major
Plectopycnis apocynacearum
 Alstonia
Cercospora alstoniae
Pseudocercospora alstoniae
 Alyxia
Phyllosticta ashtonii
Stenella alyxiae
 Anacampta
Lactarius igapoensis
 Carissa
Cercospora saudii
Hemidothis carissae
Meliola carissae var. *spinari*
Microdiplodia carissae
Pseudocercospora carissae
 Catharanthus
Cercospora catharanthi
Ophiobolus catharanthicola
 Chonemorpha
Phaeoisariopsis chonemorphae
 Dyera
Cryptophiale aristata
Guignardia dyerae
Phyllosticta dyerae
 Ervatamia

- Meliola ervatamiae*
 Ichnocarpus
Phomopsis ichnocarpi
Pseudocercospora apocynacearum
 Nerium
Ancylistes netrii
Dichomera trichurensis
Phyllosticta nerii-atropurpurei
Sarbhoyomyces biguttulatus
 Parsonsia
Myrothecium flavo-virens
 Plumeria
Cercoseptoria plumeriicola
Macrophoma plumeriae
Ostreola chandrapurensis
 Rauvolfia
Pseudocercospora rauvolfiae
 Vinca
Phyllosticta pervincae
 Wrightia
Parafulvia indica
 AQUIFOLIACEAE
 Ilex
Aleurodiscus ilexica
Amanita inopinata
Boletus rugoso-vinosus
Calonectria avesiculata
Coniosporium ilicinum
Cortinarius bolbitioides
Cortinarius decurtatus
Cortinarius parasebaceus
Cortinarius subaccedens
Dactylaria congregata
Dictyosporium foliicola
Leiosphaerella ilicis
Marasmius ilicicola
Periconiella ilicis
Pertusaria floridana
Phyllosticta llimonae
Pseudocercospora ilicis-micrococcae
Pyrenula texans
Schizothyrium ilicis-integrae
Sporidesmium ilicinum
 ARACEAE
Anthostomella aracearum
 Acorus
Dictyothyrium acoricola
 Alocasia
Aspergillus spathulatus
Cercospora alocasiae
Ochraceospora cavarae
Phyllosticta alocasiae
Pleurotus alocasiae
 Amorphophallus
Ascochyta amorphophallicola
 Colocasia
Ascochyta colocasiae-esculentae
Cladosporium colocasiae
Drechslera colocasiae
 Dieffenbachia
Phyllosticta dieffenbachiae
 Monstera
Macrophoma monsterae var. *crassispota*
Phyllosticta monsterae
 Spathiphyllum
Cylindrocladium spathiphylli
 Xanthosoma
Stachybotrys xanthosomae
 ARALIACEAE
 Aralia
Colletotrichum araliae
Microstoma floccosum var. *macrosporum*
 Brassaiopsis
Nyssopsora thirumalacharii
 Dendropanax
Redbia laxa
 Fatsia
Meliola fatsiae
 Hedera
Eutypa petrakii var. *hederae*
Lepiota bickhamensis
Lepiota coxheadii
Moellerodiscus hederae
Morenoina parvula
Skyathea hederae
Tubifera dimorphotheca
Zelopelta thrinacrospora
 Kalopanax
Mundkurella kalopanacis
 Neopanax
Menegazzia testacea
Perenniporia oviformis
 Panax
Diatrype panacis
 Pseudopanax
Megalospora knightii
Oidium araliacearum
 Schefflera
Mycocalicium schefflerae
Nyssopsora schefflerae
Polyporus subperennis
Vibrissea leucocephala
 Stilbocarpa
Schizothyrioma stilbocarpace
 X Fatshedera
Fusarium oxysporum forma *specialis*
fatshederae
 ARAUCARIACEAE
 Agathis
Chaetopsis probosciophora
Clavaria albo-globospora
Clavaria ardosiaea
Clavaria echino-olivacea
Clavaria subsordida
Clavulina samuelsii
Heterobasidium araucariae
Lophodermium agathidis
Megalospora bartlettii
Menegazzia eperforata
Ramaria avellaneo-vertex
Ramaria sclerocarnosa
Trichaptum bifforme var. *microsporum*
Tyromyces rufipusillus
Ulocoryphus mastigophorus
 Araucaria
Boletus araucarianus
Buchwaldoboletus spectabilis
Camaroglobulus resiniae
Endostelium amerosporum
Entoloma bombycinum
Flavoparmelia succinprotocetrarica

Lepiota insimulata
Microthelia araucariae
Mytilinidion resinae
Parmelia praeinsueta
Phyllosticta acicola
Psilocybe trufemiae
Pulvinotrichum capitatum
Ramalina filicaulis
Rhizothyrium parasiticum

ARISTOLOCHACEAE

Aristolochia
Aplosporella aristolochiae
Coleosporium aristolochiae
Microsphaera aristolochiae
Oidiopsis taurica forma specialis
aristolochiacearum

Asarum

Cerotelium asari
Sclerotinia asari

ASCLEPIADACEAE

Asclepias
Leptosphaeria asclepiadis
Leptosphaeria dearnessii
Leptosphaeria russellii
Sphaerotheca sparsa

Cynanchum

Cylindrosporium cynanchi
Stenella cynanchi

Dregea

Dendryphiella dregeae

Gymnema

Parapyricularia gymnematis
Pseudocercospora gymnematis

Metaplexis

Aecidium metaplexis

Pentatropis

Oidium pentatropidis
Phoma pentatropidis

Pergularia

Phomopsis pergulariae

Sarcostemma

Lecanidion sarcostemmatis
Tryblidaria sarcostemmatis

ATHEROSPERMATAEAE

Atherosperma

Phyllosticta tortilicaudata
Sarrameana tasmanica

Laurelia

Apiotrichum futronense
Candida antillancae
Candida huempii
Candida laureliae
Candida pilmaiquenensis
Candida ralunensis
Candida rancensis
Candida rignihuensis
Candida santjacobensis
Candida sophiae-reginae

ATHYRIACEAE

Pseudocystopteris
Uredo pseudocystopteridis

AVERRHOACEAE

Averrhoa

Phoma averrhoae
Phomopsis filiformis

AVICENNACEAE

Avicennia

Acrocordiopsis patilii
Adomia avicenniae
Bathyscus avicenniae
Caloplaca lucy-beatrice-mooreae
Caloplaca mooreae
Caloplaca mooreae
Didymella avicenniae
Parmelia norsticticata
Phytophthora avicenniae
Phytophthora batemanensis
Phytophthora operculata
Pleospora avicenniae

BALSAMINACEAE

Impatiens

Dietelia impatientis
Oidiopsis taurica forma specialis
balsaminacearum

BAMBUSACEAE

Inopilus maculosus
Leptonia argyropellis

BARRINGTONIACEAE

Barringtonia

Cercosporidium barringtoniae
acutangulae
Phomopsis barringtoniae

Careya

Pseudocercospora samuhabeeja
Pseudocercospora superficialis

BASELLACEAE

Basella

Phoma albae
Pseudocercospora basellae

BEGONIACEAE

Begonia

Erysiphe begoniae
Phyllosticta regis
Phytophthora cryptogea forma specialis
begoniae

BERBERIDACEAE

Berberis

Bioconiosporium berberidis
Ciboria ranikhetensis
Cumminsia santa
Erysiphe berberidis
Lasiobelonium lanceolatum
Microsphaera berberidis var. *asiatica*
Microsphaera berberidis var. *dimorpha*
Microsphaera multappendicis
Microsphaera sichuanica
Pseudocercospora berberidis-vulgaris

Epimedium

Erysiphe epimedii var. *brunnea*

Mahonia

Cercospora ogawae
Marasmius salalis

BETULACEAE

Tricholoma arvernense var. *discolor*

Alnus

Agaricus flavescens
Armillariella affinis
Calocybe borealis
Calycellina sorido-pulvinata
Clavariadelphus pallido-incarnatus
Cortinarius alnobetulae

- Cortinarius bavaricus*
Cystoderma amianthinum var. *longisporum*
Deighthoniella alni
Destuntzia saylorii
Discina spinospora
Entoloma alnetorum
Entoloma amicorum
Entoloma callichroum
Entoloma kristiansenii
Fayodia metuloidigera
Gnomonia trientensis
Hebeloma occidentale
Hohenbuehelia constans var. *alni*
Hyalopeziza digitipila
Hydrometrospora symmetrica
Hydropus montanus
Hyphodiscosia mirabilis
Hypoxylon julianii
Inocybe urceolicystis
Lactarius riparius
Lasiosphaeria meznaensis
Lecidea roseotincta
Lepiota clypeolaria forma *foetens*
Lyophyllum scabrisporum
Melanconiopsis megalospora
Melanconis gigantea
Micarea adnata
Mycena alni
Mycena lammiensis
Mycena microleucoides
Mycena microtephra
Mycena rhenana
Mycena villicaulis
Mytilodiscus alnicola
Naucoria cedriolens
Naucoria silvaenovae
Panellus longinquus subsp. *pacificus*
Panellus oralis
Panellus stipticus var. *occidentalis*
Passalora nepalensis
Perenniporia amyloentrinoidea
Pertusaria suboculata
Peziza coquandii
Phlebia viridesalebrosa
Pluteus insidiosus
Polyporus brumalis var. *nanus*
Pouzaromyces aureocrinitus
Psathyrella immaculata
Ramularia fusciora
Rhodocybe ardosiaea
Russula alnicrispae
Russula subarctica
Seimatosporium alneum
Simocybe alneti
Sistotrema quadrisporum
Smardaea purpurea
Steccherinum alaskense
Stilbella clavispora
Xanasmatella albida
- Betula*
Agaricus pratulorum
Amanita arctica
Amanita mortenii
Amanitopsis fulva forma *alba*
Arcyria rubrobrunnea
- Arcyria verrucosotuba*
Arthonia linitae
Asterosporium orientale
Athelicism stridii forma *efibulatum*
Blastospora betulae
Boletus citrifragrans
Calycellina guttulifera
Candida odintsovii
Cetraria xizangensis
Ciboria rava
Cortinarius albolilascens
Cortinarius amphibalaustius
Cortinarius olidus var. *camptophyllus*
Cortinarius orichalceolens
Cortinarius poirieri
Cortinarius pulchellus
Cortinarius rigidiusculus
Cortinarius subbalaustinus
Cortinarius subcroceophyllus
Cortinarius subdelibutus
Cortinarius subinsignis
Cortinarius torquatorum
Cortinarius traganulus
Cryptosphaeria venusta
Dencoeliopsis betulicola
Diatrypella inopinata
Diderma cingulatum
Endophragmiella fallacia
Endophragmiella suttonii
Entoloma allospermum
Entoloma melenosmum
Entoloma nausiosme
Entoloma odoriferum forma *obscurum*
Eudimeriolum septentrionale
Eupenicillium cryptum
Galerina phillipsii
Gnomonia betulae-pubescentis
Gnomonia provancheriana
Hebeloma albocolossum
Hebeloma monticola
Hebeloma sordescens
Hyaloscypha betulorum
Hypocenomyce leucococca
Hypogymnia hengduanensis
Hypogymnia hengduanensis subsp. *kangdingensis*
Hypogymnia sinica
Inocybe pseudohaemacta
Inocybe saponacea
Laccaria laccata var. *crispa*
Lactarius auriolla
Lactarius blumii forma *betularum*
Lactarius favrei
Lactarius leonis
Lecanora circumborealis
Leccinum rigidipes
Leccinum schistophilum
Lepiota cystophoroides var. *septentrionalis*
Leptoporus jacksonii
Lopadostoma turgisporum
Microsphaera ornata
Microsphaera ornata var. *europaea*
Mycena nitriolens
Mycena pseudocrispata
Naucoria myosotis forma *minor*

Oxyporus borealis
Parmelia hygrophila
Parmelia subverruculifera
Paxillus involutus forma
subrubicundulus
Pholiota ceriferoides
Psathyrella capitatozystis
Psathyrella dennyensis
Psathyrella ploddensis
Pyrenula lucifera
Russula pseudovesca
Russula pyrenaica
Russula pyrenaica var. *emeticicola*
Spadicesporium ramosum
Spadicoides penatium
Telamonia pulchella
Tricholoma arvernense var. *discolor*
Tricholoma scalpturatum var.
nanospora
Usnea wasmuthii forma *negativa*
Venturia glacialis
Winterella confusa
Xanthoconium montaltoense
Duschekia
Phragmotrichum vassiljevae
BIEBERSTEINIACEAE
Biebersteinia
Diadema curtum
BIGNONIACEAE
Asteromidium tabebuiae
Chaonia thailandica
Adenocalymma
Ascochyta gorakhpurensis
Gloeosporium adenocalymmatidis
Bignonia
Ascochyta bignoniae
Campsis
Microsphaera peckii
Catalpa
Erysiphe catalpae
Haplophragma
Mycovellosiella haplophragmatidis
Jacaranda
Parmelia jacarandicola
Kigelia
Ascochyta petrakii
Newinia kigeliae
Markhamia
Phaeoramularia markhamiae
Millingtonia
Sporormia millingtoniae
Oroxylum
Pseudocercospora oroxylogena
Stenella oroxylicola
Spathodea
Physcia atrostriata
Stereospermum
Newinia thaiana
Pseudocercospora stereospermicola
Tabebuia
Cercoseptoria tabebuiticola
Meliola bidentata var. *major*
Micularia tabebuiae
Mycosphaerella brunneomaculans
Phaeoramularia tabebuiae
Phellinus daedaliformis

Prospodium bicolor
Tecoma
Pseudocercospora bignoniacearum
BOMBACACEAE
Adansonia
Peltula corticola
Bombax
Cercospora bombacis
Durio
Asterina anomala
Scleronema
Marasmius scleronematis
BONNETIACEAE
Bonnetia
Xeromphalina nubium
BORAGINACEAE
Anchusa
Erysiphe asperifoliorum var. *anchusae*
Caccinia
Aecidium caccinae
Cynoglossum
Oidiopsis taurica forma *specialis*
boraginacearum
Heliotrophium
Fusarium oxysporum forma *specialis*
heliotropii
Lappula
Diplodia lappulae
Lycopsis
Erysiphe lycopsidis
Messerschmidia
Auricularia reticulata
Auricularia xishaensis
Microula
Peronospora microulae
Purshia
Odontotrema oregonense
Symphytum
Pirottaea symphyti
Pseudocercospora symphyti
Tournefortia
Clitocybe tournefortiae
BROMELIACEAE
Deightonella rosariensis
Ananas
Scutellospora scutata
Aregelia
Diaporthe spectabilis
Phomopsis spectabilis
Bromelia
Nakataea curvularioides
Puya
Platypeltella irregularis
Tillandsia
Chaetosphaeria endophytica
BRYOPHYTA
Physarum miniatum
BRYOPHYTA
Ascobolus terrestris
Chromocyphella pinsapinea
Clitocybe payettensis
Coccidioidictyon inconspicuum
Cortinarius coeruleolutescens
Diderma antarctica
Diderma carneum
Diderma carneum var. *album*

- Entoloma muscorum*
Epibryon chorisodontii
Epigloea pleiospora
Galerina oligocalyptrata
Galerina viscidula
Graphina muscicola
Hebeloma aprile
Hebeloma brunneomaculatum
Hebeloma chapmaniae
Hebeloma maritimum
Hebeloma nigromaculatum
Hebeloma praeolidum
Helotium nebulophilum
Hymenagaricus luteolosporus
Hypholoma flavorhizum
Hypobryon heterotropum
Inocybe hypotheja
Inocybe paludosa
Inocybe umbrinofusca
Kuehneromyces terrestris
Laccaria laccata var. *crispa*
Lamprospora dicranellae
Lecanora mugosphagneti
Lepraria angardiana
Leptoglossum lobatum var. *antarcticum*
Leptoglossum salinum
Licea albonigra
Licea lucens
Megalospora foersteri
Mniopetalum distinctum
Mycena kuthanii
Mycena pelliculosa var. *bryopsea*
Mycobilimbia sphaeroides
Naucoria rubriceps
Neopaxillus bryogenus
Nephroma foliolatum
Nephroma hensseniae
Octospora bridei
Octospora echinospora
Octospora roxheimii var. *aestivalis*
Omphaliaster palustris
Omphalina largispora
Pannaria santessonii
Peltigera frippii
Peltigera scabrosella
Pholiotina altoandina
Pleuromylenula hydrophila
Psoroma rubromarginatum
Siphula foliacea
Tephromela muscicola
Xanthoparmelia adlerae
- Aloina**
Lamprospora hispanica
- Andreaea**
Bryonora curvescens forma *specialis*
andreaeae
Simocybe antarctica
- Anthelia**
Galerina antheliae
Hastifera tenuispora
- Arochila**
Lopadium hepaticola
- Barbula**
Lamprospora gotlandica
- Bazzania**
Bryorella marginis
- Bryum**
Bryoscyphus aestivalis
Bryostroma bryi
Lamprospora paechnatzii
Lamprospora rugensis
Octospora ciervensis
- Campyllum**
Psilocybe magica
- Ceratodon**
Lamprospora faroensis
Lamprospora seaveri
Sclerotinia atrostitipitata
- Chorisodontium**
Bryosphaeria megaspora
Epibryon chorisodontii
- Dawsonia**
Bryorella complanata
Bryorella conspecta
Dawsicola neglecta
Dawsomyces mirabilis
Dawsomyces subinvisibilis
Dawsophila callichroma
Dawsophila pygmaea
Epibryon odontophilum
Hymenoscyphus erythropus
Vezdaea obscura
- Dicranella**
Lamprospora hanffii
Lamprospora rehmi
- Dicranum**
Fayodia arctica
- Ditrichum**
Lamprospora ditrichi
Lamprospora rehmi
Velutipila poeltii
- Ephemerum**
Lamprospora moynei
- Frullania**
Hypobryon validum
Licea gloeoderma
Muellerella frullaniae
Muellerella rubescens
Octosporella urosperma
- Grimmia**
Epigloea grummanii
Grimmicola parasiticus
- Gymnomitrium**
Micarea viridiatra
- Hygrohypnum**
Octospora hygrohypnophila
- Marchantia**
Gerronema daamsii
- Plagiochila**
Epibryon endocarpum
Mniopetalum flabelliforme
- Plagiomnium**
Nectria mnii
- Pleurozia**
Philobryon anuliferum
- Polytrichastrum**
Cistella polytrichi var. *antarctica*
- Polytrichum**
Candida tanzawaensis
Gloeopeziza interlamellaris
Hymenoscyphus norvegicus
Inocybe polytrichi-norvegici

Inocybe substellata
Mollisia polytrichicola
Protothelenella petri
Protothelenella polytrichi
 Porella
 Hypobryon bicolor
 Ptilidium
 Octosporella ptilidii
 Racomitrium
 Epibryon maculosum
 Nectria racomitrii
 Radula
 Epibryon craspedum
 Epibryon perrumpens
 Macentina hepaticicola
 Octosporella ornithocephala
 Sphagnum
 Cortinarius terebripes
 Dermocybe sphagneti
 Hygrocybe turunda var. *macrospora*
 Ingoldiella nutans
 Mycena invisibilis
 Omphalina fulvopallens
 Psilocybe uda forma *sphagnicola*
 Thidium
 Epibryon tripartitum
 Tortella
 Lamprospora cailletii
 Tortula
 Lamprospora tortulae-ruralis
 BUDDLEJACEAE
 Buddleja
 Oidium buddlejae
 BURSERACEAE
 Meliola torulosispora
 Xeromedulla leptospora
 Bursera
 Arnoldiella robusta
 Monilia corticola
 Phylacia glandulina
 Garuga
 Ophiobolus idamayarensis
 Phomopsis garugae
 Stenella garugae
 Thaxteriella garugae
 Protium
 Colletogloeum protii
 Phyllosticta proticola
 BUXACEAE
 Buxus
 Acanthophysium buxicola
 Bacidia vasakii
 Cortinarius solitarius
 Gerronema postii var. *leve*
 Gylalectidium colchicum
 Hymenochaete caucasica
 Lepiota fulvella var. *subolivacea*
 Marasmius buxicola
 Microthyria buxicola
 Porina colchica
 Raciborskiella minor
 CACTACEAE
 Dipodascus spicifer
 Endostelium amerosporum var. *minus*
 Carnegiea
 Didymium eremophilum

Cephalocereus
 Pichia antillensis
 Pichia kluyveri var. *cephalocereana*
 Epiphyllum
 Mycosphaerella epiphylla
 Opuntia
 Cerocorticium calongei
 Clavispora opuntiae
 Coniophora opuntiae
 Crustoderma opuntiae
 Elsinöe opunticola
 Physarum spectabile
 Pichia barkeri
 Pichia deserticola
 Pichia kluyveri var. *eremophila*
 Rinodinomycetes maroccanae
 Pachycereus
 Pichia pseudocactophila
 Pichia pseudocactophila
 Perescia
 Coniothyrium cacti
 Stenocereus
 Candida deserticola
 Candida eremophila
 Candida mucilaginis
 Pichia mexicana
 CALLITRICHACEAE
 Callitriche
 Entyloma callitriches
 CAMPANULACEAE
 Adenophora
 Erysiphe adenophorae
 Asyneuma
 Melasmia iranica
 Campanula
 Cercospora campanulae
 Campanumoea
 Pseudocercospora campanumoeae
 Downingia
 Doassansia downingiae
 Isotoma
 Phaeoramularia isotomae
 Lobelia
 Meliola campanulacearum
 Perichaena dictyonema
 Perichaena heterobaculata
 CANNABIDACEAE
 Cannabis
 Cylindrosporium cannabinum
 Microdiplodia cannabina
 Phomopsis ganjae
 CANNACEAE
 Canna
 Ascochyta cannae
 Cercospora cannae
 Cercospora cannae
 Phoma cannae-indicae
 Trichothecium campaniforme
 CAPPARIDACEAE
 Capparis
 Aecidium capparidis
 Didymella capparidis
 Guignardia herbarum
 Meliola balakrishnanii
 Mycosphaerella capparidis
 Pleomassaria capparidis

- Stenella capparidis*
 Crateva
Blastocladia caduca
Blastocladia fusiformis
 CAPRIFOLIACEAE
 Abelia
Erysiphe abeliae
 Dierville
Lasiobelonium diervillae
 Dipelta
Microsphaera dipeltae
 Linnaea
Stanhughesia linnaeae
 Lonicera
Coleosporium loniceriae
Gnomonia loniceriae
Gyoeffiyella myrmecophagiformis
Lasiobelonium subfuscum
Microsphaera caprifoliacearum
Microsphaera erlangshanensis
Microsphaera loniceriae var. *flexuosa*
Microsphaera miurae
Phlebogaster sinensis
Teichosporella lonicerina
 Viburnum
Cercospora viburni-cylindrici
Gnomonia viburni-opuli
Meliola yuanjiangensis
Phaeoisariopsis caprifoliacearum
Podosphaera viburni
Pseudocercospora khasiana
Puccinia viburnicola
Uncinula viburni
 Weigela
Erysiphe diervillae
Erysiphe weigelae
 CARICACEAE
 Carica
Sphaerotheca caricae-papayae
Sporophiala indica
 CARPINACEAE
 Carpinus
Boletus smotlachianus
Camarops plana
Cortinarius carpinamicus
Cortinarius claroplaniusculus
Cortinarius cyanobasalis
Cortinarius olidoamarus
Cortinarius orichalceolens
Cortinarius poirieri
Cortinarius siccolens
Cortinarius subinsignis
Endophragmiella ramificata
Endothiella japonica
Furcouncinula wuyiensis
Gorgomyces hungaricus
Hyaloscypha amyloideopilosa
Hyaloscypha intacta
Hydrometrospora symmetrica
Hypholoma xanthocephalum
Inocybe derbschii
Inocybe rufotacta
Lepidoderma stipitatum
Melampsoridium asiaticum
Monostichella appendiculata
Morchella umbrinovelutipes
Peziza obtuspiculata
Phaeographis fujisanensis
Podospira carpinicola
Porosphaerella cordanophora
Porosphaerella cordanophora
Porosubramania moniliformis
Pyrenula aquila
Pyrenula rubrostoma
 Ostria
Dendrothele subfusispora
Gloeocystidiellum fimbriatum
Gloeocystidiellum turpe
Microsphaera ellisii
 CARYOPHYLLACEAE
 Acanthophyllum
Camarosporium acanthophylli
Uromyces albidus
 Arenaria
Septoria nachitschevanica
Ustilago arenariae-bryophyllae
 Bryopsis
Rhizophydium littoreum
 Cerastium
Entyloma tomlinii
Peronospora fontana
 Colobanthus
Acrodontium antarcticum
Chalara antarctica
Laetinaevia colobanthi
Phialophora dancoi
 Dianthus
Sorosporium dianthi-superbi
 Lychnis
Aecidium lychnidis
 Melandrium
Puccinia melandrii
 Minuartia
Leptosphaeria styriaca
Mycosphaerella minuartiae
Phaeosphaeria dennisiana
 Moehringia
Bremia moehringiae
 Silene
Acrospermum erikssonii
Nectriella silenes-acaulis
Pleospora uzbekistanica
Wentomyces alpivagus
 CASUARINACEAE
 Casuarina
Acumisporea phragmospora
Austroboletus eburneus
Austroboletus occidentalis
Bulbothrix australiensis
Dothidasteroma casuarinae
Flavoparmelia diffractaica
Helicomycetes casuarinae
Lentinus tigrinoides
Microglomus paxillus
Mycena neuhoffii forma *casuarinae*
Neocosmospora arxii
Opegrapha bengalensis
Panus vetustus
Phellinus kawakamii
Sirobasidium intermediae
Sporidesmium casuarinae
Tyromyces multipapillatus

CELASTRACEAE

Celastrum

- Microsphaera celastri*
- Passalora indica*
- Phoma celastri*

Elaeodendron

- Leptospora elaeodendri*
- Stenella elaeodendri*

Euonymus

- Microsphaera mayumi*
- Microsphaera pusilla*
- Septogloeum japonicum*
- Stagonospora euonymicola*

Gymnosporia

- Buellia afghanica*
- Kuehneola ramacharii*

Maytenus

- Oidium robustum*

Salacia

- Elateraeicum natalense*

CHENOPODIACEAE

Beta

- Bremia betae*
- Crinipellis schevchenkoi*

Chenopodium

- Phoma ambrosioidis*
- Phoma heteromorphospora*

Climacoptera

- Camarosporium desertorum*

Eurotia

- Camarosporium eurotiae*
- Coniothyrium eurotiae*
- Leveillula cylindrospora*

Haloxylon

- Camarosporium palezkii*
- Coniothyrium haloxyl*
- Crepidotus haloxyl*
- Uromyces sydowii*

Horaninovia

- Guignardia horaninoviae*

Kalidium

- Coniothyrium kalidii*

Noaea

- Camarosporium noaeae*
- Diplodia noaeae*

Salicornia

- Camarosporium palliatum*

Salsola

- Coniothyrium salsolae*
- Cucurbitaria transcaspica*
- Septoria salsolae*
- Stegosporium salsolae*
- Trematosphaeria salsolae*

Suaeda

- Cryptovalsa suaedicola*

CHRYSOBALANACEAE

- Hohenbuehelia campinaranae*
- Meliola chrysobalanacearum*

CISTACEAE

- Armillariella viridiflava*

Cissus

- Haplosporella cissi*

Cistus

- Cetraria iberica*
- Colloderma macrotubulatum*
- Cortinarius bulbosovolatus*

*Cortinarius cistophilus**Cortinarius contui**Cortinarius parvostratus**Cortinarius sabulicola**Cortinarius xerophilus**Entoloma cistophilum**Hebeloma erumpens**Hebeloma truncatum* var. *pruinoseum**Hygrophorus pseudodiscoideus* var. *cistophilus**Melanoleuca heterocystidiosa* var. *cistorum**Russula cistoadelpha**Russula cistoadelpha* forma *pseudounicolor**Russula monspeliensis**Russula rhodomarginata**Septoria cistina**Septoria margaritae**Helianthemum**Inocybe nitidiuscula* forma *ampullacea*

CLEOMACEAE

Cleome

Leveillula cleomis

CLETHRACEAE

Clethra

Microsphaera clethrae

COMBRETACEAE

Anogeissus

*Acanthophiobolus anogeissi**Asterina anogeissi*

Combretum

*Amazonia henryi**Asterina combreti* var. *cylindrica*

Conocarpus

*Endothiella coccolobii**Pseudocercospora afgoiensis*

Laguncularia

Belizeana tuberculata

Terminalia

*Apiognomonina terminaliae**Auerswaldiella parvispora**Coniella macrospora**Gloniella terminaliae**Hypocrea radhanagarensis**Korunomyces terminaliae**Meliola buchenaviae* var. *terminaliae**Pseudocercospora combretacearum**Pseudocercospora combreti**Thaxterina multispora*

COMMELINACEAE

Amisotolotype

Pseudocercospora forrestiae

Commelina

Ustilago rwardensis

Pollia

Pseudocercospora polliae

COMPOSITAE

*Chardoniella acuta**Crocicreas basiacuminatum**Crocicreas helios* var. *parahelios**Crocicreas rufescens**Crocicreas septemseptatum**Crocicreas triseptatum**Puccinia crassocephali**Achillea*

- Leptosphaeria nanae*
Leptosphaeria staritzii
Achyrophorus
Aecidium achyrophori
Adenostemma
Asterina adenostemmatidis
Adenostyles
Pirottaea adenostylidis
Ageratina
Entyloma ageratinae
Agoseris
Puccinia agoseridis
Ambrosia
Glomus trimurales
Puccinia xanthii forma specialis
ambrosiae-trifidae
Anaphalis
Uromyces langtangensis
Antennaria
Entyloma antennariae
Arctotheca
Entyloma arctothecae
Artemisia
Allophylaria soederholmii
Belonidium lizonii
Coniothyrium artemisiae
Cyathicula alpina
Hysteropatella oregana
Lambertella subrenispora
Leptosphaeria hispanica
Mollisia brevispila forma *artemisiae*
Neotestudina diplodioides
Oothia artemisiae
Pirottaea absinthiicola
Puccinia artemisiae-afrae
Aspilula
Aecidium aspilulae
Aster
Sphaerotheca fuliginea forma *asteris*
Asteriscus
Entyloma asterisci-maritimi
Atractylodes
Microsphaera itoana
Baccharis
Caloplaca calicioides
Lasiobelonium parksii
Baltimora
Thecaphora neomexicana
Bidens
Thecaphora denticulata
Blumea
Asterina blumeae
Pseudocercospora blumeae-balsamiferae
Boltonia
Macrophoma boltoniae
Phoma boltoniae
Cacalia
Coleosporium parvisporum
Catananche
Entyloma catananchis
Celmisia
Crocicreas hierachifolium
Crocicreas macrostipitatum
Centaurea
Belonidium procopii
Bremia lactucae forma specialis
centaureae
Erysiphe caucasica
Pirottaea intercedens
Chardinia
Leveillula compositarum forma
chardiniae
Chiliotrichum
Pseudomitula horakii
Chrysanthemum
Bremiella multififormis
Phoma tracheiphila forma specialis
chrysanthemi
Chrysothamnus
Erysiphe pseudosepulta
Xylopezia biseptata
Chuiraga
Cetrariastrum andense
Cicerbita
Erysiphe mayorii var. *cicerbitae*
Cineraria
Sphaerotheca fuliginea forma *cinerariae*
Cirsium
Bremia lactucae forma specialis *cirsii*
Erysiphe mayorii var. *japonica*
Macrosporium cirsicola
Nectriella muelleri
Pirottaea imbricata
Psathyrella almerensis
Pyrenopeziza granulosa
Cnicus
Erysiphe cichoracearum forma *cnici*
Conyza
Pseudocercospora conyzae
Cousinia
Pyrenophora kugitangi
Crassocephalum
Sclerocystis taiwanensis
Cremanthodium
Puccinia cremanthodii
Crepis
Bremia lactucae forma specialis *crepidis*
Uromyces crepidis-fraasii
Cyclachaena
Sphaerotheca fuliginea
Cynotus
Synchytrium urginiae
Dendrosenecio
Arcyria afroalpina
Perichaena areolata
Diplostephium
Everniastrum planum
Everniastrum planum
Echinops
Erysiphe echinopsis
Eclipta
Puccinia ecliptae
Elephantopus
Kameshwaromyces globosus
Erigeron
Puccinia erigerontis-clongati
Espeletia
Crocicreas espeletiarum
Hohenbuehelia espeletiae
Sphaerobasidioscypha oberwinkleri
Eupatorium

Asterina eupatorii
Botryosporium sholayarense
Chardonella capitata
Cionothrix basicrassa
Leptosphaeria jacksonii
Meliola eupatorii
Puccinosira arthurii
Puccinosira cumminsiana
Gaillardia
Entyloma gaillardianum
Galatella
Erysiphe moroczkovskii
Galinsoga
Plasmopara yunnanensis
Sphaerotheca fuliginea var. *galinsogae*
Gnaphalium
Leptosphaeria galiorum var. *gnaphaliana*
Haplocarpha
Aecidium haplocarphae
Helianthia
Ramularia helminthiae
Helianthus
Alternaria helianthinificiens
Alternaria protenta
Ascochyta helianthi
Aspergillus subunguis
Diaporthe helianthi
Erysiphe cichoracearum var. *latispora*
Penicillium yugoslavicum
Phaeoramularia helianthi
Phoma helianthi
Phomopsis helianthi
Sphaerotheca fuliginea forma *helianthi*
Helichrysum
Aecidium echuyaense
Erysiphe helichrysi
Leveillula helichrysi
Heliopsis
Thecaphora heliopsidis
Heteropappus
Ramularia heteropappi
Hieracium
Bremia lactucae forma specialis *hieracii*
Comoclathris cichoriacearum
Karelinia
Guignardia kareliniae
Lactuca
Coniothyrium lactucae
Leveillula lactucarum
Plasmopara lactucae-radidis
Puccinia maculosa var. *lactucae*
Lapsana
Bremia lactucae forma specialis *lapsanae*
Leibnitzia
Bremia leibnitziae
Leontodon
Bremia lactucae forma specialis *leontodi*
Lepidolopha
Amphisphaeria lepidolophae
Ophiobolus lepidolophae
Rosellinia lepidolophae
Selenophoma lepidolophae
Leucanthemum
Puccinia leucanthemi-kurilensis

Leuzea
Bremia lactucae forma specialis *centaureae*
Linosyris
Erysiphe moroczkovskii
Malacothrix
Dicaeoma nemoseridis
Scutellospora arenicola
Melampodium
Thecaphora hennenii
Thecaphora melampodii
Mikania
Pseudocercospora mikantiigena
Myriactis
Coleosporium zangmui
Pseudocercospora myriactidis
Myriopsis
Coleosporium myriopoidis
Nemoseris
Mycosphaerella nemoseridis
Olearia
Crocicreas ilicifolium
Septoria paradisi
Tandonella oleariae
Thaptospora atrobrunnea
Onopordum
Leveillula compositarum forma *onopordi*
Parthenium
Glomus deserticola
Oidium parthenii
Picris
Bremia lactucae forma specialis *picridis*
Pulicaria
Mollisia tenuispora
Saussurea
Puccinia ohsawaensis
Scorzonera
Puccinia scorzonerae-limnophilae
Senecio
Aecidium senecionis
Bremia lactucae forma specialis *senecionis*
Cerinomyces albosporus
Erysiphe cumminsiana
Leptosphaerulina senecionis
Pholiotina altoandina
Phoma sydowii
Puccinia medogensis
Serratula
Coleosporium serratulae
Solidago
Leptosphaeria noveboracensis
Plagiostoma solidaginis
Scutellospora weresubiae
Semimorula liquescens
Sonchus
Bremia lactucae forma specialis *sonchi*
Cercospora crassa forma *sonchi*
Entyloma sonchi
Staezelina
Puccinia phaeopappi var. *cretica*
Stevia
Alternaria steviae
Septoria steviae
Stoebe
Anzia afromontana

Streptorhamphus
 Ramularia nikitinii
 Synurus
 Uredo synuri
 Tagetes
 Pseudocercospora tagetis-erectae
 Tanacetum
 Erysiphe macrocarpa
 Taraxacum
 Bremia lactucae forma specialis *taraxaci*
 Candida floricola
 Entyloma taraxaci
 Thevenotia
 Leveillula simonianii
 Vernonia
 Oidium vernoniae
 Pseudocercospora vernoniacearum
 Wulffia
 Crocicreas gigantosporum
 Xanthium
 Lagenidium lundii
 Xeranthemum
 Erysiphe cichoracearum forma
 xeranthemi
 Zacintha
 Penicillium zacinthae
 Zinnia
 Diploospora zinniae
 Erysiphe cichoracearum var.
 transvaalensis
 Phyllosticta zinniae-lenearis
 CONIFERAE
 Acetabula purpurea
 Agaricus fuscovelatus
 Agaricus smithii
 Amanita junquillea var. *exannulata*
 Amanita umbrinolutea var. *fusco-*
 olivacea
 Amanitopsis subalpina
 Arcangiella parva
 Arthrographis lignicola
 Boletellus lignicola
 Boletellus squamosus
 Boletus rubrosanguineus
 Cantharellus cibarius var. *amethysteus*
 Cistellina auricolor
 Clitocybe alutaceotincta
 Clitocybe avellaneifolia
 Clitocybe badioferruginea
 Clitocybe epiphloeodica
 Clitocybe gibba var. *cernua*
 Clitocybe murina
 Clitocybe profundidisca
 Clitocybe pungens
 Clitocybe segeolens
 Clitocybe sinopica var. *rimosa*
 Clitopilus fuscogelatinosus
 Collybia egregis
 Corditubera romagnesii
 Cortinarius addamascenus
 Cortinarius adustorimosus
 Cortinarius aptecohaerens
 Cortinarius argenteocrinitus
 Cortinarius aspenensis
 Cortinarius aurator
 Cortinarius badioflammescens

Cortinarius brassicolens
Cortinarius caesiocyaneus var. *juranus*
Cortinarius caninoides var. *confertifolius*
Cortinarius coeruleolutescens
Cortinarius cylindricus
Cortinarius dissensio
Cortinarius evernius var. *fragrans*
Cortinarius gallairei
Cortinarius gymnopus
Cortinarius integerrimus
Cortinarius intentus
Cortinarius jubarinoides
Cortinarius lajeannei
Cortinarius latericiofocalis
Cortinarius marcellae
Cortinarius methecticus
Cortinarius nothoraphanoides
Cortinarius obscurefoliatus
Cortinarius odorifer var. *suborichalcea*
Cortinarius orasericeus
Cortinarius parafradulosus
Cortinarius perornatus
Cortinarius pseudocollinitus
Cortinarius pseudocompar
Cortinarius pyrrophaeus
Cortinarius redactus forma *fusipedoides*
Cortinarius saturatus forma *pallescens*
Cortinarius schedisus
Cortinarius sociatus
Cortinarius soricinegriseus
Cortinarius tumidipes
Cortinarius umbrinoclarius
Costantinella clavata
Cribraria enodis
Cuphophyllus grossulus var. *belleri*
Dacrymyces aquaticus
Dermoloma intermedium var.
 coniferarum
Diacheopsis spinosifila
Geopyxis rehmi
Hebeloma agglutinatum
Hebeloma angelosiense
Hebeloma bicoloratum
Hebeloma bicoloratum var. *coloradense*
Hebeloma boulderense
Hebeloma brunneodiscum
Hebeloma brunneomaculatum
Hebeloma cinereostipes
Hebeloma coniferarum
Hebeloma corrugatum
Hebeloma dissiliens
Hebeloma edurum
Hebeloma felleum
Hebeloma fragrans
Hebeloma fragrans var. *intermedium*
Hebeloma fuscostipes
Hebeloma glabrescens
Hebeloma griseocanum
Hebeloma griseovelatum
Hebeloma hesleri
Hebeloma immutabile
Hebeloma insigne
Hebeloma juneauense
Hebeloma kauffmanii
Hebeloma kelloggense
Hebeloma limacinum

Hebeloma luteobrunneum
Hebeloma mackinawense
Hebeloma marginatum var. *proximum*
Hebeloma marinum
Hebeloma mesophaeum var. *bifurcatum*
Hebeloma mesophaeum var. *castaneum*
Hebeloma mesophaeum var. *crassipes*
Hebeloma mesophaeum var. *imitatum*
Hebeloma mesophaeum var. *similissimum*
Hebeloma mesophaeum var. *subobscurum*
Hebeloma mesophaeum var. *velovinaceum*
Hebeloma ollaliense
Hebeloma oregonense var. *atrobrunneum*
Hebeloma pallescens
Hebeloma pallido-argillaceum
Hebeloma perfarinaceum
Hebeloma perigoense
Hebeloma perplexum
Hebeloma piceicola
Hebeloma praelatifolium
Hebeloma proximum
Hebeloma pseudofastabile
Hebeloma pseudomesophaeum
Hebeloma pseudostrophosum
Hebeloma pungens
Hebeloma sanjuanense
Hebeloma stanleyense
Hebeloma subargillaceum
Hebeloma subboreale
Hebeloma subcapitatum
Hebeloma sublamellatum
Hebeloma subrimosum
Hebeloma subrubescens
Hebeloma subsaccharioides
Hebeloma substrophosum
Hebeloma subumbrinum
Hebeloma subviolaceum
Hebeloma trinidadense
Heimiella nigricans
Heterocephalacria solida
Hohenbuehelia pinacearum
Hydrocybe croceotinctus
Hydrocybe subconrescens
Hydrocybe aurantio-lutescens var. *parapersistens*
Hydrocybe venusta
Hygrophorus caeruleus
Hygrophorus perfumus
Hypogymnia heterophylla
Inocybe ampullaceocystidiata
Inocybe hemileuca
Inocybe hygrophoroides
Inocybe obscura var. *transiens*
Inocybe olivaceobrunnea
Inocybe submuricellata var. *stenosperma*
Isthmotricladia britannica
Lactarius cocosioides
Lactarius fragilis var. *rubidus*
Lactarius manzanitae
Lactarius wenquanensis
Lagenidium pygmaeum var. *pygmaeoides*

Lentinus lepideus forma *rufescens*
Lepiota ochraceosulfurea
Leucoagaricus ionidicolor
Lyophyllum caeruleosces
Lyophyllum furfurellum
Lyophyllum gracile
Lyophyllum gracile
Lyophyllum lubricum
Lyophyllum pallidum
Lyophyllum piceum
Lyophyllum scabrisporum
Lyophyllum stenoporum
Lyophyllum tenebrosus
Marasmiellus pluvius
Marasmiellus pusillimus
Marasmius applanatus
Mycena austropolygramma
Mycena egregia
Mycena epipterygia var. *brunneola*
Mycena indica
Mycena mauretana var. *apogama*
Mycenella rubropunctata
Omphalia asterospora forma *fusca*
Omphalina psammophila
Oropogon mexicanus
Pichia amylophila
Pichia mississippiensis
Porphyrellus formosanus
Psilocybe cyanofibrillosa
Psilocybe subaeruginascens var. *septentrionalis*
Ramaria glauco-aromatica
Ramaria gypsea
Repetobasidium americanum
Resinomycena montana
Rhodocybe speciosa
Roesleria radiceola
Russula mustelina var. *iodiolens*
Russula tyrrhenica forma *pseudotenella*
Russula viridirubrolimbata
Sistotrema adnatum
Sistotrema athelioides
Sistotrema binucleosporum
Sowerbyella densireticulata
Tricholoma arvernense var. *discolor*
Tricholoma arvernense var. *discolor*
Tricholoma focale var. *pseudocaligatum*
Tricholoma joachimii
Tricholoma joachimii
Tricholoma psammopus forma *bisporum*
Tricholoma pseudonictitans
Xerula japonica

CONNARACEAE

Connarus
Calosphaeria connaricarpa

CONVOLVULACEAE

Argyreia
Microcyclus argyriae
Phaeoisariopsis argyriae
Calystegia
Erysiphe convolvuli var. *calystegiae*
Convolvulus
Cylindrosporium transcaucasicum
Erysiphe convolvuli var. *dichotoma*
Leptosphaerulina convolvuli
Leptosphaerulina convolvuli

Phomopsis convolvuli
Stegonsporium tranzschelii
 Cuscuta
 Colletotrichum gloeosporioides forma
 specialis *cuscutae*
 Ipomoea
 Dischloridium cylindrosporum
 Phoma ipomoeae
 Phomopsis ipomoeae-batatas
 Jacquemontia
 Curvularia bannonii
 Phyllosticta jacquemontiicola
 Merremia
 Corynespora merremiae
 Mycovellosiella merremiae
 Porana
 Cercospora poranae
 Rivea
 Oidium riveae
 CORIARIACEAE
 Coriaria
 Erysiphe coriariicola
 CORNACEAE
 Cornus
 Amphinema arachispora
 Hyphoradulum conspicuum
 Mycosphaerella corni
 Phyllactinia corni
 Podosphaera corni
 Thyrostromella corni
 Griselinia
 Enterographa bartlettii
 Pseudocyphellaria murrayi
 Roccellinastrum epiphyllum
 Swida
 Cylindrosporium swidae
 CORYLACEAE
 Corylus
 Anguillospora coryli
 Arthopyrenia carneobrunneola
 Arthopyrenia ranunculosporea
 Arthopyrenia viridescens
 Cylindrosporium coryli
 Diderma subfloriforme
 Elaphomyces striatosporus
 Flagelloscypha merxmülleri
 Gautieria chengdensis
 Gloeocystidiellum porosellum
 Gnomonia californica
 Gnomonia pseudoamoena
 Hebeloma sordescens
 Inocybe huijsmanii
 Inocybe parvispora
 Inocybe pedemontana
 Microsphaera hommae
 Microsphaera variabilis
 Microsphaera verruculosa
 Morchella distans forma *longissima*
 Morchella distans forma *spathulata*
 Mycena pseudogibba
 Mycomicrothelia atlantica
 Mycomicrothelia confusa
 Phlebia viridessalebrosa
 Tricholoma scalpturatum var.
 nanosporea
 Tricholomopsis shulanensis

Vuilleminia coryli
Wuestneia xanthostroma var. *dearnessii*
 COSTACEAE
 Costus
 Bipolaris costina
 Phaeoisariopsis costi
 CRASSULACEAE
 Sedum
 Erysiphe sedi
 Erysiphe sedi
 CRUCIFERAE
 Arabis
 Erysiphe arabisidis
 Ramularia arabidicola
 Ustilago arabisidis-alpinae
 Armoracia
 Penicillium hirsutum var. *venetum*
 Brassica
 Alternaria ethzedia
 Bullera armeniaca
 Bullera armeniaca
 Bullera crocea
 Cylindrocladium avesticulatum var.
 microspora
 Encoelia mollisioides
 Lewia ethzedia
 Nematosporea sinicauda
 Volvariella brumalis
 Cardamine
 Rhombiella cardamines
 Ustilago cardamines
 Crambe
 Cercosporaella crambe
 Eruca
 Neocosmospora indica
 Lepidium
 Ascospora lepidii
 Lepidum
 Albugo lepidii
 Nasturtium
 Bullera crocea
 Neuroloma
 Mycosphaerella algida
 Petrocallis
 Arnaudiiella petrocallidis
 Rorippa
 Erysiphe rorippae
 CUCURBITACEAE
 Fusarium oxysporum forma *specialis*
 cucurbitacearum
 Actinostemma
 Erysiphe actinostemmatidis
 Pseudocercospora actinostemmatidis
 Benincasa
 Fusarium oxysporum forma *specialis*
 benincasae
 Citrullus
 Puccinia citrullina
 Coccinia
 Globuliroseum cocciniae
 Ctenolepis
 Puccinia ctenolepididis
 Cucumis
 Colletotrichum gloeosporioides
 Diaporthe melonis var. *brevistylispora*
 Erysiphe cucurbitacearum

Phomopsis brevistylospora
Phytophthora sinensis
Pythium cucumerinum
Cucurbita
Viennotidia spermosphaerici
Gymnopetalum
Pseudocercospora gymnopetali
Gymnostemma
Chrysocelis gymnostemmatidis
Megarrhiza
Phoma megarrhizae
Meloethria
Pseudocercospora meloethriae
Momordica
Fusarium oxysporum forma specialis
momordicae
Solena
Mycovellosiella solenae-heterophyllae
CUNONIACEAE
Weinmannia
Capnobotrys laterivecta
Cirrosporium novae-zelandiae
Crucellisporiopsis gelatinosa
Megalospora atrorubicans subsp.
australis
Stenocybe bartlettii
Sticta caliginosa
CUPRESSACEAE
Callitris
Parmotrema judithae
Punctelia nebulata
Chamaecyparis
Cetraria kurokawae
Chloroscypha seaveri forma *lawsoniana*
Cryptosporella thujina
Hemitrichia velutina
Hypoderma shimanense
Leptostroma shimanense
Licea rufocuprea
Morenoina chamaecyparidis
Cupressus
Agaricus boisseletii
Agaricus cupressicola
Agaricus rubronanus
Agaricus vinaceovirens
Calocybe hypoxantha var. *occidentalis*
Clitocybe femoralis
Cystoderma terreii var. *nogalesii*
Dimerella isidiigera
Diplodia pinea forma specialis *cupressi*
Flavoparmelia haywardiana
Gymnosporangium clavipes forma
specialis *cupressi*
Lepiota locquinii forma *rioussetae*
Lepiota thiersii
Macbrideola vesiculifera
Morchella guatemalensis
Tylopilus obscurus
Fitzroya
Arnaudiiella andina
Chloroscypha fitzroyae
Cladonia corniculata
Juniperis
Xylopezia biseptata
Juniperus
Cribraria confusa

Crustoderma sabinicum var. *disporum*
Dendrothele itihummensis
Echinostelium apitectum
Echinostelium brooksii
Echinostelium corynophorum
Echinostelium paucifilum
Entoloma juniperinum
Entoloma mougeotii var.
fuscomarginatum
Gymnosporangium gjaeri
Hydropus flocculinus
Hygrocybe lepida
Hyphoderma cryptocallimon
Hyphoderma sabinicum
Inocybe javorkae
Lactarius aquizonatus
Lecidella achristotera var. *juniperina*
Lepista juniperi
Licea nannengae
Macbrideola declinata
Macbrideola oblonga
Melanoleuca brunnea
Melittosporiella macrospora
Metacapnodium spongiosum
Mycena pura forma *roseobrunnescens*
Mycena ustalis
Omphalina fuliginea
Pertusaria paramerae
Pezizella junipericola
Protosporangium conicum
Puccinia juniperi
Quasiconcha reticulata
Repetobasidium americanum var.
bisporum
Rinodina mayrhoferi
Russula juniperina
Stemonaria rufipes
Trabrooksia applanata
Trametes junipericola
Trechispora kavinioides
Urceolella conspicua
Vararia parmastoi
Xenosperma murrillii
Libocedrus
Coccomyces libocedri
Destuntzia saylorii
Lophodermium kaikawakae
Pilgerodendros
Chloroscypha pilgerodendri
Thuja
Acaulospora polonica
Hohenbuehelia tsugophthora
Hypodermella occidentalis
Lethariella sinensis
Lindtneria thujatsugina
Lyophyllum candidum
Phyllosticta thujae
Pringsheimia thujina
Ramaria distinctissima var. *americana*
Resupinatus striatulus var. *prolificans*
Thujacorticium mirabile
Vararia hauerlevii
Vararia thujae
Widdingtonia
Parmotrema subhanningtonianum
Tubulicrinis ovalisporus

CYCADACEAE

Cycas

- Ascochyta cycadicola*
Leptosphaeria cycadis

CYCLANTHACEAE

- Flagelloscypha oblongispora*

CYPERACEAE

- Lachnum elongatisporum*

Carex

- Akenomyces costatus* var. *enigmaticus*
Anthracoidea curvulae
Anthracoidea foetidae
Anthracoidea humilis
Anthracoidea kukkonenii
Anthracoidea nepalensis
Anthracoidea pseudirregularis
Arthrimum globosum
Ascochyta caricis-hebridensis
Ascochyta caricis-ripariae
Ascochyta teretiuscula var. *caricicola*
Capronia hafellneri
Cintractia disciformis
Cintractia glareosa
Cintractia pannucea
Cistella lagenipilus
Cladosporium strumelloideum
Comoclathris pseudoverruculosa
Crotalia cintractiae-fischeri
Diadema cinctum
Diplonaevia davalliana
Diplonaevia immersa
Discocistella calyptrata
Farysia zeylanica
Gaeumannomyces caricis
Hansfordia caricis
Helotium cyphelloides
Hypoderma alpinum
Hysteropeziza pubescens
Hysteropeziza pusilla
Hysteropezizella diminuens var. *crystalophora*
Hysteropezizella holmii
Hysterostegiella crassomarginata
Keissleriella fusispora
Leptosphaerulina fontium
Leptosphaerulina olivaceogrisea
Massariosphaeria pusillispora
Microthyrium microscopicum subsp. *arctoalpinum*
Mollisia upsaliensis
Mollisia echinulifera
Morenoina fimbriata
Morenoina minuta
Morenoina paludosa
Mycena cariciphila
Myriosclerotinia sulcatula
Naeviella poeltiana
Naeviopsis caricis-brizoidis
Nimbya caricis
Obtectodiscus aquaticus
Phaeosphaeria alpestris
Phaeosphaeria canadensis
Phaeosphaeria crenata
Phaeosphaeria emilii
Phaeosphaeria exarata
Phaeosphaeria firmicola

- Phaeosphaeria glebosoverrucosa*
Phaeosphaeria lunata
Pholiotina caricicola
Phomatospora admontensis
Phomatospora striatigera
Pleospora baldensis
Pleospora penicillus var. *ambigua*
Puccinia biporosa
Puccinia caricina var. *bigelowii*
Puccinia caricis-fediae
Puccinia caricis-flabellatae
Puccinia caricis-lingii
Puccinia caricis-podogynae
Puccinia caricis-stipatae
Puccinia dioicae var. *micropuncta*
Puccinia kawakamiensis
Puccinia ohsawaensis
Puccinia petitiatae
Puccinia phaeospora
Puccinia pileatospora
Puccinia pulchella
Puccinia velutina
Scutumollisia lanceata
Septoria caricis-californiensis
Spilopodiella arxii
Taphrophila cornu-capreoli
Tiarosporellivora caricina
Trichonectria hyalocristata
Trichothyria nigro-annulata var. *papillosa*
Tubercinia rigida
Uredo caricis-confertae
Uredo montis-elgonensis
Wentomyces molarifer
Wettsteinina candida
Wettsteinina oreophila
Wettsteinina savilei
Wettsteinina triseptata
Wettsteinina waltraudiae
Zopfia caricis-firmae

Cladium

- Dasyscyphus imbecillis* var. *cladii*
Hyaloscypha cladii-marisci
Marasmius cornelii
Morenoina paludosa
Mycena culmigena

Cyperus

- Ascochyta cyperi-ochracei*
Brachysporium yamadatum
Cintractia limitata
Clasterosphaeria cyperi
Dactylaria higginsii var. *cyperi*
Guignardia cyperi
Neottiosporina cylindrica
Phaeoramularia cyperi
Puccinia cyperi-cristati
Puccinia morotoensis

Eriophorum

- Entoloma pusillum*
Hysteronaevia kobayashii
Fimbristylis
Chaetospermum indicum
Puccinia kangrikarpoensis

Fuirena

- Uredo fuirenae-strictae*

Gahnia

Coniochaeta angustispora
Lachnum gahniae
Lophodermium hauturuanum
Lophodermium inclusum
Marasmius rosulatus
Penicillium maclellananiae
Stenella gahniae
 Kobresia
 Wettsteinina kobresiae
 Kyllinga
 Puccinia mesobulbosae
 Sorosporium apparaoi
 Lepidosperma
 Coniella duckerae
 Rhynchospora
 Cintractia occulta
 Cintractia vesiculata
 Puccinia nabugaboensis
 Rikliella
 Thecaphora africana
 Schoenoplectus
 Albotricha miniata subsp. *schoenoplecti*
 Discocistella calyptrata
 Lachnum schoenoplecti
 Scirpus
 Cladoconidium articulatum
 Marasmius flavomerulinus
 Massariosphaeria adrianii
 Mycena riparia
 Naiadella fluitans
 Phaeosphaeria kukutae
 Phaeosphaeria michiganensis
 Phaeosphaeria tenuispora
 Phomatospora radegundensis
 Physoderma thirumalacharii
 Psathyrella basii
 Rimbachia paludosa
 Scleria
 Puccinia fukienensis
 Stenella scleriae
 Trichophorum
 Hysteronaevia cincturata
 Hysteronaevia stenosporea
 Uncinia
 Lophodermium unciniae
 CYRILLACEAE
 Purdiaea
 Meliola cyrillacearum
 DAPHNIPHYLLACEAE
 Daphniphyllum
 Anthracotheций vermiculare
 Cercospora daphniphylli
 DIAPENSIACEAE
 Diapensia
 Dothidotthia diapensiae
 DICHAPETALACEAE
 Tapura
 Asteridiella tapurae
 DILLENACEAE
 Asterina laevipodia
 Asterina stipitipodia
 Asterostomella stipitipodia
 Manginella oblongispora
 Vizella amazonica
 Davilla
 Stenella davillae

Dillenia
 Cylindrocarpon chiayiense
 Doliocarpus
 Asterostomella dilleniicola
 DIOSCOREACEAE
 Dioscorea
 Cercospora golaghatii
 Goplana australis
 Mycosphaerella papuana
 Stenella dioscoreicola
 Uredo spinulosa
 DIPSACACEAE
 Cephalaria
 Puccinia cephalariae
 Ustilago cephalariae
 DIPTEROCARPACEAE
 Balanocarpus
 Cryptophiale secunda
 Dipterocarpus
 Cryptophiale secunda
 Rigidoporus vinaceus
 Vararia alticola
 Hopea
 Cryptothecia culbersoniae
 Shorea
 Clavulina limosa
 Cryptophiale aristata
 Cryptophiale secunda
 Gloniella shoreae
 Loweporus corticicola
 Periconiella shoreae
 Pyrofomes tricolor var. *shoreicola*
 Riessia radiculata
 Riessiella clavata
 Riessiella cylindrica
 DUCKEODENDRACEAE
 Duceodendron
 Marasmiellus potassiovirens
 EBENACEAE
 Diospyros
 Ascochyta nagrajii
 Bovetia diospyri
 Hypoxylon diospyri
 Mucor inaequisporus forma *kaki*
 Pseudocercospora diospyri-erianthae
 Pseudocercospora diospyri-morrisianae
 Sarcinella diospyri
 Sarcinella gorakhpurensis
 Sirosporium suttonii
 Tripospermum variabile
 EHRETIACEAE
 Cordia
 Corynespora occidentalis
 Phaeoramularia cordiae
 Pseudocercospora cordiae
 Uredo mannanurensis
 Ehretia
 Phloeospora ehretiae
 Phyllachora ehretiae
 Phyllactinia ehretiae
 ELAEAGNACEAE
 Elaeagnus
 Ceraceopsora elaeagni
 Ceraceopsora elaeagni
 Eutypella elaeagni
 Hemibeltrania mitrata

Phomopsis arnoldiae
Stagonospora elaeagni
Steccherinum pseudochraceum
 Hippophaë
Epipolaeum hippophae
Flammulaster carpophilus var.
autochtonoides
Glomus halonatum
Inocybe heimii
Lepiota pseudohelveola var. *sabulosa*
 Shepherdia
Sphaerotheca shepherdiae
 ELAEOCARPACEAE
 Elaeocarpus
Aecidium elaeocarpi-tuberculati
Asterina elaeocarpi var. *ovalis*
Endothiella tropicalis
Lanzia ovispora
Nanoschema elaeocarpi
 EPACRIDACEAE
 Archeria
Lophodermium irregulare
 Dracophyllum
Lophodermium atrum
Lophodermium brunneolum
Lophodermium nigrofactum
Lophodermium rectangulare
Lophodermium tindalii
Meloderma dracophylli
Propolis dracophylli
 Epacris
Cladonia arbuscula subsp. *stictica*
 Richea
Chaenothecopsis tasmanica
 ERICACEAE
Coccomyces monticola
Russula galochroides
 Agauria
Cladonia pallens
 Andromeda
Coccomyces duplicarioides
Exobasidium sundstroemii
Lambertella langei
Mycosphaerella andromedae
Sphaerella andromedae
 Arbutus
Coccomyces arbutifolius
Marasmiellus californicus
Micromphale arbuticola
Russula galochroides
Tricholoma manzanitae
 Arctostaphylos
Cryptocline arctostaphyli
Domingoella arctostaphyli
Exobasidium sydowianum
Inocybe lanuginosa var. *alpina*
Leptosphaerulina alpina
Tricholoma manzanitae
 Bruckenthalia
Lembosia bruckenthaliae
 Calluna
Herpotrichiella callunae
Marasmiellus ornatus
 Cassiope
Encoeliopsis rhododendri var.
harrimanellae

Exobasidium hypogenum
Gibbera barriar
Microthyrium pamelae
 Cavendishia
Muriophacidium corticola
 Chamaedaphne
Exobasidium savilei
 Enkianthus
Phyllactinia enkianthi
 Erica
Calycellina ericae
Coelocaulon crespoeae
Fibricium multicystidium
Gibbera affra
Oidium ericinum
Pseudogymnoascus alpinus
Pseudoplectania ericae
Russula galochroides
 Gaultheria
Belemnospora fuliginea
Hebeloma pinetorum
Hypoderma gaultheriae
Lophodermium mangatepopense
Marasmius salalis
Phacidium lunatum
Phacidium sherwoodiae
 Gaylussacia
Monilia gaylussaciae
Monilinia gaylussaciae
 Ledum
Crocicreas labradoricum
Lachnum labradoricum
Phacidium grande
 Leucothoe
Cylindrocladium leucothoes
 Lyonia
Asteridiella lyoniae
 Oxyccoccus
Sphaeropezia oxycocci
 Philippia
Botryobasidium stigmatismorum
 Pieris
Erynia pieris
Exobasidium asebiae
Sphaerella andromedae
 Rhododendron
Anarhyma rhododendri
Anzina carneonivea var. *tetraspora*
Belemnospora verruculosa
Chrysomyxa qilianensis
Chrysomyxa stilbae
Clavaria raveneliana
Coccomyces radiatus
Cylindrocladium novae-zelandiae
Dactylospora rhododendri
Haglundia olivacea
Helicomyces macrofilamentosus
Herpotrichiella longispora
Hohenbuehelia geogenia var. *elassozoma*
Hyalopeziza rhododendricola
Lophodermium balaramii
Lophomerium ponticum
Marasmius epihododendron
Marasmius rhododendrorum
Microsphaera azaleae
Microsphaera izuensis

Mirandina yushanensis
Morenoina rhododendri
Mycena indica
Nagrajomyces dictyosporus
Panellus aureofactus
Pestalotiopsis arborei
Pezicula rhododendri
Phyllactinia rhododendri
Phyllosticta aurea
Protoventuria angustispora
Pterygosporopsis rhododendri
Pyxine himalayensis
Resinomyces brunnescens
Rhodocybella rhododendri
Russula minutula var. *robusta*
Seimatosporium rhododendri
Sporidesmium hourniense
Stenella rhododendri
Unguicularia longipilosa
Uredo rhododendri
Xanthoconium chattoogaense
Xanthoconium montanum
 Spherospermum
 Gibbera spherospermi
 Vaccinium
 Aureobasidium vaccinii
 Belonopsis myrtillina
 Candida vaccinii
 Chalara vaccinii
 Ciborinia hirsuta
 Clavaria oronoensis
 Colpoma styriacum
 Cortinarius odhinnii
 Cymatellopsis ilmiana
 Dwayalomella setulosa
 Elsinoë vaccinii
 Entoloma nausiosme
 Entoloma odoriferum forma *obscurum*
 Exobasidium arescens
 Exobasidium expansum
 Exobasidium juelianum
 Exobasidium pachysporum
 Exobasidium perenne
 Exobasidium rostrupii
 Exobasidium splendidum
 Gibbera pseudotthiella
 Helicoma vaccinii
 Laeticorticium efibulatum
 Microsphaera wallrothii
 Morenoina rhododendri
 Peniophora sphaerocystidiata
 Phyllosticta elongata
 Scytalidium vaccinii
 Synchronoblastia crypta
 Tricharia vezdae
 EUCOMMIAACEAE
 Eucommia
 Pseudocercospora eucommiae
 EUCRYPHIAEAE
 Eucryphia
 Apiotrichum eucryphiae
 Candida bertae var. *chiloensis*
 Candida bondarzewiae
 Candida coipomensis
 Menegazzia minuta
 Rhodotorula grinsbergsii

Schizoblastosporion chiloense
 EUPHORBIACEAE
 Asteridiella euphorbiacearum
 Eutypella nabagramensis
 Acalypha
 Didymium circumscissile
 Erysiphe sparsa
 Actinostemon
 Periconiella actinostemonis
 Alchornea
 Aecidium alchorneae-rugosae
 Aleurites
 Fusarium oxysporum forma *specialis*
 aleuritidis
 Pseudocercospora fudinga
 Andrachne
 Phoma andrachnidis
 Aporosa
 Asterina aporosa var. *cylindrica*
 Phyllachora shettyi
 Baliospermum
 Phomopsis baliospermi
 Bridelia
 Bhargavaella indica
 Mycovellosiella brideliae
 Pseudocercospora brideliicola
 Verrucispora brideliae
 Chrozophora
 Leveillula chrozophorae
 Codiaeum
 Dothiorella codiaeicola
 Phoma jaunpurensis
 Phoma mathurii
 Colliguaja
 Teratosphaeria dispersa
 Croton
 Alternaria crotonis
 Asteridiella crotonis
 Bipolaris crotonis
 Leptodothiella crotonicola
 Drypetes
 Corynespora camagueyensis
 Euphorbia
 Alternaria angustiovoidea
 Alternaria euphorbiicola
 Anthostoma euphorbiae
 Blastobotrys capitulata
 Candida euphorbiae
 Candida euphorbiiphila
 Candida meyeriae
 Euoidium euphorbiicola
 Gnomonia orientalis
 Gnomonia palustris
 Gnomoniella euphorbiae-verrucosae
 Hansenula euphorbiiphila
 Nectria euphorbiana
 Oidiopsis taurica forma *specialis*
 euphorbiacearum
 Phaeoramularia euphorbiae
 Phyllosticta euphorbiae-khandalensis
 Pichia euphorbiae
 Pichia kodamae
 Pichia meyeriae
 Pseudocercospora euphorbiae-piluliferae
 Puccinia levata
 Puccinia vitata

Sphaerotheca euphorbiae-hirtae
Uromyces dobremezii
Uromyces mongolicus
 Glochidion
Cercospora taihokuensis
Pseudocercospora giranensis
Veronaea gorakhpurensis
 Govania
Memnoniella leprosa
 Grossera
Opegrapha santessonii
 Gymnanthes
Phragmocephala elegans
 Hevea
Embellisia conoidea
Loweporus castaneus var. *grandis*
Sistotrema hamatum
 Homalanthus
Pseudocercospora homalanthi
 Jatrophae
Calospora jatrophae
Erysiphe euphorbiae
Erysiphe reddyana
Phyllosticta jatrophae-podagraceae
 Leptopus
Pholiotina altoandina
 Leucocroton
Meliola acunae
 Macaranga
Asteridiella macarangicola
 Mallotus
Elsinoë malloti
Erysiphe malloti
Erysiphe malloti
Sphaerotheca malloti
 Manihot
Corynespora heterospora
Curvularia unicolorospora
Glomus manihotis
Proboscispora manihotis
Ulocladium manihoticola
 Melanolepis
Pseudocercospora melanolepidis
 Mercurialis
Lepiota bickhamensis
Lepiota olivaceobrunnea
Pyrenopeziza mercurialisidis
 Neoboutonia
Physcia erumpens
 Pedilanthus
Phomopsis pedilanthi
 Phyllanthus
Asterina phyllanthicola
Capnodium phyllanthii
Microsphaera phyllanthi
 Putranjiva
Cercospora putranjivae
Phomopsis putranjivae
Pseudocercospora putranjivae
 Ricinus
Colletotrichum latium
 Sapium
Kylandria pluriseptata
Leptodontidium cubense
Paraceratocladium polysetosum
Parmotrema masonii

Sarcinella indica
 FABACEAE
 Tephrosia
Pseudocercospora tephrosiae
 FAGACEAE
Morchella rotunda var. *pallida*
Pleomassaria fagi
 Castanea
Amanita vaginata var. *elongata*
Arachnopeziza aranea forma *monilipila*
Articulophora variispora
Catinula japonica
Crustoderma carolinense
Crustoderma flavescens
Cryptodiaportha japonica
Cytospora ceratophora forma *minor*
Diderma rufostriatum
Didymosporium radiculicola
Endothiella parasitica
Fracchiacea intermedia
Gorgoniceps charnwoodensis
Hamatocanthoscypha tenuipila
Lachnellula viridiglaucula
Macrophoma castaneicola
Microsphaera americana
Physarum scoticum
Ramaria magnifica
Rosellinia britannica
Russula amoena forma *acystidiata*
Sistotrema hispanicum
Tricholoma roseoacervum
Tulasnella crenea
Xylaria galandii
 Castanopsis
Agaricus leptomeleagris
Agaricus novoguineensis
Amanita cokeri forma *roseotincta*
Amanita hamadae
Arcyria brunnea
Boletus citrifragrans
Coccomyces mucronatus
Denticularia hachijoensis
Dothidella castanopsidis
Microsalliota pseudoarginea
Nematostigma himalayanum
Simocybe fuscoconica
Xeromphalina javanica
 Cyclobalanopsis
Boletellus yunnanensis
Erysiphe gracilis
 Fagus
Agaricus floccipes
Anungitea rhabdospora
Arachnopeziza floriphila
Arcyria oerstedtioides
Arpinia fusispora
Arthonia anglica
Arthonia ligniariella
Bactrodesmiastrum obscurum
Belonidium subsulphureum
Boletus smotlachianus
Boletus torosus var. *xanthus*
Camposporium hyalinum
Candelariella faginea
Capitotricha fagiseda
Ceratospheeria fragilis

Chloridium carpaticum
Cirrenalia lignicola
Cistella tenuipilus
Clitocybe infumata forma *nana*
Collybia fagi
Corallofungus hatakeyamanus
Cortinarius acutoaltus
Cortinarius albolilascens
Cortinarius aleuriolens
Cortinarius anomalochrascens
Cortinarius basiroseus
Cortinarius caesiocinctus
Cortinarius calochrous var. *beneolens*
Cortinarius castaneoduracinus
Cortinarius cedretorum forma *xanthus*
Cortinarius cedretorum subsp. *elegantissimus*
Cortinarius citocyaneus
Cortinarius damascenus
Cortinarius danicus
Cortinarius dilutus subsp. *aspermus*
Cortinarius flavescentium
Cortinarius flexibilis
Cortinarius fluryi forma *ochraceobrunneus*
Cortinarius foligermatus
Cortinarius incarnatofocalis
Cortinarius incarnatofocalis
Cortinarius olidus var. *camptophyllus*
Cortinarius orbiculozonarius
Cortinarius perscitus
Cortinarius petroselinus var. *cedripilus*
Cortinarius phaeoruber
Cortinarius phylladus
Cortinarius rapaceus forma *major*
Cortinarius roseovariatus
Cortinarius saginus subsp. *grandisporus*
Cortinarius seponendus
Cortinarius sericeus var. *globovosporus*
Cortinarius subpurpurascens var. *alluticolor*
Cortinarius subpurpurascens var. *alluticolor*
Cortinarius viola
Cortinarius xanthophyllus forma *insignolens*
Dactylaria fragilis
Dasyscyphella calongei
Digitodochium rhodoleucum
Diplococcium parcum
Elaphocephala iocularis
Elaphomyces muricatus forma *fagicola*
Endophragmiella aseptata
Endophragmiella fagicola
Endophragmiella fatensis
Entoloma transvenosum
Exochalara imbricata
Fusarium phragmitis
Galera tenera forma *minor*
Galzinia forcipata
Gomphideus viscidus forma *giganteus*
Gomphidius viscidus forma *giganteus*
Hebeloma pyrophilum
Hebeloma sordescens
Helicodendron multiseptatum

Heliscina antennata
Heliscina campanulata
Hemitrichia rosea
Hemitrichia vesiculosa
Hygrocybe viola
Hygrophorus discoxanthus forma *fageticola*
Hymenoscyphus fibrillosus
Hymenoscyphus splendens
Hymenoscyphus tetraccladius
Hyphodontia quercina forma *coralloides*
Hypochnicium stratosum
Hypoxylon atropurpureum var. *brevistipitatum*
Incrupilella flexipila
Inocybe coelestium
Inocybe langei forma *bispora*
Inocybe stangliana
Inocybe substraminea
Inonotus hastifer
Japonogaster oohashianus
Lachnum impudicum
Lactarius blennius forma *alboidopallens*
Lactarius subruginosus
Lamproderma hieroglyphicum
Lamproderma nigricapillitium
Lepidoderma stipitatum
Lepiota gracilis forma *major*
Mycena laevigatoides
Myiocopron fagifolii
Pannoparmelia angustata var. *moniliformis*
Penicillium turolense
Peizella amyloideoexcipulata
Pholiota jahnii
Pholiota ochropallida
Pleurotellus sinuosus
Pluteus exilis var. *austriacus*
Pluteus insidiosus
Pluteus umbrosus var. *albus*
Podofomes pyrenaicus
Podofomes pyrenaicus
Polyscytalum fagicola
Psathyrella bernhardii
Psathyrella ivoensis
Psathyrella phegophila
Psathyrella pseudogordonii
Psathyrella twickelensis
Psathyrella vyrrwyensis
Pyrenula confederata
Pyrenula plittii
Ramaria sesiana
Rinodina euskadiensis
Rinodina griseosoralifera
Rosellinia helvetica
Russula cyanoxantha forma *atroviolacea*
Russula heterophylla forma *adusta*
Russula livescens var. *depauperata*
Russula salmoneolutea
Russula taeniospora
Scutosciapha fagi
Spadicesporium acrosporium-majus
Spadicesporium bifurcatum
Sporidesmium britannicum
Squamania cottoiana
Tapesia rivularis

Taphrina fagicola
Tricholoma marquettense
Tricholoma spermaticum forma
umbonatum
Tricholoma subaureum
Tricholoma umbonatum
Trichothecium excentricum
Tricladium angustum
Tricladium robustum
Tuber regianum
Unguiculella fagina
Zakatoshia erikssonii

Lithocarpus

Agaricus leptomeleagris
Agaricus novoguineensis
Auerswaldiella lithocarpicola
Boletus squamulistipes
Destuntzia fusca
Marasmiellus californicus
Meliola cyclobalanopsina var.
globopodia
Meliola lithocarpina var. *mengyangensis*
Micropsalliota pseudoarginea
Pluteus exilis

Nothofagus

Acrophragmis laevispora
Agaricus curanilahuensis
Agaricus nothofagorum
Agaricus valdiviae var. *saturatus*
Amanita grauiana
Amanita merxmulleri
Aphanocladium tomentosum
Apiotrichum nothofagi
Apiotrichum osvaldii
Astrosporina gibbosa
Astrosporina staurospora
Austrogaster novae-zelandiae
Austroomphaliaster nahuelbutensis
Bactrodesmiella novae-zelandiae
Biscogniauxia nothofagi
Boletus araucarianus
Boletus bresinskyanus
Boletus tasmanicus
Brigantiaea lobulata
Calicium cryptocroceum
Candida bertae
Candida castrensis
Candida llanquihuenensis
Candida osornensis
Candida petrohuensis
Candida railenensis
Capnobotrys atro-olivacea
Capnobotrys australis
Capsicumyces delicatus
Ceratocystis nothofagi
Ceratocystis valdiviana
Chaenotheca deludens
Chaenothecopsis brevipes
Chaenothecopsis haematopus
Chaenothecopsis nigra
Chaenothecopsis nigropedata
Chaenothecopsis sagenidii
Chaenothecopsis sanguinea
Chalara australis
Chalara brevicaulis
Chalara dualis

Clavaria redoleo-alii
Clavulina cristata var. *zealandica*
Clavulina septo-cystidiata
Clavulina subrugosa var. *tenuis*
Collybia maulensis
Collybia parvispora
Conocybe horakii
Cordana andinopatagonica
Cortinarius atrolazulinus
Cortinarius austroclaricolor subsp.
macrosporus
Cortinarius cauquenensis
Cortinarius coigue
Cortinarius contulmensis
Cortinarius curanilahuensis
Cortinarius gaudiosus
Cortinarius gayi
Cortinarius gnirre
Cortinarius hualo
Cortinarius interlectus
Cortinarius lebre
Cortinarius napivolvata
Cortinarius obvius
Cortinarius occentus
Cortinarius paguentus
Cortinarius pellin
Cortinarius peumo
Cortinarius pikrus
Cortinarius roblemaulicola
Cortinarius roblicola
Cortinarius surreptus
Cortinarius terebripes
Cortinarius thyonius
Cortinarius trongolensis
Cylindrocolla macrospora
Degelia durietzii
Dermocybe aurantiella
Dermocybe canaria
Dermocybe cardinalis
Dermocybe castaneodisca
Dermocybe cramesina
Dermocybe icterinoides
Dermocybe indotata
Dermocybe nahuelbutensis
Dermocybe olivaceonigra
Dermocybe purpurata
Dermocybe teresae
Dermocybe vinicolor
Discosphaerina nothofaginea
Entoloma pseudonothofagi
Fayodia fallax
Galerina nothofaginea
Gnomoniella nothofagi
Gymnopaxillus crubensis
Gymnopilus perisporius
Hygrocybe holoxantha
Hygrophorus nothofagi
Hymenogaster rubroniveus
Inocybe oehrensii
Janetia bacilliformis
Leioderma applanatum
Lentinellus singeri
Lepiota trongolei
Lepiotula calcarata
Leptographium valdivianum
Leptosporomyces luteofibrillosus

Lophodermium mahuianum
Lophodermium medium
Marasmius alliodoratisissimus
Marasmius cascadenis
Marasmius tasmaniensis
Megalospora kalbii
Menegazzia caliginosa
Menegazzia lucens
Menegazzia pulchra
Metus efflorescens
Microthecium ryvardeenianum
Mollisia cinerella var. *citrinoreflecta*
Multiclavula samuelsii
Mycena falsidica
Nephroma papillosum
Nephroma skottsbergii
Parmelia protosulcata
Paxillus boletinoides forma *olivascens*
Paxillus chilensis
Paxillus contulmensis
Phaeomarasmium affinis
Phaeomarasmium aureosimilis
Phaeomarasmium lanatulus
Phlyctella megalospora
Pleurocatena foliicola
Polyporus nigrocristatus
Porpoloma coyan
Proliferodiscus dingleyae
Pseudocyphellaria degelii
Pseudocyphellaria encoensis
Pseudocyphellaria fimbriata
Pseudocyphellaria gretae
Pseudocyphellaria lindsayi
Pseudocyphellaria nermula
Pseudocyphellaria santessonii
Pseudospiropes novae-zealandiae
Pseudospiropes variabilis
Psilolechia purpurascens
Pulvinotrichum album
Pycnoporus cinnabarinus var. *osorninus*
Ramaria aureorhiza
Ramaria basirobusta
Ramaria flavobrunnescens var. *asperospora*
Ramaria purpureopallida
Rhodophyllus garibaldii
Rhodophyllus imbecillis
Rhodophyllus plectus
Rhodotorula nothofagi
Rozites castanella
Rozites fusipes
Rozites gamundiae
Rozites meleagris
Rozites pallida
Rozites rugosiceps
Sagenidiopsis merrotsii
Simocybe disseminata
Simocybe fuscoconica
Simocybe phlebophora
Simocybe pruinata
Simocybe unica
Skeletocutis australis
Sphaerophorus notatus
Squamania squarulusa
Stephanopus vilchensis
Stereum magellanicum

Thaxterogaster archeuretus
Thaxterogaster cabrinii
Thaxterogaster dibaphoides
Trichocladium diversicoloratum
Tricholoma fallax
Tricholoma rauli
Tricholomopsis lignifracta
Tricholomopsis valdiviana
Tubulicrinis subfusiformis
Tyromyces venatus
Wawea fruticulosa
Xylaria theissenii var. *macrospora*
Quercus
Acaulospora splendida
Agaricus arorae
Agaricus cappelli
Agaricus summensis
Aithaloderma himalayanum
Amanita amici forma *bispora*
Amanita aminoalipatica
Amanita asteropus
Amanita bertaultii
Amanita protecta
Amanita pseudovaginata
Amanita radiata
Amanita sinicoflava
Amanita squarrosa
Amanita vaginata var. *alutaceovergens*
Anisomeridium tuckeri
Apiognomonium supraseptata
Arborispora palma
Arcyria margino-undulata
Armillariella affinis
Aspergillus ornatulus
Asteromassaria verruculosa
Bactridium subglandis
Bactrodesmium hebridense
Biscogniauxia maritima
Biscogniauxia querna
Boletellus elatus
Boletellus yunnanensis
Boletus aokii
Boletus generosus
Boletus heterodermus
Boletus permagnificus
Boletus poikilochromus
Boletus pseudoluridus
Boletus rhodopurpureus
Boletus rugoso-vinosus
Boletus smotlachianus
Botryohypochnus verrucisporus
Candida quercitrusa
Cazia flexiascus
Ceratocystis grandicarpa
Ceratocystis prolifera
Chaetomidium heterotrichum
Chaetomium microascoides
Chlamydomyces sympodialis
Clavariadelphus yunnanensis
Clitocybe californiensis
Clitocybe putrida
Coccomyces farlowii
Collybia distorta forma *acutoumbonata*
Collybia platypus
Collybia turpis
Coniochaeta alkalivirens

- Coniochaeta cruciata*
Coniothyrium chochrjakovii
Conostroma quercicola
Corallofungus hatakeyamanus
Cordana semaniae
Cortinarius acutibulbus
Cortinarius albocyaneus forma incurvus
Cortinarius albolilascens
Cortinarius auricilis
Cortinarius aurilicis
Cortinarius bulbolatens
Cortinarius catalaunicus
Cortinarius cervinoporphyreus
Cortinarius chevassutii
Cortinarius citocyaneus
Cortinarius codonoides
Cortinarius coeruleo-ochrascens
Cortinarius confirmatus
Cortinarius danicus
Cortinarius deceptivissimus forma duracinoides
Cortinarius flexibilis
Cortinarius fulgens subsp. candidecarnosus
Cortinarius gracilior var. meridionalis
Cortinarius herculoides
Cortinarius hesleri
Cortinarius infrastemmatum
Cortinarius lamprocreas
Cortinarius lanatus
Cortinarius leproleptopus
Cortinarius misermonitii
Cortinarius olidovolatus
Cortinarius orbiculozonarius
Cortinarius pedemirus
Cortinarius pedemirus
Cortinarius perscitus
Cortinarius phylladus
Cortinarius roberti-henrici
Cortinarius rufoconnatus
Cortinarius scaurocaninus
Cortinarius sefendens
Cortinarius sodagnitus var. parasuaveolens
Cortinarius spontescissus
Cortinarius subumbrinus
Cortinarius thallioruber
Cortinarius variebulbus
Cortinarius veraprilis
Cortinarius violaceovalens
Cortinarius xanthophyllus subsp. corsico-amethystinus
Cortinarius xanthosuavis
Cortinarius zosteroides
Coryneum quercinum
Crinipellis metuloidophora
Cuphocybe calospora
Cystopezizella cupulincola
Cystostereum australe
Dactylaria longispora
Dasyscyphella immutabilis
Dermatodothis quercicola
Destuntzia saylorii
Diachea aurantipes
Dictyochaeta antillana
Dictyochaeta menisporoides
Dictyochaeta querna
Dictyophora echinovolvata
Diderma rufum
Didymium clavodecus
Digitodesmium elegans
Elaphomyces muricatus forma quercicola
Endothiella japonica
Endothiella tropicalis
Enerthenema intermedium
Entoloma kitsii
Entoloma tjallingiorum
Erysiphe fagacearum
Erysiphe hiratae
Eupenicillium cryptum
Eutypa quercicola
Fomitopsis albomarginata var. pallida
Fuscoporia quercina
Galerina majalis
Galerina oligocalyptrata
Ganoderma tibetanum
Gloeocystidiellum marianum
Gloeocystidiellum sinuosum
Gnomonia kisslingii
Gnomonia quercus-borealis
Gnomonia quercus-gambellii
Gorgoniceps charnwoodensis
Gymnopilus longipes
Gymnopilus macrocheilocystidiatus
Gymnopilus pachycystis
Gymnopilus pleurocystidiatus
Gymnopilus subgeminellus
Gymnopilus subrufobrunneus
Gyromitra sichuanensis
Hebeloma bulbosum
Hebeloma flammuloides var. longiventriosopilis
Hebeloma mesophaeum var. crassipes
Hebeloma sordescens
Heimiella nigricans
Helicodendron cumbriense
Hemimycena guanacastensis
Hendersonula elschanii
Hirschioporus quercinus
Hohenbuehelia pilitomaculoides
Hormiactis ontariensis
Hyaloscypha cupularum
Hyaloscypha luteopallida
Hydopus chiriquiensis
Hygrophorus arbustivus var. quercetorum
Hygrophorus leucophaeo-ilicis
Hygrophorus nemoreus var. raphaneus
Hygrophorus quercuum
Hygrophorus roseodiscoideus
Hymenochaete senatoumbrina
Hyphoderma baculorubrense
Hypholoma xanthocephalum
Hypocenomyce stoechadiana
Hypoxylon aeneum var. aureoluteum
Hypoxylon cohaerens var. microsporum
Hypoxylon hypomiltum var. microsporum
Hysterangium epiroticum
Inocybe brevicystis
Inocybe chrysocephala

Inocybe derbschii
Inocybe menthi-gustans
Inocybe mytiliodora
Inocybe notodryina
Inocybe pallidipes forma *flagellata*
Inocybe parvispora
Inocybe plocamophora
Inocybe pusio forma *elegans*
Inocybe pusio forma *velata*
Inocybe quercina
Inocybe rufotacta
Inonotus quercustris
Laccaria affinis forma *macrocytidiata*
Laccaria affinis var. *sardoa*
Laccaria gomezii
Laccaria laccata var. *pruinosisipes*
Laccaria vinaceobrunnea
Lachnum nipponicum
Lactarius costaricensis
Lactarius guanacastensis
Lactarius mairei var. *ilicis*
Lactarius tesquorum var. *splendidus*
Lambertella guizhouensis
Lanzia moniliformis
Lasiosphaeria foliicola
Leccinum andinum
Lepidoderma crassipes
Lepiota baraliana
Lepiota gomezii
Libertiella quercicola
Lyophyllum incarnatobrunneum
Macbrideola ovoidea
Macowanites durangensis
Macroallantina coccifera
Marasmiellus ramealis var. *californicus*
Marasmius dauliporus
Marasmius decipiens
Marasmius guanacastensis
Marasmius quercophilus
Marasmius straminipes var. *fibulatus*
Marasmius submarginatus
Marasmius tibeticus
Marasmius truncorum var. *ramorum*
Marasmius wynnei forma *pachyphyllus*
Massariothea scotica
Melanogaster obovatisporus
Melanogaster shanxiensis
Melanoleuca mackleri
Melanomphalia leucocephala
Microsphaera alphitoides var. *chenii*
Microsphaera extensa var. *curta*
Mollisia olivaceo-cinerea
Mollisia sericeomarginata
Mollisia uncinata
Morchella guatemalensis
Mortierella pseudozygospora
Mycena gomezii
Mycena indica
Mycena pilosella
Mycena pura var. *mediterranea*
Naucoria decolorata
Neotremella guzmanii
Nolanea quadrospora
Ochrolechia isidiifera
Odontidium monfraguense
Omega coenobiticum

Omphalina violaceoviridis
Omphalotus mexicanus
Parapleurotheciopsis ilicina
Parmelaria subthomsonii
Parorbiliopsis minuta
Peniophora quercina subsp. *caucasica*
Peniophora reidii
Perenniporia phloiophila
Pertusaria hypothamnolica
Pertusaria ostiolata
Pertusaria paratuberculifera
Phaeocollybia oligopora
Phaeocollybia quercetorum
Phaeocollybia subarduennensis
Phaeotrichosphaeria britannica
Phellinus bicuspidatus
Phellinus erectus
Phellinus scleropileatus
Phialina plowrightii
Pholiota gummosa var. *obscurifusca*
Pholiota irazuensis
Phomatospora albomaculans
Phomatosporella albomaculans
Phyllachora quercus
Phylloporus centroamericanus
Phylloporus phaeoxanthus
Phylloporus phaeoxanthus var. *simplex*
Pichia hampshirensis
Plagiosphaera japonica
Podabrella albidia
Porina stoechadiana
Protounguicularia brevicapitata
Psathyrella fulvescens var. *dicrani*
Psathyrella globosivelata
Psathyrella kitsiana
Psathyrella twickelensis
Pseudaegerita matsushimae
Pseudombrophila fellneri
Pulveroboletus albobruinosus
Pyrenula texans
Pyriculariopsis pleuroconidiophora
Pyxidiophora spinulo-rostrata
Questieriella quercina
Ramalina crispans
Ramaria botrytoides var. *microspora*
Ramaria ephemeroderma
Ramaria hilaris
Ramaria linearis
Ramaria piedmontiana
Resupinatus lanatiechinatus
Resupinatus rasilis
Resupinatus stuntzii
Rhizomucor nainitalensis
Rhodocybe hispanica
Rinodina xanthophaea forma *isidiosa*
Rinodina xanthophaea forma *sorediosa*
Rozites colombiana
Russula amoena forma *acystidiata*
Russula austromontana
Russula brunneo-alba
Russula caucasensis
Russula costaricensis
Russula delicata var. *centroamericana*
Russula dryophila
Russula fragilis forma *viridilutea*
Russula gomezii

Russula helios
Russula juniperina
Russula juniperina var. *aurantio-purpurea*
Russula juniperina var. *pseudomaculata*
Russula larcino-affinis
Russula lividirosea var. *austropurpurea*
Russula mitissima
Russula nuragica
Russula occidentalis
Russula odorata var. *rutilans*
Russula pelargonica var. *citrinovirens*
Russula pluteoides
Russula prinophila
Russula psammophila
Russula pseudoaffinis
Russula pseudoimpolita
Russula pseudoimpolita
Russula quercus-oleoides
Russula semililacea
Russula taeniospora
Russula vassilievae
Russula vinosobrunnea var. *paraolivacea*
Russula viridirubrolimbata
Sarcinella quercina
Schismatomma quercicola
Schizothyrium dispersum
Scolecobasidium alabamense
Scytinostroma mediterraneense
Simocybe coniferarum var. *quercuum*
Simocybe quebecensis
Sistotrema resinicystidium
Solenia cinerea
Sporopachydermia quercuum
Steccherinum meridiochraceum
Stemphyliomma alabamensis
Strobilomyces dryophilus
Strobilomyces latirimosus
Strobilomyces seminudus
Sympodiella foliicola
Tephrophana platypoda
Thaxterogaster thiersii
Thelenella harrisii
Triadelphia hungarica
Tricholoma manzanitae
Tricholoma myomyces forma *argentatum*
Tricholoma roseoacervum
Tricholoma saponaceum forma *sacchariosum*
Tricholoma scalpturatum forma *meleagroides*
Tricholoma ustaloides var. *aurantioides*
Tricholoma ustaloides var. *aurantioides*
Tricladiopsis flagelliformis
Triglyphium alabamense
Tuber himalayense
Tylopilus argillaceus
Tylopilus castaneiceps
Tylopilus griseocarneus
Tylopilus guanacastensis
Tylopilus montanus
Tylopilus neofelleus forma *olivaceus*
Tylopilus obscurus
Tylopilus sanctaerosae
Uncinia pallidipilosa

Valseutypella multicollis
Vararia cremeovellanea
Veloporphyrillus pantoleucus
Woessia fusarioides
Wrightoporia cylindrospora
Xanthoconium chattoogaense
Xenasma parvisporum
Xerocomus ichnusanus
Xerocomus roseoalbidus
Xeromedulla quercicola
Xylaria galandii

Shiia

Endothiella tropicalis

FLACOURTIACEAE

Asterinema caseariae var. *amazonense*

Casearia

Cercoseptoria caseariae
Digitosarcinella caseariae
Fuligomyces macrosporus
Periconiella caseariae
Pithomyces divaricatus
Pseudocercospora samydacearum

Idesia

Uncinula idesiae

FLAGELLARIACEAE

Flagellaria

Pseudocercospora flagellariae

FLINDERSIACEAE

Chloroxylon

Stigmochora chloroxyli

FOUQUIERIACEAE

Fouquieria

Theleporus ajovalliensis

FUNGI

Arthonia gelidae
Bisporella nannfeldtii
Calonectria parasitica
Cladobotryum cubitense
Clitopilus daamsii
Cordana abramovii
Cortinarius norvegicus
Dichostereum orientale
Gerronema yalae
Gliocladium novae-zelandiae
Hypomyces triseptatus
Isariella candida
Leptoglossum lobatum var. *antarcticum*
Melaspilea canariensis
Myxozyma lipomycoides
Nectria albidopilosa
Nigropuncta rugulosa
Obtectodiscus nectrioides
Peristomialis paraparilis
Physarum miniatum
Sphaerostilbella novae-zelandiae
Sympodiophora polyporicola
Verticillium antillanum

Absidia

Syncephalis leadbeateri

Acrocordia

Skyttea acrocordiae

Acrogenotheca

Janetia capnophila

Aecidium

Cercospora leae-aecidiicola

Agaricus

- Aphanocladium araneorum* var. *sinense*
Aphanocladium dimorphum
Chrysosporium synchronum
Sibirina purpurea var. *asterophora*
Verticillium fungicola var. *aleophilum*
 Allantoparmelia
 Karschia alpicolae
 Alternaria
 Gonatobotrys africana
 Gonatobotrys pyriformis
 Amygdalaria
 Dactylospora amygdalariae
 Dactylospora purpurascens
 Anaptychia
 Nectriella santessonii
 Antrodia
 Capronia mycophila
 Aphanomyces
 Olpidiopsis endogena
 Apiospora
 Pringsheimia apiosporicola
 Appendiculella
 Stellospora appendiculellae
 Armatella
 Spiropes limoniformis
 Armillariella
 Dipodascus armillariae
 Arthonia
 Taeniolella christiansenii
 Arthothelium
 Arthonia cohabitans
 Ascocoryne
 Syzygospora sorana
 Ascodichaena
 Keissleriella bavarica
 Ascomycete
 Nectria parvipialis
 Sesquicillium pseudosetosum
 Aspicilia
 Caloplaca furax
 Caloplaca inconnexa var. *nesodes*
 Caloplaca interna
 Dactylospora aspicilicola
 Rinodina milvinodes
 Weddellomyces macrospora
 Asterina
 Dimerium asterinacearum
 Astraeus
 Xerocomus astraecolopsis
 Auricularia
 Bensingtonia ciliata
 Cladobotryum caribense
 Cladobotryum longiramosum
 Cladobotryum pinarense
 Diplospora fungicola
 Bioscypha
 Nectria discicola
 Boletaceae
 Hypomyces badius
 Hypomyces boletiphagus
 Hypomyces chlorinigenus
 Hypomyces microspermus
 Boletus
 Hypomyces melanochlorus
 Mycogone novae-zelandiae
 Botryobasidium
 Tulasnella intrusa
 Botryosphaeria
 Eudarluka biconica
 Eudarluka quinqueseptata
 Brigantiaea
 Buelliella pusilla
 Dactylospora frigida
 Dactylospora porphyrea
 Opegrapha brigantina
 Buellia
 Didymella epimelanostola
 Laeviomycetes fallaciosus
 Muellerella triseptata
 Skyttea buelliae
 Calicium
 Asterophoma mazaediicola
 Caloplaca
 Geltingia groenlandiae
 Lecania diplococca
 Phoma caloplacae
 Rinodina afghanica
 Verrucaria poeltiana
 Candelaria
 Hobsonia christiansenii
 Candelariella
 Tromera aurellae
 Cantharellus
 Entoloma pseudoparasiticum
 Ceratocystis
 Tremellina pyrenophila
 Cercospora
 Cladosporiella deightonii
 Chaetosphaeria
 Trichonectria horrida
 Chrysothrix
 Minutophoma chrysophthalmae
 Taeniolella chrysothricis
 Circinella
 Syncephalis heteriformis
 Cladonia
 Abrothallus cladoniae
 Epicladonia simplex
 Polycoccum cladoniae
 Protothelenella santessonii
 Scutula cladoniicola
 Cladosporium
 Caulochytrium protostelioides
 Verticillium villosum
 Clavaria
 Sibirina lutea
 Collybia
 Syzygospora norvegica
 Cordyceps
 Tolypocladium sinense
 Tolypocladium sinense
 Corioloopsis
 Sibirina corioloipsicola
 Coriolus
 Arnoldia clavispora
 Hypomyces villosus
 Corynelia
 Didymosphaeria coryneliae
 Craterellus
 Entoloma pseudoparasiticum
 Crinipellis
 Cladobotryum amazonense

Cronartium
 Phaeotheca fissurella
 Cucurbitaria
 Unguiculariopsis rehmi
 Dacrymyces
 Sebacina penetrans
 Diaporthe
 Nectriopsis septofusidiae
 Unguicella jamaicensis
 Diatrypaceae
 Deltosperma infundibuliforme
 Diploicia
 Skyttea cruciata
 Diplophlyctis
 Rozella diplophlyctidis
 Diploschistes
 Deichmannia verrucispora
 Lichenostigma rugosa
 Echinoplaca
 Choreospora tibellii
 Elaphomyces
 Cordyceps intermedia forma
 michinokuensis
 Cordyceps longisegmentis
 Cordyceps minazukiensis
 Cordyceps miomoteana
 Cordyceps virens
 Endocronartium
 Scopinella gallicola
 Erysiphe
 Acladium fimbriatum
 Dissoconium aciculare
 Euantennaria
 Janetia capnophila
 Evernia
 Everniicola flexispora
 Fomes
 Gliocladium comtus
 Fomitopsis
 Antrodiella citrinella
 Ophiostoma polyporicola
 Ganoderma
 Arnoldiomyces macrosporus
 Hypomyces pseudopolyporinus
 Tilakidium indicum
 Geoglossum
 Hypomyces mycogones
 Godronia
 Unguiculariopsis godroniicola
 Graphis
 Arthonia graphidicola
 Haematomma
 Roselliniella kalbii
 Helminthosporium
 Letendraea kamatii
 Hirneola
 Stephanoascus farinosus
 Hirschioporus
 Hypocrea ampulliformis
 Humaria
 Hypomyces stephanomatis
 Hymenelia
 Kalaallia reactiva
 Lecidea hymeneliicola
 Hymenochaete
 Phaeotrichosphaeria hymenochaeticola

Spadicoides carpatica
 Hypocenomyce
 Clypeococcum hypocenomyceae
 Hypocrella
 Nectriopsis macrocephichloe
 Hypoderma
 Sirostema pusilla
 Hypogymnia
 Acremonium pedatum
 Nectriella anisospora
 Hypoxylon
 Acanthostigmella brevispina
 Tremella menglunensis
 Icmadophila
 Stigmidium icmadophilae
 Irpex
 Botryobasidium subalbidum
 Itersonilia
 Rozella itersoniliae
 Kretzschmaria
 Nectriopsis epimycota
 Lachnellula
 Unguiculariopsis adirondacensis
 Lachnum
 Nectria discophila
 Lasiosphaeria
 Krieglsteinera lasiosphaeriae
 Lecania
 Phaeospora subantarctica
 Lecanora
 Lawalreea lecanorae
 Lecidea diexcipula
 Lecidella lecanoricola
 Lecidella vorax
 Phoma lecanorina
 Protoparmelia loricata
 Rhizocarpon destructans
 Rhizocarpon inimicum
 Lecidea
 Dactylospora australis
 Epilichen stellatus
 Opegrapha maligna
 Rhizocarpon narssaqense
 Sphaerellothecium abditum
 Lecidella
 Feltgeniomyces luxemburgensis
 Leotia
 Hypomyces leotiiicola
 Leptolegnia
 Woronina leptolegniae
 Lichen
 Nectria impariphialis
 Nectria sesquicillii
 Sesquicillium impariphiale
 Lophodermium
 Sirostema parvula
 Lycoperdon
 Typhula mycophaga
 Marasmius
 Hypocrea rhizophila
 Syzygospora marasmoidea
 Syzygospora subsolida
 Melanomma
 Bisporella iodocyaneascens
 Meliola
 Spiropes caribensis

- Micarea
 Skyttea viridis
 Mucor
 Walzia racemosa
 Mycobilimbria
 Lichenochora inconspicua
 Mycoblastus
 Skyttea gregaria
 Tremella lichenicola
 Myxarium
 Platygløea subabditæ
 Tulasnella danica
 Nectria
 Nectriopsis hyperbiota
 Nectriopsis lasiodermopsis
 Nectriopsis oxyspora
 Nectriopsis sibirica
 Nectriopsis sororicola
 Peristomialis leucocarpa
 Neottiospora
 Tiarosporellivora caricina
 Ochrolechia
 Echinothecium glabrum
 Phaeosporobolus alpinus
 Rhizocarpon lusitanicum var.
 ochrolechia
 Skyttea fusispora
 Omphalina
 Lichenopeltella minuta
 Stigmidium joergensenii
 Opegrapha
 Bispora lichenum
 Laeviomycetes opegraphae
 Oxydothis
 Nectriopsis epimyces
 Paraceratocladium
 Fuscophialis gigas
 Parmelia
 Abrothallus acetabuli
 Abrothallus acetabuli
 Abrothallus parmotrematis
 Dactylospora allantoidea
 Lichenopuccinia poeltii
 Parmeliella
 Capronia normandinae
 Peltigera
 Actinopeltis peltigericola
 Graphium aphthosae
 Hobsonia santessonii
 Karsteniomyces tuberculosus
 Lasiosphaeropsis salisburyi
 Leptosphaeria clarkii
 Micropeltopsis santessonii
 Nectriella ornamentata
 Paranectria superba
 Phaeospora peltigericola
 Ramularia peltigericola
 Trichoconis lichenicola
 Wentiomycetes peltigericola
 Peltula
 Xanthopsorella llimonae
 Pertusaria
 Rhizocarpon bryonithae
 Rhizocarpon vorax
 Taeniolella pertusariicola
 Phaeosphyscia
 Ascochyta santessonii
 Phallus
 Ceratopodium elegans
 Phellinus
 Cladobotryum odorum
 Sibirina nivea
 Sporothrix phellini
 Sympodiophora viridigrisea
 Phlyctochytrium
 Chytriomycetes reticulosporus
 Phyllachora
 Elletovera ochracea
 Physcia
 Lichenochora galligena
 Lichenochora polycoccoides
 Rosellinia pumila
 Phytophthora
 Microdochium fusarioides
 Pilophorus
 Arthonia obscurior
 Cercidospora cephalodiorum
 Piptoporus
 Dipodascus polyporicola
 Placopsis
 Clypeococcum placopsiophilum
 Pyrenidium hyalosporum
 Platismatia
 Tremella coppinsii
 Vouauiomyces santessonii
 Polyblastia
 Thelocarpon cyaneum
 Polypore
 Camarops flava
 Polyporus
 Hypomyces aurantius var. *microspora*
 Sibirina gamsii
 Poriaceae
 Cladobotryum soroaense
 Porina
 Nectriopsis porinicola
 Porpidia
 Lasiosphaeriopsis christiansenii
 Protoparmelia
 Dactylospora polyspora
 Pseudocyphellaria
 Nanostictis pseudocyphellariae
 Psora
 Caloplaca psoricida
 Psoromidium
 Polycoccum jamesii
 Pyrenomycete
 Deltosperma dimorphum
 Nectria brunneostriata
 Pyrgidium
 Chaenothecopsis rubina
 Pythium
 Chytriomycetes laevis
 Rozella longisporangia
 Pyxine
 Buelliella eximia
 Ramalina
 Lichenocodium reichlingii
 Scutula pleiospora
 Rhizidiomycetes
 Chytriomycetes rhizidiomycetis
 Rhizocarpon

Rhizocarpon fraticida
 Rhizoctonia
 Verticillium biguttatum
 Rhytisma
 Barbarosporina rhytismatis
 Rinodina
 Caloplaca rinodinae-albae
 Dactylospora rinodinicola
 Rinodina epimilvina
 Russula
 Nyctalis asterophora forma *major*
 Santessonia
 Dactylospora hafellneriana
 Schaereria
 Buellia miriquidica
 Schismatomma
 Arthonia invadens
 Sclerotinia
 Arthrocristula hyphenata
 Endophragmiella constricta
 Laterispora brevirama
 Sebacina
 Cladobotryum penicillatum
 Septoriella
 Unguiculariopsis robergei subsp.
 coelomyceticola
 Sistotrema
 Zakatoshia erikssonii
 Sordaria
 Caulochytrium protostelioides var.
 vulgare
 Sphaeriaceae
 Trichonectria rectipila
 Sporastatia
 Sphaerellothecium contextum
 Squamaria
 Pharcidia epicymatica var. *rubescens*
 Sphaeria cephalodiorum
 Sphaeria ventosa
 Stachybotrys
 Arxiomyces campanulatus
 Arxiomyces campanulatus
 Staurothecium
 Coniothyrium hyperparasiticum
 Stemonitis
 Acrodontium myxomyceticola
 Stereocaulon
 Geltingia stereocaulorum
 Opegrapha stereocaulicola
 Stereum
 Cylindrotrichum curvatum
 Helminthophora uniseptata
 Sibirina purpurea
 Stilbella stereicola
 Stysanus
 Echinobotryum rubrum
 Teloschistes
 Buellia teloschistis
 Tephromela
 Skyttea tephromelarum
 Thelotrema
 Arthonia thelotrematis
 Opegrapha brevis
 Opegrapha thelotrematis
 Toninia
 Skyttea refractiva

Trabutia
 Glutinoaggar fibulatus
 Trapeliopsis
 Phaeopyxis varia
 Taenioclella trapeliopses
 Tremella
 Trinacrium parvisporum
 Trichoglossum
 Hypomyces papulasporae
 Hypomyces papulasporae var.
 americanus
 Tryblidaria
 Micropyxis tryblidariae
 Tubaria
 Nectriopsis tubariicola
 Tubulicrinis
 Platyglea bispora
 Typhula
 Cylindrobasidium parasiticum
 Umbilicaria
 Phacopsis crustulosae
 Usnea
 Endococcus alpestris
 Lichenostigma maureri
 Phaeosporobolus usneae
 Verrucaria
 Didymosphaeria geminella
 Skyttea hawksworthii
 Skyttea spinosa
 Wawea
 Rhynchomeliola lichenicola
 Xylaria
 Hypocreopsis xylariicola
 Xylariaceae
 Cladobotryum campanisporum
 Zeus
 Nectria ganymede
 GENTIANACEAE
 Gentiana
 Ustilago nannfeldtii
 Venturia antherici var. *gentianae*
 Halenia
 Puccinia undulitunicata
 Tripterispermum
 Neocordyceps kohyasanensis
 GERANIACEAE
 Geranium
 Aspergillus subulatus
 Emericella subulata
 Erysiphe geraniacearum
 Gnomonia nantensis
 Gnomoniella microspora
 Gnomoniella vasarii
 Pirottaea paupercula
 Pirottaea pilosissima
 Polioma reniformis
 Puccinia fashamensis
 Puccinia geranii-polyanthis
 GESNERIACEAE
 Gesneria
 Pseudospiropes navicularis
 Trichothecium microvermisporum
 Saintpaulia
 Oidium saintpauliae
 GINKGOACEAE
 Ginkgo

*Hyperphyscia crocata**Physarum nigripodum*

GOODENIACEAE

Goodenia

Septoria goodeniicola

Scaevola

Glomus nanolumen

Selliera

Uromyces traucoensis

GRAMINEAE

*Acrodictys corniculata**Agaricus nivescens* var. *squarrosipes**Aphelaria lacerata**Belonidium tianschanicum**Belonium incurvatum**Bulbomollisia striata**Campanella inquilina**Candida pseudolambica**Ceratosporella fertilis**Cistella tuvensis**Conocybe mesospora* var. *subalpina**Coprinus austrofriesii**Daldinia graminis**Dasyyscyphus palearum* var. *niger**Diderma carneum* var. *album**Entoloma farinasprellum**Entoloma kallioi**Entoloma purpureomarginatum**Entoloma rhombisporum* var. *floccipes**Entoloma undatum* forma *longipes**Galerina detriticola**Gloiocephala culmicola**Glomus occultum**Hyaloscypha pusilla**Hymenoscyphus chloophilus**Incrupila kondarensis**Incrupila narynica**Kananascus verrucisporus**Koorchaloma jamaicense**Koorchaloma occidentale**Kylindria obesispora**Lachnum elongatisporum**Lactocollybia graminicola**Merostictis aciculisporea**Mollisia indica**Mycosphaerella minuartiae**Neurospora discreta**Omphalia subsericella**Panaeolina microsperma**Paraceratocladium silvestre**Periconia subramanianii**Peziza nivis**Phellinus uncinatus**Physarum urne**Psilachnum striatum**Puccinia hyderabadensis**Scutellospora biornata**Scutomollisia morvernensis**Scutomollisia pallide-ochracea**Sphaerulina polygonorum**Stephemberneria elegans**Tridentaria fertilis**Tubaria romagnesia**Veronaea elliptica*

Achnatherum

Puccinia achnatheri-inebriantis

Aeluropus

Coniothyrium aeluropodis

Agropyron

*Campanella europaea**Claviceps purpurea* var. *agropyri**Phaeosphaeria ovi**Ustilago turcomanica*

Agrostis

*Tubercinia tessellata**Uredo agrostidis-myrianthae*

Alopecurus

Entyloma nubilum

Ammophila

*Coprinus ammophilae**Cyathicula stipae* var. *ammophilae**Gigaspora erythra**Glomus globiferum**Glomus pustulatum**Hohenbuehelia culmicola**Hysteropezizella prahlana* var. *orcadensis**Inocybe heimii**Inocybe psammophila**Mycena chlorantha* forma *caespitosa**Nectriella exigua**Phaeosphaeria maritima**Psathyrella ammophila* forma *marginata**Scutellospora fulgida**Stropharia halophila*

Andropogon

*Collonema sorghi**Sphacelotheca furcata*

Andropterum

Sphacelotheca andropteri

Anthoxanthum

*Tubercinia roivainenii**Ustilago anthoxanthi*

Apluda

Phyllachora keralensis

Apochiton

Puccinia apochitonis

Arctagrostis

*Phaeosphaeria robusta**Wettsteinina arctica*

Aristida

*Coniothyrium aristidae**Sorosporium penuriasorus**Ustilago aristidarius*

Arthrostylidium

*Phialosporostilbe turbinata**Piricaudiopsis elegans*

Arundinaria

*Annelophora arundinariae**Bactrodesmium curvatum**Chaetendophragmia britannica**Corynespora tsurudai**Dactylaria arundica**Dischloridium keniense**Endophragmiella naromoruensis**Heteroconium arundicum**Hirudinaria arundinariae**Massarina alpina**Morenoina arundinariae**Morenoina websteri**Phaeotomasellia ruwenzorensis**Sporidesmium pseudobambusae*

- Arundinella
 Claviceps microspora
 Arundo
 Phaeosphaeria fautreyi
 Avena
 Candida sequanensis
 Sphaerographium avenaceum
 Avenella
 Unguicularia verna
 Bamboo
 Acrodactys malabarica
 Astrosphaeriella venezuelensis
 Chaetantromyopsis bambusae
 Gloeocorticium cinerascens
 Hadrotrichum bambusicola
 Koenia bambusae
 Koorchaloma bambusae
 Lisea australis var. *bambusae*
 Nectria laetidisca
 Nectria rubrostoma
 Nectriopsis microthecia
 Panellus ambiguus
 Panellus bambusarum
 Panellus bambusifavolus
 Panellus brunneifavolus
 Panellus parvulus
 Panellus pauciporus
 Panellus sublamelliformis
 Panellus sublevatus
 Parachnopeziza bambusae
 Parmotrema lambinonii
 Phellinus garuhapensis
 Pseudotrichia mamillata
 Pulveroboletus parvulus
 Sinosphaeria bambusicola
 Vialaea bambusae
 Wynnea macrospora
 Bambusa
 Acrodactys similis
 Alpakesa taiwanensis
 Apiospora setosa
 Apiospora tintinnabula
 Catenularia cuneiformis var. *minor*
 Catenularia hughesii
 Charomyces amphimelas
 Chloridium obclaviforme
 Clasterosporium bambusae
 Coprinus neotropicus
 Cyathus sichuanensis
 Dasyscyphus kumaonicus
 Dictyochaeta taiwanensis
 Edmundmasonia villosa
 Galerina bambusae
 Grammothele bambusicola
 Hypoxylon bambusae
 Mirandina flagelliformis
 Morriisiella indica
 Periconia viridis
 Phialea bambusae
 Pithomyces niger
 Pleurotus problematicus
 Polyporus flavus var. *orbicularis*
 Pseudocercospora bambusae
 Pseudoschizothyra thaungii
 Pseudospiropes bambusae
 Shrungabeeja vadirajensis
 Spadicoides verrucosa
 Sporidesmium bambusinum
 Tetraploa javanica
 Thaxteriellopsis bambusicola
 Tyromyces bambusicola
 Beckeropsis
 Ustilago beckeropsis
 Bouteloua
 Tilletia boutelouae
 Tilletia obscura-reticulata
 Brachypodium
 Scutomollisia fimbriomarginata
 Scutomollisia integromarginata
 Bromus
 Merostictis lundellii
 Ustilago bullata var. *bonariensis*
 Ustilago chubutensis
 Ustilago fueguina
 Calamagrostis
 Ophiosphaerella erikssonii
 Phaeosphaeria erikssonii
 Phaeosphaeria inclusa
 Phaeosphaeria pulchra
 Scutomollisia clavata
 Tubercinia calamagrostis
 Uredo calamagrostidis-emodensis
 Calamovilfa
 Glomus microaggregatum
 Cathestecum
 Ustilago convertere-sexualis
 Ustilago pueblaensis
 Chaetobromus
 Uromyces chaetobromi
 Chionochloa
 Chalara graminicola
 Periconiella liberatas
 Spadicoides sphaerosperma
 Chrysopogon
 Dactylifera australiensis
 Sporisorium chrysopogonis
 Chusquea
 Crocireas bambusicola
 Hohenbuehelia culmicola
 Hymenogaster rubroniveus
 Marasmiellus latispermus
 Melanotus dumontii
 Mycena contulmensis
 Phaeocollybia subarduennensis
 Underwoodia fuegiana var. *cabrinii*
 Cinna
 Phaeosphaeria cinnae
 Cortaderia
 Lophodermium rubrum
 Ustilago cortaderiae var. *araucana*
 Cymbopogon
 Arthrobotryum cymbopogonis
 Cordana martini
 Drechslera cymmartinii
 Pseudorobillarda aquatica
 Cynodon
 Bipolaris peregrinensis
 Cyphochlaena
 Puccinia cyphochlaenae
 Cyrtococcum
 Uredo cyrtococci
 Dactylis

- Lasiosphaeria dactylina*
Mollisiopsis lobkovicensis
Phaeosphaeria huronensis
Ustilago perrara
Dactyloctenium
Bipolaris clavata
Bipolaris dactyloctenii
Exserohilum minor
Exserohilum protrudens
Setosphaeria minor
Danthonia
Puccinia danthoniae
Dendrocalamus
Aristastoma indicum
Hypocrea dendrocalami
Metasphaeria dendrocalami
Phaeopolynema suttonii
Deschampsia
Chalara antarctica
Drechslera flavispora
Entyloma deschampsiae
Phaeosphaeria minima
Psilocistella deschampsiae
Sclerotinia antarctica
Scutomollisia contraria
Scutomollisia microspora
Scutomollisia papillata
Deyeuxia
Puccinia deyeuxiae-scabrescentis
Dichelachne
Puccinia rara
Digitaria
Puccinia digitariae-biformis
Puccinia digitariicola
Uredo digitariae-violascentis
Distichlis
Phyllachora nuttalliana
Echinochloa
Exserohilum echinochloae
Sphacelotheca almorae
Eleusine
Drechslera pluriseptata
Pyricularia grisea forma specialis eleusines
Elymandra
Uredo elymandrae
Elymus
Phaeosphaeria annulata
Phaeosphaeria mounceae
Septoria spraguei
Enneapogon
Puccinia enneapogonis
Puccinia uzbekistana
Eragrostiella
Drechslera eragrostiellae
Eragrostis
Bipolaris ovariicola
Cercospora eragrostidis
Drechslera bhawanii
Massariothea attenuata
Uredo eragrostidiphila
Uredo eragrostidis-capensis
Uromyces eragrostidicola
Eremopyrum
Septoria eremopyri
Eriochloa
Peronosclerospora globosa
Festuca
Acaulospora gedanensis
Acremonium coenophialum
Acremonium huerfanum
Acremonium starrii
Didymella antarctica
Drechslera frauensteinii
Entyloma lagerheimianum
Lachnum tenuipilosum
Scutellospora dipurpurescens
Uredo festucae-parviglumae
Habrochloa
Uromyces habrochloae
Heteropogon
Exserohilum heteropogonicola
Peronosclerospora heteropogonis
Uromyces obesus
Holcus
Acremonium typhinum
Drechslera holci
Entyloma holci
Hordeum
Penicillium aethiopicum
Pseudocercospora anguioides
Ramularia collo-cygni
Hyparrhenia
Puccinia aureocrassa
Puccinia estcourtensis
Puccinia hyparrheniiphila
Sphacelotheca hyparrheniae
Uredo collinae
Uromyces hyparrheniae
Uromyces hyparrheniicola
Imperata
Gibberella imperatae
Isachne
Claviceps panicoidearum
Ischaemum
Curvularia ischaemi
Ixophorus
Tilletia ixophori
Ustilago ixophori
Jardinea
Cintractia jardineae
Koeleria
Panaeolus obliquoporus
Lasiacis
Endocreas lasiacidis
Nectria lasiacidis
Sinosphaeria lasiacidis
Leersia
Chaetosticta leersiae
Lasiostemma leersiae
Uredo leersiae
Lolium
Acremonium lolii
Drechslera andersenii
Limonomyces roseipellis
Penicillium lolienae
Phoma pratorum
Melinis
Bipolaris melinidia
Melanotaenium majus var. melinidis
Microlaena
Cercospora microlaenae

- Microstegium
 Uredo microstegii
 Milium
 Tilletia milii-vernalis
 Miscanthus
 Cercospora miscanthi
 Ophiobolus miscanthi
 Pseudospiropes miscanthi
 Sporobolomyces falcatus
 Sporobolomyces miscanthi
 Sporobolomyces subroseus
 Sporobolomyces weijmanii
 Sporobolomyces yamatoanus
 Uredo miscanthi-floriduli
 Monocymbium
 Uromyces clignyioides
 Muhlenbergia
 Clypeostagonospora muhlenbergiae
 Phaeoseptoria festucae var.
 muhlenbergiae
 Phaeosphaeria guttulata
 Tilletia macrotuberculata
 Tilletia tuberculata
 Nardus
 Pleospora incerta
 Scutomollisia russea
 Nassella
 Tilletia boliviensis
 Nastus
 Phlebiella nasti
 Opizia
 Ustilago opiziicola
 Oplismenus
 Massarina oplismeni
 Uredo oplismeni-undulatifolii
 Oryza
 Bullera derxii
 Bullera intermedia
 Bullera megalospora
 Bullera pseudoalba
 Bullera variabilis
 Ceratobasidium oryzae-sativae
 Chithramia elegantissima
 Cladosporium coralloides
 Cochliobolus oryzae-sativae
 Coralloctostroma oryzae
 Exserohilum oryzae
 Exserohilum oryzicola
 Exserohilum oryzinum
 Fusarium moniliforme forma specialis
 oryzae-gigantis
 Kanancus koorchalomagnatus
 Neokellermania oryzae
 Penicillium toxicarium
 Periconia echinocloeae var. *microspora*
 Phomopsis oryzae-sativae
 Protoachlya oryzae
 Pseudocolus grandis
 Pyricularia grisea forma specialis *oryzae*
 Pyricularia oryzae forma specialis
 oryzae
 Sclerocystis pakistanica
 Sporobolomyces oryzicola
 Oryzopsis
 Dendroseptoria oryzopsidis
 Panicum
 Phaeoseptoria johnstonii
 Ustilago hypodytes
 Paspalum
 Exserohilum paspali
 Phoma paspali
 Pennisetum
 Cochliobolus zeae
 Cochliobolus zeae
 Fusarium napiforme
 Puccinia substriata var. *decrospora*
 Verrucalvus flavofaciens
 Pentameris
 Sphaerodothis arxii
 Pentaschistis
 Uromyces pentaschistidis
 Perotis
 Bipolaris perotidis
 Phalaris
 Morenoina phragmitis
 Phaeosphaeria parvograminis
 Puccinia sessilis forma specialis
 orchidacearum
 Puccinia sessilis forma specialis *narcissi-*
 orchidacearum
 Phleum
 Phaeosphaeria alpina
 Phaeosphaeria heptamera
 Phragmites
 Acanthobasidium phragmitis
 Astrosphaeriella africana
 Basramyces marinus
 Calocybe phragmitidis
 Calocybe phragmitidis
 Cirrenalia fusca
 Cytoplea orientalis
 Gigaspora reticulata
 Massariosphaeria autumnalis
 Morenoina phragmitis
 Neottiosporina clavata
 Phaeosphaeria phragmiticola
 Psathyrella almerensis
 Psathyrella basii
 Puccinia milovidoviae
 Puccinia phragmitis forma specialis
 polygoni-cuspidati
 Puccinia phragmitis forma specialis
 polygoni-thunbergii
 Puccinia phragmitis forma specialis
 rumicis-acetosae
 Puccinia phragmitis forma specialis
 rumicis-japonici
 Stegonsporium phragmitis
 Ustilago phragmites
 Phyllostachys
 Acanthodochium collodisculae
 Anthostomella sasae
 Aulographum emilii
 Berkleasium phyllostachydis
 Capnodium elongatum forma
 phyllostachydis
 Ceratospaeria phyllostachydis
 Ceratospaeria phyllostachydis
 Chaetopeltiopsis sasae
 Cladosporium multigeniculatum
 Cylindrocarpon bambusicola
 Cyphellophora taiwanensis

- Cytospora bambusae*
Diaporthe take
Dictyosporium triseriale
Endophallus yunnanensis
Exidiopsis punicea
Gloeosporium sphaerosporum
Irpicomycetes bambusicola
Leptosphaeria minoensis
Leptosphaeria phyllostachydis
Leptothyrium japonicum
Leuliusinia bambusicola
Marasmius shideiae
Melasmia phyllostachydis
Mirandina dactylelloides
Miyakeomyces bambusae
Mycosphaerella bambusae var.
phyllostachydis
Nectria phyllostachydis
Phyllachora phyllostachydis
Roussoella verruculosa
Solosympodiella phyllostachydis
Sporidesmium taiwanense
Stagonospora phyllostachydis
Stagonospora septorioides
Trimorphomyces papilionaceus
Tripaspermum chiayiense
- Poa
- Coniothyrium aeluropidis*
Diadema hexamerum
Entyloma poae
Lanzia caryopsicola
Neopalpates poae
Scutellospora arenicola
Scutobolium amorilens
Tilletia sabaudiae
Tilletia togwatei
Ustilago kairamoi
Wentomyces inconspicuus
Wettsteinina magnifica
- Polypogon
- Puccinia polypogonobia*
- Pseudechinolaena
- Puccinia pseudechinolaenae*
- Pseudosasa
- Amphisphaeria striatispora*
Dendrothele sasae
Hypochnicium pleurobasidium
Lasiotictella bambusae
Phillipsiella bambusae
- Rhynchelytrum
- Sporisorium rhynchelytri*
- Saccharum
- Acaulospora foveata*
Botryosporium hughesii
Coniothyrium saccharicola
Daldinia sacchari
Pachymetra chaunorhiza
Xylochia stegosporioides
- Sasa
- Anthostomella sasae*
Calonectria sasae
Cistella sasae
Dimerium sasae
Fusarium bambusicola
Glonium sasicola
Lachnella subiculosa
- Lachnum belonidioides*
Lachnum sasae
Sporobolomyces griseoflavus
Sporobolomyces inositophilus
Sporobolomyces naganoensis
Sporobolomyces sasicola
- Sasamorpha
- Puccinia suzutake*
- Secale
- Bipolaris secalis*
Bipolaris trititalis
Penicillium castellae
Penicillium cieglei
Penicillium mariaecrucis
Penicillium sajarovii
Penicillium smithii
Pseudocercospora herpotrichoides var.
aciformis
- Sesleria
- Lachnum radovii*
Phaeosphaeria oreochloae
- Setaria
- Neokellermania setariae*
Phaeoseptoria setariae
Phoma plurivora
Puccinia coimbatorensis
Septoria setariicola
Ustilago catherinae
- Sinoarundinaria
- Clavariadelphus yunnanensis*
Ramaria hilaris
Ramaria sino-conjunctipes
- Sorghum
- Bipolaris halepensis*
Colletotrichum graminicola var.
zonatum
Curvularia sorghina
Drechslera gedarensis
Exserohilum curvatum
Exserohilum sorghicola
Fusarium nygamai
Gibberella thapsina
Glomus callosum
Monascus pilosus
Phoma vulgaris
Saccardaea ciliata
Setosphaeria khartoumensis
Sporidesmium bifasciatum
- Spartina
- Phaeosphaeria gessneri*
Xylaria psamathos
- Sporobolus
- Bipolaris australis*
Bipolaris cylindrica
Cochliobolus ravenelii
Leptosphaerella eremophila
Uredo kabaleensis
Uredo sporoboli-pyramidalidis
Ustilago hypodytes
- Stenotaphrum
- Puccinia stenotaphricola*
- Stipa
- Acremonium chisosum*
- Styppeiochloa
- Sorosporium styppeiochloae*
- Sudia

Sphacelotheca suddiana
 Trachypogon
 Puccinia trachypogonicola
 Tilletia trachypogonis
 Tragus
 Ustilago tragica
 Tricholaena
 Sphacelotheca tricholaenae
 Trichopteryx
 Puccinia trichopterygicola
 Puccinia trichopterygiphila
 Uredo trichopterygis-dregeanae
 Tripogon
 Cochliobolus tripogonis
 Tripsacum
 Microdochium tripsaci
 Triraphis
 Puccinia triraphidis
 Trisetaria
 Ustilago merxmullerana
 Trisetum
 Diadema acutum
 Diadema obtusum
 Diadema tetramerum
 Drechslera triseti
 Phaeosphaeria padellana
 Puccinia lavrovii
 Ustilago triseti
 Triticale
 Penicillium aurantiogriseum var.
 melanoconidium
 Phaeoseptoria trititalina
 Phaeoseptoria vermiformis
 Triticum
 Acaulospora thomii
 Akenomyces costatus
 Alternaria infectoria
 Aspergillus nomius
 Bipolaris trititalis
 Bipolaris trititicola
 Bullera sinensis
 Candida delhiana
 Ceratobasidium cereale
 Cyphellophora vermispora
 Drechslera curvispora
 Drechslera patereae
 Drechslera trititicola
 Drechslera triticigrani
 Embellisia planifunda
 Embellisia tumida
 Gaeumannomyces incrustans
 Glomus albidum
 Leptoxylum gramineum
 Magnaporthe poae
 Magnaporthe rhizophila
 Phaeoramularia graminicola
 Phaeosphaeria avenaria forma *specialis*
 triticea
 Phoma americana
 Phomopsis tritici
 Pseudocercospora aestiva
 Pythium okanoganense
 Pyxidophora lundqvistii
 Raizadenia garhwalensis
 Selenophoma tritici
 Septoria emaculata

Stagonospora avenae forma *specialis*
 triticea
Tapesia yallundae
Ustilago jamalainenii
Volvariella brumalis
 Yushania
 Setocampanula taiwanensis
 Zea
 Aposphaeria zeae
 Aspergillus flavus var. *columnaris*
 Bipolaris zeae
 Chaetomium lawransamesii
 Cladosporium zeae
 Cochliobolus ellisii
 Colletotrichum zeae
 Didymosphaeria arxii
 Ectostroma maydis
 Glomus fistulosum
 Glomus fragilistratum
 Glomus leptotichum
 Heterosporium maydis
 Hyalothyridium maydis
 Leptoxylum zeae
 Marasmiellus paspali var. *americanus*
 Monographella maydis
 Peronosclerospora heteropogonis
 Phaeocytostroma plurivorum
 Phialophora zeicola
 Sporothrix rugulosa
 Stephanoascus rugulosus
 Zizania
 Pyrularia oryzae forma *specialis*
 zizaniae

GROSSULARIACEAE

Ribes

Cercospora saximontanensis
Godronia urniformis
Paradiplodia ribis
Venturia ribis

GUNNERACEAE

Gunnera

Nectriella guttulata

GUTTIFERAE

Meliola brevispora

Calophyllum

Alysidiopsis foliicola
Alysidium guttulatam
Bactrodesmium novageronense
Beltraniopsis ramosa
Corynespora calophylli
Dictyosporium micronesicum
Endothiella coccolobii
Idriella cubensis
Idriella rara
Idriella setiformis
Pseudospiropes pinarensis
Scolecobasidiella tropicalis
Thedgonia pulvinata
Thozetella havanensis
Zalerion longispiralis

Clusia

Bisseomyces havanensis
Cladosporium antillanum
Dactylaria havanensis
Dendrosporium candelabroides
Dischloridium tenuisporum

- Hygrocybe nouraguensis*
Pseudobeltrania havanensis
Pseudofusidium clusiae
Sporidesmium laxisporum
Cratoxylum
Asteridiella cratoxylicola
Hapalopilus rubescens
Eremocarpus
Erysiphe immersa
Garcinia
Sporidesmiella garciniae
Harungana
Pseudocercospora harunganae
Hypericum
Cetrariastrum andense
Everniastrum andense
Microsphaera hyperici
Scytinostroma crispulum
Ochrocarpos
Meliola ochrocarpi
Pentadesma
Stenella africana
Smithia
Synchytrium smithiae
Tovomita
Pleurotus favoloides
Vismia
Taeniolina deightonii
HALOCARPUS
Cocomyces longwoodicus
HELICONIACEAE
Heliconia
Cercospora heliconiae
Cylindrocladium spathiphylli forma
specialis heliconiae
HIPPOCASTANACEAE
Aesculus
Amanita inopinata
Bisporella aesculi
Gnomonia milleri
Hymenoscyphus angustisporus
Lanzia fibrilosa
Licea rugosa
Mollisia globulosa
Mycena corynephora
Russula himalayana
Russula mussooriensis
Sawadaea aesculi
HYDRANGEACEAE
Hydrangea
Erysiphe poeltii
Uncinula hydrangeae
Uncinula hydrangeae
Schizophragma
Aecidium schizophragmatis
HYDROCHARTIACEAE
Halophila
Sorosporium marinum
HYDROCOTYLACEAE
Centella
Puccinia centellae
Puccinia centellae-asiaticae
Hydrocotyle
Uromyces hydrocotylicola
HYDROPHYLLACEAE
Hydrophyllum
Erysiphe hydrophyllacearum
Phacelia
Urocystis phaceliae
HYMENOCARDIACEAE
Hymenocardia
Pseudocercospora hymenocardiae
ICACINACEAE
Gomphandra
Amazonia gomphandrae
Mappia
Trimmatostroma agarwalii
Mappianthus
Meliola mappianthicola
INSECTA
Amauroascus oblatum
Coccidioidictyon inconspicuum
Cordyceps alboperitheciata
Hirsutella illustris
Hirsutella pichilinguensis
Stigmatomyces matilei
Torrubiella colombiana
Abacetes
Laboulbenia anoplogeniei subsp. *abaceti*
Acrobasis
Paecilomyces breviramisus
Actocetor
Stigmatomyces rampinii
Acyrtosiphon
Erynia kondoiensis
Adoxophyes
Paecilomyces catenobliquus
Adoxophyles
Paecilomyces catenobliquus
Aedes
Coelomomyces arcellaneus
Coelomomyces borealis
Coelomomyces borealis var. *giganteus*
Coelomomyces dentalatus
Coelomomyces ponticulus
Coelomomyces psorophorae var.
halophilus
Coelomomyces psorophorae var.
tasmaniensis
Coelomomyces stegomyiae var.
chapmanii
Coelomomyces utahensis
Culicinomyces bisporalis
Entomophthora aquatica
Leptolegnia chapmanii
Aedomyia
Coelomomyces reticulatus var. *parvus*
Aethus
Polycephalomyces cylindrosporus
Agonum
Eucantharomyces fennoscandicus
Eucantharomyces ohbae
Laboulbenia malaysiana
Agriidae
Rhachomyces calypso
Agriotes
Entomophthora elateridiphaga
Aleocharinae
Dimorphomyces baliensis
Alissonotum
Metarhizium pingshaense
Allocapnia

- Capniomyces stellatus*
Genistelloides hibernus
Simuliomyces spica
 Amitermes
 Laboulbenia ghanaensis
 Amphix
 Laboulbenia amphicis
 Laboulbenia kurosae
 Laboulbenia pucallpae
 Anatrachis
 Laboulbenia anatrachidis
 Andinotrechus
 Laboulbenia meridensis
 Anillidius
 Laboulbenia taurica
 Anoglogenus
 Laboulbenia schulleri
 Anomala
 Cordyceps brongniartii
 Anopheles
 Coelomomyces africanus
 Coelomomyces azerbaijanicus
 Coelomomyces carolinianus
 Coelomomyces couchii
 Coelomomyces fasciatus
 Coelomomyces iliensis var. *indus*
 Coelomomyces iyengarii
 Coelomomyces orbicularis
 Coelomomyces reticulatus
 Coelomomyces rugosus
 Coelomomyces thailandensis
 Coelomomyces triangulatus
 Smittium morbosum
 Antocha
 Caudomyces japonicus
 Aparupa
 Laboulbenia deuvei
 Laboulbenia deuvei
 Aphaenogaster
 Aegeritella maroccana
 Aphis
 Zoophthora orientalis
 Apis
 Labyrinthula apis
 Aploderus
 Cantharomyces aploderi
 Arachnocampa
 Tolypocladium extinguens
 Arctiidae
 Beauveria velata
 Asteia
 Stigmatomyces asteiae
 Stigmatomyces asteiae
 Astenus
 Camptomyces europaeus
 Atheta
 Monoicomyces chosunensis
 Athyroglossa
 Stigmatomyces athyroglossae
 Axysta
 Stigmatomyces axystae
 Baetis
 Gauthieromyces microsporus
 Graminella microspora
 Bembidion
 Laboulbenia carelica
 Laboulbenia hastiana
 Laboulbenia luxurians subsp. *immaculata*
 Laboulbenia marvinii
 Laboulbenia murmanica
 Laboulbenia oxyglymmatis
 Laboulbenia protuberans
 Laboulbenia trochantericola
 Biphylus
 Hesperomyces biphylli
 Boreoheptagyia
 Smittium dimorphum
 Stachylina pedifer
 Brachycera
 Tarichium subpunctulatum
 Brachypterus
 Aphanandromyces audisioi
 Bradycellus
 Laboulbenia eubradycelli
 Broscosoma
 Laboulbenia broscosomae
 Byrrhinus
 Aporomyces byrrhini
 Caenolanguria
 Rickia sakaii
 Camponotus
 Cordyceps lloydii var. *binata*
 Hirsutella acerosa
 Carabidae
 Cordyceps carabidicola
 Cataglyphis
 Aegeritella roussillonensis
 Cecidomyiid
 Entomophthora israelensis
 Cecidomyiidae
 Entomophthora brevinucleata
 Cephalotes
 Cordyceps cucumispora
 Cordyceps kniphoioides
 Hirsutella ovalispora
 Hirsutella stilbelliformis
 Cercopidae
 Cordyceps atewensis
 Hirsutella atewensis
 Chalicodoma
 Ascosphaera osmophila
 Chironomidae
 Smittium cellaspora
 Stachylina magna
 Stachylina nana
 Chironomus
 Stachylina prolifica
 Chlaenius
 Eucantharomyces asiaticus
 Eucantharomyces koreanus
 Chrysomelidae
 Laboulbenia flabelliformis
 Cicada
 Cordyceps pseudolongissima
 Cicadetta
 Massospora cicadetae
 Cicadidae
 Cordyceps imagamiana
 Cordyceps kanzashiana
 Cordyceps pleuricapitata
 Cordyceps ramosopulvinata

- Clanis
 Cordyceps taishanensis
 Clidicus
 Sugiyamaemyces oroussetii
 Clivina
 Laboulbenia timurensis
 Peyritschiella formosana
 Coccidae
 Cordyceps yahagiana
 Torrubiella iriomoteana
 Torrubiella sphaerospora
 Torrubiella superficialis
 Coccinella
 Bullera alba var. *lactis*
 Cochlididae
 Cordyceps cochliidiicola
 Coleoptera
 Cordyceps annulata
 Cordyceps appendiculata
 Cordyceps asyuensis
 Cordyceps cantharelloides
 Cordyceps chichibuensis
 Cordyceps clavata
 Cordyceps coccidiocapitata
 Cordyceps cuboidea
 Cordyceps facis
 Cordyceps falcatoides
 Cordyceps ferruginosa
 Cordyceps formosana
 Cordyceps geniculata
 Cordyceps gracillima
 Cordyceps hirotaniana
 Cordyceps konnoana
 Cordyceps minutissima
 Cordyceps nanatakiensis
 Cordyceps nigripoda
 Cordyceps pseudoatrovirens
 Cordyceps roseostromata
 Cordyceps rubiginosoperitheciata
 Cordyceps rubiginosostipitata
 Cordyceps rubricapitata
 Cordyceps ryogamiensis
 Cordyceps uchiyamae
 Paecilomyces catenianulatus
 Paecilomyces catenianulatus
 Zoophthora crassitunicata
 Colpodes
 Laboulbenia lamottei
 Laboulbenia orghidanii
 Copromyza
 Fanniomyces copromyzae
 Coptotermes
 Termitaria longiphialidis
 Corticaria
 Acompsomyces parvus
 Creatonotus
 Erynia creatonoti
 Cricotopus
 Smittium longisporum
 Cryptochironomus
 Stachylina reflexa
 Cryptolaenus
 Hesperomyces papuanus
 Culex
 Coelomomyces arsenjevi
 Coelomomyces dubitskii
- Coelomomyces elegans*
 Coelomomyces iliensis var. *australis*
 Coelomomyces iliensis var. *irregularis*
 Coelomomyces iliensis var. *orientalis*
 Coelomomyces iliensis var. *striatus*
 Coelomomyces musprattii
 Coelomomyces orbiculostriatus
 Coelomomyces seriosstriatus
 Coelomomyces sulcatus
 Coelomomyces tuberculatus
 Curculionidae
 Laboulbenia curculionidicola
 Cyrtodiopsis
 Laboulbenia gratiellae
 Cyrtoma
 Laboulbenia cyrtomatis
 Laboulbenia matilei
 Laboulbenia tsacasi
 Dacnusa
 Erynia dacnusa
 Dendroctonus
 Candida melibiosophila
 Candida melibiosophila
 Ceratocystiopsis ranaculosa
 Chrysosporium filiforme
 Entomocorticium dendroctoni
 Pyxidiophora kimbroughii
 Diamesa
 Smittium alpinum
 Stachylina penetralis
 Dichaeta
 Stigmatomyces dictaetae
 Dioxyna
 Stigmatomyces autriquei
 Diptera
 Cordyceps discoideocapitata
 Cordyceps iriomoteana
 Cordyceps ovoideoperitheciata
 Cordyceps sakishimensis
 Cordyceps sclerotium
 Entomophaga domestica
 Entomophthora brevinucleata
 Entomophthora schizophorae
 Entomophthora trinucleata
 Hypocrea dipterobia
 Zoophthora lanceolata
 Dolichoderus
 Cordyceps cucumispora var. *dolichoderi*
 Cordyceps kniphofioides var. *dolichoderi*
 Cordyceps pseudolloydii
 Hirsutella ovalispora var. *dolichoderi*
 Hirsutella stilbelliformis var. *dolichoderi*
 Domene
 Laboulbenia moiwae
 Doryphora
 Laboulbenia durantonii
 Drunella
 Legeriomyces aenigmaticus
 Duvalius
 Rhachomyces maublancii
 Elateridae
 Cordyceps elateridicola
 Cordyceps purpureostromata
 Hirsutella rubripunctata
 Elliptera

Smittium tipulidarum
 Empis
Erynia ithacensis
 Encaustes
Laboulbenia encaustis
 Endytus
Rickia yoshii
 Eparchus
Dimeromyces eparchi
 Epeorus
Zygopolaris borealis
 Ephydra
Stigmatomyces bottnicus
 Epuraea
Rickia leonis
 Erinnidae
Cordyceps ithacensis
 Eriococcidae
Hirsutella sphaerospora
 Euborellia
Distolomyces euborelliae
 Eubrachium
Histeridomyces europaeus
 Eucamptognathus
Laboulbenia anosyana
 Eukiefferiella
Smittium ouselii
 Eunostus
Rhachomyces basilewskyi
 Euryscopa
Laboulbenia indohii
 Euteropnosia
Cordyceps polycephala
 Forficulidae
Erynia ellisiana
 Formica
Aegeritella tuberculata
Erynia formicae
 Formicidae
Cordyceps doiana
Cordyceps pilfera
 Formicomus
Dioicomyces borneensis
 Geomyza
Stigmatomyces geomyzae
 Gnampptogenys
Hirsutella stilbelliformis var.
gnampptogenys
 Gnypeta
Monoicomyces labiatus
 Goniadera
Laboulbenia arnaudii
 Gryllotalpa
Cordyceps koreana
 Gyrinus
Laboulbenia fennica
 Harpalus
Laboulbenia kwangjuensis
 Hebrus
Tavaresiella hebr
Triceromyces balazucii
Triceromyces hebr
 Hepialidae
Cordyceps hepialidicola
Paecilomyces gunnii
 Hepialus

Hirsutella sinensis
Metarhizium guizhouense
Paecilomyces hawkesii
Paecilomyces sinensis
Scytalidium hepiali
 Heteroptera
Entomophthora helvetica
 Homalium
Rickia huggertii
 Homoptera
Engyodontium geniculatum
 Hydroisotoma
Orchesellaria pelta
 Hydrometra
Triceromyces hydrometrae
 Hymenoptera
Cordyceps osuzumontana
 Iberotrechus
Laboulbenia cantabrica
 Idioscopus
Isaria tax
 Ingramia
Coelomomyces madagascariensis
 Ips
Ophiostoma cucullatum
 Kenodactylus
Rhachomyces kenodactyli
 Kosswigia
Laboulbenia vignae
 Laccophilus
Chitonomyces iriomotensis
 Lambdina
Entomophthora egressa
 Lasinus
Porophoromyces formosanus
 Lasioderma
Symbiotaphrina kochii
Symbiotaphrina kochii
 Lasius
Aegeritella tuberculata
 Lebia
Laboulbenia jovetae
 Leiochrinus
Dimeromyces kusamae
 Leioproctus
Ascosphaera scaccaria
 Leleupidia
Rhachomyces leleupidae
 Lepidoptera
Cordyceps alba
Cordyceps ampullacea
Cordyceps aurantia
Cordyceps bokyoenis
Cordyceps changpaishanensis
Cordyceps chichibuensis
Cordyceps cotopaxiana
Cordyceps fasciculatostromata
Cordyceps hiugensis
Cordyceps kusanagiensis
Cordyceps liangshanensis
Cordyceps ochraceostromata
Cordyceps outakiensis
Cordyceps pallidolivacea
Cordyceps ramosostipitata
Cordyceps rosea
Cordyceps rubrostromata

- Cordyceps shimaensis*
Cordyceps sulfurea
Sporotrichum formosanum
Leptophlebia
Bojamyces repens
Leptusa
Monoicomyces focarilei
Limnophora
Stigmatomyces matilei
Limonia
Entomophaga limoniae
Limosina
Stigmatomyces chthonicus
Stigmatomyces hackmanii
Stigmatomyces subterraneus
Lispinus
Blasticomyces denigratus
Rickia minutissima
Lochmaea
Erynia suturalis
Lordithon
Balazucia japonica
Rickia lordithonis
Rickia sakkae
Loeffleria
Laboulbenia loeffleriae
Lutrochus
Aporomyces lutrochi
Lymantria
Entomophaga maimaiga
Macroscytus
Majewska japonica
Macrotermes
Laboulbenia brignolii
Maecolaspis
Laboulbenia maecolaspidis
Malacosoma
Entomophthora crustosa
Mantidae
Cordyceps mantidicola
Maruina
Stachylina lotica
Mastotermes
Termitaria macrospora
Medythia
Rickia borneoensis
Megachile
Ascosphaera asterophora
Ascosphaera larvis
Ascosphaera pollenicola
Ascosphaera tenax
Ascosphaera variegata
Melanotus
Cordyceps shanxiensis
Mesovelia
Dioicomyces verruculosus
Dioicomyces yongboi
Triceromyces bififormis
Triceromyces bullatus
Mexaphaenops
Laboulbenia sbordonii
Micralymma
Rickia hyperborea
Micropedinus
Laboulbenia micropedini
Microtyphlus
Picardella catalaunica
Mimela
Cordyceps amazonica var. *neoamazonica*
Mochtherus
Laboulbenia mochtheri
Monacis
Cordyceps kniphosoides var. *monacidis*
Hirsutella stilbelliformis var. *monacidis*
Musca
Laboulbenia baerii
Myzus
Erynia anhuiensis
Nannoptilium
Rickia ptiliidarum
Nasonovia
Erynia neoaphidis
Neivamyrmex
Termitariopsis cavernosa
Nematocera
Entomophthora longispora
Nemouridae
Erynia plecopteri
Neotrechus
Laboulbenia kobilae
Nilaparvata
Metarhizium flavoviride var. *minus*
Nilio
Laboulbenia peruviana
Noctuidae
Cordyceps bifusispora
Notiobia
Laboulbenia rucujenna
Notiphila
Stigmatomyces inconstans
Notostira
Entomophthora helvetica
Ochthebius
Hydrophilomyces arcuatus
Ochthephilum
Corethromyces shazawae
Ochthera
Stigmatomyces manicatae
Stigmatomyces mantis
Odonata
Cordyceps odonatae
Odontotermes
Laboulbenia geminata
Termitomyces macrocarpus
Oodes
Laboulbenia oodiphila
Orestia
Laboulbenia biondii
Orotrechus
Rhachomyces orotrechorum
Rhachomyces venetianus
Orthocladus
Smittium coloradense
Smittium perforatum
Osmia
Ascosphaera parasitica
Osorius
Osoriomyces rhizophorus
Oxytelus
Monoicomyces oxyteli
Pagastia
Smittium gigasporum

Paharia
Massospora pahariae
 Paltothyreus
Tilachlidiopsis catenulata
Torrubiella pseudogibbellulae

Paraponera
Cordyceps kniphofioides var.
ponerinarum
Hirsutella stilbelliformis var.
ponerinarum

Parasitiformes
Tarichium tatricum

Pemphigus
Entomophthora terrestris
Erynia nouryi

Pentaneura
Couchia circumplexa

Perigona
Laboulbenia perigonae

Phasmomyrmex
Torrubiella formicarum

Philaenus
Zoophthora petchii

Philonthus
Dichomyces furcifer subsp. *subarcticus*
Dichomyces japonicus
Dimorphomyces acutus
Dimorphomyces rotundatus

Phloeocharis
Dipodomys phloeocharidis

Physemus
Aporomyces physemi

Phytalmia
Stigmatomyces macalpinei

Planetes
Laboulbenia sciakyi

Platydema
Dimeromyces platydematis

Pleonomus
Cordyceps shanxiensis

Plutella
Entomophthora blunckii

Polypedilum
Stachylina manicata

Polyrhachis
Hirsutella sporodochialis

Porotermes
Termitaria rhombicarpa

Prodrasterius
Laboulbenia baliensis

Prosimulium
Penella arctica

Proteinus
Euphoriomyces huggertii
Rickia proteini

Pseudobium
Corethromyces sardous

Pseudochironomus
Stachylina manicata

Pseudocolenis
Euphoriomyces sugiyamae

Pseudomesolestes
Laboulbenia monandra
Rhachomyces sciakyi

Pseudoplandria
Dimeromyces versicolor

Pseudorhichnoessa
Stigmatomyces tethidis

Pseudotrechus
Laboulbenia baetica

Psylliodes
Laboulbenia yurikoe

Ptenidium
Siemaszkoa fennica

Pterostichus
Laboulbenia kajanensis
Peyritschiella okumae

Quedius
Symplectomyces lapponicus
Symplectomyces rarus

Reduviidae
Cordyceps nigra

Reicheia
Laboulbenia reicheiae

Reticulitermes
Dimeromyces isopterus

Rhagio
Erynia ithacensis

Rhagonycha
Tarichium rhagonycharum

Rhynchotae
Torrubiella fusiformis

Saccharosydne
Hirsutella guyana

Sarcophaga
Erynia bullata

Sborodniella
Rhachomyces gratiellae

Scaptomyza
Pichia scaptomyzae

Scarabaeidae
Cordyceps elongatoperitheciata

Cordyceps nigra
Cordyceps obliquiordinata

Schizophora
Entomophthora schizophorae

Sciaridae
Entomophthora trinucleata

Selenophorus
Laboulbenia bordonii

Laboulbenia remex

Serviformica
Erynia myrmecophaga

Setacera
Stigmatomyces setacerae

Simulium
Harpella leptosa
Smittium pennelli

Sitodrepa
Symbiotaphrina buchneri

Sloanella
Laboulbenia inversa

Spaniocelyphus
Laboulbenia admirabilis

Laboulbenia admirabilis

Speagonum
Rhachomyces beronii

Sphaerosoma
Euphoriomyces rossii

Sphiracephala
Laboulbenia sphiracephalae

Staphylinidae

- Cordyceps staphylinidicola*
 Sternolophus
Zodiomyces odae
 Stevensius
Laboulbenia sinica
 Symphoromyia
Erynia ithacensis
 Tabanus
Entomophthora tabanivora
 Tachinidae
Strongwellsea oehrensiana
 Tachinus
Rickia tachini
 Tanytarsus
Stachylinia minuta
 Taridius
Eucantharomyces taridii
Eucantharomyces variabilis
 Technomyrmex
Stilbella dolichoderinarum
 Tectocus
Tarichium hyalinum
 Telephanus
Microsomyces telephani
 Tenuirostitermes
Cordycepioideus octosporus
 Thamiaraea
Monoicomyces yamamotoi
 Thaumaleidae
Harpellomyces eccentricus
 Tinophyllus
Stigmatomyces ligabuei
 Tipulidae
Erynia humberi
 Tomico
Leptographium wingfieldii
 Trechimorphus
Rhachomyces moorei
 Trialeurodes
Paecilomyces fumosoroseus var.
beijingensis
 Trichoprosopon
Coelomomyces lacunosus
 Uloma
Dimorphomyces flabellatus
Dimorphomyces flabellatus
 Uranotaenia
Coelomomyces celatus
Coelomomyces lacunosus var.
madagascariensis
 Velia
Prolixandromyces lingulatus
Prolixandromyces rhinoceralis
Prolixandromyces tenuis
Prolixandromyces triandrus
 Vespa
Cordyceps elongatostromata
 Zabrus
Erynia zabri
 Zapada
Genistelloides helicoides
Orphella haysii
 Zuphium
Rhachomyces insularis
- Hirsutella brownorum*
 Abacarus
Hirsutella gregis
Hirsutella necatrix
Ramularia ludoviciana
 Acalitus
Hirsutella thompsonii
 Adineta
Cephalophora navicularis
Diheterospora angustispora
Diheterospora asymmetrica
Diheterospora cylindrospora
Diheterospora guttulaspora
Diheterospora intermedia
Diheterospora microspora
Diheterospora ovispora
Diheterospora rotiferorum
Diheterospora turbinaspora
Diheterospora zeaspora
Haptoglossa mirabilis
Harposporium spirosporum
Lagenidium oviparasiticum
Phialophora endoparasitica
Pseudomeria mucosa
Tolypocladium parasiticum
 Amoeba
Amoebophilus simplex
 Aphelenchoides
Verticillium sphaerosporum var. *bispora*
 Arachnida
Hirsutella darwinii
 Araneae
Akanthomyces novoguineensis
Engyodontium arachnophilum
 Araneida
Clathroconium arachnicola
Cordyceps coccidioperithecata
Cordyceps ogurasanensis
Cordyceps pseudonelumoides
Gibellula globosa
Gibellula globosostipitata
Torrubiella alboglobosa
Torrubiella aurantia
Torrubiella corniformis
Torrubiella ellipsoidea
Torrubiella farinacea
Torrubiella formosana
Torrubiella globosa
Torrubiella globosoides
Torrubiella globosostipitata
Torrubiella inegoensis
Torrubiella longissima
Torrubiella mammillata
Torrubiella minuta
Torrubiella minutissima
Torrubiella miyagiana
Torrubiella oblonga
Torrubiella oonaniensis
Torrubiella pallida
Torrubiella rokkiana
Torrubiella rosea
Torrubiella ryogamimontana
Torrubiella ryukyuensis
 Arctoseius
Arctosporidium lucidum
 Arthropod

- Atricordyceps harposporifera*
 Asellus
Asellaria aselli
 Astracus
Ramularia astaci
 Calanus
Ellobiopsis chattonii
 Cambarus
Didymaria cambari
 Cancer
Embellisia annulata
 Chionoecetes
Trichomaris invadens
 Cyclopus
Callimastix cyclopis
 Dendrolaelaps
Hirsutella rostrata
 Eriocheir
Septocylindrium eriocheir
 Eryophyes
Hirsutella thompsonii
 Euophrys
Gibellula clavulifera var. *alba*
Torrubiella ratticaudata
 Galumnidae
Tarichium verruculosum
 Globodera
Vermispora fusarina
 Hapalogaster
Arundinula hapalogaster
 Helleria
Eccrinoides helleriae
 Hemigrapsus
Taeniella grandis
 Hermannia
Hermanniasporidium juvenile
Hermanniasporidium magnum
Reticulosporidium globosum
 Heterodera
Chaetomium histoplasmae
Chalara heteroderae
Chalara hyalina
Codinaea heteroderae
Cylindrocarpon uniseptatum
Hirsutella heteroderae
Mycocentrospora acerina var. *castelnaudariensis*
Nematophthora gynophila
Paecilomyces nostocoides
Scytalidium fulvum
Verticillium suchlasporium
Verticillium suchlasporium var. *catenatum*
 Heterospora
Heteroporomyces spinosus
Monoblepharis thalassinosa
Ordovicimycetes recens
 Hypoaspis
Rickia georgii
 Kahliella
Ciliomyces spectabilis
 Limnoria
Alacrinella sanjuanensis
 Lirceus
Asellaria unguiformis
 Lithobius
Oesophagomyces lithobii
 Meliodogyne
Xenokylindria obovata
 Milnesium
Sorochytrium milnesiophthora
 Moglus
Glutinisporidium compositum
Molgosporeidium ellipticum
 Mundiopsis
Arundinula abyssicola
 Murcia
Murciasporidium divisum
 Nematode
Gonimochaete lignicola
Haptoglossa intermedia
Harposporium arcuatum
Nematoctonus angustatus
Nematoctonus brevisporus
Nematoctonus cylindrosporus
Nematoctonus geogenius
Nematoctonus hamatus
Nematoctonus subreniformis
Olpidium vermicola
Verticillium coronatum
 Orchestia
Astreptonema pacificum
 Oribatei
Tarichium tenuiparietatum
 Pachyulius
Rickia pachyiuli
 Pachylaelaps
Rickia pachylaelaps
 Paguristes
Arundinula washingtoniensis
 Pandalus
Lagenidium myophilum
 Penaeus
Haliphthorus philippinensis
 Pergamasus
Conidiobolus chlapowskii
Tarichium acaricola
Tarichium azygosporicum
Tarichium distinctum
Tarichium fumosonigrum
Tarichium pusillum
Tarichium subglobosum
Tarichium tenuisculpturatum
 Peridinium
Aphanomycopsis peridiniella
 Philodina
Diheterospora ovispora
Diheterospora rotiferorum
Tolypocladium parasiticum
 Pleuronectocelaeno
Rickia stellata
 Proctolaelaps
Thaxteriola acariphila
 Pontia
Mucor pontiae
 Rhabditis
Spirogyromyces vermicola
 Rhagidia
Rhagidiatoridium svalbardense
 Rotifer
Diheterospora humicola
Haptoglossa humicola

Haptoglossa intermedia
Phialophora tribrachispora
Tolypocladium lignicola
Tolypocladium trigonosporum
Triacutus subcuticularis
 Scarabaeidae
Cordyceps superficialis forma *crustacea*
 Scylla
Atkinsiella hamanaensis
 Thomisidae
Torrubiella neofusiformis
 Trachyuropoda
Tarichium monokaryoticum
Tarichium sphaericum
Tarichium uropodinae
 Tydeus
Hirsutella tydeicola
 Tyrophagus
Acaulopage tigrina
 Upogebia
Enteropogon sexuale
 Uropoda
Tarichium obtusoangulatum
 Uropodina
Hirsutella haptospora
 Vorticella
Meria harposporioides
 Zercon
Zercosporidium incrassatum
 RIDACEAE
 Crocus
Fusarium oxysporum forma *specialis*
croci
 Gladiolus
Curvularia gladioli
 Iris
Aphanomyces iridis
Ascochyta iridis-pseudacori
Ascochyta pseudacori
Unguicularia iridis
Uredo iridis-ruthenicae
Venturia iridicola
 JUGLANDACEAE
 Carya
Codinaea matsushimae
Microsphaera caryae
Nolanea quadrospora
Perenniporia fergusii
Pertusaria valliculata
Phragmocephala stemphylioides var.
parva
Plagiocarpa langloissi
Splanchnonema hickoria
Tylopilus snellii
 Juglans
Cylindrocarpon kaspense
Cylindrosporium uljanishchevii
Dictyosporium solanii
Microsphaera himalayensis
Microsphaera juglandis-nigrae
Monodictys juglandis
Mycosphaerella juglandis
Septoria lindquistii
Stenella triseptata
Trechispora sphaerocystis
Valsa iranica

Platycarya
Pseudocercospora platycaryae
 Pterocarya
Pseudocercospora pterocaryae
 JUNCACEAE
Merostictis aciculisporea
Peziza fugiens
 Juncus
Belonopsis juncicola
Bricookea barriae
Cintractia lidii
Dasyscyphus macrolanceolatus
Diplonaevia helicosporea
Diplonaevia hyperborea
Hyphopolynema ellisiorum
Hysteronaevia clavulifera
Lachnum apalum var. *beatonii*
Lachnum juncinum
Langzia antarctica
Morenoina fimbriata
Morenoina minuta
Morenoina paludosa
Myriosclerotinia curreyana forma
latispora
Nimbya juncicola
Ophiobolus kugitangi
Phaeosphaeria calderi
Phaeosphaeria fetanensis
Phaeosphaeria franklinensis
Phaeosphaeria gigaspora
Phaeosphaeria humerata
Phaeosphaeria juncophila
Phaeosphaeria moravica
Phaeosphaeria trinitata
Pseudohelotium asperotrichum
Pterospora olivaceonigra
Pyricularia borealis
Sydowiella juncina
Tricladium procerum
Wettsteinina junci
 Luzula
Ascochyta luzulae-divaricatae
Cintractia spadicea
Diplonaevia muellerii
Diplonaevia savilei
Diplonaevia septospora
Hysteronaevia luzulicola
Laetinaevia luzulae
Leptosphaeria frigida
Myriosclerotinia luzulae
Phaeosphaeria borealis
Phaeosphaeria cookei
Phaeosphaeria lutea
Pyrenophora ephemera
Pyricularia luzulae
Wettsteinina luzulae
 LABIATAE
 Agastache
Leptosphaeria brightonensis
Leptosphaeria darkeri
 Amethystea
Peronospora amethysteae
 Anisomeles
Pseudocercospora anisomelicola
Pseudocercospora anisomelicola
 Audibertia

Camarosporium eriocryptum
 Colebrookia
Bagnisiella colebrookiae
Sarcinella colbrookiae
 Elsholtzia
Erysiphe hommae
Peronospora elsholtziae
Plasmopara elsholtziae
Pseudoperonospora elsholtziae
Sphaerotheca elsholtziae
 Hymenocrater
Camarosporium hymenocrateris
Sporidesmium turcomanicum
 Hyptis
Hyalosphaera ciliata
 Lamium
Pirottaea lamii
Pirottaea saxonica
 Lavandula
Rhodocybe hispanica
 Leonurus
Peronospora leonuri
 Leucas
Bagnisiella leucadis
Uredo leucadicola
 Lycopus
Rosenscheldia lycopi
 Marrubium
Coniothyrium marrubii
Stictis lanuginicincta
 Mentha
Erysiphe labiatarum forma *menthae*
Peronospora menthae
 Nepeta
Leveillula golovinii
 Ocimum
Euoidium labiatarum
 Otostegia
Puccinia otostegia
 Perilla
Ascochyta perillae
Colletotrichum perillae
 Perovskia
Leveillula labiatarum forma *perovskiae*
 Phlomis
Ascochyta phlomidicola
Ascochyta phlomidis
 Plectranthus
Erysiphe bunkiniana
Erysiphe plectranthi
 Pogostemon
Cercospora labiatacearum
Pseudocercospora pogostemonis
 Prostanthera
Parmotrema convolutum
 Rabdosia
Erysiphe huayinensis
Erysiphe rabdosiae
 Ramona
Didymella ramonae
Microdiplodia ramonae
Myriangium catalinae
 Salvia
Crocicreas cremeum
Erysiphe simplex
Pseudocercospora salviae

Tetradenia
Puccinia tetradeniae
 Teucrium
Peronospora teucrii
Sphaeropsis teucrii
 Thymus
Rhodocybe hispanica
Thielavia tortuosa
Uredo morvernensis

LARDIZABALACEAE

Akebia
Puccinia akebiae
 Holboellia
Aecidium holboelliae
Uredo holboelliiicola

LAURACEAE

Boletus heterodermus
Chlamydopsis proliferans
Corynespora pinarensis
Mahabalella cubensis
Sarcoscypha macaronesica
 Actinodaphne
Amazonia actinodaphnis
Lecanidion indicum
Patellaria indica
 Beilschmiedia
Chaetopsina penicillata
Coccomyces lauraceus
Discosiella novae-zelandiae
Echinoplaca furcata
Nectria chaetopsinae-penicillatae
Phytocordyceps ninchukispora

Cinnamomum

Amazonia cinnamomi
Armatella litseae
Brigantiaea nigra
Caeoma keralense
Diacheopsis synspora
Erysiphe cinnamomi
Exobasidium hachijoense
Idriella taiwanensis
Licea atricapilla
Macbrideola verrucosa
Menisporopsis pleioetosa
Oidium cinnamomi-japonici
Stemonaria gracilis

Cryptocarya

Asterina cryptocaryae
Collybia cryptocaricola
Lepiota colliquensis
Lepiota floridiana
Mycena seegeri

Eusideroxylon

Tyromyces corticicola

Laurus

Acrodictyopsis lauri
Ampulliferina lauri
Beltraniella pirozynskii
Circinotrichum britannicum
Corynesporopsis uniseptata
Endophragmiella lauri
Phlebogaster laurisylvicola
Pseudomicrodochium lauri
Pterygosporopsis fragilis
Pyricularia lauri
Subulisporea minima

- Lindera*
Melampsorium linderae
Litsea
Cercosporidium litseae
Lophodermium litseae
Meliola drepanochaeta var. *insignis*
Meliola litseae var. *microspora*
Meliola pudukadensis
Mystrosporiella denticulata
Phakopsora litseae
Phomopsis litseae
Machilus
Asterina machili
Nectandra
Camposporium antillanum
Cladosporium ferrugineum
Dactylaria zapatensis
Garnaudia triseptata
Inifatiella nectandrae
Korunomyces zapatensis
Luxuriomyces grandis
Monodictys antillani
Pseudolachnea antillana
Stenella cubensis
Neolitsea
Aecidium neolitseae
Anthostomella neolitseae
Ocotea
Phellinus elegans
Tricharia cuneata
Persea
Armatella katumotoi
Coccoidella perseae
Colletogloeum perseae
Didymostilbe cubensis
Endothiella havanensis
Marasmius skale
Meliola floridensis var. *pudukadensis*
Meliola ramacharii
Pseudocercospora machili
Phoebe
Coriolus versicolor forma *tucumanensis*
Kernella lauricola var. *phoebes*
 LECYTHIDACEAE
Mycena lecythidacearum
 LEEACEAE
Leea
Irenopsis leae var. *indica*
 LEGUMINOSAE
Botryohypoxylon amazonense
Cortinarius amazonicus
Crinipellis galeropsidoides
Diploospora longispora var. *cubensis*
Ganoderma chenhaiense
Hypoxylon duranii
Lactarius amazonensis
Lactarius subpallidipes
Orthobellus leguminosarum
Phylloporus gymnocystis
Physcia krogiae
Scutigera brasiliensis
Tylopilus potamogeton var. *aquarius*
Veralucia brasiliensis
Xerocomus inundabilis
Abrus
Massarina sivanesanii
Mycovellosiella pirozynskii
Physalospora abri
Pseudocercospora abri
 Acacia
Acervus lusakianus
Acumispora uniseptata
Amauroderma amoienense
Camarographium indicum
Colletogloeum acaciicola
Colletogloeum simmondsii
Corynespora acaciae
Corynespora alternarioides
Corynespora queenslandica
Cryptosporella karwarrae
Discosporium acaciae
Endoraecium acaciae
Endoraecium hawaiiense
Erysiphe martii forma *acaciae*
Flavoparmelia proeuplecta
Flavoparmelia scabrosina
Flavoparmelia secalonica
Fusariella formosana
Fusarium oxysporum forma *specialis*
koae
Ganoderma theaecolum
Glaphyriopsis brunnea
Gloeocoryneum hawaiiense
Harknessia karwarrae
Helicoma taiwanensis
Hyphothyrium pallidum
Janetia canescens
Janetia refugia
Jubispora acaciae
Lisiella tilakii
Menegazzia caesiopruinosa
Mollisia dextrinospora
Muciturbo truncatus
Muciturbo verrucosus
Parmelina stevensiana
Pestalotphaeria varia
Pleospora subramanianii
Polyschema toruloides
Pseudocercospora acaciae
Ramalina inflata subsp. *australis*
Ravenelia microcephala
Ravenelia pennatae
Ravenelia sonorensis
Septoria aureocorona
Septoria grampianensis
Septoria lamentana
Sporidesmium corrugatescens
Stigmina inconspicua
Triramulispora deficiens
Xylaria cupressoides
 Acrocarpus
Usnea austro-indica
 Adenanthera
Bitrimonospora adenantherae
 Albizia
Alternaria albiziae
Cercoseptoria albiziae
Flabellophora squamosa
Gloesporium albiziae
 Aldina
Russula leguminosarum
Xerocomus amazonicus var. *obscuratus*

- Xerocomus campinaranae*
 Alhagi
Erysiphe bremeri
Pleospora spartii var. *alhagis*
Rosellinia alhagi
Selenophoma aristidae
Trematosphaeria alhagi
 Ammodendron
Camarosporium ammodendri
Phoma ammodendri
 Amphicarpaea
Erysiphe amphicarpaeae
 Andira
Holubovaniella elegans
 Apios
Cercospora apios
 Arachis
Comoclathrix indica
Phoma microspora
Phomopsis pehenningsii
 Astragalus
Ascorhiza leguminosarum
Guignardia astragali
Microsphaera crispula
Pirottaea astragali
Stegonsporium bubakianum
 Atylosia
Uromyces hyderabadensis
 Baphia
Pseudocercospora baphiae
 Bauhinia
Cercospora bauhiniae-variegatae
Chaetendophragma fasciata
Chaetendophragma protuberata
Gyrothrix ramosa
Lasiostemma minutum
Marasmiellus bauhiniae
Meliola caesalpiniae var. *bauhiniae*
Oidiodendron robustum
Oidium bauhiniae
Oidium caesalpinacearum
Phialophora taiwanensis
Pleurotheciopsis setiformis
Podosporium duartei
Stigmata bauhiniae
Strickeria bauhiniicola
 Brachystegia
Russula afrodelicata
Russula albofloccosa
Russula brunneorigida var. *brachystegiensis*
Russula bururiensis
Russula compressa
Russula flavobrunnea
Russula parvulospora
Russula sejuncta
Russula testacea
Setogyroporus verus
 Butea
Cochliobolus buteae
Diatrype buteae
Hypocrea buteae
Oothia buteae
Phoma buteae
Pseudocercospora buteae
Stigmata tubakii
 Caesalpinia
Camarosporium caesalpiniae
Cercoseptoria caesalpiniae
Domingoella caesalpiniae
Phaeoisariopsis caesalpiniae
Pseudocercospora caesalpiniae
Ravenelia omanensis
 Cajanus
Acremonium cajani
Gibberella indica
Ovulariopsis ellipsospora
Schizoplasmodiopsis amoeboidae
 Calopogonium
Parapericonia sessilispora
 Canavalia
Cercospora canavaliae-gladiatae
Pseudocercospora canavaliigena
 Caragana
Petrakomyces caraganicola
Septoria transcheliana
 Cassia
Acanthophysium thoenii
Ascochyta cassiae
Botryosphaeria cassiicola
Cercospora cassiatae
Cladosporium cassiae-surathensis
Discella cassiicola
Ganoderma rothwellii
Heteroconium indicum
Phyllactinia cassiae
Pseudocercospora cassiae-diphyllae
Pseudoperonospora cassiae
Pycnidioarxiella indica
Rhopalostroma gracile
Stenella cassiae
Stenella cassiae
Uredo cassiae
 Centrolobium
Haplosporella centrolobiicola
 Cercis
Endothiella viridistroma
Erysiphe cercidis
 Cicer
Oidiopsis taurica forma *specialis*
leguminosarum
 Clitoria
Myceliophthora indica
 Coronilla
Belonidium procopii
 Crotalaria
Phaeophyscia fumosa
 Cyamopsis
Oidiopsis taurica forma *specialis*
leguminosarum
 Cyclolobium
Shomea cyclolobii
 Cynometra
Pseudocercospora cynometrae
 Cytisus
Arnaudiiella cytisi
Diderma rufostriatum
 Dalbergia
Catacauma dalbergiicola forma *conidiifera*
Physalospora dalbergiae
Sphaerophragmium longicorne

- Uredo dalbergiae-latifoliae*
Xylaria punjabensis
 Dalhousiea
Hymenochaete spathulata
 Delonix
Diatrypella leguminacearum
 Derris
Hapalophragmium nepalense
 Desmanthus
Microsphaera trifolii var. *desmanthi*
 Desmodium
Bagnistiella desmodii
Erysiphe desmodii
Mycovellosiella desmodiicola
Phyllactinia desmodii
Pseudocercospora desmodii-salicifolii
Uredo desmondii-ramosissimi
 Dialium
Nodulisporium sylviforme
 Dolichos
Ascochytopsis sydowii
Oidiopsis taurica forma specialis
leguminosarum
 Entada
Parmotrema pseudeunetum
 Erythrina
Dasyscyphus erythrinicola
Elsinoë erythrinae
Leptogium indicum
Physalospora erythrinicola
 Flemingia
Cercosporidium flemingiae
 Gilbertiodendron
Russula acriuscula
Russula afronigricans
Russula albospissa
Russula annulata var. *limbaluensis*
Russula aurantiomarginata
Russula aureola
Russula brunneofloccosa
Russula brunneorigida
Russula congoana var. *djongoensis*
Russula diffusa var. *rotundispora*
Russula immaculata var. *mamillata*
Russula inflata
Russula ingens
Russula luteomaculata
Russula meleagris
Russula pausiaca
Russula pseudopurpurea
Russula pseudostriatoviridis
Russula pulchrisperma
Russula purpureomutabilis
Russula roseostriata
Russula striatoviridis
Russula subfistulosa var. *apsila*
Russula tenuipilosa
Russula tomentosa
Russula viridrobusta
 Gleditsia
Anisomeridium tuckeri
Annelodentimyces antennatuloideus
Nectria catalinensis
 Glycine
Acroconidiella trisepta
Arkoola nigra
Badarisama sojae
Colletotrichum dematium forma
specialis truncatum
Diaporthe phaseolorum forma specialis
caulivora
Gigaspora albida
Glomus claroideum
Glomus fecundisporum
Glomus heterosporum
Glomus tortuosum
Marssonina sojicola
Mycosphaerella uspenskae
Phomopsis longicolla
Phomopsis phaseoli forma specialis
caulivora
Phytophthora megasperma forma
specialis glycines
Pseudorobillarda sojae
Setosphaeria glycinea
 Halimodendron
Physalospora halimodendri
 Hedysarum
Microsphaera hedysari
Polystigma caulicola
 Heylandia
Synchytrium smithiae
 Indigofera
Microsphaera indigoferae
 Inga
Coccomyces tessellatus
Diatrype disciformis
 Lathyrus
Microsphaera ludens var. *lathyri*
Septoria ufensis
 Lens
Ascochyta fabae forma specialis *lentis*
 Lespedeza
Diachora lespedezae
Erysiphe lespedezae
Melanogaster shanxiensis
 Leucaena
Cercospora leucaenae
Cercospora leucaenae
Phomopsis leucaenae
Pseudolagarobasidium leguminicola
 Lonchocarpus
Agaricus diamantanus
Yuccamyces luteus
 Lotus
Phoma lotivora
 Lupinus
Albotricha lupini
Albotricha lupini
Ascochyta lupini
Leptosphaeria barriae
Leptosphaeria byssincola
Leptosphaeria castrensis
Leptosphaeria shastensis
Leptosphaeria wehmeyeri
Microsphaera trifolii var. *intermedia*
Wettsteinina duplex
 Maackia
Cryphonectria maackiae
Uncinula maackiae
 Machaerina
Helicoma machaeriniae

- Macleaya*
Erysiphe macleayae
Macroptilium
Uromyces appendiculatus var.
crassitunicatus
Medicago
Acrocalymma medicaginis
Alternaria eureka
Badhamia rhytidosperma
Coniothyrium medicaginis
Coprinus maysoidisporus
Coprinus psychromorbidus
Lewia eureka
Phytophthora megasperma forma
specialis medicaginis
Pleospora alfalfae
Pleospora tarda
Stemphylium alfalfae
Stemphylium herbarum
Melilotus
Orbilbia septispora
Mezoneuron
Phoma gorakhpurensis
Millettia
Corynespora millettiae
Hapalophragmium nsukkaense
Maravalia fusiformis
Parodiella millettiae
Phyllachora millettiae-rubiginosae
Pseudocercospora millettiae
Stigmata bahraichiae
Moghania
Eriocercospora moghaniae
Mucuna
Acumisporea biseptata
Newtonia
Uredo newtoniae
Onobrychis
Heterosporium onobrychidis
Septoria alpina
Pericopsis
Endophragmiella africana
Lobatopedis elegans
Phaseolus
Aphanomyces euteiches forma *specialis*
pisi
Aphanomyces euteiches forma *specialis*
phaseoli
Cladosporium funiculosum
Euoidium leguminosarum
Fusarium oxysporum forma *specialis*
adzukicola
Glomerella cingulata forma *specialis*
phaseoli
Phyllactinia phaseolina
Phytophthora vignae forma *specialis*
adzukicola
Sphaerotheca astragali var. *phaseoli*
Piliostigma
Mycosphaerella piliostigmatis
Piptanthus
Uredo pipanthus
Pisum
Aphanomyces euteiches forma *specialis*
pisi
Sordaria garhwalsensis
- Pithecellobium*
Hypoxylon pithecellobii
Pithomyces prolatus
Trabutia pithecellobii
Pongamia
Dothiorella indica
Eutypella pongamiae
Prosopis
Bacidia violascens
Phanerochaete xerophila
Psophocarpus
Pseudocercospora araneatae
Psoralea
Microsphaera diffusa forma *elongata*
Pterocarpus
Aldonata pterocarpi
Cercospora guzmanii
Didymosphaeria pterocarpi
Maravalia exigua
Neopericonia indica
Pueraria
Entrophospora schenckii
Entrophospora schenckii
Erysiphe puerariae
Rhynchosia
Aecidium rhynchosiae
Robinia
Acitheca purpurea
Agaricus cappelli
Collybia distorta forma *acutoumbonata*
Crepidotus roseo-ornatus
Endophragmiella similis
Exidiopsis paniculata
Microsphaera subtrichotoma
Strickeria kochii
Samanea
Dimerella frederici
Diplocradiella heterospora
Sesbania
Pseudocercospora sesbaniicola
Smirnowia
Coniothyrium smirnowiae
Sphaerophysa
Thecaphora sphaerophysae
Stryphnodendron
Chaconia braziliensis
Swainsona
Trichocladia swainsonae
Swartzia
Maravalia swartziae
Russula leguminosarum
Xerocomus amazonicus var. *obscuratus*
Tamarindus
Cacahualia polyradiata
Cercospora tamarindi
Phomatosporea tamarindi
Teline
Dicheirinia maderensis
Tephrosia
Parodiella tephrosiae
Phaeoisariopsis tephrosticola
Synchytrium tephrosiae
Thermopsis
Didymella stromatica
Erysiphe thermopsidis
Microsphaera thermopsidis

- Poliomopsis thermopsisidis*
Stigmina earlei
 Tragacantha
Dichomera tragacanthae
 Trifolium
Glomus diaphanum
Glomus dominikii
Phytophthora clandestina
Phytophthora megasperma forma
 specialis trifolii
Sporothrix flocculosa
Stephanoascus flocculosus
 Trigonella
Oidiopsis taurica forma *specialis*
 leguminosarum
 Ulex
Acrodonium echinulatum
Agaricus electicus
Dactylaria scolecospora
Mirandina arnautii
Sporidesmiella claviformis
Sporidesmium cymbispermum
Stereum armeniacum
Trichodiscula ulicicola
Vararia pirispora
 Uraria
Pseudocercospora indica
Pseudocercospora urariicola
 Vicia
Ascochyta fabae forma *specialis fabae*
Erysiphe cruchetiana var. *hyalina*
Fusarium avenaceum forma *fabalis*
Fusarium avenaceum forma *fabarum*
Thecaphora viciae-amoenae
Viennotidia spermosphaerici
 Vigna
Arthrimum phaeospermum var. *indicum*
Cercoseptoria vignicola
Phytophthora vignae forma *specialis*
 medicaginis
Pseudocercospora vignigena
 Zenkerella
Porina sphaerocephaloides
 LILIACEAE
Stachybotrys havanensis
 Anemarrhena
Acididium anemarrhenae
 Asparagus
Uredo kabanyoloensis
 Aspidistra
Marasmius skalae
 Astelia
Lophodermium asteliae
Stictis asteliae
Stictis trinervia
 Chlorogalum
Mycosphaerella chlorogali
Pleospora chlorogali
 Clintonia
Puccinia clintoniae-udensis
Puccinia tibetica
 Colchicum
Acididium colchici-autumnalis
 Collospermum
Nectria chaetopsinae
Stictis collospermi
- Dianella
Anthostomella hinoana
 Dipcadi
Uromyces dipcadi
 Fritillaria
Botryotinia fritillarii-pallidiflora
 Funkia
Phoma funkiae-albomarginatae
 Gagea
Ramularia puccinioides
Ustilago gageae
 Hosta
Ascochyta funkiae-sieboldianae
 Lilium
Colletotrichum lilii
Uromyces himalaicus
 Muscari
Cylindrosporium muscaris
 Rhipogonum
Iodosphaeria ripogoni
Stictis inconstans
 Tofieldia
Massariosphaeria triseptata
Nectria ellisii var. *tofieldina*
 Urginea
Synchytrium urgineae
 Veratrum
Aecidium veratri
 LIMNANTHACEAE
 Limnanthes
Oidium limnanthis
 LINACEAE
 Linum
Helminthosporium lini
Pythium buismaniae
 LORANTHACEAE
 Dendrophthoe
Acrosporium dendrophthoe
 Tristerix
Mycocalicium viscinicola
 LYTHRACEAE
Agarwalomyces indicus
 Lagerstroemia
Ascochyta lagerstroemiae
Coniosporium lagerstroemiae
Macrophoma lagerstroemiae
Ophiodothella lagerstroemiae
Pleospora subramanianii
 Lawsonia
Endophragmiella bohaniensis
Ovulariopsis lawsoniae
Phaeotrichosphaeria indica
 Lythrum
Semimorula liquescens
 Woodfordia
Euoidium woodfordiae
 MAGNOLIACEAE
 Liriodendron
Cylindrocarpon liriodendri
Hyphodontia lanata
Venturia liriodendri
 Magnolia
Boletus heterodermus
Bulbomicrosphaera magnoliae
Cerinomyces ceraceus
Chaetopsina ludoviciana

Laccaria gomezii
Lazulinospora cinnamomea
Lepiota baraliana
Microsphaera magnifica
Pestalotiopsis magnoliae
Russula delica var. *centroamericana*
Splanchnonema clandestinum
Tylopilus montanus
Veloporphyrillus pantoleucus
Michelia
Appendiculella micheliicola
Botryosphaeria foliicola
Phomopsis micheliae
Pseudocercospora micheliicola
Tasmannia
Menegazzia inactiva
MALPIGHIAEAE
Byrsonima
Endophragmiella rigidiuscula
Endophragmiella variabilis
Galphimia
Phyllosticta galphimicola
Malpighia
Sporidiobolus ruineniae
Triopteris
Meliola danertii
MALVACEAE
Abutilon
Cytospora abutilonis
Pleosphaerulina ussuriensis
Trematosphaeria chandrapurensis
Alcea
Leveillula contractirostris
Althaea
Cercospora althaeicola
Cercospora althaeigena
Oidiopsis taurica forma *specialis*
malvacearum
Gossypium
Bagnisiella gossypii
Bipolaris gossypina
Penicillium gossypii
Talaromyces gossypii
Hibiscus
Capnobotrys hibisci
Capnodium nudicum
Coniella musaiaensis
Griphosphaeria indica
Helminthosporium masseeianum
Pseudocercospora minuta
Sphaerotheca hibiscicola
Kydia
Eriocercospora websteri
Mycovellosiella malvacearum
Pseudocercospora kydiae
Stenella kydiae
Uncinula kydiae-calcynae
Malva
Protostelium expulsum
Napaea
Erysiphe americana
Pavonia
Oidium pavoniae
Plagianthus
Agrocybe parasitica
Nectria hoheriae

Thespesia
Cercospora thespesiae
Urena
Oidium schmiedeknechtii
MARANTACEAE
Calathea
Microthyriolum calathea
MELASTOMATAEAE
Gerronema daguense
Koordersiella goianensis
Metulocyphella rostrata
Plenotrichia laxus
Clidemia
Colletotrichum gloeosporioides forma *specialis*
clidemiae
Microsphaeropsis clidemiae
Dissotis
Stenella uniformis
Miconia
Chaetosticta miconiae
Eriothyrium miconiae
Ventrographium nervicola
Viegasia costaricensis var. *effusa*
Osbeckia
Phyllachora balakrishnanii
MELIACEAE
Azadirachta
Cercospora subsessilis var. *azadirachtae*
Massarina azadirachticola
Mycena alphitophora var. *globispora*
Pseudocercospora meliae
Carapa
Endophragmiella tenuis
Cedrela
Cercoseptoria cedrelae
Leptodothiella pachmarhiensis
Sopagraha elegans
Stenella cedrelae
Subramaniomyces ventricosus
Guarea
Dictyochaeta lilliputiana
Melia
Perenniporia gomezii
Pseudocercospora meliicola
Pseudocercospora meliae
Swietenia
Sporidesmium ponapense
Trichilia
Stenella vermiculata
Xylocarpus
Passeriniella savoryellopsis
MELIOSMACEAE
Meliosma
Aecidium painavuense
Microsphaera meliosmae
MEMECYLACEAE
Memecylon
Aplosporella memecyli
Bagnisiella memecyli
Meliola affinis var. *indica*
MENISPERMACEAE
Cissampelos
Bagnisiella cissampeli
Cubasina albo-fusca
Meliola kreiseliana
Schizotrichella cissampeli

Menispermum

Microsphaera menispermii var. *dahurica*

Sinomenium

Microsphaera sinomenii

Stephania

*Cercospora stephaniae**Pseudocercospora menispermacearum**Stenella stephaniae*

Tinospora

*Cercospora madhauensis**Cercosporidium tinosporae**Phaeoisariopsis tinosporae**Pseudocercospora tinosporae*

MONIMIACEAE

Palmaria

Petersenia palmariae

MONOTROPACEAE

Monotropa

Hymenoscyphus monotropae

MORACEAE

*Helminthosporium mori**Ophioceras indicus*

Artocarpus

*Chionomyces ponapensis**Colletogloeum obtusum**Fusarium merismoides* var. *artocarpi**Laurera subbenguelensis**Mniopetalum minutum**Mycena indica**Nanoscypha denisonii**Pseudohansfordia artocarpi**Stenella constricta*

Broussonetia

*Mycovellosiella broussonetiae**Mycovellosiella curvispora*

Castillosa

Cercospora castillae

Chlorophora

Pseudocercospora njalaensis

Fatua

Sphaerotheca pseudofusca

Ficus

*Asteromella fici**Cercoseptoria fici**Cercospora moracearum**Chalara sibika**Chloridium atanagildae**Cladosporium coralloides**Cladosporium cubense**Coccomyces sichuanensis**Cryptophiale aristata**Cryptosporiopsis fici**Dimerella degeneri**Diplodia ficophila**Diplodia ficophila* var. *sublibera**Discella ficophila**Fusicladium fici**Gliostroma ficophilum**Gyalectidium eskucheii**Laurera pseudovariata**Leptodothiorella ficola**Monostichella indica**Mycovellosiella fici**Myxosporium ficophilum**Ophiovalsa fici**Pertusariomyces pustulatae**Phakopsora fici-erectae**Pholiota dinghuensis**Phoma ficophila**Phoma ficophila* var. *zythia**Podosporium furcatum**Pseudocercospora cladophora**Pseudocercospora fici-septicae**Sarcoxylon sinensis**Scolecobasidium trichoides**Seimatosporium ficophilum**Stenella ficina**Subulispora elegantissima**Thelephora cinerea* var. *ficophila**Trisclerophorus konajensis**Tyromyces malayanus**Uncinula aspera* var. *sparsichaeta**Valsaria ficophila*

Morus

*Camarosporium macluricola**Didymium dictyopodium**Diplodia mori**Fusoma mori**Isariopsis indica* var. *mori**Myrothecium mori**Myxosporium mori**Naemaspora mori**Protostelium nocturnum**Pseudocercospora garhwalensis**Psilospora mori**Stemonitis emotoi**Tubercularia mori*

Pseudolmedia

*Sporidesmium pseudolmediae**Stachybotryna splendida*

Streblus

*Cercospora strebli**Pseudocercospora strebli**Scolecosporella strebli**Zyziphora gorakhpurensis*

MORINACEAE

Morina

Puccinia heterocolor

MUSACEAE

Melanotus musacearum

Musa

*Agrocybe musicola**Ceratopodium gracile**Chaetosphaeropsis truncata* var. *indica**Coccomyces annulatus**Cylindrocladium musae**Dactylaria pyricularioides**Lepiota besseyi**Leptosphaerella musicola**Leucocoprinus sulphurellus**Phialomyces taiwanensis**Pleurotus musae**Pseudoramularia ruwenzoriensis**Scopulariopsis musae**Stachybotrys ruwenzoriensis**Tricellula taiwanensis*

MYRICACEAE

Morella

Mycosteria ellipsoideispora

Myrica

*Laeticorticium floridense**Poculum myricae*

- Rodwayella myricae*
MYRISTICACEAE
Knema
Amauroderma parasiticum
Myristica
Gloeosporium myristicicola
MYRSINACEAE
Ardisia
Pseudocercospora ardisiicola
Embelia
Aplosporella embeliae
Stenella embeliae
Stenella embeliae
Uncinula embeliae
Myrsine
Cladosporothyrium nepalense
Endothiella tropicalis
Menegazzia ultralucens
MYRTACEAE
Elachopeltella rubescens
Pholiota multicingulata
Plenotrichaius densus
Sphaeronaema pernambucense
Agonis
Cortinarius phalarus
Blepharocalyx
Coriolus versicolor forma *tucumanensis*
Phellinus adhaerens
Callistemon
Mycosphaerella gaubae
Rhodotorula armeniaca
Sporobolomyces elongatus
Campomanesia
Uredo juelii
Eucalyptus
Allescheriella cynaea
Alpova grandisporus
Alpova lignicolor
Anthostomella eucalypti
Ascocomma eucalypti var. *didymospora*
Austrogautieria manjimupana
Blastacervulus eucalypti
Boletus tasmanicus
Calicium adpersum subsp. *australe*
Calonectria spathulata
Catenophoropsis eucalypticola
Ceratophorum muiense
Cercosperma arnaudii
Cercosperma longispora
Cercospora paraguayensis
Chaetopsina unilateralis
Choanatiara gracilis
Circinotrichum rigidum
Civisubramaniana eucalypti
Cladonia ahtii
Clypeopycnis punithalingamii
Codinaea tortuosa
Conioscypha hoehnelii
Coniosporium sahnii
Coniothyrium leprosum
Coniothyrium ovatum
Coniothyrium parvum
Conoplea catenata
Corticomyces xenasmatoides
Cortinarius globuliformis
Corynesporopsis cylindrica
Cylindrocarpon indicum
Cylindrocladium spathulatum
Cystangium crichtonii
Cystangium phymatodisporum
Cytosphaera eucalypti
Cytospora agarwalii
Cytospora eucalypti
Dactylaria attenuata
Dactylaria cubensis
Davisoniella eucalypti
Dendryphiella eucalypti
Dendryphiella eucalypti
Descolea maculata
Dichomera macrospora
Dichomitus eucalypti
Dictyosporium australiense
Dictyosporium subramaniani
Dimorphotricha australis
Discosporium eucalypti
Dothiorella gaurensis
Elasmomyces hepaticus
Endothiella havanensis
Favostroma crypticum
Fibulochlamys ferruginosa
Galerina eucalyptorum
Galerina inaequalis
Gautieria monospora
Gelopellis purpurascens
Glomerulomyces fibulosus
Glomus cerebriforme
Glomus warcupii
Gnomoniella destruens
Gymnomyces eildonensis
Gymnopilus giganteus
Harknessia spermatoidea
Harknessia ventricosa
Harknessia victoriae
Harknessia weresubiae
Henicospora coronata
Hymenogaster oblongisporus
Hyphoderma eucalypti
Hypocenomyces australis
Hypochnicium gomezii
Hysterangium salmonaceum
Inocybe fibrillosibrunnea
Janetia longispora
Kionochaeta spissa
Labyrinthomyces westraliensis
Lachnellula eucalypti
Lachnum eucalypticola
Lactarius eucalypti
Leucogaster meridionalis
Leucopaxillus lilacinus
Macrohilum eucalypti
Muciturbo reticulatus
Muciturbo truncatus
Murogenella eucalypti
Mycena galopus var. *mellea*
Mycena marocana
Mycena pura var. *marplatensis*
Mycosphaerella delegatensis
Mycosphaerella parva
Mycosphaerella swartii
Mycosphaerella walkeri
Nematogonium caribense
Ophiodothella longispora

- Pachysacca pusilla*
Panellus ligulatus
Parmelia exquisita
Penicillium dendriticum
Penicillium resiniae
Phaeopyxis australis
Physalospora eucalyptina
Phytophthora polymorphica
Pleospora eucalypti
Pluteus flammipes var. *depauperatus*
Podohydangium australe
Proprioscypha corticicola
Protuberia canescens
Pseudocercospora eucalyptorum
Pseudocercospora eucalyptorum
Pseudolyophyllum obsoletum var. *feniculum*
Ramaria pyrispora
Ramaria stuntzii var. *gelatinosa*
Ramaria subtilis var. *microspora*
Ramaria toxica
Ramaria watlingii
Ramaria xanthosperma var. *australiana*
Rhizopogon sardous
Rhizosphaerina variabilis
Russula clelandii
Sclerogone eucalypti
Seimatosporium cylindrosporum
Semifissispora elongata
Semifissispora fusiformis
Semifissispora rotundata
Septoria pulcherrima
Setchelliogaster australiensis
Spadicoides tropicalis
Sporidesmium eucalypticola
Stachybotrys ramosa
Stagonospora delegatensis
Stigmina hansfordii
Thaxteriellopsis eucalypti
Thaxterogaster brunneus
Thaxterogaster redactus
Trichocladium elegans
Trimmatostroma bifarium
Tylopilus obscurus
Umbelopsis swartii
Valsa eucalypticola
Vermisporium acutum
Vermisporium biseptatum
Vermisporium brevicentrum
Vermisporium obtusum
Vermisporium walkeri
Versiumyces cahuchucosus
Xerula radicata var. *australis*
- Eugenia
- Bartalinia triseptata*
Blastocladia coronata
Blastocladia filamentosa
Blastocladia fruticosa
Caryospora masonii
Chaetopsina pinarensis
Cleistonium parasiticum
Glonium parasiticum
Heteropatella indica
Lambertella whetzelii
Myrothecium setiramousum
Rosenscheldiella intermedia
- Feijoa
Pseudocercospora feijoae
- Jambosa
- Limacinula macrospora*
- Leptospermum
- Aleurina magnicellula*
Chlorovibrissea phialophora
Clavulina copiosa-cystidiata
Dermocybe alienata
Dermocybe castaneodisca
Dermocybe egmontiana
Dermocybe indotata
Dermocybe largofulgens
Dermocybe leptospermarum
Dermocybe splendida
Gymnohydnotrya australiana
Hypogymnia australica
Labyrinthomyces phymatodeus
Leocarpus bisporus
Menegazzia subpertusa
Pseudocyphellaria ardesiaca
Pseudocyphellaria corbettii
Pseudocyphellaria crassa
Pseudocyphellaria haywardiorum
Pseudocyphellaria jamesii
Pseudocyphellaria margaretae
Stictia squamata
Trichosphaerella tuberculata
- Melaleuca
- Descolea maculata*
Haematomma eremaeum
Janetia interna
Labyrinthomyces westraliensis var. *parvulusporus*
Orbilia flexispora
- Metrosideros
- Briania fruticetum*
Capnobotrys paucispora
Diaporthopsis metrosideri
Diaporthopsis metrosideri
- Myrceugenella
- Phellinus andinus*
- Myrceugenia
- Dermoloma pataguae*
- Myrcia
- Acarella inaequalis*
- Pachycondyla
- Hirsutella subramanianii*
- Psidium
- Blastocladia excelsa*
Blastocladia spiciformis
Chalara neocaledoniae
Cladosporium psidiicola
Dipodascus geniculatus
Guignardia psidii
Marssonina psidii
Mycovellosiella myrtacearum
Myxosporium psidii-guajavae
- Syzygium
- Acanthostigma tilakii*
Amazonia syzygii
Anungitea antillana
Asterina gopalkrishnani
Cercospora syzygii
Hadronema verrucosum
Meliolina subramanianii

- Oramasia hirsuta* var. *cubensis*
Paraulocladium angulosporum
Perisporiopsis quinqueseptata
Physalidium carbonis
Thaxteriella eugeniae
Tristania
Panellus hispidifavolus
Phyllosticta blackwoodiae
Phyllosticta hemibrunnea
Sphaerophorus coomerensis
Tyromyces tristaniae
Xanthostemon
Uredo xanthostemonis
NAUCLEACEAE
Mitragyna
Mycovellosiella mitragynae
Mycovellosiella rubiacearum
Pseudocercospora ochracea
NYCTAGINACEAE
Abronia
Glomus trimurales
Bougainvillea
Comoclathris bougainvilleae
Cytospora bougainvilleae
Diarimella setulosa
Stenella bougainvilleae
Mirabilis
Phytophthora mirabilis
Pisonia
Stigmochora variegata
Salpianthus
Mycovellosiella boldoae
NYPACEAE
Nypa
Linocarpon appendiculatum
Oxydothis nypae
Trematosphaeria striataspora
NYSSACEAE
Camptotheca
Pseudocercospora camptothecae
Nyssa
Cercophora arenicola
Mastigospora nyssae
Morrisographium hispidulum
OCHNACEAE
Lophira
Anthostomella lophirae
Ochna
Uredo ochnae
OCHTHEBUI
Hydrophilomyces pusillus
OLACACEAE
Minquartia
Marasmiellus potassiovirens
OLACEAE
Ola
Colletogloeum olacis
OLEACEAE
Forestiera
Microsphaera neomexicana
Forsythia
Oidium forsythiae
Fraxinus
Arthonia anomorphila
Biatorella heterospora
Clypeosphaeria americana
Collybia velutipes forma *microspora*
Conchaticum fraxinophilum
Conchaticum fraxinophilum
Cortinarius olidoamarus
Cortinarius pulchellus
Cyathicula fraxinicola
Endophragmiella uniseptata var. *pusilla*
Gnomoniella fraxini
Hadrotrichum pyrenaicum
Hypoxydon gwyneddii
Microsphaera fraxini
Morchella rotunda var. *crassipes*
Phaeophyscia squarrosa
Phoma enteroleuca var. *inflourescens*
Phoma riggenbachii
Ramonia nigra
Telamonia pulchella
Trechispora variseptata
Jasminum
Abropelta fusarioides
Bagnisiella jasmini
Dictyodothis jasmini
Dictyodothis macrocarpa
Oidium jasmini
Phyllosticta samba
Valsella jasminicola
Ligustrum
Coriolus versicolor forma *tucumanensis*
Corynespora ligustri
Marasmius sphaerodermatoides
Microsphaera katumotoi
Questieriella pulchra
Linociera
Asteridiella riethii
Meliola linocierae-malabaricae
Meliola mayapeicola var. *indica*
Nestegis
Coccomyces globosus
Notelaea
Haematomma solediatum
Olea
Aplosporella oleae-dioicae
Arachnoscypa boudieri
Boletus rugoso-vinosus
Buellia afghanica
Buellia isidiosulo-solediosa
Hyphoderma calcitrapa
Lecanactomyces patellarioides
Lecanoromyces chloronae
Massariella oleae
Massariella zambettakiana
Phyllosticta cuspidatae
Osmanthus
Pseudocercospora osmanthi-asiatici
Phillyrea
Antrodia albidoides
Antrodia subalbidoides
Syringa
Hymenochaete longispora
Microsphaera syringae-japonicae
Phellinus syringaeus
ONAGRACEAE
Epilobium
Crocicreas selligensis
Gnomonia vallesiaca
Fuchsia

Crocicreas bactrosporum
 Oenothera
Erysiphe howeana
 ORCHIDACEAE
Anthostomella aracearum
 Aërides
Ascochyta aëridis
Coniella delicata
 Calypso
Thanatephorus pennatus
 Ceratium
Aphanomyopsis cryptica
 Coeloglossum
Trichosporiella multisporum
 Cymbidium
Haplosporella cymbidii
Pestalotiopsis effecta
 Dendrobium
Mycosphaerella dendrobii-nobilis
Phomopsis dendrobii
Propolis dendrobii
Tulasnella irregularis
 Eulophia
Uredo eulophiae
Uromyces eulophiae
 Gymnadenia
Puccinia sessilis forma specialis orchidacearum
 Listera
Puccinia sessilis forma specialis orchidacearum
 Orchis
Puccinia sessilis forma specialis orchidacearum
Puccinia sessilis forma specialis narcissi-orchidacearum
 Pholidota
Phyllosticta imbricatae
 Platanthera
Leptodontidium orchidicola
Puccinia sessilis forma specialis orchidacearum
Rhizoctonia anaticula
 Prasophyllum
Ypsilonidium anomalum
 Pterostylis
Ceratobasidium angustisporum
 Sarcochilus
Ceratobasidium papillatum
 Satyrium
Puccinia mercei
 Spathoglottis
Dothiorella spathoglottidicola
 Trichoglottis
Ceratobasidium globisporum
 Vanilla
Phialoarthrobotryum brasiliense
 OXALIDACEAE
 Oxalis
Embellisia oxalidicola
Phallus impudicus var. pseudoduplicatus
Pseudocercospora oxalidis
 PAEONIACEAE
 Paeonia
Erysiphe paeoniae

Tubercularia paeoniicola
 PALMAE
Acrodictys elaeidis var. cubensis
Belonopsis vaginalis
Camarops rickii
Catenularia cubensis
Cercophora palmicola
Chaetopsina polyblastia
Chaetosphaeria cubensis
Cocomyces palmicola
Corynesporopsis isabelicae
Dicranidion amazonense
Epithele malaiensis
Helicodendron indicum
Hemicorynespora aseptata
Javaria samuelsii
Nectria chaetopsinae-polyblastiae
Nectriopsis lilliputia
Panellus albifavolus
Petrakina discoidea
Pholiota varzeae
Pleurotus eugrammus var. radicolica
Rigidoporus micromegas var. aurantiacus
Stigmina asperulata
Stilbotulasnella conidiophora
Tremellina pyrenophila
Tricharia demoulinii
Tricharia elegans
Tricharia novoguineensis
 Acanthopoenix
Scytinostroma pseudopraestans
Sphaerobasidium bisporum
 Ancistrophylum
Epithele ovalispora
Hymenochaete harpago
Vararia perplexa
 Archontopoenix
Pleurotus djamor var. fuscoroseus
Proliferodiscus caeruleoniger
 Areca
Antipodium arecae
Kramabeeja shrungashakha
Laurera kundaraensis
Mycoleptodiscus taiwanensis
Pleurophragmium arecae
Pseudohansfordia lanyuensis
Stenella taiwanensis
Torulomyces macrosporus
Zeuctomorpha arecae
 Arecastrum
Pithomyces taiwanensis
 Arenga
Didymostilbe aurantiospora
Radiigera asperata
 Astrocaryum
Cryptophiale minor
Melanographium laxum
 Bentinckioipsis
Pseudoramularia ponapensis
 Calamus
Benjpalia sundara
Lichenopeltella epiphylla
Melanographium indicum
Parahelminthosporium malabaricum
Peniophora trigonosperma

- Calyptrogyne
 Bactrodesmium stilboideum
 Cercosporula uncinata
 Stachylidium bicolor var. *caespitosum*
 Carpentaria
 Pseudocercospora carpentariae
 Caryota
 Ascochyta caryotica
 Hansfordia indica
 Ochroconis gamsii
 Rhinotrichella macrospora
 Stenella caryotae
 Chrysalidocarpus
 Niesslia taiwanensis
 Penicillium palmae
 Coccothrinax
 Corynespora cubensis
 Cocos
 Ascochyta cocoae-australis
 Berkleasmium micronesicum
 Buellia flavelloides
 Buellia isidiophora
 Cirrenalia palmicola
 Crepidotus schusteri
 Curucispora ponapensis
 Dicranidion palmicola
 Didymostilbe matsushimae
 Ellisiodothis cocoicola
 Ganoderma chaliceum var. *latiporum*
 Helicofilia madrasensis
 Helicosporium raghuveeri
 Heteroconium ponapense
 Nectria kera
 Oncopodiella guamensis
 Piricauda taiwanensis
 Pyrenula andamanica
 Schistophoron variabile
 Scolecobasidium tropicum
 Solosympodiella palmicola
 Sporidesmium filiattenuatum
 Thielaviopsis abuensis
 Tyromyces ostreiformis var. *latiporus*
 Zalerion sachidanandii
 Coelococcus
 Xylaria ponapeana
 Copernicia
 Meliola sparsipoda var. *longiseta*
 Elaeis
 Ganoderma chaliceum var. *latiporum*
 Hymenochaete separabilis
 Iriarteia
 Astrosphaeriella exorrhiza
 Livistona
 Anthostomella baileyi
 Endocalyx indumentum
 Hypoxyton maculosum
 Meliola livistonae
 Oncosperma
 Flabellophora velutinosus
 Tyromyces oncospermatis
 Phoenix
 Atractogloea stillata
 Canariomyces notabilis
 Cerocorticium canariense
 Didymium marineri
 Entosordaria phoenicis
 Hyphoderma puberis var. *dactyliferum*
 Pleomassaria phoenicis
 Pteridiospora munkii
 Prestoa
 Epithele guadelupensis
 Raphia
 Anisomeridium foliicola
 Ascochyta palmicola
 Ascochyta senensis
 Cercospora raphiae
 Epithele efulata
 Scytinostroma intextum var. *magnisporum*
 Rhopalostylis
 Coronospora novae-zelandiae
 Oxydothis rhopalostylidis
 Oxydothis selenosporellae
 Stenella palmicola
 Stictis ramuligera var. *minor*
 Roystonea
 Ardhachandra aequilatera
 Ascochyta roystoneae
 Ascochyta roystoneicola
 Cheiromycesopsis echinulata
 Cheiromyces cubensis
 Dendryphon cubense
 Helicoma divaricata
 Helminthosporium cubense
 Holubovaea roystoneicola
 Holubovaea roystoneicola
 Janetia cubensis
 Microdochium palmicola
 Phragmospathula brachyspathulata
 Phragmospathula roystoneae
 Sirosporium palmicola
 Sympodiella roystoneae
 Triadelphia stilboidea
 Sabal
 Thozetella effusa
 Serenoa
 Paratomenticola georgiana
 Thrinax
 Phragmospathulella matsushimae
 Xylaria scabrivelava
 Trachycarpus
 Anthostomella trachycarpi
 Endocalyx melanoxanthus var. *grossus*
 Washingtonia
 Serenomyces californicus
 PANDANACEAE
 Freycinetia
 Guedea novae-zelandiae
 Puccinia freycinetiae
 Stictis subiculata
 Pandanus
 Botryobasidium pandani
 Claudopus pandanicola
 Dactylaria iriomoteana
 Gliomastix macroelata
 Hemicorynespora naviculiformis
 Monodictys pandani
 Placoasterella pandanicola
 Triscelophorus ponapensis
 Vestergenia pandani
 PAPAVERACEAE
 Eomecon

Albugo eomeconis
Hylomecon
Erysiphe hylomeci
Erysiphe hylomeci
Roemeria
Helminthosporium roemeriae
PASSIFLORACEAE
Passiflora
Aplosporella passiflorae
Microdochium passiflorae
Monographella passiflorae
Oidiopsis taurica forma *specialis*
passifloracearum
Tetraphthaea
Rhinocladium dingleyae
PEDALIAEAE
Sesamum
Euoidium sesami
Mycosphaerella sesami
Mycosphaerella sesamica
Phyllosticta sesami
PERIPLOCACEAE
Cryptolepis
Capnodium cryptolepidis
Hemidesmus
Meliola hemidesmi
PHILADELPHACEAE
Philadelphus
Coniothyrium philadelphi
Phragmodiaporthe philadelphi
Septoria philadelphicola
PHYLLLOCLADACEAE
Phyllocladus
Coccomyces clavatus
Coccomyces phyllocladi
Pezicula tasmanica
Phyllosticta annulicaudata
PHYTOLACCACEAE
Phytolacca
Lachnella bicolor
Rivina
Pseudocercospora phytolaccacearum
Trichostigma
Periconiella trichostigmatis
Stachylidium cubense
PINACEAE
Amanita eburnea
Amanita fuscoolivacea
Amanita roseophylla
Amanita submembranacea var.
griseoargentata
Cortinarius allutus var. *luteus*
Cortinarius boudieri var.
pseudoarcuratus
Cortinarius diosmoides
Cortinarius fraudulosoconnatus
Cortinarius fulvo-ochrascentis var.
ochrocinerascens
Cortinarius fulvo-ochrascentes var.
subcaninicolor
Cortinarius holovioleipes
Cortinarius odorifer var. *immarginato-*
coloratus
Cortinarius odorifer var. *lutescens*
Cortinarius riederi forma *major*
Cortinarius saugeti var. *caninorugosus*

Cortinarius stilazeus
Greletia marchica
Gymnopilus magnificus
Inocybe obscurus forma *heterospora*
Lactarius sanguineo-virescentis
Lepiota andegavensis
Lepiota besseyi
Lichen vesicarius
Limacella grisea
Melanoleuca parisiensis
Nectria neomacrospora
Pratella flavescens
Pratella rubella
Psathyrella corticalis
Pulveroboletus pseudolignicola
Vanterpoolia tsugae
Abies
Agaricus amicosus
Agaricus cuniculicola
Amanita cokeri forma *roseotincta*
Amanita hamadae
Amanita miculifera
Anthopsis catenata
Arcangeliiella saylorii
Arcyria brooksii
Ascobolus terrestris
Bacidia hakkodensis
Boletochaete setulosa
Caeoma himalayense
Capnobotryella renispora
Cirrenalia japonica
Clavariadelphus fasciculatus
Clavariadelphus yunnanensis
Cortinarius cineraceus
Cortinarius metrodii
Cortinarius privignoides
Cortinarius privignorum
Cortinarius russeus
Cortinarius subduracinus subsp.
basciyanus
Dacryopinax xizangensis
Dendrothele malenconii
Diplococcium bicolor
Dittola abieticola
Eccilia perundata
Euantennaria abietina
Excipularia magnifusispora
Femsjonia rubra
Ganoderma atkinsonii
Gastroboletus brunneus
Gremmeniella abietina var. *balsamea*
Gymnopilus subgeminellus
Gyromitra columbiana
Gyromitra macknightii
Hohenbuehelia abietina
Hohenbuehelia constans
Hygrophorus subfusoides
Hyphoderma galactinum
Hyphodiscosia europaea
Inocybe pseudobrunnea
Lachnellula aeruginosa
Lachnellula robusta
Lactarius riparius
Lactarius scrobiculatus var. *montanus*
Laeticorticium pinsapineum
Leccinum rubrum

Leucopaxillus sainii
Malbranchea multicolor
Nephromopsis morrisonicola
Oncopodium suttonii
Ophiostoma subannulatum
Phacidium infestans var. *abietis* forma
specialis abietis
Phacidium infestans var. *abietis* forma
specialis piceae
Phaeocollybia latispora
Phaeographis flavicans
Phlebia diaphana
Phyllosticta abietis
Phyllosticta multicorniculata
Pichia japonica
Protounguicularia monoseptata
Protounguicularia variegilosa
Pseudoclitocybe beschidica
Ramalina sayreana
Ramaria distinctissima
Ramaria hilaris
Ramaria ochraceovirens var. *parvispora*
Ramaria rubri-attenuipes
Ramaria sino-conjunctipes
Ramaria zeppelinispora
Russula barlae var. *marthae*
Russula cavipes var. *abietina*
Russula multicolor
Russula pseudovesca
Scytinostroma jacksonii
Skeletocutis jelicii
Sporothrix subannulata
Strobilomyces alpinus
Sydowia semenospora
Tylophilus neofelleus forma *olivaceus*
Unguiculariopsis adirondacensis
Usnea lecanorica
Verticillium fungicola var. *flavidum*
Wrightoporia perplexa

Cedrus

Calvatiella indica
Conocybe peronata
Cortinarius herculeus forma *violascens*
Cortinarius herculeus forma *violascens*
Cortinarius petroselineus var.
cedriphilus
Cortinarius purpurascens forma
cedretorum
Cortinarius purpurascens forma
cedretorum
Greletia reticulosperma
Helotium persimile
Hysterangium simlense
Inocybe brevipes
Laccaria olivaceo-grisea
Lepiota fulvella var. *subolivacea*
Lepiota locquinii forma *rioussetae*
Lophodermium nanakii
Metulodontia nivea forma *sulphurea*
Pertusaria consocians
Ploioderma cedri
Ripartites odora
Skeletocutis albocrema
Skeletocutis subsphaerospora
Tricholoma tridentinum var. *cedretorum*
Woronina raii

Larix

Astrosporina humilis
Ceratocystis laricicola
Cladonia mongolica
Conidiobolus iuxtagenitus
Cryptovalsa laricina
Cytophoma kuduerensis
Endothiella japonica
Fuscidea verruciformis
Hysterangium hokkaidoense
Lactarius laricinus
Leucostoma kuduerense
Lyophyllum investitum
Parascutellinia fuckelii
Phlebia pellucida
Tricholoma fusipes
Valsa macrospora
Valsa octospora
Valsella multispora
Xylaria mornandii

Picea

Absconditella lignicola
Agaricus amicosus
Agaricus cuniculicola
Alectoria norstictica
Alectoria subtilis
Aleurodiscus dendroideus
Amylocorticium pedunculatum
Antrodiella citrinella
Antrodiella overholtsii
Astrosporina humilis
Capnobotrys sessilispora
Chalara piceae-abietis
Cheiomycina flabelliformis
Ciliolarina corcontica
Cistella conorum
Cladonia norvegica
Cladonia umbricola
Clavariadelphus pallido-incarnatus
Clavariadelphus yunnanensis
Clitocybe gilva var. *tianschanica*
Clitocybe milleri
Coccomyces irretitus
Coccomyces strobilicola
Collybia tenacella forma *minor*
Cortinarius acutoaltus
Cortinarius agathosmus
Cortinarius agnetis
Cortinarius aleuriolens
Cortinarius amigochrous
Cortinarius anomalochrascens
Cortinarius apomorphus
Cortinarius apomorphus var.
lintrisporus
Cortinarius azureocaninus
Cortinarius blandulus var. *cohaerens*
Cortinarius bulbulipes
Cortinarius caesiocinctus
Cortinarius calochrous var. *beneolens*
Cortinarius caninus var. *inflatus*
Cortinarius castaneoduracinus
Cortinarius citocyaneus
Cortinarius claricolor var. *larouei*
Cortinarius decipientoides
Cortinarius delibutus forma
decurrentifolius

Cortinarius delibutus var. *albescens*
Cortinarius dilutus subsp. *asperrimus*
Cortinarius elegans
Cortinarius ferrugineipes
Cortinarius fluryi forma
 ochraceobrunneus
Cortinarius foligemmatus
Cortinarius glaphurus
Cortinarius haematocheloides
Cortinarius homomorphus
Cortinarius imbricatoides
Cortinarius incarnatofocalis
Cortinarius incarnatofocalis
Cortinarius laccatus
Cortinarius leptosporus
Cortinarius luxuriatus forma
 subluxuriatus
Cortinarius minicolor
Cortinarius nanus
Cortinarius norrlandicus
Cortinarius odhinnii
Cortinarius odorifer var. *immarginato-*
 coloratus
Cortinarius odorifer var. *lutescens*
Cortinarius patibilis
Cortinarius percomatus
Cortinarius petroselineus var.
 cedriphilus
Cortinarius petroselineus var. *typicus*
Cortinarius phaeoleucoides
Cortinarius phaeoruber
Cortinarius quidemolens
Cortinarius roseovariatus
Cortinarius russeus
Cortinarius saginus subsp. *grandisporus*
Cortinarius scriptor
Cortinarius sebaceus var.
 luteopulveratus
Cortinarius sebaceus var. *validosqualens*
Cortinarius seponendus
Cortinarius sericeus var. *globovosporus*
Cortinarius solis-occasus
Cortinarius sommerfeltii
Cortinarius subaffinis
Cortinarius subaffinis
Cortinarius subtigrinus
Cortinarius tabularis forma *caesius*
Cystoderma amianthinum var.
 longisporum
Dactylaria lepida
Dermocybe croceolimbata
Desmazierella piceicola
Diutiola haasii
Elaphomyces spinoreticulatus
Endophragmiella bukkensis
Endophragmiella resinae
Entoloma caeruleopolitum
Entoloma chelone
Entoloma piceicola
Entoloma testaceum var. *bavaricum*
Flammula alnicola var. *piceae*
Gorgoniceps hypothallosa
Gyromitra columbiana
Gyromitra macknightii
Gyromitra sichuanensis
Hebeloma aggregatum

Hebeloma idahoense
Hebeloma praecaespiteosum
Hebeloma subhepaticum
Hebeloma urbanicola
Heterodermia sitchensis
Hyaloscypha sulphureopilosa
Hygrophorus discoideus var. *californicus*
Hygrophorus sitchensis
Hymenoscyphus rarus
Hymenoscyphus resinae-piceae
Incrupila alata
Inocybe albovelata
Inocybe coelestium
Inocybe erythospilota
Inocybe eutheles var. *claricolor*
Inocybe hinnulea
Inocybe involuta
Inocybe pseudograta
Inocybe umbrinodisca
Inocybe urceolycystis
Inocybe xantholeuca
Lachnum rubropunctatum
Lactarius aquizonatus
Lactarius auricola
Lactarius leonis
Lactarius tuomikoskii
Leucoscypha ovilloides
Lobulicium occultum
Luellia cystidiata
Lycoperdon himalayense
Lyophyllum incarnatobrunneum
Lyophyllum serius
Melanoleuca parisianorum forma
 clitocyboides
Micraspis tetraspora
Mollisia gigantea
Mycena epipterygia var. *sophia*
Mycena insignis var. *macrospora*
Mycena occulta
Mycena septentrionalis
Mycena silvae-nigrae
Mycena tristis
Myxocephala albida
Naucoria myosotis forma *minor*
Neocudoniella radiceola
Omphalina infumata
Ophiostoma ainoae
Ophiostoma flexuosum
Orbilia cryptocarpa
Orbilia roseofuscella
Peridermium sinense
Peridermium yunshae
Pezizella nigrostipitata
Phacidium infestans forma *specialis*
 piceae
Phlebia ryvaridenii
Phlebia subulata
Pluteus kuthanii
Poria alpina forma *pachymera*
Poriodontia subvinosa
Psathyrella caespitosa
Pseudophacidium garmanii
Ramaria brunneicontusa
Ramaria distinctissima
Ramaria hilaris
Ramaria ochraceovirens var. *parvispora*

Ramaria rubri-attenuipes
Ramaria sino-conjunctipes
Ramaria zeppelinospora
Rhodocybe carlottae
Rhodocybe carlottae var. *vinacea*
Ripariites tricholoma var. *macrosporus*
Russula leucospora
Russula multicolor
Russula mussooriensis
Russula pseudocavipes
Russula subtorulosa
Russula vesca var. *major*
Russula xerampelina var. *murina*
Scutellinia scutellata var. *discreta*
Setomelanomma holmii
Simocybe coniferarum
Singerocybe viscida
Sirococcus piceae
Sistotremella perpusilla
Skeletocutis lilacina
Skeletocutis ochroalba
Sowerbyella brevispora
Spadicesporium acrosporum
Squamanita cettoiana
Squamanita umbilicata
Stilbella albominuta
Subulicium minus
Therrya piceae
Trechispora farinacea forma *elevata*
Tricholoma argenteum
Tricholoma dulciolens
Tricholomopsis rutilans var. *splendidissima*
Tubulicrinis cinctoides
Tubulicrinis confusus
Vararia borealis
Vararia racemosa subsp. *lapponica*

Pinus

Aleurodiscus mesaverdensis
Aleurodiscus utahensis
Amanita bertaultii
Amanita breckonii
Amanita farinosa var. *mexicana*
Amanita magniverrucata
Amanita pseudovaginata
Amanita radiata
Amanita sinicoflava
Amanita squarrosa
Amylocorticium cumminsii
Anomoporia ambigua
Anthostomella triangularis
Antrodia subramentacea
Armillaria pallidula
Arthrobotrys ellipsospora
Arualis carolinensis
Ascochytilina pini-acicola
Astrosporina humilis
Athelicium stridii
Bahusakala longispora
Belemnospora pinicola
Bertia moriformis var. *latispora*
Bifusella superba
Bifusella wallichii
Blastophorum pini
Bloxamia bohémica
Boletellus elatus

Boletellus fujianensis
Boletellus ivoryi
Boletinus lignicola
Boletus edulis var. *arenarius*
Boletus pseudoluridus
Brachysporiella gayana var. *microspora*
Brunchorstia pinea var. *cembrae*
Buellia pinicola
Calonectria pini-caribaeae
Camarophyllus virgineus var. *curtipes*
Capronia pinicola
Ceratocystiopsis ranaculosa
Cerinomyces aculeatus
Ceriosporopsis caduca
Chalara dennisii
Chloridium paucisporum
Choanatiara lunata
Cirrenalia basiminuta
Claussenomyces pini
Clavariadelphus himalayensis
Colloderma macrotubulatum
Collybia alpina
Comatricha penicillata
Conocybe pinetorum
Cortinarius cremeolaniger
Cortinarius inexpectatus
Cortinarius orichalceolens
Cortinarius phaeomaculatus
Cortinarius rigidiusculus
Cortinarius sanguineus var. *sierraensis*
Cortinarius subcroceophyllus
Cortinarius subviolascens
Cortinarius tabacinus
Cortinarius violilamellatus
Crumenulopsis lacrimiformis
Crustoderma marianum
Crustoderma nakasoneae
Cylindrocarpon carneum
Cylindrocarpon colchicum
Cylindrocarpon kolesnikowii
Cylindrocarpon pini
Cylindrocarpon pithyusae
Cylindrocladiella infestans
Cylindrosporium changbai-pini
Cystangium pineti
Cystoderma cinnabarinum var. *claricolor*
Cystoderma terreii var. *nogalesii*
Dacryobolus phalloides
Davisomycella asiatica
Dermocybe sierraensis
Diacheopsis nannengae
Dicholobodigitus niger
Dictyophora echinovolvata
Diderma rufostriatum
Didymium crassicolle
Endothiella aggregata
Entoloma kitsii
Entoloma nausiosme
Entoloma odoriferum forma *obscurum*
Entoloma testaceum var. *bavaricum*
Entoloma violaceovernum
Entomocorticium dendroctoni
Erythroglloeum pini-acicola
Exophiala dopicola
Fistulinella conica var. *belizensis*
Gaertneriomyces semiglobifera

Galerina phillipsii
Galerina tatrensis
Ganoderma meredithiae
Ganoderma subamboinense var.
laevisporum
Gastrosuillus amaranthii
Gautieria crispa
Gloeocystidiellum parvisporum
Gomphideus viscidus forma *giganteus*
Gomphidius viscidus forma *giganteus*
Gorgoniceps viridula
Gymnopilus capitatus
Gymnopilus longipes
Gymnopilus macrocheilocystidiatus
Gymnopilus pleurocystidiatus
Gymnopilus subrufobrunneus
Gymnopilus thiersii
Gymnopilus zempoalensis
Gyroporus castaneus var. *amophilus*
Harmoniella chrysocephalus
Hebeloma alpinicola
Hebeloma arenosum
Hebeloma bulbosum
Hebeloma littenii
Hebeloma mesophaeum var. *longipes*
Hebeloma obscurum
Hebeloma pinetorum
Hebeloma utahense
Helicodendron pinicola
Helotium pithyophilum
Hirsutella brownorum
Hohenbuehelia pinicola
Hyalopesotum pini
Hydropus conicus
Hymenoscyphus perplexus
Hypoderma labiorum-aurantiorum
Hypogymnia oceanica
Ingoldiella nutans
Inocybe albofibrillosa
Inocybe arenicola var. *mediterranea*
Inocybe involuta
Inocybe javorkae
Inocybe phaeocystidiosa
Inocybe romana
Inocybe rufula
Inocybe undulatospora
Junctospora pulchra
Junghuhnia complicata
Laccaria affinis forma *macrocystidiata*
Laccaria oblongospora
Laccaria trichodermophora
Lactarius aquizonatus
Lactarius scrobiculatus var. *montanus*
Lactarius thakalorum
Lecanidiella contortae
Lecanora mugosphagneti
Lecanosticta gloeospora
Lepiota clypeolaria forma *foetens*
Leptographium galliciae
Leptographium galliciae
Leptoporus wynnei forma *ellipsospora*
Leptostroma pinorum var. *graupianum*
Leucoagaricus melanotrichus forma
citrifolius
Leucocoprinus caeruleoviolaceus
Linodochium formosum

Lophodermella maureri
Lophodermella orientalis
Lophodermium anhuiense
Lophodermium himalayense
Lophodermium indianum
Lophodermium kumaunicum
Lophodermium maximum
Lophodermium mirabile
Lophodermium molitoris
Lophodermium orientale
Lophodermium parasiticum
Lophodermium pini-bungeanae
Lophodermium ravenelii
Lophodermium staleyi
Lophophacidium dooksii
Lyophyllum acutipes
Lyophyllum chamaeleon
Lyophyllum investitum
Lyophyllum lutescens
Lyophyllum rugulosum
Macowanites durangensis
Macowanites mexicanus
Macrocyttidia indica
Mammariopsis variopora
Marasmius centroamericanus
Marasmius thiersii
Massarina coniferarum
Massarina operculicola
Melanogaster obovatisporus
Melastiza asperula
Meloderma sharmarum
Metazythiopsis halepensis
Monascus floridanus
Mortierella macrocystopsis
Mycena ezeizae
Mycena occulta
Mycenella salicina forma *bispora*
Mycocacia meridionalis
Mycosphaerella gibsonii
Naemacylus steatopygioides
Nephroma sulcatum
Ocotomyces parasiticus
Ordus tribrachiatus
Parvacoccum pini
Penicillium caeruleascens
Penicillium michaelis
Penicillium rubefaciens
Penicillium severskii
Penicillium vaccaeorum
Peridermium yamabense
Persiciospora moreau
Pestalospaeria hansenii
Peziza berthetiana
Pezizella pulvinata var. *lignicola*
Phacidium fennicum
Phacidium infestans var. *abietis* forma
specialis piceae
Phaeocalicium pinaceum
Phaeocollybia latipora
Phaeosclera dematioides
Phaeostalagmus peregrinus
Phallus fragrans
Phialocephala fortinii
Phialophora finlandia
Phlebia brevispora
Phlebia diffusa

Phlebiella borealis
Pholiota gummosa var. *obscurofusca*
Pholiota pinicola
Physarum lenticulare
Pocheina flagellata
Polyscytalum pini
Pseudocercospora deightonii
Pseudocercospora montantiana
Pseudodolophyllum obsoletum var.
 feniculum
Pulveroboletus leucomycelinus
Ramalina superfraxinea
Ramaria botrytoides var. *microspora*
Ramaria brunneipes
Ramaria ephemeroderma
Ramaria eryuanensis
Ramaria laeviformosoides
Ramaria linearioides
Ramaria linearis
Ramaria nanispora
Ramaria neoformosa var. *sinensis*
Ramaria piedmontiana
Ramaria rubricarnata var. *laeta*
Ramichloridium pini
Repetobasidium vestitum
Rhizophydium punctatum
Rhizophydium squamosum
Rhizophydium undatum
Rhizopogon gigasporus
Rhizopogon sardous
Rhizopogon verii
Rubikia samsonii
Russula angustispora
Russula minutula var. *robusta*
Russula tyrrhenica
Russula xerampelina var. *amoenipes*
Rutstroemia allantospora
Scutisporus brunneus
Scytinostroma mediterraneense
Scytinostromella fallax
Sebacina enodulosa
Skeletocutis carneogrisea
Skeletocutis kuehneri
Skeletocutis nivea var. *diluta*
Skeletocutis papyracea
Skeletocutis portrosensis
Spadicesporium bifurcatum-majus
Spadicesporium copiosum
Spongiporus luteocaesius
Sporidesmium doliiforme
Sporonema diamandidis
Sporothrix cylindrospora
Subulispora variabilis
Suillus neoalbidipes
Suttonina guatemaltica
Thelephora ganbajun
Titaella capnophila
Tricharina mikolae
Trichoderma atroviride
Trichodiscus pinicola
Tricholoma argenteum
Tricholoma batschii var. *minor*
Tricholoma marquetense
Tricholoma moseri
Tricholoma olivaceobrunneum
Tricholoma sejunctoides

Tricholoma vinaceogriseum
Tubulicrinis strangulatus
Tulasnella subglobospora
Tylopilus argillaceus
Tylopilus castaneiceps
Tylopilus griseocarnaeus
Tylopilus hondurensis
Tylopilus nicaraguensis
Tylopilus obscurus
Tylopilus snellii
Uyucamyces parasiticus
Verticicladiella alacris
Verticicladiella truncata
Verticicladiella wagneri var. *ponderosa*
Volutella pini-caribaeae
Xanthoconium montanum
Xerocomus pseudoboletinus var. *pini-*
 caribaeae
Xiambola mirabilis
Xylohypha ortmansiae
Zeus olympius
Pseudotsuga
Agaricus summensis
Arcangeliiella desjardinii
Bactrodesmium obliquum var. *suttonii*
Bactrodesmium obliquum var. *suttonii*
Destuntzia fusca
Destuntzia saylorii
Fibroporia angulopora
Hormonema merioides
Hygrophorus pseudotephroleucus
Laccaria amethysteo-occidentalis
Leptographium wagneri var.
 pseudotsugae
Lyophyllum solidipes
Mariannaea clavispora
Martellia medlockii
Meria parkeri
Monilia versiformis
Nephroma occultum
Pertusaria subambigens
Phacidium infestans var. *abietis* forma
 specialis abietis
Phytophthora pseudotsugae
Poria stenospora
Pseudotomentella fumosa
Pseudotomentella kaniksuensis
Pseudotomentella molybdea
Rhabdocline parkeri
Sclerophoma semenospora
Sclerophoma xenomeria
Stuartella suttonii
Thaxterogaster thiersii
Therrya pseudotsugae
Trapeliopsis pseudogranulosa
Tricholoma manzanitae
Tsuga
Amanita ristichii
Amylobasidium tsugae
Ciboria gordonii
Clavaria raveneliana
Clitocybe milleri
Coccomyces mertensianae
Cortinarius umidicola
Destuntzia fusca
Destuntzia solstitialis

Gloeomucro luteodiscus
Gloiodon occidentale
Hebeloma mesophaeum var.
ochroniveum
Hohenbuehelia aciculospora
Hohenbuehelia tsugophthora
Lyophyllum pusillum
Martellia medlockii
Platyglea acanthophysa
Poria chromatica
Potebniamyces gallicola
Ramaria distinctissima var. *americana*
Rhodocybe carlottae
Rhodocybe carlottae var. *vinacea*
Roeslerina microspora
Rogersella eburnea
Szczawinskia tsugae
Therrya tsugae
Vanterpoolia tsugae
Xanthoconium montaltoense

PIPERACEAE

Piper

Aspergillus brunneo-uniseriatus
Botryosporium magnum
Meliola piperis
Nectria haematococca forma *specialis*
piperis
Septobasidium piperis

PISTACIACEAE

Pistacia

Apiognomonia righettii
Clypeosphaeria pistacina
Lecanora balearica
Uncinuliella pistaciae
Xylaria citrispora

PITTOSPORACEAE

Pittosporum

Gymnohydnotrya australiana
Lachnellula pittospori
Lachnellula pittospori subsp. *azorica*
Leioderma sorediatum
Phomopsis archeri

PLAGIOGYRIACEAE

Plagiogyria

Pseudocercospora plagiogyriae

PLANTAGINACEAE

Plantago

Otidea daliensis
Phomopsis plantaginis
Pirottaea plantaginis
Plasmopara plantaginicola
Puccinia polozhiaie

PLATANACEAE

Platanus

Aniptodera limnetica
Anisomeridium tuckeri
Ganoderma subamboinense var.
laevisporum
Herictum americanum
Lasiosphaeria triseptata
Licea kelleri
Nephroma areolatum
Polyschema bicellularis
Xenosperma hexagonosporum

PLUMBAGINACEAE

Limonium

Erysiphe aurea
Pleospora halophila
Selenophoma limonii

PODOCARPACEAE

Gymnopilus mesosporus

Dacrycarpus

Fuscoderma limbatum
Pseudocyphellaria knightii

Dacrydium

Capronia acutiseta
Coccomyces cupressini
Coniocybe amabilis
Gloeophyllum vinaceibrunneum
Macrotypophula defibulata forma *pallida*
Pyrrhoglossum viriditinctum
Ramaria ambigua
Tyromyces dacrydii
Vararia rosulenta
Xylaria luteostromata var. *macrospora*

Lagarostrobos

Roccellinastrum lagarostrobi

Microstrobos

Menegazzia subbullata

Podocarpus

Agrogaster coneae
Apostrasseria ambigua
Arnaudiella andina
Ceratocystis novae-zelandiae
Clavaria redoleo-alii
Clavulina subrugosa var. *tenuis*
Coriolus versicolor forma *tucumanensis*
Hyperphyscia pruinosa
Macbrideola confusa
Metacapnodium dingleyae
Physalacria pseudotropica
Psilocybe trufemiae
Ramaria pancaribbea var. *zealandica*
Stemonaria minuta
Teratosperma microspora
Xeromphalina podocarpi
Saxe-Gothaea
Phlyctis chilensis

POLEMONIACEAE

Allophylum

Pseudocercospora allophyllina

Collomia

Sphaerotheca collomiae

Phlox

Pleospora drummondii
Puccinia douglasii var. *hoodii*
Puccinia fragilis var. *divaricatae*
Stemphylium drummondii

Polemonium

Entyloma lapponicum
Erysiphe robusta

POLYGALACEAE

Securidaca

Mycoenterolobium platysporum var.
magnum

POLYGONACEAE

Antenonoron

Puccinia antenori

Antigonon

Oidium antigonis
Phomopsis antigoni

Atraphaxis

- Cucurbitaria transcaspica* var.
atraxoidis
Leptosphaeria atraxoidis
Phoma atraxoidis
- Bistorta
Sphacelotheca himalensis
- Caligonum
Trematosphaeria calligoni
- Coccoloba
Amanita dunicola
Endostelium amerosporum var. *medium*
Endothiella coccolobii
Inocybe littoralis
Kazulia foliicola
Phellinus minutiporus
Sporidesmium polymorphum
Thozetella cubensis
Trichocladium cubense
Xerocomus cuneipes
- Eriogonum
Erysiphe californica
- Fagopyrum
Cercospora fagopyri
Ramularia fagopyri
- Muehlenbeckia
Cytospora muehlenbeckiae
Phomopsis jaunpurensis
Phyllosticta beaumarisii
- Polygonum
Albotricha vantschensis
Cylindrosporium polygoni
Peronospora sinensis
Plagiostoma septentrionale
Puccinia emondensis
Puccinia taibaiana
Puccinia wenchuanensis
Puccinia wulingensis
Sclerotinia himalayensis
Sphacelotheca polygoni-persicariae
Sphacelotheca zundelii
Sphaerulina polygonorum
Uredo polygoni-runcinati
Wettsteinina kashmirensis
Wettsteinina polygonorum
Zundeliomyces polygoni
- Rheum
Puccinia rhei-palmati
- Rumex
Crocicreas nigrofusum var.
allantosporum
Mollisia rumicis
Phoma rumicicola
Puccinia namjagbarwana
Puccinia obscuripora
Uromyces fedtschenkoi
Uromyces longipedicellaris
- PORTULACACEAE
 Portulaca
Dichotomophthora portulacae var.
longispora
Polymyxa betae forma *specialis*
portulacae
- POTALIACEAE
 Fagraea
Mycosphaerella fagraeae
Tyromyces fagraeae

- POTAMOGETONACEAE
 Potamogeton
Papulaspora aspera
- PRIMULACEAE
 Androsace
Thecaphora androsacina
Thecaphora oberwinkleri
- Lysimachia
Endophylloides lysimachiae
- Primula
Aecidium primulinum
Marasmiellus primulae
Pleospora primulae
- Soldanella
Ramularia jordanovii
- PROTEACEAE
 Banksia
Argopericonia elegans
Banksiomyces katerinae
Banksiomyces maccannii
Banksiomyces macrocarpus
Canoparmelia norpruinata
Cryptococcus hinnuleus
Cryptococcus phylloplanus
Cryptocoryneopsis umbraculiformis
Hypogymnia tasmanica
Parmotrema ochrocrinitum
Phoma banksiae-integrifoliae
Plectosphaera banksiae
Plectonidium australiense
Sarcinulella banksiae
Satchmopsis australiensis
Sporobolomyces foliicola
Stagonospora clandestina
Tryssoglobulus aspergilloides
Westea banksiae
- Brabejum
Hexacladium corynephorum
- Grevillea
Hypocrea grevilleae
- Hakea
Toxosporiella bactrodesmiioides
- Isopogon
Mortierella ovata
- Knightia
Rhinocladium pulchrum
Sporidesmium omahutaense
- Leucadendron
Batcheloromyces leucadendri
Helicosingula leucadendri
- Leucospermum
Petalosphaeria leucospermi
- Protea
Ceratocystiopsis proteae
Knoxdaviesia proteae
Pestalotiopsis montelicoides
- Telopea
Phyllosticta telopeae
- PTERIDOPHYTA
Coccomyces crystalligerus
Deigloria amoena
Deigloria modesta
Deigloria pulcherrima
Goosiella helicospora
Marasmius polycladoides
Mollisinopsis filicis

Mycena dumontii
Mycena mauretanica var. *longipila*
Mycena mauretanica var. *microcephala*
Panellus exiguus
Pholiota galapagensis
Psilachnum microallantosporum
Sclerocrana atra
Stypella variabilis
Typhula pteridicola
Xylaria kretzschmarioidea
 Acrostichum
 Massarina acrostichi
 Phomatospora acrostichi
 Adiantum
 Cladosporium adianticola
 Herpobasidium australe
 Alsophila
 Mycocentrospora fusarioides
 Apteropteris
 Arthonia apteropteridis
 Aspidium
 Pteridomyces bananisporus
 Asplenium
 Scytinostroma corneri
 Setigeroclavula ascendens
 Athyrium
 Cistella helvetica
 Corticirama berchtesgadensis
 Blechnum
 Cladosporiella foliicola
 Hyphopolynema australe
 Lachnum blechnophilum
 Stenella australiensis
 Cheilanthes
 Cercospora cheilanthis
 Cibotium
 Phyllachora cibotii
 Cyathea
 Ceratosporella ponapensis
 Chalara phaeospora
 Dacryoma alba
 Nectria dacryocarpa
 Pleurotus chrysorrhizus
 Pleurotus cyatheicola
 Pteridomyces capitatus
 Stictis dealbata
 Stictis laciniata
 Xeromphalina testacea
 Dennstaedtia
 Mycena epipterygia var. *sophia*
 Dicksonia
 Lachnum pinnicola
 Drynaria
 Phoma meghalayaensis
 Dryopteris
 Lanzia filicis-maris
 Mycena gypsella
 Pestalotia uljanishevii
 Equisetum
 Chaetomastia equiseti
 Lanzia equiseti
 Phaeosphaeria celata
 Unguicularia equiseti
 Hymenophyllum
 Cistella hymenophylli
 Lycopodium

Ceramothyrium lycopodii
Cryptodiscus anguillosporus
Gibbera lycopodii
Hyalopeziza rubefaciens
Micropeziza diphasii
Pseudopeltis perminuta
Stanhughesia lycopodii
Stomatogene lycopodii
Venturia lycopodii
 Lygodium
 Pseudocercospora lygodii
 Pseudocercospora polypodiacearum
 Matteuccia
 Repetobasidiellum fusisporum
 Microsorium
 Cercospora microsorii
 Onoclea
 Fuscolachnum pteridis var. *tumidipila*
 Osmunda
 Ascochyta osmundicola
 Mycena pteridophila
 Phlebodium
 Lepiota bettinae
 Platycerium
 Mycena invisibilis
 Polystichum
 Herpobasidium abnorme
 Leptopeltis japonica
 Mycena mauretanica var. *megaspora*
 Sphaerobasidioscypha citrispora
 Pteridium
 Agaricus electicus
 Bisporella hypostroma
 Didymium crassicolle
 Morenoina pteridicola
 Paradiachea howardii
 Pteris
 Calycellina minuta
 Hymenoscyphus pteridicola
 Taphrina nepalensis
 Struthiopteris
 Urceolella amphipila
 Woodwardia
 Psilachnum woodwardiae
 PUNICACEAE
 Punica
 Erysiphe punicae
 Julella multiloculata
 Tympanopsis punicae
 PYROLACEAE
 Pyrola
 Stanhughesia carniolica
 QUEDIUS
 Mimeomyces deplanatus
 RANUNCULACEAE
 Aconitum
 Aecidium aconiti-phragmitincolae
 Aivenia aconiti
 Aivenia foliicola
 Lasiobelonium stipitatum
 Unguicularia aconiti
 Actaea
 Septoria actaeae
 Septoria bunkinae
 Adonis
 Aecidium ussuriense

Anemone
 Coleosporium anemones
 Tuburcinia subnuda
 Caltha
 Aivenia calthae
 Ceratocephalus
 Urocystis ceratocephali
 Clematis
 Broomella verrucosa
 Phaeoisariopsis clematidis
 Pseudocercospora ranunculacearum
 Tuburcinia atragenes
 Coptis
 Wettsteinina barriae
 Cosmarium
 Lagenidium canterae
 Lagenidium lundii
 Delphinium
 Hyalopeziza arctica
 Oidiopsis taurica forma *specialis*
 ranunculacearum
 Pulsatilla
 Heterosphaeria pulsatillae
 Ranunculus
 Comoclathris subdeflectens
 Doassansia putkonenii
 Doassansia putkonenii
 Entyloma ranunculorum
 Fusarium oxysporum forma *specialis*
 ranunculi
 Spilopodia ranunculi
 Urocystis radicola
 Urocystis ranunculi-aucheri
 RESEDACEAE
 Homalodiscus
 Neophoma stipitata
 Selenophoma homalodisci
 RHAMNACEAE
 Alphitonia
 Haematomma bubalinum
 Ceanothus
 Discosiospora ceanothi
 Glomus lacteum
 Microsphaera sydowniana
 Colubrina
 Selenosporella conglutinata
 Gouania
 Amazonia gouaniae
 Rhamnus
 Asterina rhamnii
 Microsphaera friesii var. *dahurica*
 Microsphaera rhamnicola
 Scutia
 Aphanostigma scutiae
 Ventilago
 Phomopsis indica
 Ziziphus
 Kendrickomyces brevisporus
 Microdiplodia ziziphi
 Passalora indica
 Phomatospora kamatii
 RHIZOPHORACEAE
 Ceriphs
 Anthracotheceum bengalense
 Ramalina subfraxinea var. *norstictica*
 Relicina terricrodila

Rhizophora
 Aigialus grandis
 Aigialus mangrovius
 Aigialus parvus
 Aigialus rhizophorae
 Ascochratera manglicola
 Bathyascus grandisporus
 Capillatasporea corticola
 Caryosporella rhizophorae
 Crepidotus kriegelsteineri
 Cucullospora mangrovei
 Haematomma stevensiae
 Halosarpheia abonnis
 Hyperphyscia mobergii
 Hypophloeda rhizospora
 Hypoxylon oceanicum
 Lautosporea gigantea
 Lophiostoma mangrovei
 Marinosphaera mangrovei
 Massarina velataspora
 Naïs glitira
 Ophiodeira monosemeia
 Passeriniella savoryellopsis
 Rhizophila marina
 Rocella belangeriana
 Schizochytrium mangrovei
 Swampomyces armeniacus
 Trematosphaeria lignatilis
 ROSACEAE
 Armillariella viridiflava
 Acaena
 Gnomonia acaenae
 Acomastylis
 Wettsteinina victorialis
 Adenostoma
 Sulcaria isidiifera
 Alchemilla
 Joerstadia keniensis
 Leptosphaerulina nitida
 Trachyspora keniensis
 Amelanchier
 Spilocaea amelanchieris
 Amygdalus
 Oidiopsis taurica forma *specialis*
 rosacearum
 Phyllactinia babayanii
 Phyllactinia kashmirensis
 Phyllactinia salmonii forma *amygdali*
 Cercocarpus
 Glomus scintillans
 Protoventuria arizonica
 Comarum
 Gnomonia sentierensis
 Gnomoniella ammannii
 Cotoneaster
 Pseudovalsa cotoneastri
 Crataegus
 Camarophyllus virgineus var. *curtipes*
 Cylindrosporium pentagynae
 Entoloma clypeatum forma *xanthophyllum*
 Gymnosporangium clavipes forma *specialis cupressi*
 Hypoxylon tinicense
 Pertusaria sinuomexicana
 Phellinus overholtsii

Dryas

Agaricus arcticus
Astrosporina mundula
Clitocybula dryadicola
Didymosphaeria striatispora
Entyloma tichomirovii
Fayodia arctica
Fayodia arctica
Gibbera holmii
Guignardia lapponica
Inocybe albofibrillosa
Inocybe alboperonata
Inocybe amoenolens
Inocybe bivela
Inocybe fuscescentipes
Inocybe gymnopilus
Inocybe heterocystis
Inocybe hinnulea
Inocybe immaculipes
Inocybe infumata
Inocybe leucoloma
Inocybe melliolens
Inocybe nitidiuscula forma *ampullacea*
Inocybe solidipes
Inocybe subpaleacea
Inocybe substraminipes
Lepiota dryadicola
Leptosphaerulina polyphragmia
Microthyrium holmiae
Naemacyclus lambertii var. *dryadis*
Othia dryadis
Paracainiella dryadis
Phaeosphaeria dryadis
Pleospora ascodedicata
Pleospora pallideterminalis
Sydowiella dryadis var. *macrospora*
Tricholoma sulfureum var.
hemisulfureum
Tricholoma sulfureum var.
hemisulfureum
Tubeufia alpina

Eriobotrya

Macrophoma eriobotryae
Phomopsis hugesii

Filipendula

Lachnum subnudipes
Lanzia ulmariae
Sphaerotheca filipendulae
Triphragmium vassilievae

Fragaria

Bullera crocea
Bullera crocea
Ceratobasidium fragariae
Embellisia abundans
Gnomonia vescae
Marssonina pakistanica
Uredo pterygospora

Geum

Gnomonia skifteii

Heteromeles

Diplodia heteromelina
Roccellina conformis

Holodiscus

Valsa holodiscina

Lyonothamnus

Strickeria catalinae

Malus

Aphanofalx mali
Butlerella eustacei
Calothyriopsis mali
Candida beijingensis
Chaillietia mali
Glomus maculosum
Ochroporus ossatus
Penicillium samsonii
Phoma coonsii
Pleochaeta mali
Pleurotus pometi var. *macrosporus*

Padus

Blumeriella prunophorae forma *specialis*
cerasiferae

Pentaphylloides

Diaporthe magnifica
Melanomma distinctum

Photinia

Discosia baarnensis
Discosia poikilomera
Eutypella ceranata
Helotiella microspora
Physalospora heteromelina

Physocarpus

Sphaerotheca aphanis var. *physocarpis*

Polylepis

Clitocybe polylepidicola
Gerronema yalae
Grondigallia dictyospora
Inonotus venezuelicus
Marasmius polylepidis var. *jujuyensis*
Mycenella polylepidis

Potentilla

Cylindrosporium potentillae
Gyalideopsis megalospora
Leptosphaerulina albulae
Leptosphaerulina rupestris
Mollisia potentillae-erectae
Mycosphaerella potentillae-stipularis
Pleospora leptosphaerulinoides
Sphaerotheca aphanis var. *hyalina*

Poterium

Phyllosticta poterii

Prinsepia

Dictyodochium prinsepiae
Oidium prinsepiae

Prunus

Actidium mirabile
Bisporella nannfeldtii
Coriolus versicolor forma *tucumanensis*
Cristulariella pruni
Cytospora cincta var. *flavocirrus*
Encoelia fimbriata
Endothiella japonica
Fusarium merismoides var. *persicicola*
Grovesinia pruni
Hanseniaspora nodinigri
Lichen scopulas-referens
Moellerodiscus iodotigenis subsp.
canariensis
Phaeoramularia pruni
Piloporia indica
Podosphaera wuyishanensis
Romellia tympanoides
Seticyphella tenuispora

Stemonaria fuscoidea
Stenella anomoonis
Tranzschelia discolor forma specialis
domesticae
Tranzschelia discolor forma specialis
dulcis
Tranzschelia discolor forma specialis
persicae

Pyracantha

Fusarium oxysporum forma specialis
pyracanthae
Meliola garhwalensis

Pyrus

Blastoclada mammillata
Blastoclada pileota
Corticium meridioroseum
Cyathus gallicus
Diaporthe tanakae
Phomopsis tanakae
Pichia hangzhouana
Scoliciosporum gallurae

Rosa

Amerosporium circinatum
Dasyscyphus hissaricus
Gnomonia radicola
Microsphaera indica
Microsphaera rosae
Phomopsis gulabii
Phragmidium cinnamomeum
Phragmidium rosae-omeiensis
Septocytia rosarum
Uncinuliella simulans var. *tandae*
Ungiculariopsis robergei subsp.
coelomyceticola

Rubus

Aphanobasidium bourdotii
Bulbomollisia radiata
Calycellina tetraspora
Cylindrosporium rubianum
Dasyscyphus thindii
Dicarpella rubicola
Fusichalara clavatispora
Gnomonia norvegica
Gnomonia rubi-idaei
Hemibeltrania echinulata
Henicospora minor
Lambertella rubi
Lepiota bickhamensis
Lepiota coxheadii
Licea clarkii
Lophodermium coalescens
Lophodermium multimatricum
Marasmius rubi
Mollisia alcalireagens
Morenoia clarkii
Phragmidium himalense
Phragmidium hiratsukanum
Phragmidium rubi-eucalypti
Pyrenopeziza maculata
Sporidesmium clarkii
Tapesia flavescent
Ungicularia hamatopilosa
Uredo prodigiosa

Sanguisorba

Gnomoniella abortiva

Sieversia

Gnomonia peckii
Gnomonia sieversiae

Sorbus

Arthothelium norvegicum
Cryptosporium aucupariae forma
microspora
Cryptosporium aucupariae forma
microspora
Fuscidea viridis
Neta compacta
Podosphaera curvispora

Spiraea

Blumeriella haddenii
Cylindrosporium spiraeae-thunbergii
Monodictys spiraeae

Stephanandra

Cercospora stephanandrae

RUBIACEAE

Hansfordiopeltopsis amazonensis

Acrosynanthus

Ancoraspora cubensis

Anthocephalus

Pseudocercospora saketensis

Antirhea

Meliola delae

Bouvardia

Fusarium oxysporum forma specialis
bouvardiae

Canthium

Gloeosporidina canthiicola
Heterochaete dimitica
Meliola coilocosa
Stenella canthii

Cinchona

Acaulospora undulata
Odontium australe

Coffea

Anthostoma coffeae
Anthostomella coffeicola
Anthostomella coffeicola
Aplosporella coffeicola
Aspergillus atheciellus
Aspergillus equitis
Bipolaris coffeana
Bipolaris tropicalis
Bombardia coffeae
Bombardia coffeicola
Bombardia lobayensis
Botryosphaeria coffeae
Chaetosphaeria africana
Chaetosphaeria coffeae
Chalara neocaledoniae
Chromocrea leucostroma
Cladosporiella deightonii
Codinaea coffeae
Coleroa coffeae
Coniothyrium canephorae
Coniothyrium coffeanum
Cryptovalsa coffeicola
Cytospora coffeae
Dendrophoma coffeae
Diaporthe coffeae
Didymella coffeicola
Didymella foliicola
Didymella megalospora
Didymosphaeria canephorae

Didymosphaeria coffeae
Eriosphaeria anisospora
Eutypa coffeae
Eutypa coffeicola
Eutypella coffeae
Fracchiaea coffeicola
Gibberella africana
Gibberella coffeae
Gibberella cylindrospora
Guignardia coffeae
Hyphomycetia erythrostoma
Hypocrea echinospora
Leptosphaeria africana
Leptosphaeria centrafricana
Leptosphaeria cylindrospora
Leptosphaeria excelsa
Leptosphaeria gigaspora
Leptosphaeria lobayensis
Leptosphaeria longispora
Leptosphaeria macrorostrata
Leptosphaeria oubanguiensis
Leptosphaeria tetraspora
Macrophoma canephora
Megalonectria coffeae
Melanconiella striispora
Melomastia coffeae
Metasphaeria africana
Metasphaeria coffeicola
Micropsalliota pholiotinoides
Mycosphaerella canephora
Mycosphaerella costii
Nectria coffeae
Nectria echinospora
Nectria echinulata
Nectria oubanguiensis
Neotrotteria lobayensis
Ophiobolus didolotii
Ophioceras boukokoensis
Ophioceras coffeae
Ophionectria africana
Ophionectria lobayensis
Ophionectria macrorostrata
Ophionectria rostellata
Peroneutypa coffeae
Peroneutypa macroceras
Phialocephala mexicana
Phialocephala xalapensis
Phoma coffeiphila
Phoma excelsa
Phomatospora canephora
Phomatospora coffeae
Phomatospora coffeicola
Phyllosticta coffeae-libericae
Physalospora coffeigena
Prosthecium africanum
Pseudomorfea coffeae
Pseudonectria coffeicola
Saitoa japonica
Schizostoma coffeanum
Stagonospora coffeae
Stagonospora coffeicola
Stenella coffeae
Trailia coffeae
Trichonectria oubanguiensis
Valsaria striispora
Valsella coffeae

Conostomium
Hymenoscyphus austrobryus
Coprosma
Capnobotrys pacifica
Lophodermium croesicum
Phaeocalicium asciiforme
Pseudocypbellaria durietzii
Uredo vulcani
Crossopteryx
Pseudocercospora crossopterygis
Crucianella
Pleospora kamatii
Diodia
Elachopeltis intermedia
Faramea
Maravalia guianensis
Galium
Diderma carneum var. *album*
Erysiphe riedliana
Phallus impudicus var. *pseudoduplicatus*
Sphaeropsis galii
Sphaeropsis nebelina
Gardenia
Balladynopsis johnstonii
Esdipatilia indica
Mycosphaerella luzonensis
Genipa
Balladynopsis urtiagae
Hedyotis
Cercoseptoria hedyotidis
Cercospora hedyotidis
Hymenodictyon
Mycovellosiella gorakhpurensis
Ixora
Microsphaeropsis ixorae
Microthyrium mahabaleshwarsense
Speiropsis ixorae
Sphaeropsis ixorae-parviflorae
Vestergrenia ixorae
Jackia
Trichaptum jackiae
Meyna
Pseudocercospora meynae-laxiflorae
Morinda
Phyllosticta tinctoriae
Sirosporium morindinum
Mussaenda
Cercospora philippinensis
Trimmatostroma saksenae
Myrtagyna
Meliola parvifoliae
Paederia
Microsphaera paederiae
Pavetta
Bagnisiella pavettae
Diatrype pavettae
Pentas
Cercospora pentatis
Cercospora pentatis
Phyllosticta pentatis
Phyllosticta pentatis-carniae
Psychotria
Antennatula cubensis
Chaetothyrium diversum
Randia

- Dothiorella kanoorii*
Tretospora indica
 Rubia
Erysiphe rubiae
Erysiphe rubiae
Phyllosticta rubiae
Placosphaeria rubiae
 Tetrastigma
Phyllosticta tetrastigmatis
 Wendlandia
Cercospora wendlandiae
 Xeromphis
Phyllosticta xeromphiicola
Pseudocercospora xeromphidicola
Stenella xeromphigena
 RUSCACEAE
 Ruscus
Mycosphaerella rusci
Mycosphaerella ruscicola
 RUTACEAE
 Acronychia
Amazonia acronychiae
 Aegle
Fumago hebbalensis
 Atalantia
Meliola tenella var. *atalanticola*
 Citrus
Aithaloderma himalayanum
Anthracotheicum globiferum var. *microsporum*
Cryptosporiopsis citri
Didymosphaeria aurantifolii
Flabelliospora octacladia
Galactomyces citri-aurantii
Glomus aggregatum
Glomus citricola
Glomus intraradices
Microglomus paxillum var. *bicellulare*
Paraaoria himalayana
Penicillium ulaiense
Ramalina luciae
Septobasidium reinkingii
 Clausena
Sirosporium rutacearum
 Correa
Berkleasmium correae
Glaphyriopsis hyalina
Lachnum correae
Pseudocercospora correae
Pseudocercospora correicola
 Evodia
Phyllosticta evodiae
Uncinula evodiae
 Fagara
Leptosphaerella fagaricola
 Glycosmis
Bagnisiella glycosmidis
Cercoseptoria glycosmidis
Cercospora glycosmidis
Paracostantinella pulchra
Patellaria glycosmidis
Sarcinella glycosmidis
Thysanophora asymmetrica
 Murraya
Eutypa murrayae
Mycosphaerella kankeshwarensis
Pseudocercospora murrayicola
 Oryza
Microsphaera orizae
 Paramignya
Meliola paramignyae
 Ruta
Ramularia rutae
 Toddalia
Asterina toddaliae
 Zanthophyllum
Dennisiella longispora
 Zanthoxylum
Acrodictys stilboidea
Telimenopsis fagarae
 SABIACEAE
 Sabia
Asterina sabiana
Phyllactinia sabiae
Pseudocercospora sabiae
 SACCIFOLIACEAE
 Saccifolium
Xenomeris saccifolii
 SALICACEAE
 Chosenia
Melampsora kamikotica
 Populus
Agaricus cappelli
Agaricus delastrii
Aniptodera fusiformis
Antrodia submalicola
Aphanobasidium sphaerosporum
Boletus aurantiacus var. *albus*
Botryodiplodia populea
Botryosphaeria parva
Calathella ellisii
Calonema geesinkii
Candida populi
Chalara populi
Chalaropsis populi
Collybia hebelomoides
Conicomycus contortus
Cortinarius cinnamomeobadius var. *meridionalis*
Cortinarius rioussetiae
Cortinarius robertii
Cortinarius subcroceophyllus
Cortinarius torquatorum
Cortinarius xanthocephaloides
Cryptosphaeria pullmanensis
Cylindrocarpon hydrophilum
Dianema mongolicum
Dicaeoma populinum
Diplococcium insolitum
Exidiopsis diversa
Fusicoccum parvum
Gloeoporus thompsonii
Glomus occultum
Gnomonia fahrendorffii
Hansenula populi
Helvella robusta
Hobsonia christiansenii
Inocybe javorkae
Inocybe langei var. *heterosporoides*
Inocybe parvispora
Inocybe pusio forma *velata*
Kontospora halophila

Lamproderma elasticum
Marssonina balsamiferae
Marssonina brunnea forma *specialis*
trepidae
Marssonina populi forma *specialis*
monogermtubi
Marssonina populi forma *specialis*
multigermtubi
Melampsora cumminsii
Melampsora medusae forma *specialis*
deltoidis
Melampsora medusae forma *specialis*
tremuloidis
Melampsora osmaniensis
Melanogaster obovatisporus
Mollisia flava
Phaeostalagmus arbusculus
Pleochaeta populicola
Pluteus atricapillus var. *albus*
Pollaccia borealis
Pollaccia radiosa var. *populi-albae*
Psathyra gordonii forma *minor*
Punctelia jujensis
Russula clariana
Scytinostroma eurasiatricogalactinum
Scytinostroma protrusum subsp.
septentrionale
Septotinia populiperda
Sistotrema farinaceum
Sistotrema populicola
Spadicetium persistens
Spadicoides catenulata
Trichocladium angelicum
Tricholoma fulvmarginatum
Ucinula longispora var. *minor*
Ucinula populi
Ucinula tenuitunicata
Urceolella conspicua
Uredo thuemenii
Uredo zilleri
Venturia moreletii
Venturia tremulae var. *grandidentatae*
Venturia tremulae var. *populi-albae*
Venturia viennotii var. *levispora*
 Salix
Agaricus arcticus
Alnicola geraniolens
Amanita arctica
Amanita groenlandica
Astrosporina alpigenes
Astrosporina mundula
Astrosporina taxocystis
Bullera salicina
Caeoma salicis-miyabeanae
Capronia pilosella var. *longiseta*
Carneopezizella salicicola
Ceriporiopsis balaenae
Clitocybe paxillus
Clitocybe paxillus
Cortinarius absarokensis
Cortinarius carminipes
Cortinarius chamaesalicis
Cortinarius favrei forma *pallidus*
Cortinarius fuscoflexipes
Cortinarius gramineus
Cortinarius mucronatus

Cortinarius paleiferus var.
brachyspermus
Cortinarius rufoanuliferus
Cortinarius stenospemus
Cortinarius stuntzii
Cortinarius subfusisporus
Cortinarius vulpicolor
Crepidotus bickhamensis
Cytospora rubescens forma *salicina*
Discina spinospora
Entoloma alpicola forma *minor*
Entoloma bicorne
Entoloma kristiansenii
Entoloma porphyrogriseum
Exidiopsis succinea
Fayodia arctica
Fayodia arctica
Galerina paludinella
Galerina phillipsii
Ganoderma microsporum
Gliocladium thaxteri
Gnomonia salicis-auritae
Halecania viridescens
Hamatocanthoscypha sulphureocitrina
Hebeloma atrobrunneum
Hebeloma monticola
Hebeloma polare
Helvella robusta
Herpotrichiella collapsa
Herpotrichiella collapsa
Hyaloscypha lignicola
Hyaloscypha lignicola
Hymenoscyphus paradoxus
Inocybe arthrocytis
Inocybe auricomella
Inocybe concinnula forma *subconcinnula*
Inocybe dulcamaroides
Inocybe favrei
Inocybe fulvipes
Inocybe geraniadora var. *velifera*
Inocybe godfrinioides
Inocybe guttulifer
Inocybe guttulifer forma *inamoena*
Inocybe gymnopilus
Inocybe hebelomoides
Inocybe heterocystis
Inocybe hypotheja
Inocybe immaculipes
Inocybe infumata
Inocybe johannae
Inocybe lacera forma *megaspora*
Inocybe leucoloma
Inocybe microfastigiata
Inocybe obtusiuscula
Inocybe paludosa
Inocybe pelargoniodora
Inocybe polytrichi-norvegici
Inocybe pseudoflocculosa
Inocybe rimosa var. *bulbosissima*
Inocybe rufuloides var. *exilis*
Inocybe salicis-herbaceae
Inocybe saponacea
Inocybe squarrosoannulata
Inocybe striaepes
Inocybe subannulata
Inocybe subhirsuta

- Inocybe suboreina*
Inocybe substellata
Inocybe sulcata
Inocybe tenbricoides
Inocybe tenerella
Inocybe tetragonospora
Inocybe undulatospora
Lactarius aurioilla
Lactarius leonis
Lactarius riparius
Lactarius robertianus
Leptoporus caesius var. *rhenanus*
Linospora salicis-helveticae
Linospora salicis-reticulatae
Lophiotrema boreale
Lophiotrema boreale
Marasmius kallioneus
Melampsora dimorphospora
Melampsora hissarica
Melampsora salcis-viminalis
Melittosporiella macrospora
Mycena pseudogibba
Naucoria macrospora forma *tetraspora*
Naucoria saliceti
Naucoria salicetorum
Omphalina rigidipes
Ophiognomonina langii
Pachyella peltata
Phaeosphaeria nanosalicium
Pholiota ceriferoides
Pleuroceras arollanum
Pleuroceras labradorensis
Pleuroceras oregonense
Pleuroceras rousseaui
Polaroscyphus spetsbergianus
Polyporus odoratus
Psilopezia nummularialis
Rinodina degeliana
Russula fragilis var. *alpigenes*
Russula persicina forma *alba*
Scytinostroma aluta
Sistotrema intermedium
Spadicoides catenulata
Trapelia corticola
Tricharina groenlandica
Tricholoma sulfureum var. *hemisulfureum*
Wettsteinina salicicola
- SALVADORACEAE
 Salvadoria
Aphanofalx irregularis
Myrotheciastrum salvadorae
- SAMBUCACEAE
 Sambucus
Erysiphe sambuci
Eutypella domicalis
Macentina aurantiaca
Microsphaera vanbruntiana var. *sambuciracemosae*
Orbilbia ebuli
Xylaria pterula
- SANTALACEAE
 Buckleya
Uncinula buckleyae
 Dendrotrophe
Meliola dendrotrophicola
- Exocarpos
Hypogymnia subphysodes var. *austerodioides*
Menegazzia confusa
- Osyris
Discostroma osyridis
- Santalum
Oidium santalacearum
- Scleropyrum
Meliola hainanensis
- SAPINDACEAE
Asteridiella chardoniana var. *magnispora*
Merismella amazonensis
- Allophylus
Pseudocercospora allophylicola
- Cupania
Septonema fragile
- Dodonaea
Pseudocercospora dodonaeae
- Erioglossum
Laurera subphaeomelodes
- Lepisanthes
Phyllosticta lepidanthicola
- Litchi
Cytospora litchi
Drechslera chattopadhyayi
Teratosperma litchi
- Matayba
Ceratosporella longiramosa
Chaetopsis cubensis
Holubovaniella gracilis
- Melicoccus
Cercospora meliococi
Oncopodiella cubensis
- Nephelium
Oidium nephelii
Pholiota dinghuensis
Pseudocercospora nephelii
- Sapindus
Brasiliomyces setosus
Coronophora sapindi-emarginati
Hemibeltrania laxa
- Schleichera
Mycovellosiella trijugae
- Serjania
Mercadomyces camagueyensis
- SAPOTACEAE
Lactarius amazonensis
Lactarius annulifer
Lactarius subpallidipes
- Achras
Maravalia bolivarensis
Phomopsis sapotae
- Dipholis
Gloeocystidiellum tropicale
- Glycoxydon
Cortinarius amazonicus
- Isonandra
Meliola jayachandranii
Olivea isonandrae
- Manilkara
Phomopsis manilkarae
Pseudocercospora manilkarae
- Mastichodendron
Meliola sapotacearum

Mimusops
 Phyllostictina jabalpurensis
 Pycnovellomyces foliicola
 Valseutypella khandalensis
 Pouteria
 Cainia boninensis
 Chaetospermopsis boninensis
 Reptonia
 Buellia afghanica
 SAURURACEAE
 Houttuynia
 Cercospora houttuyniicola
 SAXIFRAGACEAE
 Astilbe
 Sphaerotheca mors-uvae var. *astilbicola*
 Chrysosplenium
 Erysiphe krumbholzii
 Rogersia
 Setoerysiphe rogersiae
 Saxifraga
 Lasallia asiae-orientalis forma *major*
 Lasallia pertusa forma *squamulifera*
 Leptosphaeria ramsaugiensis
 Sphaerotheca alpina forma *macrospora*
 Wettsteinina douglasii
 SCHISANDRACEAE
 Kadsura
 Asteridiella kadsuricola
 Schisandra
 Aecidium schisandrae
 SCROPHULARIACEAE
 Castilleja
 Cronartium arizonicum
 Leptosphaeria castillejae
 Nodulosphaeria revelstokensis
 Digitalis
 Alternaria photistica
 Ascochyta digitalina
 Lewia photistica
 Dodartia
 Guignardia dodartiae
 Hebe
 Fusarium oxysporum forma *hebes*
 Fusarium oxysporum forma *specialis*
 hebes
 Linaria
 Puccinia linariae
 Melampyrum
 Phoma petrakii
 Mimulus
 Erysiphe brunneopunctata
 Microdiplodia mimuli
 Paulownia
 Cheiropolyschema formosana
 Didymella tandonii
 Mycovellosiella paulowniicola
 Phaeoisariopsis paulowniae
 Phaeoseptoria paulowniae
 Phomopsis indica
 Pedicularis
 Leptosphaeria jacksonensis
 Scoparia
 Caeoma scopariae
 Scrophularia
 Selenophoma scrophulariae
 Siphonostegia

Cronartium flaccidum forma *specialis*
 siphonostegiae
 Veronica
 Puccinia kyangjinensis
 Schroeteria banatica
 Schroeteria poeltii
 Uromyces didymae
 Veronicastrum
 Sphaerotheca fuliginea var. *sibirica*
 SIMAROUBACEAE
 Ailanthus
 Meliola ailanthi
 Oidium ailanthi
 Oidium ailanthi
 Peroneutypella ailanthi
 Physcia latifolia
 Picramnia
 Sphaeridium pilosum
 Samadera
 Minimidochium indicum
 Simaba
 Phyllachora concentrica
 SIMMONDSIACEAE
 Simmondsia
 Glomus deserticola
 SMILACACEAE
 Smilax
 Ascochyta smilacis-canadensis
 Ascochytulina smilacina
 Dwayabeeja cubensis
 Endocalyx collantes
 Mytiocopron smilaciscaule
 Odontodictyospora comasii
 Piricauda cubensis
 Puccinia lioui
 Puccinia oedopoda
 Puccinia oedospora
 Shimizuomyces kibianus
 Shimizuomyces paradoxus
 Stenella smilacis
 Veronaea smilacis
 SOLANACEAE
 Capsicum
 Diaporthe capsici
 Oidiopsis taurica forma *specialis*
 solanacearum
 Peronospora capsici
 Rhodotorula matritensis
 Viennotidia spermosphaerici
 Datura
 Cytospora daturae
 Hyoscyamus
 Albugo hyoscyami
 Erysiphe hyoscyami
 Iochroma
 Microthyriolum equatoriense
 Lycium
 Arthrocladiella mougeotii var.
 polysporae
 Coryneum lycii
 Septoria lycicola var. *longispora*
 Lycopersicon
 Exosporium lycopersici
 Phoma andina var. *crystalliniformis*
 Phomopsis fusiformis
 Nicotiana

Euoidium solanacearum
Glonium vestigiale
Phomopsis nicotianae
 Physalis
Blastocladia didyma
 Solanum
Cercospora nigri var. *microspora*
Fusarium roseum forma *compactum*
Hymenochaete boidinii
Macrophoma varanasiensis
Oidiopsis taurica forma *specialis*
solanacearum
Oidium longipes
Uncinula himalayensis
 SONNERATIACEAE
 Sonneratia
Biatriospora marina
 SPARGANIACEAE
 Sparganium
Ascochyta miniquadriguttulata
Ascochyta sparganii-ramosi
Doassansia sparganii
 SPIGELIACEAE
 Spigelia
Phyllosticta spigeliae
 STACHYURACEAE
 Stachyurus
Cercospora stachyuricola
Platyglœa navispora
Pseudocercospora stachyurina
 STAPHYLEACEAE
 Euscaphis
Uncinula euscaphidis
 Staphylea
Fusarium staphyleae
 Turpinia
Asteridiella turpiniicola
 STERCULIACEAE
 Brachychiton
Stylaspergillus laxus
 Dombeya
Oidium dombeyae
Sporobolomyces kluyveri-nielii
Sporobolomyces phyllomatis
 Eriolaena
Irenopsis eriolaenae
 Firmiana
Erysiphe firmianae
Phomopsis firmianae
 Guazuma
Satchmopsis sacciformis
Xylaria guazumae
 Helicteres
Bagnisiella apiculospora
Cercosporidium helicteretis
 Heritiera
Buglossoporus heritierae
Pyxine isidiolenta
 Lasiopetalum
Pleotrichiella australiensis
 Reevesia
Meliola reevesiae
 Scaphopetalum
Russula concolora
 Sterculia
Alternaria macrospora var. *sterculiae*

Cercoseptoria sterculiae
Corynesporopsis indica
 Theobroma
Bactridium xathertum
Bahusakala ramosa
Dactylaria ponapensis
Gliocladium sampajense
Kostermansindiopsis theobromae
Mycoalvimia theobromicola
Nectria septomyrothecii
Peristomialis leucocarpa
Phytophthora palmivora var. *heterocystica*
Pterula echo
 Waltheria
Pseudocercospora waltheriae
 STYRACACEAE
 Perostyrax
Uncinula togashiana var. *rigida*
 Styrax
Cercospora styracicola
Microsphaera miyabeana
Uncinula togashiana
 SYMPLOCACEAE
 Dicalyx
Hyponectria dicalycis
Leiosphaerella dicalycis
 Symplocos
Cercospora symploci
Dermatodothis japonica
Erysiphe symplocicola
Exobasidium sakataniense
Meliola bissei
Microsphaera nomurae
Microsphaera symploci
Myiocopron ovatisporum
Phyllachora spicatae
 TAMARICACEAE
 Reaumuria
Camarosporium reaumuriae
 Tamarix
Trematosphaeria tamaricis
 TAXACEAE
 Taxus
Apostrasseria fusiformis
Apostrasseria robusta
Cerinomyces crustulinus var. *latisporus*
Dactylaria curv clavata
Dactylaria mitrata
Phacidium dearnessii
Psathyrella flagelliformis
Sporidesmiella longissima
Stanglomyces taxophilus
 TAXODIACEAE
 Athrotaxis
Apiothyrium tasmanicum
Gelineostroma athrotaxis
Roccellinastrum flavescens
 Cryptomeria
Diacheopsis mitchellii
Gloeoporus cremeo-albus
Hymenochaete borbonica
Lamproderma latifilum
Macbrideola argentea
Physalacria cryptomeriae
Stemonaria reticulospora

Subulicystidium allantosporum
 Cunninghamia
Bartalinia cunninghamiicola
Pestalotia apiculata
Sclerocystis cunninghamia
 Metasequoia
Microstella pluviorens
 Sequoia
Agaricus summensis
Clavariadelphus pallido-incarnatus
Galerina sequoiae
Hygrophorus mamillatus
Hygrophorus pseudotephroleucus
Hygrophorus subaustraligis
Leptonia subrubinea
Marasmiellus californicus
Melanoleuca mackleri
Micromphale sequoiae
 Taiwania
Acaulospora taiwania
 Taxodium
Anisomeridium tuckeri
Dendrothele bispora
Gloeocystidiellum wakullum
Topelia aperiens
 TETRAMELACEAE
 Tetrameles
Asteromassaria tetraspora
Pseudocercospora tetramelis
 THEACEAE
 Camellia
Agaricodochium camelliae
Cercoseptoria ocellata
Diplodia theae-sinensis
Exobasidium giganteum
Exobasidium sasanquae
Fusarium bugnicourtii
Glomerella cingulata forma specialis
camelliae
Lophodermium camelliicola
Mycocentrospora camelliae
Penicillium indonesiae
Pseudocercospora javanica
Rigidoporus hypobrunneides
Stigmina theae
 Gordonia
Phyllachora gordoniae
 THYMELAEACEAE
 Gonystylus
Tyromyces rufipusillus
 Lasiosiphon
Bagnisiella indica
Bagnisiella lasiosiphonis
 TILIACEAE
 Corchorus
Ascochyta corchori
Chaetomium putrefactum
Phomopsis corchoricola
 Grewia
Meliola grewiae var. *longispora*
Oidium grewiae
Pseudochuppia sarcinisporea
Sirosporium indicum
 Heliocarpus
Pucciniosira dorata
 Microcos

Phyllosticta microcosi
 Tilia
Arachnopeziza depauperata
Calycellina sorido-pulvinata
Cercophora appalachianensis
Hebeloma crustuliniforme var. *tiliae*
Inocybe urbana
Microsphaera tiliae
Pezicula tiliae
Psathyrella segregis
Russula parazurea var. *ochrospora*
Russula vassilievae
Uncinula oleosa var. *zhengii*
Winterella wehmeyeriana
 Triumphetta
Clypeolella triumphetticola
Erysiphe doidgei
 TREMANDRACEAE
 Tetratheca
Septoria tetrathecae
 TYPHACEAE
 Typha
Ascochyta typhae-angustatae
Discocistella typhae
Psathyrella almerensis
Psathyrella typhae var. *bispora*
Psilocistella fonticola
Puccinia typhae
 ULMACEAE
 Aphananthe
Uncinula kusanoi var. *aphananthes*
 Celtis
Hyphodontia orasinusensis
Physalospora celtidis
 Trema
Pseudocercospora trematicola
 Ulmus
Anisomeridium tuckeri
Chaetonaevia ulmicola
Entoloma saundersii var. *hiemale*
Hydropus subcartilagineus var.
bisporiger
Lamelloporus americanus
Lepiota clypeolarioides var. *armillata*
Macentina stigonemoides
Melanospora longisetosa
Microsphaera neglecta
Orbilia piloboloides
Paradidymobotryum oblongum
Pezizella pulcherrima
Plectophomella concentrica
Protodontia ellipsospora
Prototheca ulmea
Ramonia dictyospora
Rhodophyllus hiemalis
Septoria everhartii
Steccherinum bourdotii
 Zelkova
Resupinatus merulioides
 UMBELLIFERAE
Pyrenopeziza paramyciformis
 Angelica
Hyalopeziza latispora
 Anthriscus
Puccinia anthriscicola
 Archangelica

Callorina arctica
 Astringia
Cylindrosporium astrantiae
 Bupleurum
Wettsteinina bupleuri
 Carum
Ascochyta carvi
Puccinia caricola
 Chaerophyllum
Ophiobolus landoltii
Symphyosirinia chaerophylli
 Coelopleurum
Ophiobolus fragmentarius
 Cryptotaenia
Plasmopara cryptotaeniae
 Cuminum
Thielavia emodensis
 Daucus
Dothiorella dauci
 Eryngium
Leveillula braunii
 Ferula
Pleurotus eryngii var. *tuoliensis*
 Ferulago
Pleurotus eryngii var. *ferulaginis*
 Foeniculum
Phomopsis foeniculi
 Heracleum
Symphyosirinia heraclei
 Oedibasis
Puccinia oedibasidis
 Oenanthe
Bremiella oenanthes
Nectria boothii
Plasmopara oenanthes
 Pastinaca
Alternaria conjuncta
Septoria bresadolae
 Peucedanum
Heterosphaeria ovispora
Puccinia peucedani-elgonensis
Puccinia peucedani-kerstenii
 Pimpinella
Leptosphaeria pimpinellae
Plasmopara pimpinellae var. *maioris*
Septoria laubertiana
 Prangos
Pyrenopeziza pabulariae
Septoria prangi
 Pternopetalum
Puccinia pternopetali
 Ptychotis
Puccinia ptychotidis
 Scandix
Aecidium pectinis-veneris
Puccinia scandicicola
 Selinum
Plasmopara selini
 Seseli
Puccinia nitida var. *major*
 Thapsia
Coniochaeta areolatifurca
 Zozimia
Coniothyrium zozimiae
 URTICACEAE
 Cecropia

Nectria chlorogloea
Nectria spirostriata
Roigiella lignicola
 Gonostegia
Mycovellosiella gonostegiae
 Laportea
Erysiphe laportae
 Parietaria
Erysiphe greeneana
Peronospora parietariae
 Pellionia
Asterina pellioniae
 Pilea
Albugo pileae
Erysiphe pileae
 Pipturus
Botryosphaeria pipturi
 Urera
Neosporidesmium maestrense
 Urtica
Arpinia fusispora
Ascochyta urticicola
Belonidium litorale
Bullera aurantiaca
Entoloma leucocarpum
Erysiphe garhwalensis
Euoidium urticae
 VALERIANACEAE
 Patrinia
Cercospora patriniae
 Valeriana
Uromyces sasaensis
 VELLOZACEAE
 Vellozia
Tephromela velloziae
 VERBENACEAE
 Callicarpa
Anthostomella callicarpae
Meliola arnoldii
Sphaerotheca callicarpae
 Caryopteris
Blastocladia arborata
 Clerodendrum
Aecidium clerodendri-serrati
Asteridiella clerodendricola
Asteridiella vivekananthanii
Phomopsis clerodendri
Sphaerotheca intermedia
Truncatella wangikarii
 Duranta
Marasmius skaliae
 Gmelina
Griphosphaeria gmelinae
Gugnardia gmelinae
Marasmius parviconicus
Mycovellosiella gmelinae-arboreae
Phomopsis gmelinae
Phyllosticta gmelinae
 Lantana
Cercospora lantanae-camarae
Eutypa lantanae
 Lippia
Pseudocercospora lippiae-albae
 Nyctanthus
Oidium braunii
Phaeoramularia asiatica

Petrea

Phyllosticta volubilis

Premna

Cercospora premnicola

Tectona

*Acremonium tectonae**Bagnisiella jawaharensis**Clypeolella tectonae**Diatrype tectonae**Latericonis obscura**Monotosporella rhizoidea**Oncopodium munjalii**Peethasthabeja krishna**Phomopsis tectonae**Phomopsis variosporum**Pseudocercospora tectonicola**Pseudoepicoccum tectonae**Scytalidium tectonae**Trichocladium indicum**Veronaea tectonae*

Verbena

Cylindrosporium verbenae

Vitex

*Bagnisiella viticis**Corynespora viticis**Helminthosporium novae-zelandiae**Olivea viticis**Parmeliella subgranulata**Pseudocercospora viticigena**Ramalina fastigiata* var. *colorans**Sarcinella jabalpurensis*

VERTEBRATA

*Piromonas communis**Piromonas maxima**Piromonas minima**Sphaeromonas communis**Sphaeromonas maxima**Sphaeromonas minima**Sporothrix catenata*

Bos

*Orpinomyces bovis**Scytalidium japonicum*

Camelus

Trichophyton sarkisovii

Carassius

Dictyuchus pisci

Cebus

Candida nanaspora

Chelonia

Isaria ovi

Cow

Geotrichum loubieri

Crocodylus

Trichosporon beemeri

Dipodomys

Penicillium aurantiogriseum var.*neoechinulatum**Penicillium chrysogenum* var.*dipodomys**Penicillium glandicola* var. *confertum**Penicillium griseofulvum* var.*dipodomycicola*

Dog

Pseudomicrodochium suttonii

Equus

*Caecomycetes equi**Candida pintolopesii* var. *slooffiae**Hyphomyces destruens**Papulaspora equi**Pythium destruens**Pythium insidiosum*

Homo

*Aspergillus microthecius**Blastoschizomyces pseudotrichosporon**Botryomyces caespitosus**Candida lodderae**Candida paratropicalis**Chaetophoma dermo-unguis**Chrysosporium geophilum**Cladophialophora ajelloi**Cladosporium devriesii**Cladosporium trichoides* var.*chlamydosporum**Cryptococcus neoformans* var.*shanghaiensis**Cylindrocarpon vaginiae**Cyphellophora pluriseptata**Dissitimurus exedrus**Endodermophyton indicum**Endomyces bronchialis**Endomyces candidus**Endomyces chalmersii**Endomyces entericus**Endomyces faecalis**Endomyces guilliermondii**Endomyces insolitus**Endomyces intestinalis**Endomyces lacteus**Endomyces lacticolor**Endomyces negrii**Endomyces nitidus**Endomyces niveus**Endomyces paratropicalis**Endomyces pinoyi**Endomyces pseudotropicalis**Endomyces rhoi**Endomyces rotundus**Endomyces rugosus**Endomyces tropicalis**Endomyces zelanicus**Epidermophyton rubrum**Exophiala castellanii**Exserohilum maginnisii**Geotrichum clavatum**Histoplasma capsulata**Hormodendrum japonicum**Microsporium praecox**Monilia asteroides**Monilia balcanica**Monilia bethaliensis**Monilia lustigi**Monilia macedoniensis**Monilia metatropicalis**Monilia metschnikoffii**Monilia montoyae**Monilia nabarroii**Monilia parabalkanica**Monilia parachalmersii**Monilia parakrusei**Monilia pseudoguilliermondii**Monodictys indica**Montoyella bodinii*

- Oidium tropicale*
Paecilomyces variotii var. *zaaminelli*
Penicillium dodgei
Phaeoannellomyces elegans
Phialemonium curvatum
Phialemonium obovatum
Phialophora cyanescens
Polycyrtella hominis
Saccharomyces krusei
Sarcinomyces inkin
Sarcinomyces phaeomuriformis
Scedosporium inflatum
Scopulariopsis maduramycosis
Sporobolomyces pollaccii
Taeniolella boppi
Trichophyton kaneii
Trichophyton raubitschekii
Xylohypha emmonsii
Larus
Leucosporidium lari-marini
Lizard
Fusarium lacertatum
Ovis
Caecomyces communis
Neocallimastix patriciarum
Piomyces communis
Palinurus
Didymaria palinuri
Ramularia branchialis
Papio
Cryptococcus fereaegula
Peromyscus
Glomus botryoides
Phocaena
Alternaria molesta
Rutilus
Hormonema macrosporum
Salmo
Volutella salmonis
Salmon
Exophiala psychrophila
Tamias
Glomus botryoides
Tursipos
Sterigmatomyces tursiopsis
VIOLACEAE
Hymenanthera
Haematomma alpinum
Melicytus
Stictis clavata
Viola
Pseudocercospora violae
Pseudocercospora violicola
Puccinia violae var. *sublaevis*
Puccinia violae-reniformis
Sphaerotheca violae
VISCACEAE
Viscum
Uromyces visci
VITIDACEAE
Vitis
Ascospora viticola
Asterina viticola
Blastocladia heterosporangia
Candida agrestis
Candida montana
Ceratostoma vitis
Chaetomium trilaterale var. *pseudocupreum*
Cheilaria vitis
Comatricha vineatilis
Coniella petrakii
Cyathus gallicus
Cytospora vitis
Diplodia heufleri
Discosia vitis
Drepanoconis divertigastra
Fusoma vitis
Gibbera vitis
Laeticorticium cremeo-albidum
Phoma vitis
Phragmaspidium viniferae
Phyllachora vitis
Polynema vitis
Pseudocercospora vitigena
Pseudopezicula tetraspora
Pyrenotrichum vitis
Septoria vitis
Sphaerella vitis
Steccherinum tenue
VOCHYSIACEAE
Qualea
Ciliophorella qualeae
Uncinula heringeriana
Vochysia
Sphaeropsis vochysiae
WELWITSCHIACEAE
Welwitschia
Pleospora welwitschiae
WINTERACEAE
Drimys
Candida ancudensis
Candida drimydis
Candida lignophila
Fitzpatrickella operculata
Flammulina similis
Simocybe drimidis
Pseudowintera
Anungitea heterospora
Helicoma irregulare
Pseudocyphellaria allanii
XANTHOPHYLLACEAE
Xanthophyllum
Phyllachora prataprajii
XANTHORRHOACEAE
Xanthorrhoea
Anthostomella bispapillata
Anthostomella hemibrunnea
Anthostomella pseudoclypeata
Avettaea alcornii
Cistella xanthorrhoeae
Gilmaniella punctiformis
Glonium xanthorrhoeae
Paliphora aurea
Phaeoseptoria xanthorrhoeae
Spegazzinia xanthorrhoeae
Vizella xanthorrhoeae
Xerotes
Laestadia xerotifolia
ZAMIAEAE
Encephalartos
Catillaria encephalarti

ZINGIBERACEAE

- Leptophyma grandispora*
- Nectria sesquiphialis*
- Sesquicillium asymmetricum*
- Aframomum
- Tubulicium vermiferum* subsp.
raphidosporum
- Curcuma
- Phaeodactylium curvularioides*
- Sporidesmiopsis malabarica*
- Thirumalacharia curcumae*
- Elettaria
- Xenosporium intermedium*
- Globba
- Maravalia pseudosuprastomatalis*

Hedychium

Typhula thindii

Zingiber

Ascochyta zingibericola

Cercoseptoria zingiberis

ZOSTERACEAE

Zostera

Diplophrys marina

ZYGOPHYLLACEAE

Peganum

Cercospora pegani

Phoma harmalae

Zygophyllum

Ascospora zygophylli

Diplodia zygophylli

INDEX OF HOST GENERA

- Abacarus, Invertebrata
 Abacetus, Insecta
 Abelia, Caprifoliaceae
 Abies, Pinaceae
 Abronia, Nyctaginaceae
 Abrus, Leguminosae
 Absidia, Fungi
 Abutilon, Malvaceae
 Acacia, Leguminosae
 Acaena, Rosaceae
 Acalitus, Invertebrata
 Acalypha, Euphorbiaceae
 Acanthophoenix, Palmae
 Acanthophyllum,
 Caryophyllaceae
 Acanthus, Acanthaceae
 Acer, Aceraceae
 Achillea, Compositae
 Achnatherum, Gramineae
 Achras, Sapotaceae
 Achyranthes,
 Amaranthaceae
 Achyrophorus, Compositae
 Acomastylis, Rosaceae
 Aconitum, Ranunculaceae
 Acorus, Araceae
 Acrobasis, Insecta
 Acrocarpus, Leguminosae
 Acrocordia, Fungi
 Acrogenotheca, Fungi
 Acronychia, Rutaceae
 Acrostichum, Pteridophyta
 Actosynanthus, Rubiaceae
 Actaea, Ranunculaceae
 Actinidia, Actinidiaceae
 Actinodaphne, Lauraceae
 Actinostemma,
 Cucurbitaceae
 Actinostemon,
 Euphorbiaceae
 Actocetor, Insecta
 Acyrthosiphon, Insecta
 Adansonia, Bombacaceae
 Adenanthera, Leguminosae
 Adenocalymma,
 Bignoniaceae
 Adenophora,
 Campanulaceae
 Adenostemma, Compositae
 Adenostoma, Rosaceae
 Adenostyles, Compositae
 Adiantum, Pteridophyta
 Adineta, Invertebrata
 Adonis, Ranunculaceae
 Adoxophyes, Insecta
 Adoxophyles, Insecta
 Aërides, Orchidaceae
 Aechmanthaera,
 Acanthaceae
 Aecidium, Fungi
 Aedes, Insecta
 Aedomyia, Insecta
 Aegle, Rutaceae
 Aeluropus, Gramineae
 Aesculus, Hippocastanaceae
 Aethus, Insecta
 Aframomum, Zingiberaceae
 Agaricus, Fungi
 Agastache, Labiatae
 Agathis, Araucariaceae
 Agauria, Ericaceae
 Agave, Agavaceae
 Ageratina, Compositae
 Agonis, Myrtaceae
 Agonium, Insecta
 Agoseris, Compositae
 Agriidae, Insecta
 Agriotes, Insecta
 Agropyron, Gramineae
 Agrostis, Gramineae
 Ailanthus, Simaroubaceae
 Akebia, Lardizabalaceae
 Alangium, Alangiaceae
 Albizia, Leguminosae
 Alcea, Malvaceae
 Alchemilla, Rosaceae
 Alchornea, Euphorbiaceae
 Aldina, Leguminosae
 Aleocharinae, Insecta
 Aleurites, Euphorbiaceae
 Alhagi, Leguminosae
 Alissonotum, Insecta
 Allantoparmelia, Fungi
 Allium, Alliaceae
 Allocapnia, Insecta
 Allophylum, Polemoniaceae
 Allophylus, Sapindaceae
 Alnus, Betulaceae
 Alocasia, Araceae
 Aloina, Bryophyta
 Alopecurus, Gramineae
 Alphonisia, Rhamnaceae
 Alsophila, Pteridophyta
 Alstonia, Apocynaceae
 Alstroemeria,
 Alstroemeriaceae
 Alternanthera,
 Amaranthaceae
 Alternaria, Fungi
 Althaea, Malvaceae
 Alxyia, Apocynaceae
 Amaranthus,
 Amaranthaceae
 Amaryllis, Amaryllidaceae
 Ambrosia, Compositae
 Amelanchier, Rosaceae
 Amethystea, Labiatae
 Amisotolotype,
 Commelinaceae
 Amitermes, Insecta
 Ammodendron,
 Leguminosae
 Ammophila, Gramineae
 Amoeba, Invertebrata
 Amorphophallus, Araceae
 Amphicarpaea, Leguminosae
 Amphix, Insecta
 Amygdalaria, Fungi
 Amygdalus, Rosaceae
 Anacampta, Apocynaceae
 Anacardium, Anacardiaceae
 Ananas, Bromeliaceae
 Anaphalis, Compositae
 Anaptychia, Fungi
 Anatrachis, Insecta
 Anchusa, Boraginaceae
 Ancistrophyllum, Palmae
 Andinotrechus, Insecta
 Andira, Leguminosae
 Andrachne, Euphorbiaceae
 Andreea, Bryophyta
 Andromeda, Ericaceae
 Andropogon, Gramineae
 Andropterum, Gramineae
 Androsace, Primulaceae
 Anemarrhena, Liliaceae
 Anemone, Ranunculaceae
 Angelica, Umbelliferae
 Anillidius, Insecta
 Anisomeles, Labiatae
 Annona, Annonaceae
 Anogeissus, Combretaceae
 Anomala, Insecta
 Anopheles, Insecta
 Anoplogenus, Insecta
 Antennaria, Compositae
 Antenonoron, Polygonaceae
 Anthelia, Bryophyta
 Anthocephalus, Rubiaceae
 Anthoxanthum, Gramineae
 Anthriscus, Umbelliferae
 Antigonon, Polygonaceae
 Antirhea, Rubiaceae
 Antocha, Insecta
 Antrodia, Fungi
 Aparupa, Insecta
 Aphaenogaster, Insecta
 Aphananthe, Ulmaceae
 Aphanomyces, Fungi
 Aphelandra, Acanthaceae
 Aphelenchoides,
 Invertebrata
 Aphis, Insecta
 Apios, Leguminosae
 Apiospora, Fungi
 Apis, Insecta
 Aploderus, Insecta
 Apluda, Gramineae
 Apochiton, Gramineae
 Apophlaea, Algae
 Aporus, Euphorbiaceae
 Appendiculella, Fungi
 Apteropteris, Pteridophyta
 Arabis, Cruciferae
 Arachis, Leguminosae
 Arachnida, Invertebrata
 Arachnocampa, Insecta
 Aralia, Araliaceae
 Araneae, Invertebrata
 Araneida, Invertebrata
 Araucaria, Araucariaceae
 Arbutus, Ericaceae

Archangelica, Umbelliferae
 Archeria, Epacridaceae
 Archontophoenix, Palmae
 Arctagrostis, Gramineae
 Arctiidae, Insecta
 Arctoseius, Invertebrata
 Arctostaphylos, Ericaceae
 Arctotheca, Compositae
 Ardisia, Myrsinaceae
 Areca, Palmae
 Arecastrum, Palmae
 Aregelia, Bromeliaceae
 Arenaria, Caryophyllaceae
 Arenga, Palmae
 Argyreia, Convolvulaceae
 Aristida, Gramineae
 Aristolochia,
 Aristolochiaceae
 Armatella, Fungi
 Armillariella, Fungi
 Armoracia, Cruciferae
 Arochila, Bryophyta
 Artabotrys, Annonaceae
 Artemisia, Compositae
 Arthonia, Fungi
 Arthothelium, Fungi
 Arthropod, Invertebrata
 Arthrostylidium, Gramineae
 Artocarpus, Moraceae
 Arundinaria, Gramineae
 Arundinella, Gramineae
 Arundo, Gramineae
 Asarum, Aristolochiaceae
 Asclepias, Asclepiadaceae
 Ascocyne, Fungi
 Ascodichaena, Fungi
 Ascomycete, Fungi
 Asellus, Invertebrata
 Asparagus, Liliaceae
 Aspicilia, Fungi
 Aspidistra, Liliaceae
 Aspidium, Pteridophyta
 Asplia, Compositae
 Asplenium, Pteridophyta
 Astea, Insecta
 Astelia, Liliaceae
 Astenus, Insecta
 Aster, Compositae
 Asteracantha, Acanthaceae
 Asterina, Fungi
 Asteriscus, Compositae
 Astilbe, Saxifragaceae
 Astracus, Invertebrata
 Astraeus, Fungi
 Astragalus, Leguminosae
 Astringia, Umbelliferae
 Astrocaryum, Palmae
 Asyneuma, Campanulaceae
 Atalantia, Rutaceae
 Atherosperma,
 Atherospermataceae
 Atheta, Insecta
 Athrotaxis, Taxodiaceae
 Athyrium, Pteridophyta
 Athyroglossa, Insecta
 Atractylodes, Compositae

Atraphaxis, Polygonaceae
 Atylosia, Leguminosae
 Audibertia, Labiatae
 Auricularia, Fungi
 Avena, Gramineae
 Avenella, Gramineae
 Avertroa, Avertroaceae
 Avicennia, Avicenniaceae
 Axysta, Insecta
 Azadirachta, Meliaceae
 Baccharis, Compositae
 Baetis, Insecta
 Balanocarpus,
 Dipterocarpaceae
 Baliospermum,
 Euphorbiaceae
 Baltimora, Compositae
 Bamboo, Gramineae
 Bambusa, Gramineae
 Banksia, Proteaceae
 Baphia, Leguminosae
 Baphicacanthus,
 Acanthaceae
 Barbula, Bryophyta
 Barleria, Acanthaceae
 Barringtonia,
 Barringtoniaceae
 Basella, Basellaceae
 Bauhinia, Leguminosae
 Bazzania, Bryophyta
 Beckeropsis, Gramineae
 Begonia, Begoniaceae
 Beilschmiedia, Lauraceae
 Bembidion, Insecta
 Benincasa, Cucurbitaceae
 Bentinckiopsis, Palmae
 Berberis, Berberidaceae
 Beta, Chenopodiaceae
 Betula, Betulaceae
 Bidens, Compositae
 Biebersteinia,
 Biebersteiniaceae
 Bignonia, Bignoniaceae
 Bioscypha, Fungi
 Biphyllus, Insecta
 Bistorta, Polygonaceae
 Blechnum, Pteridophyta
 Blepharis, Acanthaceae
 Blepharocalyx, Myrtaceae
 Blumea, Compositae
 Boletaceae, Fungi
 Boletus, Fungi
 Boltonia, Compositae
 Bombax, Bombacaceae
 Bonnetia, Bonnetiaceae
 Boreoheptagya, Insecta
 Bos, Vertebrata
 Botryobasidium, Fungi
 Botryosphaeria, Fungi
 Bougainvillea,
 Nyctaginaceae
 Bouteloua, Gramineae
 Bouvardia, Rubiaceae
 Brabejum, Proteaceae
 Brachycera, Insecta
 Brachychiton, Sterculiaceae

Brachypodium, Gramineae
 Brachypterus, Insecta
 Brachystegia, Leguminosae
 Bradycellus, Insecta
 Brassaiopsis, Araliaceae
 Brassica, Cruciferae
 Bridelia, Euphorbiaceae
 Brigantiaea, Fungi
 Bromelia, Bromeliaceae
 Bromus, Gramineae
 Brososoma, Insecta
 Broussonetia, Moraceae
 Bruckenthalia, Ericaceae
 Bryopsis, Caryophyllaceae
 Bryum, Bryophyta
 Buckleya, Santalaceae
 Buddlejia, Buddlejaceae
 Buellia, Fungi
 Bupleurum, Umbelliferae
 Bursera, Burseraceae
 Butea, Leguminosae
 Buxus, Buxaceae
 Byrrhinus, Insecta
 Byrsonima, Malpighiaceae
 Caccia, Compositae
 Caccinia, Boraginaceae
 Caenolanguria, Insecta
 Caesalpinia, Leguminosae
 Cajanus, Leguminosae
 Calamagrostis, Gramineae
 Calamovilla, Gramineae
 Calamus, Palmae
 Calanus, Invertebrata
 Calathea, Marantaceae
 Calicium, Fungi
 Caligonum, Polygonaceae
 Callicarpa, Verbenaceae
 Callistemon, Myrtaceae
 Callitriche, Callitrichaceae
 Callitris, Cupressaceae
 Calluna, Ericaceae
 Calophyllum, Guttiferae
 Caloplaca, Fungi
 Calopogonium, Leguminosae
 Caltha, Ranunculaceae
 Calypso, Orchidaceae
 Calyptrogyne, Palmae
 Calystegia, Convolvulaceae
 Cambarus, Invertebrata
 Camellia, Theaceae
 Camelus, Vertebrata
 Campanula, Campanulaceae
 Campanumoea,
 Campanulaceae
 Campnosperma,
 Anacardiaceae
 Campomanesia, Myrtaceae
 Camponotus, Insecta
 Campsis, Bignoniaceae
 Camptheca, Nyssaceae
 Campylium, Bryophyta
 Canavalia, Leguminosae
 Cancer, Invertebrata
 Candelaria, Fungi
 Candelariella, Fungi
 Canna, Cannaceae

- Cannabis, Cannabidaceae
 Cantharellus, Fungi
 Canthium, Rubiaceae
 Capparis, Capparidaceae
 Capsicum, Solanaceae
 Carabidae, Insecta
 Caragana, Leguminosae
 Carapa, Meliaceae
 Carassius, Vertebrata
 Cardamine, Cruciferae
 Carex, Cyperaceae
 Careya, Barringtoniaceae
 Carica, Caricaceae
 Carissa, Apocynaceae
 Carnegiea, Cactaceae
 Carpentaria, Palmae
 Carpinus, Carpinaceae
 Carpobrotus, Aizoaceae
 Carum, Umbelliferae
 Carya, Juglandaceae
 Caryopteris, Verbenaceae
 Caryota, Palmae
 Casearia, Flacourtiaceae
 Cassia, Leguminosae
 Cassiope, Ericaceae
 Castanea, Fagaceae
 Castanopsis, Fagaceae
 Castilleja, Scrophulariaceae
 Castillosa, Moraceae
 Casuarina, Casuarinaceae
 Cataglyphis, Insecta
 Catalpa, Bignoniaceae
 Catananche, Compositae
 Catharanthus, Apocynaceae
 Cathestecum, Gramineae
 Cavendishia, Ericaceae
 Ceanothus, Rhamnaceae
 Cebus, Vertebrata
 Cecidomyiidae, Insecta
 Cecropia, Urticaceae
 Cedrela, Meliaceae
 Cedrus, Pinaceae
 Celastrum, Celastraceae
 Celmisia, Compositae
 Celosia, Amaranthaceae
 Celtis, Ulmaceae
 Centaurea, Compositae
 Centella, Hydrocotylaceae
 Centrolobium, Leguminosae
 Cephalaria, Dipsacaceae
 Cephalocereus, Cactaceae
 Cephalotes, Insecta
 Cerastium, Caryophyllaceae
 Ceratium, Orchidaceae
 Ceratocephalus, Ranunculaceae
 Ceratocystis, Fungi
 Ceratodon, Bryophyta
 Cercis, Leguminosae
 Cercocarpus, Rosaceae
 Cercopidae, Insecta
 Cercospora, Fungi
 Cериops, Rhizophoraceae
 Chaerophyllum, Umbelliferae
 Chaetobromus, Gramineae
 Chaetosphaeria, Fungi
 Chalicodoma, Insecta
 Chamaecyparis, Cupressaceae
 Chamaedaphne, Ericaceae
 Chamissoa, Amaranthaceae
 Chardinia, Compositae
 Cheilanthes, Pteridophyta
 Chelonia, Vertebrata
 Chenopodium, Chenopodiaceae
 Chilitrichum, Compositae
 Chionochloa, Gramineae
 Chionoecetes, Invertebrata
 Chironomidae, Insecta
 Chironomus, Insecta
 Chlaenius, Insecta
 Chlorogalum, Liliaceae
 Chlorophora, Moraceae
 Chloroxylon, Flindersiaceae
 Choerospondias, Anacardiaceae
 Chondrus, Algae
 Chonemorphia, Apocynaceae
 Chorisodontium, Bryophyta
 Chosenia, Salicaceae
 Chrozophora, Euphorbiaceae
 Chrysalidocarpus, Palmae
 Chrysanthemum, Compositae
 Chrysomelidae, Insecta
 Chrysopogon, Gramineae
 Chrysosplenium, Saxifragaceae
 Chrysothamnus, Compositae
 Chrysothrix, Fungi
 Chuquiraga, Compositae
 Chusquea, Gramineae
 Cibotium, Pteridophyta
 Cicada, Insecta
 Cicadetta, Insecta
 Cicadidae, Insecta
 Cicer, Leguminosae
 Cicerbita, Compositae
 Cinchona, Rubiaceae
 Cineraria, Compositae
 Cinna, Gramineae
 Cinnamomum, Lauraceae
 Circinella, Fungi
 Cirsium, Compositae
 Cissampelos, Menispermaceae
 Cissus, Cistaceae
 Cistus, Cistaceae
 Citrullus, Cucurbitaceae
 Citrus, Rutaceae
 Cladium, Cyperaceae
 Cladonia, Fungi
 Cladosporium, Fungi
 Clanis, Insecta
 Clausena, Rutaceae
 Clavaria, Fungi
 Clematis, Ranunculaceae
 Cleome, Cleomaceae
 Clerodendrum, Verbenaceae
 Clethra, Clethraceae
 Clidemia, Melastomataceae
 Clidicus, Insecta
 Climacoptera, Chenopodiaceae
 Clintonia, Liliaceae
 Clitoria, Leguminosae
 Clivina, Insecta
 Clusia, Guttiferae
 Cnicus, Compositae
 Coccidae, Insecta
 Coccinella, Insecta
 Coccinia, Cucurbitaceae
 Cocoloba, Polygonaceae
 Coccothrinax, Palmae
 Cochliidiidae, Insecta
 Cocos, Palmae
 Codiaeum, Euphorbiaceae
 Coelococcus, Palmae
 Coeloglossum, Orchidaceae
 Coelopleurum, Umbelliferae
 Coffea, Rubiaceae
 Colchicum, Liliaceae
 Colebrookia, Labiatae
 Coleoptera, Insecta
 Colliguaja, Euphorbiaceae
 Collomia, Polemoniaceae
 Collospermum, Liliaceae
 Collybia, Fungi
 Colobanthus, Caryophyllaceae
 Colocasia, Araceae
 Colpodes, Insecta
 Colubrina, Rhamnaceae
 Comarum, Rosaceae
 Combretum, Combretaceae
 Commelina, Commelinaceae
 Connarus, Connaraceae
 Conocarpus, Combretaceae
 Conostomium, Rubiaceae
 Convolvulus, Convolvulaceae
 Conyza, Compositae
 Copernicia, Palmae
 Copromyza, Insecta
 Coprosma, Rubiaceae
 Coptis, Ranunculaceae
 Coptotermes, Insecta
 Corchorus, Tiliaceae
 Cordia, Ehretiaceae
 Cordyceps, Fungi
 Cordyline, Agavaceae
 Coriaria, Coriariaceae
 Coriopsis, Fungi
 Coriolus, Fungi
 Cornus, Cornaceae
 Coronilla, Leguminosae
 Correa, Rutaceae
 Cortaderia, Gramineae
 Corticaria, Insecta
 Corylus, Corylaceae
 Corynelia, Fungi
 Cosmarium, Ranunculaceae
 Costus, Costaceae
 Cotinus, Anacardiaceae
 Cotoneaster, Rosaceae
 Cousinia, Compositae
 Cow, Vertebrata

Crambe, Cruciferae
 Crassocephalum,
 Compositae
 Crataegus, Rosaceae
 Craterellus, Fungi
 Crateva, Capparidaceae
 Cratoxylum, Guttiferac
 Creatonotos, Insecta
 Cremanthodium,
 Compositae
 Crepis, Compositae
 Cricotopus, Insecta
 Crinipellis, Fungi
 Crinum, Amaryllidaceae
 Crocodylus, Vertebrata
 Crocus, Iridaceae
 Cronartium, Fungi
 Crossandra, Acanthaceae
 Crossopteryx, Rubiaceae
 Crotalaria, Leguminosae
 Croton, Euphorbiaceae
 Crucianella, Rubiaceae
 Cryptocarya, Lauraceae
 Cryptochironomus, Insecta
 Cryptolaemus, Insecta
 Cryptolepis, Periplocaceae
 Cryptomeria, Taxodiaceae
 Cryptotaenia, Umbelliferae
 Ctenolepis, Cucurbitaceae
 Cucumis, Cucurbitaceae
 Cucurbita, Cucurbitaceae
 Cucurbitaria, Fungi
 Culex, Insecta
 Cuminum, Umbelliferae
 Cunninghamia, Taxodiaceae
 Cupania, Sapindaceae
 Cupressus, Cupressaceae
 Curculionidae, Insecta
 Curcuma, Zingiberaceae
 Cuscuta, Convolvulaceae
 Cyamopsis, Leguminosae
 Cyathea, Pteridophyta
 Cycas, Cycadaceae
 Cyclachaena, Compositae
 Cyclobalanopsis, Fagaceae
 Cyclobium, Leguminosae
 Cyclopus, Invertebrata
 Cymbidium, Orchidaceae
 Cymbopogon, Gramineae
 Cynanchum, Asclepiadaceae
 Cynodon, Gramineae
 Cynoglossum, Boraginaceae
 Cynometra, Leguminosae
 Cynotus, Compositae
 Cyperus, Cyperaceae
 Cyphochlaena, Gramineae
 Cyrtococcum, Gramineae
 Cyrtodiopsis, Insecta
 Cyrtoma, Insecta
 Cystoseira, Algae
 Cytisus, Leguminosae
 Dacnusa, Insecta
 Dacrycarpus, Podocarpaceae
 Dacrydium, Podocarpaceae
 Dacrymyces, Fungi
 Dactylis, Gramineae

Dactyloctenium, Gramineae
 Dalbergia, Leguminosae
 Dalhousiea, Leguminosae
 Danthonia, Gramineae
 Daphniphyllum,
 Daphniphyllaceae
 Datura, Solanaceae
 Daucus, Umbelliferae
 Davilla, Dilleniaceae
 Dawsonia, Bryophyta
 Delonix, Leguminosae
 Delphinium, Ranunculaceae
 Dendrobium, Orchidaceae
 Dendrocalamus, Gramineae
 Dendroctonus, Insecta
 Dendrolaelaps, Invertebrata
 Dendropanax, Araliaceae
 Dendrophthoe, Loranthaceae
 Dendrosenecio, Compositae
 Dendrotrophe, Santalaceae
 Dennstaedtia, Pteridophyta
 Derris, Leguminosae
 Deschampsia, Gramineae
 Desmanthus, Leguminosae
 Desmid, Algae
 Desmodium, Leguminosae
 Deyeuxia, Gramineae
 Dialium, Leguminosae
 Diamasa, Insecta
 Dianella, Liliaceae
 Dianthus, Caryophyllaceae
 Diapensia, Diapensiaceae
 Diaporthe, Fungi
 Diatrypaeace, Fungi
 Dicalyx, Symlocaceae
 Dichachaeta, Insecta
 Dichelachne, Gramineae
 Dicksonia, Pteridophyta
 Dicranella, Bryophyta
 Dicranum, Bryophyta
 Dieffenbachia, Araceae
 Dierville, Caprifoliaceae
 Digera, Amaranthaceae
 Digitalis, Scrophulariaceae
 Digitaria, Gramineae
 Dillenia, Dilleniaceae
 Diodia, Rubiaceae
 Dioscorea, Dioscoreaceae
 Diospyros, Ebenaceae
 Dioxyna, Insecta
 Dipcad, Liliaceae
 Dipelta, Caprifoliaceae
 Dipholis, Sapotaceae
 Diplocia, Fungi
 Diplophyctis, Fungi
 Diploschistes, Fungi
 Diplostephium, Compositae
 Dipodomys, Vertebrata
 Diptera, Insecta
 Dipterocarpus,
 Dipterocarpaceae
 Dissotis, Melastomataceae
 Distichlis, Gramineae
 Ditrichum, Bryophyta
 Dodartia, Scrophulariaceae
 Dodonaea, Sapindaceae

Dog, Vertebrata
 Dolichoderus, Insecta
 Dolichos, Leguminosae
 Doliocarpus, Dilleniaceae
 Dombeya, Sterculiaceae
 Domene, Insecta
 Doryphora, Insecta
 Downingia, Campanulaceae
 Dracaena, Agavaceae
 Dracontomelon,
 Anacardiaceae
 Dracophyllum, Epacridaceae
 Dregea, Asclepiadaceae
 Drimys, Winteraceae
 Drunnella, Insecta
 Dryas, Rosaceae
 Drynaria, Pteridophyta
 Dryopteris, Pteridophyta
 Drypetes, Euphorbiaceae
 Duckeodendron,
 Duckeodendraceae
 Duranta, Verbenaceae
 Durio, Bombacaceae
 Duschekia, Betulaceae
 Duvalius, Insecta
 Dyera, Apocynaceae
 Echinochloa, Gramineae
 Echinoplaca, Fungi
 Echinops, Compositae
 Eclipta, Compositae
 Egreia, Algae
 Ehretia, Ehretiaceae
 Elaeagnus, Elaeagnaceae
 Elaeis, Palmae
 Elaeocarpus, Elaeocarpaceae
 Elaeodendron, Celastraceae
 Elaphomyces, Fungi
 Elateridae, Insecta
 Elephantopus, Compositae
 Elettaria, Zingiberaceae
 Eleusine, Gramineae
 Elliptera, Insecta
 Elsholtzia, Labiatae
 Elymandra, Gramineae
 Elymus, Gramineae
 Embelia, Myrsinaceae
 Empis, Insecta
 Encaustes, Insecta
 Encephalartos, Zamiaceae
 Endocronartium, Fungi
 Endytus, Insecta
 Enkianthus, Ericaceae
 Enneapogon, Gramineae
 Entada, Leguminosae
 Eomecon, Papaveraceae
 Epacris, Epacridaceae
 Eparchus, Insecta
 Epeorus, Insecta
 Ephemerum, Bryophyta
 Ephydra, Insecta
 Epilobium, Onagraceae
 Epimedium, Berberidaceae
 Epiphyllum, Cactaceae
 Epuraea, Insecta
 Equisetum, Pteridophyta
 Equus, Vertebrata

Eragrostiella, Gramineae
 Eragrostis, Gramineae
 Eranthemum, Acanthaceae
 Eremocarpus, Guttiferae
 Eremopyrum, Gramineae
 Erica, Ericaceae
 Erigeron, Compositae
 Erinnidae, Insecta
 Eriobotrya, Rosaceae
 Eriochloa, Gramineae
 Eriococcidae, Insecta
 Erioglossum, Sapindaceae
 Eriogonum, Polygonaceae
 Eriolaena, Sterculiaceae
 Eriophorum, Cyperaceae
 Eruca, Cruciferae
 Ervatamia, Apocynaceae
 Eryngium, Umbelliferae
 Eryophyes, Invertebrata
 Erysiphe, Fungi
 Erythrina, Leguminosae
 Espeletia, Compositae
 Euantennaria, Fungi
 Euborellia, Insecta
 Eubrachium, Insecta
 Eucalyptus, Myrtaceae
 Eucampygnathus, Insecta
 Eucommia, Eucommiaceae
 Eucryphia, Eucryphiaceae
 Eugenia, Myrtaceae
 Eukiefferiella, Insecta
 Eulophia, Orchidaceae
 Eunostus, Insecta
 Euonymus, Celastraceae
 Euophrys, Invertebrata
 Eupatorium, Compositae
 Euphorbia, Euphorbiaceae
 Eurotia, Chenopodiaceae
 Euryscopa, Insecta
 Euscaphis, Staphyleaceae
 Eusideroxylon, Lauraceae
 Euteropnosia, Insecta
 Evernia, Fungi
 Evodia, Rutaceae
 Exocarpus, Santalaceae
 Fagara, Rutaceae
 Fagopyrum, Polygonaceae
 Fagraea, Potaliaceae
 Fagus, Fagaceae
 Faramaea, Rubiaceae
 x Fatshedera, Araliaceae
 Fatsia, Araliaceae
 Fatuoa, Moraceae
 Feijoa, Myrtaceae
 Ferula, Umbelliferae
 Ferulago, Umbelliferae
 Festuca, Gramineae
 Ficus, Moraceae
 Filipendula, Rosaceae
 Fimbristylis, Cyperaceae
 Firmiana, Sterculiaceae
 Fitzroya, Cupressaceae
 Flagellaria, Flagellariaceae
 Flemingia, Leguminosae
 Foeniculum, Umbelliferae

Fomes, Fungi
 Fomitopsis, Fungi
 Forestiera, Oleaceae
 Forficulidae, Insecta
 Formica, Insecta
 Formicidae, Insecta
 Formicomus, Insecta
 Forsythia, Oleaceae
 Fouquieria, Fouquieriaceae
 Fragaria, Rosaceae
 Fraxinus, Oleaceae
 Freycinetia, Pandanaceae
 Fritillaria, Liliaceae
 Frullania, Bryophyta
 Fuchsia, Onagraceae
 Fucus, Algae
 Fuirena, Cyperaceae
 Funkia, Liliaceae
 Gagea, Liliaceae
 Gahnia, Cyperaceae
 Gaillardia, Compositae
 Galanthus, Amaryllidaceae
 Galatella, Compositae
 Galenia, Aizoaceae
 Galinsoga, Compositae
 Galium, Rubiaceae
 Galphimia, Malpighiaceae
 Galumnidae, Invertebrata
 Ganoderma, Fungi
 Garcinia, Guttiferae
 Gardenia, Rubiaceae
 Garuga, Burseraceae
 Gaultheria, Ericaceae
 Gaylussacia, Ericaceae
 Genipa, Rubiaceae
 Gentiana, Gentianaceae
 Geoglossum, Fungi
 Geomyza, Insecta
 Geranium, Geraniaceae
 Gesneria, Gesneriaceae
 Geum, Rosaceae
 Gilbertiodendron, Leguminosae
 Ginkgo, Ginkgoaceae
 Gladiolus, Iridaceae
 Gleditsia, Leguminosae
 Globba, Zingiberaceae
 Globordera, Invertebrata
 Glochidion, Euphorbiaceae
 Glycine, Leguminosae
 Glycosmis, Rutaceae
 Glycoxylon, Sapotaceae
 Gmelina, Verbenaceae
 Gnampptogenys, Insecta
 Gnaphalium, Compositae
 Gnypeta, Insecta
 Godronia, Fungi
 Gomphandra, Icacinaceae
 Goniadara, Insecta
 Goniiothalamus, Annonaceae
 Gonostegia, Urticaceae
 Gonystylus, Thymelaeaceae
 Goodenia, Goodeniaceae
 Gordonia, Theaceae
 Gossypium, Malvaceae
 Gouania, Rhamnaceae

Govania, Euphorbiaceae
 Gracilaria, Algae
 Graphis, Fungi
 Grevillea, Proteaceae
 Grewia, Tiliaceae
 Grimmia, Bryophyta
 Griselinia, Cornaceae
 Grossera, Euphorbiaceae
 Gryllotalpa, Insecta
 Guarea, Meliaceae
 Guatteria, Annonaceae
 Guazuma, Sterculiaceae
 Gunnera, Gunneraceae
 Gymnadenia, Orchidaceae
 Gymnanthes, Euphorbiaceae
 Gymnema, Asclepiadaceae
 Gymnomitrium, Bryophyta
 Gymnopetalum, Cucurbitaceae
 Gymnosporia, Celastraceae
 Gymnostemma, Cucurbitaceae
 Gyneris, Insecta
 Habrochloa, Gramineae
 Haematomma, Fungi
 Hakea, Proteaceae
 Halenia, Gentianaceae
 Halimeda, Algae
 Halimodendron, Leguminosae
 Halophila, Hydrocharitaceae
 Haloxylon, Chenopodiaceae
 Haplogaster, Invertebrata
 Haplocarpha, Compositae
 Haplophragma, Bignoniaceae
 Harpalus, Insecta
 Harungana, Guttiferae
 Hebe, Scrophulariaceae
 Hebrus, Insecta
 Hedera, Araliaceae
 Hedychium, Zingiberaceae
 Hedyotis, Rubiaceae
 Hedysarum, Leguminosae
 Helianthemum, Cistaceae
 Helianthus, Compositae
 Helianthus, Compositae
 Helichrysum, Compositae
 Heliconia, Heliconiaceae
 Helicteres, Sterculiaceae
 Heliocarpus, Tiliaceae
 Heliopsis, Compositae
 Heliotrophium, Boraginaceae
 Hella, Invertebrata
 Helminthosporium, Fungi
 Hemidesmus, Periplocaceae
 Hemigraphis, Acanthaceae
 Hemigrapsus, Invertebrata
 Hepialidae, Insecta
 Hepialus, Insecta
 Heracleum, Umbelliferae
 Heritiera, Sterculiaceae
 Hermannia, Invertebrata
 Heterodera, Invertebrata
 Heteromeles, Rosaceae

Heteropappus, Compositae
 Heteropogon, Gramineae
 Heteroptera, Insecta
 Heterospora, Invertebrata
 Hevea, Euphorbiaceae
 Heylandia, Leguminosae
 Hibiscus, Malvaceae
 Hieracium, Compositae
 Hippophaë, Elaeagnaceae
 Hirneola, Fungi
 Hirschioporus, Fungi
 Holboellia, Lardizabalaceae
 Holcus, Gramineae
 Holodiscus, Rosaceae
 Homalanthus,
 Euphorbiaceae
 Homalium, Insecta
 Homalodiscus, Resedaceae
 Homo, Vertebrata
 Homoptera, Insecta
 Hopea, Dipterocarpaceae
 Horaninovia,
 Chenopodiaceae
 Hordeum, Gramineae
 Hosta, Liliaceae
 Houttuynia, Saururaceae
 Humaria, Fungi
 Hydrangea, Hydrangeaceae
 Hydrocotyle,
 Hydrocotylaceae
 Hydroisotoma, Insecta
 Hydrometra, Insecta
 Hydrophyllum,
 Hydrophyllaceae
 Hygrohypnum, Bryophyta
 Hylomecon, Papaveraceae
 Hymenanthera, Violaceae
 Hymenelia, Fungi
 Hymenocardia,
 Hymenocardiaceae
 Hymenochaete, Fungi
 Hymenocrater, Labiatae
 Hymenodictyon, Rubiaceae
 Hymenophyllum,
 Pteridophyta
 Hymenoptera, Insecta
 Hyoscyamus, Solanaceae
 Hyparrhenia, Gramineae
 Hypericum, Guttiferae
 Hypoaspis, Invertebrata
 Hypocenomyce, Fungi
 Hypocrella, Fungi
 Hypoderma, Fungi
 Hypogymnia, Fungi
 Hypoxylon, Fungi
 Hyptis, Labiatae
 Iberotrechus, Insecta
 Ichnocarpus, Apocynaceae
 Icmadophila, Fungi
 Idesia, Flacourtiaceae
 Idioscopus, Insecta
 Ilex, Aquifoliaceae
 Impatiens, Balsaminaceae
 Imperata, Gramineae
 Indigofera, Leguminosae
 Inga, Leguminosae

Ingramia, Insecta
 Iochroma, Solanaceae
 Ipomoea, Convolvulaceae
 Ips, Insecta
 Iriarte, Palmae
 Iris, Iridaceae
 Irpex, Fungi
 Isachne, Gramineae
 Ischaemum, Gramineae
 Isoglossa, Acanthaceae
 Isolona, Annonaceae
 Isonandra, Sapotaceae
 Isopogon, Proteaceae
 Isotoma, Campanulaceae
 Itersonilia, Fungi
 Ixiolirion, Amaryllidaceae
 Ixophorus, Gramineae
 Ixora, Rubiaceae
 Jacaranda, Bignoniaceae
 Jackia, Rubiaceae
 Jacquemontia,
 Convolvulaceae
 Jambosa, Myrtaceae
 Jardinea, Gramineae
 Jasminum, Oleaceae
 Jatropha, Euphorbiaceae
 Juglans, Juglandaceae
 Juncus, Juncaceae
 Juniperus, Cupressaceae
 Justicia, Acanthaceae
 Kadsura, Schisandraceae
 Kahlia, Invertebrata
 Kalidium, Chenopodiaceae
 Kalopanax, Araliaceae
 Karelinia, Compositae
 Kenodactylus, Insecta
 Kigelia, Bignoniaceae
 Knema, Myristicaceae
 Knightia, Proteaceae
 Kobresia, Cyperaceae
 Koeleria, Gramineae
 Kosswigia, Insecta
 Kretzschmaria, Fungi
 Kydia, Malvaceae
 Kyllinga, Cyperaceae
 Laccophilus, Insecta
 Lachnellula, Fungi
 Lachnum, Fungi
 Lactuca, Compositae
 Lagarostrobos,
 Podocarpaceae
 Lagerstroemia, Lythraceae
 Laguncularia, Combretaceae
 Lambdina, Insecta
 Lamium, Labiatae
 Lannea, Anacardiaceae
 Lantana, Verbenaceae
 Laportea, Urticaceae
 Lappula, Boraginaceae
 Lapsana, Compositae
 Larix, Pinaceae
 Larus, Vertebrata
 Lasiacis, Gramineae
 Lasinus, Insecta
 Lasioderma, Insecta
 Lasiopetalum, Sterculiaceae

Lasiosiphon, Thymelaeaceae
 Lasiosphaeria, Fungi
 Lasius, Insecta
 Lathyrus, Leguminosae
 Laurelia,
 Atherospermataceae
 Laurus, Lauraceae
 Lavandula, Labiatae
 Lawsonia, Lythraceae
 Lebia, Insecta
 Lecania, Fungi
 Lecanora, Fungi
 Lecidea, Fungi
 Lecidella, Fungi
 Ledum, Ericaceae
 Leea, Leeaceae
 Leersia, Gramineae
 Leibnitzia, Compositae
 Leiochrinus, Insecta
 Leioproctus, Insecta
 Leleupidia, Insecta
 Lens, Leguminosae
 Leontodon, Compositae
 Leonurus, Labiatae
 Leotia, Fungi
 Lepidagathis, Acanthaceae
 Lepidium, Cruciferae
 Lepidolopha, Compositae
 Lepidoptera, Insecta
 Lepidosperma, Cyperaceae
 Lepidum, Cruciferae
 Lepisanthes, Sapindaceae
 Leptolegnia, Fungi
 Leptophlebia, Insecta
 Leptopus, Euphorbiaceae
 Leptospermum, Myrtaceae
 Leptusa, Insecta
 Lespedeza, Leguminosae
 Lessonia, Algae
 Leucadendron, Proteaceae
 Leucaena, Leguminosae
 Leucanthemum, Compositae
 Leucas, Labiatae
 Leucocroton, Euphorbiaceae
 Leucospermum, Proteaceae
 Leucothoë, Ericaceae
 Leuzea, Compositae
 Libocedrus, Cupressaceae
 Lichen, Fungi
 Ligustrum, Oleaceae
 Lilium, Liliaceae
 Limnanthes, Limnanthaceae
 Limnophora, Insecta
 Limnoria, Invertebrata
 Limonia, Insecta
 Limonium, Plumbaginaceae
 Limosina, Insecta
 Linaria, Scrophulariaceae
 Lindera, Lauraceae
 Linnaea, Caprifoliaceae
 Linociera, Oleaceae
 Linosyris, Compositae
 Linum, Linaceae
 Lippia, Verbenaceae
 Liquidambar, Altingiaceae
 Lirceus, Invertebrata

Liriodendron, Magnoliaceae
 Lispinus, Insecta
 Listera, Orchidaceae
 Litchi, Sapindaceae
 Lithobius, Invertebrata
 Lithocarpus, Fagaceae
 Litsea, Lauraceae
 Livistona, Palmae
 Lizard, Vertebrata
 Loeffleria, Insecta
 Lobelia, Campanulaceae
 Lochmaea, Insecta
 Lolium, Gramineae
 Lonchocarpus, Leguminosae
 Lonicera, Caprifoliaceae
 Lophira, Ochnaceae
 Lophodermium, Fungi
 Lordithon, Insecta
 Lotus, Leguminosae
 Lupinus, Leguminosae
 Lutrochus, Insecta
 Luzula, Juncaceae
 Lychnis, Caryophyllaceae
 Lycium, Solanaceae
 Lycoperdon, Fungi
 Lycopersicon, Solanaceae
 Lycopodium, Pteridophyta
 Lycopsis, Boraginaceae
 Lycopus, Labiatae
 Lygodium, Pteridophyta
 Lymantria, Insecta
 Lyonia, Ericaceae
 Lyonothamnus, Rosaceae
 Lysimachia, Primulaceae
 Lythrum, Lythraceae
 Maackia, Leguminosae
 Macaranga, Euphorbiaceae
 Machaerina, Leguminosae
 Machilus, Lauraceae
 Macleaya, Leguminosae
 Macroptilium, Leguminosae
 Macroscytus, Insecta
 Macrotermes, Insecta
 Maecolaspis, Insecta
 Magnolia, Magnoliaceae
 Mahonia, Berberidaceae
 Malacosoma, Insecta
 Malacothrix, Compositae
 Mallotus, Euphorbiaceae
 Malpighia, Malpighiaceae
 Malus, Rosaceae
 Malva, Malvaceae
 Mangifera, Anacardiaceae
 Manihot, Euphorbiaceae
 Manilkara, Sapotaceae
 Mantidae, Insecta
 Mappia, Icacinaceae
 Mappianthus, Icacinaceae
 Marasmius, Fungi
 Marchantia, Bryophyta
 Markhamia, Bignoniaceae
 Marrubium, Labiatae
 Maruina, Insecta
 Mastichodendron,
 Sapotaceae
 Mastotermes, Insecta

Matayba, Sapindaceae
 Matteuccia, Pteridophyta
 Maytenus, Celastraceae
 Medicago, Leguminosae
 Medythia, Insecta
 Megachile, Insecta
 Megarrhiza, Cucurbitaceae
 Melaleuca, Myrtaceae
 Melampodium, Compositae
 Melampyrum,
 Scrophulariaceae
 Melandrium,
 Caryophyllaceae
 Melanolepis, Euphorbiaceae
 Melanomma, Fungi
 Melanotus, Insecta
 Melia, Meliaceae
 Melicoccus, Sapindaceae
 Melicytus, Violaceae
 Melilotus, Leguminosae
 Melinis, Gramineae
 Meliodogyne, Invertebrata
 Meliola, Fungi
 Meliosma, Meliosmaceae
 Melothria, Cucurbitaceae
 Memecylon, Memecylaceae
 Menispermum,
 Menispermaceae
 Mentha, Labiatae
 Mercurialis, Euphorbiaceae
 Merremia, Convolvulaceae
 Mesovelia, Insecta
 Messerschmidia,
 Boraginaceae
 Metaplexis, Asclepiadaceae
 Metasequoia, Taxodiaceae
 Metrosideros, Myrtaceae
 Mexaphaenops, Insecta
 Meyna, Rubiaceae
 Mezoneuron, Leguminosae
 Micarea, Fungi
 Michelia, Magnoliaceae
 Miconia, Melastomataceae
 Micralymma, Insecta
 Microcos, Tiliaceae
 Microlaena, Gramineae
 Micropedinus, Insecta
 Microsorium, Pteridophyta
 Microstegium, Gramineae
 Microstrobos,
 Podocarpaceae
 Microtyphlus, Insecta
 Microula, Boraginaceae
 Mikania, Compositae
 Milium, Gramineae
 Miliusa, Annonaceae
 Millettia, Leguminosae
 Millingtonia, Bignoniaceae
 Milnesium, Invertebrata
 Mimela, Insecta
 Mimulus, Scrophulariaceae
 Mimusops, Sapotaceae
 Minquartia, Olacaceae
 Minuartia, Caryophyllaceae
 Mirabilis, Nyctaginaceae
 Miscanthus, Gramineae

Mitragnya, Naucleaceae
 Mochtherus, Insecta
 Moehringia,
 Caryophyllaceae
 Moghania, Leguminosae
 Moglus, Invertebrata
 Momordica, Cucurbitaceae
 Monacis, Insecta
 Monocymbium, Gramineae
 Monodora, Annonaceae
 Monotropa, Monotropaceae
 Monstera, Araceae
 Morella, Myricaceae
 Morina, Morinaceae
 Morinda, Rubiaceae
 Morus, Moraceae
 Mucor, Fungi
 Mucuna, Leguminosae
 Muehlenbeckia,
 Polygonaceae
 Muhlenbergia, Gramineae
 Mundiopsis, Invertebrata
 Murcia, Invertebrata
 Murraya, Rutaceae
 Musa, Musaceae
 Musca, Insecta
 Muscari, Liliaceae
 Mussaenda, Rubiaceae
 Mycobilimbia, Fungi
 Mycoblastus, Fungi
 Myrceugenella, Myrtaceae
 Myrceugenia, Myrtaceae
 Myrcia, Myrtaceae
 Myriactis, Compositae
 Myrica, Myricaceae
 Myriopsis, Compositae
 Myristica, Myristicaceae
 Myrsine, Myrsinaceae
 Myrtagyna, Rubiaceae
 Myxarium, Fungi
 Myzus, Insecta
 Nannoptilium, Insecta
 Napaea, Malvaceae
 Narcissus, Anariyllidaceae
 Nardus, Gramineae
 Nasonovia, Insecta
 Nassella, Gramineae
 Nasturtium, Cruciferae
 Nastus, Gramineae
 Nectandra, Lauraceae
 Nectria, Fungi
 Neivamyrmex, Insecta
 Nematocera, Insecta
 Nematode, Invertebrata
 Nemeritis, Compositae
 Nemouridae, Insecta
 Neoboutonia, Euphorbiaceae
 Neolitsea, Lauraceae
 Neopanax, Araliaceae
 Neotrechus, Insecta
 Neottiospora, Fungi
 Nepeta, Labiatae
 Nephelium, Sapindaceae
 Nerium, Apocynaceae
 Nestegis, Oleaceae
 Neuroloma, Cruciferae

- Newtonia, Leguminosae
 Nicotiana, Solanaceae
 Nilaparvata, Insecta
 Nilio, Insecta
 Noaea, Chenopodiaceae
 Noctuidae, Insecta
 Notelaea, Oleaceae
 Nothofagus, Fagaceae
 Notobia, Insecta
 Notiphila, Insecta
 Notostira, Insecta
 Nyctanthes, Verbenaceae
 Nypa, Nypaceae
 Nyssa, Nyssaceae
 Ochna, Ochnaceae
 Ochrocarpos, Guttiferae
 Ochrolechia, Fungi
 Ochthebius, Insecta
 Ochthephilum, Insecta
 Ochthera, Insecta
 Ocimum, Labiatae
 Ocotea, Lauraceae
 Odina, Anacardiaceae
 Odonata, Insecta
 Odontotermes, Insecta
 Oedibasis, Umbelliferae
 Oenanthe, Umbelliferae
 Oenothera, Onagraceae
 Olax, Oleaceae
 Olea, Oleaceae
 Olearia, Compositae
 Omphalina, Fungi
 Oncosperma, Palmae
 Onobrychis, Leguminosae
 Onoclea, Pteridophyta
 Onopordum, Compositae
 Oodes, Insecta
 Opegrapha, Fungi
 Opizia, Gramineae
 Opismenus, Gramineae
 Opuntia, Cactaceae
 Orchestia, Invertebrata
 Orchis, Orchidaceae
 Orestia, Insecta
 Oribatei, Invertebrata
 Orotrechus, Insecta
 Oroxylum, Bignoniaceae
 Orthocladus, Insecta
 Oryxa, Rutaceae
 Oryza, Gramineae
 Oryzopsis, Gramineae
 Osbeckia, Melastomataceae
 Osmanthus, Oleaceae
 Osmia, Insecta
 Osmunda, Pteridophyta
 Osorius, Insecta
 Ostrya, Carpinaceae
 Osyris, Santalaceae
 Otostegia, Labiatae
 Ovis, Vertebrata
 Oxalis, Oxalidaceae
 Oxycooccus, Ericaceae
 Oxydothis, Fungi
 Oxytelus, Insecta
 Pachycereus, Cactaceae
 Pachycondyla, Myrtaceae
 Pachyiulus, Invertebrata
 Pachylaelaps, Invertebrata
 Padus, Rosaceae
 Paederia, Rubiaceae
 Paeonia, Paeoniaceae
 Pagastia, Insecta
 Paguristes, Invertebrata
 Paharia, Insecta
 Palinurus, Vertebrata
 Palmaria, Monimiaceae
 Paltothyreus, Insecta
 Panax, Araliaceae
 Pancratium, Amaryllidaceae
 Pandalus, Invertebrata
 Pandanus, Pandanaceae
 Panicum, Gramineae
 Papi, Vertebrata
 Paraceratocladium, Fungi
 Paragoniolithon, Algae
 Paramignya, Rutaceae
 Paraponera, Insecta
 Parasitiformes, Insecta
 Parietaria, Urticaceae
 Parmelia, Fungi
 Parmeliella, Fungi
 Parsonsia, Apocynaceae
 Parthenium, Compositae
 Paspalum, Gramineae
 Passiflora, Passifloraceae
 Pastinaca, Umbelliferae
 Patrinia, Valerianaceae
 Paulownia, Scrophulariaceae
 Pavetta, Rubiaceae
 Pavonia, Malvaceae
 Pedicularis, Scrophulariaceae
 Pedilanthus, Euphorbiaceae
 Pegalum, Zygophyllaceae
 Pellionia, Urticaceae
 Peltigera, Fungi
 Peltula, Fungi
 Pemphigus, Insecta
 Penaeus, Invertebrata
 Pennisetum, Gramineae
 Pentadesma, Guttiferae
 Pentameris, Gramineae
 Pentaneura, Insecta
 Pentaphylloides, Rosaceae
 Pentas, Rubiaceae
 Pentaschistis, Gramineae
 Pentatropis, Asclepiadaceae
 Perescia, Cactaceae
 Pergamasus, Invertebrata
 Pergularia, Asclepiadaceae
 Pericopsis, Leguminosae
 Peridinium, Invertebrata
 Perigona, Insecta
 Perilla, Labiatae
 Peristrophe, Acanthaceae
 Peromyscus, Vertebrata
 Perotia, Gramineae
 Perovskia, Labiatae
 Persea, Lauraceae
 Pertusaria, Fungi
 Petrea, Verbenaceae
 Petrocallis, Cruciferae
 Peucedanum, Umbelliferae
 Phacelia, Hydrophyllaceae
 Phacus, Algae
 Phaeosphyssia, Fungi
 Phalaris, Gramineae
 Phallus, Fungi
 Phaseolus, Leguminosae
 Phasmomymex, Insecta
 Phellinus, Fungi
 Philadelphus, Philadelphaceae
 Philaenus, Insecta
 Philippia, Ericaceae
 Phillyrea, Oleaceae
 Philodina, Invertebrata
 Philonthus, Insecta
 Phlebodium, Pteridophyta
 Phleum, Gramineae
 Phloeocharis, Insecta
 Phlogacanthus, Acanthaceae
 Phlomis, Labiatae
 Phlox, Polemoniaceae
 Phlyctochytrium, Fungi
 Phocaena, Vertebrata
 Phoebe, Lauraceae
 Phoenix, Palmae
 Pholidota, Orchidaceae
 Photinia, Rosaceae
 Phragmites, Gramineae
 Phyllachora, Fungi
 Phyllanthus, Euphorbiaceae
 Phyllocladus, Phyllocladaceae
 Phyllostachys, Gramineae
 Physalis, Solanaceae
 Physcia, Fungi
 Physemus, Insecta
 Physocarpus, Rosaceae
 Phytalmia, Insecta
 Phytolacca, Phytolaccaceae
 Phytophthora, Fungi
 Picea, Pinaceae
 Picramnia, Simaroubaceae
 Picris, Compositae
 Pieris, Ericaceae
 Pilea, Urticaceae
 Pilgerodendros, Cupressaceae
 Piliostigma, Leguminosae
 Pilophorus, Fungi
 Pimpinella, Umbelliferae
 Pinus, Pinaceae
 Piper, Piperaceae
 Piptanthus, Leguminosae
 Piptoporus, Fungi
 Pipturus, Urticaceae
 Pisonia, Nyctaginaceae
 Pistacia, Pistaciaceae
 Pisum, Leguminosae
 Pithecellobium, Leguminosae
 Pittosporum, Pittosporaceae
 Placopsis, Fungi
 Plagianthus, Malvaceae
 Plagiochila, Bryophyta
 Plagiogyria, Plagiogyriaceae

- Plagiomnium, Bryophyta
 Planetes, Insecta
 Plantago, Plantaginaceae
 Platanthera, Orchidaceae
 Platanus, Platanaceae
 Platismatia, Fungi
 Platycarya, Juglandaceae
 Platycerium, Pteridophyta
 Platydema, Insecta
 Plectranthus, Labiatae
 Pleonomus, Insecta
 Pleuronectocelaeno,
 Invertebrata
 Pleurozia, Bryophyta
 Plumeria, Apocynaceae
 Plutella, Insecta
 Poa, Gramineae
 Podocarpus, Podocarpaceae
 Pogostemon, Labiatae
 Polemonium, Polemoniaceae
 Pollia, Commelinaceae
 Polyalthia, Annonaceae
 Polyblastia, Fungi
 Polygonum, Polygonaceae
 Polylepsis, Rosaceae
 Polypedilum, Insecta
 Polypogon, Gramineae
 Polypore, Fungi
 Polyporus, Fungi
 Polyrhachis, Insecta
 Polystichum, Pteridophyta
 Polytrichastrum, Bryophyta
 Polytrichum, Bryophyta
 Pongamia, Leguminosae
 Pontia, Invertebrata
 Populus, Salicaceae
 Porana, Convolvulaceae
 Porella, Bryophyta
 Poriaceae, Fungi
 Porina, Fungi
 Porotermes, Insecta
 Porpidia, Fungi
 Portulaca, Portulacaceae
 Potamogeton,
 Potamogetonaceae
 Potentilla, Rosaceae
 Poterium, Rosaceae
 Pouteria, Sapotaceae
 Prangos, Umbelliferae
 Prasophyllum, Orchidaceae
 Premna, Verbenaceae
 Prestoa, Palmae
 Primula, Primulaceae
 Prinsepia, Rosaceae
 Proctolaelaps, Invertebrata
 Prodrasterius, Insecta
 Prosimulium, Insecta
 Prosopis, Leguminosae
 Prostanthera, Labiatae
 Protea, Proteaceae
 Proteinus, Insecta
 Protium, Burseraceae
 Protoparmelia, Fungi
 Prunus, Rosaceae
 Pseudechinolaena,
 Gramineae
 Pseudobium, Insecta
 Pseudochironomus, Insecta
 Pseudocolenis, Insecta
 Pseudocyphellaria, Fungi
 Pseudocystopteris,
 Athyriaceae
 Pseudolmedia, Moraceae
 Pseudomesolestes, Insecta
 Pseudopanax, Araliaceae
 Pseudoplandria, Insecta
 Pseudorhicoessa, Insecta
 Pseudosasa, Gramineae
 Pseudotrechus, Insecta
 Pseudotsuga, Pinaceae
 Pseudowintera, Winteraceae
 Psidium, Myrtaceae
 Psophocarpus, Leguminosae
 Psora, Fungi
 Psoralea, Leguminosae
 Psoromidium, Fungi
 Psychotria, Rubiaceae
 Psylliodes, Insecta
 Ptenidium, Insecta
 Pteridium, Pteridophyta
 Pteris, Pteridophyta
 Pternopetalum, Umbelliferae
 Pterocarpus, Leguminosae
 Pterocarya, Juglandaceae
 Pterostichus, Insecta
 Pterostylis, Orchidaceae
 Pterostyrax, Styracaceae
 Ptilidium, Bryophyta
 Ptychotis, Umbelliferae
 Pueraria, Leguminosae
 Pulicaria, Compositae
 Pulsatilla, Ranunculaceae
 Punica, Punicaceae
 Purdiaea, Cyrillaceae
 Purshia, Boraginaceae
 Putranjiva, Euphorbiaceae
 Puya, Bromeliaceae
 Pyracantha, Rosaceae
 Pyrenomycete, Fungi
 Pyrgidium, Fungi
 Pyrola, Pyrolaceae
 Pyrus, Rosaceae
 Pythium, Fungi
 Pyxine, Fungi
 Qualea, Vochysiaceae
 Quedius, Insecta
 Quercus, Fagaceae
 Rabdosia, Labiatae
 Racomitrium, Bryophyta
 Radula, Bryophyta
 Ramalina, Fungi
 Ramona, Labiatae
 Randia, Rubiaceae
 Ranunculus, Ranunculaceae
 Raphia, Palmae
 Rauvolfia, Apocynaceae
 Reaumuria, Tamaricaceae
 Reduviidae, Insecta
 Reevesia, Sterculiaceae
 Reicheia, Insecta
 Reptonia, Sapotaceae
 Reticulitermes, Insecta
 Rhabditis, Invertebrata
 Rhagidia, Invertebrata
 Rhagio, Insecta
 Rhagonycha, Insecta
 Rhamnus, Rhamnaceae
 Rheum, Polygonaceae
 Rhipogonum, Liliaceae
 Rhizidiomyces, Fungi
 Rhizocarpon, Fungi
 Rhizoctonia, Fungi
 Rhizophora, Rhizophoraceae
 Rhododendron, Ericaceae
 Rhopalostylis, Palmae
 Rhus, Anacardiaceae
 Rhynchelytrum, Gramineae
 Rhynchosia, Leguminosae
 Rhynchospora, Cyperaceae
 Rhynchotae, Insecta
 Rhytisma, Fungi
 Ribes, Grossulariaceae
 Richea, Epacridaceae
 Ricinus, Euphorbiaceae
 Rikliella, Cyperaceae
 Rinodina, Fungi
 Rivea, Convolvulaceae
 Rivina, Phytolaccaceae
 Robinia, Leguminosae
 Roemeria, Papaveraceae
 Rogersia, Saxifragaceae
 Rorippa, Cruciferae
 Rosa, Rosaceae
 Rotifer, Invertebrata
 Roystonea, Palmae
 Rubia, Rubiaceae
 Rubus, Rosaceae
 Ruellia, Acanthaceae
 Rumex, Polygonaceae
 Ruscus, Ruscaceae
 Russula, Fungi
 Ruta, Rutaceae
 Rutilus, Vertebrata
 Sabal, Palmae
 Sabia, Sabiaceae
 Saccharosydne, Insecta
 Saccharum, Gramineae
 Saccifolium, Saccifoliaceae
 Saintpaulia, Gesneriaceae
 Salacia, Celastraceae
 Salicornia, Chenopodiaceae
 Salix, Salicaceae
 Salmo, Vertebrata
 Salmon, Vertebrata
 Salpianthus, Nyctaginaceae
 Salsola, Chenopodiaceae
 Salvadoria, Salvadoraceae
 Salvia, Labiatae
 Samadera, Simaroubaceae
 Samanea, Leguminosae
 Sambucus, Sambucaceae
 Sanguisorba, Rosaceae
 Sansevieria, Agavaceae
 Santalum, Santalaceae
 Santessonia, Fungi
 Sapindus, Sapindaceae
 Sapium, Euphorbiaceae
 Sarcophilus, Insecta
 Sarcophilus, Insecta

Sarcophaga, Insecta
 Sarcostemma,
 Asclepiadaceae
 Sargassum, Algae
 Sasa, Gramineae
 Sasamorpha, Gramineae
 Satyrium, Orchidaceae
 Saussurea, Compositae
 Saxe-Gothaea,
 Podocarpaceae
 Saxifraga, Saxifragaceae
 Sbordonella, Insecta
 Scaevola, Goodeniaceae
 Scandix, Umbelliferae
 Scaphopetalum,
 Sterculiaceae
 Scaptomyza, Insecta
 Scarabaeidae, Insecta
 —, Invertebrata
 Schaereria, Fungi
 Schefflera, Araliaceae
 Schisandra, Schisandraceae
 Schismatomma, Fungi
 Schizophora, Insecta
 Schizophragma,
 Hydrangeaceae
 Schizymenia, Algae
 Schleicheria, Sapindaceae
 Schoenoplectus, Cyperaceae
 Sciaridae, Insecta
 Scirpus, Cyperaceae
 Scleria, Cyperaceae
 Sclerocarya, Anacardiaceae
 Scleronema, Bombacaceae
 Scleropyrum, Santalaceae
 Sclerotinia, Fungi
 Scoparia, Scrophulariaceae
 Scorzonera, Compositae
 Scrophularia,
 Scrophulariaceae
 Scutia, Rhamnaceae
 Scylla, Invertebrata
 Scytonema, Algae
 Sebacina, Fungi
 Secale, Gramineae
 Securidaca, Polygalaceae
 Sedum, Crassulaceae
 Selenophorus, Insecta
 Selinum, Umbelliferae
 Selliera, Goodeniaceae
 Senecio, Compositae
 Septoriella, Fungi
 Sequoia, Taxodiaceae
 Serenoa, Palmae
 Serjania, Sapindaceae
 Serratula, Compositae
 Serviformica, Insecta
 Sesamum, Pedaliaceae
 Sesbania, Leguminosae
 Seseli, Umbelliferae
 Sesleria, Gramineae
 Setacera, Insecta
 Setaria, Gramineae
 Shepherdia, Elaeagnaceae
 Shiia, Fagaceae
 Shorea, Dipterocarpaceae

Sieversia, Rosaceae
 Silene, Caryophyllaceae
 Simaba, Simaroubaceae
 Simmondsia,
 Simmondsiaceae
 Simulium, Insecta
 Sinoarundinaria, Gramineae
 Sinomenium,
 Menispermaceae
 Siphonostegia,
 Scrophulariaceae
 Sistotrema, Fungi
 Sitodrepa, Insecta
 Sloanella, Insecta
 Smilax, Smilacaceae
 Smirnowia, Leguminosae
 Smithia, Guttiferae
 Solanum, Solanaceae
 Soldanella, Primulaceae
 Solena, Cucurbitaceae
 Solidago, Compositae
 Sonchus, Compositae
 Sonneratia, Sonneratiaceae
 Sorbus, Rosaceae
 Sordaria, Fungi
 Sorghum, Gramineae
 Spaniocelyphus, Insecta
 Sparganium, Sparganiaceae
 Spartina, Gramineae
 Spathiphyllum, Araceae
 Spathodea, Bignoniaceae
 Spathoglottis, Orchidaceae
 Speagonum, Insecta
 Sphaeriaceae, Fungi
 Sphaerophysa, Leguminosae
 Sphaerosoma, Insecta
 Sphagnum, Bryophyta
 Sphiracephala, Insecta
 Sphyraspermum, Ericaceae
 Spigelia, Spigeliaceae
 Spiraecia, Rosaceae
 Spondias, Anacardiaceae
 Sporastatia, Fungi
 Sporobolus, Gramineae
 Squamaria, Fungi
 Stachybotrys, Fungi
 Stachyurus, Stachyuraceae
 Staehelina, Compositae
 Staphylea, Staphyleaceae
 Staphylinidae, Insecta
 Staurastrum, Algae
 Staurodesmus, Algae
 Staurostema, Fungi
 Stemonitis, Fungi
 Stenocereus, Cactaceae
 Stenotaphrum, Gramineae
 Stephanandra, Rosaceae
 Stephania, Menispermaceae
 Sterculia, Sterculiaceae
 Stereocaulon, Fungi
 Stereospermum,
 Bignoniaceae
 Stereum, Fungi
 Sternbergia, Amaryllidaceae
 Sternolophus, Insecta
 Stevensius, Insecta

Stevia, Compositae
 Stilbocarpa, Araliaceae
 Stipa, Gramineae
 Stoebe, Compositae
 Streblus, Moraceae
 Streptorhamphus,
 Compositae
 Strobilanthes, Acanthaceae
 Struthiopteris, Pteridophyta
 Stryphnodendron,
 Leguminosae
 Stypeiochloa, Gramineae
 Styx, Styracaceae
 Stysanus, Fungi
 Suaeda, Chenopodiaceae
 Suddia, Gramineae
 Swainsona, Leguminosae
 Swartzia, Leguminosae
 Swida, Cornaceae
 Swietenia, Meliaceae
 Symphoromyia, Insecta
 Symphytum, Boraginaceae
 Symplocos, Symplocaceae
 Synurus, Compositae
 Syringa, Oleaceae
 Syzygium, Myrtaceae
 Tabanus, Insecta
 Tabebuia, Bignoniaceae
 Tachinidae, Insecta
 Tachinus, Insecta
 Tagetes, Compositae
 Taiwania, Taxodiaceae
 Tamarindus, Leguminosae
 Tamarix, Tamaricaceae
 Tamas, Vertebrata
 Tanacetum, Compositae
 Tanytarsus, Insecta
 Tapura, Dichapetalaceae
 Taraxacum, Compositae
 Tardius, Insecta
 Tasmannia, Magnoliaceae
 Taxodium, Taxodiaceae
 Taxus, Taxaceae
 Technomyrmex, Insecta
 Tecoma, Bignoniaceae
 Tectocus, Insecta
 Tectona, Verbenaceae
 Telephanus, Insecta
 Teline, Leguminosae
 Telopea, Proteaceae
 Teloschistes, Fungi
 Tenuirostitermes, Insecta
 Tephromela, Fungi
 Tephrosia, Fabaceae
 —, Leguminosae
 Terminalia, Combretaceae
 Tetradenia, Labiatae
 Tetrameles, Tetramelaceae
 Tetrapathaea, Passifloraceae
 Tetrastigma, Rubiaceae
 Tetratheca, Tremandraceae
 Teucrium, Labiatae
 Thallassia, Algae
 Thamiaraca, Insecta
 Thapsia, Umbelliferae
 Thaumaleidae, Insecta

- Thelotrema, Fungi
 Theobroma, Sterculiaceae
 Thermopsis, Leguminosae
 Thespesia, Malvaceae
 Thevenotia, Compositae
 Thidium, Bryophyta
 Thomisidae, Invertebrata
 Thrinax, Palmae
 Thuja, Cupressaceae
 Thymus, Labiatae
 Tilia, Tiliaceae
 Tillandsia, Bromeliaceae
 Tinophyllus, Insecta
 Tinospora, Menispermaceae
 Tipulidae, Insecta
 Toddalia, Rutaceae
 Tofieldia, Liliaceae
 Tomico, Insecta
 Toninia, Fungi
 Tortella, Bryophyta
 Tortula, Bryophyta
 Tournefortia, Boraginaceae
 Tovomita, Guttiferae
 Trabutia, Fungi
 Trachycarpus, Palmae
 Trachypogon, Gramineae
 Trachyuropoda, Invertebrata
 Tragacantha, Leguminosae
 Tragus, Gramineae
 Trapeliopsis, Fungi
 Trechimorphus, Insecta
 Trema, Ulmaceae
 Tremella, Fungi
 Trialeurodes, Insecta
 Trianthema, Aizoaceae
 Trichilia, Meliaceae
 Trichoglossum, Fungi
 Trichoglottis, Orchidaceae
 Tricholaena, Gramineae
 Trichophorum, Cyperaceae
 Trichoprosopon, Insecta
 Trichopteryx, Gramineae
 Trichostigma,
 Phytolaccaceae
 Trichouropoda, Invertebrata
 Trifolium, Leguminosae
 Trigonella, Leguminosae
 Triopteris, Malpighiaceae
 Tripogon, Gramineae
 Tripsacum, Gramineae
 Tripterospermum,
 Gentianaceae
 Triraphis, Gramineae
 Trisetaria, Gramineae
 Trisetum, Gramineae
 Tristania, Myrtaceae
 Tristerix, Loranthaceae
 Triticale, Gramineae
 Triticum, Gramineae
 Triumphetta, Tiliaceae
 Tryblidaria, Fungi
 Tsuga, Pinaceae
 Tubaria, Fungi
 Tubulicrinis, Fungi
 Turpinia, Staphyleaceae
 Tursipos, Vertebrata
 Tydeus, Invertebrata
 Typha, Typhaceae
 Typhula, Fungi
 Tyrophagus, Invertebrata
 Ulex, Leguminosae
 Ulmus, Ulmaceae
 Uloma, Insecta
 Umbilicaria, Fungi
 Uncinia, Cyperaceae
 Upogebia, Invertebrata
 Uranotaenia, Insecta
 Uraria, Leguminosae
 Urena, Malvaceae
 Urera, Urticaceae
 Urginea, Liliaceae
 Uropoda, Invertebrata
 Uropodina, Invertebrata
 Urtica, Urticaceae
 Usnea, Fungi
 Vaccinium, Ericaceae
 Valeriana, Valerianaceae
 Vanilla, Orchidaceae
 Velia, Insecta
 Vellozia, Velloziaceae
 Ventilago, Rhamnaceae
 Veratrum, Liliaceae
 Verbena, Verbenaceae
 Vernonia, Compositae
 Veronica, Scrophulariaceae
 Veronicastrum,
 Scrophulariaceae
 Verrucaria, Fungi
 Vespa, Insecta
 Viburnum, Caprifoliaceae
 Vicia, Leguminosae
 Vigna, Leguminosae
 Vinca, Apocynaceae
 Viola, Violaceae
 Viscum, Viscaceae
 Vismia, Guttiferae
 Vitex, Verbenaceae
 Vitis, Vitidaceae
 Vochysia, Vochysiaceae
 Vorticella, Invertebrata
 Waltheria, Sterculiaceae
 Washingtonia, Palmae
 Wawea, Fungi
 Weigela, Caprifoliaceae
 Weinmannia, Cunoniaceae
 Welwitschia,
 Welwitschiaceae
 Wendlandia, Rubiaceae
 Widdringtonia,
 Cupressaceae
 Woodfordia, Lythraceae
 Woodwardia, Pteridophyta
 Wrightia, Apocynaceae
 Wulfia, Compositae
 Xanthium, Compositae
 Xanthophyllum,
 Xanthophyllaceae
 Xanthorrhoea,
 Xanthorrhoeaceae
 Xanthosoma, Araceae
 Xanthostemon, Myrtaceae
 Xeranthemum, Compositae
 Xeromphis, Rubiaceae
 Xerotes, Xanthorrhoeaceae
 Xylaria, Fungi
 Xylariaceae, Fungi
 Xylocarpus, Meliaceae
 Xylopia, Annonaceae
 Yucca, Agavaceae
 Yushania, Gramineae
 Zabrus, Insecta
 Zacantha, Compositae
 Zanthophyllum, Rutaceae
 Zanthoxylum, Rutaceae
 Zapada, Insecta
 Zea, Gramineae
 Zerkova, Ulmaceae
 Zenkerella, Leguminosae
 Zephyranthes,
 Amaryllidaceae
 Zercon, Invertebrata
 Zeus, Fungi
 Zingiber, Zingiberaceae
 Zinnia, Compositae
 Zizania, Gramineae
 Ziziphus, Rhamnaceae
 Zostera, Zosteraceae
 Zozimia, Umbelliferae
 Zuphium, Insecta
 Zygochloa,
 Zygophyllaceae



Riley Dunn & Wilson Ltd
EXPERT CONSERVATORS & BOOKBINDERS

